

# Human Blood Monitoring Program in Japan: Contamination of Persistent Organochlorines in Japanese Residents

Archives of Environmental Contamination and Toxicology  
51, 296-313

DOI: 10.1007/s00244-004-0251-5

Citation Report

#	ARTICLE	IF	CITATIONS
1	A simple and fast method for the simultaneous determination of polychlorinated biphenyls and polybrominated diphenyl ethers in small volumes of human serum. <i>Journal of Chromatography A</i> , 2007, 1152, 124-129.	1.8	50
2	Cytotoxic effects and aromatase inhibition by xenobiotic endocrine disrupters alone and in combination†. <i>Toxicology and Applied Pharmacology</i> , 2007, 222, 129-140.	1.3	91
3	Using Blood Plasma for Monitoring Organochlorine Contaminants in Juvenile White Sturgeon, <i>Acipenser transmontanus</i> , from the Lower Columbia River. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008, 81, 225-229.	1.3	11
4	Distribution of organochlorine pesticides (OCPs) and polychlorinated biphenyls (PCBs) in human serum from urban areas in Korea. <i>Chemosphere</i> , 2008, 73, 1625-1631.	4.2	80
5	Population Physiologically Based Pharmacokinetic Modeling for the Human Lactational Transfer of PCB-153 with Consideration of Worldwide Human Biomonitoring Results. <i>Environmental Health Perspectives</i> , 2008, 116, 1629-1635.	2.8	36
6	Human epidemiologic studies of exposure to endocrine-disrupting chemicals and altered hormone levels. , 2009, , 36-57.		1
7	Time Course of Congener Uptake and Elimination in Rats after Short-Term Inhalation Exposure to an Airborne Polychlorinated Biphenyl (PCB) Mixture. <i>Environmental Science &amp; Technology</i> , 2010, 44, 6893-6900.	4.6	37
8	Body burden of POPs of Hong Kong residents, based on human milk, maternal and cord serum. <i>Environment International</i> , 2011, 37, 142-151.	4.8	98
9	Optimized determination of polybrominated diphenyl ethers and polychlorinated biphenyls in sheep serum by solid-phase extraction“gas chromatography“mass spectrometry. <i>Talanta</i> , 2011, 84, 487-493.	2.9	30
10	Organochlorine Pesticides in Human Serum. , 2011, , .		7
12	Exposure to priority organochlorine contaminants in the Italian general population. Part 2. Human and Experimental Toxicology, 2014, 33, 170-184.	1.1	7
13	Which exposure stage (gestation or lactation) is more vulnerable to atrazine toxicity? Studies on mouse dams and their pups. <i>Toxicology Reports</i> , 2014, 1, 53-68.	1.6	7
14	Implications of Prenatal Steroid Perturbations for Neurodevelopment, Behavior, and Autism. <i>Endocrine Reviews</i> , 2014, 35, 961-991.	8.9	125
15	Organochlorine Pesticide Level Differences Among Female Inhabitants from Veracruz, Puebla and Tabasco, Mexico. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2014, 93, 233-237.	1.3	9
16	Recent status of organohalogens, heavy metals and PAHs pollution in specific locations in India. <i>Chemosphere</i> , 2015, 137, 122-134.	4.2	17
17	Genome-wide association study of plasma levels of polychlorinated biphenyls disclose an association with the CYP2B6 gene in a population-based sample. <i>Environmental Research</i> , 2015, 140, 95-101.	3.7	10
18	Development of human serum certified reference material for quantification of polychlorinated biphenyls. <i>International Journal of Environmental Analytical Chemistry</i> , 2016, 96, 1378-1388.	1.8	2
19	Exposure and risk assessment of the Czech population to chlorinated pesticides and polychlorinated biphenyls using archived serum samples from the period 1970 to 1990. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 443-453.	2.1	3

#	ARTICLE	IF	CITATIONS
20	Organohalogenated contaminants in type 2 diabetic serum from Jeddah, Saudi Arabia. Environmental Pollution, 2016, 213, 206-212.	3.7	11
21	Biomonitoring and risk assessment of organochlorine pesticides among Saudi adults. Arabian Journal of Chemistry, 2019, 12, 1795-1801.	2.3	4
22	Disposition of <i>trans</i> -(4-chlorophenyl)methanol and <i>trans</i> -(4-chlorophenyl)methane in male and female Harlan Sprague Dawley rats and B6C3F1/N mice following oral and intravenous administration. Xenobiotica, 2019, 49, 484-494.	0.5	1
23	Validated Gas Chromatography – Mass Spectrometry (GC-MS) Method for Simultaneous Quantitation of <i>trans</i> -(4-Chlorophenyl)Methane and <i>trans</i> -(4-Chlorophenyl)Methanol in Rat Plasma and Fetus. Analytical Letters, 2022, 55, 539-554.	1.0	0
24	Prenatal Exposure to Polycyclic Aromatic Hydrocarbons and Birth Weight in China. Open Journal of Air Pollution, 2014, 03, 100-110.	0.4	12
25	Atrazine and Human Health. International Journal of Ecosystem, 2012, 1, 14-23.	1.0	44