

Porous structure of hypercrosslinked polystyrene: State

Reactive and Functional Polymers

66, 768-779

DOI: [10.1016/j.reactfunctpolym.2005.11.004](https://doi.org/10.1016/j.reactfunctpolym.2005.11.004)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Three Generations of Polystyrene-Type Strong Acid Cation Exchangers: Textural Effects on Proton/Cadmium(II) Ion Exchange Kinetics. <i>Industrial & Engineering Chemistry Research</i> , 2006, 45, 9096-9106.	1.8	11
2	Effects of post-crosslinking of macroreticular styrene-divinylbenzene copolymers on their morphology. <i>Polymer</i> , 2006, 47, 6544-6550.	1.8	45
3	Hydrogen storage using polymer-supported organometallic dihydrogen complexes: a mechanistic study. <i>Chemical Communications</i> , 2007, , 2965.	2.2	18
4	Hypercrosslinked polyanilines with nanoporous structure and high surface area: potential adsorbents for hydrogen storage. <i>Journal of Materials Chemistry</i> , 2007, 17, 4989.	6.7	290
5	Hydrogen Storage in Microporous Hypercrosslinked Organic Polymer Networks. <i>Chemistry of Materials</i> , 2007, 19, 2034-2048.	3.2	618
6	Conjugated Microporous Poly(aryleneethynylene) Networks. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 8574-8578.	7.2	1,278
8	A fibrous hypercrosslinked sorbent prepared on PP-ST-DVB matrix via post-crosslinking reaction. <i>Chinese Chemical Letters</i> , 2007, 18, 588-590.	4.8	6
9	Kinetics of polycyclic aromatic hydrocarbons removal using hyper-cross-linked polymeric sorbents Macronet Hypersol MN200. <i>Reactive and Functional Polymers</i> , 2007, 67, 1515-1529.	2.0	48
10	Kinetics of sorption of polyaromatic hydrocarbons onto granular activated carbon and Macronet hyper-cross-linked polymers (MN200). <i>Journal of Colloid and Interface Science</i> , 2007, 310, 35-46.	5.0	87
11	Surface structure of size exclusion chromatography stationary phase. <i>Journal of Microscopy</i> , 2007, 227, 110-117.	0.8	3
12	Deformation of styrene-divinylbenzene copolymers and hypercrosslinked polystyrenes during solvent adsorption and desorption. <i>Russian Chemical Bulletin</i> , 2007, 56, 484-493.	0.4	5
13	Studies progress of preparation, properties and applications of hyper-cross-linked polystyrene networks. <i>Journal of Materials Science</i> , 2007, 42, 7621-7629.	1.7	29
14	Porous, Covalent Triazine-Based Frameworks Prepared by Ionothermal Synthesis. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 3450-3453.	7.2	2,138
16	Porogen effects in synthesis of uniform micrometer-sized poly(divinylbenzene) microspheres with high surface areas. <i>Journal of Colloid and Interface Science</i> , 2008, 323, 52-59.	5.0	69
17	Adsorptive removal of the pesticide methomyl using hypercrosslinked polymers. <i>Journal of Hazardous Materials</i> , 2008, 155, 295-304.	6.5	93
18	A novel hypercrosslinked polymeric adsorbent modified by phenolic hydroxyl group of 2-naphthol with bromoethane as crosslinking reagent. <i>Carbohydrate Polymers</i> , 2008, 74, 468-473.	5.1	12
19	Facile synthesis and characterization of novel pseudo-hypercrosslinked resin. <i>Chinese Chemical Letters</i> , 2008, 19, 611-614.	4.8	9
20	Monodisperse, hypercrosslinked polymer microspheres as tailor-made sorbents for highly efficient solid-phase extractions of polar pollutants from water samples. <i>Journal of Chromatography A</i> , 2008, 1191, 118-124.	1.8	53

#	ARTICLE	IF	CITATIONS
21	A hyper-cross-linked polystyrene with nano-pore structure. <i>European Polymer Journal</i> , 2008, 44, 2516-2522.	2.6	48
22	Hyper-cross-linked resins with controllable pore structure. <i>Materials Letters</i> , 2008, 62, 2392-2395.	1.3	14
23	Microporous Networks of High-Performance Polymers: Elastic Deformations and Gas Sorption Properties. <i>Macromolecules</i> , 2008, 41, 2880-2885.	2.2	297
24	Conjugated microporous poly(phenylene butadiynylene)s. <i>Chemical Communications</i> , 2008, , 486-488.	2.2	252
25	Atomistic Simulation of Micropore Structure, Surface Area, and Gas Sorption Properties for Amorphous Microporous Polymer Networks. <i>Journal of Physical Chemistry C</i> , 2008, 112, 20549-20559.	1.5	59
26	Synthetic Control of the Pore Dimension and Surface Area in Conjugated Microporous Polymer and Copolymer Networks. <i>Journal of the American Chemical Society</i> , 2008, 130, 7710-7720.	6.6	802
27	Elemental organic frameworks with high permanent porosity. <i>Chemical Communications</i> , 2008, , 2462.	2.2	197
28	Preparation of Size-Selective Nanoporous Polymer Networks of Aromatic Rings: Potential Adsorbents for Hydrogen Storage. <i>Chemistry of Materials</i> , 2008, 20, 7069-7076.	3.2	199
29	New Method for Reducing the Binding Power of Sweet White Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8470-8474.	2.4	18
30	Novel polymeric nanocomposites and porous materials prepared using organogels. <i>Nanotechnology</i> , 2009, 20, 475606.	1.3	11
31	Preparation and characterization of hypercrosslinked resins with bimodal pore size distribution and controllable microporosity. <i>Materials Letters</i> , 2009, 63, 509-511.	1.3	8
32	Conjugated Microporous Polymers. <i>Advanced Materials</i> , 2009, 21, 1291-1295.	11.1	929
33	Template-Free Tuning of Nanopores in Carbonaceous Polymers through Ionothermal Synthesis. <i>Advanced Materials</i> , 2009, 21, 897-901.	11.1	120
34	Microporous Conjugated Poly(thienylene arylene) Networks. <i>Advanced Materials</i> , 2009, 21, 702-705.	11.1	281
35	Self-concentration effects in preparative SEC of mineral electrolytes using nanoporous neutral polymeric sorbents. <i>Journal of Separation Science</i> , 2009, 32, 64-73.	1.3	13
36	Palladium-containing hypercrosslinked polystyrene as an easy to prepare catalyst for Suzuki reaction in water and organic solvents. <i>Reactive and Functional Polymers</i> , 2009, 69, 755-758.	2.0	57
37	Nanoporous Polymers for Hydrogen Storage. <i>Small</i> , 2009, 5, 1098-1111.	5.2	373
38	Adsorption of methyl tert-butyl ether (MTBE) from aqueous solution by porous polymeric adsorbents. <i>Journal of Hazardous Materials</i> , 2009, 161, 81-87.	6.5	78

#	ARTICLE	IF	CITATIONS
39	Tertiary amino groups modified macroporous crosslinked poly(styrene-co-divinylbenzene) and its oxidized adsorbent: Synthesis, characterization, and adsorption behavior. <i>Journal of Hazardous Materials</i> , 2009, 162, 771-776.	6.5	13
40	Application of an easily water-compatible hypercrosslinked polymeric adsorbent for efficient removal of catechol and resorcinol in aqueous solution. <i>Journal of Hazardous Materials</i> , 2009, 167, 69-74.	6.5	44
41	Synthesis, characterization, and adsorption properties of phenolic hydroxyl group modified hyper-cross-linked polymeric adsorbent. <i>Journal of Colloid and Interface Science</i> , 2009, 337, 19-23.	5.0	30
42	Adsorption properties of a microporous and mesoporous hyper-crosslinked polymeric adsorbent functionalized with phenoxy groups for phenol in aqueous solution. <i>Journal of Colloid and Interface Science</i> , 2009, 339, 296-301.	5.0	19
43	Synthesis and characterization of size-selective nanoporous polymeric adsorbents for blood purification. <i>Separation and Purification Technology</i> , 2009, 66, 578-585.	3.9	32
44	Adsorption of p-nitroaniline by phenolic hydroxyl groups modified hyper-cross-linked polymeric adsorbent and XAD-4: A comparative study. <i>Chemical Engineering Journal</i> , 2009, 155, 722-727.	6.6	25
45	Building ultramicropores within organic polymers based on a thermosetting cyanate ester resin. <i>Chemical Communications</i> , 2009, , 5027.	2.2	45
46	Hypercrosslinked polystyrene: The first nanoporous polymeric material. <i>Nanotechnologies in Russia</i> , 2009, 4, 665-675.	0.7	45
47	The contraction of granules of nanoporous super-cross-linked polystyrene sorbents as a result of the exclusion of large-sized mineral electrolyte ions from the polymer phase. <i>Russian Journal of Physical Chemistry A</i> , 2009, 83, 457-464.	0.1	3
48	Conjugated Microporous Polymer Networks via Yamamoto Polymerization. <i>Macromolecules</i> , 2009, 42, 4426-4429.	2.2	339
49	High surface area polyHIPEs with hierarchical pore system. <i>Soft Matter</i> , 2009, 5, 1055.	1.2	84
50	Nanoporous, hypercrosslinked polypyrroles: effect of crosslinking moiety on pore size and selective gas adsorption. <i>Chemical Communications</i> , 2009, , 1526.	2.2	78
51	Toward Tailorable Porous Organic Polymer Networks: A High-Temperature Dynamic Polymerization Scheme Based on Aromatic Nitriles. <i>Macromolecules</i> , 2009, 42, 319-326.	2.2	307
52	Microporous Poly(tri(4-ethynylphenyl)amine) Networks: Synthesis, Properties, and Atomistic Simulation. <i>Macromolecules</i> , 2009, 42, 2658-2666.	2.2	166
53	Organic materials for hydrogen storage applications: from physisorption on organic solids to chemisorption in organic molecules. <i>Energy and Environmental Science</i> , 2009, 2, 480.	15.6	160
54	Microporous Organic Polymers: Design, Synthesis, and Function. <i>Topics in Current Chemistry</i> , 2009, 293, 1-33.	4.0	107
55	¹ H NMR cryoporosimetry of swollen hypercrosslinked polymers. <i>Russian Journal of Physical Chemistry A</i> , 2010, 84, 460-465.	0.1	3
56	Laws of sorption of some aromatic heterocycles from solutions on nanoporous supercrosslinked polystyrene. <i>Russian Journal of Physical Chemistry A</i> , 2010, 84, 1598-1604.	0.1	12

#	ARTICLE	IF	CITATIONS
57	Hybrid Porous Materials with High Surface Area Derived from Bromophenylethenyl-Functionalized Cubic Siloxane-Based Building Units. <i>Chemistry - A European Journal</i> , 2010, 16, 6006-6014.	1.7	94
58	Morphological study on the reactivity of styrene-divinylbenzene copolymers in a chloromethylation reaction. <i>Journal of Applied Polymer Science</i> , 2010, 118, 2389-2396.	1.3	6
59	Surface modification on a hyper-cross-linked polymeric adsorbent by multiple phenolic hydroxyl groups to be used as a specific adsorbent for adsorptive removal of p-nitroaniline from aqueous solution. <i>Journal of Colloid and Interface Science</i> , 2010, 342, 462-466.	5.0	36
60	Positron annihilation spectroscopic study of hydrothermally synthesized fine nanoporous hydroxyapatite agglomerates. <i>Journal of the European Ceramic Society</i> , 2010, 30, 1897-1901.	2.8	15
61	Comparison of hypercrosslinked polystyrene columns for the separation of nitrogen group-types in petroleum using High Performance Liquid Chromatography. <i>Journal of Chromatography A</i> , 2010, 1217, 6178-6185.	1.8	22
62	Adsorption characteristics of benzene-chlorobenzene vapor on hypercrosslinked polystyrene adsorbent and a pilot-scale application study. <i>Chemical Engineering Journal</i> , 2010, 160, 723-728.	6.6	85
63	Weak anion-exchange hypercrosslinked sorbent in on-line solid-phase extraction-liquid chromatography coupling to achieve automated determination with an effective clean-up. <i>Journal of Chromatography A</i> , 2010, 1217, 2855-2861.	1.8	39
64	Hypercrosslinking: New approach to porous polymer monolithic capillary columns with large surface area for the highly efficient separation of small molecules. <i>Journal of Chromatography A</i> , 2010, 1217, 8212-8221.	1.8	150
65	High Surface Area Conjugated Microporous Polymers: The Importance of Reaction Solvent Choice. <i>Macromolecules</i> , 2010, 43, 8524-8530.	2.2	195
66	Imine-Linked Microporous Polymer Organic Frameworks. <i>Chemistry of Materials</i> , 2010, 22, 4974-4979.	3.2	218
68	Triptycene-Based Polymers of Intrinsic Microporosity: Organic Materials That Can Be Tailored for Gas Adsorption. <i>Macromolecules</i> , 2010, 43, 5287-5294.	2.2	275
69	New element organic frameworks via Suzuki coupling with high adsorption capacity for hydrophobic molecules. <i>Soft Matter</i> , 2010, 6, 3918.	1.2	106
70	Exploitation of Intrinsic Microporosity in Polymer-Based Materials. <i>Macromolecules</i> , 2010, 43, 5163-5176.	2.2	725
71	Micropore Analysis of Polymer Networks by Gas Sorption and ¹²⁹ Xe NMR Spectroscopy: Toward a Better Understanding of Intrinsic Microporosity. <i>Langmuir</i> , 2010, 26, 15650-15656.	1.6	165
72	Microporous polyimide networks with large surface areas and their hydrogen storage properties. <i>Chemical Communications</i> , 2010, 46, 7730.	2.2	125
73	Removal of Pesticides from Water and Wastewater by Different Adsorbents: A Review. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2010, 28, 231-271.	2.9	170
74	Efficient Separation of Small Molecules Using a Large Surface Area Hypercrosslinked Monolithic Polymer Capillary Column. <i>Analytical Chemistry</i> , 2010, 82, 1621-1623.	3.2	143
75	Simple systematic synthesis of size-tunable covalent organophosphonitridic framework nano- and microspheres. <i>New Journal of Chemistry</i> , 2010, 34, 215.	1.4	21

#	ARTICLE	IF	CITATIONS
76	A new route to porous monolithic organic frameworks via cyclotrimerization. <i>Journal of Materials Chemistry</i> , 2011, 21, 711-716.	6.7	60
77	Nanoporous Crystalline Phases of Poly(2,6-Dimethyl-1,4-phenylene)oxide. <i>Chemistry of Materials</i> , 2011, 23, 3195-3200.	3.2	81
78	Intrinsically Microporous Poly(imide)s: Structure–Porosity Relationship Studied by Gas Sorption and X-ray Scattering. <i>Macromolecules</i> , 2011, 44, 2025-2033.	2.2	74
79	Atomistic Structure Generation and Gas Adsorption Simulations of Microporous Polymer Networks. <i>Macromolecules</i> , 2011, 44, 4511-4519.	2.2	84
80	Importance of Surface Area and Pore Size Distribution of Resin for Organic Toxicants Adsorption. <i>Separation Science and Technology</i> , 2011, 46, 1321-1328.	1.3	4
81	A New Strategy to Microporous Polymers: Knitting Rigid Aromatic Building Blocks by External Cross-Linker. <i>Macromolecules</i> , 2011, 44, 2410-2414.	2.2	530
82	Potential Storage Materials. <i>Green Energy and Technology</i> , 2011, , 19-59.	0.4	7
83	Hypercrosslinked organic polymer networks as potential adsorbents for pre-combustion CO ₂ capture. <i>Journal of Materials Chemistry</i> , 2011, 21, 5475.	6.7	302
84	Characterization of Hydrophobic Hypercrosslinked Polymer as an Adsorbent for Removal of Chlorinated Volatile Organic Compounds. <i>Environmental Science & Technology</i> , 2011, 45, 4506-4512.	4.6	91
85	Nanoporous copolymer networks through multiple Friedel–Crafts-alkylation studies on hydrogen and methane storage. <i>Journal of Materials Chemistry</i> , 2011, 21, 2131-2135.	6.7	76
86	Tailoring the pore size of hypercrosslinked polymers. <i>Soft Matter</i> , 2011, 7, 10910.	1.2	75
87	Adsorption Interaction of Tetracyclines with Porous Synthetic Resins. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 13892-13898.	1.8	108
88	Paradoxes of Thermodynamics of Swelling Equilibria of Polymers in Liquids and Vapors. <i>Journal of Physical Chemistry B</i> , 2011, 115, 15188-15195.	1.2	19
89	Solution-Dispersible, Colloidal, Conjugated Porous Polymer Networks with Entrapped Palladium Nanocrystals for Heterogeneous Catalysis of the Suzuki–Miyaura Coupling Reaction. <i>Chemistry of Materials</i> , 2011, 23, 5243-5249.	3.2	181
90	Hydrogen Storage Materials. <i>Green Energy and Technology</i> , 2011, , .	0.4	141
92	Synthetic control of network topology and pore structure in microporous polyimides based on triangular triphenylbenzene and triphenylamine units. <i>Soft Matter</i> , 2011, 7, 5723.	1.2	65
93	Porous Siloxane–Organic Hybrid with Ultrahigh Surface Area through Simultaneous Polymerization–Destruction of Functionalized Cubic Siloxane Cages. <i>Journal of the American Chemical Society</i> , 2011, 133, 13832-13835.	6.6	115
94	Molecular Simulations of PIM-1-like Polymers of Intrinsic Microporosity. <i>Macromolecules</i> , 2011, 44, 6944-6951.	2.2	189

#	ARTICLE	IF	CITATIONS
95	Porous organic molecular solids by dynamic covalent scrambling. <i>Nature Communications</i> , 2011, 2, 207.	5.8	155
96	References to Part Two. <i>Comprehensive Analytical Chemistry</i> , 2011, 56, 359-367.	0.7	0
97	References to Part One. <i>Comprehensive Analytical Chemistry</i> , 2011, 56, 151-163.	0.7	0
98	A click-based porous organic polymer from tetrahedral building blocks. <i>Journal of Materials Chemistry</i> , 2011, 21, 1700.	6.7	156
99	Investigation into adsorption mechanisms of sulfonamides onto porous adsorbents. <i>Journal of Colloid and Interface Science</i> , 2011, 362, 503-509.	5.0	85
100	Facile synthesis of hypercrosslinked resins via chloromethylation and continuous condensation of simple aryl molecules. <i>Bulletin of Materials Science</i> , 2011, 34, 735-738.	0.8	12
101	Towards Chiral Microporous Soluble Polymers—Binaphthalene-Based Polyimides. <i>Macromolecular Rapid Communications</i> , 2011, 32, 438-443.	2.0	44
102	Conjugated Microporous Networks on the Basis of 2,3,5,6-Tetraarylated Diketopyrrolo[3,4 <i>c</i>]pyrrole. <i>Macromolecular Rapid Communications</i> , 2011, 32, 825-830.	2.0	58
103	Hypercrosslinked microporous polymer networks for effective removal of toxic metal ions from water. <i>Microporous and Mesoporous Materials</i> , 2011, 138, 207-214.	2.2	129
104	Adsorption of phenol, bisphenol A and nonylphenol ethoxylates onto hypercrosslinked and aminated adsorbents. <i>Reactive and Functional Polymers</i> , 2011, 71, 994-1000.	2.0	52
106	Polymers of Intrinsic Microporosity. <i>ISRN Materials Science</i> , 2012, 2012, 1-16.	1.0	165
107	Adsorption Characteristics of Pentane, Hexane, and Heptane: Comparison of Hydrophobic Hypercrosslinked Polymeric Adsorbent with Activated Carbon. <i>Journal of Chemical & Engineering Data</i> , 2012, 57, 3426-3433.	1.0	25
108	Microporous Cyanate Resins: Synthesis, Porous Structure, and Correlations with Gas and Vapor Adsorptions. <i>Macromolecules</i> , 2012, 45, 5140-5150.	2.2	98
109	Preparation of acid-resistant magnetic adsorbent for effective removal of p-nitrophenol. <i>Chinese Chemical Letters</i> , 2012, 23, 1079-1082.	4.8	3
110	Surfactant-Free Synthesis of Polystyrene Nanoparticles Using Oligoglycidol Macromonomers. <i>Macromolecules</i> , 2012, 45, 1230-1240.	2.2	25
111	Morphology-controlled synthesis of porous polymer nanospheres for gas absorption and bioimaging applications. <i>Journal of Materials Chemistry</i> , 2012, 22, 9861.	6.7	29
112	NMR investigation of the porosity of hypercrosslinked polystyrene and the properties of water confined in its nanopores. <i>Russian Journal of Physical Chemistry A</i> , 2012, 86, 1588-1594.	0.1	2
113	Construction and adsorption properties of microporous tetrazine-based organic frameworks. <i>RSC Advances</i> , 2012, 2, 408-410.	1.7	46

#	ARTICLE	IF	CITATIONS
114	Modular Construction of a Porous Organometallic Network Based on Rhodium Olefin Complexation. <i>Journal of the American Chemical Society</i> , 2012, 134, 17335-17337.	6.6	18
115	Hypercrosslinked Aromatic Heterocyclic Microporous Polymers: A New Class of Highly Selective CO ₂ Capturing Materials. <i>Advanced Materials</i> , 2012, 24, 5703-5707.	11.1	424
116	Infrared linear dichroism as a tool to evaluate volatile guest partition between amorphous and nanoporous crystalline polymer phases. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 1474-1479.	2.4	7
117	Hypercrosslinked porous poly(styrene-co-divinylbenzene) resin: a promising nanostructure-incubator for hydrogen storage. <i>Journal of Materials Chemistry</i> , 2012, 22, 12752.	6.7	27
118	A functional triazine framework based on N-heterocyclic building blocks. <i>Journal of Materials Chemistry</i> , 2012, 22, 13956.	6.7	118
119	Construction and characterization of models of hypercrosslinked polystyrene. <i>Colloid and Polymer Science</i> , 2012, 290, 1443-1450.	1.0	17
120	Microporous Polycarbazole with High Specific Surface Area for Gas Storage and Separation. <i>Journal of the American Chemical Society</i> , 2012, 134, 6084-6087.	6.6	660
121	Physicochemical study of polymer-stabilized platinum catalysts for enantioselective hydrogenation of ketones. <i>Catalysis in Industry</i> , 2012, 4, 340-346.	0.3	0
122	Investigation on Dynamic Mechanical Properties of Crosslinked Poly(styrene-co-divinylbenzene) Bulk Copolymers: Effect of Divinylbenzene Content. <i>Polymers and Polymer Composites</i> , 2012, 20, 83-88.	1.0	2
123	Design and Preparation of Porous Polymers. <i>Chemical Reviews</i> , 2012, 112, 3959-4015.	23.0	1,491
124	Conjugated porous polymers for energy applications. <i>Energy and Environmental Science</i> , 2012, 5, 7819.	15.6	381
125	Characterisation of Solute Mobility in Hypercrosslinked Resins in Solvents of Different Polarity: Two Promising Supports for Catalysis. <i>Chemistry - A European Journal</i> , 2012, 18, 4706-4713.	1.7	14
126	Adsorption characteristics of water vapor on the hypercrosslinked polymeric adsorbent. <i>Chemical Engineering Journal</i> , 2012, 180, 106-112.	6.6	49
127	Gallic acid modified hyper-cross-linked resin and its adsorption equilibria and kinetics toward salicylic acid from aqueous solution. <i>Chemical Engineering Journal</i> , 2012, 191, 195-201.	6.6	33
128	Preparation and characterization of micro-mesoporous hypercrosslinked polymeric adsorbent and its application for the removal of VOCs. <i>Chemical Engineering Journal</i> , 2012, 192, 8-12.	6.6	33
129	Phenol adsorption on an N-methylacetamide-modified hypercrosslinked resin from aqueous solutions. <i>Chemical Engineering Journal</i> , 2012, 192, 192-200.	6.6	75
130	Efficient adsorptive removal of phenol by a diethylenetriamine-modified hypercrosslinked styrene-divinylbenzene (PS) resin from aqueous solution. <i>Chemical Engineering Journal</i> , 2012, 195-196, 40-48.	6.6	36
131	Quest for organic polymer-based monolithic columns affording enhanced efficiency in high performance liquid chromatography separations of small molecules in isocratic mode. <i>Journal of Chromatography A</i> , 2012, 1228, 250-262.	1.8	145

#	ARTICLE	IF	CITATIONS
132	Hyperscrosslinked polystyrene sulphonic acid catalysts for the esterification of free fatty acids in biodiesel synthesis. <i>Applied Catalysis B: Environmental</i> , 2012, 115-116, 261-268.	10.8	52
133	Bisphenol-A modified hyper-cross-linked polystyrene resin for salicylic acid removal from aqueous solution: Adsorption equilibrium, kinetics and breakthrough studies. <i>Journal of Colloid and Interface Science</i> , 2012, 372, 108-112.	5.0	19
134	Porous polymer particles—A comprehensive guide to synthesis, characterization, functionalization and applications. <i>Progress in Polymer Science</i> , 2012, 37, 365-405.	11.8	426
135	Removal of benzene and methyl ethyl ketone vapor: Comparison of hyperscrosslinked polymeric adsorbent with activated carbon. <i>Journal of Hazardous Materials</i> , 2012, 203-204, 251-256.	6.5	61
136	Synthesis, characterization and adsorption properties of diethylenetriamine-modified hyperscrosslinked resins for efficient removal of salicylic acid from aqueous solution. <i>Journal of Hazardous Materials</i> , 2012, 217-218, 406-415.	6.5	71
137	Chromatographic retention of adamantylamidrazones and triazoles by octadecyl silica gel and hyperscrosslinked polystyrenes from water-acetonitrile solutions. <i>Russian Journal of Physical Chemistry A</i> , 2012, 86, 852-859.	0.1	5
138	Synthesis and Characterization of [2.2]Paracyclophane—Containing Conjugated Microporous Polymers. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 572-579.	1.1	8
139	Evaluation of a robust, diimide-based, porous organic polymer (POP) as a high-capacity sorbent for representative chemical threats. <i>Journal of Porous Materials</i> , 2012, 19, 261-266.	1.3	22
140	Polymatic: a generalized simulated polymerization algorithm for amorphous polymers. <i>Theoretical Chemistry Accounts</i> , 2013, 132, 1.	0.5	208
141	<i>Polymeric Materials: Preparation and Properties.</i> , 2013, , 1-61.		1
142	Nitrogen-rich diaminotriazine-based porous organic polymers for small gas storage and selective uptake. <i>Polymer Chemistry</i> , 2013, 4, 4690.	1.9	136
143	Nanoporous Structure of Semirigid Alternating Copolymers via Nitrogen Sorption and Molecular Simulation. <i>Macromolecules</i> , 2013, 46, 5968-5973.	2.2	15
144	PEG-modified magnetic hyperscrosslinked poly(styrene-co-divinylbenzene) microspheres to minimize sorption of serum proteins. <i>Reactive and Functional Polymers</i> , 2013, 73, 1122-1129.	2.0	8
145	<i>Functionalized Polymeric Materials in Agriculture and the Food Industry.</i> , 2013, , .		29
146	Effects of Matrix and Functional Groups on Tylosin Adsorption onto Resins and Carbon Nanotubes. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	1.1	22
147	Conjugated microporous polymers: design, synthesis and application. <i>Chemical Society Reviews</i> , 2013, 42, 8012.	18.7	1,459
148	Hollow Microporous Organic Capsules. <i>Scientific Reports</i> , 2013, 3, 2128.	1.6	102
149	Organic molecules of intrinsic microporosity: Characterization of novel microporous materials. <i>Microporous and Mesoporous Materials</i> , 2013, 176, 55-63.	2.2	26

#	ARTICLE	IF	CITATIONS
150	Two Organic Phase Suspension Polymerization for Novel Hypercrosslinked Resin Bead by Polycondensation of CMB. Chinese Journal of Chemical Engineering, 2013, 21, 447-452.	1.7	1
151	Aniline modified hypercrosslinked polystyrene resins and their adsorption equilibriums, kinetics and dynamics towards salicylic acid from aqueous solutions. Chemical Engineering Journal, 2013, 233, 124-131.	6.6	47
152	Resorcinol modified hypercrosslinked poly(styrene-co-divinylbenzene) resin and its adsorption equilibriums, kinetics and dynamics towards p-hydroxybenzaldehyde from aqueous solution. Chemical Engineering Journal, 2013, 219, 238-244.	6.6	22
153	Kinetics of Lactose Hydrogenation over Ruthenium Nanoparticles in Hypercrosslinked Polystyrene. Industrial & Engineering Chemistry Research, 2013, 52, 14066-14080.	1.8	22
154	Functional microporous polyimides based on sulfonated binaphthalene dianhydride for uptake and separation of carbon dioxide and vapors. Journal of Materials Chemistry A, 2013, 1, 10368.	5.2	79
155	Design principles for microporous organic solids from predictive computational screening. Journal of Materials Chemistry A, 2013, 1, 11950.	5.2	37
156	Microporous organic polymers synthesized by self-condensation of aromatic hydroxymethyl monomers. Polymer Chemistry, 2013, 4, 1126-1131.	1.9	114
157	An insight into structure regulation of uniform polystyrene micro/nano-particles by porogen in premix membrane emulsification process. Journal of Membrane Science, 2013, 448, 248-255.	4.1	13
158	Hypercrosslinked poly(styrene-co-divinylbenzene) resin as a specific polymeric adsorbent for purification of berberine hydrochloride from aqueous solutions. Journal of Colloid and Interface Science, 2013, 400, 78-87.	5.0	30
159	Structural and thermodynamic factors on the adsorption process of phenolic compounds onto polyvinylpyrrolidone. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2013, 418, 105-111.	2.3	23
160	Synthesis and characterization of triphenylamine-containing microporous organic copolymers for carbon dioxide uptake. Polymer, 2013, 54, 5698-5702.	1.8	36
161	Adsorption of n-hexane vapor by macroporous and hypercrosslinked polymeric resins: Equilibrium and breakthrough analysis. Chemical Engineering Journal, 2013, 221, 105-110.	6.6	32
162	Conjugated microporous polymers consisting of tetrasubstituted [2.2]Paracyclophane junctions. Journal of Polymer Science Part A, 2013, 51, 2311-2316.	2.5	19
163	Recent Development of Hypercrosslinked Microporous Organic Polymers. Macromolecular Rapid Communications, 2013, 34, 471-484.	2.0	360
164	Quasi-normal phase chromatography of nitrogen-containing adamantane derivatives. Russian Journal of Physical Chemistry A, 2013, 87, 114-119.	0.1	2
165	MOF@Polymer Composite Microcapsules Derived from Pickering Emulsions. Advanced Materials, 2013, 25, 2717-2722.	11.1	198
166	Covalent Triazine Frameworks Prepared from 1,3,5-Tricyanobenzene. Chemistry of Materials, 2013, 25, 1542-1548.	3.2	363
167	Synthesis and characterization of pyrrole-containing microporous polymeric networks. Polymer, 2013, 54, 3254-3260.	1.8	19

#	ARTICLE	IF	CITATIONS
168	Preparation of microporous polyamide networks for carbon dioxide capture and nanofiltration. <i>Polymer</i> , 2013, 54, 557-564.	1.8	58
169	Phenol adsorption on 1,4-dichloro-p-xylene (DCX) and 4,4'-bis(chloromethyl)-1,1'-biphenyl (BCMBP) modified XAD-4 resins from aqueous solutions. <i>Chemical Engineering Journal</i> , 2013, 222, 1-8.	6.6	26
170	Catalysis by Covalent Organic Frameworks (COFs). <i>RSC Catalysis Series</i> , 2013, , 384-405.	0.1	8
171	Conjugated microporous polymer with film and nanotube-like morphologies. <i>Microporous and Mesoporous Materials</i> , 2013, 176, 25-30.	2.2	46
172	Micro- and Mesoporous Polycyanurate Networks Based on Triangular Units. <i>ChemPlusChem</i> , 2013, 78, 498-505.	1.3	27
173	Characterizing the Structure of Organic Molecules of Intrinsic Microporosity by Molecular Simulations and X-ray Scattering. <i>Journal of Physical Chemistry B</i> , 2013, 117, 355-364.	1.2	51
174	Adsorption of Benzene and Aniline Using a Novel Hypercrosslinked Polymeric Adsorbent Modified by Phenolic Hydroxyl Group. <i>Key Engineering Materials</i> , 0, 575-576, 130-134.	0.4	0
175	Conjugated Porous Networks Based on Cyclotrimeratrylene Building Block for Hydrogen Adsorption. <i>Chinese Journal of Chemistry</i> , 2013, 31, 617-623.	2.6	8
176	Removal of Sulfamethazine by Hypercrosslinked Adsorbents in Aquatic Systems. <i>Journal of Environmental Quality</i> , 2013, 42, 2-9.	1.0	18
177	Design, preparation and application of conjugated microporous polymers. <i>Polymer International</i> , 2014, 63, 381-392.	1.6	97
178	Hypercrosslinked microporous polymers based on carbazole for gas storage and separation. <i>RSC Advances</i> , 2014, 4, 61051-61055.	1.7	46
179	Microporous Organic Polymers for Carbon Dioxide Capture. <i>Green Chemistry and Sustainable Technology</i> , 2014, , 143-180.	0.4	3
180	Macroporous crosslinked polydivinylbenzene/polyacryldiethylenetriamine (PDVB/PADETA) interpenetrating polymer networks (IPNs) and their efficient adsorption to o-aminobenzoic acid from aqueous solutions. <i>Journal of Colloid and Interface Science</i> , 2014, 429, 83-87.	5.0	19
181	Novel microporous hypercross-linked conjugated quinonoid chromophores with broad light absorption and CO ₂ sorption characteristics. <i>RSC Advances</i> , 2014, 4, 3678-3684.	1.7	29
182	Predictive simulations of the structural and adsorptive properties for PIM-1 variations. <i>Molecular Simulation</i> , 2014, 40, 599-609.	0.9	19
183	A new approach to the preparation of large surface area poly(styrene-co-divinylbenzene) monoliths via knitting of loose chains using external crosslinkers and application of these monolithic columns for separation of small molecules. <i>Polymer</i> , 2014, 55, 340-346.	1.8	84
184	An ethylenediamine-modified hypercrosslinked polystyrene resin: Synthesis, adsorption and separation properties. <i>Chemical Engineering Journal</i> , 2014, 242, 19-26.	6.6	29
185	Porous Materials for Carbon Dioxide Capture. <i>Green Chemistry and Sustainable Technology</i> , 2014, , .	0.4	19

#	ARTICLE	IF	CITATIONS
186	Nanoporous Polymers: Bridging the Gap between Molecular and Solid Catalysts?. ChemCatChem, 2014, 6, 1166-1182.	1.8	58
188	Dry- and swollen-state morphology of novel high surface area polymers. Microporous and Mesoporous Materials, 2014, 185, 26-29.	2.2	17
189	Post polymerisation hypercrosslinking of styrene/divinylbenzene poly(HIPE)s: Creating micropores within macroporous polymer. Polymer, 2014, 55, 410-415.	1.8	54
190	Comparison of generic force fields for packing of concave molecules. Molecular Physics, 2014, 112, 2241-2248.	0.8	3
191	Effect of two facile synthetic strategies with alterable polymerization sequence on the performance of N-vinyl carbazole-based conjugated porous materials. RSC Advances, 2014, 4, 62525-62531.	1.7	14
192	Microporous Hyper-Cross-Linked Aromatic Polymers Designed for Methane and Carbon Dioxide Adsorption. Journal of Physical Chemistry C, 2014, 118, 28699-28710.	1.5	101
193	Synthesis, characterization and adsorption properties of an amide-modified hyper-cross-linked resin. RSC Advances, 2014, 4, 41172-41178.	1.7	13
194	Effect of hypercrosslinking conditions on pore size distribution and efficiency of monolithic stationary phases. Journal of Separation Science, 2014, 37, 3082-3089.	1.3	19
195	Triphenylamine-containing microporous organic copolymers for hydrocarbons/water separation. RSC Advances, 2014, 4, 5568.	1.7	30
196	Facile Preparation of Dibenzoheterocycle-Functional Nanoporous Polymeric Networks with High Gas Uptake Capacities. Macromolecules, 2014, 47, 2875-2882.	2.2	108
197	Density Functional Theory Investigation on the Nucleation and Growth of Small Palladium Clusters on a Hyper-Cross-Linked Polystyrene Matrix. Journal of Physical Chemistry C, 2014, 118, 21006-21013.	1.5	28
198	Virtual Synthesis of Thermally Cross-Linked Copolymers from a Novel Implementation of Polymatic. Journal of Physical Chemistry B, 2014, 118, 1916-1924.	1.2	31
199	Formation of Microporosity in Hyper-Cross-Linked Polymers. Macromolecules, 2014, 47, 5409-5415.	2.2	63
200	Hypercrosslinked microporous organic polymer networks derived from silole-containing building blocks. Polymer, 2014, 55, 5746-5750.	1.8	36
201	Preparation and characterization of melamine-based porous Schiff base polymer networks for hydrogen storage. Journal of Polymer Research, 2014, 21, 1.	1.2	14
202	Hypercrosslinked polystyrene networks: An atomistic molecular dynamics simulation combined with a mapping/reverse mapping procedure. Journal of Chemical Physics, 2014, 140, 134903.	1.2	16
203	Preparation of a novel magnetic microporous adsorbent and its adsorption behavior of p-nitrophenol and chlorotetracycline. Journal of Hazardous Materials, 2014, 266, 84-93.	6.5	87
204	Impact of molecular size on two antibiotics adsorption by porous resins. Journal of the Taiwan Institute of Chemical Engineers, 2014, 45, 955-961.	2.7	20

#	ARTICLE	IF	CITATIONS
205	Enhanced adsorption and desorption of VOCs vapor on novel micro-mesoporous polymeric adsorbents. <i>Journal of Colloid and Interface Science</i> , 2014, 428, 185-190.	5.0	94
206	Polymeric molecular sieve membranes via in situ cross-linking of non-porous polymer membrane templates. <i>Nature Communications</i> , 2014, 5, 3705.	5.8	143
207	Swellable, Water- and Acid-Tolerant Polymer Sponges for Chemoselective Carbon Dioxide Capture. <i>Journal of the American Chemical Society</i> , 2014, 136, 9028-9035.	6.6	201
209	Post-Polymerization Modifications of Polymeric Monolithic Columns: A Review. <i>Chromatography (Basel)</i> , 2014, 1, 24-53.	1.2	29
210	Preparation of hypercrosslinked poly(DVB-VBC) particles with high surface area and structured meso- and micropores. <i>Macromolecular Research</i> , 2015, 23, 1051-1058.	1.0	5
211	Metal-free and Scalable Synthesis of Porous Hypercrosslinked Polymers: Towards Applications in Liquid-Phase Adsorption. <i>ChemSusChem</i> , 2015, 8, 3419-3423.	3.6	56
212	An Efficient Approach to Octabromophenylethyl-Functionalized Cage Silsesquioxane and Its Use in Constructing Hybrid Porous Materials. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 3835-3842.	1.0	12
213	Hierarchical Porous Polystyrene Monoliths from PolyHIPE. <i>Macromolecular Rapid Communications</i> , 2015, 36, 1553-1558.	2.0	56
214	A Luminescent Hypercrosslinked Conjugated Microporous Polymer for Efficient Removal and Detection of Mercury Ions. <i>Macromolecular Rapid Communications</i> , 2015, 36, 1566-1571.	2.0	71
215	Adsorption of Sulfamethazine from Environmentally Relevant Aqueous Matrices onto Hypercrosslinked Adsorbent MN250. <i>Journal of Environmental Quality</i> , 2015, 44, 1183-1192.	1.0	9
216	The effect of molecular weight on the porosity of hypercrosslinked polystyrene. <i>Polymer Chemistry</i> , 2015, 6, 7280-7285.	1.9	26
217	Highly selective generation of vanillin by anodic degradation of lignin: a combined approach of electrochemistry and product isolation by adsorption. <i>Beilstein Journal of Organic Chemistry</i> , 2015, 11, 473-480.	1.3	109
218	Maltose hydrogenation over ruthenium nanoparticles impregnated in hypercrosslinked polystyrene. <i>Chemical Engineering Journal</i> , 2015, 282, 37-44.	6.6	15
219	Surface Properties of Hyper-Cross-Linked Polymeric Resins Using Inverse Gas Chromatography: Effect of Post-Cross-Linking Solvents. <i>Journal of Physical Chemistry C</i> , 2015, 119, 21404-21412.	1.5	10
220	Hierarchically Porous Polymers from Hyper-cross-linked Block Polymer Precursors. <i>Journal of the American Chemical Society</i> , 2015, 137, 600-603.	6.6	163
221	A 2-naphthol-modified hyper-cross-linked resin for adsorption of <i>p</i> -aminobenzoic acid from aqueous solutions. <i>Desalination and Water Treatment</i> , 2015, 54, 1893-1902.	1.0	6
222	Acetamide-modified hypercrosslinked resin: Synthesis, characterization, and adsorption performance to phenol from aqueous solution. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	11
223	Green catalysis by nanoparticulate catalysts developed for flow processing? Case study of glucose hydrogenation. <i>RSC Advances</i> , 2015, 5, 15898-15908.	1.7	20

#	ARTICLE	IF	CITATIONS
224	Hypercross-linked lignite for NO and CO ₂ sorption. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 23, 194-199.	2.9	6
225	Microporous hypercross-linked conjugated quinonoid chromophores of anthracene: Novel polymers for CO ₂ adsorption. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015, 33, 224-235.	2.0	11
226	Hypercrosslinked porous polycarbazoles via one-step oxidative coupling reaction and Friedel-Crafts alkylation. <i>Polymer Chemistry</i> , 2015, 6, 2478-2487.	1.9	96
227	Nanoporous hypercrosslinked polymers containing Tg enhancing comonomers. <i>Polymer</i> , 2015, 59, 42-48.	1.8	18
228	Synthetic Control of Pore Properties in Conjugated Microporous Polymers Based on Carbazole Building Blocks. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 504-510.	1.1	26
229	Macroscopic Properties of Hypercrosslinked Polystyrene Networks: An Atomistic and Coarse-Grained Molecular Dynamics Simulation. <i>Macromolecular Symposia</i> , 2015, 348, 14-24.	0.4	13
230	Hybrid nanoporous polystyrene derived from cubic octavinylsilsesquioxane and commercial polystyrene via the Friedel-Crafts reaction. <i>RSC Advances</i> , 2015, 5, 12987-12993.	1.7	22
231	Dynamic properties of water in swollen hypercrosslinked polystyrenes, according to NMR relaxation and diffusion data. <i>Russian Journal of Physical Chemistry A</i> , 2015, 89, 1414-1418.	0.1	0
232	Knitting hypercrosslinked conjugated microporous polymers with external crosslinker. <i>Polymer</i> , 2015, 70, 336-342.	1.8	77
233	Bottom-up Approach for the Synthesis of a Three-Dimensional Nanoporous Graphene Nanoribbon Framework and Its Gas Sorption Properties. <i>Chemistry of Materials</i> , 2015, 27, 2576-2583.	3.2	37
234	High and selective CO ₂ adsorption by a phthalocyanine nanoporous polymer. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10284-10288.	5.2	52
235	Nanoporous Polymers from Cross-Linked Polymer Precursors via <i>tert</i> -Butyl Group Deprotection and Their Carbon Dioxide Capture Properties. <i>Chemistry of Materials</i> , 2015, 27, 7388-7394.	3.2	44
236	A new strategy to synthesize hypercross-linked conjugated polystyrene and its application towards CO ₂ sorption. <i>Fibers and Polymers</i> , 2015, 16, 1458-1467.	1.1	22
237	Carbons with a hierarchical porous structure through the pyrolysis of hypercrosslinked emulsion-templated polymers. <i>Polymer</i> , 2015, 72, 453-463.	1.8	57
238	Hypercross-linked microporous polymeric ionic liquid membranes: synthesis, properties and their application in H ₂ generation. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22960-22968.	5.2	18
239	Synthesis, characterization, and adsorption properties of ionic liquid-modified hypercrosslinked polystyrene resins. <i>RSC Advances</i> , 2015, 5, 72601-72609.	1.7	12
240	High porosity scintillating polymer resins for ionizing radiation sensor applications. <i>Polymer</i> , 2015, 56, 271-279.	1.8	19
241	Novel microporous hypercross-linked polymers as sorbent for volatile organic compounds and CO ₂ adsorption. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 21, 1231-1238.	2.9	25

#	ARTICLE	IF	CITATIONS
242	Advances and Recent Trends in the Field of Monolithic Columns for Chromatography. <i>Analytical Chemistry</i> , 2015, 87, 250-273.	3.2	308
243	Preparation of a permanent magnetic hypercrosslinked resin and assessment of its ability to remove organic micropollutants from drinking water. <i>Frontiers of Environmental Science and Engineering</i> , 2015, 9, 96-104.	3.3	12
244	Hypercrosslinked polymers incorporated with imidazolium salts for enhancing CO ₂ capture. <i>Polymer Engineering and Science</i> , 2016, 56, 573-582.	1.5	22
245	Pore size tuning of poly(styrene-co-vinylbenzyl chloride-co-divinylbenzene) hypercrosslinked polymers: Insights from molecular simulations. <i>Polymer</i> , 2016, 99, 173-184.	1.8	33
246	Correlation functions in gel phase via mesoscopic cyclization theory of weak gels. <i>Polymer Science - Series A</i> , 2016, 58, 873-885.	0.4	1
247	Prediction of the breakthrough curves of VOC isothermal adsorption on hypercrosslinked polymeric adsorbents in a fixed bed. <i>RSC Advances</i> , 2016, 6, 28986-28993.	1.7	12
248	The Synthesis of Organic Molecules of Intrinsic Microporosity Designed to Frustrate Efficient Molecular Packing. <i>Chemistry - A European Journal</i> , 2016, 22, 2466-2472.	1.7	49
249	A formaldehyde carbonyl groups-modified self-crosslinked polystyrene resin: Synthesis, adsorption and separation properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 500, 1-9.	2.3	20
250	Facile method for the synthesis of Fe ₃ O ₄ @HCP core-shell porous magnetic microspheres for fast separation of organic dyes from aqueous solution. <i>RSC Advances</i> , 2016, 6, 47530-47535.	1.7	17
251	Advantage of nanoporous styrene-based monolithic structure over beads when applied for methane storage. <i>Applied Energy</i> , 2016, 183, 1520-1527.	5.1	18
252	Synthesis of magnetic microporous organic nanotube networks for adsorption application. <i>RSC Advances</i> , 2016, 6, 87745-87752.	1.7	11
253	Pitch-based hyper-cross-linked polymers with high performance for gas adsorption. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16490-16498.	5.2	110
254	N-Heterocyclic Carbene-based Microporous Organic Polymer Supported Palladium Catalyst for Carbon-Carbon Coupling Reaction. <i>ChemistrySelect</i> , 2016, 1, 1371-1376.	0.7	30
255	Conjugated microporous polymers with distinctive π -electronic properties exhibiting enhanced optical applications. <i>Chinese Chemical Letters</i> , 2016, 27, 1405-1411.	4.8	30
256	Solution-processable hypercrosslinked polymers by low cost strategies: a promising platform for gas storage and separation. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15072-15080.	5.2	92
257	Hypercrosslinked cholesterol-based polystyrene monolithic capillary columns. <i>Journal of Chromatography A</i> , 2016, 1477, 11-21.	1.8	13
258	Hypercrosslinked polymers: controlled preparation and effective adsorption of aniline. <i>Journal of Materials Science</i> , 2016, 51, 8579-8592.	1.7	33
259	Tunable Porosity and Polarity of the Polar Hyper-Cross-Linked Resins and the Enhanced Adsorption toward Phenol. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 12213-12221.	1.8	21

#	ARTICLE	IF	CITATIONS
260	Hyperscrosslinked Additives for Ageless Gasâ€œSeparation Membranes. <i>Angewandte Chemie</i> , 2016, 128, 2038-2041.	1.6	17
261	Theoretical study of the physisorption of organic molecules on conjugated microporous polymers: the critical role of skeleton structures on binding strength. <i>RSC Advances</i> , 2016, 6, 54841-54847.	1.7	11
262	Comparison of hyper-cross-linked polystyrene/polyacryldiethylenetriamine (HCP/PADETA) interpenetrating polymer networks (IPNs) with hyper-cross-linked polystyrene (HCP): structure, adsorption and separation properties. <i>RSC Advances</i> , 2016, 6, 32340-32348.	1.7	11
263	Hyperscrosslinked Additives for Ageless Gasâ€œSeparation Membranes. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1998-2001.	7.2	105
264	Adsorption of Rhodamine B on two novel polar-modified post-cross-linked resins: Equilibrium and kinetics. <i>Journal of Colloid and Interface Science</i> , 2016, 467, 230-238.	5.0	67
265	Phthalazinone structure-based covalent triazine frameworks and their gas adsorption and separation properties. <i>RSC Advances</i> , 2016, 6, 12009-12020.	1.7	49
266	Polar-modified post-cross-linked polystyrene and its adsorption towards salicylic acid from aqueous solution. <i>Chemical Engineering Journal</i> , 2016, 286, 400-407.	6.6	65
267	New insights on estimating pore size distribution of latex particles: Statistical mechanics approach and modeling. <i>Microporous and Mesoporous Materials</i> , 2016, 224, 360-371.	2.2	14
268	A novel polar-modified post-cross-linked resin: Effect of the porogens on the structure and adsorption performance. <i>Journal of Colloid and Interface Science</i> , 2016, 466, 322-329.	5.0	25
269	Influence of cross-linking rate on the structure of hyperscrosslinked networks: Multiscale computer simulation. <i>Polymer</i> , 2016, 86, 168-175.	1.8	21
270	Adsorption kinetics of TM OptiporeTM L493</sup> for the removal of the furan 5-hydroxymethylfurfural from sugar. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 96-104.	1.6	12
271	Facile synthesis of magnetic hyperscrosslinked polystyrene and its application in the magnetic solid-phase extraction of sulfonamides from water and milk samples before their HPLC determination. <i>Talanta</i> , 2016, 152, 203-210.	2.9	102
272	Hyper-Cross-Linked Organic Microporous Polymers Based on Alternating Copolymerization of Bismaleimide. <i>ACS Macro Letters</i> , 2016, 5, 377-381.	2.3	67
273	Bimodal porous silica microspheres decorated with polydopamine nano-particles for the adsorption of methylene blue in fixed-bed columns. <i>Journal of Colloid and Interface Science</i> , 2016, 470, 172-182.	5.0	74
274	A novel polar-modified post-cross-linked resin and its enhanced adsorption to salicylic acid: Equilibrium, kinetics and breakthrough studies. <i>Journal of Colloid and Interface Science</i> , 2016, 470, 1-9.	5.0	29
275	Selective hydrogenation of D-glucose using amine functionalized nanoporous polymer supported Ru nanoparticles based catalyst. <i>Catalysis Today</i> , 2016, 265, 163-173.	2.2	53
276	Hydrophobicâ€œhydrophilic post-cross-linked polystyrene/poly (methyl acryloyl diethylenetriamine) interpenetrating polymer networks and its adsorption properties. <i>Journal of Colloid and Interface Science</i> , 2016, 463, 61-68.	5.0	33
277	Review on Polymer/Carbon Nanotube Composite Focusing Polystyrene Microsphere and Polystyrene Microsphere/Modified CNT Composite: Preparation, Properties, and Significance. <i>Polymer-Plastics Technology and Engineering</i> , 2016, 55, 582-603.	1.9	20

#	ARTICLE	IF	CITATIONS
278	Porosity-Enhanced Polymers from Hyper-Cross-Linked Polymer Precursors. <i>Macromolecules</i> , 2017, 50, 956-962.	2.2	46
279	Edge-Functionalized Graphene Nanoribbon Frameworks for the Capture and Separation of Greenhouse Gases. <i>Macromolecules</i> , 2017, 50, 523-533.	2.2	13
280	Synthesis and adsorption study of hyper-crosslinked styrene-based nanocomposites containing multi-walled carbon nanotubes. <i>RSC Advances</i> , 2017, 7, 6865-6874.	1.7	31
281	Hypercrosslinked porous polymer materials: design, synthesis, and applications. <i>Chemical Society Reviews</i> , 2017, 46, 3322-3356.	18.7	938
282	Amine-functionalized hyper-crosslinked polyphenanthrene as a metal-free catalyst for the synthesis of 2-amino-tetrahydro-4 H -chromene and pyran derivatives. <i>Applied Catalysis A: General</i> , 2017, 538, 9-18.	2.2	25
283	Controllable Synthesis of Polar Modified Hyper-Cross-Linked Resins and Their Adsorption of 2-Naphthol and 4-Hydroxybenzoic Acid from Aqueous Solution. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 2984-2992.	1.8	38
284	Polar hyper-cross-linked resin with abundant micropores/mesopores and its enhanced adsorption toward salicylic acid: Equilibrium, kinetics, and dynamic operation. <i>Fluid Phase Equilibria</i> , 2017, 438, 1-9.	1.4	37
285	Preparation of Monodisperse Hyper-Crosslinking Polymer Nanoparticles for Highly Efficient CO ₂ Adsorption. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1700001.	1.1	3
286	A hypercrosslinking-induced self-assembly strategy for preparation of advanced hierarchical porous polymers with customizable functional components. <i>Chemical Communications</i> , 2017, 53, 5294-5297.	2.2	29
287	Polyphenylene sulfide-based adsorption resins: synthesis, characterization and adsorption performance for Hg(II) and As(V). <i>Polymers for Advanced Technologies</i> , 2017, 28, 1735-1742.	1.6	8
288	Effective removal of salicylic and gallic acids from single component and impurity-containing systems using an isatin-modified adsorption resin. <i>RSC Advances</i> , 2017, 7, 23164-23175.	1.7	17
289	Highly microporous free-radically generated polymeric materials using a novel contorted monomer. <i>Polymer</i> , 2017, 126, 330-337.	1.8	6
290	Intrinsically Hierarchical Nanoporous Polymers via Polymerization-Induced Microphase Separation. <i>Macromolecules</i> , 2017, 50, 4363-4371.	2.2	25
291	A Versatile Synthetic Approach toward Hyper-Cross-Linked Styrene-Based Polymers and Nanocomposites. <i>Macromolecules</i> , 2017, 50, 4132-4143.	2.2	42
292	Organic Microporous Nanofillers with Unique Alcohol Affinity for Superior Ethanol Recovery toward Sustainable Biofuels. <i>ChemSusChem</i> , 2017, 10, 1887-1891.	3.6	27
293	One-step hyper-cross-linking of porous styrenic polymers using dichloroalkane cross-linkers to maintain hydrophobicity. <i>Polymer</i> , 2017, 116, 278-286.	1.8	26
294	Porous carbons derived from hypercrosslinked porous polymers for gas adsorption and energy storage. <i>Carbon</i> , 2017, 114, 608-618.	5.4	170
295	Adsorption kinetics of water vapor on hypercrosslinked polymeric adsorbent and its comparison with carbonaceous adsorbents. <i>Microporous and Mesoporous Materials</i> , 2017, 241, 178-184.	2.2	28

#	ARTICLE	IF	CITATIONS
296	Ruthenium Complexes Immobilized on Functionalized Knitted Hypercrosslinked Polymers as Efficient and Recyclable Catalysts for Organic Transformations. <i>Advanced Synthesis and Catalysis</i> , 2017, 359, 78-88.	2.1	47
297	Microporous polyimide networks constructed through a two-step polymerization approach, and their carbon dioxide adsorption performance. <i>Polymer Chemistry</i> , 2017, 8, 1298-1305.	1.9	36
298	Macroporous Polystyrene Adsorbent Resin and Its Application in Hemoperfusion. <i>Regenerative Medicine, Artificial Cells and Nanomedicine</i> , 2017, , 471-514.	0.7	0
299	Sustainability of microporous polymers and their applications. <i>Science China Chemistry</i> , 2017, 60, 1033-1055.	4.2	15
300	Emulsion-templated polymers: Contemporary contemplations. <i>Polymer</i> , 2017, 126, 261-282.	1.8	113
301	Phthalazinone-based copolymers with intrinsic microporosity (PHPIMs) and their separation performance. <i>Journal of Membrane Science</i> , 2017, 541, 403-412.	4.1	20
302	Hypercrosslinked polystyrene microspheres with ultrahigh surface area and their application in gas storage. <i>Materials Chemistry and Physics</i> , 2017, 199, 616-622.	2.0	18
303	Controllable synthesis of N-vinylimidazole-modified hyper-cross-linked resins and their efficient adsorption of p-nitrophenol and o-nitrophenol. <i>Journal of Colloid and Interface Science</i> , 2017, 507, 42-50.	5.0	42
304	On the interpretation of cryogenic sorption isotherms in glassy polymers. <i>Journal of Membrane Science</i> , 2017, 540, 229-242.	4.1	16
305	Effective adsorption of nitroaromatics at the low concentration by a newly synthesized hypercrosslinked resin. <i>Water Science and Technology</i> , 2017, 76, 2328-2336.	1.2	8
306	Eosin Y dye-based porous organic polymers for highly efficient heterogeneous photocatalytic dehydrogenative coupling reaction. <i>RSC Advances</i> , 2017, 7, 408-414.	1.7	55
307	Phenol-modified hyper-cross-linked resins with almost all micro/mesopores and their adsorption to aniline. <i>Journal of Colloid and Interface Science</i> , 2017, 487, 31-37.	5.0	70
308	Adsorption of phenol onto four hyper-cross-linked polymeric adsorbents: Effect of hydrogen bonding receptor in micropores on adsorption capacity. <i>Microporous and Mesoporous Materials</i> , 2017, 239, 40-44.	2.2	40
309	Trends in Sorption Recovery of Platinum Metals: A Critical Survey. <i>Russian Journal of Inorganic Chemistry</i> , 2017, 62, 1797-1818.	0.3	17
310	Synthesis of Bis(indolyl)methanes Using Hyper-Cross-Linked Polyaromatic Spheres Decorated with Bromomethyl Groups as Efficient and Recyclable Catalysts. <i>ACS Omega</i> , 2018, 3, 2242-2253.	1.6	43
311	Impact of styrenic polymer one-step hyper-cross-linking on volatile organic compound adsorption and desorption performance. <i>Journal of Hazardous Materials</i> , 2018, 351, 117-123.	6.5	34
312	Tailoring the pore size distribution of self-cross-linked 4,4'-bis(chloromethyl)-1,1'-biphenyl polymers using reactive and non-reactive co-solvents. <i>Polymer</i> , 2018, 143, 331-335.	1.8	3
313	Hypercrosslinked porous polycarbazoles from carbazolyl-bearing aldehydes or ketones. <i>Polymer</i> , 2018, 143, 87-95.	1.8	21

#	ARTICLE	IF	CITATIONS
314	Use of a hypercrosslinked triphenylamine polymer as an efficient adsorbent for the enrichment of phenylurea herbicides. <i>Journal of Chromatography A</i> , 2018, 1538, 1-7.	1.8	27
315	Preparation and characterization of polyphenylene sulfide-based chelating resin functionalized with 1,3,4-thiadiazole for selective removal of Hg(II) from aqueous solutions. <i>Polymers for Advanced Technologies</i> , 2018, 29, 1030-1038.	1.6	11
316	Control of porosity in hierarchically porous polymers derived from hypercrosslinked block polymer precursors. <i>Journal of Polymer Science Part A</i> , 2018, 56, 900-913.	2.5	25
317	Silane-based hyper-cross-linked porous polymers and their applications in gas storage and water treatment. <i>Journal of Materials Science</i> , 2018, 53, 10469-10478.	1.7	10
318	Microporous Spheres of Tiny Semiconducting Graphene Sheets from Hypercrosslinked Polymers: Absorption and CO ₂ Sorption Characteristics. <i>Advances in Polymer Technology</i> , 2018, 37, 714-723.	0.8	6
319	Hypercrosslinked Polymers: A Review. <i>Polymer Reviews</i> , 2018, 58, 1-41.	5.3	194
320	Synthesis of poly(acrylonitrile-co-divinylbenzene-co-vinylbenzyl chloride) derived hypercrosslinked polymer microspheres and a preliminary evaluation of their potential for the solid-phase capture of pharmaceuticals. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45677.	1.3	13
321	Capillary electrochromatography using knitted aromatic polymer as the stationary phase for the separation of small biomolecules and drugs. <i>Talanta</i> , 2018, 178, 650-655.	2.9	26
322	Recent advances in sulfonated resin catalysts for efficient biodiesel and bio-derived additives production. <i>Progress in Energy and Combustion Science</i> , 2018, 65, 136-162.	15.8	63
323	Microporous organic nanotube networks from hyper cross-linking core-shell bottlebrush copolymers for selective adsorption study. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018, 36, 98-105.	2.0	10
324	Hyper-Cross-Linked Polymer with Enhanced Porosity by In Situ Removal of Trimethylsilyl Group via Electrophilic Aromatic Substitution. <i>ACS Macro Letters</i> , 2018, 7, 1448-1454.	2.3	12
325	Preparation of asphalt-based microporous organic polymers catalyzed by heteropoly acids. <i>Green Chemistry</i> , 2018, 20, 4746-4751.	4.6	15
326	Novel hypercrosslinking approach toward high surface area functional 2-hydroxyethyl methacrylate-based polyHIPEs. <i>Reactive and Functional Polymers</i> , 2018, 132, 51-59.	2.0	20
327	Covalent and electrostatic incorporation of amines into hypercrosslinked polymers for increased CO ₂ selectivity. <i>Journal of Polymer Science Part A</i> , 2018, 56, 2513-2521.	2.5	9
328	Aqueous-phase hydrodechlorination of trichloroethylene over Pd-based swellable organically-modified silica (SOMS): Catalyst deactivation due to chloride anions. <i>Applied Catalysis B: Environmental</i> , 2018, 239, 654-664.	10.8	23
329	Modeling Amorphous Microporous Polymers for CO ₂ Capture and Separations. <i>Chemical Reviews</i> , 2018, 118, 5488-5538.	23.0	208
330	Superhydrophobic fluorine-rich conjugated microporous polymers monolithic nanofoam with excellent heat insulation property. <i>Chemical Engineering Journal</i> , 2018, 351, 856-866.	6.6	67
331	Fabrication and adsorption performance for CO ₂ capture of advanced nanoporous microspheres enriched with amino acids. <i>Journal of Colloid and Interface Science</i> , 2018, 532, 433-440.	5.0	9

#	ARTICLE	IF	CITATIONS
334	Microporous Nanotubes and Nanospheres with Iron-Catechol Sites: Efficient Lewis Acid Catalyst and Support for Ag Nanoparticles in CO ₂ Fixation Reaction. <i>Chemistry - A European Journal</i> , 2018, 24, 14189-14197.	1.7	34
335	Adsorption of catecholamines from their aqueous solutions on hypercrosslinked polystyrene. <i>Reactive and Functional Polymers</i> , 2018, 131, 56-63.	2.0	17
336	Swellable Organically Modified Silica (SOMS) as a Catalyst Scaffold for Catalytic Treatment of Water Contaminated with Trichloroethylene. <i>ACS Catalysis</i> , 2018, 8, 6796-6809.	5.5	19
337	Insight into functionalized DMN-co-GMA copolymers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 4485-4495.	2.0	3
338	Enhancement mechanism behind the different adsorptive behaviors of nitro/amine modified hypercrosslinked resins towards phenols. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 102, 340-348.	2.7	13
339	Transport Mechanism and Modeling of Microporous Polymeric Membranes. , 2019, , 259-280.		0
340	Microporous Polymeric Membrane Reactors. , 2019, , 281-299.		0
341	Rapid Prediction of Adsorption Isotherms of a Diverse Range of Molecules in Hyper-Cross-Linked Polymers. <i>Journal of Physical Chemistry C</i> , 2019, 123, 17884-17893.	1.5	17
342	Fluorinated porous organic frameworks for improved CO ₂ and CH ₄ capture. <i>Chemical Communications</i> , 2019, 55, 8999-9002.	2.2	40
343	High-Efficiency Separation of Aromatic Sulfide from Liquid Hydrocarbon Fuel in Conjugated Porous Organic Framework with Polycarbazole Unit. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 40970-40979.	4.0	17
344	Efficient immobilization of phospholipase D on novel polymer supports with hierarchical pore structures. <i>International Journal of Biological Macromolecules</i> , 2019, 141, 60-67.	3.6	12
345	Mainstream Ammonium Recovery to Advance Sustainable Urban Wastewater Management. <i>Environmental Science & Technology</i> , 2019, 53, 11066-11079.	4.6	126
346	The effect of boron trifluoride diethyl etherate on electrochemical polymerization and surface morphology of conjugated porous polymer poly(4,4'-Tris(9-carbazolyl)triphenylamine). <i>Journal of Electroanalytical Chemistry</i> , 2019, 852, 113502.	1.9	2
347	Post-synthetic fluorination of Scholl-coupled microporous polymers for increased CO ₂ uptake and selectivity. <i>Journal of Materials Chemistry A</i> , 2019, 7, 549-557.	5.2	41
348	Study on adsorption performance of 2-amino-4-methylbenzothiazole onto chemical modification adsorption resins. <i>Separation Science and Technology</i> , 2019, 54, 507-522.	1.3	3
349	Chemical modification of commercial St-DVB microspheres and their application for metal ions removal. <i>Adsorption</i> , 2019, 25, 529-544.	1.4	3
350	Effect of the Nature of the Sorbent on the Retention of 1,2,4-Triazole and 1,2,4-Triazine Derivatives under the Conditions of Reversed-Phase High-Performance Liquid Chromatography. <i>Russian Journal of Physical Chemistry A</i> , 2019, 93, 160-167.	0.1	2
351	A novel shape-stabilization strategy for phase change thermal energy storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 8194-8203.	5.2	60

#	ARTICLE	IF	CITATIONS
352	Abatement of various types of VOCs by adsorption/catalytic oxidation: A review. <i>Chemical Engineering Journal</i> , 2019, 370, 1128-1153.	6.6	682
353	Studies of thermal properties of di(methacryloyloxymethyl)naphthalene-divinylbenzene (DMN-DVB) copolymer and its alkyl-bonded derivatives. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 4385-4393.	2.0	3
354	Supermacroporous polydivinylbenzene cryogels with high surface area: Synthesis by solvothermal postcrosslinking and their adsorption behaviors for carbon dioxide and aniline. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47716.	1.3	10
355	Iodine capture in porous organic polymers and metal-organic frameworks materials. <i>Materials Horizons</i> , 2019, 6, 1571-1595.	6.4	359
356	Aqueous-Phase Hydrodechlorination of Trichloroethylene over Pd-Based Swellable Organically Modified Silica: Catalyst Deactivation Due to Sulfur Species. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 4054-4064.	1.8	20
357	Recent strategies to enhance the performance of polymer monoliths for analytical separations. <i>Journal of Separation Science</i> , 2019, 42, 1564-1576.	1.3	18
358	Preparation of hypercrosslinked amine modification resin and its adsorption properties for nitroaromatics. <i>Environmental Science and Pollution Research</i> , 2019, 26, 10767-10775.	2.7	6
359	Insight into highly efficient removal of sulfonic acid pollutants by a series of newly-synthesized resins from aqueous media: Physical & chemical adsorption. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 95, 383-392.	2.7	14
360	One-pot synthesis of hyper-cross-linked polymers chemically modified with pyrrole, furan, and thiophene for phenol adsorption from aqueous solution. <i>Journal of Colloid and Interface Science</i> , 2019, 538, 499-506.	5.0	53
361	Recyclable Magnetic Microporous Organic Polymer (MOP) Encapsulated with Palladium Nanoparticles and Co/C Nanobeads for Hydrogenation Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 2388-2399.	3.2	29
362	Repeated detection of polystyrene microbeads in the Lower Rhine River. <i>Environmental Pollution</i> , 2019, 245, 634-641.	3.7	69
363	Effective adsorption of phenolic compounds by functional group modified resins: behavior and mechanism. <i>Separation Science and Technology</i> , 2019, 54, 467-477.	1.3	12
364	Functional hyper-crosslinked resins with tailored adsorption properties for environmental applications. <i>Chemical Engineering Journal</i> , 2019, 362, 497-503.	6.6	34
365	Amorphous Fe ₂ O ₃ nanoparticles embedded into hypercrosslinked porous polymeric matrix for designing an easily separable and recyclable photocatalytic system. <i>Applied Surface Science</i> , 2019, 466, 837-846.	3.1	24
366	Microextraction of aromatic microbial metabolites by packed hypercrosslinked polystyrene from blood serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 177, 112883.	1.4	10
367	Adsorption of Ag(I) ions from wastewaters using poly(2-aminothiazole): kinetic and isotherm studies. <i>Polymer Bulletin</i> , 2020, 77, 6161-6174.	1.7	5
368	Porous organic polymers: a promising platform for efficient photocatalysis. <i>Materials Chemistry Frontiers</i> , 2020, 4, 332-353.	3.2	256
369	A review on porous carbon electrode material derived from hypercross-linked polymers for supercapacitor applications. <i>Journal of Energy Storage</i> , 2020, 32, 101831.	3.9	102

#	ARTICLE	IF	CITATIONS
370	The electrosynthesis of highly photofunctional porous polymer PTCPE and the effect of BFEE on its electrochemical polymerization and fluorescence property. <i>Polymer</i> , 2020, 202, 122731.	1.8	7
371	Hypercrosslinked porous organic polymers based on tetraphenylanthraquinone for CO ₂ uptake and high-performance supercapacitor. <i>Polymer</i> , 2020, 205, 122857.	1.8	53
372	Multifunctional Hypercrosslinked Porous Organic Polymers Based on Tetraphenylethene and Triphenylamine Derivatives for High-Performance Dye Adsorption and Supercapacitor. <i>Polymers</i> , 2020, 12, 2426.	2.0	36
373	Study of Deactivation in Suzuki Reaction of Polymer-Stabilized Pd Nanocatalysts. <i>Processes</i> , 2020, 8, 1653.	1.3	11
374	Palladium supported on triazolyl-functionalized hypercrosslinked polymers as a recyclable catalyst for Suzuki–Miyaura coupling reactions. <i>RSC Advances</i> , 2020, 10, 17123-17128.	1.7	11
375	Solution-processable porous organic polymer for tailoring the charge transport property of planar perovskite solar cells. <i>Dyes and Pigments</i> , 2020, 178, 108332.	2.0	6
376	The design of hypercrosslinked polymers from benzyl ether self-condensing compounds and external crosslinkers. <i>Chemical Communications</i> , 2020, 56, 4938-4941.	2.2	20
377	Polymers of Intrinsic Microporosity (PIMs). <i>Polymer</i> , 2020, 202, 122736.	1.8	94
378	Hydration and swelling: a theoretical investigation on the cooperativity effect of H-bonding interactions between p-hydroxy hydroxymethyl calix[4]/[5]arene and H ₂ O by many-body interaction and density functional reactivity theory. <i>Journal of Molecular Modeling</i> , 2020, 26, 190.	0.8	2
379	Nanofibrous, hypercrosslinked polymers with multiscale pores through post-crosslinking of emulsion-templated syndiotactic polystyrene aerogels. <i>European Polymer Journal</i> , 2020, 135, 109880.	2.6	12
380	Fabrication of hypercrosslinked hydroxyl-rich solid phase extractants for cesium separation from the salt lake brine. <i>Chemical Engineering Journal</i> , 2020, 400, 125991.	6.6	36
381	Preparation of Ethylene Glycol Dimethacrylate (EGDMA)-Based Terpolymer as Potential Sorbents for Pharmaceuticals Adsorption. <i>Polymers</i> , 2020, 12, 423.	2.0	25
382	Fabrication and characterization of a novel hydrophobic polystyrene membrane using electroblowing technique for desalination by direct contact membrane distillation. <i>Separation and Purification Technology</i> , 2020, 239, 116498.	3.9	46
383	Organic Molecules of Intrinsic Microporosity. <i>Organic Materials</i> , 2020, 02, 020-025.	1.0	10
384	Advances in Conjugated Microporous Polymers. <i>Chemical Reviews</i> , 2020, 120, 2171-2214.	23.0	810
385	Triazatruxene-Based Ordered Porous Polymer: High Capacity CO ₂ , CH ₄ , and H ₂ Capture, Heterogeneous Suzuki–Miyaura Catalytic Coupling, and Thermoelectric Properties. <i>ACS Applied Energy Materials</i> , 2020, 3, 4983-4994.	2.5	34
386	Shape memory polystyrene-based nanocomposite: present status and future opportunities. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2021, 58, 182-191.	1.2	7
387	Facile synthesis of porous organic polymers (POPs) membrane via click chemistry for efficient PM _{2.5} capture. <i>Separation and Purification Technology</i> , 2021, 258, 118049.	3.9	10

#	ARTICLE	IF	CITATIONS
388	Role of ultramicropores in the remarkable gas storage in hypercrosslinked polystyrene networks studied by positron annihilation. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 13603-13611.	1.3	3
389	Thermal Conductivities of Crosslinked Polyisoprene and Polybutadiene from Molecular Dynamics Simulations. <i>Polymers</i> , 2021, 13, 315.	2.0	10
390	Determination of phenols in natural and waste waters by capillary electrophoresis after preconcentration on magnetic nanoparticles coated with aminated hypercrosslinked polystyrene. <i>Journal of Separation Science</i> , 2021, 44, 1978-1988.	1.3	2
391	Organic Sorbents for Air Purification: A New Application for Recyclable Hyper-Cross-Linked Polystyrene. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 3969-3980.	1.8	4
392	Evaluation of hyper-cross-linked polymers performances in the removal of hazardous heavy metal ions: A review. <i>Separation and Purification Technology</i> , 2021, 260, 118221.	3.9	60
393	Second generation phenylene dendrimer, 1,3,5-tris[4-(3,5-diphenylphenyl)phenyl]benzene, as a precursor of a new carbon material. <i>Mendeleev Communications</i> , 2021, 31, 397-399.	0.6	0
394	Second generation phenylene dendrimer, 1,3,5-tris[4-(3,5-diphenylphenyl)phenyl]benzene, as a precursor of a new carbon material. <i>Mendeleev Communications</i> , 2021, 31, 397-399.	0.6	3
395	Upgrading poly(styrene- <i>co</i> -divinylbenzene) beads: Incorporation of organomodified metal-free semiconductor graphitic carbon nitride through suspension photopolymerization to generate photoactive resins. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50879.	1.3	8
396	Fine tuning of specific surface area and CO ₂ capture performance in hyper-cross-linked heterocyclic networks with tetrazinyl linker. <i>Microporous and Mesoporous Materials</i> , 2021, 319, 111069.	2.2	5
397	Hybrid Microporous Polymeric Materials with Outstanding Permeability and Increased Gas Transport Stability: PTMSP Aging Prevention by Sorption of the Polymerization Catalyst on HCPS. <i>Polymers</i> , 2021, 13, 1922.	2.0	2
398	Design and Synthesis of Porous Organic Polymeric Materials from Norbornene Derivatives. <i>Polymer Reviews</i> , 2022, 62, 400-437.	5.3	15
399	Advances in polystyrene/graphene nanoplatelet nanocomposites. <i>Journal of Plastic Film and Sheeting</i> , 2022, 38, 130-146.	1.3	5
400	Effect of Pore Size Distribution and Amination on Adsorption Capacities of Polymeric Adsorbents. <i>Molecules</i> , 2021, 26, 5267.	1.7	27
401	Hyper-Cross-Linked Polystyrene as a Stabilizing Medium for Small Metal Clusters. <i>Molecules</i> , 2021, 26, 5294.	1.7	2
402	Synthesis of polystyrene-based hyper-cross-linked polymers for Cd(II) ions removal from aqueous solutions: Experimental and RSM modeling. <i>Journal of Hazardous Materials</i> , 2021, 416, 125923.	6.5	36
403	Influence of Functional Group Concentration on Hypercrosslinking of Poly(vinylbenzyl chloride) PolyHIPEs: Upgrading Macroporosity with Nanoporosity. <i>Polymers</i> , 2021, 13, 2721.	2.0	5
404	Metal-Free Hyper-Cross-Linked Polymers from Benzyl Methyl Ethers: A Route to Polymerization Catalyst Recycling. <i>Macromolecules</i> , 2021, 54, 9217-9222.	2.2	19
405	Protocols for synthesis of nanomaterials, polymers, and green materials as adsorbents for water treatment technologies. <i>Environmental Technology and Innovation</i> , 2021, 24, 101821.	3.0	356

#	ARTICLE	IF	CITATIONS
406	Synergistic dual-functionalities of starch-grafted-styrene hydrophilic porous resin for efficiently removing bisphenols from wastewater. <i>Chemical Engineering Journal</i> , 2022, 429, 132350.	6.6	14
407	Organic Porous Polymer Materials: Design, Preparation, and Applications. <i>Engineering Materials and Processes</i> , 2017, , 71-150.	0.2	1
409	Nanoporous Polymers. , 2013, , 1-42.		5
410	COMPARATIVE STUDY OF THE ADSORPTION-DESORPTION CYCLES OF HEXANE OVER HYPERCROSSLINKED POLYMERIC ADSORBENTS AND ACTIVATED CARBON. <i>Environmental Engineering and Management Journal</i> , 2010, 9, 125-132.	0.2	2
411	ADSORPTION MECHANISM OF TOXIC ORGANIC COMPOUNDS IN CHEMICAL WASTEWATER BY POLYMERIC ADSORBENTS. <i>Acta Polymerica Sinica</i> , 2008, 008, 651-655.	0.0	3
412	PREPARATION OF A POST-CROSSLINKED MACRORETICULAR RESIN ADSORBENT AND ITS ADSORPTION PERFORMANCE ON PHENOL AND VB₁₂. <i>Acta Polymerica Sinica</i> , 2009, 009, 909-916.	0.0	2
413	Recent advances in porous organic frameworks for sample pretreatment of pesticide and veterinary drug residues: a review. <i>Analyst</i> , The, 2021, 146, 7394-7417.	1.7	14
414	Preparation and Characterization of the Phthalazinone Structure-based Microporous Organic Polymer. , 0, , .		0
416	CHAPTER 5. Sustainable Batch or Continuous-flow Preparation of Biomass-derived Fuels Using Sulfonated Organic Polymers. <i>RSC Green Chemistry</i> , 2019, , 79-114.	0.0	1
417	Synthesis methods of microporous organic polymeric adsorbents: a review. <i>Polymer Chemistry</i> , 2021, 12, 6962-6997.	1.9	11
418	A strategy of synergistically using ether oxygen and phenolic hydroxyl groups for Ultra-High selective and fast Cs+ isolation. <i>Separation and Purification Technology</i> , 2022, 284, 120285.	3.9	7
419	Separation of a CaCl ₂ -HCl Model Mixture on Neutral Nanoporous Hypercrosslinked Polystyrene under Static and Dynamic Conditions. <i>Russian Journal of Physical Chemistry A</i> , 2008, 82, 434-438.	0.1	4
420	Features of the noble metals impregnation into the polymeric matrix of hyper-cross-linked polystyrene. <i>Kataliz V Promyshlennosti</i> , 2022, 22, 5-19.	0.2	0
421	Multi-Functional Hypercrosslinked Polystyrene as High-Performance Adsorbents for Artificial Liver Blood Purification. <i>Frontiers in Chemistry</i> , 2021, 9, 789814.	1.8	5
422	High hydrogen release by cryo-adsorption and compression on porous materials. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 8892-8915.	3.8	18
423	Effect of post-polymerization crosslinking on morphology of mesoporous poly-divinylbenzene. <i>Polymer Bulletin</i> , 0, , 1.	1.7	0
424	Features of the noble metals impregnation into the polymeric matrix of hyper-cross-linked polystyrene. <i>Kataliz V Promyshlennosti</i> , 2022, 22, .	0.2	0
425	Effect of nanofillers on polyurethane/polystyrene matrix nanocomposites: Characteristics and forthcoming developments. <i>Journal of Plastic Film and Sheeting</i> , 2022, 38, 438-457.	1.3	3

#	ARTICLE	IF	CITATIONS
426	Finding the Sweet Spot of Photocatalysis—A Case Study Using Bipyridine-Based CTFs. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 14182-14192.	4.0	22
427	Multi-class, multi-residue determination of 132 veterinary drugs in milk by magnetic solid-phase extraction based on magnetic hypercrosslinked polystyrene prior to their determination by high-performance liquid chromatography—tandem mass spectrometry. <i>Food Chemistry</i> , 2022, 387, 132866.	4.2	36
429	Impregnating Noble Metals into the Polymer Matrix of Super Cross-Linked Polystyrene. <i>Catalysis in Industry</i> , 2022, 14, 157-170.	0.3	1
430	Hybrid Pd-Nanoparticles within Polymeric Network in Selective Hydrogenation of Alkynols: Influence of Support Porosity. <i>Molecules</i> , 2022, 27, 3842.	1.7	1
431	Advanced porous organic polymer membranes: Design, fabrication, and energy-saving applications. <i>EnergyChem</i> , 2022, 4, 100079.	10.1	21
432	Synthesis and characterization of waste Styrofoam hypercrosslinked polymer as an adsorbent for CO_2 capture. <i>Environmental Progress and Sustainable Energy</i> , 2023, 42, .	1.3	13
433	High Efficiency Membranes Based on PTMSP and Hyper-Crosslinked Polystyrene for Toxic Volatile Compounds Removal from Wastewater. <i>Polymers</i> , 2022, 14, 2944.	2.0	5
434	Removal of diclofenac sodium pollutant from drug contaminants using a hyper-cross-linked polymer adsorbent. <i>Iranian Polymer Journal (English Edition)</i> , 2022, 31, 1459-1473.	1.3	7
435	Covalent molecularly imprinted polymers for selective adsorption of plant growth stimulator 1-naphthaleneacetic acid. <i>Polymer</i> , 2022, 256, 125189.	1.8	2
436	Development and synthesis of nanoparticles and nanoadsorbents. <i>Interface Science and Technology</i> , 2022, , 127-165.	1.6	1
437	Synthesis and post-polymerization functionalization of a tosylated hyper-crosslinked polymer for fast and efficient removal of organic pollutants in water. <i>Materials Chemistry Frontiers</i> , 2022, 6, 3023-3032.	3.2	3
438	Porosity of Molecularly Imprinted Polymers Investigated by ^{129}Xe NMR Spectroscopy. <i>ACS Applied Polymer Materials</i> , 2022, 4, 8740-8749.	2.0	3
439	Amidoxime-modified hypercrosslinked porous poly(styrene-co-acrylonitrile) adsorbent with tunable porous structure for extracting uranium efficiently from seawater. <i>Journal of Molecular Liquids</i> , 2022, 368, 120741.	2.3	5
440	Membranes Based on PTMSP and Hypercrosslinked Polystyrene for Gas Separation and Thermopervaporative Removal of Volatile Organic Compounds from Aqueous Media. <i>Membranes and Membrane Technologies</i> , 2022, 4, 404-413.	0.6	0
441	Counterion-Based Polymerizable Porogens—Direct Preparation of Nanoporous Polymer Matrices with Control over Pore Size and Carboxylic Acid Content. <i>Macromolecules</i> , 0, , .	2.2	1
442	Flow synthesis of hypercrosslinked polymers with additional microporosity that enhances CO_2/N_2 separation. <i>Journal of Materials Chemistry A</i> , 2023, 11, 9859-9867.	5.2	10
443	Microporous Hypercrosslinked Polystyrene Sorbents in Sorption Purification of Water-Soluble Polymers from Low-Molecular-Weight Compounds. <i>Russian Journal of Applied Chemistry</i> , 2022, 95, 1236-1242.	0.1	0
444	Hypercrosslinked microporous polystyrene: from synthesis to properties to applications. <i>Materials Today Chemistry</i> , 2023, 29, 101392.	1.7	12

#	ARTICLE	IF	CITATIONS
445	One-step synthesis of boronic acid-functionalized hypercrosslinked polymers for efficient separation of 1,2,4-butanetriol. <i>Separation and Purification Technology</i> , 2023, 314, 123436.	3.9	4
446	Acrylate-functionalized hyper-cross-linked polymers: Effect of the porogens in the polymerization on their porosity and adsorption from aqueous solution. <i>Separation and Purification Technology</i> , 2023, 311, 123380.	3.9	4
447	Recent advances in ground-breaking conjugated microporous polymers-based materials, their synthesis, modification and potential applications. <i>Materials Today</i> , 2023, 64, 180-208.	8.3	37
448	All-Organic Hyper-Crosslinked Polymer/Polyimide Composite Films with Ultralow High-Frequency Dielectric Constant. <i>Macromolecular Rapid Communications</i> , 2023, 44, .	2.0	2
449	Porosity Effect of Polystyrene Membranes on Desalination Performance: A Combined Experimental and Numerical Heat and Mass Transfer Study in Direct Contact Membrane Distillation. <i>Polymers</i> , 2023, 15, 1821.	2.0	3
450	Synthesis and design of hypercrosslinked porous organic frameworks containing tetraphenylpyrazine unit for high-performance supercapacitor. <i>Journal of Polymer Science</i> , 0, , .	2.0	9
459	Ru-doped functional porous materials for electrocatalytic water splitting. <i>Nano Research</i> , 2024, 17, 982-1002.	5.8	5