

CITATION REPORT

List of articles citing

Free radicals, mitochondria, and hypoxia-ischemia in the developing brain

DOI: 10.1016/j.freeradbiomed.2005.08.040

Free Radical Biology and Medicine, 2006, 40, 388-97.

Source: <https://exaly.com/paper-pdf/40750270/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
254	Mechanisms of perinatal brain damage and protective possibilities. 2006 , 3, 397-407		2
253	Dietary chelators as antioxidant enzyme mimetics: implications for dietary intervention in neurodegenerative diseases. 2006 , 17, 425-30		12
252	Perinatal white matter injury: the changing spectrum of pathology and emerging insights into pathogenetic mechanisms. 2006 , 12, 129-40		246
251	eIF2B and oligodendrocyte survival: where nature and nurture meet in bipolar disorder and schizophrenia?. 2007 , 33, 1343-53		74
250	NEOBRAIN--an EU-funded project committed to protect the newborn brain. 2007 , 92, 217-8		7
249	Antioxidant status alters levels of Fas-associated death domain-like IL-1B-converting enzyme inhibitory protein following neonatal hypoxia-ischemia. <i>Developmental Neuroscience</i> , 2007 , 29, 403-11	2.2	8
248	Mismatch recovery of regional cerebral blood flow and brain temperature during reperfusion after prolonged brain ischemia in gerbils. 2007 , 62, 36-43; discussion 43		7
247	Failure to complete apoptosis following neonatal hypoxia-ischemia manifests as "continuum" phenotype of cell death and occurs with multiple manifestations of mitochondrial dysfunction in rodent forebrain. 2007 , 149, 822-33		119
246	X-linked inhibitor of apoptosis protein increases mitochondrial antioxidants through NF-kappaB activation. 2007 , 364, 138-44		41
245	Selected oxidative stress markers in a South American crocodylian species. 2007 , 146, 241-254		13
244	Mechanism of caspase-3 activation during hypoxia in the cerebral cortex of newborn piglets. 2007 , 421, 67-71		10
243	An integrated view of oxidative stress in aging: basic mechanisms, functional effects, and pathological considerations. 2007 , 292, R18-36		556
242	Low doses of ethanol and hypoxia administered together act synergistically to promote the death of cortical neurons. 2007 , 85, 131-8		7
241	The effect of nano- and micron-sized particles of cobalt-chromium alloy on human fibroblasts in vitro. 2007 , 28, 2946-58		310
240	Apoptosis-inducing factor is a major contributor to neuronal loss induced by neonatal cerebral hypoxia-ischemia. 2007 , 14, 775-84		169
239	X chromosome-linked inhibitor of apoptosis protein reduces oxidative stress after cerebral irradiation or hypoxia-ischemia through up-regulation of mitochondrial antioxidants. 2007 , 26, 3402-10		36
238	Ethanol alters lipid profiles and phosphorylation status of AMP-activated protein kinase in the neonatal mouse brain. <i>Journal of Neurochemistry</i> , 2007 , 103, 1208-18	6	33

237	Platelet-activating factor antagonist (ABT-491) decreases neuronal apoptosis in neonatal rat model of hypoxic ischemic brain injury. <i>Brain Research</i> , 2007 , 1143, 193-8	3-7	22
236	Docosahexaenoic acid enhances iron uptake by modulating iron transporters and accelerates apoptotic death in PC12 cells. 2007 , 32, 1673-84		17
235	Pathological apoptosis in the developing brain. 2007 , 12, 993-1010		152
234	Antioxidant efficacy of extracts from a variety of seaweeds in a cellular system. 2008 , 43, 31-37		15
233	Postnatal developmental regulation of Bcl-2 family proteins in brain mitochondria. 2008 , 86, 1267-76		32
232	Evaluation of a novel colorimetric assay for free oxygen radicals as marker of oxidative stress. 2008 , 41, 1250-4		19
231	Postischemic oxidative stress promotes mitochondrial metabolic failure in neurons and astrocytes. 2008 , 1147, 129-38		34
230	Maturation-dependent sensitivity of oligodendrocyte lineage cells to apoptosis: implications for normal development and disease. 2008 , 15, 1178-86		86
229	Docosahexaenoic acid-dependent iron accumulation in oligodendroglia cells protects from hydrogen peroxide-induced damage. <i>Journal of Neurochemistry</i> , 2008 , 105, 1325-35	6	32
228	Extracellular amino acids and lipid peroxidation products in periventricular white matter during and after cerebral ischemia in preterm fetal sheep. <i>Journal of Neurochemistry</i> , 2008 , 105, 2214-23	6	20
227	Selenium protects the hypoxia induced apoptosis in neuroblastoma cells through upregulation of Bcl-2. <i>Brain Research</i> , 2008 , 1209, 29-39	3-7	44
226	The role of trapidil on neuronal apoptosis in neonatal rat model of hypoxic ischemic brain injury. 2008 , 84, 243-7		5
225	Deferoxamine decreases the excitatory amino acid levels and improves the histological outcome in the hippocampus of neonatal rats after hypoxia-ischemia. 2008 , 57, 73-8		41
224	Intrauterine resuscitation during labor: should maternal oxygen administration be a first-line measure?. 2008 , 13, 362-7		17
223	Impact of neonatal asphyxia and hind limb immobilization on musculoskeletal tissues and S1 map organization: implications for cerebral palsy. 2008 , 210, 95-108		53
222	Loss of apoptosis-inducing factor results in cell-type-specific neurogenesis defects. 2008 , 28, 4938-48		34
221	Biochemical markers of neonatal hypoxia. 2008 , 2, 485-501		6
220	Rapidly increased neuronal mitochondrial biogenesis after hypoxic-ischemic brain injury. 2008 , 39, 3057-63		171

219	Autophagic neuron death in neonatal brain ischemia/hypoxia. 2008 , 4, 404-8		106
218	Effects of nicotine infusion on striatal glutamate and cortical non-protein-bound iron in hypoxic newborn piglets. 2008 , 94, 284-92		7
217	The Brain and Resuscitation. 2008 , 9, e513-e519		2
216	Ischemia enhances activation by Ca ²⁺ and redox modification of ryanodine receptor channels from rat brain cortex. 2008 , 28, 9463-72		69
215	Mechanisms of neurodegeneration and therapeutics in animal models of neonatal hypoxic-ischemic encephalopathy. 14-37		
214	Inborn errors of metabolism with features of hypoxic-ischemic encephalopathy. 389-401		
213	Oxygen in health and disease: regulation of oxygen homeostasis--clinical implications. 2009 , 65, 261-8		135
212	Evaluation of <i>Salicornia herbacea</i> as a potential antioxidant and anti-inflammatory agent. 2009 , 12, 661-8		30
211	Role of mixed lineage kinase inhibition in neonatal hypoxia-ischemia. <i>Developmental Neuroscience</i> , 2009 , 31, 420-6	2.2	7
210	Room air or 100% oxygen for resuscitation of infants with perinatal depression. 2009 , 21, 188-93		5
209	Lipopolysaccharide preconditioning reduces neuroinflammation against hypoxic ischemia and provides long-term outcome of neuroprotection in neonatal rat. 2009 , 66, 254-9		64
208	Endoplasmic reticulum stress, inflammation, and perinatal brain damage. 2009 , 66, 487-94		21
207	Apoptotic mechanisms in the immature brain: involvement of mitochondria. 2009 , 24, 1141-6		83
206	Nutritional and exercise-based interventions in the treatment of amyotrophic lateral sclerosis. 2009 , 28, 604-17		36
205	Long-term effects of environmental stimulation following hypoxia-ischemia on the oxidative state and BDNF levels in rat hippocampus and frontal cortex. <i>Brain Research</i> , 2009 , 1247, 188-95	3.7	50
204	Intracellular antioxidant enzymes are not globally upregulated during hibernation in the major oxidative tissues of the 13-lined ground squirrel <i>Spermophilus tridecemlineatus</i> . 2009 , 152, 115-22		38
203	Vitamin K prevents oxidative cell death by inhibiting activation of 12-lipoxygenase in developing oligodendrocytes. 2009 , 87, 1997-2005		61
202	CREB activation in the rapid, intermediate, and delayed ischemic preconditioning against hypoxic-ischemia in neonatal rat. <i>Journal of Neurochemistry</i> , 2009 , 108, 847-59	6	36

201	Changes in lipid peroxidation and antioxidant system of the brain during early postnatal development in rats. 2009 , 3, 93-97		3
200	Post-ischemic hypothermia for 24h in P7 rats rescues hippocampal neuron: association with decreased astrocyte activation and inflammatory cytokine expression. 2009 , 79, 351-7		57
199	Mitochondrial mechanisms of cell death and neuroprotection in pediatric ischemic and traumatic brain injury. 2009 , 218, 371-80		104
198	Responses of astrocyte to simultaneous glutamate and arachidonic acid treatment. <i>Neurochemistry International</i> , 2009 , 55, 143-50	4.4	6
197	Combination of deferoxamine and erythropoietin: therapy for hypoxia-ischemia-induced brain injury in the neonatal rat?. 2009 , 451, 109-13		34
196	FORT and FORD: two simple and rapid assays in the evaluation of oxidative stress in patients with type 2 diabetes mellitus. 2009 , 58, 1657-62		49
195	Oxygen glucose deprivation model of cerebral stroke in PC-12 cells: glucose as a limiting factor. 2009 , 19, 154-60		21
194	Hypoxic-ischemic encephalopathy in the term infant. 2009 , 36, 835-58, vii		177
193	Treating neonatal brain injury - promise and inherent research challenges. 2010 , 4, 16-24		5
192	Superoxide scavenging and xanthine oxidase inhibiting activities of copper-β-trityl-L-glutamate complex. 2010 , 33, 1938-43		7
191	Preconditioning and postinsult therapies for perinatal hypoxic-ischemic injury at term. 2010 , 113, 233-49		42
190	Characteristics of human cortical pyramidal neuron development during the second gestational trimester. 2010 , 36, 427-432		5
189	Ethyl pyruvate protects against hypoxic-ischemic brain injury via anti-cell death and anti-inflammatory mechanisms. 2010 , 37, 711-22		71
188	Galectin-3 contributes to neonatal hypoxic-ischemic brain injury. 2010 , 38, 36-46		110
187	Regional characterization of energy metabolism in the brain of normal and MPTP-intoxicated mice using new markers of glucose and phosphate transport. 2010 , 17, 91		19
186	Timing of appearance of late oligodendrocyte progenitors coincides with enhanced susceptibility of preterm rabbit cerebral white matter to hypoxia-ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010 , 30, 1053-65	7.3	73
185	Hypoxic-ischemic encephalopathy. 261-280		
184	trans-Resveratrol as a neuroprotectant. 2010 , 15, 1196-212		35

183	Neuroprotective effect of Bax-inhibiting peptide on neonatal brain injury. 2010 , 41, 2050-5	62
182	Prolyl hydroxylase domain inhibitors: a route to HIF activation and neuroprotection. 2010 , 12, 459-80	82
181	Changes in the expression of insulin-like growth factor 1 variants in the postnatal brain development and in neonatal hypoxia-ischaemia. 2010 , 28, 91-7	24
180	Anti-amnesic effect of Chong-Myung-Tang on scopolamine-induced memory impairments in mice. 2010 , 132, 70-4	49
179	Molecular Imaging for Integrated Medical Therapy and Drug Development. 2010 ,	3
178	Simultaneous analysis of expression of multiple redox-sensitive and apoptotic genes in hypothalamic neurons exposed to cholesterol secoaldehyde. 2010 , 610, 263-84	5
177	Two new "protected" oxyphors for biological oximetry: properties and application in tumor imaging. 2011 , 83, 8756-65	166
176	Neuronal death and oxidative stress in the developing brain. 2011 , 14, 1535-50	167
175	Radical changes in multiple sclerosis pathogenesis. 2011 , 1812, 141-50	212
174	Electrophysiological analysis of vulnerability to experimental ischemia in neonatal rat spinal ventral horn neurons. 2011 , 494, 161-4	4
173	Docosahexaenoic acid: brain accretion and roles in neuroprotection after brain hypoxia and ischemia. 2011 , 14, 158-67	57
172	Glutathione biosynthesis via activation of the nuclear factor E2-related factor 2 (Nrf2)--antioxidant-response element (ARE) pathway is essential for neuroprotective effects of sulforaphane and 6-(methylsulfinyl) hexyl isothiocyanate. 2011 , 115, 320-8	65
171	ECitryl-L-glutamate acts as an iron carrier to activate aconitase activity. 2011 , 34, 1455-64	10
170	Treatment advances in neonatal neuroprotection and neurointensive care. 2011 , 10, 372-82	204
169	Chronic fetal hypoxia produces selective brain injury associated with altered nitric oxide synthases. 2011 , 204, 254.e16-28	21
168	Endonuclease VIII-like 3 (Neil3) DNA glycosylase promotes neurogenesis induced by hypoxia-ischemia. 2011 , 108, 18802-7	72
167	Overweight worsens apoptosis, neuroinflammation and blood-brain barrier damage after hypoxic ischemia in neonatal brain through JNK hyperactivation. 2011 , 8, 40	49
166	Toxicity biomarkers among US children compared to a similar cohort in France: a blinded study measuring urinary porphyrins. 2011 , 93, 396-405	8

165	Striatal neuroprotection from neonatal hypoxia-ischemia in piglets by antioxidant treatment with EUK-134 or edaravone. <i>Developmental Neuroscience</i> , 2011 , 33, 299-311	2.2	19
164	Impact of therapeutic hypothermia on MRI diffusion changes in neonatal encephalopathy. 2012 , 78, 1420-7		110
163	Environmental risk factors for multiple sclerosis: a review with a focus on molecular mechanisms. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 11718-52	6.3	123
162	Sodium pyruvate reduces hypoxic-ischemic injury to neonatal rat brain. 2012 , 72, 479-89		28
161	Environmental tobacco smoke induces oxidative stress in distinct brain regions of infant mice. 2012 , 75, 971-80		23
160	Apoptotic cell death correlates with ROS overproduction and early cytokine expression after hypoxia-ischemia in fetal lambs. 2012 , 19, 754-63		13
159	Antioxidant therapies: a potential role in perinatal medicine. 2012 , 96, 13-23		68
158	Cerebral white matter oxidation and nitrosylation in young rodents with kaolin-induced hydrocephalus. 2012 , 71, 274-88		26
157	Nicotinamide prevents the down-regulation of MEK/ERK/p90RSK signaling cascade in brain ischemic injury. 2012 , 74, 35-41		9
156	Immediate hypothermia is not neuroprotective after severe hypoxia-ischemia and is deleterious when delayed by 12 hours in neonatal rats. 2012 , 43, 3364-70		97
155	Partition of metals in the maternal/fetal unit and lead-associated decreases of fetal iron and manganese: an observational biomonitoring approach. 2012 , 86, 1571-81		30
154	Necrostatin-1 attenuates mitochondrial dysfunction in neurons and astrocytes following neonatal hypoxia-ischemia. 2012 , 219, 192-203		89
153	Programmed Necrosis: A Prominent Mechanism of Cell Death following Neonatal Brain Injury. 2012 , 2012, 257563		45
152	Mitochondria and perinatal brain injury. 2012 , 25 Suppl 1, 35-8		29
151	Prenatal hypoxic-ischemic insult changes the distribution and number of NADPH-diaphorase cells in the cerebellum. <i>PLoS ONE</i> , 2012 , 7, e35786	3.7	8
150	The Protective Role of Erythropoietin in the Developing Brain. 2012 ,		
149	Biochemical and Molecular Biological Assessments of Neonatal Hypoxia/Ischemia: Cell Signaling. 2012 , 211-219		
148	Quantitative imaging of mitochondrial and cytosolic free zinc levels in an in vitro model of ischemia/reperfusion. 2012 , 44, 253-63		49

147	The cannabinoid WIN 55212-2 mitigates apoptosis and mitochondrial dysfunction after hypoxia ischemia. 2012 , 37, 161-70	14
146	Injury and repair in the immature brain. 2013 , 4, 135-6	3
145	Inhaled nitric oxide protects males but not females from neonatal mouse hypoxia-ischemia brain injury. 2013 , 4, 201-7	27
144	The specific features of free-radical processes and the antioxidant defense in the adult brain. 2013 , 7, 89-97	9
143	Changes in oxidative metabolism and memory and learning in a cerebral hypoperfusion model in rats. 2013 , 28, 1-8	
142	Developmental neurotoxicity of engineered nanomaterials: identifying research needs to support human health risk assessment. 2013 , 134, 225-42	25
141	Critical role of neuronal pentraxin 1 in mitochondria-mediated hypoxic-ischemic neuronal injury. 2013 , 50, 59-68	33
140	Hypothermia and xenon: novel noble guardians in hypoxic-ischemic encephalopathy?. 2013 , 91, 473-8	21
139	Changes in oxidative metabolism and memory and learning in an cerebral hypoperfusion model in rats. 2013 , 28, 1-8	1
138	Nitric oxide signaling in the brain: a new target for inhaled nitric oxide?. 2013 , 73, 442-8	36
137	Brain development in rodents and humans: Identifying benchmarks of maturation and vulnerability to injury across species. 2013 , 106-107, 1-16	1018
136	Enhanced hippocampus-dependent memory and reduced anxiety in mice over-expressing human catalase in mitochondria. <i>Journal of Neurochemistry</i> , 2013 , 125, 303-13	6 48
135	Functional Grapes. 2013 , 2581-2615	1
134	Neuroprotective effect of melatonin: a novel therapy against perinatal hypoxia-ischemia. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 9379-95	6.3 69
133	Neuroprotective therapies after perinatal hypoxic-ischemic brain injury. 2013 , 3, 191-214	27
132	Fatty acid receptor Gpr40 mediates neuromicrovascular degeneration induced by transarachidonic acids in rodents. 2013 , 33, 954-61	29
131	Hypoxic-ischemic brain injury and neuroprotection in the newborn infant. 2013 , 8, 303-319	
130	Molecular mechanisms of neonatal brain injury and neural rescue. 16-32	1

129	Association of NOS3 gene variants and clinical contributors of hypoxic-ischemic encephalopathy. 2014 , 47, 869-75	3
128	Protective effect of tanshinone IIA on the brain and its therapeutic time window in rat models of cerebral ischemia-reperfusion. 2014 , 8, 1616-1622	14
127	Neuroprotective effect of diphenyl diselenide in a experimental stroke model: maintenance of redox system in mitochondria of brain regions. 2014 , 26, 317-30	25
126	Prevention of cerebral palsy, autism spectrum disorder, and attention deficit-hyperactivity disorder. 2014 , 82, 522-8	24
125	Sex differences in mitochondrial biogenesis determine neuronal death and survival in response to oxygen glucose deprivation and reoxygenation. 2014 , 15, 9	47
124	Pathophysiology of glia in perinatal white matter injury. 2014 , 62, 1790-815	133
123	Hypoxic preconditioning protection is eliminated in HIF-1 α knockout mice subjected to neonatal hypoxia-ischemia. 2014 , 76, 46-53	39
122	LOX-1 is a novel therapeutic target in neonatal hypoxic-ischemic encephalopathy. 2014 , 184, 1843-52	12
121	Stimulation of NOX2 in isolated hearts reversibly sensitizes RyR2 channels to activation by cytoplasmic calcium. 2014 , 68, 38-46	18
120	Sirtuin 3 regulates Foxo3a-mediated antioxidant pathway in microglia. 2015 , 311, 398-414	76
119	Genetic deletion of neuronal pentraxin 1 expression prevents brain injury in a neonatal mouse model of cerebral hypoxia-ischemia. 2015 , 75, 15-30	15
118	Ferulic acid attenuates the down-regulation of MEK/ERK/p90RSK signaling pathway in focal cerebral ischemic injury. 2015 , 588, 18-23	24
117	Maternal Oxytocin Administration Before Birth Influences the Effects of Birth Anoxia on the Neonatal Rat Brain. 2015 , 40, 1631-43	18
116	Neuroinflammation and neuroimmune dysregulation after acute hypoxic-ischemic injury of developing brain. 2014 , 2, 144	69
115	Effect of maternal exercise on biochemical parameters in rats submitted to neonatal hypoxia-ischemia. <i>Brain Research</i> , 2015 , 1622, 91-101	3-7 14
114	Prenatal exposure to a novel antipsychotic quetiapine: impact on neuro-architecture, apoptotic neurodegeneration in fetal hippocampus and cognitive impairment in young rats. 2015 , 42, 59-67	10
113	Whither oxygen for intrauterine resuscitation?. 2015 , 212, 461-2. 461.e1	8
112	The mGluR5 positive allosteric modulator CDPBB inhibits SO $_2$ -induced protein radical formation and mitochondrial dysfunction through activation of Akt in mouse hippocampal HT22 cells. 2015 , 35, 573-83	4

111	Role of mitochondria in apoptotic and necroptotic cell death in the developing brain. 2015 , 451, 35-8		63
110	Mitofusin 2 ameliorates hypoxia-induced apoptosis via mitochondrial function and signaling pathways. 2015 , 69, 29-40		51
109	Does Caspase-6 Have a Role in Perinatal Brain Injury?. <i>Developmental Neuroscience</i> , 2015 , 37, 321-37	2.2	4
108	Assessment of in-utero venlafaxine induced, ROS-mediated, apoptotic neurodegeneration in fetal neocortex and neurobehavioral sequelae in rat offspring. 2015 , 40, 60-9		17
107	Resveratrol post-treatment protects against neonatal brain injury after hypoxia-ischemia. 2016 , 7, 79247-79261		17
106	Neuroprotective effects of Ellagic acid on Neonatal Hypoxic Brain Injury via Inhibition of Inflammatory Mediators and Down-regulation of JNK/p38 MAPK Activation. 2016 , 15, 241		9
105	Plasticity in the Neonatal Brain following Hypoxic-Ischaemic Injury. 2016 , 2016, 4901014		90
104	No improvement of neuronal metabolism in the reperfusion phase with melatonin treatment after hypoxic-ischemic brain injury in the neonatal rat. <i>Journal of Neurochemistry</i> , 2016 , 136, 339-50	6	16
103	Sex-dependent mitochondrial respiratory impairment and oxidative stress in a rat model of neonatal hypoxic-ischemic encephalopathy. <i>Journal of Neurochemistry</i> , 2016 , 137, 714-29	6	50
102	Serotonin transporter methylation, neural responses to sadness and resting state functional connectivity: a study in adolescent monozygotic twins. 2016 , 26, S362-S363		
101	Effects of oxidative stress induced by perinatal asphyxia on catalase activity in the hippocampus of neonatal rats. 2016 , 26, S363-S364		
100	The NADPH oxidase NOX2 as a novel biomarker for suicidality: evidence from human post mortem brain samples. 2016 , 6, e813		23
99	Intratracheal transplantation of mesenchymal stem cells simultaneously attenuates both lung and brain injuries in hyperoxic newborn rats. 2016 , 80, 415-24		27
98	Sex-dependent mitophagy and neuronal death following rat neonatal hypoxia-ischemia. 2016 , 335, 103-13		39
97	The activities of key antioxidant enzymes in the early postnatal development of rats. 2016 , 10, 199-204		3
96	Deferoxamine prevents cerebral glutathione and vitamin E depletions in asphyxiated neonatal rats: role of body temperature. 2016 , 32, 211-20		13
95	Maternal creatine supplementation during pregnancy prevents acute and long-term deficits in skeletal muscle after birth asphyxia: a study of structure and function of hind limb muscle in the spiny mouse. 2016 , 80, 852-860		18
94	Oxidative stress and inflammation in cerebral cavernous malformation disease pathogenesis: Two sides of the same coin. 2016 , 81, 254-270		60

93	Deferoxamine improves antioxidative protection in the brain of neonatal rats: The role of anoxia and body temperature. 2016 , 628, 116-22		8
92	Involvement of the NADPH Oxidase NOX2-Derived Brain Oxidative Stress in an Unusual Fatal Case of Cocaine-Related Neurotoxicity Associated With Excited Delirium Syndrome. 2016 , 36, 513-7		7
91	Pharmacological approaches to intervention in hypomyelinating and demyelinating white matter pathology. 2016 , 110, 605-625		19
90	Mitochondrial dysfunction bridges negative affective disorders and cardiomyopathy in socially isolated rats: Pros and cons of fluoxetine. 2017 , 18, 39-53		32
89	Dedifferentiated Fat Cells as a Novel Source for Cell Therapy to Target Neonatal Hypoxic-Ischemic Encephalopathy. <i>Developmental Neuroscience</i> , 2017 , 39, 273-286	2.2	10
88	Mitochondrial LON protease-dependent degradation of cytochrome c oxidase subunits under hypoxia and myocardial ischemia. 2017 , 1858, 519-528		30
87	Cytoprotective action against oxidative stress in astrocytes and neurons by <i>Bactris guineensis</i> (L.) H.E. Moore (corozo) fruit extracts. 2017 , 109, 1010-1017		6
86	Neuroprotective Treatments after Perinatal Hypoxic-Ischemic Brain Injury Evaluated with Magnetic Resonance Spectroscopy. <i>Developmental Neuroscience</i> , 2017 , 39, 36-48	2.2	3
85	Hemin protects against oxygen-glucose deprivation-induced apoptosis activation via neuroglobin in SH-SY5Y cells. 2017 , 42, 2208-2217		13
84	Oxidative stress and endoplasmic reticulum (ER) stress in the development of neonatal hypoxic-ischaemic brain injury. 2017 , 45, 1067-1076		42
83	Sex-dependent consequences of neonatal brain hypoxia-ischemia in the rat. 2017 , 95, 409-421		53
82	Inborn Errors of Metabolism and Single-Gene Disorders with Features of Neonatal Encephalopathy. 534-556		
81	The role of microglia in multiple sclerosis. 2017 , 13, 1661-1667		91
80	Neonatal Hypoxia Ischaemia: Mechanisms, Models, and Therapeutic Challenges. 2017 , 11, 78		143
79	Tobacco Smoke and Nicotine: Neurotoxicity in Brain Development. 2017 , 273-280		
78	Maternal and Cord Blood Manganese Concentrations and Early Childhood Neurodevelopment among Residents near a Mining-Impacted Superfund Site. 2017 , 125, 067020		45
77	Role of LncRNA MALAT-1 in hypoxia-induced PC12 cell injury via regulating p38MAPK signaling pathway. 2018 , 670, 41-47		22
76	Mitochondrial dynamics, mitophagy and biogenesis in neonatal hypoxic-ischaemic brain injury. 2018 , 592, 812-830		30

75	Maternal exposure to silver nanoparticles are associated with behavioral abnormalities in adulthood: Role of mitochondria and innate immunity in developmental toxicity. 2018 , 66, 66-77		26
74	Experimental neonatal hypoxia ischemia causes long lasting changes of oxidative stress parameters in the hippocampus and the spleen. 2018 , 46, 433-439		9
73	Perinatal and Neonatal Hypoxia Ischaemia: The Unique Challenges of Treating the Infant Brain. 2018 ,		
72	Pathophysiology: General Principles. 2018 , 325-388.e26		5
71	Regionally Impaired Redox Homeostasis in the Brain of Rats Subjected to Global Perinatal Asphyxia: Sustained Effect up to 14 Postnatal Days. 2018 , 34, 660-676		3
70	Photobiomodulation Therapy Attenuates Hypoxic-Ischemic Injury in a Neonatal Rat Model. 2018 , 65, 514-526		23
69	Sexually Dimorphic Outcomes after Neonatal Stroke and Hypoxia-Ischemia. <i>International Journal of Molecular Sciences</i> , 2017 , 19,	6.3	50
68	Perinatal Hypoxic-Ischemic Encephalopathy and Neuroprotective Peptide Therapies: A Case for Cationic Arginine-Rich Peptides (CARPs). 2018 , 8,		9
67	The Hippocampal Neuro-Glio-Vascular Network: Metabolic Vulnerability and Potential Neurogenic Regeneration in Disease. 2018 , 3, 129-144		18
66	Treatment With Tetrahydrobiopterin Improves White Matter Maturation in a Mouse Model for Prenatal Hypoxia in Congenital Heart Disease. 2019 , 8, e012711		4
65	Phytoestrogen coumestrol attenuates brain mitochondrial dysfunction and long-term cognitive deficits following neonatal hypoxia-ischemia. 2019 , 79, 86-95		10
64	Sex differences in neonatal mouse brain injury after hypoxia-ischemia and adaptaquin treatment. <i>Journal of Neurochemistry</i> , 2019 , 150, 759-775	6	7
63	Mechanism and Treatment Related to Oxidative Stress in Neonatal Hypoxic-Ischemic Encephalopathy. 2019 , 12, 88		34
62	Quantitative Proteomics of Presynaptic Mitochondria Reveal an Overexpression and Biological Relevance of Neuronal MitoNEET in Postnatal Brain Development. 2019 , 79, 370-386		8
61	Current paradigms and new perspectives on fetal hypoxia: implications for fetal brain development in late gestation. 2019 , 317, R1-R13		9
60	An Inhibitor of the Mitochondrial Permeability Transition Pore Lacks Therapeutic Efficacy Following Neonatal Hypoxia Ischemia in Mice. 2019 , 406, 202-211		8
59	The Role of Mitochondrial and Endoplasmic Reticulum Reactive Oxygen Species Production in Models of Perinatal Brain Injury. 2019 , 31, 643-663		12
58	Retinal Neuron Is More Sensitive to Blue Light-Induced Damage than Glia Cell Due to DNA Double-Strand Breaks. <i>Cells</i> , 2019 , 8,	7.9	9

57	Exposure to tobacco smoke during the early postnatal period modifies receptors and enzymes of the endocannabinoid system in the brainstem and striatum in mice. 2019 , 302, 35-41		8
56	Recent advances in the development of neuroprotective agents and therapeutic targets in the treatment of cerebral ischemia. 2019 , 162, 132-146		27
55	Photobiomodulation preconditioning prevents cognitive impairment in a neonatal rat model of hypoxia-ischemia. 2019 , 12, e201800359		17
54	Metabolic responses in Antarctic Nototheniidae brains subjected to thermal stress. <i>Brain Research</i> , 2019 , 1708, 126-137	3-7	3
53	Pressure passivity of cerebral mitochondrial metabolism is associated with poor outcome following perinatal hypoxic ischemic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019 , 39, 118-130	7-3	17
52	The Protective Effect of Static Magnetic Fields with Different Magnetic Inductions against Fluoride Toxicity Is Related to the NRF2 Signaling Pathway. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6509	2-6	1
51	How to Improve the Antioxidant Defense in Asphyxiated Newborns-Lessons from Animal Models. <i>Antioxidants</i> , 2020 , 9,	7-1	1
50	Decoding Aging: Understanding the Complex Relationship among Aging, Free Radicals, and GSH. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 3970860	6-7	3
49	Molecular and Therapeutic Aspects of Hyperbaric Oxygen Therapy in Neurological Conditions. <i>Biomolecules</i> , 2020 , 10,	5-9	9
48	Neuroprotective effects of astaxanthin against oxygen and glucose deprivation damage via the PI3K/Akt/GSK3 β /Nrf2 signalling pathway in vitro. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 8977-8985	5-6	25
47	A Metabolomics Study of Hypoxia Ischemia during Mouse Brain Development Using Hyperpolarized ^{13}C . <i>Developmental Neuroscience</i> , 2020 , 42, 49-58	2-2	2
46	Asiaticoside attenuates neonatal hypoxic-ischemic brain damage through inhibiting TLR4/NF- κ B/STAT3 pathway. <i>Annals of Translational Medicine</i> , 2020 , 8, 641	3-2	5
45	Impairment of nociceptive responses after neonatal anoxia correlates with somatosensory thalamic damage: A study in rats. <i>Behavioural Brain Research</i> , 2020 , 390, 112690	3-4	2
44	Methylene blue post-treatment improves hypoxia-ischemic recovery in a neonatal rat model. <i>Neurochemistry International</i> , 2020 , 139, 104782	4-4	1
43	Neuronal Pentraxin 1 Promotes Hypoxic-Ischemic Neuronal Injury by Impairing Mitochondrial Biogenesis via Interactions With Active Bax[6A7] and Mitochondrial Hexokinase II. <i>ASN Neuro</i> , 2021 , 13, 17590914211012888	5-3	1
42	Norwogonin attenuates hypoxia-induced oxidative stress and apoptosis in PC12 cells. <i>BMC Complementary Medicine and Therapies</i> , 2021 , 21, 18	2-9	2
41	Neonatal Mesenchymal Stem Cell Treatment Improves Myelination Impaired by Global Perinatal Asphyxia in Rats. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6-3	2
40	Early life exposure to air pollution impacts neuronal and glial cell function leading to impaired neurodevelopment. <i>BioEssays</i> , 2021 , 43, e2000288	4-1	7

39	Impact of intrauterine fetal resuscitation with oxygen on oxidative stress in the developing rat brain. <i>Scientific Reports</i> , 2021 , 11, 9798	4.9	2
38	Maternal polyphenol intake impairs cerebellar redox homeostasis in newborn rats. <i>Nutritional Neuroscience</i> , 2021 , 1-11	3.6	
37	Effects of Hypothermia and Allopurinol on Oxidative Status in a Rat Model of Hypoxic Ischemic Encephalopathy. <i>Antioxidants</i> , 2021 , 10,	7.1	0
36	6.4 Mitochondrial Permeability Transition in the CNS Composition, Regulation, and Pathophysiological Relevance. 2007 , 667-702		6
35	The Dietary Antioxidants Alpha-Tocopherol and Alpha-Lipoic Acid and Their Synergy in Brain Disorders. 2011 , 1911-1921		1
34	Hypoxic-Ischemic Encephalopathy: Biochemical and Physiological Aspects. 2008 , 247-324		11
33	CREB activation in the rapid, intermediate, and delayed ischemic preconditioning against hypoxic-ischemia in neonatal rat. <i>Journal of Neurochemistry</i> , n/a-n/a	6	3
32	Effects of PM and gases exposure during prenatal and early-life on autism-like phenotypes in male rat offspring. <i>Particle and Fibre Toxicology</i> , 2020 , 17, 8	8.4	15
31	Mitochondrial cell death control in familial Parkinson disease. <i>PLoS Biology</i> , 2007 , 5, e206	9.7	23
30	Exploring uncoupling proteins and antioxidant mechanisms under acute cold exposure in brains of fish. <i>PLoS ONE</i> , 2011 , 6, e18180	3.7	73
29	Phosphocreatine interacts with phospholipids, affects membrane properties and exerts membrane-protective effects. <i>PLoS ONE</i> , 2012 , 7, e43178	3.7	49
28	[Hypoxic-ischemic brain damage in premature newborns]. <i>Zhurnal Nevrologii I Psikhatrii Imeni S S Korsakova</i> , 2019 , 119, 63-69	0.4	3
27	Oxidative stress and the antioxidant enzyme system in the developing brain. <i>Korean Journal of Pediatrics</i> , 2013 , 56, 107-11	2.4	49
26	Short Term Usage of Omega-3 Polyunsaturated Fatty Acids Ameliorate Lipopolysaccharide-Induced Inflammatory Response and Oxidative Stress in the Neonatal Rat Hippocampal Tissue. <i>Frontiers in Nutrition</i> , 2020 , 7, 572363	6.2	1
25	Effect of ischemic preconditioning on antioxidant status in the gerbil hippocampal CA1 region after transient forebrain ischemia. <i>Neural Regeneration Research</i> , 2016 , 11, 1081-9	4.5	7
24	Molecular chaperones and hypoxic-ischemic encephalopathy. <i>Neural Regeneration Research</i> , 2017 , 12, 153-160	4.5	18
23	Neuroprotection after Cardiac Arrest by Avoiding Acute Hyperoxia and by Antioxidant Genomic Postconditioning. <i>Oxidative Stress and Disease</i> , 2009 ,		
22	Cell Death and Autophagy. 2010 , 176-188		

21	Neurological problems in the newborn. 2012 , 1065-1223		
20	Using the endocannabinoid system as a neuroprotective strategy in perinatal hypoxic-ischemic brain injury. <i>Neural Regeneration Research</i> , 2013 , 8, 731-44	4.5	1
19	Bax inhibiting peptide reduces apoptosis in neonatal rat hypoxic-ischemic brain damage. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 14701-8	1.4	6
18	Role of Mitochondria in Neonatal Hypoxic-Ischemic Brain Injury. 2015 , 2, 1-14		9
17	Tetrahydrocurcumin reduces oxidative stress-induced apoptosis via the mitochondrial apoptotic pathway by modulating autophagy in rats after traumatic brain injury. <i>American Journal of Translational Research (discontinued)</i> , 2017 , 9, 887-899	3	33
16	Exercise During Adolescence Attenuated Depressive-Like Behaviors and Hippocampal Mitochondrial Dysfunction Following Early Life Stress in Adult Male Rats. <i>Iranian Journal of Pharmaceutical Research</i> , 2018 , 17, 124-133	1.1	8
15	Quantification of cytochrome c oxidase and tissue oxygenation using CW-NIRS in a mouse cerebral cortex.. <i>Biomedical Optics Express</i> , 2021 , 12, 7632-7656	3.5	1
14	The Current Status of Neuroprotection in Congenital Heart Disease.. <i>Children</i> , 2021 , 8,	2.8	0
13	The Effects of In Utero Fetal Hypoxia and Creatine Treatment on Mitochondrial Function in the Late Gestation Fetal Sheep Brain.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 3255296	6.7	1
12	Induction of Mitochondrial Fragmentation and Mitophagy after Neonatal Hypoxia-Ischemia.. <i>Cells</i> , 2022 , 11,	7.9	0
11	Maternal inflammation during pregnancy and offspring brain development: the role of mitochondria. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 ,	3.4	1
10	A new Hypoxic Ischemic Encephalopathy model in neonatal rats.. <i>Heliyon</i> , 2021 , 7, e08646	3.6	1
9	Dihydroartemisinin attenuates hypoxic-ischemic brain damage in neonatal rats by inhibiting oxidative stress.. <i>Molecular Brain</i> , 2022 , 15, 36	4.5	0
8	Differential effects of Urban Particulate Matter on BV2 microglial-like and C17.2 neural stem/precursor cells.. <i>Developmental Neuroscience</i> , 2022 ,	2.2	
7	Effective Parts of Gentiana straminea Maxim Attenuates Hypoxia-Induced Oxidative Stress and Apoptosis. <i>Dose-Response</i> , 2022 , 20, 155932582211009	2.3	0
6	Effects of ferulic acid on regulating the neurovascular unit: Implications for ischemic stroke treatment. <i>World Journal of Traditional Chinese Medicine</i> , 2022 , 8, 210	1	
5	Tissue-Specific and Differential Cold Responses in the Domesticated Cold Tolerant Fugu. <i>Fishes</i> , 2022 , 7, 159	2.5	
4	Iron-Induced Oxidative Stress in Human Diseases. <i>Cells</i> , 2022 , 11, 2152	7.9	1

- 3 Mechanisms of Neurodegeneration in Multiple Sclerosis. **2022**, 122, 5 ○
- 2 Myricetin attenuates hypoxic-ischemic brain damage in neonatal rats via NRF2 signaling pathway. 14, ○
- 1 Pathogenesis from the microbial-gut-brain axis in white matter injury in preterm infants: A review. 17, ○