

CITATION REPORT

List of articles citing

Cytokine mapping of sera from women with preeclampsia and normal pregnancies

DOI: 10.1016/j.jri.2005.10.007

Journal of Reproductive Immunology, 2006, 70, 83-91.

Source: <https://exaly.com/paper-pdf/40802062/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
204	Does paternal antigen-induced secretion of interleukin-10 by T regulatory cells mediate the birth order effect?. 2006 , 67, 740-3		8
203	Modeling preeclampsia: the true model for the uniquely human disease preeclampsia is the human female not the pregnant rat. 2007 , 49, e21; author reply e22		1
202	Perinatal plasma monocyte chemotactic protein-1 concentrations in intrauterine growth restriction. 2007 , 2007, 65032		12
201	Regulation of C-C motif chemokine ligand 2 and its receptor in human decidual stromal cells by pregnancy-associated hormones in early gestation. 2007 , 22, 2733-42		42
200	BIBLIOGRAPHY. 2007 , 417-599		
199	Inflammatory changes in preeclampsia: current understanding of the maternal innate and adaptive immune response. 2007 , 62, 191-201		63
198	GM-CSF regulation of embryo development and pregnancy. 2007 , 18, 287-98		124
197	The role of the immune system in preeclampsia. 2007 , 28, 192-209		226
196	Changes in the Ratio of Tc1/Tc2 and Th1/Th2 Cells but Not in Subtypes of NK-Cells in Preeclampsia. 2007 , 8, 492-504		3
195	The link between the epidemics of obesity and allergic diseases: does obesity induce decreased immune tolerance?. 2007 , 62, 1205-13		193
194	Decrease and dysfunction of endothelial progenitor cells in umbilical cord blood with maternal pre-eclampsia. 2007 , 33, 465-74		27
193	Tumor necrosis factor-alpha in gestation and puerperium of women with gestational hypertension and pre-eclampsia. 2007 , 57, 177-85		71
192	Maternal serum interleukin-10, interleukin-2 and interleukin-6 in pre-eclampsia and eclampsia. 2007 , 58, 56-64		41
191	Elevated serum levels of interleukin-15 and interleukin-16 in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2007 , 73, 166-171	4.2	25
190	Role of placentally produced inflammatory and regulatory cytokines in pregnancy and the etiology of preeclampsia. 2007 , 29, 151-62		141
189	Interleukin 6-174 G/C promoter polymorphism and pregnancy complications: results of a prospective cohort study in 1626 pregnant women. 2008 , 59, 347-51		17
188	Association of tumor necrosis factor-alpha and interleukin-10 gene polymorphisms in Iranian patients with pre-eclampsia. 2008 , 60, 179-85		24

187	Th1 and Th2 in human IVF pregnancy with allogenic fetus. 2008 , 59, 352-8		16
186	Absence of an association of tumor necrosis factor (TNF)-alpha G308A, interleukin-6 (IL-6) G174C and interleukin-10 (IL-10) G1082A polymorphism in women with preeclampsia. <i>Journal of Reproductive Immunology</i> , 2008 , 77, 85-90	4.2	42
185	Circulating levels of cytokines during pregnancy: thrombopoietin is elevated in miscarriage. 2008 , 89, 1795-802		21
184	Gestational effects on host inflammatory response in normal and pre-eclamptic pregnancies. 2008 , 140, 21-6		50
183	Preeclampsia-related inflammatory cytokines regulate interleukin-6 expression in human decidual cells. 2008 , 172, 1571-9		114
182	Serum pro-inflammatory cytokines in physiological and pre-eclamptic pregnancies. 2008 , 24, 113-6		26
181	Elevated maternal IL-16 levels, enhanced IL-16 expressions in endothelium and leukocytes, and increased IL-16 production by placental trophoblasts in women with preeclampsia. 2008 , 181, 4418-22		28
180	Host inflammatory response profiling in preeclampsia using an in vitro whole blood stimulation model. 2008 , 27, 1-16		20
179	Immunosuppression improves blood pressure and endothelial function in a rat model of pregnancy-induced hypertension. 2009 , 22, 1107-14		30
178	Human tumour necrosis factor: physiological and pathological roles in placenta and endometrium. 2009 , 30, 111-23		246
177	Placental stress and pre-eclampsia: a revised view. 2009 , 30 Suppl A, S38-42		393
176	Anti-phospholipid antibodies increase non-apoptotic trophoblast shedding: a contribution to the pathogenesis of pre-eclampsia in affected women?. 2009 , 30, 767-73		39
175	Novel approaches for mechanistic understanding and predicting preeclampsia. <i>Journal of Reproductive Immunology</i> , 2009 , 83, 134-8	4.2	19
174	A role for interleukin-6 in spreading endothelial cell activation after phagocytosis of necrotic trophoblastic material: implications for the pathogenesis of pre-eclampsia. 2009 , 217, 122-30		47
173	Leukocyte activation and circulating leukocyte-derived microparticles in preeclampsia. 2009 , 61, 346-59		55
172	Women with pre-eclampsia have an altered NKG2A and NKG2C receptor expression on peripheral blood natural killer cells. 2009 , 62, 147-57		15
171	Cytokines profiles in Sudanese women with preeclampsia. 2009 , 28, 224-9		33
170	Serum amyloid a protein and C-reactive protein in normal pregnancy and preeclampsia. 2009 , 67, 275-80		18

169	Increased plasma soluble fms-like tyrosine kinase 1 and endoglin levels in pregnancies complicated with preeclampsia. 2009 , 22, 565-70	14
168	Elevated serum levels of interleukin-15, interleukin-16, and human chorionic gonadotropin in women with preeclampsia. 2009 , 31, 142-8	23
167	Toll-like receptors in pregnancy disorders and placental dysfunction. 2010 , 39, 185-93	58
166	Emerging role of the bufadienolides in cardiovascular and kidney diseases. 2010 , 56, 359-70	37
165	Feto-maternal interactions in pregnancies: placental microparticles activate peripheral blood monocytes. 2010 , 31, 106-12	103
164	Circulating cytokines, chemokines and adhesion molecules in normal pregnancy and preeclampsia determined by multiplex suspension array. 2010 , 11, 59	330
163	Tissue proteome profiling of preeclamptic placenta using recombinant antibody microarrays. 2010 , 4, 794-807	20
162	A gel-free quantitative proteomics analysis of factors released from hypoxic-conditioned placentae. 2010 , 17, 247-57	16
161	Autoantibody-mediated angiotensin receptor activation contributes to preeclampsia through tumor necrosis factor-alpha signaling. 2010 , 55, 1246-53	76
160	Increased risk of pre-eclampsia (PE) among women with the history of migraine. 2010 , 32, 159-65	19
159	Interleukin-10 reduces inflammation, endothelial dysfunction, and blood pressure in hypertensive pregnant rats. 2010 , 298, R713-9	79
158	Cytokine expression in placenta-derived mesenchymal stem cells in patients with pre-eclampsia and normal pregnancies. 2010 , 49, 95-101	50
157	Serum placental growth factor, vascular endothelial growth factor, soluble vascular endothelial growth factor receptor-1 and -2 levels in periodontal disease, and adverse pregnancy outcomes. 2011 , 82, 1735-48	17
156	Is there evidence of separate inflammatory or metabolic forms of preeclampsia?. 2011 , 30, 1-10	12
155	Concentraciones de interleucina-18 en preeclámpticas y embarazadas normotensas sanas. 2011 , 30, 85-89	1
154	Intergenotypic variation of nitric oxide and inflammatory markers in preeclampsia: a pilot study in a North Indian population. 2011 , 72, 436-9	20
153	Differential gene expression analysis of placentas with increased vascular resistance and pre-eclampsia using whole-genome microarrays. 2011 , 2011, 472354	30
152	Is inflammation the cause of pre-eclampsia?. 2011 , 39, 1619-27	81

151	Longitudinal measurement of cytokines in pre-eclamptic and normotensive pregnancies. 2011 , 90, 791-6	55
150	Correlation between periodontal disease, inflammatory alterations and pre-eclampsia. 2011 , 46, 505-11	19
149	Elevated serum levels of interleukin-6, interleukin-1 and human chorionic gonadotropin in pre-eclampsia. 2011 , 66, 468-75	72
148	IL-17 increased in the third trimester in healthy women with term labor. 2011 , 65, 99-103	42
147	The effect of coelomic fluid on the production of cytokines by the first trimester human placenta. 2011 , 32, 893-900	2
146	Placental protein 13 (PP13/galectin-13) undergoes lipid raft-associated subcellular redistribution in the syncytiotrophoblast in preterm preeclampsia and HELLP syndrome. 2011 , 205, 156.e1-14	42
145	[Experience of pregnancy for women with pregnancy-induced hypertension]. 2011 , 215, 234-40	
144	Seizures in Women with Preeclampsia: Mechanisms and Management. 2011 , 22, 91-108	28
143	Interleukin 10 deficiency exacerbates toll-like receptor 3-induced preeclampsia-like symptoms in mice. 2011 , 58, 489-96	75
142	Inflammatory mediators gene polymorphisms in preeclampsia. 2011 , 30, 338-46	16
141	Silibinin modulates the NF- κ B pathway and pro-inflammatory cytokine production by mononuclear cells from preeclamptic women. <i>Journal of Reproductive Immunology</i> , 2012 , 95, 67-72	4.2 64
140	Plasma IL-4, IL-8, IL-12, interferon- γ and CRP levels in pregnant women with preeclampsia, and their relation with severity of disease and fetal birth weight. 2012 , 25, 1569-73	44
139	Concentraciones de interleucina-17 en pacientes preeclámpticas y embarazadas normotensas sanas. 2012 , 55, 4-7	
138	The increased maternal serum levels of IL-6 are associated with the severity and onset of preeclampsia. 2012 , 60, 856-60	40
137	Concentraciones de interleucina-8 en preeclámpticas y embarazadas normotensas sanas. 2012 , 39, 182-186	
136	Aspirin triggered-lipoxin A4 reduces the adhesion of human polymorphonuclear neutrophils to endothelial cells initiated by preeclamptic plasma. 2012 , 87, 127-34	29
135	Placental Toll-like receptor 3 and Toll-like receptor 7/8 activation contributes to preeclampsia in humans and mice. 2012 , 7, e41884	84
134	Proteasome inhibition augments cigarette smoke-induced GM-CSF expression in trophoblast cells via the epidermal growth factor receptor. 2012 , 7, e43042	7

133	The role of tumor necrosis factor-receptors in pregnancy with normal and adverse outcome. 2012 , Volume 4, 1-15	9
132	Oxidative damage, inflammation, and Toll-like receptor 4 pathway are increased in preeclamptic patients: a case-control study. 2012 , 2012, 636419	33
131	Chitotriosidase, interleukin-1 beta and tumor necrosis factor alpha levels in mild preeclampsia. 2012 , 285, 1505-11	13
130	Concentraciones de interleucina-2 en preeclámpticas y embarazadas normotensas sanas. 2012 , 39, 48-52	
129	Concentraciones de interferón gamma en preeclámpticas y embarazadas normotensas sanas. 2012 , 39, 108-112	
128	Concentraciones de interleucina-6 en preeclámpticas y embarazadas normotensas sanas. 2012 , 39, 159-163	
127	Effect on the production of soluble endoglin from human choriocarcinoma cells by preeclampsia sera. 2012 , 67, 413-20	9
126	Changes in the maternal cytokine profile in pregnancies complicated by fetal growth restriction. 2012 , 68, 1-7	16
125	Biomarkers of coagulation, inflammation, and angiogenesis are independently associated with preeclampsia. 2012 , 68, 258-70	60
124	Silibinin attenuates oxidative metabolism and cytokine production by monocytes from preeclamptic women. 2013 , 47, 268-75	42
123	IL-10, TNF- α & IFN- γ potential early biomarkers for preeclampsia. 2013 , 283, 70-4	44
122	Maternal plasma concentrations of sST2 and angiogenic/anti-angiogenic factors in preeclampsia. 2013 , 26, 1359-70	30
121	Concentraciones de interleucina-15 en preeclámpticas y embarazadas normotensas sanas. 2013 , 40, 115-119	
120	Severe preeclampsia goes along with a cytokine network disturbance towards a systemic inflammatory state. 2013 , 62, 165-73	85
119	Inflammatory markers in the second trimester prior to clinical onset of preeclampsia, intrauterine growth restriction, and spontaneous preterm birth. 2013 , 36, 907-13	21
118	Expression of inflammatory cytokines in placentas from pregnancies complicated with preeclampsia and HELLP syndrome. 2013 , 26, 680-5	11
117	Serum inflammatory markers and preeclampsia in type 1 diabetes: a prospective study. 2013 , 36, 2054-61	22
116	Intergenotypic variation of endothelial dysfunction and inflammatory markers in eclampsia. 2013 , 32, 11-9	5

115	Compartmentalization of pro-inflammatory cytokine levels in renal-transplanted pregnant women. 2013 , 26, 1468-73	2
114	Tumor necrosis factor-alpha, interleukin-6, and interleukin-10 levels are altered in preeclampsia: a systematic review and meta-analysis. 2013 , 70, 412-27	98
113	Cytokines as key players in the pathophysiology of preeclampsia. 2013 , 22 Suppl 1, 8-19	112
112	Interleukin-4 deficiency induces mild preeclampsia in mice. 2013 , 31, 1414-23; discussion 1423	32
111	TLR3-induced placental miR-210 down-regulates the STAT6/interleukin-4 pathway. 2013 , 8, e67760	46
110	Aumento dos níveis do receptor solúvel da Interleucina-6 em pacientes com preeclampsia em relação a gestantes normotensas. 2014 , 23, 213	2
109	Regulation of the Anti-Inflammatory Cytokines Interleukin-4 and Interleukin-10 during Pregnancy. 2014 , 5, 253	150
108	Relationship between maternal immunological response during pregnancy and onset of preeclampsia. 2014 , 2014, 210241	55
107	Possible association of IL-4 VNTR polymorphism with susceptibility to preeclampsia. 2014 , 2014, 497031	23
106	Evaluation of Inflammatory Markers in Pregnant Women at Risk, for the Prediction of Preeclampsia. 2014 , 60, 94-98	2
105	Interleukin-18 and interferon gamma levels in preeclampsia: a systematic review and meta-analysis. 2014 , 72, 504-14	29
104	Maternal plasma and amniotic fluid cytokines in monozygotic, diamniotic twin pregnancies complicated by twin-to-twin transfusion syndrome. 2014 , 35, 280-8	6
103	TNF G308A gene polymorphism has an impact on renal function, microvascular permeability, organ involvement and severity of preeclampsia. 2014 , 78, 150-61	14
102	Different levels of IL-1, IL-6, TNF- α and PPAR- γ in monocyte cultures exposed by plasma preeclampsia and normotensive pregnancy. 2014 , 4, 187-93	23
101	Severe preeclampsia: are hemostatic and inflammatory parameters associated?. 2014 , 427, 65-70	21
100	Concentraciones de quimiocina RANTES en preeclámplicas y embarazadas normotensas sanas. 2014 , 57, 400-404	
99	Curcumin decreased level of proinflammatory cytokines in monocyte cultures exposed to preeclamptic plasma by affecting the transcription factors NF- κ B and PPAR- γ 2014 , 6, 105-115	17
98	Birth after preeclamptic pregnancies: association with allergic sensitization and allergic rhinoconjunctivitis in late childhood; a historically matched cohort study. 2014 , 14, 101	33

97	Fibrinogen, an endogenous ligand of Toll-like receptor 4, activates monocytes in pre-eclamptic patients. <i>Journal of Reproductive Immunology</i> , 2014 , 103, 23-8	4.2	30
96	Blockade of CD40 ligand for intercellular communication reduces hypertension, placental oxidative stress, and AT1-AA in response to adoptive transfer of CD4+ T lymphocytes from RUPP rats. 2015 , 309, R1243-50		11
95	Tryptophan metabolism, disposition and utilization in pregnancy. 2015 , 35,		103
94	[Psychosocial aspects of preeclampsia]. 2015 , 156, 2028-34		1
93	Regulatory T-cell Subpopulations in Severe or Early-onset Preeclampsia. 2015 , 74, 368-78		25
92	Vitamin D and Inflammatory Cytokines in Healthy and Preeclamptic Pregnancies. 2015 , 7, 6465-90		50
91	Acute Atherosclerosis of the Uterine Spiral Arteries: Clinicopathologic Implications. 2015 , 49, 462-71		21
90	The Maternal Cytokine and Chemokine Profile of Naturally Conceived Gestations Is Mainly Preserved during In Vitro Fertilization and Egg Donation Pregnancies. 2015 , 2015, 128616		8
89	Placental expression of D6 decoy receptor in preeclampsia. 2015 , 58, 333-9		4
88	The frequency of acute atherosclerosis in normal pregnancy and preterm labor, preeclampsia, small-for-gestational age, fetal death and midtrimester spontaneous abortion. 2015 , 28, 2001-9		53
87	Levels of neopterin and C-reactive protein in pregnant women with fetal growth restriction. 2015 , 35, 225-8		7
86	Relationships among psychosocial factors, biomarkers, preeclampsia, and preterm birth in African American women: a pilot. 2015 , 28, e1-6		22
85	Hypothesis: Pentoxifylline explores new horizons in treatment of preeclampsia. 2015 , 85, 468-74		4
84	Increased circulating interleukin-17 levels in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2015 , 112, 53-7	4.2	48
83	Evaluation of maternal systemic inflammatory response in preeclampsia. 2015 , 54, 160-6		56
82	Role of IL-6 -174(G/C) promoter polymorphism in the etiology of early-onset preeclampsia. 2015 , 64, 433-9		12
81	Endocan-1 concentrations in maternal and fetal plasma and placentae in pre-eclampsia in the third trimester of pregnancy. 2015 , 74, 152-6		16
80	Distinct First Trimester Cytokine Profiles for Gestational Hypertension and Preeclampsia. 2015 , 35, 2478-85		26

79	Maternal plasma fetuin-A concentration is lower in patients who subsequently developed preterm preeclampsia than in uncomplicated pregnancy: a longitudinal study. 2015 , 28, 1260-1269		3
78	Severe preeclampsia: association of genes polymorphisms and maternal cytokines production in Brazilian population. 2015 , 71, 232-7		40
77	Immunology of Normal Pregnancy and Preeclampsia. 2015 , 161-179		3
76	Cotreatment with interleukin 4 and interleukin 10 modulates immune cells and prevents hypertension in pregnant mice. 2015 , 28, 135-42		48
75	Endocan, a putative endothelial cell marker, is elevated in preeclampsia, decreased in acute pyelonephritis, and unchanged in other obstetrical syndromes. 2015 , 28, 1621-32		31
74	First and second trimester immune biomarkers in preeclamptic and normotensive women. 2016 , 6, 388-393		32
73	Supplementation of maternal omega-3 fatty acids to pregnancy induced hypertension Wistar rats improves IL10 and VEGF levels. 2016 , 104, 25-32		22
72	Mid-pregnancy circulating immune biomarkers in women with preeclampsia and normotensive controls. 2016 , 6, 72-8		34
71	Th1, Th2, Th17 and Treg levels in umbilical cord blood in preeclampsia. 2016 , 29, 1642-5		46
70	Polymorphisms in the inflammatory pathway genes and the risk of preeclampsia in Sinhalese women. 2016 , 29, 1072-6		13
69	Influence of maternal BMI on the exosomal profile during gestation and their role on maternal systemic inflammation. 2017 , 50, 60-69		59
68	Toll-like receptor activation, vascular endothelial function, and hypertensive disorders of pregnancy. 2017 , 121, 14-21		12
67	Ligands of toll-like receptors 2/4 differentially alter markers of inflammation, adhesion and angiogenesis by monocytes from women with pre-eclampsia in co-culture with endothelial cells. <i>Journal of Reproductive Immunology</i> , 2017 , 121, 26-33	4.2	11
66	Maternal rubella immunity status and pre-eclampsia. 2017 , 78, e12677		8
65	Repeated measures of inflammation and oxidative stress biomarkers in preeclamptic and normotensive pregnancies. 2017 , 216, 527.e1-527.e9		71
64	MicroRNA-146a rs2910164 is associated with severe preeclampsia in Black South African women on HAART. 2017 , 18, 5		12
63	Maternal systemic or cord blood inflammation is associated with birth anthropometry in a Tanzanian prospective cohort. 2017 , 22, 52-62		15
62	Vascular adaptation in pregnancy and endothelial dysfunction in preeclampsia. 2017 , 232, R27-R44		142

61	Lower Serum Vitamin D Metabolite Levels in Relation to Circulating Cytokines/Chemokines and Metabolic Hormones in Pregnant Women with Hypertensive Disorders. 2017 , 8, 273	11
60	Inflammatory Markers and Preeclampsia: A Systematic Review. 2018 , 67, 242-251	41
59	Maternal plasma-soluble ST2 concentrations are elevated prior to the development of early and late onset preeclampsia - a longitudinal study. 2018 , 31, 418-432	17
58	Angiotensin II Type 1 receptor antibodies are associated with inflammatory cytokines and poor clinical outcomes in pediatric kidney transplantation. 2018 , 93, 260-269	37
57	Inflammatory and Immune System Markers. 2018 , 1710, 85-101	2
56	Gene Expression Profiling of Placenta from Normal to Pathological Pregnancies. 2018 ,	4
55	The role of interleukins in preeclampsia: A comprehensive review. 2018 , 80, e13055	31
54	Prediction of preterm birth with and without preeclampsia using mid-pregnancy immune and growth-related molecular factors and maternal characteristics. 2018 , 38, 963-972	20
53	Soluble B7-H4 blood serum levels are elevated in women at high risk for preeclampsia in the first trimester, as well as in patients with confirmed preeclampsia. 2018 , 80, e12988	7
52	Gene-Centric Analysis of Preeclampsia Identifies Maternal Association at. 2018 , 72, 408-416	20
51	Both maternal and placental toll-like receptor activation are necessary for the full development of proteinuric hypertension in mice. 2018 , 13, 154-160	3
50	Disruption in the Regulation of Immune Responses in the Placental Subtype of Preeclampsia. 2018 , 9, 1659	36
49	Differential microRNA expression profile in the plasma of preeclampsia and normal pregnancies. 2019 , 18, 826-832	10
48	Association of pro- and anti-inflammatory cytokines in preeclampsia. 2019 , 33, e22834	45
47	Methylation profile of genes involved in inflammation, in the blood from pregnancies with maternal preeclampsia due to untreated gestational diabetes mellitus. 2019 , 18, 173-178	3
46	Cytokine Profiles Associated With Angiotensin II Type 1 Receptor Antibodies. 2019 , 4, 541-550	9
45	Development of Postpartum Depression in Pregnant Women with Preeclampsia: A Retrospective Study. 2019 , 2019, 9601476	10
44	Activation of a TLR9 mediated innate immune response in preeclampsia. 2019 , 9, 5920	18

43	Influence of NKG2C gene deletion and CCR5 β 2 in Pre-eclampsia-Approaching the effect of innate immune gene variants in pregnancy. 2019 , 46, 82-87	6
42	Effect of preeclampsia on human milk cytokine levels. 2019 , 32, 2209-2213	7
41	Quantitative ferumoxytol-enhanced MRI in pregnancy: A feasibility study in the nonhuman primate. 2020 , 65, 100-108	6
40	The Role of Highly Active Antiretroviral Therapy (HAART) on Interleukin 17A (IL-17A) in Normotensive and Preeclamptic Black South African Women. 2020 , 2020, 3417632	2
39	The potential therapeutic effects of curcumin on pregnancy complications: Novel insights into reproductive medicine. 2020 , 72, 2572-2583	5
38	Preeclamptic Women Have Decreased Circulating IL-10 (Interleukin-10) Values at the Time of Preeclampsia Diagnosis: Systematic Review and Meta-Analysis. 2020 , 76, 1817-1827	8
37	Endothelin Type A Receptor Antibodies Are Associated With Angiotensin II Type 1 Receptor Antibodies, Vascular Inflammation, and Decline in Renal Function in Pediatric Kidney Transplantation. 2020 , 5, 1925-1936	9
36	C-reactive protein, interleukin-6 and pre-eclampsia: large-scale evidence from the GenPE case-control study. 2020 , 80, 381-387	1
35	Hepatitis B - chronic carrier status and pregnancy outcomes: An obstetric perspective. 2020 , 68, 66-77	6
34	Preeclampsia Among African American Pregnant Women: An Update on Prevalence, Complications, Etiology, and Biomarkers. 2020 , 75, 111-120	10
33	Immune Suppression in Pregnancy and Cancer: Parallels and Insights. 2020 , 13, 100759	7
32	Circulating levels of IFN- γ , IL-1, IL-17 and IL-22 in pre-eclampsia: A systematic review and meta-analysis. 2020 , 248, 211-221	9
31	Biological functions and therapeutic opportunities of soluble cytokine receptors. 2020 , 55, 94-108	19
30	Evaluation of carcinoembryonic antigen-related cell adhesion molecule 1 blood serum levels in women at high risk for preeclampsia. 2021 , 85, e13375	
29	IL-17A polymorphism (rs2275913) and levels are associated with preeclampsia pathogenesis in Chinese patients. 2021 , 14, 5	3
28	Maternal Serum Cytokine Concentrations in Healthy Pregnancy and Preeclampsia. 2021 , 2021, 6649608	14
27	Interactions between preeclampsia and composition of the human milk: what do we know?. 2021 , 1-7	
26	Are genetic variations in IL-1 β and IL-6 cytokines associated with the risk of pre-eclampsia? Evidence from a systematic review and meta-analysis. 2021 , 1-10	1

25	Healthy and preeclamptic pregnancies show differences in Guanylate-Binding Protein-1 plasma levels. 2021 , 25, 18-24	0
24	The natural compound puerarin alleviates inflammation and apoptosis in experimental cell and rat preeclampsia models. 2021 , 99, 108001	4
23	Serum cytokine levels and T lymphocyte subsets in pregnant women with eclampsia. 2012 , 02, 116-124	2
22	Endothelin: Link between the Primary Placental Causes and the Secondary Systemic Endothelial Dysfunction in Pathophysiology of Pre-Eclampsia. 2015 , 2,	0
21	Assessment of Inflammatory Markers in Preeclampsia. 2018 , 22, 138-142	0
20	Serum levels of tumor necrosis factor- β and interleukin -10, and their clinical correlates in women with pre-eclampsia/eclampsia in Ahmadu Bello University Teaching Hospital. 2020 , 10, 11	
19	Serum levels of tumor necrosis factor- β interleukin-15 and interleukin-10 in patients with pre-eclampsia in comparison with normotensive pregnant women. 2013 , 18, 463-6	17
18	Obstetric implications of maternal chronic hepatitis B virus infection.	
17	MicroRNA-124 Promotes Singapore Grouper Iridovirus Replication and Negatively Regulates Innate Immune Response. 2021 , 12, 767813	1
16	Inflammatory cytokines, placental pathology, and neurological outcomes in infants born to preterm preeclamptic mothers. 2021 , 16, e0260094	0
15	Parity status and the relationship between antenatal rubella serology with obstetric outcome.. 2022 , 12, 1278	
14	The Immunology of Preeclampsia. 2022 , 131-153	
13	Progesterone: A Unique Hormone with Immunomodulatory Roles in Pregnancy.. 2022 , 23,	2
12	Soluble forms of cytokine and growth factor receptors: Mechanisms of generation and modes of action in the regulation of local and systemic inflammation.. 2022 ,	1
11	Sleep Disturbance in Pregnancy.. 2022 , 17, 11-23	
10	Interactions between Macrophages and Mast Cells in the Female Reproductive System. 2022 , 23, 5414	1
9	Identification of early onset pre-eclampsia related key genes via bioinformatic analysis. 2022 , 100914	
8	Cytokines and pregnancy complications: modulation for prevention and treatment. 414-427	

- 7 Animal Models of Preeclampsia: Mechanistic Insights and Promising Therapeutics. **2022**, 163, 0
- 6 Pentoxifylline as a therapeutic option for preeclampsia: a study on its placental effects..
- 5 Chronic Venous Disease during Pregnancy Causes a Systematic Increase in Maternal and Fetal Proinflammatory Markers. **2022**, 23, 8976 1
- 4 Breast cancers co-opt normal mechanisms of tolerance to promote immune evasion and metastasis. 1
- 3 Molecular subclasses of preeclampsia characterized by a longitudinal maternal proteomics study: distinct biomarkers, disease pathways and options for prevention. **2022**, 0
- 2 The role of immune cells and mediators in preeclampsia. 0
- 1 Interleukin 12B rs3212227 and rs6887695 single nucleotide polymorphisms are associated with the susceptibility to preeclampsia: Genetic, haplotype and bioinformatics analysis. **2023**, 164, 156166 0