

# Trends in incidence and mortality of nasopharyngeal carcinoma (1978/1983–2002) in Sihui and Cangwu counties in southern China

BMC Cancer

6, 178

DOI: [10.1186/1471-2407-6-178](https://doi.org/10.1186/1471-2407-6-178)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Vascular endothelial growth factor165-regulated nasopharyngeal carcinoma cell lines invasion and migration involve expression and activation of matrix metalloproteinase-2. Journal of Huazhong University of Science and Technology [Medical Sciences], 2006, 26, 621-624.	1.0	3
2	Association of plgR polymorphisms with nasopharyngeal carcinoma. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2006, 18, 168-172.	0.7	0
3	The Enigmatic Epidemiology of Nasopharyngeal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1765-1777.	1.1	1,092
4	Nasopharyngeal carcinoma: molecular pathogenesis and therapeutic developments. Expert Reviews in Molecular Medicine, 2007, 9, 1-24.	1.6	266
5	Dietary risk factors for nasopharyngeal carcinoma in Maghreb countries. International Journal of Cancer, 2007, 121, 1550-1555.	2.3	82
6	Secular trends of nasopharyngeal carcinoma incidence in Singapore, Hong Kong and Los Angeles Chinese populations, 1973-1997. European Journal of Epidemiology, 2007, 22, 513-521.	2.5	97
7	Increased expression of high mobility group box 1 (HMGB1) is associated with progression and poor prognosis in human nasopharyngeal carcinoma. Journal of Pathology, 2008, 216, 167-175.	2.1	82
8	ApoG2, a novel inhibitor of antiapoptotic Bcl-2 family proteins, induces apoptosis and suppresses tumor growth in nasopharyngeal carcinoma xenografts. International Journal of Cancer, 2008, 123, 2418-2429.	2.3	57
9	Age-Incidence Curves of Nasopharyngeal Carcinoma Worldwide: Bimodality in Low-Risk Populations and Aetiologic Implications. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 2356-2365.	1.1	120
10	The incidence and risk of second primary cancers in patients with nasopharyngeal carcinoma: a population-based study in Taiwan over a 25-year period (1979-2003). Annals of Oncology, 2008, 19, 1180-1186.	0.6	50
11	Incidence of nasopharyngeal carcinoma in Chinese immigrants, compared with Chinese in China and South East Asia: review. Journal of Laryngology and Otology, 2009, 123, 1067-1074.	0.4	70
12	Cripto-1 overexpression is involved in the tumorigenesis of nasopharyngeal carcinoma. BMC Cancer, 2009, 9, 315.	1.1	29
13	Trends in head and neck cancer incidence in Tianjin, China, between 1981 and 2002. Head and Neck, 2009, 31, 175-182.	0.9	26
14	Primary salivary gland type carcinoma of the nasopharynx: Therapeutic outcomes and prognostic factors. Head and Neck, 2010, 32, 435-444.	0.9	13
15	Evaluation of nonviral risk factors for nasopharyngeal carcinoma in a high-risk population of Southern China. International Journal of Cancer, 2009, 124, 2942-2947.	2.3	130
16	Bax inhibitor-1 mediates apoptosis-resistance in human nasopharyngeal carcinoma cells. Molecular and Cellular Biochemistry, 2010, 333, 1-7.	1.4	18
17	Traditional Cantonese diet and nasopharyngeal carcinoma risk: a large-scale case-control study in Guangdong, China. BMC Cancer, 2010, 10, 446.	1.1	118
18	Genetic Polymorphisms of CYP2E1, GSTP1, NQO1 and MPO and the Risk of Nasopharyngeal Carcinoma in a Han Chinese Population of Southern China. BMC Research Notes, 2010, 3, 212.	0.6	34

#	ARTICLE	IF	CITATIONS
19	Human papillomavirus and WHO type I nasopharyngeal carcinoma. <i>Laryngoscope</i> , 2010, 120, 1990-1997.	1.1	70
20	Prognostic significance and therapeutic implications of centromere protein F expression in human nasopharyngeal carcinoma. <i>Molecular Cancer</i> , 2010, 9, 237.	7.9	56
21	The prevalence and prevention of nasopharyngeal carcinoma in China. <i>Chinese Journal of Cancer</i> , 2011, 30, 114-119.	4.9	538
22	Fluctuations of Epstein-Barr Virus Serological Antibodies and Risk for Nasopharyngeal Carcinoma: A Prospective Screening Study with a 20-Year Follow-Up. <i>PLoS ONE</i> , 2011, 6, e19100.	1.1	129
23	Different therapeutic strategies in primary salivary gland-type nasopharyngeal carcinomas. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2011, 19, 87-91.	0.8	8
24	Phase I clinical trial of nasopharyngeal radiotherapy and concurrent celecoxib for patients with locoregionally advanced nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2011, 47, 753-757.	0.8	16
25	Global cancer statistics. <i>Ca-A Cancer Journal for Clinicians</i> , 2011, 61, 69-90.	157.7	32,172
26	Intensity-modulated radiation therapy reduces radiation-induced trismus in patients with nasopharyngeal carcinoma. <i>Cancer</i> , 2011, 117, 2910-2916.	2.0	54
27	Comprehensive Pathway-Based Association Study of DNA Repair Gene Variants and the Risk of Nasopharyngeal Carcinoma. <i>Cancer Research</i> , 2011, 71, 3000-3008.	0.4	41
28	Innovative drugs and vaccines in China, India and Brazil. <i>Nature Biotechnology</i> , 2012, 30, 923-926.	9.4	25
29	Trends in cancer mortality in China: an update. <i>Annals of Oncology</i> , 2012, 23, 2755-2762.	0.6	150
30	An Efficacy Analysis for Nasopharyngeal Carcinoma Screening of Different Screening Intervals. <i>Journal of International Medical Research</i> , 2012, 40, 525-536.	0.4	1
31	Interval Cancers in Nasopharyngeal Carcinoma Screening: Comparing Two Screening Intervals after a Negative Initial Screening Result. <i>Journal of Medical Screening</i> , 2012, 19, 195-200.	1.1	3
32	Time trends and age-specific cohort analyses on incidence rates of nasopharyngeal carcinoma during 1993-2007 in Wuhan, China. <i>Cancer Epidemiology</i> , 2012, 36, 8-10.	0.8	8
33	Outcomes and prognostic factors of conformal radiotherapy versus intensity-modulated radiotherapy for nasopharyngeal carcinoma. <i>Clinical and Translational Oncology</i> , 2012, 14, 783-790.	1.2	33
34	Radiation therapy for locoregionally advanced nasopharyngeal carcinoma in elderly patients. <i>Journal of Radiation Oncology</i> , 2012, 1, 323-332.	0.7	3
35	Survival study and treatment strategy for second primary tumors in the oral cavity in patients with nasopharyngeal carcinoma after definitive radiation. <i>Head and Neck</i> , 2012, 34, 1551-1555.	0.9	8
36	Establishment of VCA and EBNA1 IgA-based combination by enzyme-linked immunosorbent assay as preferred screening method for nasopharyngeal carcinoma: a two-stage design with a preliminary performance study and a mass screening in southern China. <i>International Journal of Cancer</i> , 2012, 131, 406-416.	2.3	116

#	ARTICLE	IF	CITATIONS
37	Greater intake of fruit and vegetables is associated with lower risk of nasopharyngeal carcinoma in Chinese adults: a case-control study. <i>Cancer Causes and Control</i> , 2012, 23, 589-599.	0.8	38
38	Expression and prognosis of FOXO3a and HIF-1 $\alpha$ in nasopharyngeal carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 585-593.	1.2	35
39	Non-viral environmental risk factors for nasopharyngeal carcinoma: A systematic review. <i>Seminars in Cancer Biology</i> , 2012, 22, 117-126.	4.3	151
40	Declining rates of hepatocellular carcinoma in urban Shanghai: incidence trends in 1976-2005. <i>European Journal of Epidemiology</i> , 2012, 27, 39-46.	2.5	101
41	Co-treatment with arsenic trioxide and ganciclovir reduces tumor volume in a murine xenograft model of nasopharyngeal carcinoma. <i>Virology Journal</i> , 2013, 10, 152.	1.4	9
42	Management of intractable epistaxis in patients who received radiation therapy for nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2763-2767.	0.8	12
43	The independent, unfavorable prognostic factors endothelin A receptor and chemokine receptor 4 have a close relationship in promoting the motility of nasopharyngeal carcinoma cells via the activation of AKT and MAPK pathways. <i>Journal of Translational Medicine</i> , 2013, 11, 203.	1.8	18
44	Local control in advanced cancer of the nasopharynx: Is a boost dose by endocavitary brachytherapy of prognostic significance?. <i>Brachytherapy</i> , 2013, 12, 84-89.	0.2	22
45	MicroRNA-29c enhances the sensitivities of human nasopharyngeal carcinoma to cisplatin-based chemotherapy and radiotherapy. <i>Cancer Letters</i> , 2013, 329, 91-98.	3.2	76
46	Quantitative proteome analysis of overexpressed Cripto-1 tumor cell reveals 14-3-3 $\beta$ as a novel biomarker in nasopharyngeal carcinoma. <i>Journal of Proteomics</i> , 2013, 83, 26-36.	1.2	14
47	Descriptive, Environmental and Genetic Epidemiology of Nasopharyngeal Carcinoma. <i>Advances in Experimental Medicine and Biology</i> , 2013, , 23-41.	0.8	11
48	Irradiation of the recipient site does not adversely affect successful free flap transfer in the repair of head and neck defects after salvage surgery for recurrent nasopharyngeal carcinoma originally treated with radiotherapy. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2013, 47, 40-45.	0.4	6
49	Bortezomib and SAHA Synergistically Induce ROS-Driven Caspase-Dependent Apoptosis of Nasopharyngeal Carcinoma and Block Replication of Epstein-Barr Virus. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 747-758.	1.9	70
50	Identification of Radioresistance-Associated Proteins in Human Nasopharyngeal Carcinoma Cell Lines by Proteomic Analysis. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2013, 28, 380-384.	0.7	17
51	Quantitative proteomics characterization on the antitumor effects of isodeoxyelephantopin against nasopharyngeal carcinoma. <i>Proteomics</i> , 2013, 13, 3222-3232.	1.3	24
52	Two Epstein-Barr Virus-Related Serologic Antibody Tests in Nasopharyngeal Carcinoma Screening: Results From the Initial Phase of a Cluster Randomized Controlled Trial in Southern China. <i>American Journal of Epidemiology</i> , 2013, 177, 242-250.	1.6	108
53	Prognostic Factors and Survival in Patients with Radiation-Related Second Malignant Neoplasms Following Radiotherapy for Nasopharyngeal Carcinoma. <i>PLoS ONE</i> , 2013, 8, e84586.	1.1	11
54	Cellular Redox Status Regulates Emodin-Induced Radiosensitization of Nasopharyngeal Carcinoma Cells In Vitro and In Vivo. <i>Journal of Pharmaceutics</i> , 2013, 2013, 1-8.	4.6	6

#	ARTICLE	IF	CITATIONS
55	Oncogene mutational profile in nasopharyngeal carcinoma. <i>OncoTargets and Therapy</i> , 2014, 7, 457.	1.0	20
56	Global burden of deaths from Epstein-Barr virus attributable malignancies 1990-2010. <i>Infectious Agents and Cancer</i> , 2014, 9, 38.	1.2	181
57	Male breast metastases from nasopharyngeal carcinoma: A case report and literature review. <i>Oncology Letters</i> , 2014, 7, 1586-1588.	0.8	6
58	The effect of functional <i>MAPKAPK2</i> copy number variation CNV-30450 on elevating nasopharyngeal carcinoma risk is modulated by EBV infection. <i>Carcinogenesis</i> , 2014, 35, 46-52.	1.3	15
59	Evaluation and Integration of Genetic Signature for Prediction Risk of Nasopharyngeal Carcinoma in Southern China. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	19
60	1,8-dihydroxy-3-acetyl-6-methyl-9,10 anthraquinone exhibits a potent radiosensitizing effect with induced oncosis in human nasopharyngeal carcinoma cells. <i>Molecular Medicine Reports</i> , 2014, 10, 965-970.	1.1	3
61	Trans-Oral Brush Biopsies and Quantitative PCR for EBV DNA Detection and Screening of Nasopharyngeal Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 150, 602-609.	1.1	31
62	NF- $\kappa$ B-mediated transcriptional upregulation of TNFAIP2 by the Epstein-Barr virus oncoprotein, LMP1, promotes cell motility in nasopharyngeal carcinoma. <i>Oncogene</i> , 2014, 33, 3648-3659.	2.6	48
63	Prognostic value of interleukin-8 and MMP-9 in nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 503-509.	0.8	16
64	Etiological factors of nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2014, 50, 330-338.	0.8	206
65	Combination of proteasome and class I HDAC inhibitors induces apoptosis of NPC cells through an HDAC6-independent ER stress-induced mechanism. <i>International Journal of Cancer</i> , 2014, 135, 2950-2961.	2.3	49
66	Choline and betaine intakes are associated with reduced risk of nasopharyngeal carcinoma in adults: a case-control study. <i>British Journal of Cancer</i> , 2014, 110, 808-816.	2.9	33
67	Cytochrome b5 reductase 2 is a novel candidate tumor suppressor gene frequently inactivated by promoter hypermethylation in human nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2014, 35, 3755-3763.	0.8	31
68	Increased lymphocyte to monocyte ratio is associated with better prognosis in patients with newly diagnosed metastatic nasopharyngeal carcinoma receiving chemotherapy. <i>Tumor Biology</i> , 2014, 35, 10849-10854.	0.8	39
69	Clinical value of serum Epstein-Barr virus DNA assay in the diagnosis of nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2014, 35, 8787-8793.	0.8	4
70	Evaluation of a semi-quantitative ELISA for IgA antibody against Epstein-Barr virus capsid antigen in the serological diagnosis of nasopharyngeal carcinoma. <i>International Journal of Infectious Diseases</i> , 2014, 25, 110-115.	1.5	18
71	Association of fruit and vegetables with the risk of nasopharyngeal cancer: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2014, 4, 5229.	1.6	16
72	Associations between antioxidant vitamins and the risk of invasive cervical cancer in Chinese women: A case-control study. <i>Scientific Reports</i> , 2015, 5, 13607.	1.6	38

#	ARTICLE	IF	CITATIONS
73	Estimation of cancer burden in Guangdong Province, China in 2009. Chinese Journal of Cancer, 2015, 34, 594-601.	4.9	13
74	Household inhalants exposure and nasopharyngeal carcinoma risk: a large-scale case-control study in Guangdong, China. BMC Cancer, 2015, 15, 1022.	1.1	32
75	Interleukin-10 polymorphisms and nasopharyngeal carcinoma risk: a meta-analysis. Genetics and Molecular Research, 2015, 14, 18945-18957.	0.3	7
76	A Matched Cohort Study of Standard Chemo-Radiotherapy versus Radiotherapy Alone in Elderly Nasopharyngeal Carcinoma Patients. PLoS ONE, 2015, 10, e0119593.	1.1	23
77	Polymorphisms of NF- $\kappa$ B1 and I $\kappa$ B1 and Their Synergistic Effect on Nasopharyngeal Carcinoma Susceptibility. BioMed Research International, 2015, 2015, 1-9.	0.9	7
78	Incidence trend of nasopharyngeal carcinoma from 1987 to 2011 in Sihui County, Guangdong Province, South China: an age-period-cohort analysis. Chinese Journal of Cancer, 2015, 34, 350-7.	4.9	126
79	Gemcitabine plus cisplatin for patients with recurrent or metastatic nasopharyngeal carcinoma in Taiwan: a multicenter prospective Phase II trial. Japanese Journal of Clinical Oncology, 2015, 45, 819-827.	0.6	19
80	Characterization of a new dual-targeting fully human antibody with potent antitumor activity against nasopharyngeal carcinoma. Biological Chemistry, 2015, 396, 917-921.	1.2	0
81	RNAi-mediated knockdown of the c-jun gene sensitizes radioresistant human nasopharyngeal carcinoma cell line CNE-2R to radiation. Oncology Reports, 2015, 33, 1155-1160.	1.2	9
82	Global cancer statistics, 2012. Ca-A Cancer Journal for Clinicians, 2015, 65, 87-108.	157.7	23,881
83	Contribution of susceptibility locus at HLA class I region and environmental factors to occurrence of nasopharyngeal cancer in Northeast India. Tumor Biology, 2015, 36, 3061-3073.	0.8	11
84	Cancer Prevention Research in China. Cancer Prevention Research, 2015, 8, 662-674.	0.7	26
85	The Epstein-Barr virus latent membrane protein-1 (LMP1) 30-bp deletion and XhoI-polymorphism in nasopharyngeal carcinoma: a meta-analysis of observational studies. Systematic Reviews, 2015, 4, 46.	2.5	28
86	Discrimination of Nasopharyngeal Carcinoma from Noncancerous <i>Ex Vivo</i> Tissue Using Reflectance Spectroscopy. Journal of Spectroscopy, 2016, 2016, 1-7.	0.6	2
87	Changes in c-Kit expression levels during the course of radiation therapy for nasopharyngeal carcinoma. Biomedical Reports, 2016, 5, 437-442.	0.9	1
88	Upregulated TRIM29 promotes proliferation and metastasis of nasopharyngeal carcinoma via PTEN/AKT/mTOR signal pathway. Oncotarget, 2016, 7, 13634-13650.	0.8	57
89	Diet Quality Scores and Risk of Nasopharyngeal Carcinoma in Chinese Adults: A Case-Control Study. Nutrients, 2016, 8, 112.	1.7	26
90	High-density lipoprotein cholesterol as a predictor of poor survival in patients with nasopharyngeal carcinoma. Oncotarget, 2016, 7, 42978-42987.	0.8	32

#	ARTICLE	IF	CITATIONS
91	Risk of second primary malignancy after nasopharyngeal carcinoma in the United States: A population-based study. <i>Head and Neck</i> , 2016, 38, E1130-6.	0.9	12
92	Red Meat and Processed Meat Consumption and Nasopharyngeal Carcinoma Risk: A Dose-response Meta-analysis of Observational Studies. <i>Nutrition and Cancer</i> , 2016, 68, 1034-1043.	0.9	20
93	Genome-wide analyses of long noncoding RNA expression profiles correlated with radioresistance in nasopharyngeal carcinoma via next-generation deep sequencing. <i>BMC Cancer</i> , 2016, 16, 719.	1.1	54
94	Folate, vitamin B <sub>6</sub> , vitamin B <sub>12</sub> and methionine intakes and risk for nasopharyngeal carcinoma in Chinese adults: a matched case-control study. <i>British Journal of Nutrition</i> , 2016, 115, 121-128.	1.2	18
95	Oral Hygiene and Risk of Nasopharyngeal Carcinoma—A Population-Based Case-Control Study in China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1201-1207.	1.1	46
97	miR-346 promotes migration and invasion of nasopharyngeal carcinoma cells via targeting BRMS1. <i>Journal of Biochemical and Molecular Toxicology</i> , 2016, 30, 602-607.	1.4	30
98	Intensity-modulated radiotherapy controls nasopharyngeal carcinoma distant metastasis and improves survival of patients. <i>SpringerPlus</i> , 2016, 5, 1459.	1.2	9
99	Targeting Rad50 sensitizes human nasopharyngeal carcinoma cells to radiotherapy. <i>BMC Cancer</i> , 2016, 16, 190.	1.1	23
100	A new prognostic histopathologic classification of nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2016, 35, 41.	4.9	83
101	Global trends in incidence and mortality of nasopharyngeal carcinoma. <i>Cancer Letters</i> , 2016, 374, 22-30.	3.2	330
102	High mobility group box 1 (HMGB1) is upregulated by the Epstein-Barr virus infection and promotes the proliferation of human nasopharyngeal carcinoma cells. <i>Acta Oto-Laryngologica</i> , 2016, 136, 87-94.	0.3	14
103	Global trends in nasopharyngeal cancer mortality since 1970 and predictions for 2020: Focus on low-risk areas. <i>International Journal of Cancer</i> , 2017, 140, 2256-2264.	2.3	66
104	Quantification of familial risk of nasopharyngeal carcinoma in a high-incidence area. <i>Cancer</i> , 2017, 123, 2716-2725.	2.0	54
105	Resveratrol enhances the radiosensitivity of nasopharyngeal carcinoma cells by downregulating E2F1. <i>Oncology Reports</i> , 2017, 37, 1833-1841.	1.2	31
106	Symptom clusters in patients with nasopharyngeal carcinoma during radiotherapy. <i>European Journal of Oncology Nursing</i> , 2017, 28, 7-13.	0.9	29
107	Impact of intravenous contrast used in computed tomography on radiation dose to carotid arteries and thyroid in intensity-modulated radiation therapy planning for nasopharyngeal carcinoma. <i>Medical Dosimetry</i> , 2017, 42, 137-144.	0.4	0
108	Active and Passive Smoking and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in Southern China. <i>American Journal of Epidemiology</i> , 2017, 185, 1272-1280.	1.6	68
109	Spatial and temporal patterns of nasopharyngeal carcinoma mortality in China, 1973-2005. <i>Cancer Letters</i> , 2017, 401, 33-38.	3.2	9



#	ARTICLE	IF	CITATIONS
110	Palliative systemic therapy for recurrent or metastatic nasopharyngeal carcinoma â€“ How far have we achieved?. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 114, 13-23.	2.0	39
111	Improving the prediction of overall survival for head and neck cancer patients using image biomarkers in combination with clinical parameters. <i>Radiotherapy and Oncology</i> , 2017, 124, 256-262.	0.3	45
112	Low expression of nm23-H1 associates with poor survival of nasopharyngeal carcinoma patients. <i>Medicine (United States)</i> , 2017, 96, e7153.	0.4	7
113	Evaluation of seven recombinant VCA-IgA ELISA kits for the diagnosis of nasopharyngeal carcinoma in China: a caseâ€“control trial. <i>BMJ Open</i> , 2017, 7, e013211.	0.8	13
114	Metronomic oral cyclophosphamide as third-line systemic treatment or beyond in patients with inoperable locoregionally advanced recurrent or metastatic nasopharyngeal carcinoma. <i>Medicine (United States)</i> , 2017, 96, e6518.	0.4	5
115	Nasopharyngeal carcinoma risk prediction <i>via</i> salivary detection of host and Epstein-Barr virus genetic variants. <i>Oncotarget</i> , 2017, 8, 95066-95074.	0.8	13
116	The poor outcome of second primary oral squamous cell carcinoma is attributed to Bmi1 upregulation. <i>Cancer Medicine</i> , 2018, 7, 1056-1069.	1.3	12
117	The Relationship Between Environmental Factors and the Profile of Epstein-Barr Virus Antibodies in the Lytic and Latent Infection Periods in Healthy Populations from Endemic and Non-Endemic Nasopharyngeal Carcinoma Areas in China. <i>EBioMedicine</i> , 2018, 30, 184-191.	2.7	31
118	MicroRNA-425 is downregulated in nasopharyngeal carcinoma and regulates tumor cell viability and invasion by targeting hepatoma-derived growth factor. <i>Oncology Letters</i> , 2018, 15, 6345-6351.	0.8	16
119	Epithelial cell adhesion molecule overexpression regulates epithelial-mesenchymal transition, stemness and metastasis of nasopharyngeal carcinoma cells via the PTEN/AKT/mTOR pathway. <i>Cell Death and Disease</i> , 2018, 9, 2.	2.7	111
120	Outcome of nasopharyngeal carcinoma in Finland: A nationwide study. <i>Acta OncolÃ³gica</i> , 2018, 57, 251-256.	0.8	22
121	Natural Variations in BRLF1 Promoter Contribute to the Elevated Reactivation Level of Epstein-Barr Virus in Endemic Areas of Nasopharyngeal Carcinoma. <i>EBioMedicine</i> , 2018, 37, 101-109.	2.7	9
122	Epsteinâ€“Barr virus and human papillomaviruses as favorable prognostic factors in nasopharyngeal carcinoma: A nationwide study in Finland. <i>Head and Neck</i> , 2019, 41, 349-357.	0.9	42
123	Snail promotes metastasis of nasopharyngeal carcinoma partly by downâ€“regulating TEL2. <i>Cancer Communications</i> , 2018, 38, 1-10.	3.7	19
124	Fineâ€“mapping of <sc>HLA</sc> class I and class <sc>II</sc> genes identified two independent novel variants associated with nasopharyngeal carcinoma susceptibility. <i>Cancer Medicine</i> , 2018, 7, 6308-6316.	1.3	15
125	Stable knockdown of ZBTB7A promotes cell proliferation and progression in nasopharyngeal carcinoma. <i>Tumori</i> , 2018, 104, 37-42.	0.6	8
126	miR-100 inhibits the migration and invasion of nasopharyngeal carcinoma by targeting IGF1R. <i>Oncology Letters</i> , 2018, 15, 8333-8338.	0.8	18
127	Decreased oral Epstein-Barr virus DNA loads in patients with nasopharyngeal carcinoma in Southern China: A case-control and a family-based study. <i>Cancer Medicine</i> , 2018, 7, 3453-3464.	1.3	9



#	ARTICLE	IF	CITATIONS
128	Chinese nonmedicinal herbal diet and risk of nasopharyngeal carcinoma: A population-based case-control study. <i>Cancer</i> , 2019, 125, 4462-4470.	2.0	21
129	Association Between Alcohol Consumption and Risk of Nasopharyngeal Carcinoma: A Comprehensive Meta-Analysis of Epidemiological Studies. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 2262-2273.	1.4	13
130	Chemoresistance Mediated by ceRNA Networks Associated With the PVT1 Locus. <i>Frontiers in Oncology</i> , 2019, 9, 834.	1.3	24
131	Effect of Early Nutrition Intervention on Advanced Nasopharyngeal Carcinoma Patients Receiving Chemoradiotherapy. <i>Journal of Cancer</i> , 2019, 10, 3650-3656.	1.2	36
132	&lt;p&gt;Development and external validation of a nomogram for predicting the overall survival of patients with stage II nasopharyngeal carcinoma after curative treatment&lt;/p&gt;. <i>Cancer Management and Research</i> , 2019, Volume 11, 4403-4412.	0.9	9
133	&lt;p&gt;Silencing UBE4B induces nasopharyngeal carcinoma apoptosis through the activation of caspase3 and p53&lt;/p&gt;. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 2553-2561.	1.0	27
134	Smoking can increase nasopharyngeal carcinoma risk by repeatedly reactivating Epstein-Barr Virus: An analysis of a prospective study in southern China. <i>Cancer Medicine</i> , 2019, 8, 2561-2571.	1.3	19
135	<i>Epidemiology and Population Screening</i> . , 2019, , 65-84.		2
136	The addition of pretreatment plasma Epstein-Barr virus DNA into the eighth edition of nasopharyngeal cancer TNM stage classification. <i>International Journal of Cancer</i> , 2019, 144, 1713-1722.	2.3	82
137	Occupational exposure to wood dust and risk of nasopharyngeal cancer: A systematic review and meta-analysis. <i>Environmental Research</i> , 2019, 171, 170-176.	3.7	18
138	Basaloid nasopharyngeal carcinoma: A population-based analysis of a rare tumor. <i>Laryngoscope</i> , 2019, 129, 2727-2732.	1.1	8
139	Risk of Nasopharyngeal Carcinoma Associated with Single Nucleotide Polymorphisms in the MicroRNA Binding Site of <i>SGK3</i> . <i>Genetic Testing and Molecular Biomarkers</i> , 2020, 24, 508-519.	0.3	1
140	Association between Antibody Responses to Epstein-Barr Virus Glycoproteins, Neutralization of Infectivity, and the Risk of Nasopharyngeal Carcinoma. <i>MSphere</i> , 2020, 5, .	1.3	7
141	Frequency of Epstein-Barr virus and human papilloma virus in patients with nasopharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 2041-2047.	0.8	2
142	Systemic chemotherapy and sequential locoregional radiotherapy in initially metastatic nasopharyngeal carcinoma: Retrospective analysis with 821 cases. <i>Head and Neck</i> , 2020, 42, 1970-1980.	0.9	13
143	Circulating Tumor Cells and Fibronectin 1 in the Prognosis of Nasopharyngeal Carcinoma. <i>Technology in Cancer Research and Treatment</i> , 2020, 19, 153303382090991.	0.8	11
144	Prospective assessment of a nasopharyngeal carcinoma risk score in a population undergoing screening. <i>International Journal of Cancer</i> , 2021, 148, 2398-2406.	2.3	9
145	Targeting the IRAK1-S100A9 Axis Overcomes Resistance to Paclitaxel in Nasopharyngeal Carcinoma. <i>Cancer Research</i> , 2021, 81, 1413-1425.	0.4	19

#	ARTICLE	IF	CITATIONS
146	The Incidence of Nasopharyngeal Carcinoma in Pahang State of Malaysia from 2012 to 2017. The Malaysian Journal of Medical Sciences, 2021, 28, 66-74.	0.3	0
147	The Evolving Epidemiology of Nasopharyngeal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1035-1047.	1.1	140
148	Molecular landscape and subtype-specific therapeutic response of nasopharyngeal carcinoma revealed by integrative pharmacogenomics. Nature Communications, 2021, 12, 3046.	5.8	48
149	Dietary patterns and risk of nasopharyngeal carcinoma: a population-based case-control study in southern China. American Journal of Clinical Nutrition, 2021, 114, 462-471.	2.2	12
150	Epidemiology and Outcomes of Nasopharyngeal Carcinoma. , 0, , .		1
151	Head and neck squamous cell carcinomas among males of the three largest Asian diasporas in the US, 2004-2013. Cancer Epidemiology, 2021, 74, 102011.	0.8	0
152	The Epidemiology of Nasopharyngeal Carcinoma. Medical Radiology, 2010, , 1-7.	0.0	16
153	MiR-185-3p and miR-324-3p Predict Radiosensitivity of Nasopharyngeal Carcinoma and Modulate Cancer Cell Growth and Apoptosis by Targeting SMAD7. Medical Science Monitor, 2015, 21, 2828-2836.	0.5	54
154	Can Global Variation of Nasopharynx Cancer Be Retrieved from the Combined Analyses of IARC Cancer Information (CIN) Databases?. PLoS ONE, 2011, 6, e22039.	1.1	20
155	Developing Genetic Epidemiological Models to Predict Risk for Nasopharyngeal Carcinoma in High-Risk Population of China. PLoS ONE, 2013, 8, e56128.	1.1	21
156	Habitual Consumption of Soy Products and Risk of Nasopharyngeal Carcinoma in Chinese Adults: A Case-Control Study. PLoS ONE, 2013, 8, e77822.	1.1	9
157	Correlation of PD-L1 Expression of Tumor Cells with Survival Outcomes after Radical Intensity-Modulated Radiation Therapy for Non-Metastatic Nasopharyngeal Carcinoma. PLoS ONE, 2016, 11, e0157969.	1.1	54
158	Spatial distribution and risk assessment of toxic metals in agricultural soils from endemic nasopharyngeal carcinoma region in South China. Open Geosciences, 2020, 12, 568-579.	0.6	6
159	Prognostication of serial post-intensity-modulated radiation therapy undetectable plasma EBV DNA for nasopharyngeal carcinoma. Oncotarget, 2017, 8, 5292-5308.	0.8	39
160	Development of a population-based cancer case-control study in southern china. Oncotarget, 2017, 8, 87073-87085.	0.8	29
161	High expression of XPA confers poor prognosis for nasopharyngeal carcinoma patients treated with platinum-based chemoradiotherapy. Oncotarget, 2015, 6, 28478-28490.	0.8	23
162	Nasopharyngeal Carcinoma: A Retrospective Study on Imaging Patterns at Tikur Anbessa Specialized Hospital, Addis Ababa, Ethiopia. Ethiopian Journal of Health Sciences, 2020, 30, 215-222.	0.2	4
163	Trends in the survival of patients with nasopharyngeal carcinoma between 1976 and 2005 in Sihui, China: a population-based study. Chinese Journal of Cancer, 2013, 32, 325-333.	4.9	28

#	ARTICLE	IF	CITATIONS
164	Nasopharyngeal carcinoma incidence and mortality in China in 2009. Chinese Journal of Cancer, 2013, 32, 453-460.	4.9	50
165	Nasopharyngeal carcinoma incidence and mortality in China in 2010. Chinese Journal of Cancer, 2014, 33, 381-7.	4.9	262
166	Trends in Nasopharyngeal Carcinoma Mortality in China, 1973-2005. Asian Pacific Journal of Cancer Prevention, 2012, 13, 2495-2502.	0.5	35
167	Time Trends of Nasopharyngeal Carcinoma in Urban Guangzhou over a 12-Year Period (2000-2011): Declines in Both Incidence and Mortality. Asian Pacific Journal of Cancer Prevention, 2014, 15, 9899-9903.	0.5	35
168	Diagnostic Significance of Combined Detection of Epstein-Barr Virus Antibodies, VCA/IgA, EA/IgA, Rta/IgG and EBNA1/IgA for Nasopharyngeal Carcinoma. Asian Pacific Journal of Cancer Prevention, 2014, 15, 2001-2006.	0.5	23
170	Mutational Profile of HPV-Positive HNSCC. , 2015, , 171-194.		0
171	Cancer Incidence and Mortality Patterns Among Chinese Americans. , 2016, , 19-45.		0
172	Differentiation of highly metastatic nasopharyngeal carcinoma cells using multiphoton microscopy. , 2016, , .		0
173	High-mobility group box 1 is a promising diagnostic and therapeutic monitoring biomarker in Cancers: A review. AIMS Molecular Science, 2018, 5, 183-241.	0.3	2
174	A combination of two ELISA tests for nasopharyngeal carcinoma screening in endemic areas based on a case-control study. PeerJ, 2020, 8, e10254.	0.9	2
175	Incidence Trends and Geographical Distribution of Nasopharyngeal Carcinoma in Iran. Iranian Journal of Cancer Prevention, 2015, 8, 24-8.	0.7	7
176	MicroRNA-130a-3p suppresses cell viability, proliferation and invasion in nasopharyngeal carcinoma by inhibiting. American Journal of Translational Research (discontinued), 2017, 9, 3586-3598.	0.0	21
177	High expression of Fibronectin 1 suppresses apoptosis through the NF- $\kappa$ B pathway and is associated with migration in nasopharyngeal carcinoma. American Journal of Translational Research (discontinued), 2017, 9, 4502-4511.	0.0	53
178	Trend of nasopharyngeal carcinoma mortality and years of life lost in China and its provinces from 2005 to 2020. International Journal of Cancer, 2022, 151, 684-691.	2.3	14
179	Association between solid fuel use and seropositivity against Epstein-Barr virus in a high-risk area for nasopharyngeal carcinoma. Environmental Pollution, 2022, 304, 119184.	3.7	2
180	A novel causal model for nasopharyngeal carcinoma. Cancer Causes and Control, 2022, 33, 1013-1018.	0.8	2
181	Prognostic Epstein-Barr Virus (EBV) miRNA biomarkers for survival outcome in EBV-associated epithelial malignancies: Systematic review and meta-analysis. PLoS ONE, 2022, 17, e0266893.	1.1	7
183	Survival among subgroups of patients with stage II nasopharyngeal carcinoma. Scientific Reports, 2022, 12, 7007.	1.6	2

#	ARTICLE	IF	CITATIONS
184	Human Papillomavirus-Related Carcinomas of the Sinonasal Tract. <i>Current Otorhinolaryngology Reports</i> , 2022, 10, 291-302.	0.2	3
185	Nasopharyngeal cancer cell-derived exosomal PD-L1 inhibits CD8 <sup>+</sup> T cell activity and promotes immune escape. <i>Cancer Science</i> , 2022, 113, 3044-3054.	1.7	20
186	Incidence and mortality trends of nasopharynx cancer from 1990 to 2019 in China: an age-period-cohort analysis. <i>BMC Public Health</i> , 2022, 22, .	1.2	14
188	Arterial spin labeling and diffusion-weighted imaging for identification of retropharyngeal lymph nodes in patients with nasopharyngeal carcinoma. <i>Cancer Imaging</i> , 2022, 22, .	1.2	4
189	The Correlation between Risk Factors and Epstein-Barr Virus Serum Antibody with Histopathological Typing of Nasopharyngeal Carcinoma. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2022, 10, 1359-1367.	0.1	0
191	Factors influencing out of pocket ratio to CPS among NPC patients in Guangxi: 2014-2020. , 2022, , .		0
192	Prognostic significance of circulating tumor cell measurement in the peripheral blood of patients with nasopharyngeal carcinoma. <i>Clinics</i> , 2023, 78, 100179.	0.6	2
198	The Epidemiology of Nasopharyngeal Carcinoma. <i>Medical Radiology</i> , 2023, , .	0.0	0