

Evaluating the comparability of gene expression in blood

American Journal of Medical Genetics Part B: Neuropsychiatric
141B, 261-268

DOI: [10.1002/ajmg.b.30272](https://doi.org/10.1002/ajmg.b.30272)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Strategies for present and future mental retardation diagnosis. <i>Future Neurology</i> , 2006, 1, 775-785.	0.9	2
2	Genomics of Brain and Blood: Progress and Pitfalls. <i>Epilepsia</i> , 2006, 47, 1603-1607.	2.6	19
3	The search for peripheral disease markers in psychiatry by genomic and proteomic approaches. <i>Expert Opinion on Medical Diagnostics</i> , 2007, 1, 235-251.	1.6	23
4	Applying transcriptomic and proteomic knowledge to Parkinson's disease drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2007, 2, 1225-1240.	2.5	9
5	Differences in Lymphocyte Electron Transport Gene Expression Levels Between Subjects With Bipolar Disorder and Normal Controls in Response to Glucose Deprivation Stress. <i>Archives of General Psychiatry</i> , 2007, 64, 555.	13.8	83
6	Gene expression changes in peripheral mononuclear cells from schizophrenic patients treated with a combination of antipsychotic with fluvoxamine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1356-1362.	2.5	20
7	Gene expression signature in peripheral blood cells from medical students exposed to chronic psychological stress. <i>Biological Psychology</i> , 2007, 76, 147-155.	1.1	37
8	Convergent Functional Genomics of bipolar disorder: From animal model pharmacogenomics to human genetics and biomarkers. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 897-903.	2.9	47
9	Expression profiling in monozygotic twins discordant for bipolar disorder reveals dysregulation of the WNT signalling pathway. <i>Molecular Psychiatry</i> , 2007, 12, 815-825.	4.1	97
10	Profiling of behavioral changes and hippocampal gene expression in mice chronically treated with the SSRI paroxetine. <i>Psychopharmacology</i> , 2008, 200, 557-572.	1.5	84
11	Gene expression study on peripheral blood identifies progranulin mutations. <i>Annals of Neurology</i> , 2008, 64, 92-96.	2.8	91
12	Comparability of gene expression in human blood, immune and carcinoma cells. <i>Applied Mathematics and Computation</i> , 2008, 205, 178-184.	1.4	1
13	Epigenetic biomarkers in psychiatric disorders. <i>British Journal of Pharmacology</i> , 2008, 155, 795-796.	2.7	15
14	Gene expression analysis in absence epilepsy using a monozygotic twin design. <i>Epilepsia</i> , 2008, 49, 1546-1554.	2.6	24
15	Genomic studies in ageing research: the need to integrate genetic and gene expression approaches. <i>Journal of Internal Medicine</i> , 2008, 263, 153-166.	2.7	17
16	Verification of proposed peripheral biomarkers in mononuclear cells of individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2008, 42, 639-643.	1.5	36
17	Decreased expression of reelin receptor VLDLR in peripheral lymphocytes of drug-naive schizophrenic patients. <i>Schizophrenia Research</i> , 2008, 98, 148-156.	1.1	40
18	Differential RNA expression between schizophrenic patients and controls of the dystrobrevin binding protein 1 and neuregulin 1 genes in immortalized lymphocytes. <i>Schizophrenia Research</i> , 2008, 100, 281-290.	1.1	25

#	ARTICLE	IF	CITATIONS
19	Reduced baseline acetylated histone 3 levels, and a blunted response to HDAC inhibition in lymphocyte cultures from schizophrenia subjects. <i>Schizophrenia Research</i> , 2008, 103, 330-332.	1.1	64
20	The complex roles of neurosteroids in depression and anxiety disorders. <i>Neurochemistry International</i> , 2008, 52, 596-601.	1.9	56
21	Effects of chronic morphine and morphine withdrawal on gene expression in rat peripheral blood mononuclear cells. <i>Neuropharmacology</i> , 2008, 55, 1347-1354.	2.0	32
22	Biomarkers for Alzheimer Disease in Cerebrospinal Fluid, Urine, and Blood. <i>Molecular Diagnosis and Therapy</i> , 2008, 12, 307-320.	1.6	31
23	Commonalities in the genetics of Alzheimer's disease and Parkinson's disease. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 1865-1877.	1.4	13
24	Fibroblast and Lymphoblast Gene Expression Profiles in Schizophrenia: Are Non-Neural Cells Informative?. <i>PLoS ONE</i> , 2008, 3, e2412.	1.1	45
25	Dopamine Receptor Gene Expression Changes in Peripheral Blood Mononuclear Cells from Schizophrenic Patients Treated with Haloperidol and Olanzapine. <i>European Journal of Inflammation</i> , 2009, 7, 71-76.	0.2	5
26	Rs5848 Variant Influences GRN mRNA Levels in Brain and Peripheral Mononuclear Cells in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 603-612.	1.2	59
27	Gene Expression Profiling of Lymphoblasts from Autistic and Nonaffected Sib Pairs: Altered Pathways in Neuronal Development and Steroid Biosynthesis. <i>PLoS ONE</i> , 2009, 4, e5775.	1.1	134
28	The DISC1 Pathway Modulates Expression of Neurodevelopmental, Synaptogenic and Sensory Perception Genes. <i>PLoS ONE</i> , 2009, 4, e4906.	1.1	72
29	To what extent is blood a reasonable surrogate for brain in gene expression studies: estimation from mouse hippocampus and spleen. <i>Frontiers in Neuroscience</i> , 2009, 3, 54.	1.4	15
30	Identification of brain transcriptional variation reproduced in peripheral blood: an approach for mapping brain expression traits. <i>Human Molecular Genetics</i> , 2009, 18, 4415-4427.	1.4	72
31	A case-control association study and family-based expression analysis of the bipolar disorder candidate gene PI4K2B. <i>Journal of Psychiatric Research</i> , 2009, 43, 1272-1277.	1.5	10
32	Association study of bromodomain-containing 1 gene with schizophrenia in Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 786-791.	1.1	4
33	Genetics of stroke. <i>Current Atherosclerosis Reports</i> , 2009, 11, 167-174.	2.0	13
34	Exon expression in lymphoblastoid cell lines from subjects with schizophrenia before and after glucose deprivation. <i>BMC Medical Genomics</i> , 2009, 2, 62.	0.7	21
35	Identifying blood biomarkers for mood disorders using convergent functional genomics. <i>Molecular Psychiatry</i> , 2009, 14, 156-174.	4.1	189
36	Biomarkers for Evaluation of Clinical Efficacy of Multipotential Neuroprotective Drugs for Alzheimer's and Parkinson's Diseases. <i>Neurotherapeutics</i> , 2009, 6, 128-140.	2.1	23

#	ARTICLE	IF	CITATIONS
37	Gene expression profiling differentiates autism caseâ€œcontrols and phenotypic variants of autism spectrum disorders: evidence for circadian rhythm dysfunction in severe autism. <i>Autism Research</i> , 2009, 2, 78-97.	2.1	184
38	Alcoholism: A Systems Approach From Molecular Physiology to Addictive Behavior. <i>Physiological Reviews</i> , 2009, 89, 649-705.	13.1	620
39	Genome-wide gene expression profiling in children with non-obese obstructive sleep apnea. <i>Sleep Medicine</i> , 2009, 10, 75-86.	0.8	67
40	Low expression of catecholamine-O-methyl-transferase gene in obsessive-compulsive disorder. <i>Journal of Anxiety Disorders</i> , 2009, 23, 660-664.	1.5	13
41	Reduced peripheral brain-derived neurotrophic factor mRNA levels are normalized by antidepressant treatment. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 103.	1.0	82
42	The effects of globin on microarray-based gene expression analysis of mouse blood. <i>Mammalian Genome</i> , 2010, 21, 268-275.	1.0	17
43	Expression analyses of the mitochondrial complex I 75-kDa subunit in early onset schizophrenia and autism spectrum disorder: increased levels as a potential biomarker for early onset schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 441-448.	2.8	24
44	Pilot study: peripheral biomarkers for diagnosing sporadic Parkinsonâ€™s disease. <i>Journal of Neural Transmission</i> , 2010, 117, 1387-1393.	1.4	57
45	Biomarkers for prediction and targeted prevention of Alzheimerâ€™s and Parkinsonâ€™s diseases: evaluation of drug clinical efficacy. <i>EPMA Journal</i> , 2010, 1, 273-292.	3.3	28
46	Gene Expression Studies in Major Depression. <i>Current Psychiatry Reports</i> , 2010, 12, 135-144.	2.1	80
47	cDNA Microarray Analysis of Gene Expression in the Cerebral Cortex and Hippocampus of BALB/c Mice Subjected to Chronic Mild Stress. <i>Cellular and Molecular Neurobiology</i> , 2010, 30, 1035-1047.	1.7	25
48	Clinical variations modulate patterns of gene expression and define blood biomarkers in major depression. <i>Journal of Psychiatric Research</i> , 2010, 44, 1205-1213.	1.5	77
49	Is human blood a good surrogate for brain tissue in transcriptional studies?. <i>BMC Genomics</i> , 2010, 11, 589.	1.2	101
50	Expression analysis and mutation detection of DLX5 and DLX6 in autism. <i>Brain and Development</i> , 2010, 32, 98-104.	0.6	26
51	Preliminary evidence of ubiquitin proteasome system dysregulation in schizophrenia and bipolar disorder: Convergent pathway analysis findings from two independent samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 494-502.	1.1	97
52	Positive symptoms of psychosis correlate with expression of ubiquitin proteasome genes in peripheral blood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1336-1341.	1.1	54
53	Suggestive evidence for a new locus for epilepsy with heterogeneous phenotypes on chromosome 17q. <i>Epilepsy Research</i> , 2010, 88, 65-75.	0.8	16
54	Blood mononuclear cell gene expression signature of postpartum depression. <i>Molecular Psychiatry</i> , 2010, 15, 93-100.	4.1	73

#	ARTICLE	IF	CITATIONS
55	Network analysis of positional candidate genes of schizophrenia highlights more than myelin-related pathways. <i>Molecular Psychiatry</i> , 2010, 15, 786-788.	4.1	7
56	Increased peripheral blood expression of electron transport chain genes in bipolar depression. <i>Bipolar Disorders</i> , 2010, 12, 813-824.	1.1	50
57	Exploration of a genomic expression and pathway analysis approach to neurocognitive performance: preliminary findings. <i>Neurobehavioral HIV Medicine</i> , 2010, , 23.	2.0	0
58	Analysis of LDLR mRNA in patients with familial hypercholesterolemia revealed a novel mutation in intron 14, which activates a cryptic splice site. <i>Journal of Human Genetics</i> , 2010, 55, 676-680.	1.1	18
59	Distinctive RNA Expression Profiles in Blood Associated With White Matter Hyperintensities in Brain. <i>Stroke</i> , 2010, 41, 2744-2749.	1.0	54
60	Deficiency in the Inhibitory Serine-Phosphorylation of Glycogen Synthase Kinase-3 Increases Sensitivity to Mood Disturbances. <i>Neuropsychopharmacology</i> , 2010, 35, 1761-1774.	2.8	211
61	Diagnostic classification of schizophrenia by neural network analysis of blood-based gene expression signatures. <i>Schizophrenia Research</i> , 2010, 119, 210-218.	1.1	72
62	Analysis of peripheral immune activation in schizophrenia using quantitative reverse-transcription polymerase chain reaction (RT-PCR). <i>Psychiatry Research</i> , 2010, 176, 99-102.	1.7	42
63	Chronic Corticosterone Exposure Increases Expression and Decreases Deoxyribonucleic Acid Methylation of Fkbp5 in Mice. <i>Endocrinology</i> , 2010, 151, 4332-4343.	1.4	248
64	The Expression of VGF is Reduced in Leukocytes of Depressed Patients and it is Restored by Effective Antidepressant Treatment. <i>Neuropsychopharmacology</i> , 2010, 35, 1423-1428.	2.8	68
65	Proteomic research in psychiatry. <i>Journal of Psychopharmacology</i> , 2011, 25, 151-196.	2.0	85
66	A Novel Blood Test for the Early Detection of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 23, 121-129.	1.2	71
67	Gene expression and association analysis of the epithelial membrane protein 1 gene in major depressive disorder in the Japanese population. <i>Neuroscience Letters</i> , 2011, 489, 126-130.	1.0	5
68	Genomic and transcriptomic analyses distinguish classic Rett and Rett-like syndrome and reveals shared altered pathways. <i>Genomics</i> , 2011, 97, 19-28.	1.3	28
69	All-trans Retinoic Acid Upregulates Reduced CD38 Transcription in Lymphoblastoid Cell Lines from Autism Spectrum Disorder. <i>Molecular Medicine</i> , 2011, 17, 799-806.	1.9	72
70	Peripheral blood RNA expression profiling in illicit methcathinone users reveals effect on immune system. <i>Frontiers in Genetics</i> , 2011, 2, 42.	1.1	3
71	A Gene Expression Pattern in Blood for the Early Detection of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 23, 109-119.	1.2	98
72	Differences in exon expression and alternatively spliced genes in blood of multiple sclerosis compared to healthy control subjects. <i>Journal of Neuroimmunology</i> , 2011, 230, 124-129.	1.1	19

#	ARTICLE	IF	CITATIONS
73	Are retinoids potential therapeutic agents in disorders of social cognition including autism?. FEBS Letters, 2011, 585, 1529-1536.	1.3	30
74	GABA- and acetylcholine-related gene expression in blood correlate with tic severity and microarray evidence for alternative splicing in Tourette syndrome: A pilot study. Brain Research, 2011, 1381, 228-236.	1.1	47
75	Peripheral biomarkers of cognitive response to dopamine receptor agonist treatment. Psychopharmacology, 2011, 214, 779-789.	1.5	48
76	Exon expression and alternatively spliced genes in tourette syndrome. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 72-78.	1.1	30
77	Dysfunctional gene splicing as a potential contributor to neuropsychiatric disorders. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 382-392.	1.1	57
78	Similarities and differences in peripheral blood gene expression signatures of individuals with schizophrenia and their first-degree biological relatives. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 869-887.	1.1	53
79	The Utility of Gene Expression in Blood Cells for Diagnosing Neuropsychiatric Disorders. International Review of Neurobiology, 2011, 101, 41-63.	0.9	26
80	Dysbindin-1 and NRG-1 gene expression in immortalized lymphocytes from patients with schizophrenia. Journal of Human Genetics, 2011, 56, 478-483.	1.1	27
81	An integrative functional genomics approach for discovering biomarkers in schizophrenia. Briefings in Functional Genomics, 2011, 10, 387-399.	1.3	19
82	Progress in defining the biological causes of schizophrenia. Expert Reviews in Molecular Medicine, 2011, 13, e25.	1.6	29
83	Analysis of genetic expression in the soft palate of patients with obstructive sleep apnea. Acta Oto-Laryngologica, 2012, 132, S63-S68.	0.3	8
84	Genetics and Gene Expression Involving Stress and Distress Pathways in Fibromyalgia with and without Comorbid Chronic Fatigue Syndrome. Pain Research and Treatment, 2012, 2012, 1-13.	1.7	14
85	Dexamethasone Stimulated Gene Expression in Peripheral Blood is a Sensitive Marker for Glucocorticoid Receptor Resistance in Depressed Patients. Neuropsychopharmacology, 2012, 37, 1455-1464.	2.8	146
86	Finding the needle in the haystack: A review of microarray gene expression research into schizophrenia. Australian and New Zealand Journal of Psychiatry, 2012, 46, 598-610.	1.3	43
87	Genome-wide association analysis of coffee drinking suggests association with CYP1A1/CYP1A2 and NRCAM. Molecular Psychiatry, 2012, 17, 1116-1129.	4.1	112
88	Validation of AclarusDx, a Blood-Based Transcriptomic Signature for the Diagnosis of Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 32, 169-181.	1.2	54
89	Blood chromatin as a biosensor of the epigenetic milieu: a tool for studies in living psychiatric patients. Epigenomics, 2012, 4, 551-559.	1.0	15
90	Gene expression of peripheral blood lymphocytes may discriminate patients with schizophrenia from controls. Psychiatry Research, 2012, 200, 1018-1021.	1.7	15

#	ARTICLE	IF	CITATIONS
91	Gene expression profiling and therapeutic interventions in neurodegenerative diseases: a comprehensive study on potentiality and limits. <i>Expert Opinion on Drug Discovery</i> , 2012, 7, 245-259.	2.5	18
92	TCF4 sequence variants and mRNA levels are associated with neurodevelopmental characteristics in psychotic disorders. <i>Translational Psychiatry</i> , 2012, 2, e112-e112.	2.4	67
93	Comparison of brain and blood gene expression in an animal model of negative symptoms in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 38, 142-148.	2.5	6
94	Increased sensitivity of next generation sequencing-based expression profiling after globin reduction in human blood RNA. <i>BMC Genomics</i> , 2012, 13, 28.	1.2	62
95	Correlations of gene expression with ratings of inattention and hyperactivity/impulsivity in tourette syndrome: a pilot study. <i>BMC Medical Genomics</i> , 2012, 5, 49.	0.7	10
96	O-64 - Blood-based gene expression profiles for classification of subsyndromal symptomatic depression and major depressive disorder. <i>European Psychiatry</i> , 2012, 27, 1.	0.1	0
97	Genome-Wide Expression Profiling of Patients with Primary Open Angle Glaucoma. , 2012, 53, 5899.		12
98	Blood-Based Gene Expression Signatures of Infants and Toddlers With Autism. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 934-944.e2.	0.3	98
99	Marked Reduction of AKT1 Expression and Deregulation of AKT1-Associated Pathways in Peripheral Blood Mononuclear Cells of Schizophrenia Patients. <i>PLoS ONE</i> , 2012, 7, e32618.	1.1	52
100	A Gene Co-Expression Network in Whole Blood of Schizophrenia Patients Is Independent of Antipsychotic-Use and Enriched for Brain-Expressed Genes. <i>PLoS ONE</i> , 2012, 7, e39498.	1.1	125
101	Characteristics and Predictive Value of Blood Transcriptome Signature in Males with Autism Spectrum Disorders. <i>PLoS ONE</i> , 2012, 7, e49475.	1.1	151
102	The genetics of major depression. , 0, , 212-229.		0
103	A molecular signature in blood identifies early Parkinson's disease. <i>Molecular Neurodegeneration</i> , 2012, 7, 26.	4.4	99
104	In Vivo MicroRNA Detection and Quantitation in Cerebrospinal Fluid. <i>Journal of Molecular Neuroscience</i> , 2012, 47, 243-248.	1.1	64
105	Pilot study: potential transcription markers for adult attention-deficit hyperactivity disorder in whole blood. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2012, 4, 77-84.	1.7	7
106	Increased gene expression of FOXP1 in patients with autism spectrum disorders. <i>Molecular Autism</i> , 2013, 4, 23.	2.6	53
107	Depression pathogenesis and treatment: what can we learn from blood mRNA expression?. <i>BMC Medicine</i> , 2013, 11, 28.	2.3	102
108	Inflammation and neurological disease-related genes are differentially expressed in depressed patients with mood disorders and correlate with morphometric and functional imaging abnormalities. <i>Brain, Behavior, and Immunity</i> , 2013, 31, 161-171.	2.0	127

#	ARTICLE	IF	CITATIONS
109	Neurotransmitter receptor and regulatory gene expression in peripheral blood of Brazilian drug-naïve first-episode psychosis patients before and after antipsychotic treatment. <i>Psychiatry Research</i> , 2013, 210, 1290-1292.	1.7	11
110	Comparison of gene expression profiles in the blood, hippocampus and prefrontal cortex of rats. <i>In Silico Pharmacology</i> , 2013, 1, 15.	1.8	39
111	Gene expression: Biomarker of antidepressant therapy?. <i>International Review of Psychiatry</i> , 2013, 25, 579-591.	1.4	21
112	On the outside, looking in: A review and evaluation of the comparability of blood and brain gene expression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 595-603.	1.1	208
113	Positive Correlation Between Serum Interleukin-1 β and State Anger in Rugby Athletes. <i>Aggressive Behavior</i> , 2013, 39, 141-148.	1.5	32
114	Serum and gene expression profile of cytokines in first-episode psychosis. <i>Brain, Behavior, and Immunity</i> , 2013, 31, 90-95.	2.0	174
115	Expression of the Transcription Factor Sp1 and its Regulatory hsa-miR-29b in Peripheral Blood Mononuclear Cells from Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 35, 487-494.	1.2	61
116	Assessment of gene expression in peripheral blood using RNAseq before and after weight restoration in anorexia nervosa. <i>Psychiatry Research</i> , 2013, 210, 287-293.	1.7	9
117	Gene expression analysis reveals schizophrenia-associated dysregulation of immune pathways in peripheral blood mononuclear cells. <i>Journal of Psychiatric Research</i> , 2013, 47, 425-437.	1.5	83
118	Gene expression profiling in treatment-naive schizophrenia patients identifies abnormalities in biological pathways involving AKT1 that are corrected by antipsychotic medication. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1483-1503.	1.0	59
119	Correlative gene expression pattern linking RNF123 to cellular stress/senescence genes in patients with depressive disorder: Implication of DRD1 in the cerebral cortex. <i>Journal of Affective Disorders</i> , 2013, 151, 432-438.	2.0	15
120	Molecular signature of disease onset in Granulin mutation carriers: a gene expression analysis study. <i>Neurobiology of Aging</i> , 2013, 34, 1837-1845.	1.5	19
121	Coding and Noncoding Gene Expression Biomarkers in Mood Disorders and Schizophrenia. <i>Disease Markers</i> , 2013, 35, 11-21.	0.6	26
122	Gene expression changes with age in skin, adipose tissue, blood and brain. <i>Genome Biology</i> , 2013, 14, R75.	13.9	263
123	Blood-based gene expression predictors of PTSD risk and resilience among deployed marines: A pilot study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 313-326.	1.1	63
124	Blood Transcriptomic Biomarkers of Alzheimer's Disease Patients Treated with EHT 0202. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 469-483.	1.2	10
125	Post-exertion malaise in chronic fatigue syndrome: symptoms and gene expression. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2013, 1, 190-209.	1.2	12
126	Explorando o componente inflamatório da esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2013, 40, 28-34.	0.6	1

#	ARTICLE	IF	CITATIONS
127	Utilization of Never-Medicated Bipolar Disorder Patients towards Development and Validation of a Peripheral Biomarker Profile. PLoS ONE, 2013, 8, e69082.	1.1	29
128	MicroRNAs as biomarkers for CNS disease. Frontiers in Molecular Neuroscience, 2013, 6, 39.	1.4	195
129	Microarray Profiling and Co-Expression Network Analysis of Circulating lncRNAs and mRNAs Associated with Major Depressive Disorder. PLoS ONE, 2014, 9, e93388.	1.1	103
130	Stress-Related Alcohol Consumption in Heavy Drinkers Correlates with Expression of miR-10a, miR-21, and Components of the TAR-RNA-Binding Protein-Associated Complex. Alcoholism: Clinical and Experimental Research, 2014, 38, 2743-2753.		30
131	PD_NGSAtlas: a reference database combining next-generation sequencing epigenomic and transcriptomic data for psychiatric disorders. BMC Medical Genomics, 2014, 7, 71.	0.7	9
132	Epigenetics of Schizophrenia. International Review of Neurobiology, 2014, 115, 155-201.	0.9	18
133	Transcriptome analysis of distinct mouse strains reveals kinesin light chain-1 splicing as an amyloid- β accumulation modifier. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 2638-2643.	3.3	31
134	Blood transcriptomic biomarkers in adult primary care patients with major depressive disorder undergoing cognitive behavioral therapy. Translational Psychiatry, 2014, 4, e442-e442.	2.4	68
135	Effects of genetic and early environmental risk factors for depression on serotonin transporter expression and methylation profiles. Translational Psychiatry, 2014, 4, e402-e402.	2.4	102
136	Gene-expression differences in peripheral blood between lithium responders and non-responders in the Lithium Treatment-Moderate dose Use Study (LiTMUS). Pharmacogenomics Journal, 2014, 14, 182-191.	0.9	37
137	microRNAs as novel biomarkers of schizophrenia (Review). Experimental and Therapeutic Medicine, 2014, 8, 1671-1676.	0.8	33
138	Rasgrf2 controls dopaminergic adaptations to alcohol in mice. Brain Research Bulletin, 2014, 109, 143-150.	1.4	10
139	Transcriptome profiling and pathway analysis of genes expressed differentially in participants with or without a positive response to topiramate treatment for methamphetamine addiction. BMC Medical Genomics, 2014, 7, 65.	0.7	13
140	Comparative gene expression profiling analysis of lymphoblastoid cells reveals neuron-specific enolase gene (<i>ENO2</i>) as a susceptibility gene of heroin dependence. Addiction Biology, 2014, 19, 102-110.	1.4	11
141	Epigenetic epidemiology: Promises for public health research. Environmental and Molecular Mutagenesis, 2014, 55, 171-183.	0.9	101
142	Deficits in Bioenergetics and Impaired Immune Response in Granulocytes From Children With Autism. Pediatrics, 2014, 133, e1405-e1410.	1.0	91
143	GC-MS based metabolomics identification of possible novel biomarkers for schizophrenia in peripheral blood mononuclear cells. Molecular BioSystems, 2014, 10, 2398-2406.	2.9	61
144	Ethanol treatment of lymphoblastoid cell lines from alcoholics and non-alcoholics causes many subtle changes in gene expression. Alcohol, 2014, 48, 603-610.	0.8	18

#	ARTICLE	IF	CITATIONS
145	Prenatal stress increases the striatal and hippocampal expression of correlating c-FOS and serotonin transporters in murine offspring. <i>International Journal of Developmental Neuroscience</i> , 2014, 38, 30-35.	0.7	22
146	N-ethylmaleimide-sensitive factor interacts with the serotonin transporter and modulates its trafficking: implications for pathophysiology in autism. <i>Molecular Autism</i> , 2014, 5, 33.	2.6	12
147	Epigenetics and Suicidal Behavior Research Pathways. <i>American Journal of Preventive Medicine</i> , 2014, 47, S144-S151.	1.6	46
148	Developing novel blood-based biomarkers for Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, 109-114.	0.4	138
149	ANKK3 gene expression in bipolar disorder and schizophrenia. <i>British Journal of Psychiatry</i> , 2014, 205, 244-245.	1.7	32
150	Peripheral Biomarkers Revisited: Integrative Profiling of Peripheral Samples for Psychiatric Research. <i>Biological Psychiatry</i> , 2014, 75, 920-928.	0.7	76
151	Are there meaningful biomarkers of treatment response for depression?. <i>Drug Discovery Today</i> , 2014, 19, 539-561.	3.2	58
152	Understanding phenotype variability in frontotemporal lobar degeneration due to granulin mutation. <i>Neurobiology of Aging</i> , 2014, 35, 1206-1211.	1.5	9
153	Dynamic changes in IKBKAP mRNA levels during crisis of familial dysautonomia patients. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2014, 180, 59-65.	1.4	5
154	The critical need for defining preclinical biomarkers in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, S196-212.	0.4	113
155	Evaluation of neurotransmitter receptor gene expression identifies GABA receptor changes: A follow-up study in antipsychotic-naïve patients with first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2014, 56, 130-136.	1.5	13
156	Gene expression profile of cytokines in leukocytes from stereotypic horses. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2015, 10, 556-560.	0.5	8
157	MicroRNA Circulating in the Early Aftermath of Motor Vehicle Collision Predict Persistent Pain Development and Suggest a Role for microRNA in Sex-Specific Pain Differences. <i>Molecular Pain</i> , 2015, 11, s12990-015-0069.	1.0	30
158	MTRNR2L12: A Candidate Blood Marker of Early Alzheimer's Disease-Like Dementia in Adults with Down Syndrome. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 145-150.	1.2	17
159	Altered Gene Expression in Schizophrenia: Findings from Transcriptional Signatures in Fibroblasts and Blood. <i>PLoS ONE</i> , 2015, 10, e0116686.	1.1	65
160	Transcriptome Profiling of Peripheral Blood in 22q11.2 Deletion Syndrome Reveals Functional Pathways Related to Psychosis and Autism Spectrum Disorder. <i>PLoS ONE</i> , 2015, 10, e0132542.	1.1	40
161	Biomarker approaches in major depressive disorder evaluated in the context of current hypotheses. <i>Biomarkers in Medicine</i> , 2015, 9, 277-297.	0.6	59
162	Circulating Biomarker Panels in Alzheimer's Disease. <i>Gerontology</i> , 2015, 61, 497-503.	1.4	31

#	ARTICLE	IF	CITATIONS
163	DICER1 and microRNA regulation in post-traumatic stress disorder with comorbid depression. <i>Nature Communications</i> , 2015, 6, 10106.	5.8	81
164	Network analysis of gene expression in peripheral blood identifies mTOR and NF- κ B pathways involved in antipsychotic-induced extrapyramidal symptoms. <i>Pharmacogenomics Journal</i> , 2015, 15, 452-460.	0.9	18
165	Messenger RNA processing is altered in autosomal dominant leukodystrophy. <i>Human Molecular Genetics</i> , 2015, 24, 2746-2756.	1.4	27
166	Neurotrophin blood-based gene expression and social cognition analysis in patients with autism spectrum disorder. <i>Neurogenetics</i> , 2015, 16, 123-131.	0.7	35
167	The Role of Epigenetic Change in Autism Spectrum Disorders. <i>Frontiers in Neurology</i> , 2015, 6, 107.	1.1	186
168	Mitochondrial Citrate Transporter-dependent Metabolic Signature in the 22q11.2 Deletion Syndrome. <i>Journal of Biological Chemistry</i> , 2015, 290, 23240-23253.	1.6	56
169	MicroRNA expression profiles differentiate chronic pain condition subtypes. <i>Translational Research</i> , 2015, 166, 706-720.e11.	2.2	32
170	Mitochondrial complex I and III mRNA levels in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 184, 160-163.	2.0	21
171	Blood transcriptomic markers for major depression: from animal models to clinical settings. <i>Annals of the New York Academy of Sciences</i> , 2015, 1344, 37-49.	1.8	16
172	Copy number variants in attention-deficit hyperactive disorder. <i>Psychiatric Genetics</i> , 2015, 25, 59-70.	0.6	25
173	Low ω -variance RNAs identify Parkinson's disease molecular signature in blood. <i>Movement Disorders</i> , 2015, 30, 813-821.	2.2	18
174	The oxytocin-CD38-vitamin A axis in pregnant women involves both hypothalamic and placental regulation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-6.	0.7	2
175	Increased expression of NDEL1 and MBP genes in the peripheral blood of antipsychotic-naïve patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , 2015, 25, 2416-2425.	0.3	23
176	Hippocampal volume and depressive symptoms are linked to serum IL-18 in schizophrenia. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2015, 2, e111.	3.1	17
177	A composite peripheral blood gene expression measure as a potential diagnostic biomarker in bipolar disorder. <i>Translational Psychiatry</i> , 2015, 5, e614-e614.	2.4	58
178	Chromatin-Remodeling-Factor ARID1B Represses Wnt/ β -Catenin Signaling. <i>American Journal of Human Genetics</i> , 2015, 97, 445-456.	2.6	67
179	Applicability of gene expression and systems biology to develop pharmacogenetic predictors; antipsychotic-induced extrapyramidal symptoms as an example. <i>Pharmacogenomics</i> , 2015, 16, 1975-1988.	0.6	11
180	Changes in winter depression phenotype correlate with white blood cell gene expression profiles: A combined metagene and gene ontology approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 58, 8-14.	2.5	5

#	ARTICLE	IF	CITATIONS
181	Converging Evidence Implicates the Abnormal MicroRNA System in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 728-735.	2.3	32
182	DNA extracted from saliva for methylation studies of psychiatric traits: Evidence tissue specificity and relatedness to brain. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 36-44.	1.1	281
183	G1/S Cell Cycle Checkpoint Dysfunction in Lymphoblasts from Sporadic Parkinson's Disease Patients. <i>Molecular Neurobiology</i> , 2015, 52, 386-398.	1.9	18
184	Neuroimmune biomarkers in schizophrenia. <i>Schizophrenia Research</i> , 2016, 176, 3-13.	1.1	109
185	Glycogen synthase kinase-3 β in patients with bipolar I disorder: results from a prospective study. <i>Bipolar Disorders</i> , 2016, 18, 334-341.	1.1	8
186	Sports-Related Concussion Results in Differential Expression of Nuclear Factor- κ B Pathway Genes in Peripheral Blood During the Acute and Subacute Periods. <i>Journal of Head Trauma Rehabilitation</i> , 2016, 31, 269-276.	1.0	17
187	Warburg effect linked to cognitive-executive deficits in <i>FMR1</i> premutation. <i>FASEB Journal</i> , 2016, 30, 3334-3351.	0.2	33
188	Insights into psychosis risk from leukocyte microRNA expression. <i>Translational Psychiatry</i> , 2016, 6, e981-e981.	2.4	29
189	Glycogen Synthase Kinase-3 β : Variation over Time and the Possible Association with Mood and Cognition in Healthy Individuals. <i>Neuropsychobiology</i> , 2016, 73, 108-115.	0.9	5
190	The potential of genetic and gene expression analysis in the diagnosis of neuropsychiatric disorders. <i>Expert Review of Molecular Diagnostics</i> , 2016, 16, 677-695.	1.5	5
191	Biomarkers for drug development in early psychosis: Current issues and promising directions. <i>European Neuropsychopharmacology</i> , 2016, 26, 923-937.	0.3	37
192	Transcriptomics in Interferon- γ -Treated Patients Identifies Inflammation-, Neuroplasticity- and Oxidative Stress-Related Signatures as Predictors and Correlates of Depression. <i>Neuropsychopharmacology</i> , 2016, 41, 2502-2511.	2.8	48
193	Alterations of microRNA-124 expression in peripheral blood mononuclear cells in pre- and post-treatment patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016, 78, 65-71.	1.5	74
194	Preliminary evidence for association of genetic variants in pri-miR-34b/c and abnormal miR-34c expression with attention deficit and hyperactivity disorder. <i>Translational Psychiatry</i> , 2016, 6, e879-e879.	2.4	31
195	Whole-genome expression analysis reveals genes associated with treatment response to escitalopram in major depression. <i>European Neuropsychopharmacology</i> , 2016, 26, 1475-1483.	0.3	22
196	Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1841-1852.	1.5	45
197	Attention: Schizophrenia Risk Gene Product miR-137 Now Targeting EFNB2. <i>EBioMedicine</i> , 2016, 12, 10-11.	2.7	3
199	Effects of Lithium Monotherapy for Bipolar Disorder on Gene Expression in Peripheral Lymphocytes. <i>Molecular Neuropsychiatry</i> , 2016, 2, 115-123.	3.0	27

#	ARTICLE	IF	CITATIONS
200	Peripheral Serotonin 1B Receptor Transcription Predicts the Effect of Acute Tryptophan Depletion on Risky Decision-Making. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, pyw075.	1.0	5
201	<i>VRK2</i> gene expression in schizophrenia, bipolar disorder and healthy controls. <i>British Journal of Psychiatry</i> , 2016, 209, 114-120.	1.7	17
202	The role of genes involved in stress, neural plasticity, and brain circuitry in depressive phenotypes: Convergent findings in a mouse model of neglect. <i>Behavioural Brain Research</i> , 2016, 315, 71-74.	1.2	28
203	The human BDNF gene: peripheral gene expression and protein levels as biomarkers for psychiatric disorders. <i>Translational Psychiatry</i> , 2016, 6, e958-e958.	2.4	158
204	MicroRNA-137 Inhibits EFN2 Expression Affected by a Genetic Variant and Is Expressed Aberrantly in Peripheral Blood of Schizophrenia Patients. <i>EBioMedicine</i> , 2016, 12, 133-142.	2.7	41
205	The mRNA expression of DRD2, PI3KCB, and AKT1 in the blood of acute schizophrenia patients. <i>Psychiatry Research</i> , 2016, 243, 397-402.	1.7	13
206	Expression and methylation in posttraumatic stress disorder and resilience; evidence of a role for odorant receptors. <i>Psychiatry Research</i> , 2016, 245, 36-44.	1.7	21
207	Seeking an objective diagnosis of depression. <i>Biomarkers in Medicine</i> , 2016, 10, 861-875.	0.6	32
208	A Putative Blood-Based Biomarker for Autism Spectrum Disorder-Associated Ileocolitis. <i>Scientific Reports</i> , 2016, 6, 35820.	1.6	9
209	Dysregulated 14-3-3 Family in Peripheral Blood Leukocytes of Patients with Schizophrenia. <i>Scientific Reports</i> , 2016, 6, 23791.	1.6	17
210	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. <i>Scientific Reports</i> , 2016, 6, 31033.	1.6	8
211	Gene-expression analysis of clozapine treatment in whole blood of patients with psychosis. <i>Psychiatric Genetics</i> , 2016, 26, 211-217.	0.6	9
212	Absolute Measurements of Macrophage Migration Inhibitory Factor and Interleukin-1 β mRNA Levels Accurately Predict Treatment Response in Depressed Patients. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw045.	1.0	100
213	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016, 12, 174480691664678.	1.0	26
214	Genome-wide microarray analysis of gene expression profiling in major depression and antidepressant therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 334-340.	2.5	53
215	Gene expression in major depressive disorder. <i>Molecular Psychiatry</i> , 2016, 21, 339-347.	4.1	178
216	Stress-Related Immune Markers in Depression: Implications for Treatment. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw001.	1.0	53
217	Peripheral blood collection: the first step towards gene expression profiling. <i>Biomarkers</i> , 2016, 21, 458-465.	0.9	11

#	ARTICLE	IF	CITATIONS
218	Assessing the fetal effects of maternal obesity via transcriptomic analysis of cord blood: a prospective caseâ€“control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 180-189.	1.1	39
219	The Challenges of Precision Medicine in Obstructive Sleep Apnea. Sleep Medicine Clinics, 2016, 11, 213-226.	1.2	32
220	Transcriptomics and the mechanisms of antidepressant efficacy. European Neuropsychopharmacology, 2016, 26, 105-112.	0.3	19
221	Blood gene expression studies in migraine: Potential and caveats. Cephalalgia, 2016, 36, 669-678.	1.8	19
222	The microtubular cytoskeleton of olfactory neurons derived from patients with schizophrenia or with bipolar disorder: Implications for biomarker characterization, neuronal physiology and pharmacological screening. Molecular and Cellular Neurosciences, 2016, 73, 84-95.	1.0	21
223	Genome-Wide Changes in Peripheral Gene Expression following Sports-Related Concussion. Journal of Neurotrauma, 2016, 33, 1576-1585.	1.7	26
224	Aberrant expression of microRNAs as biomarker for schizophrenia: from acute state to partial remission, and from peripheral blood to cortical tissue. Translational Psychiatry, 2016, 6, e717-e717.	2.4	64
225	Decreased mRNA expression for the two subunits of system xcâˆ², SLC3A2 and SLC7A11, in WBC in patients with schizophrenia: Evidence in support of the hypo-glutamatergic hypothesis of schizophrenia. Journal of Psychiatric Research, 2016, 72, 58-63.	1.5	61
226	ADP ribosyl-cyclases (CD38 / CD157), social skills and friendship. Psychoneuroendocrinology, 2017, 78, 185-192.	1.3	10
227	Separate and combined effects of genetic variants and pre-treatment whole blood gene expression on response to exposure-based cognitive behavioural therapy for anxiety disorders. World Journal of Biological Psychiatry, 2017, 18, 215-226.	1.3	9
228	Gene expression analysis in untreated absence epilepsy demonstrates an inconsistent pattern. Epilepsy Research, 2017, 132, 84-90.	0.8	7
229	Increased levels of 5HT2A receptor mRNA expression in peripheral blood mononuclear cells of patients with major depression: correlations with severity and duration of illness. Nordic Journal of Psychiatry, 2017, 71, 282-288.	0.7	26
230	Examining FKBP5 mRNA expression in human iPSC-derived neural cells. Psychiatry Research, 2017, 247, 172-181.	1.7	18
231	Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. Journal of Psychiatric Research, 2017, 92, 24-30.	1.5	25
232	Putative biological predictors of treatment response in bipolar disorders. Personalized Medicine in Psychiatry, 2017, 1-2, 39-58.	0.1	1
233	Identification of molecular alterations in leukocytes from gene expression profiles of peripheral whole blood of Alzheimerâ€™s disease. Scientific Reports, 2017, 7, 14027.	1.6	17
234	Successful treatment with risperidone increases 5-HT _{2A} receptor gene expression in patients with paranoid schizophrenia â€“ data from a prospective study. Brain and Behavior, 2017, 7, e00798.	1.0	8
235	Blood levels of D-amino acid oxidase vs. D-amino acids in reflecting cognitive aging. Scientific Reports, 2017, 7, 14849.	1.6	71

#	ARTICLE	IF	CITATIONS
236	Peripheral blood microRNA and VEGFA mRNA changes following electroconvulsive therapy: implications for psychotic depression. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 594-606.	2.2	32
237	Pharmacoeugenomics of opiates and methadone maintenance treatment: current data and perspectives. <i>Pharmacogenomics</i> , 2017, 18, 1359-1372.	0.6	8
238	Gene-wide Association Study Reveals RNF122 Ubiquitin Ligase as a Novel Susceptibility Gene for Attention Deficit Hyperactivity Disorder. <i>Scientific Reports</i> , 2017, 7, 5407.	1.6	11
239	Microarray gene-expression study in fibroblast and lymphoblastoid cell lines from antipsychotic-naïve first-episode schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2017, 95, 91-101.	1.5	12
240	The role of blood-based biomarkers in advancing personalized therapy of schizophrenia. <i>Expert Review of Precision Medicine and Drug Development</i> , 2017, 2, 363-370.	0.4	0
241	Two-way learning with one-way supervision for gene expression data. <i>BMC Bioinformatics</i> , 2017, 18, 150.	1.2	2
242	Newborn sex-specific transcriptome signatures and gestational exposure to fine particles: findings from the ENVIRONAGE birth cohort. <i>Environmental Health</i> , 2017, 16, 52.	1.7	22
243	Similarity and Differences in Inflammation-Related Characteristics of the Peripheral Immune System of Patients with Parkinson's and Alzheimer's Diseases. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2633.	1.8	39
244	A Single Dose of LSD Does Not Alter Gene Expression of the Serotonin 2A Receptor Gene (HTR2A) or Early Growth Response Genes (EGR1-3) in Healthy Subjects. <i>Frontiers in Pharmacology</i> , 2017, 8, 423.	1.6	11
245	Systems Biology Schemes for the Study of Neuropsychiatric Diseases. <i>Frontiers in Physiology</i> , 2017, 8, 286.	1.3	4
246	Adolescent Ethanol Exposure Leads to Stimulus-Specific Changes in Cytokine Reactivity and Hypothalamic-Pituitary-Adrenal Axis Sensitivity in Adulthood. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 78.	1.0	40
247	Leukocyte Expression of Type 1 and Type 2 Purinergic Receptors and Pro-Inflammatory Cytokines during Total Sleep Deprivation and/or Sleep Extension in Healthy Subjects. <i>Frontiers in Neuroscience</i> , 2017, 11, 240.	1.4	15
248	Predicting Autism Spectrum Disorder Using Blood-based Gene Expression Signatures and Machine Learning. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 47-52.	0.9	39
249	Molecular Genetics and Genomics. , 0, , 45-62.		0
250	Correlation of DRD2 mRNA expression levels with deficit syndrome severity in chronic schizophrenia patients receiving clozapine treatment. <i>Oncotarget</i> , 2017, 8, 86515-86526.	0.8	4
251	Evidence for additionally increased apoptosis in the peripheral blood mononuclear cells of major depressive patients with a high risk for suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 388-396.	1.1	11
252	Identification of miR-22-3p, miR-92a-3p, and miR-137 in peripheral blood as biomarker for schizophrenia. <i>Psychiatry Research</i> , 2018, 265, 70-76.	1.7	51
253	How to measure glucocorticoid receptor sensitivity in patients with stress-related psychiatric disorders. <i>Psychoneuroendocrinology</i> , 2018, 91, 235-260.	1.3	54

#	ARTICLE	IF	CITATIONS
254	Low resilience to stress is associated with candidate gene expression alterations in the dopaminergic signalling pathway. <i>Psychogeriatrics</i> , 2018, 18, 190-201.	0.6	29
255	Understanding the influence of antipsychotic drugs on global methylation events and its relevance in treatment response. <i>Epigenomics</i> , 2018, 10, 233-247.	1.0	31
256	CHRFAM7A gene expression in schizophrenia: clinical correlates and the effect of antipsychotic treatment. <i>Journal of Neural Transmission</i> , 2018, 125, 741-748.	1.4	10
257	Precision Psychiatry: Personalized Clinical Approach to Depression. , 2018, , 245-261.		0
258	Human pain genetics database: a resource dedicated to human pain genetics research. <i>Pain</i> , 2018, 159, 749-763.	2.0	80
259	Attenuated Notch signaling in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2018, 8, 5349.	1.6	37
260	Emerging role of miRNA in attention deficit hyperactivity disorder: a systematic review. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2018, 10, 49-63.	1.7	39
261	The importance of TCF4 gene in the etiology of recurrent depressive disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 80, 304-308.	2.5	23
262	Major depression and its treatment. <i>Current Opinion in Psychiatry</i> , 2018, 31, 7-16.	3.1	90
263	Transcriptomic and epigenomic biomarkers of antidepressant response. <i>Journal of Affective Disorders</i> , 2018, 233, 36-44.	2.0	31
264	Complement Gene Expression Correlates with Superior Frontal Cortical Thickness in Humans. <i>Neuropsychopharmacology</i> , 2018, 43, 525-533.	2.8	32
265	Evaluation of the Association Between Genetic Variants in Circadian Rhythm Genes and Posttraumatic Stress Symptoms Identifies a Potential Functional Allele in the Transcription Factor TEF. <i>Frontiers in Psychiatry</i> , 2018, 9, 597.	1.3	9
266	COMT, 5-HTR2A, and SLC6A4 mRNA Expressions in First-Episode Antipsychotic-Naïve Schizophrenia and Association With Treatment Outcomes. <i>Frontiers in Psychiatry</i> , 2018, 9, 577.	1.3	9
267	Alterations in mitochondrial membrane potential in peripheral blood mononuclear cells in Parkinson's Disease: Potential for a novel biomarker. <i>Restorative Neurology and Neuroscience</i> , 2018, 36, 719-727.	0.4	16
268	Convergent analysis of genome-wide genotyping and transcriptomic data suggests association of zinc finger genes with lithium response in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 658-664.	1.1	10
269	A Functional riboSNitch in the 3' Untranslated Region of FKBP5 Alters MicroRNA-320a Binding Efficiency and Mediates Vulnerability to Chronic Post-Traumatic Pain. <i>Journal of Neuroscience</i> , 2018, 38, 8407-8420.	1.7	52
270	On the Problem of Female Infertility: A Search for Genetic Markers. <i>Biology Bulletin Reviews</i> , 2018, 8, 256-265.	0.3	1
271	Narrowing the Genetic Causes of Language Dysfunction in the 1q21.1 Microduplication Syndrome. <i>Frontiers in Pediatrics</i> , 2018, 6, 163.	0.9	16

#	ARTICLE	IF	CITATIONS
272	DNA Methylation Profiling Reveals the Change of Inflammation-Associated ZC3H12D in Leukoaraiosis. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 143.	1.7	18
273	Gene expression profile in peripheral blood mononuclear cells of postpartum depression patients. <i>Scientific Reports</i> , 2018, 8, 10139.	1.6	17
274	Genome-wide mRNA expression analysis of peripheral blood from patients with obsessive-compulsive disorder. <i>Scientific Reports</i> , 2018, 8, 12583.	1.6	8
275	Expression of TCN1 in Blood is Negatively Associated with Verbal Declarative Memory Performance. <i>Scientific Reports</i> , 2018, 8, 12654.	1.6	14
276	Expression Analysis of Protein Inhibitor of Activated STAT (PIAS) Genes in Autistic Patients. <i>Advances in Neuroimmune Biology</i> , 2018, 7, 129-134.	0.7	3
277	Biomarkers for response in major depression: comparing paroxetine and venlafaxine from two randomised placebo-controlled clinical studies. <i>Translational Psychiatry</i> , 2019, 9, 182.	2.4	57
278	Methylation analysis for postpartum depression: a case control study. <i>BMC Psychiatry</i> , 2019, 19, 190.	1.1	3
279	Transcriptional changes in the stress pathway are related to symptoms in schizophrenia and to mood in schizoaffective disorder. <i>Schizophrenia Research</i> , 2019, 213, 87-95.	1.1	10
280	Assessment of Apoptosis Pathway in Peripheral Blood of Autistic Patients. <i>Journal of Molecular Neuroscience</i> , 2019, 69, 588-596.	1.1	9
281	Depression and suicide risk prediction models using blood-derived multi-omics data. <i>Translational Psychiatry</i> , 2019, 9, 262.	2.4	38
282	Global expression profiling of cognitive level and decline in middle-aged monozygotic twins. <i>Neurobiology of Aging</i> , 2019, 84, 141-147.	1.5	10
283	Multi-omics analysis identifies mitochondrial pathways associated with anxiety-related behavior. <i>PLoS Genetics</i> , 2019, 15, e1008358.	1.5	43
284	Cell type-specific gene expression patterns associated with posttraumatic stress disorder in World Trade Center responders. <i>Translational Psychiatry</i> , 2019, 9, 1.	2.4	383
285	Comprehensive functional annotation of susceptibility SNPs prioritized 10 genes for schizophrenia. <i>Translational Psychiatry</i> , 2019, 9, 56.	2.4	20
286	Comparing migraine with and without aura to healthy controls using RNA sequencing. <i>Cephalalgia</i> , 2019, 39, 1435-1444.	1.8	12
287	Shared Molecular Signatures Across Neurodegenerative Diseases and Herpes Virus Infections Highlights Potential Mechanisms for Maladaptive Innate Immune Responses. <i>Scientific Reports</i> , 2019, 9, 8795.	1.6	29
288	A cross-talk between blood-cell neuroplasticity-related genes and environmental enrichment in working dogs. <i>Scientific Reports</i> , 2019, 9, 6910.	1.6	12
289	A Tissue Comparison of DNA Methylation of the Glucocorticoid Receptor Gene (Nr3c1) in European Starlings. <i>Integrative and Comparative Biology</i> , 2019, 59, 264-272.	0.9	12

#	ARTICLE	IF	CITATIONS
290	Adaptive gene regulation in wild mammals exposed to high predator abundance. <i>Animal Behaviour</i> , 2019, 152, 53-61.	0.8	6
291	Time dependent expression of the blood biomarkers EIF2D and TOX in patients with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2019, 80, 909-915.	2.0	3
292	Gene expression shifts in yellow-bellied marmots prior to natal dispersal. <i>Behavioral Ecology</i> , 2019, 30, 267-277.	1.0	6
293	Altered expression of the CSMD1 gene in the peripheral blood of schizophrenia patients. <i>BMC Psychiatry</i> , 2019, 19, 113.	1.1	22
294	Genes associated with Parkinson's disease respond to increasing polychlorinated biphenyl levels in the blood of healthy females. <i>Environmental Pollution</i> , 2019, 250, 107-117.	3.7	3
295	Improving the classification of neuropsychiatric conditions using gene ontology terms as features. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 508-518.	1.1	4
296	Central and Peripheral Changes in FOS Expression in Schizophrenia Based on Genome-Wide Gene Expression. <i>Frontiers in Genetics</i> , 2019, 10, 232.	1.1	10
297	Proteomics Study of Peripheral Blood Mononuclear Cells (PBMCs) in Autistic Children. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 105.	1.8	36
298	Williams Syndrome, Human Self-Domestication, and Language Evolution. <i>Frontiers in Psychology</i> , 2019, 10, 521.	1.1	26
299	Longitudinal transcriptome-wide gene expression analysis of sleep deprivation treatment shows involvement of circadian genes and immune pathways. <i>Translational Psychiatry</i> , 2019, 9, 343.	2.4	21
300	Altered mRNA expressions for N-methyl-D-aspartate receptor-related genes in WBC of patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 1119-1125.	2.0	17
301	Distinct Expression Pattern of Epigenetic Machinery Genes in Blood Leucocytes and Brain Cortex of Depressive Patients. <i>Molecular Neurobiology</i> , 2019, 56, 4697-4707.	1.9	10
302	Rs7219 Regulates the Expression of GRB2 by Affecting miR-1288-Mediated Inhibition and Contributes to the Risk of Schizophrenia in the Chinese Han Population. <i>Cellular and Molecular Neurobiology</i> , 2019, 39, 137-147.	1.7	6
303	More dampened monocytic Toll-like receptor 4 response to lipopolysaccharide and its association with cognitive function in Chinese Han first-episode patients with schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 300-306.	1.1	14
304	Chemotherapy-induced fatigue is associated with changes in gene expression in the peripheral blood mononuclear cell fraction of patients with locoregional breast cancer. <i>Supportive Care in Cancer</i> , 2019, 27, 2479-2486.	1.0	6
305	Integrative network analysis reveals biological pathways associated with Williams syndrome. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 585-598.	3.1	24
306	Consideration of the role of MALAT1 long noncoding RNA and catalytic component of RNA-induced silencing complex (Argonaute 2, AGO2) in autism spectrum disorders: Yes, or no?. <i>Meta Gene</i> , 2019, 19, 193-198.	0.3	4
307	Alterations in Schizophrenia-Associated Genes Can Lead to Increased Power in Delta Oscillations. <i>Cerebral Cortex</i> , 2019, 29, 875-891.	1.6	30

#	ARTICLE	IF	CITATIONS
308	Epigenetic variability in the human oxytocin receptor (OXTR) gene: A possible pathway from early life experiences to psychopathologies. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 96, 127-142.	2.9	39
309	Longitudinal Analyses of Blood Transcriptome During Conversion to Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 247-255.	2.3	24
310	Can Peripheral Blood-Derived Gene Expressions Characterize Individuals at Ultra-high Risk for Psychosis?. <i>Computational Psychiatry</i> , 2020, 1, 168.	1.1	20
311	Suicide and suicide behaviors: A review of transcriptomics and multiomics studies in psychiatric disorders. <i>Journal of Neuroscience Research</i> , 2020, 98, 601-615.	1.3	14
312	A multimodal attempt to follow-up linkage regions using RNA expression, SNPs and CpG methylation in schizophrenia and bipolar disorder kindreds. <i>European Journal of Human Genetics</i> , 2020, 28, 499-507.	1.4	3
313	Longitudinal Basal Forebrain Degeneration Interacts with TREM2/C3 Biomarkers of Inflammation in Presymptomatic Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2020, 40, 1931-1942.	1.7	33
314	Literature review and methodological considerations for understanding circulating risk biomarkers following trauma exposure. <i>Molecular Psychiatry</i> , 2020, 25, 1986-1999.	4.1	7
315	Genes dysregulated in the blood of people with Williams syndrome are enriched in protein-coding genes positively selected in humans. <i>European Journal of Medical Genetics</i> , 2020, 63, 103828.	0.7	6
316	Environmental temperature and human epigenetic modifications: A systematic review. <i>Environmental Pollution</i> , 2020, 259, 113840.	3.7	31
317	Altered expression of the DISC1 gene in peripheral blood of patients with schizophrenia. <i>BMC Medical Genetics</i> , 2020, 21, 194.	2.1	5
318	Overexpression of complement component C4 in the dorsolateral prefrontal cortex, parietal cortex, superior temporal gyrus and associative striatum of patients with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 216-225.	2.0	25
319	miR-19b is elevated in peripheral blood of schizophrenic patients and attenuates proliferation of hippocampal neural progenitor cells. <i>Journal of Psychiatric Research</i> , 2020, 131, 102-107.	1.5	5
320	Major Depressive Disorder Is Associated With Differential Expression of Innate Immune and Neutrophil-Related Gene Networks in Peripheral Blood: A Quantitative Review of Whole-Genome Transcriptional Data From Case-Control Studies. <i>Biological Psychiatry</i> , 2020, 88, 625-637.	0.7	43
321	Gene expression of serotonergic markers in peripheral blood mononuclear cells of patients with late-onset Alzheimer's disease. <i>Heliyon</i> , 2020, 6, e04716.	1.4	4
322	Epigenomic Dysregulation in Schizophrenia: In Search of Disease Etiology and Biomarkers. <i>Cells</i> , 2020, 9, 1837.	1.8	55
323	Profile of the Nicotinic Cholinergic Receptor Alpha 7 Subunit Gene Expression is Associated with Response to Varenicline Treatment. <i>Genes</i> , 2020, 11, 746.	1.0	2
324	Schizophrenia risk candidate EGR3 is a novel transcriptional regulator of <i>RELN</i> and regulates neurite outgrowth via the Reelin signal pathway in vitro. <i>Journal of Neurochemistry</i> , 2021, 157, 1745-1758.	2.1	9
325	Language impairment with a microduplication in 1q42.3q43. <i>Clinical Linguistics and Phonetics</i> , 2021, 35, 610-635.	0.5	1

#	ARTICLE	IF	CITATIONS
326	Gene co-expression networks in peripheral blood capture dimensional measures of emotional and behavioral problems from the Child Behavior Checklist (CBCL). <i>Translational Psychiatry</i> , 2020, 10, 328.	2.4	2
327	Mitochondrial function parameters as a tool for tailored drug treatment of an individual with psychosis: a proof of concept study. <i>Scientific Reports</i> , 2020, 10, 12258.	1.6	9
328	Decreased Mitochondrial Function, Biogenesis, and Degradation in Peripheral Blood Mononuclear Cells from Amyotrophic Lateral Sclerosis Patients as a Potential Tool for Biomarker Research. <i>Molecular Neurobiology</i> , 2020, 57, 5084-5102.	1.9	20
329	Transcriptomic signatures of treatment response to the combination of escitalopram and memantine or placebo in late-life depression. <i>Molecular Psychiatry</i> , 2021, 26, 5171-5179.	4.1	4
330	Identifying key transcription factors for pharmacogenetic studies of antipsychotics induced extrapyramidal symptoms. <i>Psychopharmacology</i> , 2020, 237, 2151-2159.	1.5	4
331	Gene expression and response prediction to amisulpride in the OPTiMiSE first episode psychoses. <i>Neuropsychopharmacology</i> , 2020, 45, 1637-1644.	2.8	5
332	Shared transcriptional responses to con- and heterospecific behavioral antagonists in a wild songbird. <i>Scientific Reports</i> , 2020, 10, 4092.	1.6	11
333	Influence of storage conditions of small volumes of blood on immune transcriptomic profiles. <i>BMC Research Notes</i> , 2020, 13, 150.	0.6	2
334	Immune and Inflammatory Pathways Implicated by Whole Blood Transcriptomic Analysis in a Diverse Ancestry Alzheimer's Disease Cohort. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1047-1060.	1.2	6
335	Citalopram-induced pathways regulation and tentative treatment-outcome-predicting biomarkers in lymphoblastoid cell lines from depression patients. <i>Translational Psychiatry</i> , 2020, 10, 210.	2.4	7
336	Rett Syndrome, a Neurodevelopmental Disorder, Whole-Transcriptome, and Mitochondrial Genome Multiomics Analyses Identify Novel Variations and Disease Pathways. <i>OMICS A Journal of Integrative Biology</i> , 2020, 24, 160-171.	1.0	18
337	The NR3C1 gene expression is a potential surrogate biomarker for risk and diagnosis of posttraumatic stress disorder.. <i>Psychiatry Research</i> , 2020, 284, 112797.	1.7	15
338	A Novel Role of CD38 and Oxytocin as Tandem Molecular Moderators of Human Social Behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 115, 251-272.	2.9	23
339	Blood-based multi-tissue gene expression inference with Bayesian ridge regression. <i>Bioinformatics</i> , 2020, 36, 3788-3794.	1.8	28
340	Reduced regulatory T cells with increased proinflammatory response in patients with schizophrenia. <i>Psychopharmacology</i> , 2020, 237, 1861-1871.	1.5	27
341	Integrative analysis of lithium treatment associated effects on brain structure and peripheral gene expression reveals novel molecular insights into mechanism of action. <i>Translational Psychiatry</i> , 2020, 10, 103.	2.4	17
342	Transcriptomic profiles in Parkinson's disease. <i>Experimental Biology and Medicine</i> , 2021, 246, 584-595.	1.1	21
343	Integrated Systems Analysis Explores Dysfunctional Molecular Modules and Regulatory Factors in Children with Autism Spectrum Disorder. <i>Journal of Molecular Neuroscience</i> , 2021, 71, 358-368.	1.1	9

#	ARTICLE	IF	CITATIONS
344	Exploring cellular markers of metabolic syndrome in peripheral blood mononuclear cells across the neuropsychiatric spectrum. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 673-682.	2.0	15
345	Gene expression in major depressive disorder: Peripheral tissue and brain-based studies. , 2021, , 515-526.		0
346	Alteration of mitochondrial function in oxidative stress in parkinsonian neurodegeneration: A cross-sectional study. <i>Annals of Indian Academy of Neurology</i> , 2021, 24, 506.	0.2	6
347	Association of blood lead level with neurobehavior and neurotransmitter expressions in Indian children. <i>Toxicology Reports</i> , 2021, 8, 971-976.	1.6	8
348	Trough Melatonin Levels Differ between Early and Late Phases of Alzheimer Disease. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 135-144.	0.9	5
349	Expression of Dopamine D1 α 4 and Serotonin 5-HT1A-3A Receptors in Blood Mononuclear Cells in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 645081.	1.3	10
350	Machine learning and bioinformatic analysis of brain and blood mRNA profiles in major depressive disorder: A case α control study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021, 186, 101-112.	1.1	3
351	Expression of Selected Genes Involved in Neurogenesis in the Etiopathogenesis of Depressive Disorders. <i>Journal of Personalized Medicine</i> , 2021, 11, 168.	1.1	6
352	COVID-19 patient transcriptomic and genomic profiling reveals comorbidity interactions with psychiatric disorders. <i>Translational Psychiatry</i> , 2021, 11, 160.	2.4	19
354	Gene Expression Differences Between Young Adults Based on Trauma History and Post-traumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 581093.	1.3	0
355	Changes in the gene expression profile during spontaneous migraine attacks. <i>Scientific Reports</i> , 2021, 11, 8294.	1.6	10
356	Integrated transcriptomic and neuroimaging brain model decodes biological mechanisms in aging and Alzheimer α s disease. <i>ELife</i> , 2021, 10, .	2.8	16
357	Gene expression studies in Depression development and treatment: an overview of the underlying molecular mechanisms and biological processes to identify biomarkers. <i>Translational Psychiatry</i> , 2021, 11, 354.	2.4	40
358	Toll-like receptor 4 methylation grade is linked to depressive symptom severity. <i>Translational Psychiatry</i> , 2021, 11, 371.	2.4	13
359	Is NRXN1 Gene Expression an Important Marker of Treatment of Depressive Disorders? A Pilot Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 637.	1.1	1
360	A new strategy to uncover fragile X proteomic biomarkers using the nascent proteome of peripheral blood mononuclear cells (PBMCs). <i>Scientific Reports</i> , 2021, 11, 15148.	1.6	4
361	Inflammatory gene expression profiling in peripheral blood from patients with Alzheimer α s disease reveals key pathways and hub genes with potential diagnostic utility: a preliminary study. <i>PeerJ</i> , 2021, 9, e12016.	0.9	1
363	Sulforaphane improves mitochondrial metabolism in fibroblasts from patients with fragile X-associated tremor and ataxia syndrome. <i>Neurobiology of Disease</i> , 2021, 157, 105427.	2.1	9

#	ARTICLE	IF	CITATIONS
364	Transcriptomics Analysis Reveals Shared Pathways in Peripheral Blood Mononuclear Cells and Brain Tissues of Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 716722.	1.3	6
365	Blood transcriptional response to treatment-resistant depression during electroconvulsive therapy. <i>Journal of Psychiatric Research</i> , 2021, 141, 92-103.	1.5	5
366	Immune-Related Genetic Overlap Between Regional Gray Matter Reductions and Psychiatric Symptoms in Adolescents, and Gene-Set Validation in a Translational Model. <i>Frontiers in Systems Neuroscience</i> , 2021, 15, 725413.	1.2	4
367	Lost in translation. The quest for definitions of treatment-resistant depression with a focus on inflammation-related gene expression. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 16, 100331.	1.3	4
368	Can (immune and other) gene expression help us to treat depression?. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 16, 100323.	1.3	4
369	Single-cell transcriptomics analysis of mild cognitive impairment in World Trade Center disaster responders. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12154.	1.2	8
370	Concordance of Immune-Related Markers in Lymphocytes and Prefrontal Cortex in Schizophrenia. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab002.	0.9	14
372	Hunting for Peripheral Biomarkers to Support Drug Development in Psychiatry. , 2008, , 405-426.		2
373	Lithium Response Variability: New Avenues and Hypotheses. , 2017, , 157-178.		2
374	The Use of Biomarkers for Prediction and Prevention of Alzheimer's and Parkinson's Diseases. <i>Advances in Predictive, Preventive and Personalised Medicine</i> , 2013, , 95-140.	0.6	2
375	Effect of Human Genetic Variability on Gene Expression in Dorsal Root Ganglia and Association with Pain Phenotypes. <i>Cell Reports</i> , 2017, 19, 1940-1952.	2.9	83
376	Biomarker Development for Brain-Based Disorders: Recent Progress in Psychiatry. <i>Journal of Neurology and Psychology</i> , 2013, 01, 7.	2.0	11
377	Common genes associated with antidepressant response in mouse and man identify key role of glucocorticoid receptor sensitivity. <i>PLoS Biology</i> , 2017, 15, e2002690.	2.6	28
378	Gene Expression in Peripheral Blood Leukocytes in Monozygotic Twins Discordant for Chronic Fatigue: No Evidence of a Biomarker. <i>PLoS ONE</i> , 2009, 4, e5805.	1.1	23
379	MicroRNA Expression Aberration as Potential Peripheral Blood Biomarkers for Schizophrenia. <i>PLoS ONE</i> , 2011, 6, e21635.	1.1	200
380	Transcriptional Profiling of Human Familial Longevity Indicates a Role for ASF1A and IL7R. <i>PLoS ONE</i> , 2012, 7, e27759.	1.1	39
381	Blood-Based Gene Expression Profiles Models for Classification of Subsyndromal Symptomatic Depression and Major Depressive Disorder. <i>PLoS ONE</i> , 2012, 7, e31283.	1.1	67
382	Functional Gene-Expression Analysis Shows Involvement of Schizophrenia-Relevant Pathways in Patients with 22q11 Deletion Syndrome. <i>PLoS ONE</i> , 2012, 7, e33473.	1.1	27

#	ARTICLE	IF	CITATIONS
383	Genome-Wide DNA Methylation and Gene Expression Analyses of Monozygotic Twins Discordant for Intelligence Levels. PLoS ONE, 2012, 7, e47081.	1.1	31
384	Gene Expression Profiles in Relation to Tension and Dissociation in Borderline Personality Disorder. PLoS ONE, 2013, 8, e70787.	1.1	12
385	GAD1 Gene Expression in Blood of Patients with First-Episode Psychosis. PLoS ONE, 2017, 12, e0170805.	1.1	5
386	Progranulin deficiency induces overactivation of WNT5A expression via TNF- α /NF- κ B pathway in peripheral cells from frontotemporal dementia-linked granulin mutation carriers. Journal of Psychiatry and Neuroscience, 2016, 41, 225-239.	1.4	32
387	A longitudinal, epigenome-wide study of DNA methylation in anorexia nervosa: results in actively ill, partially weight-restored, long-term remitted and non-eating-disordered women. Journal of Psychiatry and Neuroscience, 2019, 44, 205-213.	1.4	29
388	A classifier driven approach to find biomarkers for affective disorders from transcription profiles in blood. Advances in Precision Medicine, 2016, 1, 34.	0.1	1
389	Aging: a portrait from gene expression profile in blood cells. Aging, 2016, 8, 1802-1821.	1.4	15
390	Alternatively Spliced Genes as Biomarkers for Schizophrenia, Bipolar Disorder and Psychosis: A Blood-Based Spliceome-Profiling Exploratory Study (Supplementary Table). Current Pharmacogenomics and Personalized Medicine, 2009, 7, 164-188.	0.2	44
391	Stress and Inflammation Reduce Brain-Derived Neurotrophic Factor Expression in First-Episode Psychosis. Journal of Clinical Psychiatry, 2011, 72, 1677-1684.	1.1	245
392	Dopamine receptor D3R and D4R mRNA levels in peripheral lymphocytes in patients with schizophrenia correlate with severity of illness. Open Journal of Psychiatry, 2011, 01, 33-39.	0.2	7
393	Identification of collaborative activities with oxidative phosphorylation in bipolar disorder. Bioinformatics, 2015, 11, 207-216.	0.2	12
394	The effect of listening to music on human transcriptome. PeerJ, 2015, 3, e830.	0.9	34
395	Blood-Based Gene Expression in children with Autism spectrum disorder. BioDiscovery, 2015, , 2.	0.1	8
396	Identification of disease- and headache-specific mediators and pathways in migraine using blood transcriptomic and metabolomic analysis. Journal of Headache and Pain, 2021, 22, 117.	2.5	17
397	Perspectives for an Integrated Biomarker Approach to Drug Discovery and Development. , 2008, , 355-403.		1
398	Biomarkers in Schizophrenia. , 2008, , 23-55.		1
400	Characterization of RNA. Springer Protocols, 2012, , 135-160.	0.1	0
401	Games usage in professional competence development. , 2014, 12, 207-215.	0.0	0

#	ARTICLE	IF	CITATIONS
403	Introduction. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1148.	1.1	0
409	RNA sequencing of whole blood reveals early alterations in immune cells and gene expression in Parkinson's disease. <i>Nature Aging</i> , 2021, 1, 734-747.	5.3	18
410	Transcriptomic profiling of whole blood in 22q11.2 reciprocal copy number variants reveals that cell proportion highly impacts gene expression. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 18, 100386.	1.3	3
411	Investigating aberrantly expressed microRNAs in peripheral blood mononuclear cells from patients with treatment-resistant schizophrenia using miRNA sequencing and integrated bioinformatics. <i>Molecular Medicine Reports</i> , 2020, 22, 4340-4350.	1.1	5
412	Dimethylated lysine 9 of histone 3 is elevated in schizophrenia and exhibits a divergent response to histone deacetylase inhibitors in lymphocyte cultures. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 232-7.	1.4	45
414	Unaltered myocilin expression in the blood of primary open angle glaucoma patients. <i>Molecular Vision</i> , 2012, 18, 1004-9.	1.1	13
415	Absence of altered expression of optineurin in primary open angle glaucoma patients. <i>Molecular Vision</i> , 2012, 18, 1421-7.	1.1	5
416	Peripheral SLC6A4 Gene Expression in Obsessive-Compulsive Disorder in the Han Chinese Population. <i>Shanghai Archives of Psychiatry</i> , 2017, 29, 146-153.	0.7	0
417	Response to fluoxetine in children and adolescents: a weighted gene co-expression network analysis of peripheral blood. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 2028-2040.	0.0	0
418	Alterations in T-Cell Transcription Factors and Cytokine Gene Expression in Late-Onset Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 645-665.	1.2	8
419	A longitudinal study of alterations of circulating DJ-1 and miR203a-3p in association to olanzapine medication in a sample of first episode patients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2022, 146, 109-117.	1.5	8
420	Brain differential gene expression and blood cross-validation of a molecular signature of patients with major depressive disorder. <i>Psychiatric Genetics</i> , 2022, Publish Ahead of Print, .	0.6	3
421	Whole blood transcriptional signatures associated with rapid antidepressant response to ketamine in patients with treatment resistant depression. <i>Translational Psychiatry</i> , 2022, 12, 12.	2.4	14
422	DNA-methylation dynamics across short-term, exposure-containing CBT in patients with panic disorder. <i>Translational Psychiatry</i> , 2022, 12, 46.	2.4	4
423	The Predictive Role of ADRA2A rs1800544 and HTR3B rs3758987 Polymorphisms in Motion Sickness Susceptibility. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13163.	1.2	2
424	Blood and brain gene expression signatures of chronic intermittent ethanol consumption in mice. <i>PLoS Computational Biology</i> , 2022, 18, e1009800.	1.5	6
425	Blood-Based miRNA Biomarkers as Correlates of Brain-Based miRNA Expression. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, 817290.	1.4	11
426	RNA-seq analysis of gene expression profiles in posttraumatic stress disorder, Parkinson's disease and schizophrenia identifies roles for common and distinct biological pathways. <i>Discover Mental Health</i> , 2022, 2, .	1.0	4

#	ARTICLE	IF	CITATIONS
427	Diurnal and circadian rhythmicity of the human blood transcriptome overlaps with organ- and tissue-specific expression of a non-human primate. <i>BMC Biology</i> , 2022, 20, 63.	1.7	4
428	Developing a Genetic Biomarker-based Diagnostic Model for Major Depressive Disorder using Random Forests and Artificial Neural Networks. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2022, 25, .	0.6	1
429	Bioinformatics analysis of long non-coding RNA-associated competing endogenous RNA network in schizophrenia. <i>Scientific Reports</i> , 2021, 11, 24413.	1.6	13
430	Interleukin-1 Beta in Peripheral Blood Mononuclear Cell Lysates as a Longitudinal Biomarker of Response to Antidepressants: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 801738.	1.3	3
431	Examining and Evaluating Dimension Reduction Algorithms for Classifying Alzheimer's Diseases using Gene Expression Data. , 2021, , .		1
432	Identification of potential blood biomarkers associated with suicide in major depressive disorder. <i>Translational Psychiatry</i> , 2022, 12, 159.	2.4	16
471	A Machine Learning Approach to Parkinson's Disease Blood Transcriptomics. <i>Genes</i> , 2022, 13, 727.	1.0	10
472	ErbB Signaling Pathway Genes Are Differentially Expressed in Monozygotic Twins Discordant for Sports-Related Concussion. <i>Twin Research and Human Genetics</i> , 0, , 1-8.	0.3	0
474	RNASE6 is a novel modifier of APOE- ϵ 4 effects on cognition. <i>Neurobiology of Aging</i> , 2022, 118, 66-76.	1.5	5
475	Integrative Analyses of Transcriptomes to Explore Common Molecular Effects of Antipsychotic Drugs. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7508.	1.8	2
476	Integrated co-expression network analysis uncovers novel tissue-specific genes in major depressive disorder and bipolar disorder. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	3
477	Effect of quetiapine on inflammation and immunity: a systematic review. <i>International Journal of Psychiatry in Clinical Practice</i> , 2023, 27, 196-207.	1.2	2
478	Integrative coexpression network detects the epicardial adipose tissue specific exosome vesicles as key predictor biomarker of cardiovascular disease. , 2022, 34, 201088.		0
479	Comprehensive analysis of omics data identifies relevant gene networks for Attention-Deficit/Hyperactivity Disorder (ADHD). <i>Translational Psychiatry</i> , 2022, 12, .	2.4	7
480	Disease- and headache-specific microRNA signatures and their predicted mRNA targets in peripheral blood mononuclear cells in migraineurs: role of inflammatory signalling and oxidative stress. <i>Journal of Headache and Pain</i> , 2022, 23, .	2.5	11
481	Evidence that a working memory cognitive phenotype within schizophrenia has a unique underlying biology.. <i>Psychiatry Research</i> , 2022, 317, 114873.	1.7	3
482	Multi-omics to predict changes during cold pressor test. <i>BMC Genomics</i> , 2022, 23, .	1.2	0
483	Artificial neural network applied to fragile X-associated tremor/ataxia syndrome stage diagnosis based on peripheral mitochondrial bioenergetics and brain imaging outcomes. <i>Scientific Reports</i> , 2022, 12, .	1.6	2

#	ARTICLE	IF	CITATIONS
485	Blood RNA transcripts reveal similar and differential alterations in fundamental cellular processes in Alzheimer's disease and other neurodegenerative diseases. <i>Alzheimer's and Dementia</i> , 2023, 19, 2618-2632.	0.4	7
486	Assessing the expression of two post-transcriptional BDNF regulators, TTP and miR-16 in the peripheral blood of patients with Schizophrenia. <i>BMC Psychiatry</i> , 2022, 22, .	1.1	1
487	Divergent Directionality of Immune Cell-Specific Protein Expression between Bipolar Lithium Responders and Non-Responders Revealed by Enhanced Flow Cytometry. <i>Medicina (Lithuania)</i> , 2023, 59, 120.	0.8	2
488	Machine Learning-Based Blood RNA Signature for Diagnosis of Autism Spectrum Disorder. <i>International Journal of Molecular Sciences</i> , 2023, 24, 2082.	1.8	5
489	Plasma biomarker panel for major depressive disorder by quantitative proteomics using ensemble learning algorithm: A preliminary study. <i>Psychiatry Research</i> , 2023, 323, 115185.	1.7	1
490	CircFOXPI alleviates brain injury after acute ischemic stroke by regulating STAT3/apoptotic signaling. <i>Translational Research</i> , 2023, 257, 15-29.	2.2	6
491	Differences in intracellular protein levels in monocytes and CD4+ lymphocytes between bipolar depressed patients and healthy controls: A pilot study with tyramine-based signal-amplified flow cytometry. <i>Journal of Affective Disorders</i> , 2023, 328, 116-127.	2.0	0
492	Investigating the effects of maltreatment and acute stress on the concordance of blood and DNA methylation methods of estimating immune cell proportions. <i>Clinical Epigenetics</i> , 2023, 15, .	1.8	1
493	Ingestion of taxifolin-rich foods affects brain activity, mental fatigue, and the whole blood transcriptome in healthy young adults: a randomized, double-blind, placebo-controlled, crossover study. <i>Food and Function</i> , 2023, 14, 3600-3612.	2.1	2
495	exFINDER: identify external communication signals using single-cell transcriptomics data. <i>Nucleic Acids Research</i> , 2023, 51, e58-e58.	6.5	2
496	Shared Molecular Signatures Across Zika Virus Infection and Multiple Sclerosis Highlight AP-1 Transcription Factor as a Potential Player in Post-ZIKV MS-Like Phenotypes. <i>Molecular Neurobiology</i> , 0, ..	1.9	1