

CITATION REPORT

List of articles citing

Design and Creation of Superwetting/Antiwetting Surfaces

DOI: 10.1002/adma.200501961

Advanced Materials, 2006, 18, 3063-3078.

Source: <https://exaly.com/paper-pdf/40881391/citation-report.pdf>

Version: 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1786	Electrically tunable wettability of liquid crystal/polymer composite films. 2008 , 16, 17591		
1785	Electrically tunable wettability of liquid crystal/polymer composite films. 2008 , 16, 17591		
1784	Electrically tunable wettability of liquid crystal/polymer composite films. 2008 , 16, 17591		
1783	Preparation and photoinduced wettability conversion of superhydrophobic ZnGa_2O_3 nanowire film. 2007 , 91, 013101		19
1782	A method to Generate Biomimetic Superhydrophobic Engineering Surfaces. 2007 , 1008, 1		
1781	Water-repellent coating: formation of polymeric self-assembled monolayers on nanostructured surfaces. 2007 , 18, 395602		40
1780	Superhydrophobic and superhydrophilic surfaces with MoO_3 sub micron structures. 2007 ,		
1779	Anisotropic wetting on tunable micro-wrinkled surfaces. 2007 , 3, 1163-1169		368
1778	Porous silicon protein microarray technology and ultra-/superhydrophobic states for improved bioanalytical readout. 2007 , 13, 149-200		59
1777	The Integument of Water-walking Arthropods: Form and Function. 2007 , 117-192		166
1776	Hierarchically structured superhydrophobic coatings fabricated by successive Langmuir-Blodgett deposition of micro-/nano-sized particles and surface silanization. 2007 , 18, 465604		48
1775	Optical and Electrical Performance of SnO_2 Capped ZnO Nanowire Arrays. 2007 , 7, 3559-3563		110
1774	Impact dynamics and rebound of water droplets on superhydrophobic carbon nanotube arrays. 2007 , 91, 023105		124
1773	A transparent and photo-patternable superhydrophobic film. 2007 , 4949-51		97
1772	Mechanical pinning of liquids through inelastic wetting ridge formation on thermally stripped acrylic polymers. 2007 , 23, 12142-6		24
1771	Controlling the wettability and adhesion of nanostructured poly-(p-xylylene) films. 2007 , 23, 11391-5		70
1770	Silver hierarchical bowl-like array: synthesis, superhydrophobicity, and optical properties. 2007 , 23, 9802-7		163

1769	Facile method to fabricate raspberry-like particulate films for superhydrophobic surfaces. 2007 , 23, 12687-92	171
1768	Superhydrophobic TiO ₂ Surfaces: Preparation, Photocatalytic Wettability Conversion, and Superhydrophobic/Superhydrophilic Patterning. 2007 , 111, 14521-14529	229
1767	. 2007 , 58, 785-790	
1766	Controlled Fluorination of FePt Nanoparticles: Hydrophobic to Superhydrophobic Surfaces. <i>Advanced Materials</i> , 2007 , 19, 4075-4079	24 40
1765	Fabrication of Aligned Fibrous Arrays by Magnetic Electrospinning. <i>Advanced Materials</i> , 2007 , 19, 3702-3706	301
1764	Reversible Control of Ordering Transitions at Aqueous/Liquid Crystal Interfaces Using Functional Amphiphilic Polymers. <i>Advanced Materials</i> , 2007 , 19, 4208-4212	24 78
1763	Towards Understanding Why a Superhydrophobic Coating Is Needed by Water Striders. <i>Advanced Materials</i> , 2007 , 19, 2257-2261	24 252
1762	Fabrication of Hierarchical Structures on a Polymer Surface to Mimic Natural Superhydrophobic Surfaces. <i>Advanced Materials</i> , 2007 , 19, 2330-2335	24 240
1761	Intelligent control of surface hydrophobicity. 2007 , 8, 2036-50	102
1760	Life and death of a fakir droplet: impalement transitions on superhydrophobic surfaces. 2007 , 24, 251-60	183
1759	ZnO Nanorods via Spray Deposition of Solutions Containing Zinc Chloride and Thiocarbamide. 2007 , 2, 391-6	43
1758	Surface nanostructures orienting self-protection of an orthodontic nickel-titanium shape memory alloys wire. 2007 , 52, 3020-3023	2
1757	Fabrication of super-hydrophobic film from PMMA with intrinsic water contact angle below 90°. 2007 , 48, 7455-7460	211
1756	Wettability of metal coatings with biomimic micro textures. 2008 , 203, 137-141	22
1755	An Organic/Inorganic Hybrid Composite as a Coating Agent. 2008 , 85, 549-553	8
1754	Facile tuning of superhydrophobic states with Ag nanoplates. 2008 , 1, 292-302	21
1753	Fabricating superhydrophobic surfaces by molecular accumulation of polysiloxane on the wool textile finishing. 2008 , 286, 453-457	25
1752	A one-step route to a perfectly ordered wafer-scale microbowl array for size-dependent superhydrophobicity. 2008 , 4, 211-6	37

1751	Optical lithography with printed metal mask and a simple superhydrophobic surface. 2008 , 4, 182-5		34
1750	Self-organized micropatterns of high aspect ratio polymer nanofibers by wetting of nanopores. 2008 , 46, 1280-1289		10
1749	Electrochemical Synthesis of Perfluorinated Ion Doped Conducting Polyaniline Films Consisting of Helical Fibers and their Reversible Switching between Superhydrophobicity and Superhydrophilicity. 2008 , 29, 832-838		70
1748	Corrosion resistance of superhydrophobic layered double hydroxide films on aluminum. 2008 , 47, 2466-9		452
1747	Patterning the surface of colloidal microspheres and fabrication of nonspherical particles. 2008 , 47, 4725-8		42
1746	Fabrication of Hairy Polymeric Films Inspired by Geckos: Wetting and High Adhesion Properties. 2008 , 18, 1089-1096		203
1745	Superoleophilic and Superhydrophobic Inverse Opals for Oil Sensors. 2008 , 18, 3258-3264		109
1744	Wetting of Silicon Nanograss: From Superhydrophilic to Superhydrophobic Surfaces. <i>Advanced Materials</i> , 2008 , 20, 159-163	24	213
1743	Nanocarbon Superhydrophobic Surfaces created from Fullerene-Based Hierarchical Supramolecular Assemblies. <i>Advanced Materials</i> , 2008 , 20, 443-446	24	159
1742	Composite Films Based on Aligned Carbon Nanotube Arrays and a Poly(N-Isopropyl Acrylamide) Hydrogel. <i>Advanced Materials</i> , 2008 , 20, 2201-2205	24	49
1741	Facile Creation of Biomimetic Systems at the Interface and in Bulk. <i>Advanced Materials</i> , 2008 , 20, 2938-2946		48
1740	Bio-Inspired, Smart, Multiscale Interfacial Materials. <i>Advanced Materials</i> , 2008 , 20, 2842-2858	24	847
1739	Corrosion Resistance of Superhydrophobic Layered Double Hydroxide Films on Aluminum. 2008 , 120, 2500-2503		43
1738	Patterning the Surface of Colloidal Microspheres and Fabrication of Nonspherical Particles. 2008 , 120, 4803-4806		2
1737	Superhydrophobic surface fabricated by bulk photografting of acrylic acid onto high-density polyethylene. 2008 , 326, 360-5		21
1736	Quantitative NMR monitoring of liquid ingress into repellent heterogeneous layered fabrics. 2008 , 193, 32-6		16
1735	Fabrication of superhydrophobic surfaces on aluminum. <i>Applied Surface Science</i> , 2008 , 254, 5599-5601	6.7	94
1734	Light-induced reversible hydrophilicity of ZnO structures grown by aqueous chemical growth. <i>Applied Surface Science</i> , 2008 , 254, 5695-5699	6.7	64

1733	Structure and oil repellency: Textiles with liquid repellency to hexane. <i>Applied Surface Science</i> , 2008 , 254, 6450-6454	6.7	55
1732	Superhydrophobic or superhydrophilic surfaces regulated by micro-nano structured ZnO powders. <i>Applied Surface Science</i> , 2008 , 255, 3371-3374	6.7	32
1731	Poly(ethylene imine) hybrids containing polyhedral oligomeric silsesquioxanes: Preparation, structure and properties. 2008 , 44, 3946-3956		33
1730	Deposition of biodegradable poly (d,l-lactic acid) films using aerosol-assisted method. 2008 , 202, 5175-5179		5
1729	Fabrication of hierarchical structures on a polymer surface using patterned anodic aluminum oxide as a replication master. 2008 , 516, 3431-3435		8
1728	Separating small amount of water and hydrophobic solvents by novel superhydrophobic copper meshes. <i>Applied Surface Science</i> , 2008 , 254, 6002-6006	6.7	183
1727	Fabrication of superhydrophobic ZnO/Zn surface with nanowires and nanobelts structures using novel plasma assisted thermal vapor deposition. <i>Applied Surface Science</i> , 2008 , 255, 3112-3116	6.7	43
1726	The effect of nanoparticles on the surface hydrophobicity of polystyrene. 2008 , 64, 493-497		21
1725	Superhydrophobic surfaces: from structural control to functional application. 2008 , 18, 621-633		1378
1724	Progress in superhydrophobic surface development. 2008 , 4, 224-240		1290
1723	Thickness Dependence of Surface Wettability Change by Photoreactive Polymer Nanosheets. 2008 , 40, 953-957		6
1722	Wetting and Roughness. 2008 , 38, 71-99		1841
1721	Mimicking the stenocara beetle--dewetting of drops from a patterned superhydrophobic surface. 2008 , 24, 6154-8		140
1720	Anisotropic wetting behavior arising from superhydrophobic surfaces: parallel grooved structure. 2008 , 112, 7234-43		96
1719	Superhydrophilic anatase TiO ₂ film with the micro- and nanometer-scale hierarchical surface structure. 2008 , 62, 3503-3505		49
1718	Preparation of superhydrophobic surfaces on cotton textiles. 2008 , 9, 035008		82
1717	Reversible Wettability Changes in Colloidal TiO ₂ Nanorod Thin-Film Coatings under Selective UV Laser Irradiation. 2008 , 112, 701-714		87
1716	Patterned superfunctional surfaces based on a silicone nanofilament coating. 2008 , 4, 450-452		125

1715	In situ investigation on dynamic suspending of microdroplet on lotus leaf and gradient of wettable micro- and nanostructure from water condensation. 2008 , 92, 084106	83
1714	Reversible UV-light-induced ultrahydrophobic-to-ultrahydrophilic transition in an alpha-Fe ₂ O ₃ nanoflakes film. 2008 , 24, 10569-71	87
1713	Superhydrophobic behavior on transparency and conductivity controllable ZnO/Zn films. 2008 , 103, 056104	22
1712	Fabrication of hierarchical ZnO architectures and their superhydrophobic surfaces with strong adhesive force. 2008 , 47, 3140-3	76
1711	Wetting on nanoporous alumina surface: transition between Wenzel and Cassie states controlled by surface structure. 2008 , 24, 9952-5	173
1710	Electrochemical Fabrication of Superhydrophobic Surfaces on Metal and Semiconductor Substrates. 2008 , 22, 1819-1839	13
1709	Organo-modified silica aerogels and implications for material hydrophobicity and mechanical properties. 2008 , 18, 207-213	42
1708	Biomimic Superhydrophobic Surface with High Adhesive Forces. 2008 , 47, 6354-6357	106
1707	Assessment of roughness and chemical modification in determining the hydrophobic properties of metals. 2008 , 32, 1215	18
1706	A geometry controllable approach for the fabrication of biomimetic hierarchical structure and its superhydrophobicity with near-zero sliding angle. 2008 , 19, 275305	18
1705	Initiated Chemical Vapor Deposition (iCVD) of Conformal Polymeric Nanocoatings for the Surface Modification of High-Aspect-Ratio Pores. 2008 , 20, 1646-1651	96
1704	Facile Means of Preparing Superamphiphobic Surfaces on Common Engineering Metals. 2008 , 112, 11454-11458	56
1703	A stable lotus-leaf-like water-repellent copper. 2008 , 92, 063104	68
1702	Electric field induced, superhydrophobic to superhydrophilic switching in multiwalled carbon nanotube papers. 2008 , 8, 2693-6	108
1701	Solvent fuming dual-responsive switching of both wettability and solid-state luminescence in silole film. 2008 , 24, 2157-61	35
1700	Electrically tunable wettability of liquid crystal/polymer composite films. 2008 , 16, 17591-8	23
1699	Electrodeposited polymer films with both superhydrophobicity and superoleophilicity. 2008 , 10, 4322-6	54
1698	New responsive property of poly(epsilon-caprolactone) as the thermal switch from superhydrophobic to superhydrophilic. 2008 , 2025-7	25

1697	How does the leaf margin make the lotus surface dry as the lotus leaf floats on water?. 2008 , 4, 2232	60
1696	UV-activated surface modification of photo-cleavage polymer for contact printing applications. 2008 ,	0
1695	Synthesis and properties of perfluorinated conjugated polymers based on polyethylenedioxythiophene, polypyrrole, and polyfluorene. Toward surfaces with special wettabilities. 2008 , 24, 9739-46	46
1694	Fabrication of closed-cell polyimide inverse opal photonic crystals with excellent mechanical properties and thermal stability. 2008 , 18, 2262	37
1693	Tuning surface wettability through photocontrolled reversible molecular shuttle. 2008 , 5710-2	162
1692	Novel carbon nanostructures of caterpillar-like fibers and interwoven spheres with excellent surface super-hydrophobicity produced by chemical vapor deposition. 2008 , 18, 1245	47
1691	A facile and patternable method for the surface modification of carbon nanotube forests using perfluoroarylazides. 2008 , 130, 4238-9	142
1690	Synthesis of perpendicular nanorod arrays with hierarchical architecture and water slipping superhydrophobic properties. 2008 , 24, 4168-73	41
1689	Drops on microstructured surfaces coated with hydrophilic polymers: Wenzel's model and beyond. 2008 , 24, 1959-64	53
1688	Ultrafast Electrosynthesis of High Hydrophobic Polypyrrole Coatings on a Zinc Electrode: Applications to the Protection against Corrosion. 2008 , 20, 4447-4456	72
1687	Spontaneous formation of super water-repellent fractal surfaces in mixed wax systems. 2008 , 112, 14620-7	14
1686	Eliminating unwanted nanobubbles from hydrophobic solid/liquid interfaces: a case study using magnetoelastic sensors. 2008 , 24, 3918-21	14
1685	Ammonia Responsive Surface Wettability Switched on Indium Hydroxide Films with Micro- and Nanostructures. 2008 , 112, 8338-8342	27
1684	Wetting of Heterogeneous Nanopatterned Inorganic Surfaces. 2008 , 20, 1476-1483	36
1683	Shape-Controlled Gold Nanoarchitectures: Synthesis, Superhydrophobicity, and Electrocatalytic Properties. 2008 , 112, 13886-13892	134
1682	Reversible electrochemical switching of polyelectrolyte brush surface energy using electroactive counterions. 2008 , 24, 11253-60	62
1681	Direct UV-replica molding of biomimetic hierarchical structure for selective wetting. 2008 , 130, 6312-3	50
1680	Droplet motion on designed microtextured superhydrophobic surfaces with tunable wettability. 2008 , 24, 11651-60	125

1679	Formation mechanism of fractal structures on wax surfaces with reference to their super-repellency. 2007 , 4, 140-144	30
1678	Molecularly Controlled Modulation of Conductance on Azobenzene Monolayer-Modified Silicon Surfaces. 2008 , 112, 8288-8293	42
1677	Designer Binary Nanostructures toward Water Slipping Superhydrophobic Surfaces. 2008 , 20, 2247-2251	40
1676	Hydrophobic duck feathers and their simulation on textile substrates for water repellent treatment. 2008 , 3, 046007	83
1675	Superhydrophobic engineering surfaces with tunable air-trapping ability. 2008 , 18, 035024	15
1674	Flexible carbon nanotube-polymer composite films with high conductivity and superhydrophobicity made by solution process. 2008 , 8, 4454-8	143
1673	Superhydrophobicity and Contact-Line Issues. 2008 , 33, 747-751	31
1672	Underwater breathing: the mechanics of plastron respiration. 2008 , 608, 275-296	136
1671	Multi-modal mesoporous TiO(2)-ZrO(2) composites with high photocatalytic activity and hydrophilicity. 2008 , 19, 035610	50
1670	Designing superhydrophobic surfaces using fluorosilsesquioxane-urethane hybrid and porous silicon gradients. 2008 ,	
1669	Towards bioinspired superhydrophobic poly(L-lactic acid) surfaces using phase inversion-based methods. 2008 , 3, 034003	31
1668	The effect of the surface wettability of nanoprotusions formed on network-type microstructures. 2008 , 18, 125007	42
1667	Super Water-Repellent Fractal Surfaces of a Photochromic Diarylethene Induced by UV Light. 2008 , 47, 7298-7302	17
1666	Modifying the anti-wetting property of butterfly wings and water strider legs by atomic layer deposition coating: surface materials versus geometry. 2008 , 19, 355708	48
1665	Bioinspired construction of MgLi alloys surfaces with stable superhydrophobicity and improved corrosion resistance. 2008 , 92, 183103	138
1664	Self-assembled monolayer of alkanephosphoric acid on nanotextured Ti. 2008 , 128, 144705	25
1663	Extreme water repellency on strong water-spreading surface without tilted degree actuation. 2008 , 93, 094107	12
1662	Tunable wettability in surface-modified ZnO-based hierarchical nanostructures. 2008 , 92, 173104	65

1661	Fabrication and characterization of superhydrophobic Sb(2)O(3) films. 2008 , 19, 165604		35
1660	Synthesis and characterization of a superhydrophobic surface from cyclic olefin copolymer. 2008 , 63,		1
1659	Study on Super-Hydrophobic and Oleophobic Surfaces Prepared by the Chemical Adsorption Technique. 2008 , 59, 460-464		1
1658	Preparation of superhydrophobic polymeric film on aluminum plates by electrochemical polymerization. 2009 , 14, 4737-46		14
1657	A replication strategy for complex micro/nanostructures with superhydrophobicity and superoleophobicity and high contrast adhesion. 2009 , 5, 3097		82
1656	Photoinduced wettability transition and electrowetting in hierarchical ZnO and TiO ₂ structures. 2009 ,		
1655	Characterization of microrod arrays by image analysis. 2009 , 94, 164103		2
1654	The superhydrophilic and superoleophilic leaf surface of <i>Ruellia devosiana</i> (Acanthaceae): a biological model for spreading of water and oil on surfaces. 2009 , 36, 339-350		51
1653	Superamphiphobic CaLi-based bulk metallic glasses. 2009 , 60, 225-227		76
1652	Reversibly Light-Switchable Wettability of Hybrid Organic/Inorganic Surfaces With Dual Micro-/Nanoscale Roughness. 2009 , 19, 1149-1157		106
1651	Porous polymer coatings: a versatile approach to superhydrophobic surfaces. 2009 , 19, 1993-1998		282
1650	Bioinspired Design of a Superoleophobic and Low Adhesive Water/Solid Interface. <i>Advanced Materials</i> , 2009 , 21, 665-669	24	938
1649	Fabrics with Tunable Oleophobicity. <i>Advanced Materials</i> , 2009 , 21, 2190-2195	24	327
1648	Thermochemical Patterning of Polymer Thin Films With Tunable Size-Reduction Effects Using Metal-Coated Poly(dimethylsiloxane) Stamps. <i>Advanced Materials</i> , 2009 , 21, 2211-2215	24	26
1647	Reversible Switching of Water-Droplet Mobility on a Superhydrophobic Surface Based on a Phase Transition of a Side-Chain Liquid-Crystal Polymer. <i>Advanced Materials</i> , 2009 , 21, 4254-4258	24	116
1646	Bulk Metallic Glasses with Functional Physical Properties. <i>Advanced Materials</i> , 2009 , 21, 4524-4544	24	343
1645	Bioinspired superhydrophobic poly(L-lactic acid) surfaces control bone marrow derived cells adhesion and proliferation. 2009 , 91, 480-8		87
1644	Superhydrophobic Alumina Surfaces Based on Polymer-Stabilized Oxide Layers. 2009 , 210, 1263-1271		32

1643	Fabrication of Polyethylene Superhydrophobic Surfaces by Stretching-Controlled Micromolding. 2009 , 294, 295-300		18
1642	Fabrication of stable, transparent and superhydrophobic nanocomposite films with polystyrene functionalized carbon nanotubes. <i>Applied Surface Science</i> , 2009 , 255, 9244-9247	6.7	68
1641	Facile method to prepare stable superhydrophobic Co ₃ O ₄ surface. <i>Applied Surface Science</i> , 2009 , 255, 9493-9497	6.7	18
1640	Surface technology for automotive engineering. 2009 , 58, 608-627		109
1639	Fabrication of super-hydrophobic surface on copper surface by polymer plating. 2009 , 209, 4543-4547		31
1638	Surface Wettability of Nanostructured Zinc Oxide Films. 2009 , 38, 601-608		33
1637	Water-repellent macroporous carbon nanotube/elastomer nanocomposites by self-organized aqueous droplets. 2009 , 17, 666-671		17
1636	Wetting behavior at micro-/nanoscales: direct imaging of a microscopic water/air/solid three-phase interface. 2009 , 5, 908-12		41
1635	Superhydrophobic polytetrafluoroethylene thin films with hierarchical roughness deposited using a single step vapor phase technique. 2009 , 517, 4555-4559		16
1634	Effect of film thickness and agglomerate size on the superwetting and fog-free characteristics of TiO ₂ films. 2009 , 517, 5425-5430		36
1633	Superhydrophobic surfaces on cotton textiles by complex coating of silica nanoparticles and hydrophobization. 2009 , 517, 4593-4598		172
1632	Superhydrophilicity of anodic aluminum oxide films: From "honeycomb" to Bird's nest" 2009 , 517, 6012-6015		58
1631	Nano-fiber scaffold electrodes based on PEDOT for cell stimulation. 2009 , 142, 451-456		99
1630	Large-area unmodified superhydrophobic copper substrate can be prepared by an electroless replacement deposition. 2009 , 329, 208-11		60
1629	Fabrication of superhydrophobic and heat-insulating antimony doped tin oxide/polyurethane films by cast replica micromolding. 2009 , 336, 268-72		59
1628	One-pot method for build-up nanoporous super oil-repellent films. 2009 , 335, 146-9		31
1627	Wetting transition and optimal design for microstructured surfaces with hydrophobic and hydrophilic materials. 2009 , 336, 298-303		85
1626	Nanopattern transfer and wettability modification of regularly structured metallic and polymeric surfaces with replication. 2009 , 339, 217-21		5

1625	Facile preparation of poly(ethyl alpha-cyanoacrylate) superhydrophobic and gradient wetting surfaces. 2009 , 340, 93-7		25
1624	TiO ₂ -based superhydrophobic/superhydrophilic patterns: Fabrication via an ink-jet technique and application in offset printing. <i>Applied Surface Science</i> , 2009 , 255, 6221-6225	6.7	101
1623	Preparation of superhydrophobic membranes by electrospinning of fluorinated silane functionalized poly(vinylidene fluoride). <i>Applied Surface Science</i> , 2009 , 255, 7073-7077	6.7	63
1622	Superhydrophobic effect on the adsorption of human serum albumin. 2009 , 5, 1389-98		39
1621	Superhydrophobic surfaces based on dandelion-like ZnO microspheres. <i>Applied Surface Science</i> , 2009 , 255, 3904-3907	6.7	20
1620	Ultra-fast spreading on superhydrophilic fibrous mesh with nanochannels. <i>Applied Surface Science</i> , 2009 , 255, 4944-4949	6.7	28
1619	Fabrication of silicon pyramid/nanowire binary structure with superhydrophobicity. <i>Applied Surface Science</i> , 2009 , 255, 7147-7152	6.7	44
1618	Inherently superoleophobic nanocomposite coatings by spray atomization. 2009 , 9, 501-5		349
1617	Cassie-Baxter to Wenzel state wetting transition: scaling of the front velocity. 2009 , 29, 391-7		71
1616	Fabrication and application of TiO ₂ -based superhydrophilic-superhydrophobic patterns on titanium substrates for offset printing. 2009 , 4, 984-8		46
1615	Wetting and superhydrophobicity. 2009 , 25, 14100-4		94
1614	Water Structure at Superhydrophobic Quartz/Water Interfaces: A Vibrational Sum Frequency Generation Spectroscopy Study. 2009 , 113, 21155-21161		26
1613	Surface chemical modification of poly(dimethylsiloxane)-based biomimetic materials: oil-repellent surfaces. 2009 , 1, 2636-44		41
1612	Thermal annealing treatment to achieve switchable and reversible oleophobicity on fabrics. 2009 , 25, 13625-32		61
1611	Fabrication of hierarchical structures by wetting porous templates with polymer microspheres. 2009 , 25, 4331-5		36
1610	Wetting properties on nanostructured surfaces of cicada wings. 2009 , 212, 3148-55		154
1609	Superhydrophobic copper tubes with possible flow enhancement and drag reduction. 2009 , 1, 1316-23		186
1608	Molecular design of conductive polymers to modulate superoleophobic properties. 2009 , 131, 7928-33		175

1607	Double-scale roughness and superhydrophobicity on metalized Toray carbon fiber paper. 2009 , 25, 4760-6	17
1606	Contact angle and contact angle hysteresis measurements using the capillary bridge technique. 2009 , 25, 11188-96	28
1605	Fabrication of patterned superhydrophobic polybenzoxazine hybrid surfaces. 2009 , 25, 3359-62	72
1604	Facile approach in fabricating superhydrophobic and superoleophilic surface for water and oil mixture separation. 2009 , 1, 2613-7	316
1603	Miniature boats with striking loading capacity fabricated from superhydrophobic copper meshes. 2009 , 1, 420-3	108
1602	Fabrication of flexible superhydrophobic films by lift-up soft-lithography and decoration with Ag nanoparticles. 2009 , 20, 065304	52
1601	Fabrication of CuO/C films with sisal-like hierarchical microstructures and its application in lithium ion batteries. 2009 , 476, 408-413	68
1600	Superoleophobic cotton textiles. 2009 , 25, 2456-60	285
1599	Superhydrophobic behavior achieved from hydrophilic surfaces. 2009 , 95, 084104	53
1598	Wetting 101 degrees. 2009 , 25, 14105-15	277
1597	Self-Assembled Three-Dimensional Hierarchical Umbilicate Bi ₂ WO ₆ Microspheres from Nanoplates: Controlled Synthesis, Photocatalytic Activities, and Wettability. 2009 , 113, 4369-4374	206
1596	Towards a tunable and switchable water adhesion on a TiO ₂ nanotube film with patterned wettability. 2009 , 7018-20	111
1595	A novel approach to raspberry-like particles for superhydrophobic materials. 2009 , 19, 1297	129
1594	Superhydrophobic ZnO Nanowire Surface: Chemical Modification and Effects of UV Irradiation. 2009 , 113, 12085-12089	111
1593	Reversible Photoinduced Wettability Transition of Hierarchical ZnO Structures. 2009 , 113, 2891-2895	113
1592	Honeycomb-structured microporous films made from hyperbranched polymers by the breath figure method. 2009 , 25, 173-8	84
1591	Highly fluorinated phosphonium ionic liquids: novel media for the generation of superhydrophobic coatings. 2009 , 1831-3	35
1590	Alumina nanowire forests via unconventional anodization and super-repellency plus low adhesion to diverse liquids. 2009 , 1043-5	180

1589	Wettability conversion of colloidal TiO ₂ nanocrystal thin films with UV-switchable hydrophilicity. 2009 , 11, 3692-700	44
1588	Covalent layer-by-layer assembled superhydrophobic organic-inorganic hybrid films. 2009 , 25, 11073-7	120
1587	Some thoughts on superhydrophobic wetting. 2009 , 5, 51-61	308
1586	Assembly of self-assembled monolayer-coated Al ₂ O ₃ on TiO ₂ thin films for the fabrication of renewable superhydrophobic-superhydrophilic structures. 2009 , 25, 7226-8	39
1585	Ordered Co ₃ O ₄ hierarchical nanorod arrays: tunable superhydrophilicity without UV irradiation and transition to superhydrophobicity. 2009 , 19, 8366	116
1584	Superhydrophobicity of boron nitride nanotubes grown on silicon substrates. 2009 , 25, 4853-60	105
1583	Tunable wetting of nanoparticle-decorated polymer films. 2009 , 25, 11014-20	19
1582	Shaping liquid on a micrometre scale using microwrinkles as deformable open channel capillaries. 2009 , 5, 4658	91
1581	Super wetting of micro & nano structured titania surfaces. 2009 ,	6
1580	Simple Fabrication of Honeycomb- and Pincushion-Structured Films Containing Thermoresponsive Polymers and Their Surface Wettability. 2009 , 21, 1787-1789	65
1579	Polymeric complexes as building blocks for rapid fabrication of layer-by-layer assembled multilayer films and their application as superhydrophobic coatings. 2009 , 19, 497-504	58
1578	Wettability of Methacrylate Copolymer Films Deposited on Anodically Oxidized and Roughened Aluminium Surfaces. 2009 , 23, 469-482	12
1577	Study on Super-Hydrophobic and Oleophobic Surfaces Prepared by Chemical Adsorption Technique. 2009 , 48, 040205	5
1576	Bio-inspired fabrication of superhydrophobic surfaces through peptide self-assembly. 2009 , 5, 2717	63
1575	Super oil-repellent surfaces from conductive polymers. 2009 , 19, 7130	38
1574	Nanostructures and surface hydrophobicity of self-assembled thermosets involving epoxy resin and poly(2,2,2-trifluoroethyl acrylate)-block-poly(ethylene oxide) amphiphilic diblock copolymer. 2009 , 113, 1857-68	53
1573	Surface Modifications of Bulk Micromachined Titanium Pillar Arrays: A Wick Material for Thin Flat Heat Pipes. 2009 ,	3
1572	A Facile Fabrication of Superhydrophobic Films by Electrophoretic Deposition of Hydrophobic Particles. 2009 , 38, 132-133	21

1571	Switchable wettability on cooperative dual-responsive poly-L-lysine surface. 2010 , 26, 1024-8	44
1570	Superhydrophilic surfaces via polymer-SiO ₂ nanocomposites. 2010 , 26, 15567-73	87
1569	Supramolecular soft and hard materials based on self-assembly algorithms of alkyl-conjugated fullerenes. 2010 , 46, 3425-36	134
1568	Osteoblast behavior on polytetrafluoroethylene modified by long pulse, high frequency oxygen plasma immersion ion implantation. 2010 , 31, 413-9	66
1567	Micropatterning of superhydrophobic silicone nanofilaments by a near-ultraviolet Nd:YAG laser. 2010 , 3, 889-894	31
1566	Recent research progress in wettability of colloidal crystals. 2010 , 53, 318-326	8
1565	Ultrahydrophobic silica films by sol-gel process. 2010 , 17, 565-571	34
1564	Novel superhydrophobic and highly oleophobic PFPE-modified silica nanocomposite. 2010 , 45, 460-466	41
1563	Photocatalytic activity of (sulfur, nitrogen)-codoped mesoporous TiO ₂ thin films. 2010 , 36, 27-37	24
1562	Various curing conditions for controlling PTFE micro/nano-fiber texture of a bionic superhydrophobic coating surface. 2010 , 119, 40-47	28
1561	Current rectification in temperature-responsive single nanopores. 2010 , 11, 859-64	158
1560	Surface Structures and Osteoblast Activity on Biomedical Polytetrafluoroethylene Treated by Long-Pulse, High-Frequency Oxygen Plasma Immersion Ion Implantation. 2010 , 12, B163-B169	9
1559	Fabrication and Characterization of Superhydrophobic Surfaces with Dynamic Stability. 2010 , 20, 3343-3349	61
1558	Switchable Adhesion on Liquid/Solid Interfaces. 2010 , 20, 3753-3764	192
1557	Materials Research in China: Current Activities Related to Inorganic and Nonmetallic Materials. 2010 , 20, 3630-3633	
1556	Advances in biomimetic and nanostructured biohybrid materials. <i>Advanced Materials</i> , 2010 , 22, 323-36	24 251
1555	Superhydrophobic to superhydrophilic wetting control in graphene films. <i>Advanced Materials</i> , 2010 , 22, 2151-4	24 321
1554	Magnetic liquid marbles: a "precise" miniature reactor. <i>Advanced Materials</i> , 2010 , 22, 4814-8	24 271

1553	Oriented free-standing ammonium vanadium oxide nanobelt membranes: highly selective absorbent materials. 2010 , 16, 14307-12		13
1552	Design of Patterned Surfaces with Selective Wetting Using Nanoimprint Lithography. 2010 , 211, 2636-2641		12
1551	Direct structuring of a biomimetic anti-reflective, self-cleaning surface for light harvesting in organic solar cells. 2010 , 31, 539-44		64
1550	Design of superhydrophilic surfaces on metallic substrates by the fabrication of Ti-containing mesoporous silica thin film. 2010 , 387, 95-99		13
1549	Facile fabrication of large-scale stable superhydrophobic surfaces with carbon sphere films by burning rapeseed oil. <i>Applied Surface Science</i> , 2010 , 257, 6-9	6.7	33
1548	Room temperature synthesis of water-repellent polystyrene nanocomposite coating. <i>Applied Surface Science</i> , 2010 , 256, 7088-7090	6.7	11
1547	Superhydrophobic and transparent ZnO thin films synthesized by spray pyrolysis technique. <i>Applied Surface Science</i> , 2010 , 256, 7451-7456	6.7	87
1546	Acids and alkali resistant sticky superhydrophobic surfaces by one-pot electropolymerization of perfluoroalkyl alkyl pyrrole. 2010 , 343, 608-14		12
1545	Wetting properties of silicon films from alkyl-passivated particles produced by mechanochemical synthesis. 2010 , 348, 634-41		7
1544	A strategy of fast reversible wettability changes of WO ₃ surfaces between superhydrophilicity and superhydrophobicity. 2010 , 352, 573-9		50
1543	Surface nano-functionalization of biomaterials. 2010 , 70, 275-302		213
1542	Morphology and thermomechanical properties of main-chain polybenzoxazine-block-polydimethylsiloxane multiblock copolymers. 2010 , 51, 1124-1132		43
1541	Novel water and oil repellent POSS-based organic/inorganic nanomaterial: Preparation, characterization and application to cotton fabrics. 2010 , 51, 5997-6004		54
1540	Thiol appended, fluorinated phosphonium ionic liquids as covalent superhydrophobic coatings. 2010 , 152, 14-18		30
1539	Synthesis of fluorinated hyperbranched polymers capable as highly hydrophobic and oleophobic coating materials. 2010 , 46, 506-518		39
1538	Conformal ZnO nanocomposite coatings on micro-patterned surfaces for superhydrophobicity. 2010 , 518, 5426-5431		45
1537	Facile approach in fabricating superhydrophobic coatings from silica-based nanocomposite. <i>Applied Surface Science</i> , 2010 , 257, 33-36	6.7	27
1536	Transparent Superhydrophobic silica coatings on glass by sol-gel method. <i>Applied Surface Science</i> , 2010 , 257, 333-339	6.7	165

1535	Modification of unsaturated polyester resins (UP) and reinforced UP resins via plasma treatment. <i>Applied Surface Science</i> , 2010 , 257, 290-295	6.7	10
1534	Super water- and highly oil-repellent films made of fluorinated poly(alkylpyrroles). 2010 , 354, 234-239		31
1533	Preparation of superhydrophobic membranes by electrospinning of fluorinated silane functionalized pullulan. 2010 , 362, 117-120		35
1532	A simple approach to fabricate regenerable superhydrophobic coatings. 2010 , 367, 60-64		37
1531	Preparation of polypropylene superhydrophobic surface and its blood compatibility. 2010 , 80, 247-50		53
1530	Directed rebounding of droplets by microscale surface roughness gradients. 2010 , 96, 234103		66
1529	Reversible ultraviolet light-manipulated superhydrophobic-to-superhydrophilic transition on a tubular SiC nanostructure film. 2010 , 97, 183112		20
1528	Fabrication of Super-Hydrophobic Surface on Aluminum Alloy by a Simple Immersion Method. 2010 , 160-162, 379-383		5
1527	Synthesis of Fluoro-Containing Superhydrophobic Cotton Fabric with Washing Resistant Property Using Nano-SiO ₂ Sol-Gel Method. 2010 , 121-122, 23-26		14
1526	Dropwise Condensation Heat Transfer on Superhydrophobic Surface in the Presence of Non-Condensable Gas. 2010 ,		4
1525	Template-assisted fabrication of macroporous NiFe ₂ O ₄ films with tunable microstructural, magnetic and interfacial properties. 2010 , 20, 7378		24
1524	Silicon surface structure-controlled oleophobicity. 2010 , 26, 8908-13		60
1523	Fabrication of Low and High Adhesion Hydrophobic Au Surfaces with Micro/Nano-Biomimetic Structures. 2010 , 114, 11509-11514		54
1522	Vertically aligned boron nitride nanosheets: chemical vapor synthesis, ultraviolet light emission, and superhydrophobicity. 2010 , 4, 414-22		261
1521	Wettability transition of plasma-treated polystyrene micro/nano pillars-aligned patterns. 2010 , 4, 753-762		11
1520	Compressed Metal Powders that Remain Superhydrophobic after Abrasion. 2010 , 2, 2703-2706		47
1519	Fast and selective removal of oils from water surface via highly hydrophobic core-shell Fe ₂ O ₃ @C nanoparticles under magnetic field. 2010 , 2, 3141-6		186
1518	Fabrication and Wettability of Nanoporous Silver Film on Copper from Choline Chloride-Based Deep Eutectic Solvents. 2010 , 114, 13614-13619		60

1517	Bioinspired super-antireflecting interfaces with special liquid-solid adhesion. 2010 , 43, 368-77	517
1516	Artificial hairy surfaces with a nearly perfect hydrophobic response. 2010 , 26, 1504-6	45
1515	An Analysis of Conductive-Probe Atomic Force Microscopy Applied to the Study of Electron Transport Mediating Properties of Self-Assembled Monolayers. 2010 , 114, 10836-10842	5
1514	In situ electrochemical switching of wetting state of oil droplet on conducting polymer films. 2010 , 26, 3993-7	74
1513	Simple Approach to Superamphiphobic Overhanging Silicon Nanostructures. 2010 , 114, 2936-2940	95
1512	Stability and Surface Topography Evolution in Nanoimprinted Polymer Patterns under a Thermal Gradient. 2010 , 43, 8191-8201	13
1511	Morphological transformation of a liquid micropattern on dynamically tunable microwrinkles. 2010 , 26, 6127-32	40
1510	Analytical modeling and thermodynamic analysis of robust superhydrophobic surfaces with inverse-trapezoidal microstructures. 2010 , 26, 17389-97	30
1509	Percolation-Driven Multiscale Roughening for Superhydrophobic Polymer Nanocomposite Coatings. 2010 , 43, 3173-3176	18
1508	Fabrication of Zinc Oxide/Polydimethylsiloxane Composite Surfaces Demonstrating Oil-Fouling-Resistant Superhydrophobicity. 2010 , 2, 2880-2883	74
1507	Design and fabrication of nanopillar patterned Au textures for improving nanotribological performance. 2010 , 2, 788-94	39
1506	A Water Strider-Like Model with Large and Stable Loading Capacity Fabricated from Superhydrophobic Copper Foils. 2010 , 2, 2026-2030	49
1505	Surface initiated polymerization from substrates of low initiator density and its applications in biosensors. 2010 , 2, 3223-30	48
1504	A robust superhydrophobic and superoleophobic surface with inverse-trapezoidal microstructures on a large transparent flexible substrate. 2010 , 6, 1401	290
1503	Engineering a Titanium Surface with Controllable Oleophobicity and Switchable Oil Adhesion. 2010 , 114, 9938-9944	121
1502	Layer-by-Layer Codeposition of Polyelectrolyte Complexes and Free Polyelectrolytes for the Fabrication of Polymeric Coatings. 2010 , 43, 2413-2420	44
1501	Porous and superparamagnetic magnesium ferrite film fabricated via a precursor route. 2010 , 499, 30-34	20
1500	Active and responsive polymer surfaces. 2010 , 39, 676-93	72

1499	Reversibly switchable wettability. 2010 , 39, 769-82	379
1498	Recent developments in bio-inspired special wettability. 2010 , 39, 3240-55	823
1497	Vertically aligned and ordered hematite hierarchical columnar arrays for applications in field-emission, superhydrophilicity, and photocatalysis. 2010 , 20, 2972	61
1496	Electrowetting on a polymer microlens array. 2010 , 26, 12443-7	32
1495	Preparation of superhydrophobic nanodiamond and cubic boron nitride films. 2010 , 97, 133110	21
1494	Modifying the wettability of surfaces by nanoparticles: experiments and modeling using the Wenzel law. 2010 , 26, 14563-6	8
1493	Coaxially electrospun PVDF-Teflon AF and Teflon AF-PVDF core-sheath nanofiber mats with superhydrophobic properties. 2010 , 26, 12483-7	77
1492	Surface-energy engineering of graphene. 2010 , 26, 3798-802	383
1491	Perfluoro-functionalized PEDOT films with controlled morphology as superhydrophobic coatings and biointerfaces with enhanced cell adhesion. 2010 , 46, 4731-3	73
1490	Hydrophilic TiO ₂ porous spheres anchored on hydrophobic polypropylene membrane for wettability induced high photodegrading activities. 2010 , 2, 1480-4	28
1489	Observation of enhanced cell adhesion and transfection efficiency on superhydrophobic surfaces. 2010 , 10, 556-8	40
1488	Superstructures and superhydrophobic property in hierarchical organized architectures of fullerenes bearing long alkyl tails. 2010 , 20, 1253-1260	82
1487	Multiple-structured nanocrystals towards bifunctional photoluminescent-superhydrophobic surfaces. 2010 , 20, 3863	36
1486	Robust anisotropic polymer meshes prepared by stretching and photo-crosslinking of poly(1,2-butadiene) honeycomb films. 2011 , 13, 4877-80	16
1485	Fabrication of patterned and anisotropic porous films based on photo-cross-linking of poly(1,2-butadiene) honeycomb films. 2011 , 21, 3884	32
1484	Reversible photocontrol of surface wettability between hydrophilic and superhydrophobic surfaces on an asymmetric diarylethene solid surface. 2011 , 27, 6395-400	61
1483	Thermal Behavior with Mechanical Property of Fluorinated Silane Functionalized Superhydrophobic Pullulan/Poly(vinyl alcohol) Blends by Electrospinning Method. 2011 , 2011, 1-7	21
1482	MgCO ₃ ·3H ₂ O and MgO complex nanostructures: controllable biomimetic fabrication and physical chemical properties. 2011 , 13, 5047-52	38

1481	Island brushes to control adhesion of water in oil droplets on planar surfaces. 2011 , 7, 7013	12
1480	Electrodeposition of ZnO nanorods on opaline replica as hierarchically structured systems. 2011 , 21, 1079-1085	3
1479	Manipulation of surface properties: the use of nanomembrane as a nanometre-thick decal. 2011 , 7, 1856-1860	19
1478	Ordered honeycomb microporous films from self-assembly of alkylated guanosine derivatives. 2011 , 27, 2958-64	23
1477	Superhydrophobic nanostructured silicon surfaces with controllable broadband reflectance. 2011 , 47, 6108-10	35
1476	Cellulose substance with reversible photo-responsive wettability by surface modification. 2011 , 21, 17519	54
1475	Micro/nanoscale hierarchical structured ZnO mesh film for separation of water and oil. 2011 , 13, 14606-10	170
1474	Micro and nano-texturization of intermetallic oxide alloys by a single anodization step: preparation of artificial self-cleaning surfaces. 2011 , 3, 3981-7	17
1473	Controlled swapping of nanocomposite surface wettability by multilayer photopolymerization. 2011 , 27, 8522-9	16
1472	Suspension of water droplets on individual pillars. 2011 , 27, 4742-8	44
1471	Design of single-site Ti embedded highly hydrophilic silica thin films with macro-mesoporous structures. 2011 , 3, 4561-5	19
1470	Tuning surface wettability of In(x)Ga(1-x)N nanotip arrays by phosphonic acid modification and photoillumination. 2011 , 27, 13220-5	20
1469	An efficient method for the creation of a superhydrophobic surface: ethylene polymerization over self-assembled colloidal silica nanoparticles incorporating single-site Cr-oxide catalysts. 2011 , 21, 8543	17
1468	Controlled growth and assembly of one-dimensional ordered nanostructures of organic functional materials. 2011 , 7, 1615-1630	45
1467	Making silica nanoparticle-covered graphene oxide nanohybrids as general building blocks for large-area superhydrophilic coatings. 2011 , 3, 519-28	199
1466	Polystyrene sphere-assisted one-dimensional nanostructure arrays: synthesis and applications. 2011 , 21, 40-56	142
1465	Superoleophobicity under vacuum. 2011 , 98, 194102	10
1464	Design of superhydrophobic surfaces by synthesis of carbon nanotubes over Co-Mo nanocatalysts deposited under microwave irradiation on Ti-containing mesoporous silica thin films. 2011 , 13, 6309-14	15

1463	Fluoroalkyl-functionalized silica particles: synthesis, characterization, and wetting characteristics. 2011 , 27, 10206-15	53
1462	Theoretical consideration of wetting on a cylindrical pillar defect: pinning energy and penetrating phenomena. 2011 , 27, 3550-60	28
1461	Superhydrophobic conjugated microporous polymers for separation and adsorption. 2011 , 4, 2062	502
1460	Controlled Synthesis and Surface Hydrophilic Properties of Ti-Containing Mesoporous Silica Thin Films Using Various Structure-Directing Agents. 2011 , 115, 15410-15415	14
1459	Electrified Au nanoparticle sponges with controlled hydrophilic/hydrophobic properties. 2011 , 5, 299-306	25
1458	Reversible underwater switching between superoleophobicity and superoleophilicity on conducting polymer nanotube arrays. 2011 , 7, 4163	54
1457	Contact angle hysteresis on superhydrophobic surfaces: an ionic liquid probe fluid offers mechanistic insight. 2011 , 27, 2166-9	59
1456	The Surface Wettability and Adhesion of Poly(Ester Urethane)s and Poly(Ether Urethane)s. 2011 , 50, 720-731	3
1455	Understanding and Controlling Wetting Phenomena at the Micro- and Nanoscales. 2011 ,	
1454	Role of superhydrophobicity in the biological activity of fibronectin at the cell/material interface. 2011 , 7, 10803	55
1453	Solvothermal synthesis of nanoporous polymer chalk for painting superhydrophobic surfaces. 2011 , 27, 12585-90	61
1452	Photochemically and electrochemically triggered Au nanoparticles "sponges". 2011 , 133, 6533-6	47
1451	Redox-switchable superhydrophobic silver composite. 2011 , 27, 11629-35	16
1450	Thermal and mechanical aging of self-assembled monolayers as studied by near edge X-ray absorption fine structure. 2011 , 27, 12423-33	14
1449	Pendant bubble method for an accurate characterization of superhydrophobic surfaces. 2011 , 27, 13978-82	4
1448	Design of hydrophobic surfaces for liquid droplet control. 2011 , 3, 49-56	124
1447	A Facile Method To Prepare Superhydrophobic Coatings by Calcium Carbonate. 2011 , 50, 3089-3094	65
1446	Preparation and Characterization of Superhydrophobic Polypropylene Surface with Excellent Self-Cleaning Property. 2011 , 295-297, 1613-1616	3

1445	One-step production of superhydrophobic coatings on flat substrates via atmospheric Rf plasma process using non-fluorinated hydrocarbons. 2011 , 3, 476-81		37
1444	Enhancing the effect of the nanofiber network structure on thermoresponsive wettability switching. 2011 , 27, 14716-20		22
1443	Electroless deposited robust NiB films coated with trimethylsiloxysilicate exhibit superhydrophobicity. 2011 , 21, 14890		12
1442	Spray-coated superhydrophobic coatings with regenerability. 2011 , 35, 881		37
1441	Super-hydrophilic properties of TiO ₂ /DLC nanocomposite films fabricated by the simple electrochemical process. <i>Applied Surface Science</i> , 2011 , 257, 10000-10004	6.7	16
1440	A simple solution-immersion process for the fabrication of superhydrophobic cupric stearate surface with easy repairable property. <i>Applied Surface Science</i> , 2011 , 258, 1772-1775	6.7	46
1439	Highly water repellent aerogels based on cellulose stearoyl esters. 2011 , 2, 1789		51
1438	Self-healing superamphiphobicity. 2011 , 47, 2324-6		192
1437	Facile fabrication of transparent superhydrophobic surfaces by spray deposition. 2011 , 3, 2179-83		68
1436	A simple approach to fabricate superoleophobic coatings. 2011 , 35, 576-580		88
1435	Metallic surfaces with special wettability. 2011 , 3, 825-38		324
1434	One-step vapour-phase formation of patternable, electrically conductive, superamphiphobic coatings on fibrous materials. 2011 , 7, 8158		78
1433	Reactive surface coatings based on polysilsesquioxanes: universal method toward light-responsive surfaces. 2011 , 3, 124-8		71
1432	The Frontier of Inorganic Synthesis and Preparative Chemistry (I) Biomimetic Synthesis. 2011 , 525-553		2
1431	Building 3D Micro- and Nanostructures Through Nanoimprint. 2011 , 59-87		1
1430	Fluid drag reduction on superhydrophobic surfaces coated with carbon nanotube forests (CNTs). 2011 , 7, 4391		89
1429	Design and fabrication of antireflective nanoparticulate thin films with superhydrophilic self-cleaning properties on glass substrate. 2011 , 42, 852-859		11
1428	Micro to nano: Surface size scale and superhydrophobicity. 2011 , 2, 327-32		14

1427	A Biomimetic Approach for Creating Thermally Stable Polyimide-coated Honeycomb Films. 2011 , 40, 597-599		6
1426	Superhydrophobicity of Self-Organized Surfaces of Polymer Nanowire Arrays Fabricated by a Nano-Injection Moulding Technique. 2011 , 6, 204-209		6
1425	Control of static and dynamic hydrophobicity of solid surface and its application. 2011 , 119, 711-719		5
1424	Photon-induced tunable and reversible wettability of pulsed laser deposited W-doped ZnO nanorods. 2011 , 55, 20501		12
1423	Polymer Nanowire Arrays With High Thermal Conductivity and Superhydrophobicity Fabricated by a Nano-Moulding Technique. 2011 ,		
1422	Fabrication and tribological behavior of superhydrophobic zinc surface based on oleic acid. 2011 , 520, 1080-1083		2
1421	Biologically inspired hairy structures for superhydrophobicity. 2011 , 72, 189-201		54
1420	Engineering biomimetic superhydrophobic surfaces of electrospun nanomaterials. 2011 , 6, 510-530		366
1419	Alkaline hydrolysis: A facile method to manufacture superhydrophobic polyester fabric by fluorocarbon coating. <i>Progress in Organic Coatings</i> , 2011 , 72, 638-646	4.8	41
1418	Wettable arrays onto superhydrophobic surfaces for bioactivity testing of inorganic nanoparticles. 2011 , 65, 296-299		28
1417	A one-step method to fabricate lotus leaves-like ZnO film. 2011 , 65, 477-479		33
1416	Enhanced super-hydrophobic and switching behavior of ZnO nanostructured surfaces prepared by simple solution-immersion successive ionic layer adsorption and reaction process. 2011 , 363, 51-8		54
1415	Wettability of carbon nanofiber layers on nickel foils. 2011 , 364, 530-8		9
1414	Control of morphology and surface wettability of anodic niobium oxide microcones formed in hot phosphate-glycerol electrolytes. 2011 , 56, 7446-7453		29
1413	The production of carbon microtubes by the carbonization of catkins and their use in the oxygen reduction reaction. 2011 , 49, 5292-5297		70
1412	Mimicking natural superhydrophobic surfaces and grasping the wetting process: a review on recent progress in preparing superhydrophobic surfaces. 2011 , 169, 80-105		740
1411	A review on self-cleaning coatings. 2011 , 21, 16304		538
1410	Electrophoretic deposition of unstable colloidal suspensions for superhydrophobic surfaces. 2011 , 27, 4156-63		56

1409	A facile and large-area fabrication method of superhydrophobic self-cleaning fluorinated polysiloxane/TiO ₂ nanocomposite coatings with long-term durability. 2011 , 21, 6161		128
1408	Fatty-acid-metal-ion complexes as multicolor superhydrophobic coating materials. 2011 , 6, 1757-60		18
1407	Photoinduced reversible topographical changes on diarylethene microcrystalline surfaces with biomimetic wetting properties. 2011 , 6, 2400-6		20
1406	Rapid deposition of transparent super-hydrophobic layers on various surfaces using microwave plasma. 2011 , 3, 4566-72		35
1405	Superoleophobicity of a Material Made from Fluorinated Titania Nanoparticles. 2011 , 32, 485-489		10
1404	Reducing Friction and Wear of a Zinc Substrate by Combining a Stearic Acid Overcoat with a Nanostructured Zinc Oxide Underlying Film: Perspectives to Super-Hydrophobicity. 2011 , 44, 327-333		18
1403	Improvement in hydrophobicity of polyester fabric finished with fluorochemicals via aminolysis and comparing with nano-silica particles. 2011 , 289, 1035-1044		17
1402	Enhancement in hydrophobicity of silica films using metal acetylacetonate and heat treatment. 2011 , 72, 45-49		3
1401	Creation of coating surfaces possessing superhydrophobic and superoleophobic characteristics with fluoroalkyl end-capped vinyltrimethoxysilane oligomeric nanocomposites having biphenylene segments. 2011 , 362, 375-81		38
1400	Superhydrophobic and oleophobic surfaces fabricated from incompletely condensed polyhedral oligomeric silsesquioxane. 2011 , 19, 101-104		22
1399	Single-step technique allowing formation of microscaled thermally stable polymer honeycomb reliefs demonstrating reversible wettability. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 94-98	3-2	12
1398	The superhydrophobicity of polymer surfaces: Recent developments. 2011 , 49, 1203-1217		130
1397	In situ imaging of multiphase bio-interfaces at the micro-/nanoscale. 2011 , 7, 2825-35		7
1396	One-pot synthesis of colloidal nanobowls and hybrid multipod-like nanoparticles by radiation miniemulsion polymerization. 2011 , 32, 1615-9		10
1395	Thermally tunable surface wettability of electrospun fiber mats: polystyrene/poly(N-isopropylacrylamide) blended versus crosslinked poly[(N-isopropylacrylamide)-co-(methacrylic acid)]. 2011 , 32, 1716-21		29
1394	Hierarchical Superhydrophobic Surfaces Fabricated by Dual-Scale Electron-Beam-Lithography with Well-Ordered Secondary Nanostructures. 2011 , 21, 3715-3722		126
1393	Polyester Materials with Superwetting Silicone Nanofilaments for Oil/Water Separation and Selective Oil Absorption. 2011 , 21, 4699-4704		661
1392	Monolithic, Hierarchical Surface Reliefs by Holographic Photofluidization of Azopolymer Arrays: Direct Visualization of Polymeric Flows. 2011 , 21, 4412-4422		55

1391	Nanograsped Micropyramidal Architectures for Continuous Dropwise Condensation. 2011 , 21, 4617-4623		409
1390	Thermodynamic underpinnings of cell alignment on controlled topographies. <i>Advanced Materials</i> , 2011 , 23, 421-5	24	32
1389	Applications of bio-inspired special wettable surfaces. <i>Advanced Materials</i> , 2011 , 23, 719-34	24	867
1388	Transparent, thermally stable and mechanically robust superhydrophobic surfaces made from porous silica capsules. <i>Advanced Materials</i> , 2011 , 23, 2962-5	24	410
1387	Superhydrophobic-superoleophilic polythiophene films with tunable wetting and electrochromism. <i>Advanced Materials</i> , 2011 , 23, 3207-13	24	84
1386	The Mechanochemical Formation of Functionalized Semiconductor Nanoparticles for Biological, Electronic and Superhydrophobic Surface Applications. 2011 , 129-142		3
1385	Electropolymerization of highly hydrophobic polythiophene films with high adhesion force. 2011 , 119, 1052-1059		16
1384	High-Temperature Wetting Transition on Micro- and Nanostructured Surfaces. 2011 , 123, 5423-5426		7
1383	Superoleophobe Silicon-Beschichtungen mit ultrakleinen Abrollwinkeln. 2011 , 123, 6782-6786		28
1382	Durable, Self-Healing Superhydrophobic and Superoleophobic Surfaces from Fluorinated-Decyl Polyhedral Oligomeric Silsesquioxane and Hydrolyzed Fluorinated Alkyl Silane. 2011 , 123, 11635-11638		36
1381	High-temperature wetting transition on micro- and nanostructured surfaces. 2011 , 50, 5311-4		43
1380	Superoleophobic coatings with ultralow sliding angles based on silicone nanofilaments. 2011 , 50, 6652-6		347
1379	Durable, self-healing superhydrophobic and superoleophobic surfaces from fluorinated-decyl polyhedral oligomeric silsesquioxane and hydrolyzed fluorinated alkyl silane. 2011 , 50, 11433-6		409
1378	Air layer on superhydrophobic surface underwater. 2011 , 377, 374-378		72
1377	Development and impact of sandwich wettability structure for gas distribution media on PEM fuel cell performance. 2011 , 88, 2168-2175		36
1376	Conciliating surface superhydrophobicities and mechanical strength of porous silicon films. <i>Applied Surface Science</i> , 2011 , 257, 2752-2755	6.7	13
1375	Fabrication of superhydrophobic surfaces on zinc substrates. <i>Applied Surface Science</i> , 2011 , 257, 4801-4806		28
1374	A stable superhydrophobic and superoleophilic Cu mesh based on copper hydroxide nanoneedle arrays. <i>Applied Surface Science</i> , 2011 , 257, 5705-5710	6.7	97

1373	Facile fabrication of superhydrophobic surface with micro/nanoscale binary structures on aluminum substrate. <i>Applied Surface Science</i> , 2011 , 257, 5831-5836	6.7	37
1372	Fabrication and wear protection performance of superhydrophobic surface on zinc. <i>Applied Surface Science</i> , 2011 , 257, 7486-7489	6.7	20
1371	Steam activation of boron doped diamond electrodes. 2011 , 56, 5599-5604		32
1370	Influence of the size of spraying powders on the microstructure and corrosion resistance of Fe-based amorphous coating. 2011 , 56, 6380-6388		92
1369	Interfacial propulsion by directional adhesion. 2011 , 46, 607-615		33
1368	The super hydrophobicity of ZnO nanorods fabricated by electrochemical deposition method. <i>Applied Surface Science</i> , 2011 , 257, 6590-6594	6.7	45
1367	Tunable surface wettability of ZnO nanorods prepared by two-step method. <i>Applied Surface Science</i> , 2011 , 257, 7534-7538	6.7	37
1366	Bioinspired fabrication of magneto-optic hierarchical architecture by hydrothermal process from butterfly wing. 2011 , 323, 2064-2069		19
1365	Remarkable pH-sensitivity and anti-fouling property of terpolymer blended polyethersulfone hollow fiber membranes. 2011 , 378, 369-381		60
1364	Titania nanocomposite polyethersulfone ultrafiltration membranes fabricated using a low temperature hydrothermal coating process. 2011 , 380, 98-113		94
1363	Surface properties and liquid crystal alignment behavior of poly(2-hydroxyethyl methacrylate) derivatives with alkyl ester side chains. 2011 , 360, 623-32		10
1362	One-step electrophoretic deposition for the preparation of superhydrophobic silica particle/trimethylsiloxysilicate composite coatings. 2011 , 362, 560-6		51
1361	Papillae mimetic hairy composite spheres towards lotus leaf effect coatings. 2011 , 52, 597-601		19
1360	Fabrication and characterization of transparent superhydrophilic/superhydrophobic silica nanoparticulate thin films. 2011 , 519, 5450-5455		20
1359	Fabrication of hydrophobic inorganic coatings on natural lotus leaves for nanoimprint stamps. 2011 , 519, 5523-5527		21
1358	Tunable contact angle hysteresis by micropatterning surfaces. 2011 , 98, 184101		17
1357	Fabrics with self-adaptive wettability controlled by light-and-dark 2011 , 21, 17978		64
1356	A Stable Biomimetic Superhydrophobic CuO Surface Prepared by a Facile and Inexpensive Environmental-Friendly Method. 2011 , 239-242, 1190-1194		1

1355	Superhydrophobic nickel micromesh with microfences. 2011 , 21, 105003	2
1354	Measurement of Hydrodynamic Frictional Drag on Superhydrophobic Flat Plates in High Reynolds Number Flows. 2011 ,	2
1353	Precise control of surface physicochemical properties for electrospun fiber mats by surface-initiated radical polymerization. 2011 , 43, 838-848	27
1352	Optical Properties of ZnO Nanorods on Glass Via Spray Deposition of Solution Containing Zinc Chloride and Thiourea. 2011 , 10, 532-536	3
1351	A Two-Step Method to Prepare Stable Superhydrophobic Surface on Steel Substrates. 2012 , 463-464, 349-353	1
1350	Rapid fabrication of nanostructured surfaces using nanocoining. 2012 , 23, 415303	5
1349	Robust hydrophobic Fe-based amorphous coating by thermal spraying. 2012 , 101, 121603	30
1348	Robust, novel, and low cost superhydrophobic nanocomposites coating for reliability improvement of microelectronics. 2012 ,	0
1347	Effect of Curing Condition on Superhydrophobic Surface for 7075Al. 2012 , 33, 771-774	6
1346	Preparation of Super Hydrophobic Surfaces by the Stainless Steel Wire Mesh as Templates. 2012 , 562-564, 56-59	2
1345	Spray Impact Resistance of a Superhydrophobic Nanocomposite Coating. 2012 ,	1
1344	Biotemplated hierarchical surfaces and the role of dual length scales on the repellency of impacting droplets. 2012 , 100, 263701	73
1343	Important Role of Nanopore Morphology in Superoleophobic Hierarchical Surfaces. 2012 , 116, 23308-23314	27
1342	Magnetically driven floating foams for the removal of oil contaminants from water. 2012 , 6, 5413-9	528
1341	Tunable Protein and Bacterial Cell Adsorption on Colloidally Templated Superhydrophobic Polythiophene Films. 2012 , 24, 870-880	110
1340	Tunable Surface Nanoporosity by Electropolymerization of N-Alkyl-3,4-ethylenedioxyppyroles With Different Alkyl Chain Lengths. 2012 , 213, 2492-2497	24
1339	Screening conditions for rationally engineered electrodeposition of nanostructures (SCREEN): electrodeposition and applications of polypyrrole nanofibers using microfluidic gradients. 2012 , 8, 3502-9	7
1338	Reduction of fluid friction on the surface coated with TiO ₂ photocatalyst under UV illumination. 2012 , 47, 8167-8173	9

1337	Wettability influences cell behavior on superhydrophobic surfaces with different topographies. 2012 , 7, 46	84
1336	Dynamics of wicking in silicon nanopillars fabricated with interference lithography and metal-assisted chemical etching. 2012 , 28, 11465-71	44
1335	Cellulose-based material with amphiphobicity to inhibit bacterial adhesion by surface modification. 2012 , 22, 12562	75
1334	Solution-processed organic nano- and micro-materials: design strategy, growth mechanism and applications. 2012 , 22, 785-798	53
1333	Self assembly of shape-controlled ZnS nanostructures with novel yellow light photoluminescence and excellent hydrophobic properties. 2012 , 14, 7759	18
1332	Surface chemistry controlled superhydrophobic stability of W18O49 nanowire arrays submerged underwater. 2012 , 22, 20250	34
1331	Polymer surface texturing for direct inkjet patterning by atmospheric pressure plasma treatment. 2012 , 8, 5020	17
1330	Wetting and Active Dewetting Processes of Hierarchically Constructed Superhydrophobic Surfaces Fully Immersed in Water. 2012 , 21, 712-720	22
1329	Durable Self-Healing Super-Liquid-Repellent Fabrics. 2012 , 80, 152-155	1
1328	Super-wetting, wafer-sized silicon nanowire surfaces with hierarchical roughness and low defects. 2012 , 2, 11472	28
1327	Writing on superhydrophobic nanopost arrays: topographic design for bottom-up assembly. 2012 , 12, 4551-7	51
1326	Superhydrophobic self-assembled monolayers of long-chain fluorinated imidazolium ionic liquids. 2012 , 2, 5141	22
1325	A theory for the morphological dependence of wetting on a physically patterned solid surface. 2012 , 28, 14227-37	45
1324	Nanoroughness Impact on Liquid-Liquid Displacement. 2012 , 116, 10934-10943	18
1323	Simple fabrication of micro/nano-porous SiOC foam from polysiloxane. 2012 , 22, 6542	41
1322	Evaporation of water droplets on "lock-and-key" structures with nanoscale features. 2012 , 28, 9201-5	7
1321	Characterisation of surface wettability based on nanoparticles. 2012 , 4, 2202-18	63
1320	Superamphiphobic coatings with coralline-like structure enabled by one-step spray of polyurethane/carbon nanotube composites. 2012 , 22, 9624	82

1319	Nanotexturation-induced extreme wettability of an elemental tellurium coating. 2012 , 22, 3335-3339		7
1318	Effect of nanoroughness on highly hydrophobic and superhydrophobic coatings. 2012 , 28, 15005-14		46
1317	Fabrication of nano-structured super-hydrophobic film on aluminum by controllable immersing method. <i>Applied Surface Science</i> , 2012 , 258, 5933-5937	6.7	77
1316	Wetting mode transition of nanoliter scale water droplets during evaporation on superhydrophobic surfaces with random roughness structure. <i>Applied Surface Science</i> , 2012 , 258, 2378-2383	6.7	14
1315	A superoleophobic textile repellent towards impacting drops of alkanes. <i>Applied Surface Science</i> , 2012 , 258, 3835-3840	6.7	65
1314	Superhydrophobic silver surface with dendrites structure on steel substrate by a facile electroless galvanic deposition process. <i>Applied Surface Science</i> , 2012 , 258, 4906-4910	6.7	28
1313	Mechanism of wettability transition in copper metal foams: From superhydrophilic to hydrophobic. <i>Applied Surface Science</i> , 2012 , 258, 6416-6424	6.7	46
1312	Fabrication of superhydrophobic vanadium pentoxide nanowires surface by chemical modification. <i>Applied Surface Science</i> , 2012 , 258, 7455-7459	6.7	10
1311	Synthesis and characterization of superhydrophobic and superparamagnetic film based on maghemite/polystyrene composite nanoparticles. <i>Applied Surface Science</i> , 2012 , 259, 719-725	6.7	13
1310	Spotiton: a prototype for an integrated inkjet dispense and vitrification system for cryo-TEM. 2012 , 179, 68-75		99
1309	Liquid/solid contact mode of super-hydrophobic film in aqueous solution and its effect on corrosion resistance. 2012 , 54, 77-84		88
1308	Functional micropatterned surfaces prepared by simultaneous UV-lithography and surface segregation of fluorinated copolymers. 2012 , 50, 4902-4910		5
1307	Surfaces with Extreme Wettability Ranges for Biomedical Applications. 2012 , 237-257		1
1306	Superhydrophilic and Wetting Behavior of TiO ₂ Films and their Surface Morphologies. 2012 , 29, 088103		4
1305	Enhanced wettability performance of ultrathin ZnO nanotubes by coupling morphology and size effects. 2012 , 4, 5755-60		34
1304	Biomimetic graphene films and their properties. 2012 , 4, 4858-69		81
1303	Synthesis of superamphiphobic breathable membranes utilizing SiO ₂ nanoparticles decorated fluorinated polyurethane nanofibers. 2012 , 4, 7549-56		77
1302	Fabrication and photoluminescence studies of porous ZnO nanorods. 2012 , 61, 102-107		3

1301	A review of stimuli-responsive polymers for smart textile applications. 2012 , 21, 053001		388
1300	Dual scale roughness driven perfectly hydrophobic surfaces prepared by electro spraying a polymer in good solvent-poor solvent systems. 2012 , 28, 14192-201		14
1299	Superhydrophilic/Superoleophobic coatings. 2012 , 22, 2834		314
1298	Superhydrophobic polyethylcyanoacrylate coatings. Contact area with water measured by Raman spectral images, contact angle and Cassie-Baxter model. 2012 , 388, 306-12		10
1297	Water-based preparation of highly oleophobic thin films through aggregation of nanoparticles using layer-by-layer treatment. <i>Applied Surface Science</i> , 2012 , 263, 8-13	6.7	20
1296	A facile method to fabricate superhydrophobic cotton fabrics. <i>Applied Surface Science</i> , 2012 , 261, 561-566	6.7	76
1295	Laser-induced hydrophobicity on single crystal zinc oxide surface. <i>Applied Surface Science</i> , 2012 , 263, 405-409	6.7	10
1294	Superhydrophobic alumina surface with high adhesive force and long-term stability. 2012 , 410, 66-71		45
1293	Structural composites hybridized with epoxy compatible polymer/MWCNT nanofibrous interlayers. 2012 , 72, 1639-1645		38
1292	The superhydrophobic properties of self-organized microstructured surfaces derived from anodically oxidized Al/Nb and Al/Ta metal layers. 2012 , 82, 90-97		26
1291	Superhydrophobic SiO ₂ micro-particle coatings by spray method. 2012 , 207, 489-492		31
1290	Preparation of Super-Hydrophobic Aluminum by a Novel Immersion Method using Potassium Permanganate Solutions. 2012 , 27, 1752-1757		6
1289	Multifunctional surface modification of an aramid fabric via direct fluorination. 2012 , 141, 69-75		27
1288	Easy route to the wettability cycling of copper surface between superhydrophobicity and superhydrophilicity. 2012 , 4, 273-9		46
1287	Recent progress of double-structural and functional materials with special wettability. 2012 , 22, 799-815		161
1286	Superhydrophobic Graphene/Nafion Nanohybrid Films with Hierarchical Roughness. 2012 , 116, 3207-3211		61
1285	Programming surface morphology of TiO ₂ hollow spheres and their superhydrophilic films. 2012 , 4, 96-101		47
1284	In situ assembly of raspberry- and mulberry-like silica nanospheres toward antireflective and antifogging coatings. 2012 , 4, 2204-11		90

1283	Deposition of bio-mimicking graphene sheets with lotus leaf-like and cell-like structures on the nickel substrate. 2012 , 57, 3036-3039	3
1282	Unidirectional water-penetration composite fibrous film via electrospinning. 2012 , 8, 5996	217
1281	Photo-induced water-oil separation based on switchable superhydrophobicity/superhydrophilicity and underwater superoleophobicity of the aligned ZnO nanorod array-coated mesh films. 2012 , 22, 19652	304
1280	Rapid microwave synthesis of fluorescent hydrophobic carbon dots. 2012 , 2, 12129	99
1279	Superaerophobicity: repellence of air bubbles from submerged, surface-engineered silicon substrates. 2012 , 28, 14968-73	23
1278	Nanosphere lithography and hydrothermal growth: how to increase the surface area and control reversible wetting properties of ZnO nanowire arrays?. 2012 , 22, 17086	14
1277	Polymer single crystal-decorated superhydrophobic buckypaper with controlled wetting and conductivity. 2012 , 6, 1204-13	45
1276	Preparation of water-resistant antifog hard coatings on plastic substrate. 2012 , 28, 17193-201	46
1275	Micro/nanotextured polymer coatings fabricated by UV curing-induced phase separation: creation of superhydrophobic surfaces. 2012 , 22, 8613	48
1274	Single-step direct fabrication of pillar-on-pore hybrid nanostructures in anodizing aluminum for superior superhydrophobic efficiency. 2012 , 4, 842-8	95
1273	Effects of Oxalic Acid and Sodium Chloride on the Superhydrophobic Surface on Aluminum Alloy by Anodizing and PP-Coating. 2012 , 583, 338-341	3
1272	Facile Preparation of the Superhydrophobic Surface on Aluminum Alloy by PP-Coating. 2012 , 583, 342-345	1
1271	Magnetoactive Superhydrophobic Foams for Oil-Water Separation. 2012 , 77, 159-164	1
1270	Properties of Silicon and Metal Oxide Electrowetting Systems. 2012 , 26, 2143-2163	8
1269	Literature review on superhydrophobic self-cleaning surfaces produced by electrospinning. 2012 , 50, 824-845	206
1268	Recent developments in polymeric superoleophobic surfaces. 2012 , 50, 1209-1224	199
1267	The superhydrophobic properties of ZrO ₂ induced by laser irradiation. 2012 , 44, 1360-1363	6
1266	Simple method for preparing superhydrophobic paper: spray-deposited hydrophobic silica nanoparticle coatings exhibit high water-repellency and transparency. 2012 , 28, 4605-8	326

1265	Scale-Up of a Reaction Chamber for Superhydrophobic Coatings Based on Silicone Nanofilaments. 2012 , 51, 2631-2636		29
1264	Functionalization of Graphene Oxide with Polyhedral Oligomeric Silsesquioxane (POSS) for Multifunctional Applications. 2012 , 3, 1607-12		206
1263	Transparent superhydrophobic/superhydrophilic coatings for self-cleaning and anti-fogging. 2012 , 101, 033701		117
1262	Field Emission and Superhydrophobic Properties of Electrochemically Grown Gold Nanourchins. 2012 , 59, 983-988		2
1261	Photoreversible Superhydrophobic Surfaces with Switchable Sticky-Rolling State of Water Droplets. 2012 , 297, 979-984		7
1260	Predicting the extent of hydrophilicity on Si nano-column surfaces. 2012 , 43, 366-372		1
1259	Printable superhydrophilic-superhydrophobic micropatterns based on supported lipid layers. 2012 , 28, 8286-91		72
1258	Tailoring of mesenchymal stem cells behavior on plasma-modified polytetrafluoroethylene. <i>Advanced Materials</i> , 2012 , 24, 3315-24	24	44
1257	Functional fibers with unique wettability inspired by spider silks. <i>Advanced Materials</i> , 2012 , 24, 2786-91	24	130
1256	Superhydrophobic surfaces with photocatalytic self-cleaning properties by nanocomposite coating of TiO(2) and polytetrafluoroethylene. <i>Advanced Materials</i> , 2012 , 24, 3697-700	24	242
1255	Surface Wetting in Liquid-Liquid-Solid Triphase Systems: Solid-Phase-Independent Transition at the Liquid-Liquid Interface by Lewis Acid-Base Interactions. 2012 , 124, 8473-8476		
1254	Surface wetting in liquid-liquid-solid triphase systems: solid-phase-independent transition at the liquid-liquid interface by Lewis acid-base interactions. 2012 , 51, 8348-51		37
1253	Adhesion strength and superhydrophobicity of polyurethane/organoclay nanocomposite coatings. 2012 , 125, E445		64
1252	Biomimetic graphene surfaces with superhydrophobicity and iridescence. 2012 , 7, 301-4		72
1251	Biofouling: lessons from nature. 2012 , 370, 2381-417		321
1250	Advances in the theory of superhydrophobic surfaces. 2012 , 22, 20112		148
1249	Investigation of the effect of dual-size coatings on the hydrophobicity of cotton surface. 2012 , 19, 1031-1040	20	
1248	Multifunctional wool fiber treated with e-polylysine. 2012 , 29, 507-512		8

1247	Preparation of micro- and nanospheres with superamphiphobic surfaces by dispersion polymerization. 2012 , 290, 525-530	18
1246	Light-induced self-cleaning properties of ZnO nanowires grown at low temperatures. 2012 , 411-412, 7-14	42
1245	The preparation of a strawberry-like super-hydrophilic surface on the molybdenum substrate. 2012 , 404, 52-55	6
1244	Microwrinkles: shape-tunability and applications. 2012 , 368, 1-8	51
1243	A simple way to achieve tunable adhesion in superhydrophobic nanostructured Co ₃ O ₄ films. 2012 , 67, 334-337	13
1242	Effect of surface metrology on the wettability of SiO ₂ nanoparticle coating. 2012 , 67, 338-341	24
1241	Fabrication and characterization of superhydrophobic surface by electroplating regular rough micro-structures of metal nickel. 2012 , 95, 130-134	21
1240	From natural lotus leaf to highly hard-flexible diamond-like carbon surface with superhydrophobic and good tribological performance. 2012 , 206, 2258-2264	34
1239	Hydrophobicity study of polytetrafluoroethylene nanocomposite films. 2012 , 520, 4916-4920	20
1238	Femtosecond Laser in Polymeric Materials: Microfabrication of Doped Structures and Micromachining. 2012 , 18, 176-186	42
1237	Anisotropic wetting surfaces with one-dimensional and directional structures: fabrication approaches, wetting properties and potential applications. <i>Advanced Materials</i> , 2012 , 24, 1287-302	24 230
1236	A simple method for preparation of transparent hydrophobic silica-based coatings on different substrates. 2012 , 106, 229-235	26
1235	Structure-induced spreading of liquid in micropillar arrays. 2012 , 18, 167-173	9
1234	Synthesis and characterization of PMMA-based superhydrophobic surfaces. 2012 , 290, 315-322	13
1233	Replication of surface nano-structure of the wing of dragonfly (<i>Pantala Flavescens</i>) using nano-molding and UV nanoimprint lithography. 2013 , 9, 523-526	11
1232	Sol-gel preparation of PTMS modified hydrophobic and transparent silica coatings. 2013 , 20, 733-739	21
1231	Effects of the nanoassociation of hexadecyltrimethoxysilane precursors on the sol-gel process. 2013 , 65, 344-352	9
1230	Designing robust alumina nanowires-on-nanopores structures: superhydrophobic surfaces with slippery or sticky water adhesion. 2013 , 409, 18-24	40

1229	Multi-level micro/nanotexturing by three-dimensionally controlled photofluidization and its use in plasmonic applications. <i>Advanced Materials</i> , 2013 , 25, 5490-7	24	46
1228	A facile approach to robust superhydrophobic 3D coatings via connective-particle formation using the electrospraying process. 2013 , 49, 804-6		35
1227	Synthesis, characterization, and surface wettability properties of amine functionalized graphene oxide films with varying amine chain lengths. 2013 , 401, 148-54		151
1226	Enhanced Friction-Reducing Behavior of Stearic Acid Film on Textured Steel. 2013 , 50, 299-304		6
1225	A robust transparent and anti-fingerprint superhydrophobic film. 2013 , 49, 7310-2		42
1224	On the surface roughness and hydrophobicity of dual-size double-layer silica nanoparticles. 2013 , 48, 6115-6120		16
1223	Electrochemically actuated stop-go valves for capillary force-operated diagnostic microsystems. 2013 , 14, 2164-73		
1222	Bioinspired wetting surface via laser microfabrication. 2013 , 5, 6777-92		154
1221	Design of a dynamic polymer interface for chiral discrimination. 2013 , 135, 10282-5		46
1220	Polymer Brush-Functionalized Surfaces with Reversible, Precisely Controllable Two-Way Responsive Wettability. 2013 , 46, 7018-7026		28
1219	An oxygenated rubber derivative as a compatibilizer for the preparation of polymer films. 2013 , 10, 733-742		
1218	Synthesis and photosensitivity of azobenzene functionalized hydroxypropylcellulose. 2013 , 3, 15909		20
1217	Superhydrophobic surface constructed on electrodeposited sol-gel silica film. 2013 , 26, 85-88		36
1216	Robust magnetic/polymer hybrid nanoparticles designed for crude oil entrapment and recovery in aqueous environments. 2013 , 7, 7552-61		106
1215	New Frontiers in Photochromism. 2013 ,		91
1214	Underwater saturation resistance and electrolytic functionality for superhydrophobic nanocomposites. 2013 , 291, 2013-2016		21
1213	Control of the water adhesion on hydrophobic micropillars by spray coating technique. 2013 , 291, 401-407		28
1212	Fabrication and analysis of PMMA, ABS, PS, and PC superhydrophobic surfaces using the spray method. 2013 , 63, 218-224		9

1211	A Mechanistic Study of Wetting Superhydrophobic Porous 3D Meshes. 2013 , 23, 3628-3637		77
1210	Enhanced reversible wettability conversion of micro-nano hierarchical TiO ₂ /SiO ₂ composite films under UV irradiation. <i>Applied Surface Science</i> , 2013 , 283, 12-18	6.7	24
1209	ZnO nanorod array-coated mesh film for the separation of water and oil. 2013 , 8, 183		24
1208	Reversible wettability control of silicon nanowire surfaces: From superhydrophilicity to superhydrophobicity. 2013 , 527, 179-185		21
1207	Hydrophobic and oil-resistant coatings based on advanced green polyurethane dispersions. 2013 , 130, n/a-n/a		2
1206	Superhydrophilic zinc oxide film prepared by controlling ZnO microrods growth and its attractive recyclable photocatalytic performance. 2013 , 539, 23-28		6
1205	OTES modified transparent dip coated silica coatings. 2013 , 39, 835-840		31
1204	A conversion coating on carbon steel with good anti-wax performance in crude oil. 2013 , 112, 266-272		21
1203	Lotus-leaf-like structured heparin-conjugated poly(L-lactide-co-epsilon-caprolactone) as a blood compatible material. 2013 , 103, 463-7		25
1202	Mechanically robust superamphiphobic aluminum surface with nanopore-embedded microtexture. 2013 , 29, 11966-74		118
1201	Solvothermal-induced conversion of one-dimensional multilayer nanotubes to two-dimensional hydrophilic VOx nanosheets: synthesis and water treatment application. 2013 , 5, 10389-94		14
1200	Is it Possible to Change Wettability of Hydrophilic Surface by Changing Its Roughness?. 2013 , 4, 3692-3697		36
1199	Fabrication and icing property of superhydrophilic and superhydrophobic aluminum surfaces derived from anodizing aluminum foil in a sodium chloride aqueous solution. <i>Applied Surface Science</i> , 2013 , 283, 19-24	6.7	22
1198	Self-assembled biomimetic superhydrophobic hierarchical arrays. 2013 , 405, 51-7		35
1197	Superhydrophobic silica surfaces: fabrication and stability. 2013 , 23, 125013		19
1196	Effect of Si-incorporation on hydrophilicity and bioactivity of titania film. 2013 , 229, 156-161		11
1195	Preliminary study on different technological tools and polymeric materials towards superhydrophobic surfaces for automotive applications. 2013 , 74, 1640-1645		6
1194	Electric field-induced, reversible lotus-to-rose transition in nanohybrid shish kebab paper with hierarchical roughness. 2013 , 5, 12089-98		31

1193	Superhydrophobic surfaces from hierarchically structured wrinkled polymers. 2013 , 5, 11066-73		102
1192	One step sol-gel electrochemistry for the fabrication of superhydrophobic surfaces. 2013 , 1, 14471		42
1191	Ultrahydrophobicity of ZnO modified CVD diamond films. <i>Applied Surface Science</i> , 2013 , 270, 260-266	6.7	7
1190	Nanostructured superhydrophobic substrates trigger the development of 3D neuronal networks. 2013 , 9, 402-12		77
1189	Fabrication of amphiphobic surface by using titanium anodization for large-area three-dimensional substrates. 2013 , 400, 123-9		39
1188	Nanopatterned zinc titanate thin films prepared by the evaporation-induced self-assembly process. 2013 , 531, 222-227		6
1187	Fabrication of superhydrophobic and superoleophilic textiles for oil/water separation. <i>Applied Surface Science</i> , 2013 , 284, 464-471	6.7	127
1186	Novel superhydrophobic top coating on surface modified PVC-coated fabric. <i>Progress in Organic Coatings</i> , 2013 , 76, 821-826	4.8	10
1185	Topography-guided spreading and drying of 6,13-bis(triisopropylsilylethynyl)-pentacene solution on a polymer insulator for the field-effect mobility enhancement. 2013 , 102, 193307		8
1184	Acrylic acid grafted porous polycarbonate membrane with smart hydrostatic pressure response to pH. 2013 , 1, 4642		11
1183	Pulsed Laser Deposition of Surfaces with Tunable Wettability. 2013 , 253-276		
1182	Fabrication of Antireflective Self-Cleaning Surfaces Using Layer-by-Layer Assembly Techniques. 2013 , 277-311		
1181	Nanoparticles assembly-induced special wettability for bio-inspired materials. 2013 , 11, 361-370		21
1180	Patterned photonic crystals fabricated by inkjet printing. 2013 , 1, 6048		80
1179	Surface Characterization of Biomaterials. 2013 , 105-174		20
1178	Deforming water droplets with a superhydrophobic silica coating. 2013 , 49, 10016-8		22
1177	Synthesis of highly hydrophobic floating magnetic polymer nanocomposites for the removal of oils from water surface. <i>Applied Surface Science</i> , 2013 , 286, 249-256	6.7	85
1176	Superhydrophobic Nanocomposite Coating for Reliability Improvement of Microelectronics. 2013 , 3, 1079-1083		7

1175	Advanced understanding of stickiness on superhydrophobic surfaces. 2013 , 3, 3268		26
1174	Biomimetic fabrication and tunable wetting properties of three-dimensional hierarchical ZnO structures by combining soft lithography templated with lotus leaf and hydrothermal treatments. 2013 , 15, 5417		45
1173	Controllable wettability by tailoring one-dimensional tellurium micro/nanostructures. 2013 , 15, 8475		7
1172	CONTROL OF WETTING BEHAVIOR USING POST-POLYMERIZATION MODIFICATIONS OF SURFACE CHEMICAL FUNCTIONALITY. 2013 , 01, 1250002		13
1171	Synthesis of hierarchically structured iron oxide in magnetic field and their hydrophobic property. 2013 , 15, 6546		7
1170	Exotic Self-Organized Fullerene Materials Based on Uncommon Hydrophobic/Amphiphilic Approach. 2013 , 1-21		1
1169	Super-Hydrophobic Film Prepared with Reduced Graphene Sheets and its Application as Corrosion Barrier to Copper. 2013 , 365-366, 1100-1105		5
1168	Fabrication of superoleophobic surfaces on Al substrates. 2013 , 1, 14783		72
1167	Unusual growth direction and controllable wettability of W-catalyzed AlN nanowires. 2013 , 15, 5376		5
1166	Asymmetric liquid wetting and spreading on surfaces with slanted micro-pillar arrays. 2013 , 9, 11113		33
1165	Polymer brush-functionalized surfaces with unique reversible double-stimulus responsive wettability. 2013 , 1, 10646		38
1164	Polymer Nanowire Arrays With High Thermal Conductivity and Superhydrophobicity Fabricated by a Nano-Molding Technique. 2013 , 34, 131-139		35
1163	Bioinspired micro/nano fabrication on dental implant/Bone interface. <i>Applied Surface Science</i> , 2013 , 265, 480-488	6.7	39
1162	Facile fabrication of superhydrophobic surfaces on zinc substrates by displacement deposition of Sn. <i>Applied Surface Science</i> , 2013 , 265, 597-602	6.7	14
1161	Bio-inspired superoleophobic and smart materials: Design, fabrication, and application. 2013 , 58, 503-564		439
1160	Water/diesel secondary dispersion separation using superhydrophobic tubes of nanofibers. <i>Separation and Purification Technology</i> , 2013 , 104, 81-88	8.3	46
1159	Controllable stearic acid crystal induced high hydrophobicity on cellulose film surface. 2013 , 5, 585-91		58
1158	Porous poly(2-octyl cyanoacrylate): a facile one-step preparation of superhydrophobic coatings on different substrates. 2013 , 1, 1026-1029		24

1157	Fabrication of the superhydrophobic surface on aluminum alloy by anodizing and polymeric coating. <i>Applied Surface Science</i> , 2013 , 264, 872-878	6.7	86
1156	Influence of surface topography and surface physicochemistry on wettability of zirconia (tetragonal zirconia polycrystal). 2013 , 101, 355-63		85
1155	Synthesis of a carbon nanofiber/carbon foam composite from coal liquefaction residue for the separation of oil and water. 2013 , 59, 530-536		82
1154	Amphiphiles as hydrophobicity regulator: fine tuning the surface hydrophobicity of an electropolymerized film. 2013 , 397, 192-8		23
1153	Reversible surface wettability transition between superhydrophobicity and superhydrophilicity on hierarchical micro/nanostructure ZnO mesh films. 2013 , 224, 88-92		22
1152	Tunable BiOCl hierarchical nanostructures for high-efficient photocatalysis under visible light irradiation. <i>Chemical Engineering Journal</i> , 2013 , 220, 228-236	14.7	176
1151	Optically transparent, mechanically durable, nanostructured superhydrophobic surfaces enabled by spinodally phase-separated glass thin films. 2013 , 24, 315602		41
1150	Controlled drug release from a polymer matrix by patterned electrospun nanofibers with controllable hydrophobicity. 2013 , 1, 4182-4188		28
1149	Preparation of thermal stable porous polyimide membranes by phase inversion process for lithium-ion battery. 2013 , 54, 6339-6348		66
1148	Superhydrophobic surfaces on brass with controllable water adhesion. 2013 , 235, 290-296		15
1147	Evidence of wettability variation on carbon nanofiber layers grown on oxidized silicon substrates. <i>Chemical Engineering Journal</i> , 2013 , 227, 56-65	14.7	4
1146	Interactions between cells or proteins and surfaces exhibiting extreme wettabilities. 2013 , 9, 2985		123
1145	Tuning surface wettability using single layered and hierarchically ordered arrays of spherical colloidal particles. 2013 , 9, 3032		35
1144	Study of contact angle hysteresis using the Cellular Potts Model. 2013 , 15, 2749-56		21
1143	Robust, Self-Healing Superamphiphobic Fabrics Prepared by Two-Step Coating of Fluoro-Containing Polymer, Fluoroalkyl Silane, and Modified Silica Nanoparticles. 2013 , 23, 1664-1670		364
1142	Novel fluorinated polyurethane decorated electrospun silica nanofibrous membranes exhibiting robust waterproof and breathable performances. 2013 , 3, 7562		39
1141	Amphiphobic fluorinated polyurethane composite microfibrrous membranes with robust waterproof and breathable performances. 2013 , 3, 2248-2255		68
1140	Fabrication of cotton fabric with superhydrophobicity and flame retardancy. 2013 , 96, 396-402		54

1139	Controlling liquid spreading using microfabricated undercut edges. <i>Advanced Materials</i> , 2013 , 25, 2275-8, 2274	24	32
1138	Fabrication and characterization of large-scale multifunctional transparent ITO nanorod films. 2013 , 1, 5860		40
1137	Methodology for robust superhydrophobic fabrics and sponges from in situ growth of transition metal/metal oxide nanocrystals with thiol modification and their applications in oil/water separation. 2013 , 5, 1827-39		225
1136	Superhydrophobic surfaces fabricated from nano- and microstructured cellulose stearyl esters. 2013 , 49, 4962-4		37
1135	Factors determining wettability of superhydrophobic paper prepared by spraying nanoparticle suspensions. 2013 , 434, 35-41		65
1134	A facile method for the fabrication of superhydrophobic films with multiresponsive and reversibly tunable wettability. 2013 , 1, 3146		71
1133	A hybrid method employing breakdown anodization and electrophoretic deposition for superhydrophilic surfaces. 2013 , 117, 1714-23		13
1132	From circular to triangular alumina nanopore arrays via simple replication. 2013 , 102, 021601		
1131	Bioinspired multiscale surfaces with special wettability. 2013 , 38, 375-382		56
1130	Super-hydrophobic film prepared on zinc and its effect on corrosion in simulated marine atmosphere. 2013 , 69, 23-30		67
1129	Friction reducing behavior of stearic acid film on a textured aluminum substrate. <i>Applied Surface Science</i> , 2013 , 280, 545-549	6.7	21
1128	Superamphiphobic surface by nanotransfer molding and isotropic etching. 2013 , 29, 8070-5		81
1127	Fabrication of superhydrophobic cotton textiles for water-oil separation based on drop-coating route. 2013 , 97, 59-64		122
1126	Patterning of controllable surface wettability for printing techniques. 2013 , 42, 5184-209		253
1125	Fabrication of semi-transparent superoleophobic thin film by nanoparticle-based nano/microstructures on see-through fabrics. 2013 , 48, 6613-6618		18
1124	Liquid drops impacting superamphiphobic coatings. 2013 , 29, 7847-56		89
1123	Photoinduced self-epitaxial crystal growth of a diarylethene derivative with antireflection moth-eye and superhydrophobic lotus effects. 2013 , 29, 8164-9		25
1122	Molecular or Nanoscale Structures? The Deciding Factor of Surface Properties on Functionalized Poly(3,4-ethylenedioxythiophene) Nanorod Arrays. 2013 , 23, 3212-3219		57

1121	Spontaneous Formation of Two-Dimensional Micropatterns with Straight and/or Curving Dendrites through Crystal Growth of Ba(NO ₃) ₂ in Polymer Matrix. 2013 , 13, 3011-3017		6
1120	Three-phase contact force equilibrium of liquid drops at hydrophilic and superhydrophobic surfaces. 2013 , 404, 179-82		6
1119	Wetting and Interfacial Properties of Water on the Defective Graphene. 2013 , 117, 14106-14112		36
1118	Culturing primary human osteoblasts on electrospun poly(lactic-co-glycolic acid) and poly(lactic-co-glycolic acid)/nanohydroxyapatite scaffolds for bone tissue engineering. 2013 , 5, 5921-6		52
1117	Fabrication of a ZnO nanocolumnar thin film on a glass slide and its reversible switching from a superhydrophobic to a superhydrophilic state. 2013 , 3, 5937		30
1116	Influence of long alkyl spacers in the elaboration of superoleophobic surfaces with short fluorinated chains. 2013 , 3, 5556		31
1115	Biomimetic Superhydrophobic Surfaces. 2013 , 34, 1-21		7
1114	Facile transition from hydrophilicity to superhydrophilicity and superhydrophobicity on aluminum alloy surface by simple acid etching and polymer coating. <i>Applied Surface Science</i> , 2013 , 280, 193-200	6.7	27
1113	Electrochemically actuated passive stop-go microvalves for flow control in microfluidic systems. 2013 , 111, 416-420		8
1112	Modification of paper using polyhydroxybutyrate to obtain biomimetic superhydrophobic substrates. 2013 , 416, 51-55		53
1111	Two-dimensional ZnO nanoflakes coated mesh for the separation of water and oil. 2013 , 48, 25-29		44
1110	Blower-like micropillars of copper with porous nanowalls as effective hydrophobic surface. 2013 , 29, 446-450		5
1109	Nanoplasmonic modification of the local morphology, shape, and wetting properties of nanoflake microparticles. 2013 , 29, 7464-71		11
1108	Triple-scale structured superhydrophobic and highly oleophobic surfaces. 2013 , 3, 22332		11
1107	Bioinspired multifunctional Janus particles for droplet manipulation. 2013 , 135, 54-7		128
1106	Superhydrophobic polymer-coated copper-mesh; membranes for highly efficient oil/water separation. 2013 , 1, 5943		270
1105	MARTINI Model for Physisorption of Organic Molecules on Graphite. 2013 , 117, 15623-15631		30
1104	Designing heterogeneous chemical composition on hierarchical structured copper substrates for the fabrication of superhydrophobic surfaces with controlled adhesion. 2013 , 5, 8753-60		45

1103	Experimental study of skin friction drag reduction on superhydrophobic flat plates in high Reynolds number boundary layer flow. 2013 , 25, 025103		139
1102	Superhydrophobic graphene foams. 2013 , 9, 75-80		161
1101	Fabrication of pillar-array superhydrophobic silicon surface and thermodynamic analysis on the wetting state transition. 2013 , 22, 106801		15
1100	Effects of Acid Concentration on the Superhydrophobic Surface on Aluminum Alloy by Etching and PP-Coating. 2013 , 763, 49-52		1
1099	A Brief Review on Bioinspired ZnO Superhydrophobic Surfaces: Theory, Synthesis, and Applications. 2013 , 2013, 1-10		18
1098	How superhydrophobicity breaks down. 2013 , 110, 3254-8		322
1097	Observation of self-assembled layers of alkyl phosphonic acid on aluminum using low-voltage scanning electron microscopy and AFM. 2013 , 45, 1441-1445		9
1096	Influence of nanoscale geometry on the dynamics of wicking into a rough surface. 2013 , 102, 053104		10
1095	Fabrication and Corrosion Resistance of Superhydrophobic Hydroxide Zinc Carbonate Film on Aluminum Substrates. 2013 , 2013, 1-6		17
1094	Anticorrosive interfacial coatings for metallic substrates. 2013 , 1, 112-137		6
1093	Silver-Coated Rose Petal: Green, Facile, Low-Cost and Sustainable Fabrication of a SERS Substrate with Unique Superhydrophobicity and High Efficiency. 2013 , 1, 56-60		89
1092	Superhydrophobic Biomimetic Fibrous Membranes. 2013 , 1		1
1091	Effect of surface topography on hydrophobicity and bacterial adhesion of polystyrene. 2013 ,		3
1090	Bioinspired superhydrophobic carbonaceous hairy microstructures with strong water adhesion and high gas retaining capability. <i>Advanced Materials</i> , 2013 , 25, 4561-5	24	21
1089	Fabrication of semi-transparent superoleophobic thin film from fabrics and nanoparticle-based hierarchical structure. 2013 , 4, 01004		
1088	Wettability Control on ZnO Nanowires Driven by Seed Layer Properties. 2013 , 2013, 2520-2527		50
1087	Gas-driven ultrafast reversible switching of super-hydrophobic adhesion on palladium-coated silicon nanowires. <i>Advanced Materials</i> , 2013 , 25, 4139-44	24	57
1086	Preparation of Superhydrophobic Teflon AF 1600 Sub-Micron Fibers and Yarns Using the Forcespinning™ Technique. 2013 , 8, 155892501300800		5

1085	Chirality-driven wettability switching and mass transfer. 2014 , 53, 930-2	34
1084	Residual stress induced wetting variation on electric brush-plated Cu film. 2014 , 23, 038201	2
1083	Surface engineering for phase change heat transfer: A review. 2014 , 1, 1	217
1082	Photoinduced deformation of liquid crystal polymers. 2014 ,	
1081	Photoirradiation Caused Controllable Wettability Switching of Sputtered Highly Alignedc-Axis-Oriented Zinc Oxide Columnar Films. 2014 , 2014, 1-10	6
1080	Hydrophobic property of hierarchical polymer surfaces fabricated by precision tooling machine. 2014 , 34, 477-482	6
1079	Fabrication and Characterization of Chinese Drug-Loaded Nanoporous Materials. 2014 , 27, 103-109	4
1078	Fabrication of Stable Superhydrophobic Surface with Low Adhesion on Aluminum Foil. 2014 , 697, 80-84	
1077	Effects of Process Parameters on Hydrophobicity of Alumina Surfaces Fabricated by Hard Anodizing. 2014 , 884-885, 64-67	
1076	Dual-switchable surfaces between hydrophobic and superhydrophobic fabricated by the combination of click chemistry and RAFT. 2014 , 8, 528-542	8
1075	Stress Concentration Reduction at Crack Tip by Adding Nanonotches on Chip Surface. 2014 , 79, 225-229	2
1074	Muschel-inspirierte dendritische Polymere als universelle multifunktionale Beschichtungen. 2014 , 126, 11834-11840	26
1073	Perfluorinated lubricant/ polypyrrole composite material: Preparation and corrosion inhibition application. 2014 , 131, n/a-n/a	6
1072	Inscribing Wettability Gradients Onto Superhydrophobic Carbon Nanotube Surfaces. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1300049	4.6 24
1071	Spray impact resistance of a superhydrophobic nanocomposite coating. 2014 , 60, 3025-3032	25
1070	A smart "strider" can float on both water and oils. 2014 , 6, 21355-62	11
1069	Evaporation-induced transition from Nepenthes pitcher-inspired slippery surfaces to lotus leaf-inspired superoleophobic surfaces. 2014 , 30, 14292-9	69
1068	Lubricant-Infused Nanoparticulate Coatings Assembled by Layer-by-Layer Deposition. 2014 , 24, 6658-6667	173

1067	Creation of Superhydrophobic Electrospun Nonwovens Fabricated from Naturally Occurring Poly(Amino Acid) Derivatives. 2014 , 24, 6359-6364		15
1066	Superhydrophobic surfaces by laser ablation of rare-earth oxide ceramics. 2014 , 4, 95-99		26
1065	Static and dynamic hydrophobicity of alumina-based porous ceramics impregnated with fluorinated oil. 2014 , 29, 1546-1555		10
1064	Construction of biomimetic smart nanochannels for confined water. 2014 , 1, 144-156		50
1063	Sprayed superamphiphobic coatings on copper substrate with enhanced corrosive resistance. <i>Applied Surface Science</i> , 2014 , 293, 271-274	6.7	35
1062	Enhancement of dynamic wetting properties by direct fabrication on robust micro/micro hierarchical polymer surfaces. <i>Applied Surface Science</i> , 2014 , 300, 117-123	6.7	11
1061	Anti-fouling properties of microstructured surfaces bio-inspired by rice leaves and butterfly wings. 2014 , 419, 114-33		156
1060	Super-non-wettable surfaces: A review. 2014 , 448, 93-106		127
1059	Wetting phenomenon in membrane contactors [Causes and prevention. 2014 , 452, 332-353		177
1058	Super-hydrophobic metal-complex film fabricated electrochemically on copper as a barrier to corrosive medium. 2014 , 83, 317-326		98
1057	Application and modification of poly(vinylidene fluoride) (PVDF) membranes [A review. 2014 , 463, 145-165		992
1056	Reversible surface wettability conversion of graphene films: optically controlled mechanism. 2014 , 49, 3025-3033		10
1055	Spraying carbon nanotube dispersions to prepare superhydrophobic films. 2014 , 49, 3183-3188		14
1054	Superhydrophobic fabrics for oil/water separation through a diamond like carbon (DLC) coating. 2014 , 2, 6781-6789		143
1053	Simple Fabrication of Robust Water-Repellent Surfaces with Low Contact-Angle Hysteresis Based on Impregnation. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1300138	4.6	83
1052	A comparative structure-property study of polyphosphazene micro-nano spheres. 2014 , 71, 275-285		10
1051	Designing transparent superamphiphobic coatings directed by carbon nanotubes. 2014 , 421, 141-5		52
1050	Chemical and physical pathways for the preparation of superoleophobic surfaces and related wetting theories. <i>Chemical Reviews</i> , 2014 , 114, 2694-716	68.1	418

1049	Robust superhydrophobic transparent coatings fabricated by a low-temperature sol-gel process. <i>Applied Surface Science</i> , 2014 , 305, 702-709	6.7	79
1048	Separation of water droplets from water-in-diesel dispersion using superhydrophobic polypropylene fibrous membranes. <i>Separation and Purification Technology</i> , 2014 , 126, 62-68	8.3	74
1047	Phototunable Underwater Oil Adhesion of Micro/Nanoscale Hierarchical-Structured ZnO Mesh Films with Switchable Contact Mode. 2014 , 24, 536-542		64
1046	Superhydrophobic Coatings on Cellulose-Based Materials: Fabrication, Properties, and Applications. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1300026	4.6	186
1045	Photoinduced properties of nanocrystalline TiO ₂ -anatase coating on Ti-based bone implants. 2014 , 37, 390-8		30
1044	Facile preparation of superhydrophobic surfaces based on metal oxide nanoparticles. <i>Applied Surface Science</i> , 2014 , 303, 473-480	6.7	42
1043	Surface modification of polypyrrole-coated foam for the capture of organic solvents and oils. 2014 , 49, 4576-4582		17
1042	Fabrication of slippery liquid-infused porous surface based on carbon fiber with enhanced corrosion inhibition property. 2014 , 453, 132-141		61
1041	A Heat Resistant and Flame-Retardant Polysulfonamide/Polypropylene Composite Nonwoven for High Performance Lithium Ion Battery Separator. 2014 , 161, A1032-A1038		24
1040	Superhydrophobic flow channel surface and its impact on PEM fuel cell performance. 2014 , 9, 225-236		10
1039	Cu surfaces with controlled structures: From intrinsically hydrophilic to apparently superhydrophobic. <i>Applied Surface Science</i> , 2014 , 290, 320-326	6.7	19
1038	Creation of microstructured surfaces using Cu/Ni composite electrodeposition and their application to superhydrophobic surfaces. <i>Applied Surface Science</i> , 2014 , 289, 14-20	6.7	32
1037	Mechanical- and oil-durable superhydrophobic polyester materials for selective oil absorption and oil/water separation. 2014 , 413, 112-7		87
1036	Capturing wetting states in nanopatterned silicon. 2014 , 8, 885-93		51
1035	Hydrophobic and oleophobic anti-reflective polyacrylate coatings. 2014 , 114, 38-46		11
1034	Switchable water-adhesive, superhydrophobic palladium-layered silicon nanowires potentiate the angiogenic efficacy of human stem cell spheroids. <i>Advanced Materials</i> , 2014 , 26, 7043-50	24	64
1033	A short-range ordered-disordered transition of a NiOOH/Ni(OH) ₂ pair induces switchable wettability. 2014 , 6, 15309-15		42
1032	Silicon substrate strength enhancement depending on nanostructure morphology. 2014 ,		

1031	Switchable and reversible water adhesion on superhydrophobic titanate nanostructures fabricated on soft substrates: photopatternable wettability and thermomodulatable adhesivity. 2014 , 2, 58-61	33
1030	TiO ₂ /ZnO nanocomposite, ZnO/ZnO bi-level nanostructure and ZnO nanorod arrays: microstructure and time-affected wettability change in ambient conditions. 2014 , 4, 30658-30665	9
1029	A fast and convenient cellulose hydrogel-coated colander for high-efficiency oil/water separation. 2014 , 4, 32544-32548	36
1028	Tailoring the properties of aqueous/ionic liquid interfaces for tunable synthesis and self-assembly of ZnS nanoparticles. 2014 , 2, 5140	13
1027	Tracing the slow photon effect in a ZnO inverse opal film for photocatalytic activity enhancement. 2014 , 2, 5051	54
1026	An intelligent superwetting PVDF membrane showing switchable transport performance for oil/water separation. <i>Advanced Materials</i> , 2014 , 26, 2943-8	24 509
1025	Superhydrophobic hybrid films prepared from silica nanoparticles and ionic liquids via layer-by-layer self-assembly. 2014 , 570, 27-32	28
1024	Magnetically driven super durable superhydrophobic polyester materials for oil/water separation. 2014 , 5, 2382	84
1023	Nanorough silica coatings by chemical vapor deposition. 2014 , 4, 12737	
1022	Nepenthes Pitcher Inspired Anti-Wetting Silicone Nanofilaments Coatings: Preparation, Unique Anti-Wetting and Self-Cleaning Behaviors. 2014 , 24, 1074-1080	129
1021	Effect of Stirring on Hydrophobicity of PVDF/CNT Nanocomposite Coatings. 2014 , 938, 199-203	3
1020	Rabbit hair regenerative superhydrophobicity. 2014 , 4, 3611-3614	5
1019	Novel hydrophobic vaterite particles for oil removal and recovery. 2014 , 2, 3808	38
1018	Nanocomposite coating superhydrophobicity recovery after prolonged high-impact simulated rain. 2014 , 4, 47222-47226	21
1017	A novel solution-controlled hydrogel coated mesh for oil/water separation based on monolayer electrostatic self-assembly. 2014 , 4, 51404-51410	30
1016	Fabrication of superhydrophobic surface by a laminating exfoliation method. 2014 , 2, 1268-1271	26
1015	Reduced graphene oxide-coated cottons for selective absorption of organic solvents and oils from water. 2014 , 4, 30587	26
1014	Mussel-inspired, perfluorinated polydopamine for self-cleaning coating on various substrates. 2014 , 50, 11649-52	81

1013	Facile immobilization of Ag nanocluster on nanofibrous membrane for oil/water separation. 2014 , 6, 15272-82		137
1012	Physical modification of polytetrafluoroethylene flat membrane by a simple heat setting process and membrane wetting remission in SGMD for desalination. <i>Desalination</i> , 2014 , 354, 143-152	10.3	12
1011	Mussel-inspired dendritic polymers as universal multifunctional coatings. 2014 , 53, 11650-5		170
1010	Porous polymer-based monolithic layers enabling pH triggered switching between superhydrophobic and superhydrophilic properties. 2014 , 50, 13809-12		16
1009	Magnetic, superhydrophobic and durable silicone sponges and their applications in removal of organic pollutants from water. 2014 , 50, 7831-3		118
1008	Excellent friction-reducing performance of superhydrophobic steel surface in dry sliding. 2014 , 4, 20548-20553	10	
1007	Transparent slippery surfaces made with sustainable porous cellulose lauroyl ester films. 2014 , 6, 6969-76		58
1006	Mesostructured carbon film with morphology-induced hydrophilic surface through a dewetting-free coating process. 2014 , 77, 1104-1110		3
1005	Interfacial material system exhibiting superwettability. <i>Advanced Materials</i> , 2014 , 26, 6872-97	24	394
1004	Formation of AlOOH and silica composite hierarchical nanostructures thin film by sol-gel dip-coating for superhydrophobic surface with high adhesion force. 2014 , 72, 511-517		7
1003	Investigation of droplet jumping on superhydrophobic coatings during dew condensation by the observation from two directions. <i>Applied Surface Science</i> , 2014 , 315, 212-221	6.7	56
1002	Self-adaptive strain-relaxation optimization for high-energy lithium storage material through crumpling of graphene. 2014 , 5, 4565		128
1001	Self-organised patterns in polymeric films solidified from diluted solutions – The effect of the substrate surface properties. 2014 , 78, 615-623		5
1000	Structure irregularity impedes drop roll-off at superhydrophobic surfaces. 2014 , 30, 5041-5		17
999	Effect of different liquid-solid contact models on the corrosion resistance of superhydrophobic magnesium surfaces. 2014 , 87, 452-459		49
998	Optical phenomena and antifrosting property on biomimetics slippery fluid-infused antireflective films via layer-by-layer comparison with superhydrophobic and antireflective films. 2014 , 6, 13985-93		117
997	Synthesis of Latex Particles with a Complex Structure As an Emulsifier of Pickering High Internal Phase Emulsions. 2014 , 53, 4642-4649		25
996	Lead methylammonium triiodide perovskite-based solar cells: an interfacial charge-transfer investigation. 2014 , 7, 3088-94		47

995	Lotus leaf-like dual-scale silver film applied as a superhydrophobic and self-cleaning substrate. 2014 , 50, 8405-7		42
994	Drop impact and rebound dynamics on an inclined superhydrophobic surface. 2014 , 30, 12027-38		97
993	Bio-inspired titanium dioxide materials with special wettability and their applications. <i>Chemical Reviews</i> , 2014 , 114, 10044-94	68.1	415
992	Homogeneous growth of conducting polymer nanofibers by electrodeposition for superhydrophobic and superoleophilic stainless steel meshes. 2014 , 4, 50401-50405		23
991	Facile synthesis of nano cauliflower and nano broccoli like hierarchical superhydrophobic composite coating using PVDF/carbon soot particles via gelation technique. 2014 , 436, 111-21		38
990	Session lectures. 2014 , 19, 713-724		
989	From macro to micro: structural biomimetic materials by electrospinning. 2014 , 4, 39704-39724		44
988	The fabrication of oriented ZnO porous nanoplates on the silver foil with tunable hydrophobicity. 2014 , 16, 1831		2
987	A facile solvent-manipulated mesh for reversible oil/water separation. 2014 , 6, 12821-6		122
986	Facile preparation of super durable superhydrophobic materials. 2014 , 432, 31-42		65
985	Imidazolium-based ionic liquids grafted on solid surfaces. 2014 , 43, 7171-87		223
984	Toward robust pH-responsive and anti-fouling composite membranes via one-pot in-situ cross-linked copolymerization. <i>Desalination</i> , 2014 , 349, 80-93	10.3	36
983	Fabrication of superhydrophobic surface on zinc substrate by 3-trifluoromethylbenzene diazonium tetrafluoroborate salts. <i>Applied Surface Science</i> , 2014 , 314, 906-909	6.7	4
982	Stable ZnO/ionic liquid hybrid materials: novel dual-responsive superhydrophobic layers to light and anions. 2014 , 57, 1002-1009		13
981	Parylene C surface functionalization and patterning with pH-responsive microgels. 2014 , 6, 15708-15		15
980	Regulating Water Adhesion on Superhydrophobic TiO ₂ Nanotube Arrays. 2014 , 24, 6381-6388		59
979	Morphology modulating the wettability of a diamond film. 2014 , 30, 12647-53		18
978	Scalable superhydrophobic coatings based on fluorinated diatomaceous earth: Abrasion resistance versus particle geometry. <i>Applied Surface Science</i> , 2014 , 292, 563-569	6.7	42

977	Beauty of lotus is more than skin deep: highly buoyant superhydrophobic films. 2014 , 6, 7009-13	21
976	A facile approach to fabricate superhydrophobic Zn surface and its effect on corrosion resistance. 2014 , 85, 174-182	62
975	Spontaneous patterned superhydrophilic hybrid surfaces. 2014 , 128, 333-335	8
974	Superhydrophobic perfluoropolymer surfaces having heterogeneous roughness created by dip-coating from solutions containing a nonsolvent. <i>Applied Surface Science</i> , 2014 , 292, 591-597	6.7 41
973	A review on Self-cleaning and multifunctional materials 2014 , 2, 14773-14797	318
972	Superhydrophobic and antireflective nanoglass-coated glass for high performance solar cells. 2014 , 7, 670-678	52
971	Materials, Fabrication, and Manufacturing of Micro/Nanostructured Surfaces for Phase-Change Heat Transfer Enhancement. 2014 , 18, 288-310	44
970	Spray-deposition and photopolymerization of organic-inorganic thiol-ene resins for fabrication of superamphiphobic surfaces. 2014 , 6, 10763-74	67
969	Recent progress in developing advanced membranes for emulsified oil/water separation. 2014 , 6, e101-e101	479
968	Green approach to fabrication of a super-hydrophobic film on copper and the consequent corrosion resistance. 2014 , 80, 366-373	143
967	The effect of perfluoroalkyl and hydrocarbon liquid chain lengths on oleophobic behaviors of copolymer surfaces. 2014 , 441, 695-700	13
966	Development of a transparent hydrorepellent modified SiO ₂ coatings for glazed sanitarywares. 2014 , 146, 240-252	15
965	The influence of topography on dynamic wetting. 2014 , 206, 275-93	76
964	Spray deposition effects on superhydrophobicity and durability of nanocoatings. 2014 , 2, 70-78	15
963	Controlling the shape of evaporating droplets by ionic strength: formation of highly anisometric silica supraparticles. 2014 , 53, 586-90	43
962	Kontrolle der Form verdunstender Tropfen über die Ionenstärke: Bildung anisometrischer SiO ₂ -Suprapartikel. 2014 , 126, 597-601	6
961	Schaltbare Oberflächen: chiralitätsinduzierte Förderung der Benetzbarkeit und des Massetransfers. 2014 , 126, 946-948	5
960	Bio-inspired responsive polymer pillar arrays. 2015 , 5, 97-114	28

959	Membranes with selective wettability for the separation of oil-water mixtures. 2015 , 5, 475-494		65
958	Effects of Vapor Pressure and Super-Hydrophobic Nanocomposite Coating on Microelectronics Reliability. 2015 , 1, 384-390		6
957	CHEMICAL, MECHANICAL AND HYDRODYNAMIC PROPERTIES RESEARCH ON COMPOSITE DRAG REDUCTION SURFACE BASED ON BIOLOGICAL SHARKSKIN MORPHOLOGY AND MUCUS NANOLONG CHAIN. 2015 , 15, 1550084		12
956	Functional polyelectrolyte multilayer assemblies for surfaces with controlled wetting behavior. 2015 , 132, n/a-n/a		11
955	Superhydrophobic and Superoleophobic Polymeric Surfaces. 2015 , 71-95		
954	Superhydrophilic and Superamphiphilic Coatings. 2015 , 96-132		4
953	Assessing durability of superhydrophobic surfaces. 2015 , 3, 49-60		36
952	Desalination of Water by using Superhydrophobic Fabric. 2015 , 19, 1-8		0
951	Reversible Control of Underwater Oil Wettability of a Titanium Dioxide Surface through Ultraviolet and Ultrasonic Irradiation. 2015 , 44, 262-264		1
950	Unique Surface Properties of Nanocomposite Thin Film Photocatalysts of TiO ₂ and Poly(tetrafluoroethylene). 2015 , 44, 509-511		7
949	Wettability and Coalescence of Cu Droplets Subjected to Two-Wall Confinement. 2015 , 5, 15190		10
948	Influence of wetting state on optical reflectance spectra of Si nanopillar arrays. 2015 , 118, 213102		5
947	Adhesion Tuning at Superhydrophobic States: From Petal Effect to Lotus Effect. 2015 , 300, 1057-1062		13
946	Antifouling on Gecko's Feet Inspired Fibrillar Surfaces: Evolving from Land to Marine and from Liquid Repellency to Algae Resistance. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1500257	4.6	47
945	Direct Insight into the Three-Dimensional Internal Morphology of Solid-Liquid-Vapor Interfaces at Microscale. 2015 , 127, 4874-4877		2
944	The Effects of Embedded Dipoles in Aromatic Self-Assembled Monolayers. 2015 , 25, 3943-3957		73
943	A Solvothermal Route Decorated on Different Substrates: Controllable Separation of an Oil/Water Mixture to a Stabilized Nanoscale Emulsion. <i>Advanced Materials</i> , 2015 , 27, 7349-55	24	187
942	Stimuli-Responsive Surfaces for Tunable and Reversible Control of Wettability. <i>Advanced Materials</i> , 2015 , 27, 4062-8	24	97

941	Cellulose Acetate-Poly(N-isopropylacrylamide)-Based Functional Surfaces with Temperature-Triggered Switchable Wettability. 2015 , 36, 1368-73		20
940	Bistable nano-structured photoalignment surface by nanoimprint lithography. 2015 , 23, 163-169		1
939	Wrinkled Graphene Monoliths as Superabsorbing Building Blocks for Superhydrophobic and Superhydrophilic Surfaces. 2015 , 127, 15380-15384		13
938	Self-Powered, Room-Temperature Electronic Nose Based on Triboelectrification and Heterogeneous Catalytic Reaction. 2015 , 25, 7049-7055		61
937	Light-Induced Ion Rectification in Zigzag Nanochannels. 2015 , 10, 2733-7		7
936	Wrinkled Graphene Monoliths as Superabsorbing Building Blocks for Superhydrophobic and Superhydrophilic Surfaces. 2015 , 54, 15165-9		35
935	(Super)hydrophobic coating of orthodontic dental devices and reduction of early oral biofilm retention. 2015 , 10, 065004		11
934	A Facile, Multifunctional, Transparent, and Superhydrophobic Coating Based on a Nanoscale Porous Structure Spontaneously Assembled from Branched Silica Nanoparticles. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1500201	4.6	33
933	Biologisch inspirierte Superbenetzbarkeit von der Grundlagenforschung zur praktischen Anwendung. 2015 , 127, 3448-3462		25
932	Large-Scale Assembly of Organic Highly Crystalline Multicomponent Wires through Surface-Engineered Condensation and Crystallization. 2015 , 11, 5759-65		10
931	Wettability of Nanostructured Surfaces. 2015 ,		10
930	. 2015 ,		34
929	Microscopic receding contact line dynamics on pillar and irregular superhydrophobic surfaces. 2015 , 5, 8384		26
928	Wear Independent Similarity. 2015 , 7, 12695-701		22
927	Robust Polypropylene Fabrics Super-Repelling Various Liquids: A Simple, Rapid and Scalable Fabrication Method by Solvent Swelling. 2015 , 7, 13996-4003		51
926	Microstructure, wettability and electrical properties of n-ZnO/ZnO-SL/p-Cu ₂ O heterojunction. 2015 , 120, 335-340		3
925	Interlayer toughening mechanisms of composite materials. 2015 , 263-294		1
924	Complex Wettability and Self-Cleaning Performance of Butterfly Wing Surface. 2015 , 723, 943-947		5

923	Superhydrophobic and anti-corrosion Cu microcones/NiW alloy coating fabricated by electrochemical approaches. 2015 , 5, 103863-103868		14
922	X-ray irradiation-induced reversible wettability modification of titanium NRAs. 2015 , 5, 4524-4528		2
921	Wettability manipulation of magnetic transition metal nanorod arrays by X-ray irradiation. 2015 , 9, 311-315		1
920	Assembling Mixed Carboxylic Acid Molecules on Hierarchical Structured Aluminum Substrates for the Fabrication of Superoleophobic Surfaces with Controlled Oil Adhesion. 2015 , 80, 151-157		3
919	Reversible tuning of the wettability on a silver mesodendritic surface by the formation and disruption of lipid-like bilayers. <i>Applied Surface Science</i> , 2015 , 329, 150-157	6.7	3
918	Robust superhydrophobic silicon without a low surface-energy hydrophobic coating. 2015 , 7, 941-9		70
917	Robust superhydrophobic TiO ₂ @fabrics for UV shielding, self-cleaning and oil/water separation. 2015 , 3, 2825-2832		396
916	Corrosion-resistance, robust and wear-durable highly amphiphobic polymer based composite coating via a simple spraying approach. <i>Progress in Organic Coatings</i> , 2015 , 82, 74-80	4.8	33
915	Micro-/nano-structured superhydrophobic surfaces in the biomedical field: part I: basic concepts and biomimetic approaches. 2015 , 10, 103-19		53
914	Tunable Functionalization of Graphene Oxide Sheets through Surface-Initiated Cationic Polymerization. 2015 , 48, 994-1001		53
913	One-step fabrication of highly stable, superhydrophobic composites from controllable and low-cost PMHS/TEOS sols for efficient oil cleanup. 2015 , 446, 155-62		45
912	Fabrication of Au@Au ₄ @Al ₂ O ₃ superhydrophobic surface and its corrosion resistance. 2015 , 5, 15387-15394		25
911	Electrospun polystyrene coatings with tunable wettability. 2015 , 132, n/a-n/a		5
910	Rice and Butterfly Wing Effect Inspired Low Drag and Antifouling Surfaces: A Review. 2015 , 40, 1-37		84
909	Dewetting properties of metallic liquid film on nanopillared graphene. 2014 , 4, 3938		20
908	Bioinspired super-wettability from fundamental research to practical applications. 2015 , 54, 3387-99		520
907	Ultrathin, biomimetic, superhydrophilic layers of cross-linked poly(phosphobetaine) on polyethylene by photografting. 2015 , 31, 1120-6		4
906	Preparation of polymeric superhydrophobic surfaces and analysis of their wettability. 2015 , 51, 1437-1444		0

905	Durable superhydrophilic/phobic surfaces based on green patina with corrosion resistance. 2015 , 17, 6786-93	37
904	A gecko skin micro/nano structure - A low adhesion, superhydrophobic, anti-wetting, self-cleaning, biocompatible, antibacterial surface. 2015 , 21, 109-22	211
903	Preparation and properties of functionalized graphene/waterborne polyurethane composites with highly hydrophobic. 2015 , 132, n/a-n/a	6
902	Bioinspired Surfaces with Superwettability: New Insight on Theory, Design, and Applications. <i>Chemical Reviews</i> , 2015 , 115, 8230-93	68.1 1006
901	Combining the lotus leaf effect with artificial photosynthesis: regeneration of underwater superhydrophobicity of hierarchical ZnO/Si surfaces by solar water splitting. 2015 , 7, e201-e201	39
900	3,4-Ethylenedioxy pyrrole (EDOP) Monomers with Aromatic Substituents for Parahydrophobic Surfaces by Electropolymerization. 2015 , 48, 5188-5195	23
899	Durable superhydrophobic/highly oleophobic coatings from multi-dome SiO ₂ nanoparticles and fluoroacrylate block copolymers on flat substrates. 2015 , 3, 20134-20144	26
898	Controlled Fabrication of Polypyrrole Surfaces with Overhang Structures by Colloidal Templating. 2015 , 7, 16507-17	14
897	Sodium silicate-assisted emulsification of methyltrimethoxysilane and formation of superhydrophobic coating thereof. 2015 , 12, 801-805	1
896	Fabrication of a wettability-gradient surface on copper by screen-printing techniques. 2015 , 25, 085007	15
895	Reversible Photocontrol of Wood-Surface Wettability Between Superhydrophilicity and Superhydrophobicity Based on a TiO ₂ Film. 2015 , 35, 365-373	18
894	Atomic-layer-deposition-enabled nonwoven membranes with hierarchical ZnO nanostructures for switchable water/oil separations. 2015 , 493, 478-485	57
893	Simple method for preparing ZnO superhydrophobic surfaces with micro/nano roughness. 2015 , 29, 2153-2159	
892	Role of surface oxygen-to-metal ratio on the wettability of rare-earth oxides. 2015 , 106, 061601	91
891	Transferrable superhydrophobic TiO ₂ nanorods on reduced graphene oxide films using block copolymer templates. 2015 , 26, 165302	6
890	Preparation of amphiphilic nano-sized NaA/glass films and powders using layer-by-layer in-situ sol-gel method. 2015 , 213, 1-7	9
889	Low Adhesive Superhydrophobicity and Self-Cleaning Property of Moth Wing. 2015 , 1089, 194-197	
888	Direct insight into the three-dimensional internal morphology of solid-liquid-vapor interfaces at microscale. 2015 , 54, 4792-5	20

887	Mussel-Inspired Hybrid Coatings that Transform Membrane Hydrophobicity into High Hydrophilicity and Underwater Superoleophobicity for Oil-in-Water Emulsion Separation. 2015 , 7, 9534-45	219
886	One-step fabrication of a nickel foam-based superhydrophobic and superoleophilic box for continuous oil/water separation. 2015 , 50, 4707-4716	42
885	Enhancing orthopedic implant bioactivity: refining the nanotopography. 2015 , 10, 1327-41	27
884	Super-amphiphilic surface of nano silica/polyurethane hybrid coated PET film via a plasma treatment. 2015 , 453, 209-215	21
883	Super hydrophobic surface of polytetrafluoroethylene fabricated by picosecond laser and phenomenon of total internal reflection underwater. 2015 ,	
882	One-step breaking and separating emulsion by tungsten oxide coated mesh. 2015 , 7, 8108-13	54
881	Monolithic graded-refractive-index glass-based antireflective coatings: broadband/omnidirectional light harvesting and self-cleaning characteristics. 2015 , 3, 5440-5449	47
880	Capillary muscle. 2015 , 112, 6301-6	16
879	A novel mussel-inspired strategy toward superhydrophobic surfaces for self-driven crude oil spill cleanup. 2015 , 3, 12171-12178	116
878	Tunable morphology and surface wettability of an amphiphilic azobenzene derivative and its melamine-induced self-assembly. 2015 , 27, 181-190	3
877	HYDRODYNAMIC TESTING OF A BIOLOGICAL SHARKSKIN REPLICA MANUFACTURED USING THE VACUUM CASTING METHOD. 2015 , 22, 1550030	7
876	Electrochemical behaviour of superhydrophobic coating fabricated by spraying a carbon nanotube suspension. 2015 , 38, 579-582	7
875	Electrospun Superhydrophobic Organic/Inorganic Composite Nanofibrous Membranes for Membrane Distillation. 2015 , 7, 21919-30	148
874	InGaZnO Thin-Film Transistors Modified by Self-Assembled Monolayer With Different Alkyl Chain Length. 2015 , 36, 687-689	12
873	Characterization of modified SiC@SiO ₂ nanocables/MnO ₂ and their potential application as hybrid electrodes for supercapacitors. 2015 , 44, 19974-82	16
872	Toward energy efficiency through an optimized use of wood: The development of natural hydrophobic coatings that retain moisture-buffering ability. 2015 , 105, 37-42	29
871	Facile Fabrication of Super-Hydrophobic Surfaces by Spray PTFE. 2015 , 645-646, 115-119	
870	Functional Surfaces with Photocatalytic Behavior and Reversible Wettability: ZnO Coating on Silicon Spikes. 2015 , 119, 25401-25407	25

869	Multifunctional Engineering Aluminum Surfaces for Self-Propelled Anti-Condensation. 2015 , 17, 961-968		19
868	Facile transformation of superhydrophobicity to hydrophilicity by silica/poly(ϵ -caprolactone) composite film. <i>Applied Surface Science</i> , 2015 , 359, 209-214	6.7	6
867	Bioinspired Hierarchical Surface Structures with Tunable Wettability for Regulating Bacteria Adhesion. 2015 , 9, 10664-72		158
866	Facile preparation of superamphiphobic epoxy resin/modified poly(vinylidene fluoride)/fluorinated ethylene propylene composite coating with corrosion/wear-resistance. <i>Applied Surface Science</i> , 2015 , 357, 229-235	6.7	31
865	Thermodynamic analysis on an anisotropically superhydrophobic surface with a hierarchical structure. <i>Applied Surface Science</i> , 2015 , 357, 1625-1633	6.7	12
864	Preparation and hydrophobicity of solid-liquid bulk composite using porous glass and fluorinated oil. 2015 , 50, 7760-7769		3
863	Breath Figure: A Nature-Inspired Preparation Method for Ordered Porous Films. <i>Chemical Reviews</i> , 2015 , 115, 9801-68	68.1	287
862	Super dewetting surfaces: Focusing on their design and fabrication methods. 2015 , 484, 528-546		24
861	Bioinspired, peg-studded hexagonal patterns for wetting and friction. 2015 , 10, 031008		22
860	Reversible switch between the nanoporous and the nonporous state of amphiphilic block copolymer films regulated by selective swelling. 2015 , 11, 6927-37		13
859	Dynameric asymmetric membranes for directional water transport. 2015 , 51, 15925-7		43
858	Facile fabrication of biomimetic superhydrophobic surface with anti-frosting on stainless steel substrate. <i>Applied Surface Science</i> , 2015 , 355, 1238-1244	6.7	48
857	Superhydrophobic coating to delay drug release from drug-loaded electrospun fibrous materials. <i>Applied Surface Science</i> , 2015 , 359, 245-251	6.7	15
856	Highly transparent, stable, and superhydrophobic coatings based on gradient structure design and fast regeneration from physical damage. <i>Applied Surface Science</i> , 2015 , 359, 826-833	6.7	18
855	Catalytic, self-cleaning surface with stable superhydrophobic properties: printed polydimethylsiloxane (PDMS) arrays embedded with TiO ₂ nanoparticles. 2015 , 7, 2632-40		42
854	Convenient synthesis of micron-sized macroporous polymers with dents on their surfaces and excellent adsorption performance for Erythrotoxin. <i>Chemical Engineering Journal</i> , 2015 , 266, 1-11	14.7	20
853	Mussel-inspired tailoring of membrane wettability for harsh water treatment. 2015 , 3, 2650-2657		150
852	Ultralow-Density, Transparent, Superamphiphobic Boehmite Nanofiber Aerogels and Their Alumina Derivatives. 2015 , 27, 3-5		51

851	The superhydrophobic aluminum surface prepared by different methods. 2015 , 142, 176-179	29
850	Graphene Foam with Switchable Oil Wettability for Oil and Organic Solvents Recovery. 2015 , 25, 597-605	118
849	Membrane technology enhancement in oil/water separation. A review. <i>Desalination</i> , 2015 , 357, 197-207	10.3 714
848	A facile method to prepare superhydrophobic fluorinated polysiloxane/ZnO nanocomposite coatings with corrosion resistance. <i>Applied Surface Science</i> , 2015 , 326, 48-54	6.7 97
847	Layered double hydroxide functionalized textile for effective oil/water separation and selective oil adsorption. 2015 , 7, 791-800	153
846	Superhydrophobic surfaces from surface-hydrophobized cellulose fibers with stearyl groups. 2015 , 22, 289-299	14
845	Functional superhydrophobic surfaces made of Janus micropillars. 2015 , 11, 506-15	22
844	Long-living, stress- and pH-tolerant superhydrophobic silica particles via fast and efficient urethane chemistry; facile preparation of self-recoverable SH coatings. 2015 , 3, 1465-1475	31
843	Underwater superoleophobic porous membrane based on hierarchical TiO ₂ nanotubes: multifunctional integration of oil/water separation, flow-through photocatalysis and self-cleaning. 2015 , 3, 1279-1286	181
842	Facile synthesis of tailored nanostructured ORMOSIL particles by a selective dissolution process. 2015 , 438, 220-226	4
841	Controlling surface energy of glass substrates to prepare superhydrophobic and transparent films from silica nanoparticle suspensions. 2015 , 437, 24-27	26
840	Enhanced visible light-induced hydrophilicity in sol-gel-derived Ag/TiO ₂ hybrid nanolayers. 2015 , 41, 7299-7311	11
839	Learning from nature: binary cooperative complementary nanomaterials. 2015 , 11, 1072-96	79
838	Biomimetic super-lyophobic and super-lyophilic materials applied for oil/water separation: a new strategy beyond nature. 2015 , 44, 336-61	1104
837	A Novel Nanodrag Reducer for Low Permeability Reservoir Water Flooding: Long-Chain Alkylamines Modified Graphene Oxide. 2016 , 2016, 1-9	3
836	Application of Super-Amphiphilic Silica-Nanogel Composites for Fast Removal of Water Pollutants. 2016 , 21,	9
835	A Review on Development and Applications of Bio-Inspired Superhydrophobic Textiles. <i>Materials</i> , 2016 , 9,	3.5 49
834	Sprayed zinc oxide films: Ultra-violet light-induced reversible surface wettability and platinum-sensitization-assisted improved liquefied petroleum gas response. 2016 , 480, 109-117	28

833	A self-cleaning TiO ₂ coated mesh with robust underwater superoleophobicity for oil/water separation in a complex environment. 2016 , 6, 65171-65178		20
832	Bioinspired Superwettability Materials. 2016 , 1-34		2
831	Oxygen-Rich Enzyme Biosensor Based on Superhydrophobic Electrode. <i>Advanced Materials</i> , 2016 , 28, 1477-81	24	102
830	Biomimetic Superhydrophobic/Superoleophilic Highly Fluorinated Graphene Oxide and ZIF-8 Composites for Oil-Water Separation. 2016 , 55, 1178-82		295
829	A Phytic Acid Induced Super-Amphiphilic Multifunctional 3D Graphene-Based Foam. 2016 , 55, 3936-41		139
828	A facile method to fabricate superhydrophobic ZnO nanostructure with petal effect. 2016 , 27, 11524-11529		1
827	Effects of surface oxygen vacancies content on wettability of zinc oxide nanorods doped with lanthanum. 2016 , 688, 122-132		43
826	Selective swelling induced pore generation of amphiphilic block copolymers: The role of swelling agents. 2016 , 54, 926-933		13
825	A Phytic Acid Induced Super-Amphiphilic Multifunctional 3D Graphene-Based Foam. 2016 , 128, 4004-4009		11
824	Facile preparation of superhydrophobic and high oleophobic polymer composite coatings with self-cleaning, heat-resistance and wear-resistance. 2016 , 23, 1		4
823	Mechanical Properties of Highly Porous Super Liquid-Repellent Surfaces. 2016 , 26, 4914-4922		31
822	CO ₂ -Induced Tunable and Reversible Surface Wettability of Honeycomb Structured Porous Films for Cell Adhesion. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500623	4.6	36
821	Biomimetische superhydrophobe/superoleophile hoch fluorierte Graphenoxid-ZIF-8-Komposite für die Wasser-Trennung. 2016 , 128, 1193-1197		12
820	Rare bi-wetting TiO ₂ -F/SiO ₂ /F-PEG fabric coating for self-cleaning and oil/water separation. 2016 , 6, 115196-115203		8
819	Fast and low-cost method to fabricate large-area superhydrophobic surface on steel substrate with anticorrosion and anti-icing properties. 2016 , 34, 041401		8
818	Biomimetic superhydrophobic polyolefin surfaces fabricated with a facile scraping, bonding and peeling method. 2016 , 14, 141-149		3
817	Textile with Durable Janus Wetting Properties Produced by Plasma Polymerization. 2016 , 120, 29162-29172		24
816	Sustainable approaches in the design and preparation of polymer based insulators and electrolytes. 2016 ,		

815	The preparation and study of poly(vinylidene fluoride)/ultrahigh-molecular-weight polyethylene/SiO ₂ hollow fiber membrane with network enhanced structure. 2016 , 109, 64-69	8
814	Underwater Superhydrophobicity: Stability, Design and Regulation, and Applications. 2016 , 68,	50
813	Superhydrophobic Coatings on Asphalt Concrete Surfaces: Toward Smart Solutions for Winter Pavement Maintenance. 2016 , 2551, 10-17	48
812	In situ ultrafast separation and purification of oil/water emulsions by superwetting TiO ₂ nanocluster-based mesh. 2016 , 8, 8525-9	87
811	Microfabrication of polymeric surfaces with extreme wettability using hot embossing. <i>Applied Surface Science</i> , 2016 , 378, 426-434	6.7 52
810	Fabrication of Namib Beetle Inspired Biomimetic Amphi-phobic Surfaces Using Adsorbed Water as a Monomer. 2016 , 141, 59-62	8
809	Preparation of microstructure-controllable superhydrophobic polytetrafluoroethylene porous thin film by vacuum thermal-evaporation. 2016 , 10, 320-327	9
808	A facile construction of gradient micro-patterned OCP coatings on medical titanium for high throughput evaluation of biocompatibility. 2016 , 4, 4017-4024	9
807	Superhydrophobic surface fabricated on iron substrate by black chromium electrodeposition and its corrosion resistance property. <i>Applied Surface Science</i> , 2016 , 378, 388-396	6.7 19
806	Highly efficient oil/water separators based on dual superhydrophobic and superoleophilic properties of multiwall-carbon nanotube filtration films. 2016 , 6, 12431-12434	12
805	A novel combination approach for the preparation of superhydrophobic surface on copper and the consequent corrosion resistance. 2016 , 110, 105-113	125
804	Photoinduced reversible formation of a superhydrophilic surface by crystal growth of diarylethene. 2016 , 52, 6885-7	10
803	Spatial Site-Patterning of Wettability in a Microcapillary Tube. 2016 , 8, 10657-60	9
802	Bioinspired structured superhydrophobic and superoleophilic stainless steel mesh for efficient oil-water separation. 2016 , 500, 54-63	48
801	Functionalization of surfaces with branched polymers. 2016 , 6, 42089-42108	14
800	Tough Polymer Aerogels Incorporating a Conformal Inorganic Coating for Low Flammability and Durable Hydrophobicity. 2016 , 8, 13051-7	34
799	How asymmetric surfaces induce directional droplet motion. 2016 , 511, 180-189	19
798	Superhydrophobic Surfaces with Hierarchical Structures Inspired by Nature Leaves. 2016 , 393-419	

797	A facile one-step fabrication of robust superhydrophobic/superoleophilic cotton fabric using a crosslinkable POSS-containing fluorinated copolymer. <i>Progress in Organic Coatings</i> , 2016 , 101, 522-529	4.8	22
796	Advanced Sorbents for Oil-Spill Cleanup: Recent Advances and Future Perspectives. <i>Advanced Materials</i> , 2016 , 28, 10459-10490	24	391
795	Facile fabrication of robust superhydrophobic surfaces: comparative investigation. 2016 , 6, 98257-98266		7
794	Fabrication of a Superhydrophobic Film with Self-Cleaning Property on Magnesium Alloy and Its Corrosion Resistance Properties. 2016 , 279-283		
793	Fabrication of superhydrophobic coating via spraying method and its applications in anti-icing and anti-corrosion. <i>Applied Surface Science</i> , 2016 , 389, 547-553	6.7	76
792	Bioinspired polydopamine particles-assisted construction of superhydrophobic surfaces for oil/water separation. 2016 , 482, 240-251		77
791	Fine-tuning of surface properties of dual-size TiO ₂ nanoparticle coatings. 2016 , 304, 486-491		14
790	Polyacrylamide-Polydivinylbenzene Decorated Membrane for Sundry Ionic Stabilized Emulsions Separation via a Facile Solvothermal Method. 2016 , 8, 21816-23		24
789	Roles of silanes and silicones in forming superhydrophobic and superoleophobic materials. 2016 , 4, 13677-13725		152
788	Facile Fabrication of a Polyethylene Mesh for Oil/Water Separation in a Complex Environment. 2016 , 8, 24186-91		62
787	Recent advances in biomimetic thin membranes applied in emulsified oil/water separation. 2016 , 4, 15749-15770		198
786	Advances in Bio-inspired Tribology for Engineering Applications. 2016 , 2, 1		9
785	Superhydrophobic Properties of Nanotextured Polypropylene Foils Fabricated by Roll-to-Roll Extrusion Coating. 2016 , 5, 1034-1038		25
784	Fluorine-free superwetting systems: construction of environmentally friendly superhydrophilic, superhydrophobic, and slippery surfaces on various substrates. 2016 , 7, 7446-7454		25
783	Facile preparation of amorphous iron nanoparticles filled alginate matrix composites with high stability. 2016 , 134, 168-174		10
782	Synthesis of vertically aligned composite microcone membrane filter for water/oil separation. <i>Materials and Design</i> , 2016 , 111, 9-16	8.1	13
781	A UV-driven superhydrophilic/superoleophobic polyelectrolyte multilayer film on fabric and its application in oil/water separation. 2016 , 6, 91301-91307		30
780	Robust dendritic Ag@Fe ₂ O ₃ /Fe surfaces with exquisite catalytic properties. 2016 , 40, 8897-8904		10

779	Deciphering buried air phases on natural and bioinspired superhydrophobic surfaces using synchrotron radiation-based X-ray phase-contrast imaging. 2016 , 8, e306-e306	12
778	Intelligent sponge with reversibly tunable super-wettability: robust for effective oil/water separation as both the absorber and filter tolerate fouling and harsh environments. 2016 , 4, 12334-12340	36
777	Lithography-free wide-angle antireflective self-cleaning silicon nanocones. 2016 , 41, 3575-8	11
776	A Multifunctional Surface That Simultaneously Balances Hydrophilic Enzyme Catalysis and Hydrophobic Water Repellency. 2016 , 22, 12068-73	6
775	Heat/durability resistance of the superhydrophobic PPS-based coatings prepared by spraying non-fluorinated polymer solution. 2016 , 294, 1519-1527	7
774	Electrospun polyimide nanofibers and their applications. 2016 , 61, 67-103	239
773	Surface-Independent Hierarchical Coatings with Superamphiphobic Properties. 2016 , 8, 29117-29127	56
772	Functionalization of perovskite thin films with moisture-tolerant molecules. 2016 , 1,	369
771	A robust, melting class bulk superhydrophobic material with heat-healing and self-cleaning properties. 2015 , 5, 18510	41
770	Uniting Superhydrophobic, Superoleophobic and Lubricant Infused Slippery Behavior on Copper Oxide Nano-structured Substrates. 2016 , 6, 35524	30
769	Facile Synthesis of Tunable and Durable Bulk Superhydrophobic Material from Amine Reactive Polymeric Gel. 2016 , 28, 8689-8699	43
768	A superhydrophobic hyper-cross-linked polymer synthesized at room temperature used as an efficient adsorbent for volatile organic compounds. 2016 , 6, 97048-97054	14
767	ZnCr2O4 Nanoparticles: Facile Synthesis, Characterization, and Photocatalytic Properties. 2016 , 6, 20071	30
766	Scalable Multifunctional Ultra-thin Graphite Sponge: Free-standing, Superporous, Superhydrophobic, Oleophilic Architecture with Ferromagnetic Properties for Environmental Cleaning. 2016 , 6, 21858	9
765	Interaction of superhydrophobic materials with aqueous solutions and organic solvents. 2016 , 65, 98-102	0
764	Oil-Infused Superhydrophobic Silicone Material for Low Ice Adhesion with Long-Term Infusion Stability. 2016 , 8, 32050-32059	96
763	Development of Novel Flat and Transparent Coatings Showing Excellent Dynamic Hydrophobicity and Oleophobicity. 2016 , 67, 485-487	
762	A Protocol for Bioinspired Design: A Ground Sampler Based on Sea Urchin Jaws. 2016 ,	5

761	Electrospun N-Substituted Polyurethane Membranes with Self-Healing Ability for Self-Cleaning and Oil/Water Separation. 2016 , 22, 878-83		66
760	Is a Knowledge of Surface Topology and Contact Angles Enough to Define the Drop Impact Outcome?. 2016 , 32, 6255-62		12
759	A facile cost-effective method for preparing poinsettia-inspired superhydrophobic ZnO nanoplate surface on Al substrate with corrosion resistance. 2016 , 122, 1		7
758	Raspberry-like PS/CdTe/Silica Microspheres for Fluorescent Superhydrophobic Materials. 2016 , 11, 114		3
757	Development of superhydrophobicity in fluorosilane-treated diatomaceous earth polymer coatings. <i>Applied Surface Science</i> , 2016 , 386, 178-186	6.7	29
756	Recent Advances in TiO ₂ -Based Nanostructured Surfaces with Controllable Wettability and Adhesion. 2016 , 12, 2203-24		228
755	Silane Coupling Agents. 2016 , 1-15		1
754	Toward efficient water/oil separation material: Effect of copolymer composition on pH-responsive wettability and separation performance. 2016 , 62, 1758-1771		34
753	Slippery liquid-infused substrates: a versatile preparation, unique anti-wetting and drag-reduction effect on water. 2016 , 4, 2524-2529		68
752	Superhydrophobic TiO ₂ /polyvinylidene fluoride composite surface with reversible wettability switching and corrosion resistance. <i>Chemical Engineering Journal</i> , 2016 , 290, 37-44	14.7	142
751	A new approach to understand the Cassie state of liquids on superamphiphobic materials. 2016 , 8, 3031-9		49
750	Reversible photoisomerization of azobenzene molecules on a single gold nanoparticle surface. 2016 , 52, 2984-7		14
749	Smart anti-biofouling composite coatings for naval applications. 2016 , 123-155		13
748	Effect of NaCl in a nickel electrodeposition on the formation of nickel nanostructure. 2016 , 51, 3036-3044		21
747	Superhydrophobic poly(vinylidene fluoride) membranes with controllable structure and tunable wettability prepared by one-step electrospinning. 2016 , 82, 105-113		104
746	Synergistic antimicrobial and surface free energy of sol-gel coatings containing fluorosilanes and quaternary ammonium salts. <i>Progress in Organic Coatings</i> , 2016 , 95, 91-99	4.8	7
745	RECENT DRAG REDUCTION DEVELOPMENTS DERIVED FROM DIFFERENT BIOLOGICAL FUNCTIONAL SURFACES: A REVIEW. 2016 , 16, 1630001		6
744	Inspired smart materials with external stimuli responsive wettability: a review. 2016 , 6, 36623-36641		110

743	Superamphiphobic Silicon-Nanowire-Embedded Microsystem and In-Contact Flow Performance of Gas and Liquid Streams. 2016 , 10, 1156-62	19
742	Understanding Chemical versus Electrostatic Shifts in X-ray Photoelectron Spectra of Organic Self-Assembled Monolayers. 2016 , 120, 3428-3437	84
741	Fabrication of biomimetic superhydrophobic steel surface under an oxygen rich environment. <i>Applied Surface Science</i> , 2016 , 380, 40-46	6.7 11
740	Tuning and predicting the wetting of nanoengineered material surface. 2016 , 8, 4635-42	46
739	Development of PVDF membranes for membrane distillation via vapour induced crystallisation. 2016 , 77, 164-173	27
738	Investigations on the wettability of graphene on a micron-scale hole array substrate. 2016 , 6, 1999-2003	8
737	A nanotubular coating with both high transparency and healable superhydrophobic self-cleaning properties. 2016 , 6, 21362-21366	15
736	Understanding the separations of oil/water mixtures from immiscible to emulsions on super-wettable surfaces. 2016 , 13, 1-29	77
735	Dopamine/Silica Nanoparticle Assembled, Microscale Porous Structure for Versatile Superamphiphobic Coating. 2016 , 10, 2910-21	96
734	An easy and effective method to prepare superhydrophobic inorganic/organic thin film and improve mechanical property. 2016 , 618, 219-223	6
733	Tailoring re-entrant geometry in inverse colloidal monolayers to control surface wettability. 2016 , 4, 6853-6859	49
732	Controlled wettability based on reversible micro-cracking on a shape memory polymer surface. 2016 , 12, 2708-14	26
731	Designing a single superabsorbent for separating oil from both layered as well as micron/submicron size emulsified oil/water mixtures by gamma radiation assisted grafting. 2016 , 6, 26086-26095	11
730	Stick-Jump (SJ) Evaporation of Strongly Pinned Nanoliter Volume Sessile Water Droplets on Quick Drying, Micropatterned Surfaces. 2016 , 32, 2679-86	20
729	A high performance three-phase enzyme electrode based on superhydrophobic mesoporous silicon nanowire arrays for glucose detection. 2016 , 8, 7391-5	29
728	Control of Surface Wettability of Aluminum Mesh with Hierarchical Surface Morphology by Monolayer Coating: From Superoleophobic to Superhydrophilic. 2016 , 120, 15684-15690	18
727	Wettability properties vary with different morphologies of ZnO nanoparticles deposited on glass and modified by stearic acid. 2016 , 40, 2582-2591	21
726	Formation of nickel microcones by using an electrodeposition solution containing H3BO3. 2016 , 16, 261-266	15

725	Preparation and characterization of cotton fabric with potential use in UV resistance and oil reclaim. 2016 , 137, 264-270		20
724	An elastic microporous material with tunable optical property. 2016 , 164, 376-379		7
723	Synthesis of poly glycidylmethacrylate grafted azobenzene copolymer: Photosensitivity and nonlinear optical properties. 2016 , 51, 232-240		6
722	A simple one-step approach to fabrication of highly hydrophobic silk fabrics. <i>Applied Surface Science</i> , 2016 , 360, 207-212	6.7	33
721	Modeling Cassie-Baxter State on Superhydrophobic Surfaces. 2016 , 37, 1208-1213		19
720	Intercalated polybenzoxazine/organoclay composites with enhanced performance in corrosion resistance. 2016 , 13, 63-72		13
719	Superhydrophobic Coatings and Their Durability. 2016 , 31, 1143-1155		75
718	Bio-inspired durable, superhydrophobic magnetic particles for oil/water separation. 2016 , 463, 266-71		63
717	Fabrication of a super-hydrophobic surface on a magnesium alloy by a simple method. 2016 , 656, 311-317		33
716	Perspectives on oblique angle deposition of thin films: From fundamentals to devices. 2016 , 76, 59-153		423
715	The springtail cuticle as a blueprint for omniphobic surfaces. 2016 , 45, 323-41		143
714	Improved adhesion of superhydrophobic layer on metal surfaces via one step spraying method. 2017 , 10, 368-377		24
713	Controlling cell adhesion using layer-by-layer approaches for biomedical applications. 2017 , 70, 1163-1175		68
712	Surface patterning of polymeric membranes and its effect on antifouling characteristics. 2017 , 52, 240-257		36
711	Understanding the Role of Dynamic Wettability for Condensate Microdrop Self-Propelling Based on Designed Superhydrophobic TiO Nanostructures. 2017 , 13, 1600687		89
710	Fabrication of stable Ir-ZnO/Zn superhydrophobic surface on zinc substrate for its properties and application. 2017 , 699, 489-497		8
709	Superhydrophobic epoxy coating modified by fluorographene used for anti-corrosion and self-cleaning. <i>Applied Surface Science</i> , 2017 , 401, 146-155	6.7	167
708	Fabrication of Superhydrophobic Surfaces with Controllable Electrical Conductivity and Water Adhesion. 2017 , 33, 1368-1374		30

707	Transparent, Superhydrophobic Surface with Varied Surface Tension Responsiveness in Wettability Based on Tunable Porous Silica Structure for Gauging Liquid Surface Tension. 2017 , 9, 4142-4150		22
706	Hot embossed micro-textured thin superhydrophobic Teflon FEP sheets for low ice adhesion. 2017 , 313, 17-23		25
705	Constructing Post-Permeation Method to Fabricate Polymer/Nanocrystals Hybrid Solar Cells with PCE Exceeding 6. 2017 , 13, 1603771		15
704	Fabrication of highly hydrophilic filter using natural and hydrothermally treated mica nanoparticles for efficient waste oil-water separation. 2017 , 191, 96-104		29
703	Fabrication of Active Surfaces with Metastable Microgel Layers Formed during Breath Figure Templating. 2017 , 9, 4177-4183		15
702	Membrane fouling and wetting in membrane distillation and their mitigation by novel membranes with special wettability. 2017 , 112, 38-47		174
701	Unidirectional Wetting of Liquids on "Janus" Nanostructure Arrays under Various Media. 2017 , 33, 2177-2184	7	
700	Chemical and physical effect of SiO ₂ and TiO ₂ nanoparticles on highly hydrophobic fluorocarbon hybrid coatings synthesized by atmospheric plasma. 2017 , 315, 274-282		12
699	Inkjet Printing of Photonic Crystals. 2017 , 183-211		1
698	Recent Progress in Fabricating Superaerophobic and Superaerophilic Surfaces. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1601088	4.6	59
697	Superwetting Porous Materials for Wastewater Treatment: from Immiscible Oil/Water Mixture to Emulsion Separation. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1600029	4.6	128
696	Cobweb-Inspired Superhydrophobic Multiscaled Gating Membrane with Embedded Network Structure for Robust Water-in-Oil Emulsion Separation. 2017 , 5, 3448-3455		46
695	Superhydrophobic coatings on Portland cement concrete surfaces. 2017 , 141, 393-401		66
694	Dual dimensional nanostructures with highly durable non-wetting properties under dynamic and underwater conditions. 2017 , 9, 6665-6673		16
693	Durable superhydrophobic paper enabled by surface sizing of starch-based composite films. <i>Applied Surface Science</i> , 2017 , 409, 45-51	6.7	37
692	Tailoring the surface chemical bond states of the NbN films by doping Ag: Achieving hard hydrophobic surface. <i>Applied Surface Science</i> , 2017 , 407, 434-439	6.7	17
691	Nanotechnology for Consumer Electronics. 2017 , 501-526		1
690	Manipulating the molecular conformation of a nanometer-thick environmentally friendly coating to control the surface energy. 2017 , 5, 9752-9759		8

689	Molting Materials: Restoring Superhydrophobicity after Severe Damage via Snakeskin-like Shedding. 2017 , 33, 4833-4839		11
688	Robust Fluorine-Free Superhydrophobic Amino-Silicone Oil/SiO Modification of Electrospun Polyacrylonitrile Membranes for Waterproof-Breathable Application. 2017 , 9, 15139-15147		107
687	3D printing of a mechanically durable superhydrophobic porous membrane for oil/water separation. 2017 , 5, 12435-12444		133
686	Temperature Control of Mussel-Inspired Chemistry toward Hierarchical Superhydrophobic Surfaces for Oil/Water Separation. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1600727	4.6	44
685	Layer-by-layer assembled hydrophobic coatings for cellulose nanofibril films and textiles, made of polylysine and natural wax particles. 2017 , 173, 392-402		53
684	Wetting Transitions in Polymer Nanoglass Generated by Nanoimprinting. 2017 , 218, 1700056		5
683	Aging phenomena and wettability control of plasma deposited carbon nanowall layers. 2017 , 14, 1700023		15
682	Directional Fluid Gating by Janus Membranes with Heterogeneous Wetting Properties for Selective Oil-Water Separation. 2017 , 9, 19102-19113		91
681	Stretchable and durable superhydrophobicity that acts both in air and under oil. 2017 , 5, 15208-15216		37
680	Fabrication of flower-like micro/nano dual scale structured copper oxide surfaces: Optimization of self-cleaning properties via Taguchi design. <i>Applied Surface Science</i> , 2017 , 422, 787-797	6.7	15
679	Superhydrophobic and breathable resorcinol-formaldehyde Xerogels. 2017 , 471, 202-208		9
678	Fabrication of superhydrophobic surface by oxidation growth of flower-like nanostructure on a steel foil. 2017 , 7, 25341-25346		7
677	Durable and self-healing superhydrophobic surface with bistratal gas layers prepared by electrospinning and hydrothermal processes. <i>Chemical Engineering Journal</i> , 2017 , 326, 578-586	14.7	27
676	Surface morphology and wettability control of polymer Substrates: A comparison of water-miscible and water-immiscible mixture solvents. 2017 , 93, 158-166		3
675	Foolproof Method for Fast and Reversible Switching of Water-Droplet Adhesion by Magnetic Gradients. 2017 , 9, 23238-23245		27
674	Mussel-Inspired Polyglycerol Coatings with Controlled Wettability: From Superhydrophilic to Superhydrophobic Surface Coatings. 2017 , 33, 9508-9520		25
673	Nanostructured N-polar GaN surfaces and their wetting behaviors. <i>Applied Surface Science</i> , 2017 , 412, 559-563	6.7	2
672	Superamphiphilic Silicon Wafer Surfaces and Applications for Uniform Polymer Film Fabrication. 2017 , 56, 5720-5724		35

671	Superamphiphilic Silicon Wafer Surfaces and Applications for Uniform Polymer Film Fabrication. 2017 , 129, 5814-5818		10
670	Step faceting and the self-assembly of nanoislands on miscut YSZ(001) surfaces. <i>Applied Surface Science</i> , 2017 , 407, 192-196	6.7	
669	Insight into the Role of Surface Wettability in Electrocatalytic Hydrogen Evolution Reactions Using Light-Sensitive Nanotubular TiO Supported Pt Electrodes. 2017 , 7, 41825		40
668	Polycyclopentene-Crystal-Decorated Carbon Nanotubes by Convenient Large-Scale In Situ Polymerization and their Lotus-Leaf-Like Superhydrophobic Films. 2017 , 38, 1600608		6
667	Colorful Superamphiphobic Coatings with Low Sliding Angles and High Durability Based on Natural Nanorods. 2017 , 9, 1941-1952		70
666	Superhydrophilic (superwetting) surfaces: A review on fabrication and application. 2017 , 47, 19-40		145
665	Polyimide/cellulose acetate core/shell electrospun fibrous membranes for oil-water separation. <i>Separation and Purification Technology</i> , 2017 , 177, 71-85	8.3	110
664	Polydimethylsiloxane-Based Superhydrophobic Surfaces on Steel Substrate: Fabrication, Reversibly Extreme Wettability and Oil-Water Separation. 2017 , 9, 3131-3141		69
663	Fast and Reproducible Wettability Switching on Functionalized PVDF/PMMA Surface Controlled by External Electric Field. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1600886	4.6	21
662	A smart switchable bioinspired copper foam responding to different pH droplets for reversible oil/water separation. 2017 , 5, 2603-2612		56
661	Hierarchical micro-nano structured Ti6Al4V surface topography via two-step etching process for enhanced hydrophilicity and osteoblastic responses. 2017 , 73, 90-98		50
660	Fabrication of durable superhydrophobic electrodeposited tin surfaces with tremella-like structure on copper substrate. 2017 , 309, 590-599		17
659	Superamphiphobic surfaces constructed by cross-linked hollow SiO ₂ spheres. <i>Applied Surface Science</i> , 2017 , 400, 162-171	6.7	14
658	One-pot hydrothermal synthesis of ZnC ₄ O ₄ concave microspheres with superhydrophobic and superoleophilic properties. 2017 , 19, 528-536		5
657	Synthesis, Characterization, and Applications of Three-Dimensional (3D) Nanostructures. 2017 , 363-520		2
656	Mechanically robust, thermally stable, highly transparent superhydrophobic coating with low-temperature sol-gel process. 2017 , 7, 47357-47365		35
655	One-step constructed ultrathin Janus polyamide nanofilms with opposite charges for highly efficient nanofiltration. 2017 , 5, 22988-22996		70
654	A silver nanoislands on silica spheres platform: enriching trace amounts of analytes for ultrasensitive and reproducible SERS detection. 2017 , 9, 16749-16754		26

653	Multifunctional surface designed by nanocomposite coating of polytetrafluoroethylene and TiO photocatalyst: self-cleaning and superhydrophobicity. 2017 , 7, 13628		29
652	One-step removal of insoluble oily compounds and water-miscible contaminants from water by underwater superoleophobic graphene oxide-coated cotton. 2017 , 24, 5605-5614		9
651	Preparation and Antiscaling Performance of Superhydrophobic Poly(phenylene sulfide)/Polytetrafluoroethylene Composite Coating. 2017 , 56, 12663-12671		17
650	Nanofibrous metal-organic framework composite membrane for selective efficient oil/water emulsion separation. 2017 , 543, 10-17		96
649	Exceptional control on physical properties of a polymeric material through alcoholic solvent-mediated environment-friendly Michael addition reaction. 2017 , 19, 4527-4532		11
648	Kinetics of Photoinduced Wettability Switching on Nanoporous Titania Surfaces under Oil. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700462	4.6	15
647	Enhanced Photocatalytic Reaction at Air-Liquid-Solid Joint Interfaces. 2017 , 139, 12402-12405		123
646	Argon-Plasma Reinforced Superamphiphobic Fabrics. 2017 , 13, 1701891		31
645	Robust and Self-Healable Bulk-Superhydrophobic Polymeric Coating. 2017 , 29, 8720-8728		43
644	Fabrication of non-wetting surfaces on zinc surface as corrosion barrier. 2017 , 128, 110-119		53
643	A Superhydrophobic Smart Coating for Flexible and Wearable Sensing Electronics. <i>Advanced Materials</i> , 2017 , 29, 1702517	24	227
642	A general and facile chemical avenue for the controlled and extreme regulation of water wettability in air and oil wettability under water. 2017 , 8, 6542-6554		41
641	Atmospheric Water Harvesting: Role of Surface Wettability and Edge Effect. 2017 , 1, 1700019		29
640	Fabrication of bioinspired structured superhydrophobic and superoleophilic copper mesh for efficient oil-water separation. 2017 , 14, 497-505		33
639	Atomic-scale computational design of hydrophobic RE surface-doped AlO and TiO. 2017 , 19, 21119-21126		6
638	Conversion of hydrophilic SiOC nanofibrous membrane to robust hydrophobic materials by introducing palladium. <i>Applied Surface Science</i> , 2017 , 425, 750-757	6.7	18
637	Transparent superhydrophobic solar glass prepared by fabricating groove-shaped arrays on the surface. <i>Applied Surface Science</i> , 2017 , 426, 957-964	6.7	27
636	Facile preparation of superhydrophobic PDMS with patternable and controllable water adhesion characteristics. 2017 , 52, 11428-11441		15

635	Versatile superamphiphobic cotton fabrics fabricated by coating with SiO ₂ /FOTS. <i>Applied Surface Science</i> , 2017 , 426, 271-278	6.7	33
634	Robust superhydrophobic needle-like nanostructured ZnO surfaces prepared without post chemical-treatment. <i>Applied Surface Science</i> , 2017 , 426, 674-687	6.7	26
633	Superhydrophobic Drag-Reduction Spherical Bearing Fabricated by Laser Ablation and PEI Regulated ZnO Nanowire Growth. 2017 , 7, 6061		6
632	Modifying Base Metal Substrates to Exhibit Universal Non-Wettability: Emulating Biology and Going Further. 2017 , 1-21		7
631	Preparation of large-scale, durable, superhydrophobic PTFE films using rough glass templates. 2017 , 49, 1422-1430		10
630	Superhydrophobic polysulfone/polydimethylsiloxane electrospun nanofibrous membranes for water desalination by direct contact membrane distillation. 2017 , 542, 308-319		56
629	Surface Tension Sensor Meshes for Rapid Alcohol Quantification. 2017 , 7, 49795-49798		2
628	Facile fabrication of hybrid PA6-decorated TiO ₂ fabrics with excellent photocatalytic, anti-bacterial, UV light-shielding, and super hydrophobic properties. 2017 , 7, 52375-52381		15
627	Bioinspired Nanostructured Anti-Biofouling and Anti-inorganic Surfaces. 2017 , 1307-1327		1
626	Enhancing moisture-tolerance and photovoltaic performances of FAPbI ₃ by bismuth incorporation. 2017 , 5, 25258-25265		37
625	Rapid and selective surface functionalization of the membrane for high efficiency oil-water separation via an atmospheric pressure plasma process. 2017 , 7, 15345		14
624	General Water-Based Strategy for the Preparation of Superhydrophobic Coatings on Smooth Substrates. 2017 , 56, 13783-13790		9
623	Strategic Formulation of Graphene Oxide Sheets for Flexible Monoliths and Robust Polymeric Coatings Embedded with Durable Bioinspired Wettability □ 2017 , 9, 42354-42365		19
622	Combination of laser patterning and nano PTFE sputtering for the creation a super-hydrophobic surface on 304 stainless steel in medical applications. 2017 , 8, 219-224		5
621	Condensation on hybrid-patterned copper tubes (II): Visualization study of droplet dynamics. 2017 , 112, 950-958		19
620	In situ one-step fabrication of durable superhydrophobic-superoleophilic cellulose/LDH membrane with hierarchical structure for efficiency oil/water separation. <i>Chemical Engineering Journal</i> , 2017 , 328, 117-123	14.7	131
619	Autonomous Control of Fluids in a Wide Surface Tension Range in Microfluidics. 2017 , 33, 7248-7255		6
618	Nature-inspired superwettability systems. 2017 , 2,		802

617	Flexible Superamphiphobic Film for Water Energy Harvesting. 2017 , 2, 1600186		36
616	Interfacial Engineering of Hierarchically Porous NiTi/Hydrogels Nanocomposites with Exceptional Antibiofouling Surfaces. <i>Advanced Materials</i> , 2017 , 29, 1602869	24	42
615	ECTFE hybrid porous membrane with hierarchical micro/nano-structural surface for efficient oil/water separation. 2017 , 524, 623-630		41
614	Controlled Formation of Patchy Anisometric Fumed Silica Supraparticles in Droplets on Bent Superhydrophobic Surfaces. 2017 , 34, 1600176		12
613	Quantifying the structural integrity of nanorod arrays. 2017 , 265, 222-231		
612	Superhydrophobic Cu ₂ S@Cu ₂ O film on copper surface fabricated by a facile chemical bath deposition method and its application in oil-water separation. <i>Applied Surface Science</i> , 2017 , 396, 566-573	67	54
611	Simple fabrication of large-area corrosion resistant superhydrophobic surface with high mechanical strength property on TiAl-based composite. 2017 , 239, 178-186		16
610	Micro- and nano-porous surface patterns prepared by surface-confined directional melt crystallization of solvent. 2017 , 469, 184-190		3
609	Droplet viscosity effects on dynamic hydrophobicity of a solid-liquid bulk composite prepared from porous glass. 2017 , 52, 595-604		7
608	Electrospun porous poly(tetrafluoroethylene-co-hexafluoropropylene-co-vinylidene fluoride) membranes for membrane distillation. 2017 , 7, 56183-56193		29
607	Influence of heated rolling micro-groove on surface of sheet metal. 2017 , 9, 168781401772600		2
606	MODELING AN IMPACT DROPLET ON A PAIR OF PILLARS. 2017 , 5, 43-57		3
605	. 2017 ,		22
604	. 2017 ,		3
603	1.7 PVDF Hollow Fibers Membranes. 2017 , 137-189		6
602	Wettability and Contact Time on a Biomimetic Superhydrophobic Surface. <i>Materials</i> , 2017 , 10,	3-5	15
601	The Influence of New Hydrophobic Silica Nanoparticles on the Surface Properties of the Films Obtained from Bilayer Hybrids. <i>Nanomaterials</i> , 2017 , 7,	5-4	23
600	Feedback System Control Optimized Electrospinning for Fabrication of an Excellent Superhydrophobic Surface. <i>Nanomaterials</i> , 2017 , 7,	5-4	8

599	Preparation of Fluoroalkyl End-Capped Vinyltrimethoxysilane Oligomeric Silica Nanocomposites Containing Gluconamide Units Possessing Highly Oleophobic/Superhydrophobic, Highly Oleophobic/Superhydrophilic, and Superoleophilic/Superhydrophobic Characteristics on the Modified Surfaces. 2017 , 9,		5
598	A Facile and Effective Method to Fabricate Superhydrophobic/Superoleophilic Surface for the Separation of Both Water/Oil Mixtures and Water-in-Oil Emulsions. 2017 , 9,		11
597	Improving Liquid Entry Pressure of Polyvinylidene Fluoride (PVDF) Membranes by Exploiting the Role of Fabrication Parameters in Vapor-Induced Phase Separation VIPS and Non-Solvent-Induced Phase Separation (NIPS) Processes. 2017 , 7, 181		29
596	Droplets, Evaporation and a Superhydrophobic Surface: Simple Tools for Guiding Colloidal Particles into Complex Materials. <i>Gels</i> , 2017 , 3,	4.2	18
595	Surface Patterning of Functional Ceramics: A Materials Design. 2017 , 3,		
594	Remarkable Anti-Fouling Performance of TiO ₂ -Modified TFC Membranes with Mussel-Inspired Polydopamine Binding. 2017 , 7, 81		19
593	Controllable Growth of the ZnO Nanorod Arrays on the Al Substrate and Their Reversible Wettability Transition. 2017 , 2017, 1-4		2
592	Frontier of Inorganic Synthesis and Preparative Chemistry (I) Biomimetic Synthesis. 2017 , 687-721		3
591	Strong Hydrophobic Coating by Conducting a New Hierarchical Architecture. 2018 , 122, 4628-4634		5
590	Developing a non-optical platform for impact dynamics analysis on nanostructured superhydrophobic surfaces using a quartz crystal microbalance. 2018 , 262, 595-602		8
589	Photo-controllable contact angle hysteresis on an artificial Azo-IPN petal. 2018 , 219, 81-84		2
588	Superhydrophobic Surfaces for Anti-Corrosion of Aluminum. 2018 , 267-298		3
587	Fabrication of transparent superhydrophobic polytetrafluoroethylene coating. <i>Applied Surface Science</i> , 2018 , 444, 208-215	6.7	30
586	A lattice self-consistent field study of self-assembly of grafted ABA triblock copolymers in a selective solvent. 2018 , 140, 278-289		1
585	Comparative study of the dynamic hydrophobicity of fluoroalkylsilane coatings tilted at acute and obtuse angles. 2018 , 15, 891-898		1
584	Manta ray gill inspired radially distributed nanofibrous membrane for efficient and continuous oil/water separation. 2018 , 5, 1466-1472		23
583	Hydrophobic and oleophobic sol-gel coatings on glass substrates for usage at high temperatures. 2018 , 9, 413-420		4
582	Failure of Fermi Level in Referencing Chemical Shift of Molecules on Solid Surfaces. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800150	4.6	1

581	Toward low friction in water for Mo2N/Ag coatings by tailoring the wettability. <i>Applied Surface Science</i> , 2018 , 447, 886-893	6.7	19
580	Antiadhesion Function between a Biological Surface and a Metallic Device Interface at High Temperature by Wettability Control. 2018 , 4, 1891-1899		3
579	Robust superhydrophobic surface by nature-inspired polyphenol chemistry for effective oil-water separation. <i>Applied Surface Science</i> , 2018 , 440, 535-546	6.7	37
578	Towards the development of superhydrophilic SiO ₂ -based nanoporous coatings: concentration and particle size effect. 2018 , 651, 138-144		11
577	Bio-inspired Edible Superhydrophobic Interface for Reducing Residual Liquid Food. 2018 , 66, 2143-2150		43
576	Porous superhydrophobic polymer/carbon composites for lightweight and self-cleaning EMI shielding application. 2018 , 158, 86-93		105
575	Annealing temperature dependent reversible wettability switching of micro/nano structured ZnO superhydrophobic surfaces. <i>Applied Surface Science</i> , 2018 , 441, 156-164	6.7	49
574	Advances in the Theory of Superhydrophobic Surfaces and Interfaces. 2018 , 59-84		
573	Smart Biomimetic Superhydrophobic Materials with Switchable Wettability. 2018 , 191-227		
572	Efficient removal of aerosol oil-mists using superoleophobic filters. 2018 , 6, 871-877		33
571	Thermodynamic analysis on wetting properties of a droplet on a solid surface with engineered trapezoidal microarchitecture. 2018 , 119, 733-741		12
570	Utilization of Peroxide Reduction Reaction at Air-Liquid-Solid Joint Interfaces for Reliable Sensing System Construction. <i>Advanced Materials</i> , 2018 , 30, 1701473	24	36
569	3D-Printed Biomimetic Super-Hydrophobic Structure for Microdroplet Manipulation and Oil/Water Separation. <i>Advanced Materials</i> , 2018 , 30, 1704912	24	231
568	Cellulose nanofiber-embedded sulfonated poly (ether sulfone) membranes for proton exchange membrane fuel cells. 2018 , 184, 299-306		55
567	Polybenzoxazine/organoclay composite coatings with intercalated structure: Relationship between solubility parameters and corrosion protection performance. <i>Progress in Organic Coatings</i> , 2018 , 115, 188-194	4.8	16
566	A facile one-step approach to superhydrophilic silica film with hierarchical structure using fluoroalkylsilane. 2018 , 539, 109-115		11
565	Controllable superhydrophobic aluminum surfaces with tunable adhesion fabricated by femtosecond laser. 2018 , 102, 25-31		52
564	Scaling Laws in Directional Spreading of Droplets on Wettability-Confined Diverging Tracks. 2018 , 34, 1899-1907		23

563	Stable Liquid Jets Bouncing off Soft Gels. 2018 , 120, 028006	2
562	Rational design of materials interface at nanoscale towards intelligent oil-water separation. 2018 , 3, 235-260	192
561	Design and optimization of stress centralized MEMS vector hydrophone with high sensitivity at low frequency. 2018 , 104, 607-618	14
560	Hydrophobic properties of poly(arylene ether)s derived from linear polydimethylsiloxanes and decafluorobiphenyl. 2018 , 135, 46187	1
559	Superior Antifouling Capability of Hydrogel Forward Osmosis Membrane for Treating Wastewaters with High Concentration of Organic Foulants. 2018 , 52, 1421-1428	43
558	Strain-gauge sensing composite films with self-restoring water-repellent properties for monitoring human movements. 2018 , 7, 23-29	15
557	Environmentally sustainable, fluorine-free and waterproof breathable PDMS/PS nanofibrous membranes for carbon dioxide capture. 2018 , 6, 9489-9497	23
556	Investigating Nanoscopic Structures on a Butterfly Wing To Explore Solvation and Coloration. 2018 , 95, 1004-1011	7
555	The research on preparation of superhydrophobic surfaces of pure copper by hydrothermal method and its corrosion resistance. 2018 , 270, 310-318	73
554	Preparation of PSF/FEP mixed matrix membrane with super hydrophobic surface for efficient water-in-oil emulsion separation.. 2018 , 8, 10097-10106	15
553	All-organic superhydrophobic coatings with mechanochemical robustness and liquid impalement resistance. 2018 , 17, 355-360	354
552	Chemically Robust Superhydrophobic Poly(vinylidene fluoride) Films with Grafting Crosslinkable Fluorinated Silane. 2018 , 26, 493-499	2
551	Synthesis of an Amphiphobic Nanofluid with a Novel Structure and Its Wettability Alteration on Low-Permeability Sandstone Reservoirs. 2018 , 32, 4747-4753	18
550	Durable, Highly Electrically Conductive Cotton Fabrics with Healable Superamphiphobicity. 2018 , 10, 12042-12050	73
549	Hierarchically featured and substrate independent bulk-deposition of reactive polymeric nanocomplexes for controlled and strategic manipulation of durable biomimicking wettability. 2018 , 6, 6642-6653	22
548	Preparation and performance enhancements of wear-resistant, transparent PU/SiO ₂ superhydrophobic coating. 2018 , 34, 139-145	21
547	Soil wettability in ground engineering: fundamentals, methods, and applications. 2018 , 13, 1-14	21
546	Self-propulsion of Leidenfrost droplets on micropillared hot surfaces with gradient wettability. <i>Applied Surface Science</i> , 2018 , 433, 336-340	6.7 19

545	Hot water-repellent and mechanically durable superhydrophobic mesh for oil/water separation. 2018 , 512, 567-574		63
544	Robust and durable superhydrophobic electrospun nanofibrous mats via a simple Cu nanocluster immobilization for oil-water contamination. 2018 , 538, 173-183		26
543	Superwetting polypropylene aerogel supported form-stable phase change materials with extremely high organics loading and enhanced thermal conductivity. 2018 , 174, 307-313		57
542	Multifunctional metal oxide nanoparticle decorated polypropylene knitted swatches. 2018 , 53, 1514-1526		2
541	Ultralight electrospun cellulose sponge with super-high capacity on absorption of organic compounds. 2018 , 179, 164-172		35
540	Facile generation of robust POSS-based superhydrophobic fabrics via thiol-ene click chemistry. <i>Chemical Engineering Journal</i> , 2018 , 332, 150-159	14.7	91
539	Self-Recovery Superhydrophobic Surfaces: Modular Design. 2018 , 12, 359-367		23
538	Preparation of well-distributed titania nanopillar arrays on Ti6Al4V surface by induction heating for enhancing osteogenic differentiation of stem cells. 2018 , 29, 045101		7
537	Experimental study of dynamic contact angles on rough hydrophobic surfaces. 2018 , 513, 658-665		29
536	Duplex-imprinted nano well arrays for promising nanoparticle assembly. 2018 , 29, 085302		
535	Thermally Induced Bending of ReS Nanowalls. <i>Advanced Materials</i> , 2018 , 30, 1704585	24	28
534	Synchronous magnetic control of water droplets in bulk ferrofluid. 2018 , 14, 681-692		14
533	Construction of oil-unidirectional membrane for integrated oil collection with lossless transportation and oil-in-water emulsion purification. 2018 , 549, 67-74		86
532	Enhanced permeation and antifouling performance of polyvinyl chloride (PVC) blend Pluronic F127 ultrafiltration membrane by using salt coagulation bath (SCB). 2018 , 548, 32-41		53
531	Wetting Models and Working Mechanisms of Typical Surfaces Existing in Nature and Their Application on Superhydrophobic Surfaces: A Review. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701052	4.6	70
530	Synthesis and hydrophobic evaluation of the electro-spun nano-TiO ₂ /PET fibrous bats after treatment with an alkaline solution and fluorocarbon material. 2018 , 109, 569-576		4
529	Polyacrylamide-Modified Polyester Fabric with Easy-Cleaning for Efficient Oil/Water Separation. 2018 , 5, 1-6		6
528	Simultaneous and controlled release of two different bioactive small molecules from nature inspired single material. 2018 , 6, 7692-7702		6

527	Mapping the transition to superwetting state for nanotextured surfaces templated from block-copolymer self-assembly. 2018 , 10, 20652-20663	10
526	Superhydrophobic engineering materials provide a rapid and simple route for highly efficient self-driven crude oil spill cleanup.. 2018 , 8, 38363-38369	1
525	. 2018 ,	1
524	A Facile Approach to Achieve Tunable Wettability of Graphene-based Films from Superhydrophilicity to Superhydrophobicity. 2018 , 03,	
523	Bio- and Inorganic Fouling. 2018 , 621-664	1
522	Influence of super-hydrophobic silicone rubber substrate on the growth and differentiation of human lens epithelial cells. 2018 , 29, 176	3
521	Magnetic-Responsive Superwetting Surface. 2018 , 183-203	3
520	Introduction of Stimuli-Responsive Wetting/Dewetting Smart Surfaces and Interfaces. 2018 , 1-33	
519	Thermal-Responsive Superwetting Surface. 2018 , 81-106	
518	Electric-Responsive Superwetting Surface. 2018 , 107-131	1
517	Liquids on Shape-Tunable Wrinkles. 2018 , 133-168	
516	Preparation of Electrospayed Microporous Membranes. 2018 , 460, 012017	1
515	InSnZnO Thin-Film Transistors With Vapor- Phase Self-Assembled Monolayer as Passivation Layer. 2018 , 39, 1680-1683	14
514	Effect of Durable Superhydrophobic FS/PS Using DCTES on Carbon Steel. 2018 , 07,	
513	Creation of Superhydrophobic Poly(L-phenylalanine) Nonwovens by Electrospinning. 2018 , 10,	10
512	Impact Dynamics of Aqueous Polymer Droplets on Superhydrophobic Surfaces. 2018 , 51, 7817-7827	26
511	A hierarchical functionalized biodegradable PLA electrospun nanofibrous membrane with superhydrophobicity and antibacterial properties for oil/water separation. 2018 , 42, 17615-17624	20
510	Effects of Interfacial Passivation on the Electrical Performance, Stability, and Contact Properties of Solution Process Based ZnO Thin Film Transistors. <i>Materials</i> , 2018 , 11,	3.5 16

509	A Reliable Photoelectrochemical Bioassay System Based on Cathodic Reaction at a Solid-Liquid-Air Joint Interface. 2018 , 28, 1804410	21
508	Switchable wettability applicable to nonplanar surfaces. 2018 , 13, 271-275	8
507	Electrospinning: A versatile strategy for mimicking natural creatures. 2018 , 10, 175-185	27
506	Micro-Nanofibrillar Polycaprolactone Scaffolds as Translatable Osteoconductive Grafts for the Treatment of Musculoskeletal Defects without Infection.. 2018 , 1, 1566-1578	4
505	Fluorocarbon-Free Dual-Action Textile Finishes Based on Covalently Attached Thermoresponsive Block Copolymer Brush Coatings. 2018 , 10, 40088-40099	7
504	Polymer-Decorated Filter Material for Wastewater Treatment: In Situ Ultrafast Oil/Water Emulsion Separation and Azo Dye Adsorption. 2018 , 34, 13192-13202	14
503	Enhancing the potency of surface hydroxyl groups of graphene oxide for selective oxidation of benzyl alcohol. 2018 , 90, 154-165	11
502	Preventing diatom adhesion using a hydrogel with an orthosilicic acid analog as a deceptive food. 2018 , 6, 19125-19132	13
501	Fabrication of zinc oxide nanostructure coated membranes for efficient oil/water separation. 2018 , 566, 249-257	56
500	Plastron Regeneration on Submerged Superhydrophobic Surfaces Using In Situ Gas Generation by Chemical Reaction. 2018 , 10, 33684-33692	27
499	A surface transition of nanoparticle-decorated graphene films from water-adhesive to water-repellent. 2018 , 10, 17015-17020	3
498	Enhanced adhesion properties of conductive super-hydrophobic surfaces by using zirco-aluminate coupling agent. 2018 , 68, 387-392	4
497	Fundamental study on the wetting property of liquid lithium. 2018 , 14, 345-350	117
496	Fabrication of superhydrophobic coating from non-fluorine siloxanes via a one-pot sol-gel method. 2018 , 53, 11253-11264	12
495	A novel CO ₂ gas removal design for a micro passive direct methanol fuel cell. 2018 , 157, 599-607	7
494	High-Performance Triphase Bio-Photoelectrochemical Assay System Based on Superhydrophobic Substrate-Supported TiO ₂ Nanowire Arrays. 2018 , 28, 1801483	34
493	How to Engineer Surfaces to Control and Optimize Boiling, Condensation and Frost Formation?. 2018 , 63-158	
492	Structure and properties of hydrophobic CeO ₂ coatings synthesized by reactive magnetron sputtering for biomedical applications. 2018 , 349, 667-676	13

491	Extending the Lotus Effect: Repairing Superhydrophobic Surfaces after Contamination or Damage by CHiC Chemistry. 2018 , 34, 8661-8669		5
490	Fabrication of durable superamphiphobic materials on various substrates with wear-resistance and self-cleaning performance from kaolin. <i>Applied Surface Science</i> , 2018 , 456, 737-750	6.7	30
489	Reaction temperature-dependent growth of ZnS nanomaterials. 2018 , 13, 157-159		
488	Inversely designed micro-textures for robust Cassie-Baxter mode of super-hydrophobicity. 2018 , 341, 113-132		15
487	Alkali metal-ion assisted Michael addition reaction in controlled tailoring of topography in a superhydrophobic polymeric monolith. 2018 , 6, 17019-17031		12
486	Antimicrobial Porous Surfaces Prepared by Breath Figures Approach. <i>Materials</i> , 2018 , 11,	3.5	10
485	Growth mechanism of one-step self-masking reactive-ion-etching (RIE) broadband antireflective and superhydrophilic structures induced by metal nanodots on fused silica. 2018 , 26, 1361-1374		10
484	A simple and economic approach to superhydrophobic films. 2018 , 109, 265-269		
483	Lotus-Seedpod-Bioinspired 3D Superhydrophobic Diatomite Porous Ceramics Comodified by Graphene and Carbon Nanobelts. 2018 , 10, 27416-27423		16
482	Epoxy Coatings with Low Surface Energy from Powdered Compounds Modified with Finely Dispersed Polytetrafluoroethylene Particles. 2018 , 91, 629-640		1
481	Hot Embossing for Whole Teflon Superhydrophobic Surfaces. 2018 , 8, 227		10
480	Macroscopic superhydrophobicity achieved by atomic decoration with silicones. 2018 , 149, 014706		1
479	Synthesis of fish scale and lotus leaf mimicking, stretchable and durable multilayers. 2018 , 6, 15993-16002		26
478	Study of anti-corrosion and anti-wear properties on superhydrophobic aluminium alloy surfaces. 2018 , 34, 1861-1867		11
477	Bioinspired one-step construction of hierarchical superhydrophobic surfaces for oil/water separation. 2018 , 531, 300-310		57
476	Full-Biobased Nanofiber Membranes toward Decontamination of Wastewater Containing Multiple Pollutants. 2018 , 6, 11783-11792		40
475	Non-UV activated superhydrophilicity of patterned Fe-doped TiO ₂ film for anti-fogging and photocatalysis. <i>Applied Surface Science</i> , 2018 , 452, 165-173	6.7	27
474	Superhydrophobic and superoleophilic surfaces prepared by spray-coating of facile synthesized Cerium(IV) oxide nanoparticles for efficient oil/water separation. <i>Applied Surface Science</i> , 2018 , 462, 95-104	6.7	28

473	Biomimetic Super Anti-Wetting Coatings from Natural Materials: Superamphiphobic Coatings Based on Nanoclays. 2018 , 8, 12062		17
472	Coalescence delay of microbubbles on superhydrophobic/superhydrophilic surfaces underwater. 2018 , 113, 033705		2
471	UV-Resistant and Thermally Stable Superhydrophobic CeO Nanotubes with High Water Adhesion. 2018 , 14, e1801040		25
470	Examining the effect of different super hydrophobic nanomaterials on asphalt pavements. 2018 , 180, 285-290		14
469	Improved performance and stability of perovskite solar cells by incorporating gamma-aminobutyric acid in CH ₃ NH ₃ PbI ₃ . 2018 , 6, 12370-12379		9
468	Direct reduction of oxygen gas over dendritic carbons with hierarchical porosity: beyond the diffusion limitation. 2018 , 5, 2023-2030		1
467	Single-site and nano-confined photocatalysts designed in porous materials for environmental uses and solar fuels. 2018 , 47, 8072-8096		129
466	Recent Progress in Durable and Self-Healing Super-Nonwetable Fabrics. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800461	4.6	35
465	Fabrication of acrylamide decorated superhydrophilic and underwater superoleophobic poly(vinylidene fluoride) membranes for oil/water emulsion separation. 2019 , 95, 300-307		18
464	The thermocapillary migration on rough surfaces. 2019 , 31, 163-170		6
463	Water affinity guided tunable superhydrophobicity and optimized wettability of selected natural minerals. 2019 , 16, 199-211		2
462	Catalyst-Free and Rapid Chemical Approach for in Situ Growth of "Chemically Reactive" and Porous Polymeric Coating. 2019 , 11, 34316-34329		7
461	Molecular dynamics simulation of frictional properties of Couette flow with striped superhydrophobic surfaces under different loads. 2019 , 21, 17786-17791		7
460	Assessment and Interpretation of Surface Wettability Based on Sessile Droplet Contact Angle Measurement: Challenges and Opportunities. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900839	4.6	41
459	Liquid-Infused Surfaces: A Review of Theory, Design, and Applications. 2019 , 13, 8517-8536		150
458	Using Nanoimprint Lithography to Create Robust, Buoyant, Superhydrophobic PVB/SiO Coatings on wood Surfaces Inspired by Red roses petal. 2019 , 9, 9961		22
457	Oxyfluorination-Controlled Variations in the Wettability of Polymer Film Surfaces. 2019 , 81, 146-157		13
456	Micropattern-controlled wicking enhancement in hierarchical micro/nanostructures. 2019 , 15, 6518-6529		3

455	Dehydration behaviours of isopropyl group initiate the surface wettability transition of temperature sensitive poly(N-isopropylacrylamide) hydrogel. 2019 , 6, 095704	3
454	Nanoporous anodic alumina reduces Staphylococcus biofilm formation. 2019 , 69, 246-251	4
453	Room-temperature liquid metal and alloy systems for energy storage applications. 2019 , 12, 2605-2619	69
452	Efficient Hydrogen Peroxide Generation Utilizing Photocatalytic Oxygen Reduction at a Triphase Interface. 2019 , 17, 67-73	32
451	Comparison of the Effects of Some Modification Methods on the Characteristics of Ultrahigh-Molecular-Weight Polyethylene and Composites on Its Basis. 2019 , 61, 325-333	7
450	Biomimetic Polychrome Rubberized Fabric Constructed by Nonfluorinated Multiscale Hierarchical Superhydrophobic Latex Pigments. 2019 , 11, 26392-26401	4
449	Fabrication of flower clusters-like superhydrophobic surface via a UV curable coating of ODA and V-PDMS. 2019 , 136, 48210	6
448	Introduction. 2019 , 1-26	
447	Superhydrophobic Porous PLLA Sponges with Hierarchical Micro-/Nano-Structures for High-Efficiency Self-Cleaning. 2019 , 220, 1900338	5
446	Enhancement of Bactericidal Activity via Cyclic Poly(cationic liquid) Brushes. 2019 , 40, e1900379	9
445	Fundamentals of superhydrophobic surfaces. 2019 , 3-29	3
444	Facile fabrication of fluorine-free breathable poly(methylhydrosiloxane)/polyurethane fibrous membranes with enhanced water-resistant capability. 2019 , 556, 541-548	19
443	Synthesis of two-dimensional porous aromatic frameworks via triple condensation reaction. 2019 , 2, 100013	1
442	Sessile Microdrop Coalescence on Partial Wetting Surfaces: Effects of Surface Wettability and Stiffness. 2019 , 35, 12955-12961	1
441	Designing a Superhydrophobic Surface for Enhanced Atmospheric Corrosion Resistance Based on Coalescence-Induced Droplet Jumping Behavior. 2019 , 11, 38276-38284	25
440	Controlling surface morphology by nanocrystalline/amorphous competitive self-phase separation in thin films: Thickness-modulated reflectance and interference phenomena. 2019 , 181, 78-86	3
439	Environmentally benign development of superhydrophilic and underwater superoleophobic mesh for effective oil/water separation. 2019 , 377, 124892	11
438	Bioinspired Durable Superhydrophobic Surface from a Hierarchically Wrinkled Nanoporous Polymer. 2019 , 11, 40875-40885	30

437	Tailoring Surface Characteristics of Polyamide Thin-Film Composite Membranes toward Pronounced Switchable Wettability. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801408	4.6	6
436	Fabrication of oil-water separation stainless steel mesh via direct laser interference lithography, candle soot deposition, and thermal treatment. 2019 , 31, 012003		3
435	Functionalization of Commercial Sand Core Funnels as Hydrophobic Materials with Novel Physicochemical Properties. 2019 , 11, 7510-7521		5
434	Silver Nanoparticle-Enabled Photothermal Nanofibrous Membrane for Light-Driven Membrane Distillation. 2019 , 58, 3269-3281		38
433	Electrospun Nanofibers for Waterproof and Breathable Clothing. 2019 , 543-570		9
432	Preparation of AgCl Particles with Different Superwettabilities by Particle Size Regulation. 2019 , 35, 7944-7953		4
431	Injection Molding of Superhydrophobic Submicrometer Surface Topography on Macroscopically Curved Objects: Experimental and Simulation Studies. 2019 , 1, 1547-1558		5
430	Wetting Behavior and Tribological Properties of Polymer Brushes on Laser-Textured Surface. 2019 , 11,		6
429	Bacteria-Resistant Single Chain Cyclized/Knotted Polymer Coatings. 2019 , 131, 10726-10730		
428	Durable omniphobicity of oil-impregnated anodic aluminum oxide nanostructured surfaces. 2019 , 553, 734-745		17
427	Smart Copolymer-Functionalized Flexible Surfaces with Photoswitchable Wettability: From Superhydrophobicity with "Rose Petal" Effect to Superhydrophilicity. 2019 , 11, 25436-25444		37
426	Tailoring waterproof and breathable properties of environmentally friendly electrospun fibrous membranes by optimizing porous structure and surface wettability. 2019 , 15, 40-45		23
425	Crosslinked PVDF-HFP-based hydrophobic membranes incorporated with CNF for enhanced stability and permeability in membrane distillation. 2019 , 136, 48021		14
424	Amphiphilic Graphene Aerogel with High Oil and Water Adsorption Capacity and High Contact Area for Interface Reaction. 2019 , 11, 22794-22800		30
423	Bacteria-Resistant Single Chain Cyclized/Knotted Polymer Coatings. 2019 , 58, 10616-10620		8
422	Hybrid Nanosecond Laser Processing and Heat Treatment for Rapid Preparation of Super-Hydrophobic Copper Surface. 2019 , 9, 668		14
421	Amphibian-inspired amino acid ionic liquid functionalized nanofiltration membranes with high water permeability and ion selectivity for pigment wastewater treatment. 2019 , 586, 44-52		56
420	Nature-Inspired Liquid Infused Systems for Superwetable Surface Energies. 2019 , 11, 21275-21293		41

4 ¹⁹	Superwetting Polymeric Three Dimensional (3D) Porous Materials for Oil/Water Separation: A Review. 2019 , 11,		56
4 ¹⁸	Light-Responsive Polymer Membranes. 2019 , 7, 1900252		21
4 ¹⁷	Micro-textures inversely designed with overlaid-lithography manufacturability for wetting behavior in Cassie-Baxter status. 2019 , 74, 621-640		4
4 ¹⁶	Preparation and property of extremely stable superhydrophobic carbon fibers with core-shell structure. 2019 , 150, 284-291		25
4 ¹⁵	Controlled Surface Wettability by Plasma Polymer Surface Modification. 2019 , 2, 349-371		46
4 ¹⁴	Mussel-inspired coatings with tunable wettability, for enhanced antibacterial efficiency and reduced bacterial adhesion. 2019 , 7, 3438-3445		24
4 ¹³	In situ observations for growth kinetics of water droplets on Bambusa multiplex leaves. 2019 , 114, 153702		1
4 ¹²	Synthesis of superhydrophobic nanofluids as shale inhibitor and study of the inhibition mechanism. <i>Applied Surface Science</i> , 2019 , 484, 957-965	6.7	25
4 ¹¹	Superhydrophobic coating with ultrahigh adhesive force and good anti-scratching on elastomeric substrate by thiol-ene click chemistry. <i>Chemical Engineering Journal</i> , 2019 , 373, 318-324	14.7	16
4 ¹⁰	Development of Durable, Fluorine-free, and Transparent Superhydrophobic Surfaces for Oil/Water Separation. <i>ACS Omega</i> , 2019 , 4, 6947-6954	3.9	13
4 ⁰⁹	Influence of textural statistics on drag reduction by scalable, randomly rough superhydrophobic surfaces in turbulent flow. 2019 , 31, 042107		39
4 ⁰⁸	Fabricating a pH-responsive membrane through interfacial in-situ assembly of microgels for water gating and self-cleaning. 2019 , 579, 230-239		27
4 ⁰⁷	Chemically reactive protein nanoparticles for synthesis of a durable and deformable superhydrophobic material. <i>Nanoscale Advances</i> , 2019 , 1, 1746-1753	5.1	10
4 ⁰⁶	Robust superhydrophobic surface with excellent adhesive properties based on benzoxazine/epoxy/mesoporous SiO ₂ . <i>Applied Surface Science</i> , 2019 , 481, 374-378	6.7	49
4 ⁰⁵	An Easy Route to Wettability Changes of Polyethylene Terephthalate/Silicon Oxide Substrate Films for High Barrier Applications, Surface-Modified with a Self-Assembled Monolayer of Fluoroalkylsilanes. 2019 , 11,		2
4 ⁰⁴	Influence of surface roughness and hydrophilicity on bonding strength of concrete-rock interface. 2019 , 213, 156-166		76
4 ⁰³	Repetitive Pool Boiling Runs: A Controlled Process to Form Reduced Graphene Oxide Surfaces from Graphene Oxide with Tunable Surface Chemistry and Morphology. 2019 , 58, 7156-7165		10
4 ⁰²	Electrospun nanofibrous membranes in membrane distillation: Recent developments and future perspectives. <i>Separation and Purification Technology</i> , 2019 , 221, 44-63	8.3	49

401	Fabrication of fluorine-free ZnO/CuO nanocomposite superantwetting surfaces with reversible wettability tuning. 2019 , 367, 252-261	9
400	Facile fabrication of ultraviolet light cured fluorinated polymer layer for smart superhydrophobic surface with excellent durability and flame retardancy. 2019 , 547, 153-161	19
399	Rational Use of Dual Chemical Reactivity in a Single Interface for Optimizing Both Superhydrophobicity and Underwater Superoleophobicity. 2019 , 31, 1479-1484	10
398	Bioinspired Superwettability Micro/Nanoarchitectures: Fabrications and Applications. 2019 , 29, 1808012	80
397	Bio-inspired fabrication of fire-retarding, magnetic-responsive, superhydrophobic sponges for oil and organics collection. 2019 , 172, 19-27	24
396	Capillary bridge technique to study superhydrophobic surfaces. 2019 , 15, 2990-2998	0
395	Separation Mechanism and Construction of Surfaces with Special Wettability for Oil/Water Separation. 2019 , 11, 11006-11027	237
394	Underwater manipulation of oil droplets and bubbles on superhydrophobic surfaces via switchable adhesion. 2019 , 55, 3394-3397	16
393	Experimental Investigation of Copper Mesh Substrate with Selective Wettability to Separate Oil/Water Mixture. 2019 , 12, 4564	2
392	Durable Superhydrophobic Silica Aerogel Coating from Hydrophobic Gel Synthesis. 2019 , 824, 156-162	
391	Effectiveness of superhydrophobic material on the hydroplaning risk of asphalt pavements. 2019 , 1-9	3
390	Mitigation of ammonia volatilization and nitrate leaching via loss control urea triggered H-bond forces. 2019 , 9, 15140	10
389	Construction of ZnO@Co3O4-loaded nickel foam with abrasion resistance and chemical stability for oil/water separation. 2019 , 357, 244-251	13
388	Functional food packaging for reducing residual liquid food: Thermo-resistant edible super-hydrophobic coating from coffee and beeswax. 2019 , 533, 742-749	41
387	Self-Cleaning Surfaces for Heat Recovery During Industrial Hydrocarbon-Rich Gas Cooling: An Experimental and Numerical Study. 2019 , 65, 317-325	6
386	Properties and hardening mechanism of alkali activated slag based hydrophobic coating at ambient curing condition. 2019 , 6, 055505	2
385	Control of wettability transition and coalescence dynamics of droplets on the surface via mechanical vibration: A molecular simulation exploration. <i>Applied Surface Science</i> , 2019 , 473, 393-400	6.7 20
384	A novel, efficient and cost-effective synthesis technique for the development of superhydrophobic glass surface. 2019 , 781, 1175-1181	9

383	Recent advances on open fluidic systems for biomedical applications: A review. 2019 , 97, 851-863		35
382	Stearic Acid-Modified Starch/Chitosan Composite Sponge with Asymmetric and Gradient Wettability for Wound Dressing.. 2019 , 2, 171-181		21
381	Laser-Structured Graphene/Reduced Graphene Oxide Films towards Bio-Inspired Superhydrophobic Surfaces. 2019 , 92, 283-289		35
380	A Water-Soluble Cu Complex as Molecular Catalyst for Electrocatalytic CO ₂ Reduction on Graphene-Based Electrodes. <i>Advanced Energy Materials</i> , 2019 , 9, 1803151	21.8	57
379	How to Coat the Inside of Narrow and Long Tubes with a Super-Liquid-Repellent Layer-A Promising Candidate for Antibacterial Catheters. <i>Advanced Materials</i> , 2019 , 31, e1801324	24	38
378	Sequentially Controlled Deformations of Patterned Hydrogels into 3D Configurations with Multilevel Structures. 2019 , 40, e1800681		8
377	Soft lithographic fabrication of free-standing ceramic microparts using moisture-sensitive PDMS molds. 2019 , 29, 035002		
376	Morphology evolution of liquid-gas interface on submerged solid structured surfaces. 2019 , 27, 34-51		12
375	In situ reduction of graphene oxide to improve the thermal and wettability properties of urea-melamine-modified phenol formaldehyde resin composites. 2019 , 6, 025302		9
374	Solid-liquid-liquid wettability and its prediction with surface free energy models. 2019 , 264, 28-46		27
373	Pyrolyzing preceramic polymer into ceramic reverses the wettability of the extreme wetting surface and enhances mechanical abrasion resistance. 2019 , 45, 2053-2059		1
372	Smart Wetting Control on Shape Memory Polymer Surfaces. 2019 , 25, 3979-3992		27
371	Facile preparation of flexible and stable superhydrophobic non-woven fabric for efficient oily wastewater treatment. 2019 , 357, 526-534		20
370	Fabrication of durable antibacterial and superhydrophobic textiles via in situ synthesis of silver nanoparticle on tannic acid-coated viscose textiles. 2019 , 26, 2109-2122		43
369	Multi-objective Bayesian optimization of super hydrophobic coatings on asphalt concrete surfaces. 2019 , 6, 693-704		10
368	Preparation of a superhydrophobic and superoleophilic polyester textile by chemical vapor deposition of dichlorodimethylsilane for Water/Oil separation. 2019 , 159, 54-63		24
367	Particulate Coatings with Optimized Haze Properties. 2019 , 29, 1806025		10
366	Modulation of surface wettability by vibration assisted milling. 2019 , 55, 179-188		13

365	Structure-induced superhydrophilicity of silica membranes through hybridization and self-assembly of different dispersed nanoparticles. 2019 , 1177, 26-32	4
364	An enhanced enzymatic reaction using a triphase system based on superhydrophobic mesoporous nanowire arrays. 2019 , 4, 231-235	13
363	Superhydrophobic membrane: progress in preparation and its separation properties. 2019 , 35, 211-238	48
362	Facile fabrication of superhydrophobic and superoleophilic green ceramic hollow fiber membrane derived from waste sugarcane bagasse ash for oil/water separation. 2020 , 13, 3558-3570	7
361	Light-assisted preparation of heterostructured g-C ₃ N ₄ /ZnO nanorods arrays for enhanced photocatalytic hydrogen performance. 2020 , 355, 932-936	11
360	Efficient Bio-Photoelectrochemical Reaction at a TiO ₂ Nanowire Array-Based Triphase Interface. 2020 , 4, 1900185	6
359	Growth rate and surface free energy of diamond films using different gas-sources. 2020 , 36, 379-385	2
358	Study on oil-water separation of selective-wettability meshes with different Micro/Nano structures. 2020 , 584, 124026	4
357	Tuning the wettability, mechanical and tribological properties of NbN films by doping rare earth cerium. 2020 , 814, 152339	7
356	The two-dimensional boron nitride hierarchical nanostructures: Controllable synthesis and superhydrophobicity. 2020 , 240, 122145	9
355	Quick and Easy Electroless Deposition and Alkanethiol Treatment To Form a Superhydrophobic Surface. 2020 , 97, 184-189	1
354	Fabrication of multifunctional textiles with durable antibacterial property and efficient oil-water separation via in situ growth of zeolitic imidazolate framework-8 (ZIF-8) on cotton fabric. <i>Applied Surface Science</i> , 2020 , 503, 144079	6.7 66
353	A numerical study on the performance of a superhydrophobic coated very low head (VLH) axial hydraulic turbine using entropy generation method. 2020 , 147, 409-422	14
352	A facile approach towards fabrication of superhydrophobic PMMA using vinyl functionalized silica nanoparticles. 2020 , 59, 294-300	2
351	Lightweight, flexible and superhydrophobic composite nanofiber films inspired by nacre for highly electromagnetic interference shielding. 2020 , 128, 105685	79
350	Strong cellulose hydrogel as underwater superoleophobic coating for efficient oil/water separation. 2020 , 229, 115467	37
349	Micro-/Nanostructured Interface for Liquid Manipulation and Its Applications. 2020 , 16, e1903849	39
348	Superhydrophobic nanoporous polymer-modified sponge for in situ oil/water separation. 2020 , 239, 124793	20

347	Carbonaceous microsphere/nanofiber composite superhydrophilic membrane with enhanced anti-adhesion property towards oil and anionic surfactant: Membrane fabrication and applications. <i>Separation and Purification Technology</i> , 2020 , 235, 116189	8.3	16
346	Simultaneous zwitterionization and selective swelling-induced pore generation of block copolymers for antifouling ultrafiltration membranes. 2020 , 599, 117833		13
345	A slippery oil-repellent hydrogel coating. 2020 , 27, 2817-2827		26
344	Synthesis of superamphiphobic nanofluid as a multi-functional additive in oil-based drilling fluid, especially the stabilization performance on the water/oil interface. 2020 , 588, 124385		6
343	Boron nitride aerogels consisting of varied superstructures. <i>Nanoscale Advances</i> , 2020 , 2, 149-155	5.1	8
342	Hydrophobicity or superhydrophobicity which is the right choice for stabilizing underwater superoleophilicity?. 2020 , 8, 97-106		11
341	Adhesion of lubricant on aluminium through adsorption of additive head-groups on Alumina: A DFT study. 2020 , 145, 106140		8
340	Ultrafast fabrication of Cu oxide micro/nano-structures via laser ablation to promote oxygen evolution reaction. <i>Chemical Engineering Journal</i> , 2020 , 383, 123086	14.7	26
339	Wettability controlled photocatalytic reactive oxygen generation and <i>Klebsiella pneumoniae</i> inactivation over triphase systems. 2020 , 264, 118518		35
338	A transition from petal-state to lotus-state in AZ91 magnesium surface by tailoring the microstructure. 2020 , 383, 125239		5
337	Ultrasound assisted large scale fabrication of superhydrophilic anodized SnOx films with highly uniformed nanoporous arrays. 2020 , 242, 122540		10
336	Forces at superhydrophobic and superamphiphobic surfaces. 2020 , 47, 46-57		7
335	Novel porous oil-water separation material with super-hydrophobicity and super-oleophilicity prepared from beeswax, lignin, and cotton. 2020 , 706, 135807		34
334	Effect of Pd-decoration on the sensing properties of ZnO nanostructures. 2020 , 693, 137693		9
333	Motion behaviour of water-droplet on alternate superhydrophobic/hydrophilic ZnO wetting-patterned surface. 2020 , 36, 636-642		4
332	Adsorption mechanism of lead ions on porous ceramsite prepared by co-combustion ash of sewage sludge and biomass. 2020 , 702, 135017		22
331	A facile PDMS coating approach to room-temperature gas sensors with high humidity resistance and long-term stability. 2020 , 325, 128810		23
330	A Review on Oil/Water Mixture Separation Material. 2020 , 59, 14546-14568		39

329	Asymmetric Sc-PLA Membrane with Multi-scale Microstructures: Wettability, Antifouling, and Oil-Water Separation. 2020 , 12, 55520-55526		11
328	Ultrafast and scalable microwave-assisted synthesis of activated hierarchical porous carbon for high-performance supercapacitor electrodes. 2020 , 874, 114464		12
327	Low Concentration Synthesis of Super-Amphiphilic Nanoflake ZSM-5 Film with Adjustable Property. 2020 , 15, 2050124		
326	Superwettability-based systems: Basic concepts, recent trends and future prospects for innovation in food engineering. 2020 , 104, 27-36		6
325	Development of a facile and bi-functional superhydrophobic suspension and its applications in superhydrophobic coatings and aerogels in high-efficiency oil/water separation. 2020 , 22, 7424-7434		16
324	Preparation of fluoroalkyl end-capped vinyltrimethoxysilane oligomer/micro-sized silica composites possessing superoleophilic/superhydrophobic characteristic: application to selective removal of aromatic compounds from aqueous methanol solution by using these composites. 2020 , 33, 436-448		3
323	Cellulose-Based Superhydrophobic Surface Decorated with Functional Groups Showing Distinct Wetting Abilities to Manipulate Water Harvesting. 2020 , 12, 40968-40978		19
322	Efficient spreading and controllable penetration of high-speed drops on superhydrophobic surface by vesicles. 2020 , 8, 17392-17398		5
321	High-Throughput Tailoring of Nanocellulose Films: From Complex Bio-Based Materials to Defined Multifunctional Architectures. 2020 , 3, 7428-7438		9
320	Synthesis of an amphibious superamphiphilic carbon-based materials with unique properties. 2020 , 44, 16351-16357		3
319	Solar Energy Conversion in Communities. 2020 ,		1
318	Recent Progress of Biomimetic Antifouling Surfaces in Marine. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000966	4.6	18
317	Influence of hydrostatic pressure on wetting state and corrosion of superhydrophobic coatings. 2020 , 110, 457-470		2
316	Gradient wettability induced by deterministically patterned nanostructures. 2020 , 6, 106		3
315	Non-Wettable Surfaces [From Natural to Artificial and Applications. 2020 , 195-231		1
314	A thermally reduced graphene oxide membrane interlayered with an in situ synthesized nanopacer for water desalination. 2020 , 8, 25951-25958		6
313	Cotton Science and Processing Technology. 2020 ,		5
312	Large-Area Patterning of Oil-Based Inks on Superhydrophobic TiO ₂ Nanotubular Layers by Photocatalytic Wettability Conversion. 2020 , 10, 1203		1

311	Catalytic Ozonation and Membrane Contactors: A Review Concerning Fouling Occurrence and Pollutant Removal. 2020 , 12, 2964		7
310	Roles of chemistry modification for laser textured metal alloys to achieve extreme surface wetting behaviors. <i>Materials and Design</i> , 2020 , 192, 108744	8.1	51
309	Effect of femtosecond laser power and overlap ratio on surface roughness parameters, contact angle, and tribological properties of the textured SKD 61 tool steel with oil lubrication. 2020 , 8, 045003		1
308	Fabrication of super-hydrophobic and highly oleophobic Ti-6Al-4 V surfaces by a hybrid method. 2020 , 130, 110915		3
307	Hydrophobic octadecylamine-functionalized graphene/TiO ₂ hybrid coating for corrosion protection of copper bipolar plates in simulated proton exchange membrane fuel cell environment. 2020 , 45, 15380-15389 ²⁶		6
306	Development of Polydopamine Forward Osmosis Membranes with Low Reverse Salt Flux. 2020 , 10,		6
305	Fiber bundle topology optimization of hierarchical microtextures for wetting behavior in Cassie-Baxter mode. 2020 , 61, 2523-2556		0
304	Soft lithographic fabrication of free-standing ceramic microcomponents using poly(N-isopropylacrylamide) brushes grafted poly(dimethylsiloxane) micromolds. 2020 , 30, 085009		
303	Clean Water through Nanotechnology: Needs, Gaps, and Fulfillment. 2020 , 14, 6420-6435		57
302	Substantial Improvement of Oil Aerosol Filtration Performance Using In-Plane Asymmetric Wettability. 2020 , 12, 28852-28860		5
301	Beadlike Porous Fibrous Membrane with Switchable Wettability for Efficient Oil/Water Separation. 2020 , 59, 10894-10903		6
300	Fabrication of superhydrophobic surfaces inspired by lotus effect of plant leaves via swelling-vesiculating-cracking method. <i>Chemical Engineering Journal</i> , 2020 , 400, 125935	14.7	6
299	A novel design of silica-based completion nanofluids for heavy oil reservoirs. 2020 , 194, 107483		6
298	Fabrication of colorful wear-resistant superhydrophobic coatings based on chemical modified halloysite. 2020 , 602, 125117		5
297	Advances in Functional Finishing of Textiles. 2020 ,		2
296	Thermodynamic analysis on wetting states and wetting state transitions of rough surfaces. 2020 , 278, 102136		13
295	Membrane distillation: Progress in the improvement of dedicated membranes for enhanced hydrophobicity and desalination performance. 2020 , 86, 13-34		38
294	Facile Generation of Durable Superhydrophobic Fabrics toward Oil/Water Separation via Thiol-Ene Click Chemistry. 2020 , 59, 6130-6140		18

293	Topology optimization on two-dimensional manifolds. 2020 , 364, 112937	3
292	Superhydrophobic concrete with enhanced mechanical robustness: Nanohybrid composites, strengthen mechanism and durability evaluation. 2020 , 247, 118563	20
291	Multifunctional TiO-Based Superoleophobic/Superhydrophilic Coating for Oil-Water Separation and Oil Purification. 2020 , 12, 18074-18083	39
290	Highly efficient electrosynthesis of hydrogen peroxide on a superhydrophobic three-phase interface by natural air diffusion. 2020 , 11, 1731	136
289	Directional liquid spreading on laser textured aluminum surface. 2020 , 26, 2767-2776	8
288	Interfacial Strategies for Smart Slippery Surfaces. 2020 , 17, 633-643	2
287	Natural Architectures for Tissue Engineering and Regenerative Medicine. 2020 , 11,	7
286	Preparation of cellulose triacetate aerogel via non-solvent impacted thermally induced phase separation for oil absorption. 2020 , 137, 49565	2
285	A fog-collecting surface mimicking the Namib beetle: its water collection efficiency and influencing factors. 2020 , 12, 6921-6936	21
284	Inkjet printing assisted fabrication of polyphenol-based coating membranes for oil/water separation. 2020 , 250, 126236	55
283	What are the design principles, from the choice of lubricants and structures to the preparation method, for a stable slippery lubricant-infused porous surface?. 2020 , 7, 1697-1726	41
282	Thermal Stability of Phosphonic Acid Self-Assembled Monolayers on Alumina Substrates. 2020 , 124, 2531-2542	11
281	3D printing of bioinspired textured surfaces with superamphiphobicity. 2020 , 12, 2924-2938	27
280	Increasing the Efficiency of Photocatalytic Reactions via Surface Microenvironment Engineering. 2020 , 142, 2738-2743	43
279	Turning Tissue Waste into High-Performance Microfiber Filters for Oily Wastewater Treatment. <i>Materials</i> , 2020 , 13,	3.5 2
278	Development and Characterization of Palm Flower Carbon Reinforced DOPO-Urea Diamine Based Cardanol Benzoxazine-Epoxy Hybrid Composites. 2020 , 60, 732-739	7
277	Electrotunable liquid sulfur microdroplets. 2020 , 11, 606	10
276	Nanogenerators with Superwetting Surfaces for Harvesting Water/Liquid Energy. 2020 , 30, 1908252	50

275	Superhydrophobic TC4 alloy surface fabricated by laser micro-scanning to reduce adhesion and drag resistance. 2020 , 391, 125707		21
274	A Durable and Self-Cleaning Superhydrophobic Surface Prepared by Precipitating Flower-Like Crystals on a Glass-Ceramic Surface. <i>Materials</i> , 2020 , 13,	3.5	2
273	Highly porous, flexible and robust cellulose acetate/Au/ZnO as a hybrid photocatalyst. <i>Applied Surface Science</i> , 2020 , 526, 146237	6.7	18
272	Reversible superwettability switching of a conductive polymer membrane for oil-water separation and self-cleaning. 2020 , 605, 118088		14
271	Super-amphiphobic, strong self-cleaning and high-efficiency water-based drilling fluids. 2020 , 47, 421-429		10
270	Wetting state transition of a liquid gallium drop at the nanoscale. 2020 , 22, 11809-11816		4
269	Developments and Challenges in Self-Healing Antifouling Materials. 2020 , 30, 1908098		64
268	Manipulation of TiO Nanoparticle/Polymer Coatings Wettability and Friction in Different Environments. <i>Materials</i> , 2020 , 13,	3.5	3
267	A polypropylene melt-blown strategy for the facile and efficient membrane separation of oil/water mixtures. <i>Chinese Journal of Chemical Engineering</i> , 2021 , 29, 383-390	3.2	3
266	Formation of aluminum oxide nanostructures via anodization of Al3104 alloy and their wettability behavior for self-cleaning application. 2021 , 359, 50-56		4
265	Recent advances in light-induced cell sheet technology. 2021 , 119, 30-41		2
264	Enhanced thermal storage capacity of paraffin/diatomite composite using oleophobic modification. 2021 , 279, 123211		12
263	A functionalized graphene aerogel for efficient water purification. 2021 , 9, 21-28		1
262	Hollow fiber membranes with hierarchical spherulite surface structure developed by thermally induced phase separation using triple-orifice spinneret for membrane distillation. 2021 , 618, 118586		12
261	Carbon nanofiber based superhydrophobic foam composite for high performance oil/water separation. 2021 , 402, 123838		62
260	Porous and reactive polymeric interfaces: an emerging avenue for achieving durable and functional bio-inspired wettability. 2021 , 9, 824-856		8
259	Improved Desalination Performance of Polyvinylidene Fluoride Hollow Fiber Membranes by the Intermediate Role of Surfactants. 2021 , 306, 2000538		3
258	Study on the wettability of biomimetic stainless-steel surfaces inspired by Bauhinia Linn. leaf. 2021 , 405, 126721		5

257	A superhydrophobic and porous polymer adsorbent with large surface area. 2021 , 9, 254-258		7
256	3D-Printed Bioinspired Cassie-Baxter Wettability for Controllable Microdroplet Manipulation. 2021 , 13, 1979-1987		18
255	Fabrication of biomimetic anisotropic super-hydrophobic surface with rice leaf-like structures by femtosecond laser. 2021 , 112, 110740		4
254	Hierarchical WO ₃ @Cu(OH) ₂ nanorod arrays grown on copper mesh with superwetting and self-cleaning properties for high-performance oil/water separation. 2021 , 855, 157421		21
253	Optimal synthesis of high fouling-resistant PVC-based ultrafiltration membranes with tunable surface pore size distribution and ultralow water contact angle for the treatment of oily wastewater. <i>Separation and Purification Technology</i> , 2021 , 257, 117829	8.3	14
252	Bioinspired Surface with Superwettability for Controllable Liquid Dynamics. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2000824	4.6	12
251	Functionalization of glass by TiO ₂ -based self-cleaning coatings. 2021 , 395-428		0
250	Bioinspired Metal-Intermetallic Laminated Composites for the Fabrication of Superhydrophobic Surfaces with Responsive Wettability. 2021 , 13, 5834-5843		3
249	Facile fabrication of zeolitic imidazolate framework hollow fibre membranes a novel scalable continuous fluid circulation process. 2021 , 13, 14644-14655		0
248	A simple and energy-saving route for the fabrication of superhydrophobic surfaces based on modified hyperbranched polyethyleneimine and nano silica. 2021 , 45, 3692-3698		3
247	What Can Probing Liquid-Air Menisci Inside Nanopores Teach Us About Macroscopic Wetting Phenomena?. 2021 , 13, 6897-6905		2
246	A review of modified metal bipolar plates for proton exchange membrane fuel cells. 2021 , 46, 8672-8701		22
245	Customized Cellulose Fiber Paper Enabled by an Growth of Ultralong Hydroxyapatite Nanowires. 2021 , 15, 5355-5365		14
244	Nanotextured Mold Surface with DLC Coating for Reduction in Residual Ceramic Particles. 2021 , 37, 3563-3574		4
243	Capillary Action-Inspired Nanoengineering of Spheres-on-Sphere Microspheres with Hollow Core and Hierarchical Shell. 2021 , 13, 14669-14678		2
242	Reduction of structural hierarchy translates into variable influence on the performance of boron nitride aerogel. 2021 , 24, 102251		0
241	Dual-functional mesh with Zn-Ni-Co LDHs@NiMoO ₄ heterojunction nanoarrays for highly efficient oil/water separation and photocatalytic degradation. <i>Separation and Purification Technology</i> , 2021 , 259, 118116	8.3	8
240	Superhydrophobic Self-Cleaning Hierarchical Micro-/Nanocomposite Coating with High Corrosion Resistance and Durability. 2021 , 9, 4111-4121		26

239	Exceptional atmospheric corrosion inhibition performance of super-hydrophobic films based on the self-propelled jumping behavior of water droplets. 2021 , 1, 40-46	3
238	Anti-splashing properties of sticky superhydrophobic surfaces. <i>Applied Surface Science</i> , 2021 , 542, 148617-7	5
237	Active friction control in lubrication condition using novel metal morphing surface. 2021 , 156, 106827	10
236	A Facile Method for Fabrication of Hybrid Hydrophobic-Hydrophilic Surfaces on Anodized Aluminum Template by Electrophoretic Deposition. 2021 , 724, 138597	2
235	One-step deposition of stable superhydrophobic coatings with controllable wettability. 1-11	0
234	Controlled spreading of melted fillers and precision micro-brazing based on a micro-scale binary cooperative complementary interface design strategy. 2021 , 47, 21433-21433	0
233	A facile approach to synthesis of silica nanoparticles from silica sand and their application as superhydrophobic material. 2021 , 9, 665-672	3
232	Facile etching fabrication of superhydrophobic 7055 aluminum alloy surface towards chloride environment anticorrosion. 2021 , 182, 109262	14
231	A solvent-responsive robust superwetting titanium dioxide-based metal rubber for oil-water separation and dye degradation. 2021 , 614, 126179	3
230	Hydrophobic Modification of Silica Surfaces via Grafting Alkoxy Groups. 2021 , 3, 1691-1698	5
229	Fractal parameters developed to evaluate the effects of laser textured surface on oil contact angle and tribological parameters. 2021 , 33, 022021	1
228	Preparation of Reinforced Anisometric Patchy Supraparticles for Self-Propulsion. 2021 , 38, 2000328	2
227	Superamphiphilic TiO Composite Surface for Protein Antifouling. <i>Advanced Materials</i> , 2021 , 33, e20035524	11
226	Durable superhydrophobic PVDF/FEVE/GO@TiO ₂ composite coating with excellent anti-scaling and UV resistance properties. <i>Chemical Engineering Journal</i> , 2021 , 411, 128632	14.7 18
225	Manufacturing of robust superhydrophobic Wood surfaces based on PEG functionalized SiO ₂ /PVA/PAA/Fluoropolymer hybrid transparent coating. <i>Progress in Organic Coatings</i> , 2021 , 154, 106186	4.8 10
224	Super liquid repellent coatings against the everyday life wear: Heating, freezing, scratching. 2021 , 24, 102460	0
223	One-step Condensation/copolymerization of VTES and DVB for Self-assembly Bionic Superhydrophobic Surface Coating and Study on Oil-water Separation. 2021 , 18, 559-573	2
222	Dual-stage thermosetting photopolymers for advanced manufacturing. <i>Chemical Engineering Journal</i> , 2021 , 411, 128466	14.7 3

221	Electric Field Driven Surface Ion Transport in Hydrophobic Nanopores 2021 , 39, 1511-1516		1
220	One-step fabrication of wear-resistant superhydrophobic coating based on aminosilane-functionalized diatomaceous earth. 2021 , 138, 51227		2
219	Fabrication of crosslinking modified PVDF/GO membrane with acid, alkali and salt resistance for efficient oil-water emulsion separation. <i>Separation and Purification Technology</i> , 2021 , 265, 118528	8.3	21
218	Superhydrophobic and superoleophilic membranes for oil-water separation application: A comprehensive review. <i>Materials and Design</i> , 2021 , 204, 109599	8.1	66
217	Multiple Wetting-Dewetting States of a Water Droplet on Dual-Scale Hierarchical Structured Surfaces. 2021 , 1, 955-966		
216	The study of hydrophobicity and oleophilicity of 3D weft-knitted spacer fabrics integrated with silica aerogels. 152808372110290		1
215	Improving surface oleophobicity by dual-scale hierarchical structure design. 1-15		
214	Mathematical Simulation of the Wettability of Al ₂ O ₃ Substrate through Different Aluminum Alloys. 2021 , 5, 161		1
213	Fabrication of a Simultaneous Highly Transparent and Highly Hydrophobic Fibrous Films. 2021 , 11, 5565		2
212	Fabrication of Robust Superhydrophobic Coatings onto High-Density Polyethylene Food Contact Surfaces for Enhanced Microbiological Food Safety. 2021 , 1, 1180-1189		2
211	Mechanisms of one-dimensional and two-dimensional synergistic thermal responses on graphene oxide-modified PNIPAM framework membranes for control of molecular separation. <i>Separation and Purification Technology</i> , 2021 , 266, 118568	8.3	2
210	Fabrication of transparent super-hydrophilic coatings with self-cleaning and anti-fogging properties by using dendritic nano-silica. 2021 , 47, 18743-18750		5
209	Effects of silica sputtering on adhesion between zirconia and composite resin cores. 2021 , 40, 1014-1019		0
208	Emulsion preparation of ultralight TiO ₂ foams for selective oil absorption. 2021 , 41, 4349-4354		1
207	Fabrication of nanofiltration membrane on MoS ₂ modified PVDF substrate for excellent permeability, salt rejection, and structural stability. <i>Chemical Engineering Journal</i> , 2021 , 416, 129154	14.7	12
206	Adhesion enhancement of PEEK/6161-T6 FLJ joints via laser surface modification. 2021 , 216, 108797		7
205	Design, Development, and Outlook of Superwettability Membranes in Oil/Water Emulsions Separation. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100799	4.6	6
204	Thermodynamic analysis of hydrophobic property of a circular truncated cone microtexture. 2021 , 9, 231-242		1

203	Low temperature fabrication for high-performance semitransparent CsPbI ₂ Br perovskite solar cells. 2021 ,	3
202	Engineering of superhydrophobic silica microparticles and thin coatings on polymeric films by ultrasound irradiation. 2021 , 21, 100520	5
201	Study on the regulation of polythiophene whiskers by electric field induction and the anisotropy of the film surface. 2021 , 70, 1653	
200	Fibrous coalescence filtration in treating oily wastewater: A review. 152808372110408	2
199	Tailoring Materials with Specific Wettability in Biomedical Engineering. 2021 , 8, e2100126	12
198	Tree root-inspired robust superhydrophobic coatings with high permeation for porous structures. 2021 , 24, 103197	1
197	Robust Micro-Nanostructured Superhydrophobic Surfaces for Long-Term Dropwise Condensation. 2021 , 21, 9824-9833	13
196	Study on the Preparation and Properties of Impervious and Breathable Sand Based on Hydrophobic Theory. <i>Materials</i> , 2021 , 14,	3-5
195	Bio-Based Dual-Functionalized Phase Change Composite: Ultrafast Solar-to-Thermal Conversion and Reinforced Heat Storage Capacity.	2
194	3D antifouling hierarchical micro/nanostructures with underwater superoleophobicity via one-step electrodeposition on anode and cathode. 2021 , 421, 127356	1
193	Dropwise condensation: From fundamentals of wetting, nucleation, and droplet mobility to performance improvement by advanced functional surfaces. 2021 , 295, 102503	7
192	Preparation of chitosan-SiO nanoparticles by ultrasonic treatment and its effect on the properties of starch film. 2021 , 189, 271-278	1
191	Flexible stimuli-responsive materials for smart personal protective equipment. 2021 , 146, 100629	4
190	Superhydrophilic fish-scale-like CuC ₂ O ₄ nanosheets wrapped copper mesh with underwater super oil-repellent properties for effective separation of oil-in-water emulsions. 2021 , 627, 127133	5
189	Femtosecond and picosecond laser fabrication for long-term superhydrophilic metal surfaces. 2021 , 143, 107241	6
188	Superhydrophilic polymer modified galvanic array moisture sensor chip with stable/improved lifetime towards enhanced dew condensation detection. 2021 , 331, 113036	4
187	Superhydrophobic leached carbon Black/Poly(vinyl) alcohol aerogel for selective removal of oils and organic compounds from water. 2022 , 286, 131520	5
186	The challenges, achievements and applications of submersible superhydrophobic materials. 2021 , 50, 6569-6612	16

185	Directional sliding of water: biomimetic snake scale surfaces. 2021 , 4, 21000801-21000812		13
184	A Super-Amphiphilic 3D Silicone Sponge with High Porosity for the Efficient Adsorption of Various Pollutants. 2021 , 42, e2000603		1
183	Fabrication of a superhydrophobic surface by modulating the morphology of organogels. 2021 , 17, 3745-3752		2
182	Direct Imaging of Superwetting Behavior on Solid-Liquid-Vapor Triphase Interfaces. <i>Advanced Materials</i> , 2017 , 29, 1703009	24	8
181	High-Performance Flexible Bioelectrocatalysis Bioassay System Based on a Triphase Interface. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1902172	4.6	5
180	Superhydrophobicity. 2011 , 275-318		1
179	Bio- and Inorganic Fouling. 2016 , 423-456		1
178	Super-hydrophilic/oleophobic chitosan/acrylamide hydrogel: an efficient water/oil separation filter. 2020 , 3, 167-176		58
177	Solvent-Free Fabrication of Robust Superhydrophobic Powder Coatings. 2021 , 13, 1323-1332		12
176	CHAPTER 3:Superwetting Nanomaterials for Advanced Oil/Water Separation: From Absorbing Nanomaterials to Separation Membranes. 2016 , 51-90		3
175	CHAPTER 8:Challenges and Opportunities of Superhydrophobic/Superamphiphobic Coatings in Real Applications. 2016 , 209-243		7
174	A 2D approach to surface-tension-confined fluidics on parylene C. 2017 , 7, 15964-15970		8
173	Tribological and Wetting Properties of TiO ₂ Based Hydrophobic Coatings for Ceramics. 2019 , 141,		19
172	Synthesis of Super Hydrophobic Clay by Solution Intercalation Method from Aqueous Dispersions. 2015 , 127, 1156-1160		5
171	From Austenitic Stainless Steel to Expanded Austenite-S Phase: Formation, Characteristics and Properties of an Elusive Metastable Phase. 2020 , 10, 187		32
170	BIOINSPIRED UNDERWATER SUPEROLEOPHOBIC SURFACES. 2012 , 012, 1091-1101		3
169	Superhydrophobic carbon-based materials: a review of synthesis, structure, and applications. 2014 , 15, 89-104		67
168	Fabrication and Application of Reversibly Switchable Surfaces: Super-non-wetting to Super-wetting. 2013 , 1, 248-270		1

- 167 A superhydrophilic metal-organic framework thin film for enhancing capillary-driven boiling heat transfer. 4
- 166 A facile approach to fabricate robust superhydrophobic Cu/TiO₂ composite coating on stainless steel. **2021**, 195, 110699 2
- 165 Preparation and Self-Cleaning Performance of Carbon-Based Superhydrophobic Coatings Based on Non-Fluorine and Non-Toxic Corn Straw. **2021**, 26,
- 164 The Effect of Micro Nano Multi-Scale Structures on the Surface Wettability. **2008**, 32, 424-429 0
- 163 A Study on the Fabrication of Nano-Pattern Mold Using Anodic Aluminum Oxide Membrane. **2010**, 19, 73-78 1
- 162 Fabrication of Superhydrophobic Micro-Nano Hybrid Structures by Reactive Ion Etching with Au Nanoparticle Masks. **2010**, 19, 300-306 1
- 161 Formation of SiO₂:CH Ultra Water Repellent Thin Films by Inductively Coupled RF PECVD. **2011**, 35, 323-328 2
- 160 RESEARCH AND APPLICATION OF WETTABILITY GRADIENT SURFACES. **2012**, 012, 1064-1081 1
- 159 Photoinduced Reversible Topographical Changes on Diarylethene Microcrystalline Surface with Wetting Property. **2013**, 41-60
- 158 CONSTRUCTION OF SUPERHYDROPHOBIC SURFACE via SECONDARY PROCESSING OF HONEYCOMB-PATTERNED SUBSTRATE. **2013**, 012, 1459-1464
- 157 Effects of Grooved Surface with Nano-ridges on Silicon Substrate on Anisotropic Wettability. **2013**, 22, 544-550 3
- 156 Fabrication of Hydrophobic ZnO Surfaces on SS304 Substarates. **2013**, 2, 51-56
- 155 - Theoretical Modeling for Electron Transfer in Organic Materials. **2014**, 20-51
- 154 Fabrication of a Superhydrophobic Film with Self-Cleaning Property on Magnesium Alloy and its Corrosion Resistance Properties. **2016**, 279-283
- 153 Chapter 7 Smart Coatings Including Antibacterial Coatings, Anti-Fogging Coatings and Self-Healing Materials. **2016**, 93-126
- 152 Interfacial properties and morphological evolution of liquid Ag film on the modified graphene. **2017**, 66, 069601 1
- 151 Introduction. **2018**, 1-19
- 150 Chapter 13:Thermo-responsive Membranes with Switchable Superhydrophilicity and Superhydrophobicity for Oil/Water Separation. **2019**, 362-388

149	Chapter 6:CO2-responsive Membranes. 2019 , 159-184	
148	Fabrication of Superhydrophobic Textiles. 2020 , 195-216	
147	Superwetting Electrospun PDMS/PMMA Membrane for PM Capture and Microdroplet Transfer. 2021 , 37, 12972-12980	4
146	Modulation and Control of Wettability and Hardness of Zr-Based Metallic Glass via Facile Laser Surface Texturing. 2021 , 12,	3
145	Mimicking nature to control bio-material surface wetting and adhesion. 1-24	15
144	Advanced Physical Applications of Modified Cotton. 2020 , 433-472	
143	Spreading of Water Droplets on Cellulose-Based Papers: the Effect of Back-Surface Coating. 2021 , 37, 376-384	1
142	Thin Films Based on ZnO-Graphene Oxide Heterostructures for Self-Cleaning Applications. 2020 , 435-447	
141	Preparation and application of biomimetic and bioinspired membranes based on chitosan. 2020 , 307-339	
140	Oleophobic modification of clay minerals to improve encapsulation ratios of shape-stabilized phase change materials: A universal method. 2021 ,	1
139	Bed of nails: bioinspired nano-texturing towards antibacterial and bioactivity functions. 2021 , 12, 100176	5
138	Preparation of ZnS superhydrophobic coating on 316L stainless steel with self-cleaning property and excellent stability. 2022 , 633, 127871	2
137	Progress in the modification of polyvinyl chloride (PVC) membranes: A performance review for wastewater treatment. 2022 , 45, 102466	4
136	Ultralow Adhesion and Phase Change Behaviors of Sulfur Droplets on the Superhydrophobic Surface and Its Application in the Granulation Process. 2021 , 37, 13985-13997	
135	From Inner Topological Structure to Functional Nanofibers: Theoretical Analysis and Experimental Verification. 2021 , 11,	1
134	Electrochemically Fabricated Superhydrophilic/Superaerophobic Manganese Oxide Nanowires at Discontinuous Solid-Liquid Interfaces for Enhanced Oxygen Evolution Performances. <i>Advanced Materials Interfaces</i> , 2022 , 9, 2101478	4.6 2
133	Liquid-Assisted Single-Layer Janus Membrane for Efficient Unidirectional Liquid Penetration. 2021 , e2103765	3
132	Improving surface wettability and adhesion property of polytetrafluoroethylene by atmospheric-pressure ammonia water-mixed plasma treatment. 2021 , 196, 110763	0

131	Preparing a wettability-controllable stainless-steel mesh and its oil/water separation performance. 2021,		
130	Influence of substrate surface roughness and moisture content on tensile adhesion performance of 3D printable concrete. 2021, 126, 104350		3
129	Simultaneous Optimization of the Surface Hydrophobicity and Surface Charge Distribution of Insulating Materials. 2100655		1
128	Influence of hydrophobicity and roughness on the wetting and flow resistance of water droplets on solid surface: A many-body dissipative particle dynamics study. 2021, 249, 117327		3
127	Fabrication of highly hydrophobic cotton-alpha zirconium phosphate nanosheets/nanoparticles for oil/water separation. 2022, 278, 125636		
126	Quantification of superhydrophobic functionalization for laser textured metal surfaces. 2022, 636, 128126		2
125	Design of adjustable hypercrosslinked poly(ionic liquid)s for highly efficient oil-water separation. <i>Separation and Purification Technology</i> , 2022, 285, 120407	8.3	2
124	Wetting Stability of Supported Graphene in Ambient Environment. 2101283		
123	Icephobic Coating through a Self-Formed Superhydrophobic Surface Using a Polymer and Microsized Particles.. 2022,		3
122	An Abrasion Resistant TPU/SH-SiO ₂ Superhydrophobic Coating for Anti-Icing and Anti-Corrosion Applications. 2022, 10, 1239-1255		
121	Reactive Multilayers and Coatings Fabricated by Spray Assembly: Influence of Polymer Structure and Process Parameters on Multiscale Structure and Interfacial Properties. 2022, 34, 1245-1258		1
120	Improve endothelialization of metallic cardiovascular stent via femtosecond laser induced micro/nanostructure dependent cells proliferation and drug delivery control.. 2022, 212, 112376		0
119	How surface orientation affects coalescence-induced droplet jumping behavior and subsequent atmospheric corrosion resistance of a superhydrophobic surface?. 2022, 197, 110082		2
118	Stable construction of superhydrophobic surface on polypropylene membrane via atomic layer deposition for high salt solution desalination. 2022, 647, 120289		0
117	Spiropyran-based advanced photoswitchable materials: A fascinating pathway to the future stimuli-responsive devices. 2022, 51, 100487		8
116	Synthesis of ZnO/TiO ₂ based hydrophobic antimicrobial coatings for steel and their roughness, wetting, and tribological characterization. 1-20		2
115	Self-Adaptive Surface with Tunable Superamphiphobicity Fabricated by Femtosecond Laser Induced Backward Transfer. <i>Advanced Materials Interfaces</i> , 2102347	4.6	1
114	Role of Surface Wettability in Photoelectrocatalytic Oxygen Evolution Reactions. 2022, 100961		0

113	Effects of inorganic salts in the casting solution on morphology of poly(vinyl chloride)/bentonite ultrafiltration membranes. 2022 , 280, 125805		0
112	Introducing surface functionality on thermoformed polymeric films. 2022 , 14, 100112		0
111	Nanocoated membranes for oil/water separation. 2022 , 207-230		
110	Mechanically Robust Superamphiphobic Ceramic Coatings with Releasable Particle-Capsules.		
109	Novel approach to improve shale stability using super-amphiphobic nanoscale materials in water-based drilling fluids and its field application. 2022 , 61, 41-54		0
108	Facile fabrication of underwater superoleophobic membrane based on polyacrylamide/chitosan hydrogel modified metal mesh for oil/water separation.		1
107	Selective Adsorption and Photocatalytic Clean-Up of Oil by TiO ₂ Thin Film Decorated with p-V 3 D 3 Modified Flowerlike Ag Nanoplates. <i>Advanced Materials Interfaces</i> , 2102126	4.6	
106	High-performance heterogeneous thermocatalysis caused by catalyst wettability regulation.. 2022 ,		0
105	Large-Scale Fabrication of Graded Convex Structure for Superhydrophobic Coating Inspired by Nature.. <i>Materials</i> , 2022 , 15,	3.5	0
104	Cellulosic paper-based membrane for oil-water separation enabled by papermaking and in-situ gelation. 1		1
103	Successive Rebounds of Impinging Water Droplets on Superhydrophobic Surfaces.. 2022 ,		7
102	Poly (ethylene terephthalate) nonwoven fabrics-based membranes modified by electrospinning of thermoplastic polyurethane, nano SiO ₂ and Ag particles as medical packing materials.		0
101	Wafer-Scale Fabrication and Transfer of Porous Silicon Films as Flexible Nanomaterials for Sensing Application.. <i>Nanomaterials</i> , 2022 , 12,	5.4	0
100	A Biomimetic Approach to Protective Glove Design: Inspirations from Nature and the Structural Limitations of Living Organisms. 2022 ,		
99	Bristle worm inspired ultra-durable superhydrophobic coating with repairable microstructures and anti-corrosion/scaling properties. <i>Chemical Engineering Journal</i> , 2022 , 436, 135273	14.7	5
98	Synergy of feed-side aeration and super slippery interface in membrane distillation for enhanced water flux and scaling mitigation.. 2022 , 215, 118246		0
97	A comparative study of mechanical and chemical durability of non-wetting superhydrophobic and lubricant-infused surfaces. 2022 , 643, 128711		0
96	Cooperative construction of oil/water separator using renewable lignin and PDMS. 2022 , 643, 128790		1

95	Tuning the fluid wetting dynamics on gold microstructures using photoactive compounds. <i>Applied Surface Science</i> , 2022 , 589, 152924	6.7	
94	Micro- and Nanotexturization of Liquid Silicone Rubber Surfaces by Injection Molding Using Hybrid Polymer Inlays. 2022 , 307, 2100741		
93	Femtosecond laser micro/nano fabrication for bioinspired superhydrophobic or underwater superoleophobic surfaces. 2021 , 28, 3882-3906		5
92	Special Wettability Materials Inspired by Multiorganisms for Fog Collection. <i>Advanced Materials Interfaces</i> , 2102484	4.6	1
91	Does the Roll-off Angle Depend on Work of Adhesion?. 2022 ,		0
90	Probing the hydrophilic behaviour of e-beam evaporated silica thin films for PV-soiling application. 1-7		1
89	Preparation of Nano-silica with Radial Wrinkle Structures for Self-cleaning and Superhydrophobic Coatings. 1		1
88	A Facile Liquid Alloy Wetting Enhancing Strategy on Super-Hydrophobic Lotus Leaves for Plant-Hybrid System Implementation. <i>Advanced Materials Interfaces</i> , 2200516	4.6	1
87	Stimulus-Responsive Macromolecules in Polymeric Coatings. 1-35		1
86	UV Curable Robust Durable Hydrophobic Coating Based on Epoxy Polyhedral Oligomeric Silsesquioxanes (EP-POSS) and Their Derivatives. <i>ACS Omega</i> ,	3.9	1
85	Simple preparation and study of superhydrophobic surface of triple-scale raspberry-like composite particles. <i>Polymers for Advanced Technologies</i> ,	3.2	
84	Nanostructured Biomaterials for Tissue Repair and Anti-Infection.. <i>Nanomaterials</i> , 2022 , 12,	5.4	0
83	Overflow Control for Sustainable Development by Superwetting Surface with Biomimetic Structure.. <i>Chemical Reviews</i> , 2022 ,	68.1	3
82	Fabrication of Functional Super-Hydrophilic TiO ₂ Thin Film for pH Detection. <i>Chemosensors</i> , 2022 , 10, 182	4	0
81	Recent progress in stimulus-responsive superhydrophobic surfaces. <i>Progress in Organic Coatings</i> , 2022 , 168, 106877	4.8	2
80	Cu ²⁺ /alginate nanofiltration membranes fabricated at the aqueous contra-diffusion interface for salt/dye rejection. <i>Desalination</i> , 2022 , 535, 115806	10.3	0
79	Hydrophobization of Monolithic Resorcinol-Formaldehyde Xerogels by Means of Silylation. <i>Gels</i> , 2022 , 8, 304	4.2	0
78	Influence of microscopic features on the self-cleaning ability of textile fabrics. <i>Textile Research Journal</i> , 004051752110698	1.7	1

77	Facile fabrication of durable superhydrophobic fabrics by silicon polyurethane membrane for oil/water separation. <i>Chinese Journal of Chemical Engineering</i> , 2022 ,	3.2	0
76	Bio-Inspired Fabrication of Porous Aromatic Framework-Coated Fabric for Achieving Durable Superhydrophobic Applications. <i>Advanced Materials Interfaces</i> , 2101994	4.6	0
75	Superaerophobic Polyethyleneimine Hydrogels for Improving Electrochemical Hydrogen Production by Promoting Bubble Detachment. <i>Advanced Energy Materials</i> , 2201452	21.8	5
74	Mechanically robust superamphiphobic ceramic coatings with releasable nanoparticle-capsules. <i>Chemical Engineering Journal</i> , 2022 , 137336	14.7	2
73	Superhydrophilic Modification of Polycarbonate Substrate Surface by Organic Plasma Polymerization Film. <i>Materials</i> , 2022 , 15, 4411	3.5	0
72	Metal surface wettability modification by nanosecond laser surface texturing: A review. <i>Biosurface and Biotribology</i> , 2022 , 8, 95-120	1	0
71	Investigation on Fabrication of Durable Superhydrophobic Surface Based on Multi-adhesive Strategy. <i>Applied Surface Science</i> , 2022 , 154049	6.7	0
70	Wetting-induced superlyophobic polyacrylonitrile membranes: From reversible wettability to switchable on-demand emulsion separation. <i>Separation and Purification Technology</i> , 2022 , 297, 121438	8.3	1
69	In situ formation of polymethylsiloxane nanofilaments on pristine cotton stalk with natural interconnected pores for rapid and recyclable organic solvents absorption. <i>Industrial Crops and Products</i> , 2022 , 186, 115176	5.9	0
68	Self-assembled single-crystal bimodal porous GaN exhibiting a petal effect: application as a sensing platform and substrate for optical devices. <i>Nanoscale Advances</i> ,	5.1	
67	Electrospun Modified SiO ₂ Nanofiber Membranes as Superamphiphobic Self-Cleaning Filters with High Heat Stability for Efficient Particle Matter Capture. <i>ACS Applied Nano Materials</i> ,	5.6	
66	Robust photothermal self-healing superhydrophobic coating based on carbon nanosphere/carbon nanotube composite. <i>Materials and Design</i> , 2022 , 221, 110897	8.1	1
65	Influence of Printing Parameters on Self-Cleaning Properties of 3D Printed Polymeric Fabrics. 2022 , 14, 3128		1
64	Laser-Induced Fast Assembly of Wettability-Finely-Tunable Superhydrophobic Surfaces for Lossless Droplet Transfer. 2022 , 14, 36246-36257		0
63	Bioinspired Oil/Water Separation Materials. 2022 , 215-246		
62	Superoleophobic coating based on zinc oxide nanoparticle filled fluoropolymeric nanocomposites.		
61	Superhydrophobic Stainless Steel Bipolar Plates with Fractal Structure for Fuel Cells by Nanosecond Laser Ablation. 2200706		0
60	Bio-inspired manufacturing of superwetting surfaces for fog collection and anti-icing applications.		

- 59 Nanoarray-Embedded Hierarchical Surfaces for Highly Durable Dropwise Condensation. **2022**, 2022, 1-13
- 58 Femtosecond laser hierarchical surface restructuring for next generation neural interfacing electrodes and microelectrode arrays. **2022**, 12,
- 57 Recent advances in shape memory superhydrophobic surfaces: Concepts, mechanism, classification, applications and challenges. **2022**, 256, 125193 ○
- 56 Distinct condensation droplet distribution patterns under low- and high-frequency electrowetting-on-dielectric (EWOD) effect. **2022**, 196, 123269
- 55 Anti-oil-fouling Au/BiOCl coating for visible light-driven photocatalytic inactivation of bacteria. **2022**, 628, 955-967
- 54 Fabrication of robust superhydrophobic magnetic multifunctional coatings and liquid marbles. **2022**, 628, 619-630 ○
- 53 High Hysteresis Suspended Wetting State: A Wetting Regime for Controlled Trapping of Drops on Micro-Trench Covered Surfaces. 2201018 ○
- 52 Enhanced mass transfer with amphiphilic CoOx/biochar for photocatalytic CO₂ conversion. **2022**, 605, 154612 ○
- 51 Synthesis of Superhydrophobic/Superoleophilic stearic acid and Polymer-modified magnetic polyurethane for Oil-Water Separation: Effect of polymeric nature. **2023**, 629, 522-534 ○
- 50 Mechanics Underlying the Structure-Property Relations Unveiled From Natural Biomaterials. **2022**, ○
- 49 Green Synthesis of a Superhydrophobic Porous Organic Polymer for Vocs Removal at High Humidity. ○
- 48 ENTROPY STUDY OF WATER IN CARBON NANOTUBE SURFACE WITH UNEVEN HYDROPHOBICITY. **2022**, ○
- 47 Functional Coating from Amyloid Superwetting Films. 2205072 ○
- 46 Controllable Fabrication of Durable, Underliquid Superlyophobic Surfaces Based on the LyophilicLyophobic Balance. **2022**, 38, 11962-11971 1
- 45 Effect of Loading Various Nanoparticles on Superhydrophobic/Superoleophilic Stearic Acid-Modified Polyurethane Foams for Oil-Water Separation. **2022**, 108577 ○
- 44 Effect of Fine Structures Formed by Nanoimprinting Using Anodic Porous Alumina Mold on Surface Hydrophobicity. ○
- 43 Transport and collection of water droplets interacting with bioinspired fibers. **2022**, 309, 102779 ○
- 42 One-step preparation of efficient SiO₂/PVDF membrane by sol-gel strategy for oil/water separation under harsh environments. **2022**, 260, 125402 ○

41	Engineered Wood with Hierarchically Tunable Microchannels toward Efficient Solar Vapor Generation. 2022 , 38, 12773-12784	1
40	Wetting Characteristics of Nanosilica-Poly (acrylic acid) Transparent Anti-Fog Coatings. 2022 , 14, 4663	2
39	Metal-Polyphenol Coordination at the Aqueous Contra-diffusion Interface—A Green Way to High-Performance Iron(III)/Tannic Acid Thin-Film-Composite Nanofiltration Membranes.	1
38	Enhancing the lifespan and durability of superamphiphobic surfaces for potential industrial applications: A review. 2022 , 310, 102797	2
37	Progress in enhanced pool boiling heat transfer on macro- and micro-structured surfaces. 2023 , 200, 123530	0
36	Controlled hydrophilization of black phosphorene: a reactive molecular dynamics simulation approach.	1
35	Laser surface functionalization to achieve extreme surface wetting conditions and resultant surface functionalities. 2022 , 29, 3217-3247	1
34	Mechanically Robust and Flexible GO/PI Hybrid Aerogels as Highly Efficient Oil Absorbents. 2022 , 14, 4903	1
33	Effect of molecular weight of chitosan on properties of chitosan-Zn nanoparticles. 2022 , 102206	0
32	Atmospheric air and liquid-film DBD plasma using sine AC excitations for purpose of improving the hydrophilicity of PTFE. 2022 , 111688	0
31	A new superhydrophobic polypropylene hollow fiber membrane preparation method and its application in the treatment of brine with high salt concentration. 2023 , 11, 109054	0
30	Drop impact dynamics on solid surfaces. 2022 , 121, 210501	2
29	Experimental Study on Capillary Microflows in High Porosity Open-Cell Metal Foams. 2022 , 13, 2052	0
28	Liquid/air dynamic behaviors and regulation mechanisms for bioinspired surface. 2022 , 9, 041315	0
27	Fluorine-Free Hydrophobic Modification and Waterproof Breathable Properties of Electrospun Polyacrylonitrile Nanofibrous Membranes. 2022 , 14, 5295	2
26	Snakeskin-Inspired Hierarchical Winkled Surface for Ultradurable Superamphiphobic Fabrics via Short-Fluorinated Polymer Reactive Infusion.	0
25	High-Performance Photoelectrochemical Enzymatic Bioanalysis Based on a 3D Porous Cu ₂ O@TiO ₂ Film with a Solid-Liquid-Air Triphase Interface. 2022 , 38, 15796-15803	0
24	Fundamentals of antifogging strategies, coating techniques and properties of Inorganic materials; a comprehensive review. 2023 ,	0

- 23 From understanding bacterial interactions to developing bactericidal surfaces. **2023**, 41-57 ○
- 22 Re-Entrant Microstructures for Robust Liquid Repellent Surfaces. 2201836 ○
- 21 Bubble evolution and transport in PEM water electrolysis: Mechanism, impact, and management. **2023**, 96, 101075 1
- 20 Preparation of Multiscale Slippery Liquid-Infused Porous Surface Based on Ti6Al4V Alloy with Self-Cleaning, Stability, and Self-Healing Properties. ○
- 19 Intelligent device composed of two membranes with opposite wettability for identification and purification of both water and oil phases from oil-in-water and water-in-oil emulsions. **2023**, 312, 123406 ○
- 18 Electrospinning and multilayer modification to construct NH₂/EPSP-modified polyacrylonitrile nanofiber films for humidity regulation. **2023**, 178, 107485 ○
- 17 Design and preparation of SQ-based superhydrophobic coatings with different substituents for multifunctional applications. **2023**, 457, 129285 ○
- 16 Natural and synthetic superhydrophobic surfaces: A review of the fundamentals, structures, and applications. **2023**, 68, 587-609 ○
- 15 Micro-nano structure constructed AA7055 superhydrophobic surface with long service life and high corrosion resistance. **2023**, 140, ○
- 14 Fabrication of robust superhydrophobic copper surface via highly efficient nanosecond laser-based surface functionalization. **2023**, 276, 170690 ○
- 13 Laser-Heat Surface Treatment of Superwetting Copper Foam for Efficient Oil/Water Separation. **2023**, 13, 736 ○
- 12 Energy Loss for Droplets Bouncing Off Superhydrophobic Surfaces. **2023**, 39, 3162-3167 ○
- 11 Surface Modification of UiO-66 on Hollow Fibre Membrane for Membrane Distillation. **2023**, 13, 253 ○
- 10 Development of Silica Thin Film as a Self-Cleaning Surface on Various Materials. **2023**, 167-181 ○
- 9 Scalable and switchable CO₂-responsive membranes with high wettability for separation of various oil/water systems. **2023**, 14, ○
- 8 Superwetting graphene-based materials: From wettability regulation to practical applications. **2023**, 29, 101452 ○
- 7 Surface Wrinkling with Memory for Programming Adhesion and Wettability. **2023**, 6, 4097-4104 ○
- 6 Experimental and numerical study of different metal contacts for perovskite solar cells. **2023**, 10, ○

- 5 Large-Scale, Proteinaceous Nanotube Arrays with Programmable Hydrophobicity, Oleophilicity, and Gas Permeability. ○
- 4 Skin-Like Strain Sensors Based on Multiwalled Carbon Nanotube/Polydimethylsiloxane Composite Films. ○
- 3 Study on superhydrophobicity of hot embossed polytetrafluoroethylene/graphite composites. **2023**, 30, ○
- 2 Adjusting the viscosity of silver nanowire ink for promoting the uniformity and conductivity of transparent electrode. **2023**, 34, ○
- 1 Effects of liquid surface tension on gas capillaries and capillary forces at superamphiphobic surfaces. **2023**, 13, ○