

CITATION REPORT

List of articles citing

Template-Free Synthesis of SnO₂ Hollow Nanostructures with High Lithium Storage Capacity

DOI: 10.1002/adma.200600733
Advanced Materials, 2006, 18, 2325-2329.

Source: <https://exaly.com/paper-pdf/40881701/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1564	Nanospace Control of SnO ₂ Nanocrystallites-Embedded Nanoporous Carbon for Reversible Electrochemical Charge/Discharge Reactions.		
1563	High-Rate Capability and Enhanced Cyclability of Antimony-Based Composites for Lithium Rechargeable Batteries. 2007 , 154, A917		80
1562	Efficacy of new microprocessed phototherapy system with five high intensity light emitting diodes (Super LED). 2007 , 83, 253-8		14
1561	Multilayered Nanocrystalline SnO ₂ Hollow Microspheres Synthesized by Chemically Induced Self-Assembly in the Hydrothermal Environment. 2007 , 111, 14067-14071		179
1560	Synthesis and luminescence of CePO ₄ and CePO ₄ :Tb hollow and core-shell microspheres composed of single-crystal nanorods. 2007 , 18, 415602		19
1559	Self-Assembly of Novel Mesoporous Manganese Oxide Nanostructures and Their Application in Oxidative Decomposition of Formaldehyde. 2007 , 111, 18033-18038		224
1558	SnO ₂ /carbon nanotube nanocomposites synthesized in supercritical fluids: highly efficient materials for use as a chemical sensor and as the anode of a lithium-ion battery. 2007 , 18, 435707		114
1557	Synthesis of Bi ₂ WO ₆ Nanoplate-Built Hierarchical Nest-like Structures with Visible-Light-Induced Photocatalytic Activity. 2007 , 111, 12866-12871		349
1556	Hematite Hollow Spindles and Microspheres: Selective Synthesis, Growth Mechanisms, and Application in Lithium Ion Battery and Water Treatment. 2007 , 111, 10217-10225		187
1555	Mechanism of a self-templating synthesis of monodispersed hollow silica nanospheres with tunable size and shell thickness. 2007 , 2339-41		55
1554	Oxidation-Crystallization Process of Colloids: An Effective Approach for the Morphology Controllable Synthesis of SnO ₂ Hollow Spheres and Rod Bundles. 2007 , 111, 11598-11603		51
1553	Template-Free Synthesis of Zinc Oxide Hollow Microspheres in Aqueous Solution at Low Temperature. 2007 , 111, 18629-18635		52
1552	Nanoscale gamma-AlO(OH) hollow spheres: synthesis and container-type functionality. 2007 , 7, 3489-92		130
1551	Template-Free Synthesis and Photocatalytic Properties of Novel Fe ₂ O ₃ Hollow Spheres. 2007 , 111, 2123-2127	271	
1550	Visible-Light Photocatalytic Properties of Weak Magnetic BiFeO ₃ Nanoparticles. <i>Advanced Materials</i> , 2007 , 19, 2889-2892	24	745
1549	Black Phosphorus and its Composite for Lithium Rechargeable Batteries. <i>Advanced Materials</i> , 2007 , 19, 2465-2468	24	542
1548	Double-Walled SnO ₂ Nano-Cocoons with Movable Magnetic Cores. <i>Advanced Materials</i> , 2007 , 19, 3328-3332		212

1547	Nest-like Silicon Nanospheres for High-Capacity Lithium Storage. <i>Advanced Materials</i> , 2007 , 19, 4067-4074	424
1546	Synthesis of Carbon and Silica Hollow Spheres with Mesoporous Shells using Polyethylene Oxide/Phenol Formaldehyde Polymer Blend. 2007 , 2007, 3798-3804	24
1545	Facile solution-phase synthesis of gamma-Mn ₃ O ₄ hierarchical structures. 2007 , 1, 8	17
1544	Shell-by-shell synthesis of tin oxide hollow colloids with nanoarchitected walls: cavity size tuning and functionalization. <i>Small</i> , 2007 , 3, 261-5	11 269
1543	A one-step approach towards carbon-encapsulated hollow tin nanoparticles and their application in lithium batteries. <i>Small</i> , 2007 , 3, 2066-9	11 170
1542	Template-free Hydrothermal Synthesis of CuO/Cu ₂ O Composite Hollow Microspheres. 2007 , 19, 4327-4334	418
1541	SnO ₂ @C core-shell spheres: synthesis, characterization, and performance in reversible Li-ion storage. 2008 , 43, 2778-2784	56
1540	Large-scale electrochemical synthesis of SnO ₂ nanoparticles. 2008 , 43, 5291-5299	78
1539	Surfactant-free synthesis of hyperbranched monoclinic bismuth vanadate and its applications in photocatalysis, gas sensing, and lithium-ion batteries. 2008 , 14, 1601-6	179
1538	The Effect of Morphological Modification on the Electrochemical Properties of SnO ₂ Nanomaterials. 2008 , 18, 455-461	291
1537	Carbon Coated Fe ₃ O ₄ Nanospindles as a Superior Anode Material for Lithium-Ion Batteries. 2008 , 18, 3941-3946	1119
1536	Tin-Nanoparticles Encapsulated in Elastic Hollow Carbon Spheres for High-Performance Anode Material in Lithium-Ion Batteries. <i>Advanced Materials</i> , 2008 , 20, 1160-1165	24 938
1535	Macroporous Lanthanide-Organic Coordination Polymer Foams and Their Corresponding Lanthanide Oxides. <i>Advanced Materials</i> , 2008 , 20, 984-988	24 45
1534	A General Route to Nonspherical Anatase TiO ₂ Hollow Colloids and Magnetic Multifunctional Particles. <i>Advanced Materials</i> , 2008 , 20, 1853-1858	24 300
1533	Self-Supported Formation of Needlelike Co ₃ O ₄ Nanotubes and Their Application as Lithium-Ion Battery Electrodes. <i>Advanced Materials</i> , 2008 , 20, 258-262	24 900
1532	Hollow Micro-/Nanostructures: Synthesis and Applications. <i>Advanced Materials</i> , 2008 , 20, 3987-4019	24 2631
1531	Novel ionic liquid assisted synthesis of SnO ₂ microspheres. 2008 , 319, 115-22	51
1530	In situ source-template-interface reaction route to hollow ZrO(2) microspheres with mesoporous shells. 2008 , 323, 365-71	26

1529	Electrochemical properties of TiO ₂ hollow microspheres from a template-free and green wet-chemical route. <i>Journal of Power Sources</i> , 2008 , 180, 869-874	8.9	43
1528	Synthesis and gas sensitivities of SnO ₂ nanorods and hollow microspheres. 2008 , 181, 122-129		116
1527	Polymer-induced generation of anatase TiO ₂ hollow nanostructures. 2008 , 112, 641-646		20
1526	General and facile syntheses of metal silicate porous hollow nanostructures. 2010 , 5, 1439-44		10
1525	Wrap-bake-peel process for nanostructural transformation from beta-FeOOH nanorods to biocompatible iron oxide nanocapsules. 2008 , 7, 242-7		371
1524	Sub-2nm SnO ₂ nanocrystals: A reduction/oxidation chemical reaction synthesis and optical properties. 2008 , 43, 3164-3170		15
1523	Synthesis of hollow V ₂ O ₅ microspheres and application to photocatalysis. 2008 , 10, 1276-1284		50
1522	Template-Free Fabrication of CdMoO ₄ Hollow Spheres and Their Morphology-Dependent Photocatalytic Property. 2008 , 8, 3595-3601		56
1521	Preparation of SnO ₂ /Carbon Composite Hollow Spheres and Their Lithium Storage Properties. 2008 , 20, 6562-6566		393
1520	Template-Free Synthesis of Uniform CdS Hollow Nanospheres and Their Photocatalytic Activities. 2008 , 112, 7363-7370		162
1519	Aqueous Solution Synthesis of Cd(OH) ₂ Hollow Microspheres via Ostwald Ripening and Their Conversion to CdO Hollow Microspheres. 2008 , 112, 14360-14366		60
1518	LiMn ₂ O ₄ Nanorods, Nanothorn Microspheres, and Hollow Nanospheres as Enhanced Cathode Materials of Lithium Ion Battery. 2008 , 112, 12051-12057		111
1517	Hard templating synthesis of mesoporous and nanowire SnO ₂ /lithium battery anode materials. 2008 , 18, 771		246
1516	Cobalt ferrite nanorings: Ostwald ripening dictated synthesis and magnetic properties. 2008 , 5648-50		28
1515	Polyelectrolyte Controlled Large-Scale Synthesis of Hollow Silica Spheres with Tunable Sizes and Wall Thicknesses. 2008 , 112, 3641-3647		147
1514	Novel Antimony/Aluminum/Carbon Nanocomposite for High-Performance Rechargeable Lithium Batteries. 2008 , 20, 3169-3173		54
1513	Hollow Core/Shell Mesospheres of Crystalline SnO ₂ Nanoparticle Aggregates for High Capacity Li ⁺ Ion Storage. 2008 , 20, 1841-1846		350
1512	Facile One-Pot Synthesis of Mesoporous SnO ₂ Microspheres via Nanoparticles Assembly and Lithium Storage Properties. 2008 , 20, 1227-1229		401

1511	One-Pot Synthesis of Carbon [email[protected]]2Au Coaxial Nanocable for Lithium-Ion Batteries with High Rate Capability. 2008 , 20, 6951-6956	156
1510	Metal oxide and sulfide hollow spheres: layer-by-layer synthesis and their application in lithium-ion battery. 2008 , 112, 14836-42	74
1509	Facile preparation method for rare earth phosphate hollow spheres and their photoluminescence properties. 2008 , 24, 8280-3	44
1508	Template-free synthesis of VO _x hierarchical hollow spheres. 2008 , 18, 1640	34
1507	Thermal formation of mesoporous single-crystal Co ₃ O ₄ nano-needles and their lithium storage properties. 2008 , 18, 4397	297
1506	High capacity and excellent cycling stability of single-walled carbon nanotube/SnO ₂ core-shell structures as Li-insertion materials. 2008 , 92, 223101	66
1505	One-Pot Template-Free Synthesis of Monodisperse and Single-Crystal Magnetite Hollow Spheres by a Simple Solvothermal Route. 2008 , 8, 957-963	215
1504	Hydrothermal Synthesis of Cerium Fluoride Hollow Nanostructures in a Controlled Growth Microenvironment. 2008 , 112, 9604-9609	15
1503	Template Synthesis of Hollow Sb Nanoparticles as a High-Performance Lithium Battery Anode Material. 2008 , 20, 1679-1681	94
1502	Morphological Control of Hydrothermal Ni(OH) ₂ in the Presence of Polymers and Surfactants: Nanocrystals, Mesocrystals, and Superstructures. 2008 , 8, 3847-3855	33
1501	Tetragonal Zinc Diphosphide and Its Nanocomposite as an Anode for Lithium Secondary Batteries. 2008 , 20, 6319-6324	72
1500	A new route to self-assembled tin dioxide nanospheres: fabrication and characterization. 2008 , 24, 11089-95	38
1499	Controlled Synthesis of Calcium Tungstate Hollow Microspheres via Ostwald Ripening and Their Photoluminescence Property. 2008 , 112, 19390-19398	75
1498	Perovskite hollow cubes: morphological control, three-dimensional twinning and intensely enhanced photoluminescence. 2008 , 18, 3543	51
1497	Fabrication and Gas-sensing Properties of Hollow SnO ₂ Microspheres. 2008 , 37, 1086-1087	8
1496	HYDROTHERMAL FABRICATION OF CORE-SHELL STRUCTURED Cu ₂ O MICROSPHERES VIA AN INTERMEDIATE-TEMPLATE ROUTE. 2009 , 23, 3851-3858	13
1495	Electrochemical properties of SnO ₂ nanorods as anode materials in lithium-ion battery. 2009 , 18, 4564-4570	17
1494	Characterization of SnO ₂ Nanowires Grown into Alumina Template. 2009 , 12, K17	11

1493	Synthesis of polycrystalline SnO ₂ nanotubes on carbon nanotube template for anode material of lithium-ion battery. 2009 , 44, 211-215		63
1492	Synthesis of SnO ₂ nano-sheets by a template-free hydrothermal method. 2009 , 63, 2085-2088		66
1491	Reversible and High-Capacity Nanostructured Electrode Materials for Li-Ion Batteries. 2009 , 19, 1497-1514		433
1490	Cross-Stacked Carbon Nanotube Sheets Uniformly Loaded with SnO ₂ Nanoparticles: A Novel Binder-Free and High-Capacity Anode Material for Lithium-Ion Batteries. <i>Advanced Materials</i> , 2009 , 21, 2299-2304	24	422
1489	Microemulsion Approach to Nanocontainers and Its Variability in Composition and Filling. <i>Advanced Materials</i> , 2009 , 21, 1586-1590	24	42
1488	Designed Synthesis of Coaxial SnO ₂ @carbon Hollow Nanospheres for Highly Reversible Lithium Storage. <i>Advanced Materials</i> , 2009 , 21, 2536-2539	24	965
1487	Hollow Micro/Nanomaterials with Multilevel Interior Structures. <i>Advanced Materials</i> , 2009 , 21, 3621-3638	24	571
1486	One-Step Synthesis and Characterization of Gold-Hollow PbS _x Hybrid Nanoparticles. 2009 , 121, 4051-4055		2
1485	Porous Co ₃ O ₄ nanosheets with extraordinarily high discharge capacity for lithium batteries. 2009 , 15, 6169-74		166
1484	Encapsulation of Sn@carbon Nanoparticles in Bamboo-like Hollow Carbon Nanofibers as an Anode Material in Lithium-Based Batteries. 2009 , 121, 6607-6611		38
1483	One-step synthesis and characterization of gold-hollow PbS(x) hybrid nanoparticles. 2009 , 48, 3991-5		35
1482	Encapsulation of Sn@carbon nanoparticles in bamboo-like hollow carbon nanofibers as an anode material in lithium-based batteries. 2009 , 48, 6485-9		530
1481	Preparation and characterization of core-shell polystyrene/polychloromethylstyrene and hollow polychloromethylstyrene micrometer-sized particles of narrow-size distribution. 2009 , 287, 859-869		14
1480	SnO ₂ nanorods and hollow spheres: Controlled synthesis and gas sensing properties. 2009 , 137, 490-495		111
1479	Enhanced electrochemical properties of nanostructured bismuth-based composites for rechargeable lithium batteries. <i>Journal of Power Sources</i> , 2009 , 186, 206-210	8.9	98
1478	Self-templated synthesis of hollow nanostructures. 2009 , 4, 494-507		411
1477	Nonaqueous and template-free synthesis of Sb doped SnO ₂ microspheres and their application to lithium-ion battery anode. 2009 , 54, 3510-3515		90
1476	A facile route to carbon-coated SnO ₂ nanoparticles combined with a new binder for enhanced cyclability of Li-ion rechargeable batteries. 2009 , 54, 7519-7524		75

1475	One-pot synthesis of crystalline SnO ₂ nanoparticles and their low-temperature ethanol sensing characteristics. 2009 , 52, 1601-1605		1
1474	Synthesis of a cage-like hollow aluminosilicate with vermiculate micro-through-holes and its application to ship-in-bottle encapsulation of protein. <i>Small</i> , 2009 , 5, 67-71	11	36
1473	Nanostructured Sn/TiO ₂ /C composite as a high-performance anode for Li-ion batteries. 2009 , 11, 2165-2168		57
1472	Carbon nanotube capsules encapsulating SnO ₂ nanoparticles as an anode material for lithium ion batteries. 2009 , 55, 521-527		56
1471	Gas sensors using hierarchical and hollow oxide nanostructures: Overview. 2009 , 140, 319-336		1217
1470	Glucose-mediated hydrothermal synthesis and gas sensing characteristics of WO ₃ hollow microspheres. 2009 , 142, 236-242		94
1469	Synthesis of Fe ₃ O ₄ hollow microsphere chains and their magnetic properties. 2009 , 149, 2115-2119		5
1468	A simple approach to the synthesis of hollow microspheres with magnetite/silica hybrid walls. 2009 , 333, 329-34		28
1467	Solution-phase synthesis of inorganic hollow structures by templating strategies. 2009 , 335, 1-10		68
1466	Low-temperature template-free synthesis of Cu ₂ O hollow spheres. 2009 , 311, 2285-2290		25
1465	Nano-NiOOH prepared by splitting method as super high-speed charge/discharge cathode material for rechargeable alkaline batteries. <i>Journal of Power Sources</i> , 2009 , 188, 308-312	8.9	13
1464	Synthesis of highly crystalline rhombohedral BN triangular nanoplates via a convenient solid state reaction. 2009 , 182, 925-931		15
1463	Cobalt oxide hollow microspheres with micro- and nano-scale composite structure: Fabrication and electrochemical performance. 2009 , 182, 1055-1060		57
1462	NO ₂ sensing performance of SnO ₂ hollow-sphere sensor. 2009 , 135, 610-617		145
1461	Hollow Nanospheres and Flowers of CuS from Self-Assembled Cu(II) Coordination Polymer and Hydrogen-Bonded Complexes of N-(2-Hydroxybenzyl)-L-serine. 2009 , 9, 4461-4470		58
1460	Low-Temperature Synthesis of Monodisperse 3D Manganese Oxide Nanoflowers and Their Pseudocapacitance Properties. 2009 , 113, 54-60		114
1459	Aqueous solution synthesis of CaF ₂ hollow microspheres via the Ostwald ripening process at room temperature. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 780-8	9.5	50
1458	Template-Free and Scalable Synthesis of Core-Shell and Hollow BaTiO ₃ Particles: Using Molten Hydrated Salt as a Solvent. 2009 , 9, 4927-4932		36

1457	Controllable Porosity of Monodispersed Tin Oxide Nanospheres via an Additive-Free Chemical Route. 2009 , 9, 732-736	54
1456	One-Pot Template-Free Fabrication of Hollow Magnetite Nanospheres and Their Application as Potential Drug Carriers. 2009 , 113, 21042-21047	118
1455	Oxidation Conversion of Carbon-Encapsulated Metal Nanoparticles to Hollow Nanoparticles. 2009 , 21, 3730-3737	36
1454	Secondary Facet-Selective Nucleation and Growth: Highly Oriented Straight SnO ₂ Nanowire Arrays on Primary Microrods. 2009 , 9, 1757-1761	26
1453	Template-free synthesis of BiVO ₄ nanostructures: II. Relationship between various microstructures for monoclinic BiVO ₄ and their photocatalytic activity for the degradation of rhodamine B under visible light. 2009 , 20, 405602	62
1452	Three-dimensional morphology control during wet chemical synthesis of porous chromium oxide spheres. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 1931-7	9.5 26
1451	Carbon-Encapsulated Metal Oxide Hollow Nanoparticles and Metal Oxide Hollow Nanoparticles: A General Synthesis Strategy and Its Application to Lithium-Ion Batteries. 2009 , 21, 2935-2940	134
1450	SnO ₂ Nanoparticles with Controlled Carbon Nanocoating as High-Capacity Anode Materials for Lithium-Ion Batteries. 2009 , 113, 20504-20508	215
1449	Kinetically controlled catalytic synthesis of highly dispersed metal-in-carbon composite and its electrochemical behavior. 2009 , 19, 9006	11
1448	Shape Modulation of Tungstic Acid and Tungsten Oxide Hollow Structures. 2009 , 113, 6539-6546	57
1447	Fast Synthesis of Cu ₂ O Hollow Microspheres and Their Application in DNA Biosensor of Hepatitis B Virus. 2009 , 9, 633-638	150
1446	General and Facile Method To Prepare Uniform Y ₂ O ₃ :Eu Hollow Microspheres. 2009 , 9, 301-307	152
1445	Concentric hollow nanospheres of mesoporous silica shell-titania core from combined inorganic and polymer syntheses. 2009 , 25, 4361-4	55
1444	[email[protected]] and [email[protected]]@CNT nanostructures for superior reversible lithium ion storage. 2009 , 21, 3210-3215	175
1443	SnO ₂ -Based Hierarchical Nanomicrostructures: Facile Synthesis and Their Applications in Gas Sensors and Lithium-Ion Batteries. 2009 , 113, 14213-14219	171
1442	Direct growth of SnO ₂ nanorod array electrodes for lithium-ion batteries. 2009 , 19, 1859	263
1441	Antimony-Doped SnO ₂ Nanopowders with High Crystallinity for Lithium-Ion Battery Electrode. 2009 , 21, 3202-3209	159
1440	General and simple route to micro/nanostructured hollow-sphere arrays based on electrophoresis of colloids induced by laser ablation in liquid. 2009 , 25, 8287-91	37

1439	A Self-Templated Route to Hollow Silica Microspheres. 2009 , 113, 3168-3175		201
1438	Soft-Template Synthesis and Characterization of ZnO ₂ and ZnO Hollow Spheres. 2009 , 113, 13630-13635		99
1437	Photocatalytic and magnetic behaviors observed in nanostructured BiFeO ₃ particles. 2009 , 105, 056105		70
1436	Hollow Microporous Cerium Oxide Spheres Templated By Colloidal Silica. 2009 , 21, 4577-4582		105
1435	Fabrication of uniform hollow mesoporous silica spheres and ellipsoids of tunable size through a facile hard-templating route. 2009 , 19, 2778		136
1434	Synthesis of Single-Crystalline Co ₃ O ₄ Octahedral Cages with Tunable Surface Aperture and Their Lithium Storage Properties. 2009 , 113, 15553-15558		133
1433	A novel composite hierarchical hollow structure: one-pot synthesis and magnetic properties of W(18)O(49)-WO(2) hollow nanourchins. 2009 , 7042-4		21
1432	Recent developments in the chemical synthesis of inorganic porous capsules. 2009 , 19, 6073		303
1431	Green energy storage materials: Nanostructured TiO ₂ and Sn-based anodes for lithium-ion batteries. <i>Energy and Environmental Science</i> , 2009 , 2, 818	35.4	760
1430	One-Pot Synthesis of Carbon-Coated SnO ₂ Nanocolloids with Improved Reversible Lithium Storage Properties. 2009 , 21, 2868-2874		406
1429	Ultra-fine porous SnO ₂ nanopowder prepared via a molten salt process: a highly efficient anode material for lithium-ion batteries. 2009 , 19, 3253		102
1428	One-pot formation of SnO ₂ hollow nanospheres and alpha-Fe ₂ O ₃ @SnO ₂ nanorattles with large void space and their lithium storage properties. <i>Nanoscale</i> , 2009 , 1, 280-5	7.7	189
1427	Construction of EuF ₃ hollow sub-microspheres and single-crystal hexagonal microdiscs via Ostwald ripening and oriented attachment. <i>CrystEngComm</i> , 2009 , 11, 1591	3.3	23
1426	Direct Assembly of Anisotropic Layered Double Hydroxide (LDH) Nanocrystals on Spherical Template for Fabrication of Drug-LDH Hollow Nanospheres. 2009 , 21, 781-783		113
1425	Room-temperature Synthesis of Monodispersed SnO ₂ Nanoparticles by Liquid Phase Deposition. 2009 , 38, 974-975		8
1424	Highly uniform Gd ₂ O ₃ hollow microspheres: template-directed synthesis and luminescence properties. 2010 , 26, 5122-8		112
1423	Template-Free Hydrothermal Synthesis of Nanoembossed Mesoporous LiFePO ₄ Microspheres for High-Performance Lithium-Ion Batteries. 2010 , 114, 3477-3482		192
1422	Novel sea urchin-like hollow core-shell SnO ₂ superstructures: Facile synthesis and excellent ethanol sensing performance. 2010 , 151, 229-235		47

1421	Template-free synthesis of CdS hollow nanospheres based on an ionic liquid assisted hydrothermal process and their application in photocatalysis. 2010 , 183, 1423-1432	40
1420	Synthesis of SnO ₂ hollow microspheres with core-shell structures through a facile template-free hydrothermal method. 2010 , 171, 20-24	18
1419	One-pot template-free synthesis, formation mechanism, and lithium ions storage property of hollow SnO ₂ microspheres. 2010 , 14, 931-936	17
1418	SnO ₂ /graphene composite with high lithium storage capability for lithium rechargeable batteries. 2010 , 3, 813-821	171
1417	Selective synthesis of SnO ₂ hollow microspheres and nano-sheets via a hydrothermal route. 2010 , 55, 581-587	10
1416	Bioinspired synthesis and preparation of multilevel micro/nanostructured materials. 2010 , 5, 247-261	3
1415	Carbon-Coated SnO(2) Nanorod Array for Lithium-Ion Battery Anode Material. 2010 , 5, 649-653	47
1414	Hollow Nanostructured Anode Materials for Li-Ion Batteries. 2010 , 5, 1525-34	166
1413	Citrate-gel synthesis and characterization of yttrium-doped multiferroic BiFeO ₃ . 2010 , 53, 184-192	42
1412	Template-free synthesis of hierarchical porous SnO ₂ . 2010 , 53, 499-503	7
1411	Facile dicyandiamide-mediated fabrication of well-defined CuO hollow microspheres and their catalytic application. 2010 , 120, 296-301	58
1410	High capacity and good cycling stability of multi-walled carbon nanotube/SnO ₂ core-shell structures as anode materials of lithium-ion batteries. 2010 , 45, 437-441	27
1409	Fe ₃ O ₄ dendrites reduced by carbon-coatings as high reversible capacity anodes for lithium ion batteries. 2010 , 12, 2024-2029	20
1408	A Facile Approach to Fabrication of Hexagonal-Phase NaYF ₄ :Yb ³⁺ , Er ³⁺ Hollow Nanospheres: Formation Mechanism and Upconversion Luminescence. 2010 , 2010, 1813-1819	32
1407	Mesoporous CeO ₂ Hollow Spheres Prepared by Ostwald Ripening and Their Environmental Applications. 2010 , 2010, 3354-3359	100
1406	Hydrophilic Co@Au yolk/shell nanospheres: synthesis, assembly, and application to gene delivery. <i>Advanced Materials</i> , 2010 , 22, 1407-11	24 137
1405	Advanced materials for energy storage. <i>Advanced Materials</i> , 2010 , 22, E28-62	24 3687
1404	Soft template synthesis of yolk/silica shell particles. <i>Advanced Materials</i> , 2010 , 22, 1516-20	24 186

1403	Assembly of carbon-SnO ₂ core-sheath composite nanofibers for superior lithium storage. 2010 , 16, 11543-8		73
1402	Nanopartikel für Funktionsmaterialien. 2010 , 122, 1402-1437		95
1401	Hollow Ferrocenyl Coordination Polymer Microspheres with Micropores in Shells Prepared by Ostwald Ripening. 2010 , 122, 9423-9427		39
1400	Nanoparticulate functional materials. 2010 , 49, 1362-95		567
1399	Hollow ferrocenyl coordination polymer microspheres with micropores in shells prepared by Ostwald ripening. 2010 , 49, 9237-41		158
1398	Anisotropic micro- and nano-capsules. 2010 , 31, 2041-6		59
1397	The superior lithium storage capabilities of ultra-fine rutile TiO ₂ nanoparticles. <i>Journal of Power Sources</i> , 2010 , 195, 2905-2908	8.9	104
1396	In situ synthesis of ultra-fine, porous, tin oxide-carbon nanocomposites via a molten salt method for lithium-ion batteries. <i>Journal of Power Sources</i> , 2010 , 195, 5382-5386	8.9	45
1395	Bubble assisted synthesis of Sn ₅₀ Bi ₅₀ Cu alloy hollow nanostructures and their improved lithium storage properties. <i>Journal of Power Sources</i> , 2010 , 195, 6811-6816	8.9	39
1394	Structural and electrochemical properties of a porous nanostructured SnO ₂ film electrode for lithium-ion batteries. 2010 , 12, 194-197		29
1393	Synthesis of uniform polycrystalline tin dioxide nanofibers and electrochemical application in lithium-ion batteries. 2010 , 55, 5485-5491		59
1392	SnO ₂ -coated multiwall carbon nanotube composite anode materials for rechargeable lithium-ion batteries. 2010 , 56, 314-320		98
1391	Glycine-assisted hydrothermal synthesis of peculiar porous alpha-Fe ₂ O ₃ nanospheres with excellent gas-sensing properties. 2010 , 659, 266-73		48
1390	Electrospun porous SnO ₂ nanotubes as high capacity anode materials for lithium ion batteries. 2010 , 12, 1383-1386		164
1389	Tin dioxide/carbon nanotube composites with high uniform SnO ₂ loading as anode materials for lithium ion batteries. 2010 , 55, 2582-2586		106
1388	Effects of surrounding confinements of Si nanoparticles on Si-based anode performance for lithium ion batteries. 2010 , 56, 790-796		47
1387	Morphology-controlled synthesis of SnO(2) nanotubes by using 1D silica mesostructures as sacrificial templates and their applications in lithium-ion batteries. <i>Small</i> , 2010 , 6, 296-306	11	328
1386	The Fabrication and Progress of Hollow Structures. 2010 , 18, 227-235		

1385	Influence of morphological transformation on luminescence properties of europium-doped gadolinium oxide nanostructures. 2010 , 4, 043517		5
1384	One-step synthesis of MgO hollow nanospheres with blue emission. 2010 , 21, 295604		21
1383	Ceramic microparticles and capsules via microfluidic processing of a preceramic polymer. 2010 , 7 Suppl 4, S461-73		57
1382	Hydrothermal synthesis of Fe(2)O(3)@SnO(2) core-shell nanotubes for highly selective enrichment of phosphopeptides for mass spectrometry analysis. <i>Nanoscale</i> , 2010 , 2, 1892-900	7.7	47
1381	Mono dispersed SnO ₂ nanoparticles on both sides of single layer graphene sheets as anode materials in Li-ion batteries. 2010 , 20, 5462		338
1380	Synthesis of nanostructured silicon carbide spheres from mesoporous C-SiO ₂ nanocomposites. 2010 , 46, 303-5		30
1379	A simple template-free approach to TiO ₂ hollow spheres with enhanced photocatalytic activity. 2010 , 39, 5860-7		202
1378	Ceria Hollow Nanospheres Produced by a Template-Free Microwave-Assisted Hydrothermal Method for Heavy Metal Ion Removal and Catalysis. 2010 , 114, 9865-9870		254
1377	One-step synthesis of superparamagnetic monodisperse porous Fe ₃ O ₄ hollow and core-shell spheres. 2010 , 20, 1799		277
1376	Interaction of alkaline metal cations with oxidic surfaces: effect on the morphology of SnO ₂ nanoparticles. 2010 , 26, 3590-5		24
1375	Engineering nonspherical hollow structures with complex interiors by template-engaged redox etching. <i>Journal of the American Chemical Society</i> , 2010 , 132, 16271-7	16.4	223
1374	General synthesis of 2D ordered hollow sphere arrays based on nonshadow deposition dominated colloidal lithography. 2010 , 26, 6295-302		41
1373	One-Step Synthesis of Hierarchical SnO ₂ Hollow Nanostructures via Self-Assembly for High Power Lithium Ion Batteries. 2010 , 114, 8084-8088		242
1372	Fabrication of Monodisperse CeO ₂ Hollow Spheres Assembled by Nano-octahedra. 2010 , 10, 291-295		117
1371	Antimony tin oxide (ATO) nanoparticle formation from H ₂ O ₂ solutions: a new generic film coating from basic solutions. 2010 , 49, 9110-2		37
1370	TiO ₂ and SnO ₂ @TiO ₂ hollow spheres assembled from anatase TiO ₂ nanosheets with enhanced lithium storage properties. 2010 , 46, 8252-4		176
1369	Mesoporous SnO ₂ Spheres Synthesized by Electrochemical Anodization and Their Application in CdSe-Sensitized Solar Cells. 2010 , 114, 21878-21884		70
1368	One-Step Synthesis of Carbon-Coated Tin Dioxide Nanoparticles for High Lithium Storage. 2010 , 114, 20272-20276		58

1367	A Parallel Solid-State NMR and Sensor Property Study on Flower-like Nanostructured SnO ₂ . 2010 , 114, 22671-22676		34
1366	Recent Progress in Fabrication of Hollow Nanostructures. 2010 , 3-30		
1365	Large-scale synthesis of SnO ₂ nanosheets with high lithium storage capacity. <i>Journal of the American Chemical Society</i> , 2010 , 132, 46-7	16.4	599
1364	Shell-by-Shell Synthesis and Applications of Carbon-Coated SnO ₂ Hollow Nanospheres in Lithium-Ion Battery. 2010 , 114, 13136-13141		113
1363	Facile fabrication of hierarchical SnO(2) microspheres film on transparent FTO glass. 2010 , 49, 1679-86		32
1362	Engineering nanostructured electrodes and fabrication of film electrodes for efficient lithium ion intercalation. <i>Energy and Environmental Science</i> , 2010 , 3, 1218	35.4	220
1361	Facile scalable synthesis of magnetite nanocrystals embedded in carbon matrix as superior anode materials for lithium-ion batteries. 2010 , 46, 118-20		184
1360	Hollow nanoparticles of metal oxides and sulfides: fast preparation via laser ablation in liquid. 2010 , 26, 16652-7		106
1359	Dense core-shell structured SnO ₂ /C composites as high performance anodes for lithium ion batteries. 2010 , 46, 1437-9		162
1358	Preparation of Inorganic Hollow Spheres Based on Different Methods. 2010 , 57, 1091-1098		16
1357	Ionic liquid-controlled synthesis of ZnO microspheres. 2010 , 20, 9798		37
1356	Ultra-fast responding and recovering C ₂ H ₅ OH sensors using SnO ₂ hollow spheres prepared and activated by Ni templates. 2010 , 46, 5061-3		150
1355	RuO ₂ /SnO ₂ nanocomposite electrodes for methanol electrooxidation. <i>Journal of Alloys and Compounds</i> , 2010 , 506, 57-62	5.7	16
1354	Graphene-Wrapped Fe ₃ O ₄ Anode Material with Improved Reversible Capacity and Cyclic Stability for Lithium Ion Batteries. 2010 , 22, 5306-5313		1660
1353	Size-dependent nanoscale kirkendall effect during the oxidation of nickel nanoparticles. 2010 , 4, 1913-20		251
1352	SnO ₂ nanocrystals on self-organized TiO ₂ nanotube array as three-dimensional electrode for lithium ion microbatteries. 2010 , 20, 5689		77
1351	Nearly Monodisperse Ferroelectric BaTiO ₃ Hollow Nanoparticles: Size-Related Solid Evacuation in Ostwald-Ripening-Induced Hollowing Process. 2010 , 10, 3990-3995		36
1350	Stacked porous tin phosphate nanodisk anodes. 2010 , 46, 2444-6		14

1349	Morphology-controlled synthesis of highly adsorptive tungsten oxide nanostructures and their application to water treatment. 2010 , 20, 10146		90
1348	Versatile preparation of monodisperse poly(furfuryl alcohol) and carbon hollow spheres in a simple microfluidic device. 2010 , 46, 3732-4		28
1347	Characterizations and electrochemical behaviors of disproportionated SiO and its composite for rechargeable Li-ion batteries. 2010 , 20, 4854		195
1346	Nanoscale Si coating on the pore walls of SnO(2) nanotube anode for Li rechargeable batteries. 2010 , 46, 622-4		72
1345	Replication of anisotropic dispersed particulates and complex continuous templates. 2010 , 20, 6587		52
1344	Microwave-assisted solution-phase preparation and growth mechanism of FeMoO ₄ hierarchical hollow spheres. <i>CrystEngComm</i> , 2010 , 12, 207-210	3-3	44
1343	Controlled Synthesis of Sb Nanostructures and Their Conversion to CoSb ₃ Nanoparticle Chains for Li-Ion Battery Electrodes. 2010 , 22, 5333-5339		57
1342	Template-free synthesis of single-crystalline SmF ₃ rattle-structured sub-micropumpkins. <i>CrystEngComm</i> , 2010 , 12, 2841	3-3	7
1341	Design of a micro-pattern structure for a three dimensionally macroporous Sn-Ni alloy anode with high areal capacity. 2011 , 47, 6144-6		28
1340	Silica-based complex nanorattles as multifunctional carrier for anticancer drug. 2011 , 21, 8052		40
1339	Mitigating the initial capacity loss (ICL) problem in high-capacity lithium ion battery anode materials. 2011 , 21, 9819		62
1338	Graphene-wrapped TiO ₂ hollow structures with enhanced lithium storage capabilities. <i>Nanoscale</i> , 2011 , 3, 2158-61	7-7	218
1337	Improved lithium cyclability and storage in a multi-sized pore ("differential spacers") mesoporous SnO ₂ . <i>Nanoscale</i> , 2011 , 3, 1501-3	7-7	19
1336	Synthesis, characterization and application for lithium-ion rechargeable batteries of hollow silica nanospheres. 2011 , 21, 13881		114
1335	Unusual enhancement in electrical conductivity of tin oxide thin films with zinc doping. 2011 , 13, 5760-3		13
1334	Organosilane-Assisted Transformation from CoreShell to YolkShell Nanocomposites. 2011 , 23, 3676-3684		129
1333	Phase-controlled synthesis of monodispersed porous In ₂ O ₃ nanospheres via an organic acid-assisted hydrothermal process. <i>CrystEngComm</i> , 2011 , 13, 5011	3-3	31
1332	SBA-15 derived carbon-supported SnO ₂ nanowire arrays with improved lithium storage capabilities. 2011 , 21, 13860		61

1331	Fe ₂ O ₃ hierarchically hollow microspheres self-assembled with nanosheets: surfactant-free solvothermal synthesis, magnetic and photocatalytic properties. <i>CrystEngComm</i> , 2011 , 13, 5162	3.3	58
1330	Controllable synthesis and photoluminescence of single-crystalline BaHfO ₃ hollow micro- and nanospheres. 2011 , 27, 8878-84		20
1329	Ternary Cu ₂ SnS ₄ cabbage-like nanostructures: large-scale synthesis and their application in Li-ion batteries with superior reversible capacity. <i>Nanoscale</i> , 2011 , 3, 4389-93	7.7	74
1328	Controlled synthesis of SnO ₂ @carbon core-shell nanochains as high-performance anodes for lithium-ion batteries. 2011 , 21, 12295		67
1327	Facile preparation of hollow crosslinked polyphosphazene submicrospheres with mesoporous shells. 2011 , 21, 12964		24
1326	Shape and size controlled synthesis and properties of colloidal IVVI SnSe nanocrystals. <i>CrystEngComm</i> , 2011 , 13, 4161	3.3	62
1325	Synthesis, characterizations and improved gas-sensing performance of SnO ₂ nanospine arrays. 2011 , 21, 19086		49
1324	Single-crystal Na ₂ Ti ₆ O ₁₃ nanorings formed by self-coiling of a nanobelt. <i>CrystEngComm</i> , 2011 , 13, 2674	3.3	6
1323	Enhanced Elevated-Temperature Performance of Al-Doped Single-Crystalline LiMn ₂ O ₄ Nanotubes as Cathodes for Lithium Ion Batteries. 2011 , 115, 9821-9825		88
1322	Shape-controlled Synthesis of Porous SnO ₂ Nanostructures via Morphologically Conserved Transformation from SnC ₂ O ₄ Precursor Approach. 2011 , 3, 34-42		16
1321	Interconnected MoO ₂ nanocrystals with carbon nanocoating as high-capacity anode materials for lithium-ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 4853-7	9.5	152
1320	A facile synthesis and lithium storage properties of Co ₃ O ₄ @ hybrid core-shell and hollow spheres. 2011 , 21, 17998		55
1319	Interior Structural Tailoring of Cu ₂ O Shell-in-Shell Nanostructures through Multistep Ostwald Ripening. 2011 , 115, 18479-18485		61
1318	Controlling the lithiation-induced strain and charging rate in nanowire electrodes by coating. 2011 , 5, 4800-9		125
1317	Cuprous oxide nanoshells with geometrically tunable optical properties. 2011 , 5, 3257-67		121
1316	Hydrothermal Synthesis of SnO ₂ Nanostructures with Different Morphologies and Their Optical Properties. 2011 , 2011, 1-10		59
1315	Sonochemical synthesis of ordered SnO ₂ /CMK-3 nanocomposites and their lithium storage properties. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 3704-8	9.5	68
1314	Multiwalled carbon nanotubes anchored with SnS ₂ nanosheets as high-performance anode materials of lithium-ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 4067-74	9.5	139

1313	Microwave-assisted gas/liquid interfacial synthesis of flowerlike NiO hollow nanosphere precursors and their application as supercapacitor electrodes. 2011 , 21, 3204		290
1312	Superior gas-sensing and lithium-storage performance SnO ₂ nanocrystals synthesized by hydrothermal method. <i>CrystEngComm</i> , 2011 , 13, 6077	3.3	44
1311	Formation of SnO ₂ hollow nanospheres inside mesoporous silica nanoreactors. <i>Journal of the American Chemical Society</i> , 2011 , 133, 21-3	16.4	364
1310	Synthesis of monodispersed SnO ₂ @C composite hollow spheres for lithium ion battery anode applications. 2011 , 21, 17448		63
1309	A Unique Transformation Route for Synthesis of Rodlike Hollow Mesoporous Silica Particles. 2011 , 115, 11342-11347		21
1308	Facile synthesis of SnO ₂ -embedded carbon nanomaterials via glucose-mediated oxidation of Sn particles. 2011 , 21, 10705		10
1307	Enhanced gas sensing properties of ZnO/SnO ₂ hierarchical architectures by glucose-induced attachment. <i>CrystEngComm</i> , 2011 , 13, 1557-1563	3.3	100
1306	Large-scale synthesis of ultrathin hexagonal tin disulfide nanosheets with highly reversible lithium storage. 2011 , 47, 1270-2		171
1305	Double-shelled hollow microspheres of LiMn ₂ O ₄ for high-performance lithium ion batteries. 2011 , 21, 9475		92
1304	SnO ₂ hollow structures and TiO ₂ nanosheets for lithium-ion batteries. 2011 , 21, 9912		308
1303	An in situ method of creating metal oxide/carbon composites and their application as anode materials for lithium-ion batteries. 2011 , 21, 11092		117
1302	Synthesis and self-assembly of complex hollow materials. 2011 , 21, 7511		133
1301	Fabrication and application of inorganic hollow spheres. 2011 , 40, 5472-91		695
1300	Creation of Interior Space, Architecture of Shell Structure, and Encapsulation of Functional Materials for Mesoporous SiO ₂ Spheres. 2011 , 23, 4886-4899		78
1299	Morphological Evolution from SnO ₂ Quantum Dots to Quantum Chains inside Channels of Mesoporous Spheres. 2011 , 50, 12542-12547		5
1298	SnO ₂ nanosheet hollow spheres with improved lithium storage capabilities. <i>Nanoscale</i> , 2011 , 3, 3586-8	7.7	163
1297	SnO ₂ /WO ₃ core-shell nanorods and their high reversible capacity as lithium-ion battery anodes. 2011 , 22, 395702		54
1296	Self-templating synthesis of SnO ₂ -carbon hybrid hollow spheres for superior reversible lithium ion storage. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 1946-52	9.5	101

1295	Large-Scale Synthesis of SnO ₂ Nanotube Arrays as High-Performance Anode Materials of Li-Ion Batteries. 2011 , 115, 11302-11305		218
1294	Colloids and Microcapsules. 2011 , 459-491		
1293	Mannite supported hydrothermal synthesis of hollow flower-like ZnO structures for photocatalytic applications. <i>CrystEngComm</i> , 2011 , 13, 4202	3-3	57
1292	Controllable fabrication of perovskite SrZrO ₃ hollow cuboidal nanoshells. <i>CrystEngComm</i> , 2011 , 13, 3842-3843	3-3	35
1291	Perovskite BaZrO ₃ hollow micro- and nanospheres: controllable fabrication, photoluminescence and adsorption of reactive dyes. 2011 , 21, 5978		41
1290	One step method to encapsulate nanocatalysts within Fe ₃ O ₄ nanoreactors. 2011 , 21, 15398		27
1289	Surfactant-assisted synthesis of double-wall Cu ₂ O hollow spheres. <i>CrystEngComm</i> , 2011 , 13, 1838-1842	3-3	40
1288	From hollow olive-shaped BiVO ₄ to n-p core-shell BiVO ₄ @Bi ₂ O ₃ microspheres: controlled synthesis and enhanced visible-light-responsive photocatalytic properties. 2011 , 50, 800-5		237
1287	Controllable synthesis of triangle taper-like cobalt hydroxide and cobalt oxide. <i>CrystEngComm</i> , 2011 , 13, 1586-1590	3-3	30
1286	Synthesis of SnO ₂ Hierarchical Structures Assembled from Nanosheets and Their Lithium Storage Properties. 2011 , 115, 24605-24610		181
1285	Synthesis and Measurement of SnO ₂ @C/graphene Nanocomposite for Lithium Ion Batteries. 2011 , 396-398, 2330-2333		
1284	Porous SnO ₂ nanospheres as sensitive gas sensors for volatile organic compounds detection. <i>Nanoscale</i> , 2011 , 3, 1646-52	7-7	209
1283	SnO ₂ nanosheets grown on graphene sheets with enhanced lithium storage properties. 2011 , 47, 7155-7		367
1282	Template-free synthesis of ZnV ₂ O ₄ hollow spheres and their application for organic dye removal. 2011 , 258, 189-195		31
1281	CO ₂ -assisted template synthesis of porous hollow bi-phase γ-Fe ₂ O ₃ nanoparticles with high sensor property. 2011 , 21, 17776		53
1280	Large-scale synthesis of macroporous SnO ₂ with/without carbon and their application as anode materials for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 5969-5973	5-7	38
1279	Template-free solvothermal synthesis of size-controlled yttria-stabilized-zirconia hollow spheres. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 9200-9206	5-7	8
1278	Synthesis of vanadium oxide, V ₆ O ₁₃ hollow-flowers materials and their application in electrochemical supercapacitors. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 10080-10085	5-7	50

1277	3D hierarchically porous ZnO structures and their functionalization by Au nanoparticles for gas sensors. 2011 , 21, 349-356	338
1276	Yolk/shell nanoparticles: new platforms for nanoreactors, drug delivery and lithium-ion batteries. 2011 , 47, 12578-91	727
1275	Graphene-supported anatase TiO ₂ nanosheets for fast lithium storage. 2011 , 47, 5780-2	289
1274	Microwave Synthesis and Electrochemical Properties of Ultrafine SnO ₂ Nanoparticles. 2011 , 40, 414-416	10
1273	Hydrothermal synthesis of Co ₃ O ₄ with different morphologies and the improvement of lithium storage properties. 2011 , 128, 475-482	12
1272	Synthesis of nano-sized EuF ₃ hollow spheres via one step chemical conversion. 2011 , 129, 161-167	6
1271	Improved electrochemical performance of natural honeycomb templated LiSbO ₃ as an anode in lithium-ion battery. 2011 , 130, 20-23	12
1270	Morphology effect on the performances of SnO ₂ nanorod arrays as anodes for Li-ion batteries. 2011 , 65, 1154-1156	38
1269	Template-free synthesis of SnO ₂ nanostructural hollow spheres covered by nanorods. 2011 , 65, 1645-1647	13
1268	SnO ₂ -based composite coaxial nanocables with multi-walled carbon nanotube and polypyrrole as anode materials for lithium-ion batteries. 2011 , 13, 1431-1434	41
1267	A hierarchical porous carbon material for high power, lithium ion batteries. 2011 , 56, 8576-8581	74
1266	Preparation of nanoporous tin oxide by electrochemical anodization in alkaline electrolytes. 2011 , 56, 8797-8801	48
1265	Fast formation of SnO ₂ nanoboxes with enhanced lithium storage capability. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4738-41	16.4 498
1264	SnO ₂ /MoO ₃ core-shell nanobelts and their extraordinarily high reversible capacity as lithium-ion battery anodes. 2011 , 47, 5205-7	172
1263	CNTs@SnO ₂ @carbon coaxial nanocables with high mass fraction of SnO ₂ for improved lithium storage. 2011 , 6, 2278-81	57
1262	Visible photoluminescence of hydrothermal synthesized Sn _{1-x} Ni _x O ₂ nanostructures. 2011 , 22, 174-178	3
1261	Magnetite hollow spheres: solution synthesis, phase formation and magnetic property. 2011 , 13, 213-220	26
1260	Nano-energy research trends: bibliometrical analysis of nanotechnology research in the energy sector. 2011 , 13, 3911-3922	29

1259	Three-dimensional nanocarbon and the electrochemistry of nanocarbon/tin oxide for lithium ion batteries. 2011 , 15, 2645-2652	14
1258	A composite material of SnO ₂ /ordered mesoporous carbon for the application in Lithium-ion Battery. 2011 , 656, 185-191	45
1257	SiO ₂ nanospheres with tailorable interiors by directly controlling Zn ²⁺ and NH ₃ H ₂ O species in an emulsion process. 2011 , 184, 1603-1607	3
1256	Superior cycle performance of Sn@C/graphene nanocomposite as an anode material for lithium-ion batteries. 2011 , 184, 1400-1404	123
1255	Structural evolution of SnO ₂ nanostructure from core-shell faceted pyramids to nanorods and its gas-sensing properties. 2011 , 314, 171-179	19
1254	Review paper: Semiconductor nanoparticles with surface passivation and surface plasmon. 2011 , 7, 185-194	34
1253	One-pot synthesis of colloidal nanobowls and hybrid multipod-like nanoparticles by radiation miniemulsion polymerization. 2011 , 32, 1615-9	10
1252	Single-Crystalline LiMn ₂ O ₄ Nanotubes Synthesized Via Template-Engaged Reaction as Cathodes for High-Power Lithium Ion Batteries. 2011 , 21, 348-355	283
1251	Hollow Two-Layered Chiral Nanoparticles Consisting of Optically Active Helical Polymer/Silica: Preparation and Application for Enantioselective Crystallization. 2011 , 21, 2345-2350	115
1250	Self-assembled photonic structures. <i>Advanced Materials</i> , 2011 , 23, 30-69	24 509
1249	Facile synthetic route for thickness and composition tunable hollow metal oxide spheres from silica-templated coordination polymers. <i>Advanced Materials</i> , 2011 , 23, 3161-4	24 67
1248	Reactive and Organosoluble SnO ₂ Nanoparticles by a Surfactant-Free Non-Hydrolytic Sol-Gel Route. 2011 , 2011, 3644-3649	19
1247	Biotemplated materials for sustainable energy and environment: current status and challenges. 2011 , 4, 1344-87	127
1246	Building Hematite Nanostructures by Oriented Attachment. 2011 , 123, 676-679	8
1245	Building hematite nanostructures by oriented attachment. 2011 , 50, 650-3	83
1244	Controlled synthesis of monodisperse sub-100 nm hollow SnO ₂ nanospheres: a template- and surfactant-free solution-phase route, the growth mechanism, optical properties, and application as a photocatalyst. 2011 , 17, 9708-19	57
1243	A SnO ₂ /graphene composite as a high stability electrode for lithium ion batteries. <i>Carbon</i> , 2011 , 49, 1331-1339	358
1242	Highly reversible Co ₃ O ₄ /graphene hybrid anode for lithium rechargeable batteries. <i>Carbon</i> , 2011 , 49, 326-332	10.4 327

1241	Fabrication of microporous hollow silica spheres templated by NP-10 micelles without calcinations. 2011 , 257, 2481-2488		15
1240	Synthesis of mesoporous SnO ₂ spheres via self-assembly and superior lithium storage properties. 2011 , 56, 2358-2363		60
1239	Well-defined meso- to macro-porous film of tin oxides formed by an anodization process. 2011 , 56, 5919-5925	34	
1238	Facile synthesis of MnO/C anode materials for lithium-ion batteries. 2011 , 56, 6448-6452		142
1237	Synthesis of hollow mesoporous silica microspheres through surface sol-gel process on polystyrene-co-poly(4-vinylpyridine) core-shell microspheres. 2011 , 139, 1-7		42
1236	Porous SnO ₂ nanoflakes with loose-packed structure: Morphology conserved transformation from SnS ₂ precursor and application in lithium ion batteries and gas sensors. 2011 , 72, 630-636		26
1235	SnO ₂ nanoparticles@polypyrrole nanowires composite as anode materials for rechargeable lithium-ion batteries. <i>Journal of Power Sources</i> , 2011 , 196, 2195-2201	8.9	167
1234	Mesoporous polyaniline/TiO ₂ microspheres with core-shell structure as anode materials for lithium ion battery. <i>Journal of Power Sources</i> , 2011 , 196, 4735-4740	8.9	81
1233	A facile method of synthesis of asymmetric hollow silica spheres. 2011 , 362, 15-20		5
1232	Synthesis of non-collapsed hollow polymeric nanoparticles with shell thickness on the order of polymer gyration radius. 2011 , 52, 683-693		13
1231	Hollow hematite nanosphere/carbon nanotube composite: mass production and its high-rate lithium storage properties. 2011 , 22, 265401		28
1230	Synthesis of porous hollow silica nanostructures using hydroxyapatite nanoparticle templates. 2011 , 47, 1568-70		41
1229	Well-Crystallized SnO ₂ Nanocrystals Homogeneously and Intimately Coated on Multiwalled Carbon Nanotubes by a Simple Surfactant-Free Hydrothermal Method. 2011 , 686, 474-481		1
1228	Simple Synthesis of Carbon/Tin Oxide Composite as Anodes for Lithium-Ion Batteries. 2011 , 158, A296		13
1227	Anomalous High Lithium Storage in Mesoporous Nanoparticulate Aggregation of Fe ³⁺ Doped Anatase Titania. 2011 , 158, A1290		24
1226	Electrochemical and ex-situ analysis on manganese oxide/graphene hybrid anode for lithium rechargeable batteries. 2011 , 26, 2665-2671		31
1225	One-Pot Pathway: Fabricating Ordered Hollow Silica Spheres Using Sodium Silicate as the Precursor. 2011 , 64, 1541		2
1224	Development and research on new anode with three-dimensionally ordered structure for lithium ion battery. 2011 , 15, s43-s45		3

1223	SnO ₂ NANOCRYSTALLITE: NOVEL SYNTHETIC ROUTE FROM DEEP EUTECTIC SOLVENT AND LITHIUM STORAGE PERFORMANCE. 2011 , 04, 377-381		22
1222	Pressure dependence of the electrical resistivity of natural cassiterite SnO ₂ and of undoped and Co-doped nanocrystalline SnO ₂ . 2011 , 91, 200-206		1
1221	Cuprous Oxide/Copper Particles Prepared by a Facile Wet-Chemical Reduction Approach as Anode Material for Li Ion Batteries. 2012 , 509, 28-35		3
1220	A New Mesoporous Magnesium Borate Microsphere Synthesized Using Sodium Dodecyl Sulfate as Template . 2012 , 486, 260-264		3
1219	SnO ₂ /Graphene Nanocomposite as an Enhanced Anode Material for Lithium Ion Batteries. 2012 , 465, 108-111		5
1218	Solvothermal-assisted synthesis of hollow Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ microspheres through carbon spheres templating. 2012 , 7, 766		
1217	Synthesis of SnO ₂ nanorods and hollow spheres and their electrochemical properties as anode materials for lithium ion batteries. 2012 , 27, 191-195		16
1216	Transforming large-scale industrially produced carbon nanotubes to high-performance electrode materials for lithium-ion batteries. 2012 , 27, 410-416		2
1215	Design of Nanostructured Hybrid Materials Based on Carbon and Metal Oxides for Li Ion Batteries. 2012 , 116, 26685-26693		73
1214	Spin-coated silicon nanoparticle/graphene electrode as a binder-free anode for high-performance lithium-ion batteries. 2012 , 5, 845-853		105
1213	Recent advances in micro-/nano-structured hollow spheres for energy applications: From simple to complex systems. <i>Energy and Environmental Science</i> , 2012 , 5, 5604-5618	35.4	996
1212	Sn/In ₂ O ₃ /C Nanocomposite as an Anode for Li Ion Batteries and Its Reaction Mechanism. 2012 , 159, A1912-A1915		10
1211	Nanostructured metal oxide-based materials as advanced anodes for lithium-ion batteries. <i>Nanoscale</i> , 2012 , 4, 2526-42	7.7	915
1210	Hydrothermal synthesis of hierarchical SnO ₂ microspheres for gas sensing and lithium-ion batteries applications: Fluoride-mediated formation of solid and hollow structures. 2012 , 22, 2140-2148		104
1209	Apple pectin-mediated green synthesis of hollow double-caged peanut-like ZnO hierarchical superstructures and photocatalytic applications. <i>CrystEngComm</i> , 2012 , 14, 256-263	3.3	49
1208	SnO ₂ /ZnO composite structure for the lithium-ion battery electrode. 2012 , 196, 326-331		48
1207	Solvothermal synthesis of flower-like Cu ₂ ZnSnS ₄ nanostructures and their application as anode materials for lithium-ion batteries. <i>Chemical Physics Letters</i> , 2012 , 546, 115-119	2.5	37
1206	Template-free hydrothermal synthesis of VO ₂ hollow microspheres. <i>CrystEngComm</i> , 2012 , 14, 3858	3.3	34

1205	Porous peanut-like Bi ₂ O ₃ -BiVO ₄ composites with heterojunctions: one-step synthesis and their photocatalytic properties. 2012 , 41, 9513-8		131
1204	Electrospun porous ZnCo ₂ O ₄ nanotubes as a high-performance anode material for lithium-ion batteries. 2012 , 22, 8916		306
1203	Self-assembled hollow rare earth fluoride alloyed architectures with controlled crystal phase and morphology. <i>CrystEngComm</i> , 2012 , 14, 7764	3-3	9
1202	Controlled strategy to synthesize SnO ₂ decorated SnS ₂ nanosheets with enhanced visible light photocatalytic activity. <i>CrystEngComm</i> , 2012 , 14, 5627	3-3	62
1201	Sponge-like porous carbon/tin composite anode materials for lithium ion batteries. 2012 , 22, 9562		150
1200	Facile synthesis and gas-sensing properties of monodisperse β -Fe ₂ O ₃ discoid crystals. 2012 , 2, 9824		28
1199	Carbon/SnO ₂ /carbon core/shell/shell hybrid nanofibers: tailored nanostructure for the anode of lithium ion batteries with high reversibility and rate capacity. <i>Nanoscale</i> , 2012 , 4, 525-30	7-7	85
1198	Porous SnO ₂ /layered titanate nanohybrid with enhanced electrochemical performance for reversible lithium storage. 2012 , 48, 458-60		18
1197	Enhanced ethanol sensing properties of NiO-doped SnO ₂ polyhedra. 2012 , 36, 1003		28
1196	Template-free synthesis of monodisperse β -Fe ₂ O ₃ porous ellipsoids and their application to gas sensors. <i>CrystEngComm</i> , 2012 , 14, 2229	3-3	27
1195	Interconnected core-shell MoO ₂ microcapsules with nanorod-assembled shells as high-performance lithium-ion battery anodes. 2012 , 22, 13334		103
1194	Ionic liquid-assisted synthesis of SnO ₂ particles with nanorod subunits for enhanced gas-sensing properties. <i>CrystEngComm</i> , 2012 , 14, 3404	3-3	24
1193	TiO ₂ cellular-protected nanowire array fabricated super-rapidly by the precipitation of colloids in the nanopores. 2012 , 22, 13820		1
1192	Standing pillar arrays of C-coated hollow SnO ₂ mesoscale tubules for a highly stable lithium ion storage electrode. 2012 , 2, 7829		34
1191	Controlled growth of SnO ₂ @Fe ₂ O ₃ double-sided nanocombs as anodes for lithium-ion batteries. <i>Nanoscale</i> , 2012 , 4, 4459-63	7-7	56
1190	Preparation of Porous Polysulfone Microspheres and Their Application in Removal of Oil from Water. 2012 , 51, 8117-8122		25
1189	Nano-architectures of ordered hollow carbon spheres filled with carbon webs by template-free controllable synthesis. 2012 , 23, 485404		11
1188	Interface-directed self-assembly of gold nanoparticles and fabrication of hybrid hollow capsules by interfacial cross-linking polymerization. 2012 , 28, 9365-71		29

1187	Facile synthesis of mesoporous SnO ₂ fibers with enhanced lithium ion storage properties. 2012 , 44, 1218-12223		
1186	Quaternized polystyrene composite hollow particles. 2012 , 53, 3802-3806		3
1185	Nanoporous LiMn ₂ O ₄ nanosheets with exposed {111} facets as cathodes for highly reversible lithium-ion batteries. 2012 , 22, 20952		76
1184	Fluoride-free self-templated synthesis of hollow TiO ₂ nanostructures for hydrogen evolution. <i>CrystEngComm</i> , 2012 , 14, 4274	3-3	22
1183	Two-dimensional carbon-coated graphene/metal oxide hybrids for enhanced lithium storage. 2012 , 6, 8349-56		378
1182	General strategy for one-pot synthesis of metal sulfide hollow spheres with enhanced photocatalytic activity. 2012 , 125, 180-188		69
1181	Solution route to SnO ₂ crystals with controllable morphology. 2012 , 258, 1958-1963		12
1180	Hydrothermal derived Li ₂ SnO ₃ /C composite as negative electrode materials for lithium-ion batteries. 2012 , 258, 6923-6929		31
1179	Synthesis and properties of Li ₂ SnO ₃ /polyaniline nanocomposites as negative electrode material for lithium-ion batteries. 2012 , 258, 9896-9901		37
1178	A rapid solvothermal synthesis of cerium oxide hollow spheres and characterization. 2012 , 194, 43-47		7
1177	Preparation and characteristics of core-shell F-doped Fe ₂ O ₃ hollow microspheres. 2012 , 88, 164-167		7
1176	WO ₃ hollow nanospheres for high-lithium storage capacity and good cyclability. 2012 , 1, 503-508		75
1175	Template-free synthesis of LaPO ₄ :Eu ³⁺ hollow spheres with enhanced luminescent properties. <i>Journal of Alloys and Compounds</i> , 2012 , 532, 72-77	5-7	22
1174	Fe ₂ O ₃ and Fe ₃ O ₄ magnetic hierarchically nanostructured hollow microspheres: preparation, formation mechanism, magnetic property, and application in water treatment. 2012 , 385, 58-65		46
1173	Non-aqueous electrodeposition of porous tin-based film as an anode for lithium-ion battery. <i>Journal of Power Sources</i> , 2012 , 214, 200-207	8.9	64
1172	New easy way preparation of core/shell structured SnO ₂ @carbon spheres and application for lithium-ion batteries. <i>Journal of Power Sources</i> , 2012 , 216, 475-481	8.9	35
1171	Synthesis of ZnSnO ₃ mesocrystals from regular cube-like to sheet-like structures and their comparative electrochemical properties in Li-ion batteries. 2012 , 22, 25373		84
1170	Nanocomposite SnO ₂ /Be thin film as anode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2012 , 216, 117-123	8.9	11

1169	Size- and morphology-controlled biomimetic synthesis of hierarchical hollow BaCO ₃ . <i>CrystEngComm</i> , 2012 , 14, 8554	3.3	12
1168	Porous Electrode Materials for Lithium-Ion Batteries [How to Prepare Them and What Makes Them Special. 2012 , 2, 1056-1085		523
1167	Confining Sulfur in Double-Shelled Hollow Carbon Spheres for Lithium-Sulfur Batteries. 2012 , 124, 9730-9733		261
1166	Confining sulfur in double-shelled hollow carbon spheres for lithium-sulfur batteries. 2012 , 51, 9592-5		625
1165	Facile synthesis of hollow Cu ₂ O octahedral and spherical nanocrystals and their morphology-dependent photocatalytic properties. 2012 , 7, 276		70
1164	Facile synthesis of SrCO ₃ nanostructures in methanol/water solution without additives. 2012 , 7, 305		7
1163	Revealing the mechanisms behind SnO ₂ nanoparticle formation and growth during hydrothermal synthesis: an in situ total scattering study. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6785-92	16.4	150
1162	Template-free synthesis of mesoporous NaTbF ₄ and NaTbF ₄ :Eu nano-rice and their luminescence properties. <i>CrystEngComm</i> , 2012 , 14, 2251	3.3	9
1161	Controlled synthesis of orange-like LnBO ₃ :Eu ³⁺ (Ln = Y, Tb) mesocrystals via a facile organic additive-free hydrothermal route. <i>CrystEngComm</i> , 2012 , 14, 2899	3.3	16
1160	Biomimetic Sn-based multiphase nanostructures for Li-ion battery electrodes. <i>Nanoscale</i> , 2012 , 4, 4694-701	7.7	28
1159	Functionalization of graphene: covalent and non-covalent approaches, derivatives and applications. <i>Chemical Reviews</i> , 2012 , 112, 6156-214	68.1	3041
1158	Oxide Nanostructures for Energy Storage. <i>Springer Series in Materials Science</i> , 2012 , 269-302	0.9	4
1157	One-step vapor-solid reaction growth of Sn@C core-shell nanowires as an anode material for Li-ion batteries. 2012 , 22, 21533		47
1156	Template synthesis of Cu ₂ Se nanoboxes and their gas sensing properties. <i>CrystEngComm</i> , 2012 , 14, 3528	3.3	30
1155	Large-scale selective preparation of porous SnO ₂ 3D architectures and their gas-sensing property. <i>CrystEngComm</i> , 2012 , 14, 3283	3.3	48
1154	A facile and green approach for the controlled synthesis of porous SnO ₂ nanospheres: application as an efficient photocatalyst and an excellent gas sensing material. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 6252-60	9.5	125
1153	Enhanced anode performances of polyaniline-TiO ₂ -reduced graphene oxide nanocomposites for lithium ion batteries. 2012 , 51, 9544-51		77
1152	Synthesis of hierarchical Ag ₂ ZnGeO ₄ hollow spheres for enhanced photocatalytic property. 2012 , 48, 9894-6		30

1151	SnO ₂ and TiO ₂ nanosheets for lithium-ion batteries. 2012 , 15, 246-254		140
1150	Enhanced ethanol sensing properties of Zn-doped SnO ₂ porous hollow microspheres. 2012 , 261, 890-895		47
1149	Synthesis of hollow spherical TiO ₂ for dye-sensitized solar cells with enhanced performance. 2012 , 263, 816-820		28
1148	Controllable synthesis and photocatalytic property of uniform CuO/Cu ₂ O composite hollow microspheres. 2012 , 230, 48-53		45
1147	Controlled synthesis and optical properties of doughnut-aggregated hollow sphere-like CuS. 2012 , 38, 6659-6664		14
1146	Sodium chloride template synthesis of cubic tin dioxide hollow particles for lithium ion battery applications. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 1537-42	9.5	67
1145	Co ₃ S ₄ hollow nanospheres grown on graphene as advanced electrode materials for supercapacitors. 2012 , 22, 21387		262
1144	Polyvinylpyrrolidone-assisted ultrasonic synthesis of SnO nanosheets and their use as conformal templates for tin dioxide nanostructures. 2012 , 28, 10597-601		36
1143	A facile hydrazine-assisted hydrothermal method for the deposition of monodisperse SnO ₂ nanoparticles onto graphene for lithium ion batteries. 2012 , 22, 2520-2525		113
1142	Cobalt(II,III) oxide hollow structures: fabrication, properties and applications. 2012 , 22, 23310		142
1141	Hollow Sn-SnO(2) nanocrystal/graphite composites and their lithium storage properties. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 3459-64	9.5	44
1140	Controlled synthesis and magnetically separable photocatalytic properties of magnetic iron oxides@SnO ₂ yolk-shell nanocapsules. 2012 , 22, 13380		20
1139	Binder strategy towards improving the rate performance of nanosheet-assembled SnO ₂ hollow microspheres. 2012 , 2, 11737		25
1138	Fe ₂ O ₃ -mediated growth and carbon nanocoating of ultrafine SnO ₂ nanorods as anode materials for Li-ion batteries. 2012 , 22, 2526-2531		46
1137	Nanoscaled tin dioxide films processed from organotin-based hybrid materials: an organometallic route toward metal oxide gas sensors. <i>Nanoscale</i> , 2012 , 4, 6806-13	7.7	38
1136	Synthesis of phase-pure SnO ₂ nanosheets with different organized structures and their lithium storage properties. <i>CrystEngComm</i> , 2012 , 14, 5133	3.3	48
1135	Synthetic Architecture of Multiple Core-shell and Yolk-shell Structures of (Cu ₂ ) _n Cu ₂ O (n = 1-4) with Centricity and Eccentricity. 2012 , 24, 1917-1929		78
1134	Fillers, Microspheres, and Microcapsules. 2012 , 1		

1133	Spinel ZnMn ₂ O ₄ nanoplate assemblies fabricated via escape-by-crafty-scheme strategy. 2012 , 22, 13328		134
1132	Controlled synthesis of double-shelled CeO ₂ hollow spheres and enzyme-free electrochemical bio-sensing properties for uric acid. 2012 , 22, 17079		34
1131	Improving the Performance of High Capacity Li-Ion Anode Materials by Lithium Titanate Surface Coating. 2012 , 24, 3329-3334		36
1130	Mesoporous SnO ₂ @carbon core-shell nanostructures with superior electrochemical performance for lithium ion batteries. 2012 , 23, 035402		42
1129	Electrostatic spray deposition of porous SnO ₂ /graphene anode films and their enhanced lithium-storage properties. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 6216-20	9-5	90
1128	Formation of FeMoO ₄ hollow microspheres via a chemical conversion-induced Ostwald ripening process. <i>CrystEngComm</i> , 2012 , 14, 7025	3-3	30
1127	Superior long-term cycling stability of SnO ₂ nanoparticle/multiwalled carbon nanotube heterostructured electrodes for Li-ion rechargeable batteries. 2012 , 23, 465402		21
1126	Hydrothermal route to twinned-hemisphere-like CuO architectures with selective adsorption performance. <i>CrystEngComm</i> , 2012 , 14, 3677	3-3	23
1125	Plate-like SnS ₂ nanostructures: Hydrothermal preparation, growth mechanism and excellent electrochemical properties. <i>CrystEngComm</i> , 2012 , 14, 832-836	3-3	77
1124	CoO octahedral nanocages for high-performance lithium ion batteries. 2012 , 48, 4878-80		119
1123	Metal-organic frameworks: Promising materials for enhancing electrochemical properties of nanostructured Zn ₂ SnO ₄ anode in Li-ion batteries. <i>CrystEngComm</i> , 2012 , 14, 2112	3-3	53
1122	Fine control of titania deposition to prepare C@TiO ₂ composites and TiO ₂ hollow particles for photocatalysis and lithium-ion battery applications. 2012 , 22, 22135		56
1121	Fe ₃ O ₄ nanobelts: one-pot and template-free synthesis, magnetic property, and application for lithium storage. 2012 , 23, 395601		18
1120	Morphology and Properties of Microcapsules with Different Core Releases. 2012 , 24, 1245-1254		44
1119	Enhanced energy storage and rate performance induced by dense nanocavities inside MnWO ₄ nanobars. 2012 , 2, 6748		26
1118	Functional Metal Oxide Nanostructures. <i>Springer Series in Materials Science</i> , 2012 ,	0-9	20
1117	Facile and rapid synthesis of RGO-In ₂ S ₃ composites with enhanced cyclability and high capacity for lithium storage. <i>Nanoscale</i> , 2012 , 4, 7354-7	7-7	49
1116	Magnetic spherical cores partly coated with periodic mesoporous organosilica single crystals. <i>Nanoscale</i> , 2012 , 4, 1647-51	7-7	25

1115	Efficient 3D conducting networks built by graphene sheets and carbon nanoparticles for high-performance silicon anode. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2824-8	9.5	133
1114	Synthesis of organic/inorganic hybrids by miniemulsion polymerization and their application for electrochemical energy storage. <i>Energy and Environmental Science</i> , 2012 , 5, 7025	35.4	29
1113	Carbon-coated SnO ₂ @C with hierarchically porous structures and graphite layers inside for a high-performance lithium-ion battery. 2012 , 22, 2766-2773		117
1112	Ultrathin SnO ₂ Nanosheets: Oriented Attachment Mechanism, Nonstoichiometric Defects, and Enhanced Lithium-Ion Battery Performances. 2012 , 116, 4000-4011		292
1111	Hierarchically Porous CuO Hollow Spheres Fabricated via a One-Pot Template-Free Method for High-Performance Gas Sensors. 2012 , 116, 11994-12000		151
1110	Synthesis of micro-sized SnO ₂ @carbon hollow spheres with enhanced lithium storage properties. <i>Nanoscale</i> , 2012 , 4, 3651-4	7.7	60
1109	Fe ₂ O ₃ hollow structures: formation of single crystalline thin shells. 2012 , 48, 6529-31		49
1108	PbS/PbSe Hollow Spheres: Solvothermal Synthesis, Growth Mechanism, and Thermoelectric Transport Property. 2012 , 116, 16207-16216		25
1107	Nanostructured SnO ₂ -ZnO heterojunction photocatalysts showing enhanced photocatalytic activity for the degradation of organic dyes. 2012 , 51, 7764-73		415
1106	Tin Oxide with Controlled Morphology and Crystallinity by Atomic Layer Deposition onto Graphene Nanosheets for Enhanced Lithium Storage. 2012 , 22, 1647-1654		359
1105	Monodisperse Hollow Supraparticles via Selective Oxidation. 2012 , 22, 2585-2593		46
1104	Synthesis of Prussian Blue Nanoparticles with a Hollow Interior by Controlled Chemical Etching. 2012 , 124, 1008-1012		85
1103	Unusual Formation of Single-Crystal Manganese Sulfide Microboxes Co-mediated by the Cubic Crystal Structure and Shape. 2012 , 124, 7379-7382		24
1102	Unusual formation of single-crystal manganese sulfide microboxes co-mediated by the cubic crystal structure and shape. 2012 , 51, 7267-70		87
1101	High-performance lithium-ion anodes with hierarchically assembled single-crystal SnO ₂ nanoflake spheres. 2012 , 7, 2381-5		10
1100	One-step synthesis of SnO ₂ and TiO ₂ hollow nanostructures with various shapes and their enhanced lithium storage properties. 2012 , 18, 7561-7		66
1099	Improved lithium cyclability and storage in mesoporous SnO ₂ electronically wired with very low concentrations (1 %) of reduced graphene oxide. 2012 , 18, 4489-94		55
1098	SnO ₂ hollow spheres: Polymer bead-templated hydrothermal synthesis and their electrochemical properties for lithium storage. 2012 , 55, 1314-1318		30

1097	Carbon-coated SnO ₂ /graphene nanosheets as highly reversible anode materials for lithium ion batteries. <i>Carbon</i> , 2012 , 50, 1897-1903	10.4	262
1096	A general method for the synthesis of monodisperse hollow inorganic-organic hybrid microspheres with interior functionalized poly(methacrylic acid) shells. 2012 , 369, 144-53		31
1095	Facile method for synthesis of hollow porous magnetic microspheres with controllable structure. 2012 , 375, 70-7		16
1094	Preparation and electrochemical performance of SnO ₂ @carbon nanotube core-shell structure composites as anode material for lithium-ion batteries. 2012 , 59, 160-167		122
1093	Anodization process of Sn in oxalic acid at low applied voltages. 2012 , 59, 441-448		15
1092	Electrochemical properties of SnO ₂ thin-film anodes improved by introduction of Cu intermediate and LiF coating layers. 2012 , 60, 7-12		11
1091	Electrochemical behaviors of porous SnO ₂ /Sn/C composites derived from pyrolysis of SnO ₂ /poly(vinylidene fluoride). 2012 , 66, 204-209		79
1090	Preparation and electrochemical properties of surface-charge-modified Zn ₂ SnO ₄ nanoparticles as anodes for lithium-ion batteries. 2012 , 76, 192-200		44
1089	Synergies of the crystallinity and conductive agents on the electrochemical properties of the hollow Fe ₃ O ₄ spheres. 2012 , 76, 495-503		33
1088	Sn-based Chalcogenide Composite as a High-Capacity Anode Material for Lithium Rechargeable Batteries. 2012 , 95, 2272-2276		7
1087	Synthesis of novel pompon-like porous SnO ₂ and its application in lithium-ion battery. 2012 , 66, 193-195		26
1086	Synthesis of porous SnO ₂ nanospheres and their application for lithium-ion battery. 2012 , 68, 469-471		35
1085	Synthesis and properties of carbon-doped Li ₂ SnO ₃ nanocomposite as cathode material for lithium-ion batteries. 2012 , 71, 66-69		26
1084	Synthesis of monodisperse single crystal Zn ₂ SnO ₄ cubes with high lithium storage capacity. 2012 , 76, 66-68		40
1083	Fabrication of hierarchical hollow MoO ₂ microspheres constructed from small spheres. 2012 , 79, 148-151		11
1082	Facile synthesis of porous LiMn ₂ O ₄ spheres as positive electrode for high-power lithium ion batteries. <i>Journal of Power Sources</i> , 2012 , 198, 251-257	8.9	106
1081	A green chemical approach to the synthesis of photoluminescent ZnO hollow spheres with enhanced photocatalytic properties. 2012 , 186, 17-22		56
1080	Microwave-assisted hydrothermal synthesis of porous SnO ₂ nanotubes and their lithium ion storage properties. 2012 , 190, 104-110		36

1079	One-pot hydrothermal synthesis of CuO/ZnO composite hollow spheres for selective H ₂ S detection. 2012 , 168, 83-89		99
1078	Template-free synthesized hollow NiO/Bi ₂ O ₃ nanospheres with high gas-sensing performance. 2012 , 164, 90-95		70
1077	Highly sensitive and selective trimethylamine sensors using Ru-doped SnO ₂ hollow spheres. 2012 , 166-167, 733-738		60
1076	Structural and electrochemical properties of SnO ₂ /nanocarbon families as lithium-ion battery anodes. 2012 , 14, 111-116		15
1075	Metal oxide hollow nanostructures for lithium-ion batteries. <i>Advanced Materials</i> , 2012 , 24, 1903-11	24	1327
1074	In Situ Generation of Few-Layer Graphene Coatings on SnO ₂ -SiC Core-Shell Nanoparticles for High-Performance Lithium-Ion Storage. 2012 , 2, 95-102		216
1073	Synthesis of Prussian blue nanoparticles with a hollow interior by controlled chemical etching. 2012 , 51, 984-8		335
1072	One-pot synthesis of three-dimensional SnS ₂ architectures as anode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2013 , 239, 89-93	8.9	97
1071	Reconstruction of Conformal Nanoscale MnO on Graphene as a High-Capacity and Long-Life Anode Material for Lithium Ion Batteries. 2013 , 23, 2436-2444		703
1070	Preparation of hollow Zn ₂ SnO ₄ boxes for advanced lithium-ion batteries. 2013 , 3, 14480		59
1069	A new strategy for synthesizing yolk-shell V ₂ O ₅ powders with low melting temperature for high performance Li-ion batteries. <i>Nanoscale</i> , 2013 , 5, 8899-903	7.7	55
1068	Tunable optical stop band of silica shell photonic crystals. 2013 , 67, 565-572		4
1067	2D SnO ₂ nanorod networks templated by garlic skins for lithium ion batteries. 2013 , 48, 1518-1522		14
1066	A simple self-assembly route to single crystalline SnO ₂ nanorod growth by oriented attachment for dye sensitized solar cells. <i>Nanoscale</i> , 2013 , 5, 1188-94	7.7	71
1065	Controlled generation of uniform spherical LaMnO ₃ , LaCoO ₃ , Mn ₂ O ₃ , and Co ₃ O ₄ nanoparticles and their high catalytic performance for carbon monoxide and toluene oxidation. 2013 , 52, 8665-76		101
1064	Controllable synthesis of recyclable core-shell Fe ₂ O ₃ @SnO ₂ hollow nanoparticles with enhanced photocatalytic and gas sensing properties. 2013 , 15, 8228-36		52
1063	Scalable synthesis of Fe ₃ O ₄ nanoparticles anchored on graphene as a high-performance anode for lithium ion batteries. 2013 , 201, 330-337		38
1062	Aerosol assisted synthesis of hierarchical tin/carbon composites and their application as lithium battery anode materials. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 8710	13	47

1061	Facile fabrication and photoluminescence properties of rare-earth-doped Gd ³⁺ /D ³⁺ hollow spheres via a sacrificial template method. 2013 , 42, 11082-91		31
1060	Highly efficient photocatalysis by BiFeO ₃ /P ₁ Fe ₂ O ₃ ferromagnetic nano p/n junctions formed by dopant-induced phase separation. 2013 , 15, 1		27
1059	Assembling metal oxide nanocrystals into dense, hollow, porous nanoparticles for lithium-ion and lithium-oxygen battery application. <i>Nanoscale</i> , 2013 , 5, 10390-6	7.7	39
1058	Solvothermal synthesis of solid and hollow CoO nanospheres and their electrochemical properties in lithium-ion battery. 2013 , 48, 342-347		10
1057	Cu ₂ O microsphere, microspherical composite of Cu ₂ O/Cu nanocrystals and various Cu microcrystals: In situ hydrothermal conversion of Cu-aminodiphosphonate complexes. 2013 , 246, 148-156		15
1056	Hollow-shelled nanoreactors endowed with high catalytic activity. 2013 , 19, 12196-211		108
1055	Preparation of SnO ₂ /graphene from SnS ₂ /graphene oxide for enhanced reversible lithium ion storage. <i>Ionics</i> , 2013 , 19, 1223-1228	2.7	5
1054	Graphene as a high-capacity anode material for lithium ion batteries. 2013 , 28, 220-223		10
1053	One-pot synthesis of hollow octahedral Cu ₂ O nanostructures at room temperature. 2013 , 28, 40-43		1
1052	Engineering nanostructured anodes via electrostatic spray deposition for high performance lithium ion battery application. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 165-182	13	148
1051	Diffusion-controlled evolution of core-shell nanowire arrays into integrated hybrid nanotube arrays for Li-ion batteries. <i>Nanoscale</i> , 2013 , 5, 8105-13	7.7	50
1050	Kinetics-controlled growth of aligned mesocrystalline SnO ₂ nanorod arrays for lithium-ion batteries with superior rate performance. 2013 , 6, 243-252		84
1049	Carbon nanofibers derived from cellulose nanofibers as a long-life anode material for rechargeable sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 10662	13	309
1048	General one-pot template-free hydrothermal method to metal oxide hollow spheres and their photocatalytic activities and lithium storage properties. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 9095-100	9.5	89
1047	Enhanced capability and cyclability of SnO ₂ /graphene oxide hybrid anode by firmly anchored SnO ₂ quantum dots. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 7558	13	79
1046	Highly monodispersed tin oxide/mesoporous starburst carbon composite as high-performance Li-ion battery anode. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 7682-7	9.5	39
1045	Core-shell tin oxide, indium oxide, and indium tin oxide nanoparticles on silicon with tunable dispersion: electrochemical and structural characteristics as a hybrid Li-ion battery anode. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 8195-202	9.5	26
1044	One-pot facile synthesis of Janus-structured SnO ₂ -CuO composite nanorods and their application as anode materials in Li-ion batteries. <i>Nanoscale</i> , 2013 , 5, 4662-8	7.7	49

1043	SnO ₂ -microtube-assembled cloth for fully flexible self-powered photodetector nanosystems. <i>Nanoscale</i> , 2013 , 5, 7831-7	7.7	83
1042	Low temperature and template-free synthesis of hollow hydroxy zinc phosphate nanospheres and their application in drug delivery. 2013 , 29, 12275-83		23
1041	Template-free solvothermal fabrication of hierarchical TiO ₂ hollow microspheres for efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 13274	13	40
1040	The fast filling of nano-SnO ₂ in CNTs by vacuum absorption: a new approach to realize cyclic durable anodes for lithium ion batteries. <i>Nanoscale</i> , 2013 , 5, 11971-9	7.7	79
1039	Porous iron molybdate nanorods: in situ diffusion synthesis and low-temperature H ₂ S gas sensing. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 3267-74	9.5	70
1038	Synthesis of mesoporous hollow silica nanospheres using polymeric micelles as template and their application as a drug-delivery carrier. 2013 , 42, 13381-9		62
1037	Surface-metastable phase-initiated seeding and ostwald ripening: a facile fluorine-free process towards spherical fluffy core/shell, yolk/shell, and hollow anatase nanostructures. 2013 , 52, 10986-91		90
1036	PEG-200-assisted hydrothermal method for the controlled-synthesis of highly dispersed hollow Fe ₃ O ₄ nanoparticles. <i>Journal of Alloys and Compounds</i> , 2013 , 574, 340-344	5.7	31
1035	Enhanced performance of SiO/Fe ₂ O ₃ composite as an anode for rechargeable Li-ion batteries. 2013 , 28, 79-82		54
1034	SnO ₂ composite anode for Li secondary battery synthesized by an electrodeposition technique using organic carbonate electrolyte. <i>Journal of Power Sources</i> , 2013 , 242, 527-532	8.9	12
1033	Nickel dichalcogenide hollow spheres: controllable fabrication, structural modification, and magnetic properties. 2013 , 19, 15467-71		20
1032	A hollow nanogold/meso-magnetite composite: pulsed laser synthesis, properties, and biosensing application. 2013 , 15, 1		
1031	Synthesis and characterization of cage-like core-shell structured TiO ₂ hollow microspheres. 2013 , 106, 348-351		7
1030	Tin dioxide nanoparticles impregnated in graphite oxide for improved lithium storage and cyclability in secondary ion batteries. 2013 , 113, 149-155		27
1029	Facile synthesis of ultrafine carbon-coated SnO ₂ nanoparticles for high-performance reversible lithium storage. <i>Journal of Power Sources</i> , 2013 , 243, 54-59	8.9	21
1028	Facile and economical synthesis of large hollow ferrites and their applications in adsorption for As(V) and Cr(VI). <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 10081-9	9.5	55
1027	Electrospun porous LiNb ₃ O ₈ nanofibers with enhanced lithium-storage properties. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 15053	13	34
1026	Photocatalytic degradation of organic dyes with hierarchical Bi ₂ O ₂ CO ₃ microstructures under visible-light. <i>CrystEngComm</i> , 2013 , 15, 231-240	3.3	110

1025	Fabrication and Characterization of SnO ₂ /Graphene Composites as High Capacity Anodes for Li-Ion Batteries. <i>Nanomaterials</i> , 2013 , 3, 606-614	5.4	29
1024	One-step approach to novel Bi ₄ V ₂ O ₁₁ hierarchical hollow microspheres with high visible-light-driven photocatalytic activities. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 877-883	13	43
1023	Analysis on development of magnetite hollow spheres through one-pot solvothermal process. 2013 , 59, 3594-3600		14
1022	Metal oxide hollow nanostructures: Fabrication and Li storage performance. <i>Journal of Power Sources</i> , 2013 , 238, 376-387	8.9	163
1021	A visible light photoelectrochemical sensor for tumor marker detection using tin dioxide quantum dot-graphene as labels. 2013 , 138, 7112-8		19
1020	LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ hollow nano-micro hierarchical microspheres with enhanced performances as cathodes for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11848	13	97
1019	Amorphous CoSnO ₃ @C nanoboxes with superior lithium storage capability. <i>Energy and Environmental Science</i> , 2013 , 6, 87-91	35.4	300
1018	Hollow structured Li ₃ VO ₄ wrapped with graphene nanosheets in situ prepared by a one-pot template-free method as an anode for lithium-ion batteries. 2013 , 13, 4715-20		270
1017	Fe ₃ O ₄ /pyrolytic graphite oxide composite as an anode material for lithium secondary batteries. 2013 , 90, 426-432		59
1016	Formation of CdMoO ₄ porous hollow nanospheres via a self-assembly accompanied with Ostwald ripening process and their photocatalytic performance. <i>CrystEngComm</i> , 2013 , 15, 8014	3.3	37
1015	Formation of bundle-shaped NaYF ₄ upconversion microtubes via Ostwald ripening. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 9732-9	9.5	79
1014	A chemical bottom-up and successive top-down approach for nanoporous SnO ₂ hollows from Ni ₃ Sn ₂ nanoalloys: high surface area photocatalysts and anode materials for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 8609	13	14
1013	Bio-inspired synthesis of titania with polyamine induced morphology and phase transformation at room-temperature: insight into the role of the protonated amino group. 2013 , 42, 12179-84		15
1012	Elucidating a twin-dependent chemical activity of hierarchical copper sulfide nanocages. 2013 , 15, 15964-70		19
1011	Botryoidal hollow Zn ₂ SnO ₄ boxes@graphene as anode materials for advanced lithium-ion batteries. 2013 , 3, 23489		30
1010	Facile fabrication and some specific properties of polymeric/inorganic bilayer hybrid hollow spheres. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 2183-2191	13	27
1009	Hydrothermal synthesis of SnO ₂ and SnO ₂ @C nanorods and their application as anode materials in lithium-ion batteries. 2013 , 3, 17281		22
1008	Self-assembled micro/nano-structured Zn ₂ GeO ₄ hollow spheres: direct synthesis and enhanced photocatalytic activity. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 10622	13	21

1007	One-pot synthesis of ZnS hollow spheres via a low-temperature, template-free hydrothermal route. <i>CrystEngComm</i> , 2013 , 15, 1571	3.3	35
1006	Fabrication of 3D hexagonal bottle-like Si/SnO ₂ core-shell nanorod arrays as anode material in on chip micro-lithium-ion-batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 7896	13	40
1005	Construction of monodisperse vanadium pentoxide hollow spheres via a facile route and triethylamine sensing property. <i>CrystEngComm</i> , 2013 , 15, 10123	3.3	113
1004	One-pot galvanic formation of ultrathin-shell Sn/CoO(x) nanohollows as high performance anode materials in lithium ion batteries. 2013 , 49, 5981-3		5
1003	Janus micro-reactors. 2013 , 49, 6161-3		22
1002	Wet milled synthesis of an Sb/MWCNT nanocomposite for improved sodium storage. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 13727	13	169
1001	SnO ₂ @Si core-shell nanowire arrays on carbon cloth as a flexible anode for Li ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 13433	13	69
1000	Synthesis of SnO ₂ nano hollow spheres and their size effects in lithium ion battery anode application. <i>Journal of Power Sources</i> , 2013 , 225, 108-112	8.9	100
999	High-performance Sn@carbon nanocomposite anode for lithium batteries. <i>Journal of Power Sources</i> , 2013 , 226, 241-248	8.9	76
998	Interfacial oxidation/dehydration induced formation of porous SnO ₂ hollow nanospheres and their gas sensing properties. 2013 , 177, 196-204		40
997	Synthesis and gas sensing properties of hierarchical SnO ₂ nanostructures. 2013 , 187, 301-307		87
996	Morphology-controllable synthesis of MnO ₂ hollow nanospheres and their supercapacitive performance. 2013 , 37, 722		58
995	Simple fabrication of a Fe ₂ O ₃ /carbon composite for use in a high-performance lithium ion battery. <i>Carbon</i> , 2013 , 52, 565-573	10.4	112
994	Synthesis and structural evolution of hollow flower-type mesoporous silica microspheres. 2013 , 48, 2268-2276	5	
993	Facile synthesis of sulfur coated SnO ₂ /graphene nanocomposites for enhanced lithium ion storage. 2013 , 91, 323-329		47
992	Nanosize SnO ₂ confined in the porous shells of carbon cages for kinetically efficient and long-term lithium storage. <i>Nanoscale</i> , 2013 , 5, 1576-82	7.7	68
991	Template-free synthesis of hierarchical vanadium-glycolate hollow microspheres and their conversion to V ₂ O ₅ with improved lithium storage capability. 2013 , 19, 494-500		85
990	Preparation of porous SnO ₂ helical nanotubes and SnO ₂ sheets. 2013 , 140, 249-254		11

989	SnO ₂ nanoparticles confined in a graphene framework for advanced anode materials. <i>Journal of Power Sources</i> , 2013 , 240, 683-690	8.9	49
988	A comparative study of electrochemical performance of graphene sheets, expanded graphite and natural graphite as anode materials for lithium-ion batteries. 2013 , 107, 555-561		69
987	Template-free synthesis and gas-sensing properties of hierarchical Fe ₂ O ₃ hollow urchin-like spheres. 2013 , 107, 228-230		13
986	Electrochemical performance of SnO ₂ /Fe ₂ O ₃ hollow spheres prepared by solid acid template method. 2013 , 109, 454-460		9
985	Rapid selective detection of formaldehyde by hollow ZnSnO ₃ nanocages. 2013 , 48, 46-52		20
984	SnO ₂ /MnO ₂ /SnO ₂ sandwich-structured nanotubes as high-performance anodes of lithium ion battery. 2013 , 105, 169-172		24
983	Facile synthesis of layered Zn ₂ SnO ₄ /graphene nanohybrid by a one-pot route and its application as high-performance anode for Li-ion batteries. <i>Journal of Power Sources</i> , 2013 , 229, 6-11	8.9	56
982	One-pot synthesis of SnO ₂ /reduced graphene oxide nanocomposite in ionic liquid-based solution and its application for lithium ion batteries. 2013 , 48, 4112-4117		23
981	Hydrothermal synthesis of SnO ₂ nanorods: Morphology dependence, growth mechanism and surface properties. 2013 , 48, 4118-4124		23
980	Phase transformation of hierarchical nanobranch structure from SnO to SnO ₂ and its electrochemical capacitance. <i>Journal of Alloys and Compounds</i> , 2013 , 551, 451-455	5.7	16
979	The preparation of double-void-space SnO ₂ /carbon composite as high-capacity anode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , 2013 , 238, 464-468	8.9	22
978	Hollow, porous, and yttrium functionalized ZnO nanospheres with enhanced gas-sensing performances. 2013 , 178, 53-62		72
977	Persistent cycle stability of carbon coated Zn ₉ Sn metal oxide/carbon microspheres as highly reversible anode material for lithium-ion batteries. 2013 , 111, 627-634		13
976	Flexible SnS nanobelts: Facile synthesis, formation mechanism and application in Li-ion batteries. 2013 , 6, 55-64		122
975	Synthesis and electrochemical performance of reduced graphene oxide/maghemite composite anode for lithium ion batteries. <i>Carbon</i> , 2013 , 52, 56-64	10.4	128
974	New electrode materials for lithium-ion batteries (Review). 2013 , 49, 1-25		44
973	Preparation of 3D flower-like NiO hierarchical architectures and their electrochemical properties in lithium-ion batteries. 2013 , 90, 80-89		82
972	The preparation of uniform SnO ₂ nanotubes with a mesoporous shell for lithium storage. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 2995	13	62

971	Synthesis and characterization of graphene nanosheets attached to spiky MnO ₂ nanospheres and its application in ultrasensitive immunoassay. <i>Carbon</i> , 2013 , 57, 22-33	10.4	60
970	Fluorinated Eu-Doped SnO ₂ Nanostructures with Simultaneous Phase and Shape Control and Improved Photoluminescence. 2013 , 30, 332-337		8
969	SnO ₂ -based nanomaterials: synthesis and application in lithium-ion batteries. <i>Small</i> , 2013 , 9, 1877-93	11	651
968	Assembly of the anisotropic microcapsules in aqueous dispersions. 2013 , 9, 3651		8
967	Homogenous incorporation of SnO ₂ nanoparticles in carbon cryogels via the thermal decomposition of stannous sulfate and their enhanced lithium-ion intercalation properties. 2013 , 2, 769-778		49
966	Facile Aerosol Route to Hollow CuO Spheres and its Superior Performance as an Oxidizer in Nanoenergetic Gas Generators. 2013 , 23, 1341-1346		75
965	Hierarchical tubular structures constructed by carbon-coated SnO(2) nanoplates for highly reversible lithium storage. <i>Advanced Materials</i> , 2013 , 25, 2589-93	24	286
964	Facile preparation of ordered porous graphene-metal oxide@C binder-free electrodes with high Li storage performance. <i>Small</i> , 2013 , 9, 3390-7	11	61
963	Conversion of ternary Zn ₂ SnO ₄ octahedrons into binary mesoporous SnO ₂ and hollow SnS ₂ hierarchical octahedrons by template-mediated selective complex extraction. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 5217	13	26
962	Ordered mesoporous SnO ₂ with a highly crystalline state as an anode material for lithium ion batteries with enhanced electrochemical performance. <i>CrystEngComm</i> , 2013 , 15, 3696	3-3	49
961	A SnO ₂ @carbon nanocluster anode material with superior cyclability and rate capability for lithium-ion batteries. <i>Nanoscale</i> , 2013 , 5, 3298-305	7-7	120
960	Uniform magnesium silicate hollow spheres as high drug-loading nanocarriers for cancer therapy with low systemic toxicity. 2013 , 42, 8918-25		30
959	Facile carbonaceous microsphere templated synthesis of Co ₃ O ₄ hollow spheres and their electrochemical performance in supercapacitors. 2013 , 6, 87-98		81
958	One-pot facile synthesis of double-shelled SnO ₂ /yolk-shell-structured powders by continuous process as anode materials for Li-ion batteries. <i>Advanced Materials</i> , 2013 , 25, 2279-83, 2250	24	357
957	Pearson's principle inspired generalized strategy for the fabrication of metal hydroxide and oxide nanocages. <i>Journal of the American Chemical Society</i> , 2013 , 135, 16082-91	16.4	232
956	Polymeric Hollow Particles for Encapsulation of Chemical Molecules. 2013 , 291-345		2
955	Monodisperse CuO Hard and Hollow Nanospheres as Visible-Light Photocatalysts. 2013 , 2013, 1358-1362		31
954	Morphology-controlled synthesis of SnO ₂ nanostructures using hydrothermal method and their photocatalytic applications. 2013 , 39, 8311-8317		77

953	Hydrothermal synthesis of flowerlike SnO ₂ nanorod bundles and their application for lithium ion battery. 2013 , 76, 1-5		23
952	Synthesis of SnO ₂ single-layered hollow microspheres and flowerlike nanospheres through a facile template-free hydrothermal method. 2013 , 95, 67-69		19
951	One-pot synthesis of yolk-shell materials with single, binary, ternary, quaternary, and quinary systems. <i>Small</i> , 2013 , 9, 2224-7	11	51
950	Designed synthesis of LiMn ₂ O ₄ microspheres with adjustable hollow structures for lithium-ion battery applications. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 837-842	13	50
949	Controlled synthesis of ytterbium ion and erbium ion codoped gadolinium oxyfluoride hollow nanosphere with upconversion luminescence property. 2013 , 28, 848-855		5
948	Reversible storage of Li-ion in nano-Si/SnO ₂ core-shell nanostructured electrode. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3733	13	33
947	Template-Assisted Formation of Rattle-type V ₂ O ₅ Hollow Microspheres with Enhanced Lithium Storage Properties. 2013 , 23, 5669-5674		140
946	Uniform V ₂ O ₅ nanosheet-assembled hollow microflowers with excellent lithium storage properties. <i>Energy and Environmental Science</i> , 2013 , 6, 1476	35-4	239
945	A new carbonaceous material derived from biomass source peels as an improved anode for lithium ion batteries. 2013 , 100, 181-185		63
944	Hydrothermal Growth of Tailored SnO ₂ Nanocrystals. 2013 , 13, 1685-1693		30
943	Recent advances in IV-VI semiconductor nanocrystals: synthesis, mechanism, and applications. 2013 , 3, 8104		62
942	Rational design of anode materials based on Group IVA elements (Si, Ge, and Sn) for lithium-ion batteries. 2013 , 8, 1948-58		163
941	SnO ₂ /graphene composites with self-assembled alternating oxide and amine layers for high Li-storage and excellent stability. <i>Advanced Materials</i> , 2013 , 25, 3307-12	24	170
940	A dual-template imprinted capsule with remarkably enhanced catalytic activity for pesticide degradation and elimination simultaneously. 2013 , 49, 1073-5		60
939	Assembled hollow and core-shell SnO ₂ microspheres as anode materials for Li-ion batteries. 2013 , 93, 243-246		20
938	Hierarchically porous metastable Ag ₂ WO ₄ hollow nanospheres: controlled synthesis and high photocatalytic activity. 2013 , 24, 165602		67
937	Self-supported construction of uniform Fe ₃ O ₄ hollow microspheres from nanoplate building blocks. 2013 , 52, 4165-8		209
936	Hierarchical hollow TiO ₂ spheres: facile synthesis and improved visible-light photocatalytic activity. 2013 , 42, 8541-4		34

935	Carbon and graphene double protection strategy to improve the SnO(x) electrode performance anodes for lithium-ion batteries. <i>Nanoscale</i> , 2013 , 5, 5499-505	7.7	80
934	Tailored synthesis of mesoporous TiO ₂ hollow nanostructures for catalytic applications. <i>Energy and Environmental Science</i> , 2013 , 6, 2082	35.4	186
933	One-pot synthesis of double-shelled ZnV ₂ O ₄ hollow nanostructures via a template-free route. 2013 , 92, 231-234		6
932	Porous fluorine-doped γ -Fe ₂ O ₃ hollow spheres: synthesis, growth mechanism, and their application in photocatalysis. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 12478-87	9.5	61
931	Tailored design of multiple nanoarchitectures in metal-cyanide hybrid coordination polymers. <i>Journal of the American Chemical Society</i> , 2013 , 135, 384-91	16.4	199
930	Preparation of Li ₂ SnO ₃ and its application in lithium-ion batteries. 2013 , 45, 1297-1303		18
929	Tin Nanoparticles Impregnated in Nitrogen-Doped Graphene for Lithium-Ion Battery Anodes. 2013 , 117, 25367-25373		110
928	Hollow versus nonhollow: The electrochemical preference in a case study of the conversion reaction of Fe ₃ O ₄ . 2013 , 105, 47-52		10
927	Synthesis, crystallinity control, and photocatalysis of nanostructured titanium dioxide shells. 2013 , 28, 362-368		34
926	Revealing bismuth oxide hollow nanoparticle formation by the Kirkendall effect. 2013 , 13, 5715-9		137
925	Resonant tunneling modulation in quasi-2D Cu ₂ O/SnO ₂ p-n horizontal-multi-layer heterostructure for room temperature H ₂ S sensor application. 2013 , 3, 1250		51
924	Janus Cages of Bilayered Polymer/Inorganic Composites. 2013 , 46, 4126-4130		29
923	Preparation and Electrochemical Performance of SnO ₂ /C-La _{0.3} Sr _{0.7} MnO ₃ Composites for Li-Ion Anode. 2013 , 833, 56-60		
922	Hollow γ -MnS Spheres and Their Hybrids with Reduced Graphene Oxide: Synthesis, Microwave Absorption, and Lithium Storage Properties. 2013 , 78, 843-851		78
921	Templated synthesis of nanostructured materials. 2013 , 42, 2610-53		699
920	Preparation of polysulfone microspheres with a hollow core/porous shell structure and their application for oil spill cleanup. 2013 , 128, 2994-2999		13
919	Synthesis and Application of Carbon-Based Nanocomposites. 2013 , 345, 172-175		1
918	Recent Progress in Advanced Materials for Lithium Ion Batteries. <i>Materials</i> , 2013 , 6, 156-183	3.5	255

- 917 Synthesis of Sandwich-Like Carbon@SnO₂@Carbon Composite Hollow Microspheres with High Rate Capability and Stability for Lithium-Ion Batteries. **2013**, 467, 172-178
- 916 FACILE TEMPLATE-FREE SYNTHESIS AND APPLICATIONS OF SnO₂ NANOSPHERES IN LITHIUM ION BATTERIES. **2013**, 01, 1340014 2
- 915 In situ synthesis of Zn₂GeO₄ hollow spheres and their enhanced photocatalytic activity for the degradation of antibiotic metronidazole. **2013**, 42, 5092-9 52
- 914 Fluorine-Free Synthesis of Well-Dispersed Hollow TiO₂ Spheres via Ostwald Ripening: Process, Mechanism, and Photocatalytic Performance. **2013**, 96, 1421-1427 17
- 913 SnO₂@tube-in-tube nanostructures: Cu@C nanocable templated synthesis and their mutual interferences between heavy metal ions revealed by stripping voltammetry. *Small*, **2013**, 9, 2233-9 11 28
- 912 SYNTHESIS OF SUB-MICROMETER CARBON SUPPORTED Fe₃O₄ HOLLOW SPHERES WITH ENHANCED LITHIUM STORAGE PROPERTIES. **2013**, 01, 1340018
- 911 Surface-Metastable Phase-Initiated Seeding and Ostwald Ripening: A Facile Fluorine-Free Process towards Spherical Fluffy Core/Shell, Yolk/Shell, and Hollow Anatase Nanostructures. **2013**, 125, 11192-11197 16
- 910 Self-Supported Construction of Uniform Fe₃O₄ Hollow Microspheres from Nanoplate Building Blocks. **2013**, 125, 4259-4262 30
- 909 Fabricating Perovskite BaHfO₃ Hollow Nanospheres through a Mild Reflux Route. **2013**, 42, 148-149 0
- 908 Formation of Sn@C Yolk/Shell Nanospheres and Core/Shell Nanowires for Highly Reversible Lithium Storage. **2013**, 30, 873-880 41
- 907 Stop Flow Lithography Synthesis and Characterization of Structured Microparticles. **2014**, 2014, 1-9 4
- 906 Hybrid CuO/SnO₂ nanocomposites: Towards cost-effective and high performance binder free lithium ion batteries anode materials. **2014**, 105, 143905 47
- 905 3D Hollow Sn@Carbon-Graphene Hybrid Material as Promising Anode for Lithium-Ion Batteries. **2014**, 2014, 1-6 5
- 904 Hydrothermal Synthesis and Hydrogen Sensing Properties of Nanostructured SnO₂ with Different Morphologies. **2014**, 2014, 1-7 7
- 903 Enhanced electrochemical performance of nano-MnO₂ modified by Ni(OH)₂ as electrode material for supercapacitor. **2014**, 18, 3173-3180 15
- 902 The mechanism of the one-step synthesis of hollow-structured Li₃VO₄ as an anode for lithium-ion batteries. **2014**, 20, 5608-12 33
- 901 Multiple ambient hydrolysis deposition of tin oxide into nanoporous carbon to give a stable anode for lithium-ion batteries. **2014**, 20, 7686-91 22
- 900 One-pot method for synthesizing spherical-like metal sulfide-reduced graphene oxide composite powders with superior electrochemical properties for lithium-ion batteries. **2014**, 20, 12183-9 34

899	Structural/Optical Properties and CO Oxidation Activities of SnO ₂ Nanostructures. 2014 , 97, 1303-1310	13
898	Transport Energy [Lithium Ion Batteries. 2014 , 291-309	
897	Solvothermal synthesis and characterization of ceria with solid and hollow spherical and multilayered morphologies. 2014 , 322, 147-154	15
896	Lithium Storage Performance of Hollow and Core/Shell TiO ₂ Microspheres Containing Carbon. 2014 , 22, 1153-1161	5
895	Catalytic self-limited assembly at hard templates: a mesoscale approach to graphene nanoshells for lithium-sulfur batteries. 2014 , 8, 11280-9	156
894	A strategy to synthesize hollow micro/nanospheres with tunable shell thickness. 2014 , 15, 374-81	1
893	Facile fabrication of spherical architecture of Ni/Al layered double hydroxide based on in situ transformation mechanism. 2014 , 60, 4027-4036	5
892	In situ chemical synthesis of SnO ₂ /reduced graphene oxide nanocomposites as anode materials for lithium-ion batteries. 2014 , 29, 617-624	15
891	Synthesis of nanoparticles, nanorods, and mesoporous SnO ₂ as anode materials for lithium-ion batteries. 2014 , 29, 609-616	16
890	TEM for Characterization of Core-Shell Nanomaterials. 2014 , 243-285	
889	Synthesis of Hollow Ba _{0.7} Sr _{0.3} TiO ₃ Nanocubes by Using Molten Hydrated Salt as a Solvent. 2014 , 1004-1005, 46-50	
888	Hollow spherical micro/meso-porous silica structure by nanospherical sacrificial polystyrene templates. 2014 , 33, 401-411	1
887	Growth of SnO ₂ nanosheet arrays on various conductive substrates as integrated electrodes for lithium-ion batteries. 2014 , 1, 133-138	61
886	Increasing the high rate performance of mixed metal phospho-olivine cathodes through collective and cooperative strategies. <i>Journal of Power Sources</i> , 2014 , 247, 273-279	8.9 12
885	Assembly of FeWO ₄ -SnO ₂ core-shell nanorods and their high reversible capacity as lithium-ion battery anodes. 2014 , 118, 45-50	12
884	Self-assembled 3D sphere-like SrMoO ₄ and SrMoO ₄ :Ln ³⁺ (Ln=Eu, Sm, Tb, Dy) microarchitectures: facile sonochemical synthesis and optical properties. 2014 , 21, 1736-44	26
883	Promotional role of B ₂ O ₃ in enhancing hollow SnO ₂ anode performance for Li-ion batteries. <i>Journal of Power Sources</i> , 2014 , 251, 279-286	8.9 17
882	Rapid synthesis of tin oxide decorated carbon nanotube nanocomposites as anode materials for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2014 , 589, 472-478	5.7 21

881	Synthesis, characterization and electrocatalytic activity of SnO ₂ , Pt/SnO ₂ thin films for methanol oxidation. 2014 , 439, 44-48		12
880	Highly stable RuO ₂ /SnO ₂ nanocomposites as anode electrocatalysts in a PEM water electrolysis cell. 2014 , 38, 875-883		29
879	Hierarchical SnO ₂ Nanostructures: Recent Advances in Design, Synthesis, and Applications. 2014 , 26, 123-133		456
878	ZnWO ₄ nanocrystals/reduced graphene oxide hybrids: Synthesis and their application for Li ion batteries. 2014 , 57, 122-126		15
877	Preparation and comparative structural properties of porous SnO ₂ microrods and submicrorods. <i>Ionics</i> , 2014 , 20, 841-848	2.7	3
876	Xiong Wen (David) Lou. 2014 , 53, 3544-3544		1
875	Formation of porous SnO ₂ microboxes via selective leaching for highly reversible lithium storage. <i>Energy and Environmental Science</i> , 2014 , 7, 1013	35.4	210
874	Recent progress in electrode materials produced by spray pyrolysis for next-generation lithium ion batteries. 2014 , 25, 18-31		60
873	Nanomaterials for electrochemical energy storage. 2014 , 9, 323-350		77
872	Synthesis and Characterization of SnO ₂ /polypyrrole Nanocomposites by Hydrothermal Reverse Microemulsion. 2014 , 24, 395-400		8
871	Preparation of magnetite core-titania shell and hollow titania nanoparticles via layer-by-layer (LbL) assembly method. 2014 , 22, 223-226		4
870	Colloidal synthesis and formation mechanism of calcium molybdate notched microspheres. <i>CrystEngComm</i> , 2014 , 16, 2598	3.3	9
869	A general route to hollow mesoporous rare-earth silicate nanospheres as a catalyst support. 2014 , 20, 2344-51		17
868	Cotton-templated fabrication of hierarchical SnO ₂ mesoporous microtubes as the anode material of lithium ion battery. 2014 , 120, 279-282		20
867	Synthesis of complex nanomaterials via Ostwald ripening. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 4843-4851	2.38	238
866	Multi-shelled CeO ₂ hollow microspheres as superior photocatalysts for water oxidation. <i>Nanoscale</i> , 2014 , 6, 4072-7	7.7	226
865	Fabrication of MoS ₂ nanosheet@TiO ₂ nanotube hybrid nanostructures for lithium storage. <i>Nanoscale</i> , 2014 , 6, 5245-50	7.7	145
864	Facile synthesis of urchin-like NiCo ₂ O ₄ hollow microspheres with enhanced electrochemical properties in energy and environmentally related applications. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 3689-95	9.5	185

863	Controlled synthesis of tin dioxide nanostructures via two simple methods and the influence on dye sensitized solar cell. 2014 , 129, 62-68		15
862	Amorphous RuO ₂ coated on carbon spheres as excellent electrode materials for supercapacitors. 2014 , 4, 6927		49
861	TiO ₂ nanotube @ SnO ₂ nanoflake core-shell arrays for lithium-ion battery anode. 2014 , 4, 105-112		151
860	Iron-Oxide-Based Advanced Anode Materials for Lithium-Ion Batteries. 2014 , 4, 1300958		432
859	Preparation of ZnO hollow spheres with different surface roughness and their enhanced gas sensing property. 2014 , 197, 58-65		61
858	One-step template-free fabrication of mesoporous ZnO/TiO ₂ hollow microspheres with enhanced photocatalytic activity. 2014 , 307, 263-271		67
857	Giant dielectric response and enhanced thermal stability of multiferroic BiFeO ₃ . <i>Journal of Alloys and Compounds</i> , 2014 , 600, 118-124	5-7	17
856	Homogeneous SnO ₂ core-shell microspheres: Microwave-assisted hydrothermal synthesis, morphology control and photocatalytic properties. 2014 , 50, 191-196		11
855	Li ₃ V ₂ (PO ₄) ₃ cathode materials for lithium-ion batteries: A review. <i>Journal of Power Sources</i> , 2014 , 258, 19-38	8.9	241
854	Template-Free Fabrication of Mesoporous Hollow ZnMn ₂ O ₄ Sub-microspheres with Enhanced Lithium Storage Capability towards High-Performance Li-Ion Batteries. 2014 , 31, 657-663		63
853	Electrodes engineering of high power, long life and excellent cycling stability for rechargeable lithium batteries. 2014 , 3, 16-25		16
852	Synthesis of MnO ₂ nanomaterials with controllable porosity and thickness for enhanced lithium-ion batteries performance. <i>Nanoscale</i> , 2014 , 6, 1725-31	7-7	88
851	High-purity iron pyrite (FeS ₂) nanowires as high-capacity nanostructured cathodes for lithium-ion batteries. <i>Nanoscale</i> , 2014 , 6, 2112-8	7-7	129
850	Encapsulation of SnO ₂ nanoparticles into hollow TiO ₂ nanowires as high performance anode materials for lithium ion batteries. <i>Journal of Power Sources</i> , 2014 , 253, 9-16	8.9	55
849	Graphene double protection strategy to improve the SnO ₂ electrode performance anodes for lithium-ion batteries. 2014 , 3, 80-87		127
848	Transmission Electron Microscopy Characterization of Nanomaterials. 2014 ,		30
847	Synthesis and performance of apple-like tin oxide as anode for Li-ion batteries. 2014 , 262, 61-65		5
846	Iron fluoride with excellent cycle performance synthesized by solvothermal method as cathodes for lithium ion batteries. <i>Journal of Power Sources</i> , 2014 , 251, 75-84	8.9	52

845	Hierarchical orthorhombic V ₂ O ₅ hollow nanospheres as high performance cathode materials for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11185	13	132
844	Integration of Sn/C yolk-shell nanostructures into free-standing conductive networks as hierarchical composite 3D electrodes and the Li-ion insertion/extraction properties in a gel-type lithium-ion battery thereof. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 19122-19130	13	46
843	An ionic self-assembly approach towards sandwich-like graphene/SnO ₂ /graphene nanosheets for enhanced lithium storage. 2014 , 4, 57869-57874		8
842	SnO ₂ Nanorods on ZnO Nanofibers: A New Class of Hierarchical Nanostructures Enabled by Electrospinning as Anode Material for High-Performance Lithium-Ion Batteries. 2014 , 150, 308-313		38
841	SnO ₂ anode surface passivation by atomic layer deposited HfO ₂ improves Li-ion battery performance. <i>Small</i> , 2014 , 10, 2849-58	11	63
840	Surfactant-free synthesis of Zn ₂ SnO ₄ octahedron decorated with nanoplates and its application in rechargeable lithium ion batteries. 2014 , 4, 49806-49810		14
839	Morphology control of SnO and application in lithium-ion batteries. <i>CrystEngComm</i> , 2014 , 16, 2589	3.3	9
838	Enhanced charge-discharge properties of SnO ₂ nanocrystallites in confined carbon nanospace. 2014 , 50, 7143-6		17
837	Superior lithium storage in a 3D macroporous graphene framework/SnO ₂ nanocomposite. <i>Nanoscale</i> , 2014 , 6, 7817-22	7.7	53
836	One-step synthesis of hollow Cr(OH) ₃ micro/nano-hexagonal pellets and the catalytic properties of hollow Cr ₂ O ₃ structures. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 12770	13	22
835	Cadmium removal in waste water by nanostructured TiO ₂ particles. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 13932-13941	13	35
834	CuGeO nanowires covered with graphene as anode materials of lithium ion batteries with enhanced reversible capacity and cyclic performance. <i>Nanoscale</i> , 2014 , 6, 8350-8	7.7	47
833	Catalyst engineering for lithium ion batteries: the catalytic role of Ge in enhancing the electrochemical performance of SnO ₂ (GeO ₂) _{0.13} /G anodes. <i>Nanoscale</i> , 2014 , 6, 15020-8	7.7	24
832	An ultrasound-assisted approach to synthesize MnO ₂ /RGO hybrids with high capability for lithium ion batteries. 2014 , 43, 15317-20		33
831	Functionalization of hollow nanoparticles for nanoreactor applications. 2014 , 9, 631-667		129
830	Recent advances in hierarchical macroporous composite structures for photoelectric conversion. <i>Energy and Environmental Science</i> , 2014 , 7, 3887-3901	35.4	34
829	Preparation of porous and hollow Fe ₃ O ₄ @C spheres as an efficient anode material for a high-performance Li-ion battery. 2014 , 4, 6430		43
828	Reactable ionic liquid-assisted rapid synthesis of BiOI hollow microspheres at room temperature with enhanced photocatalytic activity. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 15864-15874	13	170

827	Hollow manganese phosphonate microspheres with hierarchical porosity for efficient adsorption and separation. <i>Nanoscale</i> , 2014 , 6, 6627-36	7.7	51
826	Hierarchical SnO ₂ architectures: controllable growth on graphene by atmospheric pressure chemical vapour deposition and application in cataluminescence gas sensor. <i>CrystEngComm</i> , 2014 , 16, 3331	3.3	26
825	Template-free and green sonochemical synthesis of hierarchically structured CuS hollow microspheres displaying excellent Fenton-like catalytic activities. <i>CrystEngComm</i> , 2014 , 16, 2738-2745	3.3	63
824	Lithium storage improvement from hierarchical double-shelled SnO ₂ hollow spheres. 2014 , 4, 10450-10453		5
823	Controllable synthesis of SnO ₂ @C yolk-shell nanospheres as a high-performance anode material for lithium ion batteries. <i>Nanoscale</i> , 2014 , 6, 3217-22	7.7	149
822	Solution deposition of thin carbon coatings on LiFePO ₄ . <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 21550-7	9.5	18
821	Microwave-Assisted Synthesis of SnO ₂ Nanosheets Photoanodes for Dye-Sensitized Solar Cells. 2014 , 118, 25931-25938		37
820	Oleic-acid-assisted carbon coating on Sn nanoparticles for Li ion battery electrodes with long-term cycling stability. 2014 , 4, 44563-44567		14
819	Solar-driven Pt modified hollow structured CdS photocatalyst for efficient hydrogen evolution. 2014 , 4, 36665		13
818	One-pot controlled synthesis of single-crystal Fe ₂ O ₃ hollow nanostructure and its gas sensing properties. 2014 , 4, 42899-42904		11
817	Template-free hydrothermal synthesis of copper hollow microspheres: microstructure, formation mechanism and compression plasticity. 2014 , 4, 7545		12
816	In situ growth of ultrafine tin oxide nanocrystals embedded in graphitized carbon nanosheets for use in high-performance lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6960-6965	13	12
815	Facile hydrothermal synthesis of SnO ₂ /C microspheres and double layered core-shell SnO ₂ microspheres as anode materials for Li-ion secondary batteries. 2014 , 4, 25189-25194		23
814	A freestanding composite film electrode stacked from hierarchical electrospun SnO ₂ nanorods and graphene sheets for reversible lithium storage. 2014 , 4, 9367-9371		23
813	In situ synthesis of SnO ₂ nanoparticles encapsulated in micro/mesoporous carbon foam as a high-performance anode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 18367-18374	13	56
812	Synthesis of Co ₂ SnO ₄ hollow cubes encapsulated in graphene as high capacity anode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 2728	13	61
811	Au-functionalized porous ZnO microspheres and their enhanced gas sensing properties. 2014 , 38, 2530		39
810	Hollow nanospheres of loosely packed Si/SiO _x nanoparticles encapsulated in carbon shells with enhanced performance as lithium ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 12289-12295	13	37

809	Enhanced photocatalytic behavior and excellent electrochemical performance of hierarchically structured NiO microspheres. 2014 , 4, 35614-35619		21
808	The ZnSn(OH) ₆ nanocube-graphene composite as an anode material for Li-ion batteries. 2014 , 16, 20073-8		14
807	Hydrothermal synthesis and electrochemical properties of tin titanate nanowires coupled with SnO ₂ nanoparticles for Li-ion batteries. <i>CrystEngComm</i> , 2014 , 16, 7529-7535	3.3	19
806	Fluoride-assisted coaxial growth of SnO ₂ over-layers on multiwall carbon nanotubes with controlled thickness for lithium ion batteries. <i>CrystEngComm</i> , 2014 , 16, 550-555	3.3	39
805	Effect of microstructure and Sn/C ratio in SnO ₂ @graphene nanocomposites for lithium-ion battery performance. 2014 , 4, 20540-20547		22
804	Preparation of multi-shelled conductive polymer hollow microspheres by using Fe ₃ O ₄ hollow spheres as sacrificial templates. 2014 , 50, 12493-6		54
803	An inward etching route to synthesize ZnSn(OH) ₆ nanoboxes with enhanced ethanol sensing property. 2014 , 136, 153-156		10
802	LiFe(MoO ₄) ₂ as a novel anode material for lithium-ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 10661-6	9.5	48
801	Synthesis of hierarchically porous SnO(2) microspheres and performance evaluation as li-ion battery anode by using different binders. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 16556-64	9.5	59
800	Real time observation of the formation of hollow nanostructures through solid state reactions. 2014 , 86, 4348-53		6
799	Enhanced cyclability of amorphous carbon-coated SnO ₂ -graphene composite as anode for Li-ion batteries. 2014 , 147, 596-602		42
798	Cu ₂ O-templated strategy for synthesis of definable hollow architectures. 2014 , 50, 7403-15		64
797	Template-free solvothermal preparation of ZnO hollow microspheres covered with c planes. 2014 , 4, 25148-25154		8
796	Lanthanum-doped ordered mesoporous hollow silica spheres as novel adsorbents for efficient phosphate removal. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 8839	13	125
795	Li(1.2)Mn(0.6)Ni(0.1)Co(0.1)O ₂ microspheres constructed by hierarchically arranged nanoparticles as lithium battery cathode with enhanced electrochemical performance. <i>Nanoscale</i> , 2014 , 6, 14724-32	7.7	27
794	Facile synthesis of the SnO ₂ @OCNTs(open-tips carbon nano tubes) composite with superior cyclability for Li-ion batteries. 2014 , 147, 720-725		11
793	Silicon Carbonitride Hollow Nanospheres from a Block-Copolymer Precursor. 2014 , 97, 2387-2389		5
792	Highly porous Ti/SnO ₂ network composite film as stable binder-free anode materials for lithium ion batteries. 2014 , 314, 1-6		9

791	Large and stable reversible lithium-ion storages from mesoporous SnO ₂ nanosheets with ultralong lifespan over 1000 cycles. <i>Journal of Power Sources</i> , 2014 , 268, 365-371	8.9	38
790	Nickel and nitrogen co-doped tin dioxide nano-composite as a potential anode material for lithium-ion batteries. 2014 , 143, 257-264		26
789	Facile synthesis of hollow sphere MnCO ₃ : A cheap and environmentally benign anode material for Li-ion batteries. 2014 , 136, 411-415		23
788	SnO ₂ : A comprehensive review on structures and gas sensors. 2014 , 66, 112-255		689
787	Hierarchical flower-like WO ₃ nanostructures and their gas sensing properties. 2014 , 204, 224-230		101
786	A facile method for in-situ synthesis of SnO ₂ /graphene as a high performance anode material for lithium-ion batteries. 2014 , 315, 400-406		31
785	An unusual temperature gradient crystallization process: facile synthesis of hierarchical ZnO porous hollow spheres with controllable shell numbers. <i>CrystEngComm</i> , 2014 , 16, 7933-7941	3-3	20
784	Template-free solvothermal synthesis of WO ₃ /WO ₃ ·H ₂ O hollow spheres and their enhanced photocatalytic activity from the mixture phase effect. <i>CrystEngComm</i> , 2014 , 16, 7493-7501	3-3	52
783	Controllable synthesis of hierarchical ZnSn(OH) ₆ and Zn ₂ SnO ₄ hollow nanospheres and their applications as anodes for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17979-17985	13	34
782	Hierarchical porous metal ferrite ball-in-ball hollow spheres: General synthesis, formation mechanism, and high performance as anode materials for Li-ion batteries. 2014 , 7, 1116-1127		72
781	SnO ₂ @Co ₃ O ₄ hollow nano-spheres for a Li-ion battery anode with extraordinary performance. 2014 , 7, 1128-1136		112
780	Facile synthesis and electrochemical performances of hollow graphene spheres as anode material for lithium-ion batteries. 2014 , 9, 368		11
779	25th anniversary article: polymer-particle composites: phase stability and applications in electrochemical energy storage. <i>Advanced Materials</i> , 2014 , 26, 201-34	24	210
778	Solid-state synthesis of SnO ₂ /graphene nanocomposite for photocatalysis and formaldehyde gas sensing. 2014 , 4, 46179-46186		40
777	Highly reversible and large lithium storage in mesoporous Si/C nanocomposite anodes with silicon nanoparticles embedded in a carbon framework. <i>Advanced Materials</i> , 2014 , 26, 6749-55	24	234
776	Bowl-like SnO ₂ @carbon hollow particles as an advanced anode material for lithium-ion batteries. 2014 , 53, 12803-7		426
775	Structuring of metal-organic frameworks at the mesoscopic/macroscopic scale. 2014 , 43, 5700-34		634
774	Hierarchical SnO ₂ with double carbon coating composites as anode materials for lithium ion batteries. 2014 , 18, 2443-2449		6

773	Solvothermal Synthesis of Bi ₂ WO ₆ Hollow Microspheres Via Ostwald Ripening with Their Enhanced Photocatalytic Activity. 2014 , 144, 1268-1277		18
772	Size-controlled SnO ₂ hollow spheres via a template free approach as anodes for lithium ion batteries. <i>Nanoscale</i> , 2014 , 6, 10762-71	7.7	45
771	A Family of Mesocubes. 2014 , 26, 4472-4485		9
770	Facile synthesis of Au-SnO ₂ hybrid nanospheres with enhanced photoelectrochemical biosensing performance. <i>Nanoscale</i> , 2014 , 6, 6315-21	7.7	38
769	Core-shell structured hollow SnO ₂ /polypyrrole nanocomposite anodes with enhanced cyclic performance for lithium-ion batteries. 2014 , 6, 73-81		141
768	Hollow Metallic Micro/Nanostructures. 2014 , 119-176		2
767	Phase and Dimensionality of Tin Oxide at graphene nanosheet array and its Electrochemical performance as anode for Lithium Ion Battery. 2014 , 125, 380-385		17
766	Poly(3,4-ethylenedioxythiophene) Sheath Over a SnO ₂ Hollow Spheres/Graphene Oxide Hybrid for a Durable Anode in Li-Ion Batteries. 2014 , 118, 7296-7306		58
765	Synthesis of meso/macroporous aluminum nitrides via aluminum alloy ceramization. 2014 , 4, 6840		3
764	Three-dimensionally macroporous graphene-supported Fe ₃ O ₄ composite as anode material for Li-ion batteries with long cycling life and ultrahigh rate capability. 2014 , 59, 2017-2023		12
763	Controlled synthesis of SnO ₂ with hierarchical Micro/Nano structure. 2014 , 19, 93-105		1
762	Porous fluorinated SnO(2) hollow nanospheres: transformative self-assembly and photocatalytic inactivation of bacteria. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2407-14	9.5	65
761	Facile preparation of one-dimensional wrapping structure: graphene nanoscroll-wrapped of Fe ₃ O ₄ nanoparticles and its application for lithium-ion battery. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 9890-6	9.5	87
760	Accurate hierarchical control of hollow crossed NiCo ₂ O ₄ nanocubes for superior lithium storage. <i>Nanoscale</i> , 2014 , 6, 5491-7	7.7	86
759	Role of surface structure on Li-ion energy storage capacity of two-dimensional transition-metal carbides. <i>Journal of the American Chemical Society</i> , 2014 , 136, 6385-94	16.4	864
758	An investigation of the morphology effect in Fe ₂ O ₃ anodes for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 9955-9959	13	28
757	The Electronic Structure and Optical Properties of Ag-Doped SnO ₂ Monolayer. 2014 , 83, 064701		4
756	Carbon-wrapped Fe ₃ O ₄ nanoparticle films grown on nickel foam as binder-free anodes for high-rate and long-life lithium storage. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 648-54	9.5	58

755	Low-temperature synthesis of tin dioxide hollow nanospheres and their potential applications in dye-sensitized solar cells and photoelectrochemical type self-powered ultraviolet photodetectors. <i>Journal of Power Sources</i> , 2014 , 272, 886-894	8.9	38
754	Large-scale low temperature fabrication of SnO ₂ hollow/nanoporous nanostructures: the template-engaged replacement reaction mechanism and high-rate lithium storage. <i>Nanoscale</i> , 2014 , 6, 11411-8	7.7	26
753	Vapour solid reaction growth of SnO ₂ nanorods as an anode material for Li ion batteries. 2014 , 4, 26115-26124		
752	Template-free hydrothermal synthesis of Li ₂ FeSiO ₄ hollow spheres as cathode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 12982	13	55
751	Highly Disordered Carbon as a Superior Anode Material for Room-Temperature Sodium-Ion Batteries. 2014 , 1, 83-86		150
750	Facile synthesis of interwoven ZnMn ₂ O ₄ nanofibers by electrospinning and their performance in Li-ion batteries. 2014 , 128, 336-339		31
749	In situ synthesis of SnO ₂ @Fe ₂ O ₃ @polyaniline and their conversion to SnO ₂ @Fe ₂ O ₃ @C composite as fully reversible anode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2014 , 246, 862-867	8.9	74
748	Nanoscale Kirkendall Effect Synthesis of Echinus-like SnO ₂ @SnS ₂ Nanospheres as High Performance Anode Material for Lithium Ion Batteries. 2014 , 133, 247-253		37
747	CuInZnS-decorated graphene as a high-rate durable anode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2014 , 257, 90-95	8.9	13
746	Naturally oxidized synthesis of ZnO dahlia-flower nanoarchitecture. 2014 , 40, 13667-13671		5
745	Facile synthesis of Mn ₂ O ₃ hollow and core-shell cube-like nanostructures and their catalytic properties. 2014 , 72, 219-229		30
744	Electrochemical performance of MWCNT reinforced ZnO anodes for Li-ion batteries. 2014 , 118, 54-60		25
743	Yolk-shell ZnO-C microspheres with enhanced electrochemical performance as anode material for lithium ion batteries. 2014 , 125, 659-665		125
742	Preparation and electrochemical properties of core-shell carbon coated Mn ₃ O ₄ complex metal oxide as anode materials for lithium-ion batteries. 2014 , 292, 682-687		10
741	SnS ₂ nanoflakes decorated multiwalled carbon nanotubes as high performance anode materials for lithium-ion batteries. 2014 , 49, 319-324		55
740	Monodisperse SnO ₂ nanocrystals functionalized multiwalled carbon nanotubes for large rate and long lifespan anode materials in lithium ion batteries. 2014 , 120, 46-51		22
739	Hollow SnO ₂ microspheres and their carbon-coated composites for supercapacitors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 444, 26-32	5.1	50
738	Sol-gel synthesis of mesoporous Co ₃ O ₄ octahedra toward high-performance anodes for lithium-ion batteries. 2014 , 129, 410-415		56

737	Electrochemical fabrication of porous Sn/SnSb negative electrodes from mixed SnO ₂ /SnSb ₂ O ₃ . 2014 , 38, 36-39		19
736	Hollow cylinder ZnO/SnO ₂ nanostructures synthesized by ultrasonic spray pyrolysis and their gas-sensing performance. <i>CrystEngComm</i> , 2014 , 16, 6135	3,3	18
735	Hollow SnO ₂ /Fe ₂ O ₃ spheres with a double-shell structure for gas sensors. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 1302-1308	13	132
734	Highly reversible Mg insertion in nanostructured Bi for Mg ion batteries. 2014 , 14, 255-60		201
733	Graphene-encapsulated SnO ₂ hollow spheres as high-performance anode materials for lithium ion batteries. 2014 , 40, 13903-13910		24
732	Dispersing SnO ₂ nanocrystals in amorphous carbon as a cyclic durable anode material for lithium ion batteries. 2014 , 23, 338-345		15
731	New strategy to prepare hollow silica microspheres with tunable holes on the shell wall. 2014 , 30, 683-6		20
730	Enhanced lithium storage performance in three-dimensional porous SnO ₂ -Fe ₂ O ₃ composite anode films. 2014 , 136, 27-32		18
729	Facile synthesis and performance of polypyrrole-coated hollow Zn ₂ SnO ₄ boxes as anode materials for lithium-ion batteries. 2014 , 40, 2359-2364		31
728	Monodisperse SnO ₂ anchored reduced graphene oxide nanocomposites as negative electrode with high rate capability and long cyclability for lithium-ion batteries. <i>Journal of Power Sources</i> , 2014 , 262, 15-22	8,9	82
727	Synthesis of Silica Vesicles with Small Sizes and Reduced Aggregation for Photodynamic Therapy. 2014 , 43, 316-318		2
726	Porous and Hollow Oxide Nanostructures. 2014 , 153-199		
725	Xiong Wen (David) Lou. 2014 , 126, 3614-3614		1
724	Bowl-like SnO ₂ @Carbon Hollow Particles as an Advanced Anode Material for Lithium-Ion Batteries. 2014 , 126, 13017-13021		46
723	Understanding the role of bath for sacrificial substance migration during the fabrication of hollow nanostructures in PtPdCu system. 2015 , 2, 085008		1
722	Hollow Inorganic Spheres. 2015 , 345-372		2
721	Li-ion batteries: basics, progress, and challenges. 2015 , 3, 385-418		441
720	Metallic Sn spheres and SnO ₂ @C core-shells by anaerobic and aerobic catalytic ethanol and CO oxidation reactions over SnO ₂ nanoparticles. 2015 , 5, 13448		37

719	Enhanced Performance of Yolk-Shell Structured Si-PPy Composite as an Anode for Lithium Ion Batteries. 2015 , 83, 1067-1070		2
718	Conjugated-Polymer/Inorganic Nanocomposites as Electrode Materials for Li-Ion Batteries. 2015 , 379-418		
717	Recycled Poly(vinyl alcohol) Sponge for Carbon Encapsulation of Size-Tunable Tin Dioxide Nanocrystalline Composites. 2015 , 8, 2084-92		7
716	Electric-Field Aerosol-Assisted CVD: Synthesis, Characterization, and Properties of Tin Oxide Microballs Prepared from a Single Source Precursor . 2015 , 21, 360-368		7
715	Utilizing Reversible Interactions in Polymeric Nanoparticles To Generate Hollow Metal-Organic Nanoparticles. 2015 , 54, 12991-5		12
714	A self-standing and flexible electrode of yolk-shell CoS ₂ spheres encapsulated with nitrogen-doped graphene for high-performance lithium-ion batteries. 2015 , 21, 4359-67		115
713	TiO ₂ Microboxes with Controlled Internal Porosity for High-Performance Lithium Storage. 2015 , 127, 14539-14543		6
712	On the Origin and Underappreciated Effects of Ion Doping in Silica. <i>Small</i> , 2015 , 11, 4351-65	11	24
711	Graphene-Containing Nanomaterials for Lithium-Ion Batteries. 2015 , 5, 1500400		153
710	TiO ₂ Microboxes with Controlled Internal Porosity for High-Performance Lithium Storage. 2015 , 54, 14331-5		71
709	Hierarchical SnO ₂ /Carbon Nanofibrous Composite Derived from Cellulose Substance as Anode Material for Lithium-Ion Batteries. 2015 , 21, 16195-202		60
708	Mechanistic Insight into the Stability of HfO ₂ -Coated MoS ₂ Nanosheet Anodes for Sodium Ion Batteries. <i>Small</i> , 2015 , 11, 4341-50	11	67
707	Utilizing Reversible Interactions in Polymeric Nanoparticles To Generate Hollow Metal-Organic Nanoparticles. 2015 , 127, 13183-13187		12
706	An anion-induced hydrothermal oriented-explosive strategy for the synthesis of porous upconversion nanocrystals. 2015 , 5, 456-68		10
705	SnO ₂ -Based Nanomaterials: Synthesis and Application in Lithium-Ion Batteries and Supercapacitors. 2015 , 2015, 1-15		35
704	. 2015 ,		47
703	Template-free synthesis of 3D hierarchical amorphous aluminum oxide microspheres with broccoli-like structure and their application in fluoride removal. 2015 , 5, 19159-19165		27
702	Three-dimensional porous nickel supported SnO ₂ composite thin film as anode material for lithium-ion batteries. 2015 , 5, 31275-31281		5

701	One-step facile synthesis of coral-like Zn-doped SnO ₂ and its cataluminescence sensing of 2-butanone. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 7132-7138	13	35
700	One-step synthesis of Ni-doped SnO ₂ nanospheres with enhanced lithium ion storage performance. 2015 , 39, 130-135		30
699	Hollow SnNi nanoparticles coated with ion-conductive polyethylene oxide as anodes for lithium ion batteries with superior cycling stability. 2015 , 5, 40807-40812		3
698	Highly sensitive formaldehyde chemical sensor based on in situ precipitation synthesis of ZnSnO ₃ microspheres. 2015 , 26, 6224-6231		16
697	Pristine hollow microspheres of Mn ₂ O ₃ as a potential anode for lithium-ion batteries. <i>CrystEngComm</i> , 2015 , 17, 5038-5045	3-3	29
696	One-step synthesis of carboxyl-functionalized rare-earth fluoride nanoparticles for cell imaging and drug delivery. 2015 , 5, 33999-34007		9
695	Two-dimensional wavelike spinel lithium titanate for fast lithium storage. 2015 , 5, 9782		25
694	Deformable fibrous carbon supported ultrafine nano-SnO ₂ as a high volumetric capacity and cyclic durable anode for Li storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 15097-15107	13	44
693	Zinc-doped SnO ₂ nanocrystals as photoanode materials for highly efficient dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 8076-8082	13	35
692	DIP-coating process to fabricate SnO ₂ /C nanotube networks as binder-free anodes for lithium ion batteries. 2015 , 158, 244-247		6
691	Hierarchical 3D ZnIn ₂ S ₄ /graphene nano-heterostructures: their in situ fabrication with dual functionality in solar hydrogen production and as anodes for lithium ion batteries. 2015 , 17, 31850-61		50
690	Freestanding carbon-coated CNT/Sn(O ₂) coaxial sponges with enhanced lithium-ion storage capability. <i>Nanoscale</i> , 2015 , 7, 20380-5	7-7	18
689	A high-performance self-powered UV photodetector based on SnO ₂ mesoporous spheres @ TiO ₂ . 2015 , 11, 1059-1065		19
688	Electrochemical performance of activated carbon nanofiber with ZnO nanoparticles for Li-ion battery. 2015 , 210, 386-391		13
687	All Inorganic Frameworks of Tin Dioxide Shell as Cathode Material for Lithium Sulfur Batteries with Improved Cycle Performance. 2015 , 119, 28721-28727		25
686	Fabrication of Ag nanoaggregates/SiO ₂ yolk-shell nanoprobe for surface-enhanced Raman scattering. 2015 , 32, 34-38		5
685	Promises and challenges of tin-based compounds as anode materials for lithium-ion batteries. 2015 , 60, 330-352		72
684	Sandwich-like Cr ₂ O ₃ /graphite intercalation composites as high-stability anode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1703-1708	13	35

683	A new oxyfluorinated titanium phosphate anode for a high-energy lithium-ion battery. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 1270-4	9.5	7
682	Carbon-supported SnO ₂ nanowire arrays with enhanced lithium storage properties. 2015 , 158, 321-326		28
681	Hollow Tin Dioxide Microspheres With Multilayered Nanocrystalline Shells for Pseudocapacitor. 2015 , 155, 437-446		13
680	Fe ₃ O ₄ @porous carbon hybrid as the anode material for a lithium-ion battery: performance optimization by composition and microstructure tailoring. 2015 , 39, 3435-3443		16
679	Ternary SnO ₂ @PANI/rGO nanohybrids as excellent anode materials for lithium-ion batteries. 2015 , 157, 205-210		25
678	Facile one-pot hydrothermal with subsequent carbonization preparation of hollow tin dioxide@carbon nanostructures as high-performance anode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2015 , 280, 397-405	8.9	39
677	Surfactant-assisted encapsulation of uniform SnO ₂ nanoparticles in graphene layers for high-performance Li-storage. 2015 , 2, 014005		15
676	One-step synthesis of SnO ₂ @rGO-carbon particle framework nanoarchitectures as anode materials for tunable lithium storage properties. <i>Journal of Alloys and Compounds</i> , 2015 , 629, 69-73	5.7	11
675	Hollow Al ₂ O ₃ spheres prepared by a simple and tunable hydrothermal method. 2015 , 5, 13385-13391		15
674	Improved stability of nano-Sn electrode with high-quality nano-SEI formation for lithium ion battery. 2015 , 12, 314-321		85
673	Hollow and mesoporous ZnTe microspheres: synthesis and visible-light photocatalytic reduction of carbon dioxide into methane. 2015 , 5, 6186-6194		37
672	Controlled fabrication of hierarchical WO ₃ ·H ₂ O hollow microspheres for enhanced visible light photocatalysis. 2015 , 5, 16376-16385		33
671	Large-scale fabrication of porous carbon-decorated iron oxide microcuboids from Fe-MOF as high-performance anode materials for lithium-ion batteries. 2015 , 5, 7356-7362		49
670	Trisodium citrate-assisted synthesis of highly water-dispersible and superparamagnetic mesoporous Fe ₃ O ₄ hollow microspheres via solvothermal process. <i>Journal of Alloys and Compounds</i> , 2015 , 636, 34-39	5.7	29
669	Sodiation vs. lithiation phase transformations in a high rate high stability SnO ₂ in carbon nanocomposite. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 7100-7111	13	90
668	The influence of graphene/carbon mass ratio on microstructure and electrochemical behavior in the graphene-SnO ₂ -carbon composite as anodes for Li-ion batteries. <i>Journal of Alloys and Compounds</i> , 2015 , 636, 202-210	5.7	17
667	Engineering microtubular SnO ₂ architecture assembled by interconnected nanosheets for high lithium storage capacity. 2015 , 5, 30053-30061		7
666	Synthesis and characterization of Ni doped SnO ₂ microspheres with enhanced visible-light photocatalytic activity. 2015 , 5, 56401-56409		45

665	Effect of the sheet thickness of hierarchical SnO ₂ on the gas sensing performance. 2015 , 355, 631-637		22
664	Novel hollow SnO ₂ nanosphere@TiO ₂ yolk-shell hierarchical nanospheres as anode material for high-performance lithium-ion batteries. 2015 , 157, 228-230		28
663	Preparation, characterization and microwave absorbing properties of nano-sized yolk-in-shell Ni@SnO ₂ nanospheres. 2015 , 48, 355302		12
662	Facile fabrication of hollow mesoporous Eu ³⁺ -doped Gd ₂ O ₃ nanoparticles for dual-modal imaging and drug delivery. 2015 , 123, 8-15		13
661	Synthesis of grass-like SnO ₂ nanostructures on graphene oxide and their excellent field emission properties. 2015 , 158, 322-324		14
660	Enhanced dyes removal properties of hollow SnO ₂ microspheres and SnO ₂ @C composites. 2015 , 56, 1047-1055		3
659	Facile synthesis of ZnO hollow microspheres and their high performance in photocatalytic degradation and dye sensitized solar cells. <i>Journal of Alloys and Compounds</i> , 2015 , 647, 57-62	5-7	41
658	Electrospun SnO ₂ /ZnO nanofibers with improved electrochemical performance as anode materials for lithium-ion batteries. 2015 , 40, 14338-14344		41
657	An external template-free route to uniform semiconducting hollow mesospheres and their use in photocatalysis. <i>Nanoscale</i> , 2015 , 7, 12990-7	7-7	17
656	Double-shelled support and confined void strategy to improve the lithium storage properties of SnO ₂ /C anode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 18036-18044 ¹³		42
655	Sub-100nm hollow SnO ₂ @C nanoparticles as anode material for lithium ion batteries and significantly enhanced cycle performances. 2015 , 26, 1293-1297		19
654	Size-tunable tavorite LiFe(PO ₄)(OH) microspheres with a core-shell structure. <i>CrystEngComm</i> , 2015 , 17, 6149-6154	3-3	5
653	Recent advances in the development of sunlight-driven hollow structure photocatalysts and their applications. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 18345-18359	13	166
652	Surface Passivation of MoO ₃ Nanorods by Atomic Layer Deposition toward High Rate Durable Li Ion Battery Anodes. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 13154-63	9-5	91
651	Improved Lithium-Storage Capability and Cyclability of Tin Dioxide Confined in Highly Crosslinked Graphene Framework. 2015 , 162, A1702-A1707		1
650	Synthesis of hierarchical SnO ₂ nanoflowers with enhanced acetic acid gas sensing properties. 2015 , 353, 71-78		30
649	Facile Synthesis of Hollow Mesoporous CoFe ₂ O ₄ Nanospheres and Graphene Composites as High-Performance Anode Materials for Lithium-Ion Batteries. 2015 , 2, 1010-1018		43
648	Facile solvothermal synthesis of porous ZnFe ₂ O ₄ microspheres for capacitive pseudocapacitors. 2015 , 5, 39270-39277		65

647	Template-free synthesis of highly ethanol-response hollow SnO ₂ spheres using hydrothermal process. 2015 , 26, 1192-1197		10
646	Hierarchical Co ₃ O ₄ nanoflowers assembled from nanosheets: facile synthesis and their application in supercapacitors. 2015 , 26, 4097-4104		14
645	Fabrication of ZnO with tunable morphology through a facile treatment of Zn-based coordination polymers. 2015 , 58, 411-416		4
644	Synthesis of TiO ₂ (B)/SnO ₂ composite materials as an anode for lithium-ion batteries. 2015 , 41, 9527-9533		18
643	SnO ₂ nanowire anchored graphene nanosheet matrix for the superior performance of Li-ion thin film battery anode. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 274-280	13	51
642	Bioinspired Carbon/SnO ₂ Composite Anodes Prepared from a Photonic Hierarchical Structure for Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 11146-54	9.5	37
641	Sn and SnO ₂ /graphene flexible foams suitable as binder-free anodes for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13402-13410	13	81
640	Fabrication of CNT@void@SnO ₂ @C with tube-in-tube nanostructure as high-performance anode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2015 , 291, 173-180	8.9	56
639	Silver-modified hollow ZnSnO ₃ boxes as high capacity anode materials for Li-ion batteries. 2015 , 149, 33-36		19
638	Designed hybrid nanostructure with catalytic effect: beyond the theoretical capacity of SnO ₂ anode material for lithium ion batteries. 2015 , 5, 9164		100
637	Enhanced lithium-ion storage performance from high aspect ratio Mn ₃ O ₄ nanowires. 2015 , 159, 182-184		7
636	Hierarchical mesoporous In ₂ O ₃ with enhanced CO sensing and photocatalytic performance: distinct morphologies of In(OH) ₃ via self assembly coupled in situ solid-solid transformation. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 7679-89	9.5	34
635	Zn ₂ SnO ₄ @C core-shell nanorods with enhanced anodic performance for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2015 , 639, 239-243	5.7	18
634	Self-assembled graphene-constructed hollow Fe ₂ O ₃ spheres with controllable size for high lithium storage. 2015 , 5, 21740-21744		12
633	Micro Energy Storage: Considerations. 2015 , 401-414		
632	Controllable lithium storage performance of tin oxide anodes with various particle sizes. 2015 , 40, 14314-14321		17
631	Sn-Based Nanoparticles Encapsulated in a Porous 3D Graphene Network: Advanced Anodes for High-Rate and Long Life Li-Ion Batteries. 2015 , 25, 3488-3496		142
630	Molecular Mechanisms for the Lithiation of Ruthenium Oxide Nanoplates as Lithium-Ion Battery Anode Materials: An Experimentally Motivated Computational Study. 2015 , 119, 9705-9713		16

629	Core-shell structured SnO ₂ hollow spheres/polyaniline composite as an anode for sodium-ion batteries. 2015 , 5, 31465-31471		45
628	Porous Flower-like Fe ₂ O ₃ Nanostructure: A High Performance Anode Material for Lithium-ion Batteries. 2015 , 167, 330-339		67
627	Fabrication of coupled twin-shaped hollow hemispherical calcium molybdate via a facile ultrasound-assisted approach. <i>CrystEngComm</i> , 2015 , 17, 2444-2449	3-3	5
626	Design of SnO ₂ /C hybrid triple-layer nanospheres as Li-ion battery anodes with high stability and rate capability. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2748-2755	13	37
625	Hierarchical Graphene-Encapsulated Hollow SnO ₂ @SnS ₂ Nanostructures with Enhanced Lithium Storage Capability. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 22533-41	9-5	68
624	Formation of Uniform Fe ₃ O ₄ Hollow Spheres Organized by Ultrathin Nanosheets and Their Excellent Lithium Storage Properties. <i>Advanced Materials</i> , 2015 , 27, 4097-101	24	346
623	A Fundamental Understanding of Li Insertion/Extraction Behaviors in SnO and SnO ₂ . 2015 , 162, A2811-A2816		23
622	Yolk/shell nanoparticles: classifications, synthesis, properties, and applications. <i>Nanoscale</i> , 2015 , 7, 19789-873		214
621	Synthesis of amorphous ZnSnO ₃ double-shell hollow microcubes as advanced anode materials for lithium ion batteries. 2015 , 182, 327-333		30
620	A porous graphene/carbon nanowire hybrid with embedded SnO ₂ nanocrystals for high performance lithium ion storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 23844-23851	13	38
619	Electrochemical Properties of Chemically Etched-NbO ₂ as a Negative Electrode Material for Lithium Ion Batteries. 2015 , 1120-1121, 115-118		4
618	Corrosive synthesis and enhanced electromagnetic absorption properties of hollow porous Ni/SnO ₂ hybrids. 2015 , 44, 15984-93		88
617	Hierarchical mesoporous SnO ₂ @C@TiO ₂ nanochains for anode material of lithium-ion batteries with excellent cycling stability. 2015 , 184, 219-225		25
616	Fluorometric sensing of ultralow As(III) concentrations using Ag doped hollow CdS/ZnS bi-layer nanoparticles. 2015 , 44, 20464-74		11
615	Preparation of a Fe ₂ O ₃ /Ag nanowire coaxial nanocable for high-performance lithium-ion batteries. 2015 , 21, 11129-33		23
614	Synthesis of tin oxide nanospheres under ambient conditions and their strong adsorption of As(III) from water. 2015 , 44, 18207-14		15
613	Synthesis of rGO-Fe ₃ O ₄ -SnO ₂ -C Quaternary Hybrid Mesoporous Nanosheets as a High-performance Anode Material for Lithium Ion Batteries. 2015 , 182, 715-722		21
612	Growth Mechanism and Electrochemical Properties of Porous Hollow Tin Dioxide Nanospheres. 2015 , 10, 1550087		2

611	Achieving accelerated osteogenic differentiation via novel magnesium silicate hollow spheres. 2015 , 39, 9722-9728		1
610	Ferromagnetism and enhanced photocatalytic activity in Nd doped BiFeO ₃ nanopowders. 2015 , 26, 9929-9940	29	
609	Growth of Ultrafine SnO ₂ Nanoparticles within Multiwall Carbon Nanotube Networks: Non-Solution Synthesis and Excellent Electrochemical Properties as Anodes for Lithium Ion Batteries. 2015 , 178, 778-785		44
608	Facile synthesis cuboid SnO ₂ nanoparticles and electrochemical properties as anode of lithium-ion battery. 2015 , 51, 712-718		4
607	Uniform yolk-shell Sn ₄ P ₃ @C nanospheres as high-capacity and cycle-stable anode materials for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2015 , 8, 3531-3538	35.4	35 ^o
606	Synthesis of CNT@Fe ₃ O ₄ -C hybrid nanocables as anode materials with enhanced electrochemical performance for lithium ion batteries. 2015 , 176, 1332-1337		52
605	Dandelion-like SnO ₂ microspheres on graphene oxide sheets with excellent photocatalytic properties. 2015 , 159, 489-492		9
604	Electrode nanomaterials for lithium-ion batteries. 2015 , 84, 826-852		73
603	Hollow Core-Shell SnO ₂ /C Fibers as Highly Stable Anodes for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 21472-8	9.5	116
602	Hybrid Cellular Nanosheets for High-Performance Lithium-Ion Battery Anodes. <i>Journal of the American Chemical Society</i> , 2015 , 137, 11954-61	16.4	100
601	Responsive composite Janus cages. 2015 , 33, 1462-1469		6
600	Shape-controllable hydrothermal synthesis of NaTbF ₄ :Eu ³⁺ microcrystals with energy transfer from Tb to Eu and multicolor luminescence properties. <i>CrystEngComm</i> , 2015 , 17, 7762-7771	3.3	17
599	NASICON-Structured NaSn ₂ (PO ₄) ₃ with Excellent High-Rate Properties as Anode Material for Lithium Ion Batteries. 2015 , 27, 6668-6674		22
598	Hierarchical SnO ₂ @SnS ₂ Counter Electrodes for Remarkable High-efficiency Dye-sensitized Solar Cells. 2015 , 186, 125-132		26
597	Cu ₆ Sn ₅ @SnO ₂ nanocomposite with stable core/shell structure as a high reversible anode for Li-ion batteries. 2015 , 18, 232-244		47
596	Facile synthesis and enhanced visible-light photocatalytic activity of micro/nanostructured Ag ₂ ZnGeO ₄ hollow spheres. 2015 , 193, 198-205		8
595	The functionalization of nanodiamonds (diamondoids) as a key parameter of their easily controlled self-assembly in micro- and nanocrystals from the vapor phase. <i>Nanoscale</i> , 2015 , 7, 1956-62	7.7	16
594	Bamboo-like amorphous carbon nanotubes clad in ultrathin nickel oxide nanosheets for lithium-ion battery electrodes with long cycle life. <i>Carbon</i> , 2015 , 84, 491-499	10.4	13 ^o

593	Ternary Sn-Ti-O based nanostructures as anodes for lithium ion batteries. <i>Small</i> , 2015 , 11, 1364-83	11	45
592	TiO ₂ /SnO ₂ double-shelled hollow spheres-highly efficient photocatalyst for the degradation of rhodamine B. 2015 , 60, 129-133		44
591	Facile fabrication of urchin-like hollow boehmite and alumina microspheres with a hierarchical structure via Triton X-100 assisted hydrothermal synthesis. <i>CrystEngComm</i> , 2015 , 17, 1318-1325	3.3	35
590	Controllable synthesis of novel ZnSn(OH) ₆ hollow polyhedral structures with superior ethanol gas-sensing performance. 2015 , 209, 384-390		28
589	One-pot synthesis of hierarchical SnO ₂ hollow nanospindles self-assembled from nanorods and their lithium storage properties. 2015 , 5, 2586-2591		7
588	Nanostructured anode materials for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2454-2484	3.484	574
587	Synthesis and characterization of hollow mesoporous BaFe ₁₂ O ₁₉ spheres. 2015 , 222, 84-89		26
586	3D hollow structured Co ₂ FeO ₄ /MWCNT as an efficient non-precious metal electrocatalyst for oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1601-1608	13	39
585	Formation of core-shell-structured Zn ₂ SnO ₄ -carbon microspheres with superior electrochemical properties by one-pot spray pyrolysis. <i>Nanoscale</i> , 2015 , 7, 701-7	7.7	27
584	Significant impact of 2D graphene nanosheets on large volume change tin-based anodes in lithium-ion batteries: A review. <i>Journal of Power Sources</i> , 2015 , 274, 869-884	8.9	307
583	Double shelled hollow SnO ₂ /polymer microsphere as a high-capacity anode material for superior reversible lithium ion storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1068-1076	13	48
582	Electrochemical properties and lithium-ion storage mechanism of LiCuVO ₄ as an intercalation anode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 586-592	13	36
581	Facile synthesis and optical properties of Prussian Blue microcubes and hollow Fe ₂ O ₃ microboxes. 2015 , 30, 476-481		57
580	CaO-based meshed hollow spheres for CO ₂ capture. 2015 , 135, 532-539		28
579	Synthesis of monolithic aerogel-like alumina via the accumulation of mesoporous hollow microspheres. 2015 , 202, 234-240		22
578	ZnO/Ni/C composite hollow microspheres as anode materials for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2015 , 619, 235-239	5.7	32
577	Ultrasmall SnO ₂ nanocrystals: hot-bubbling synthesis, encapsulation in carbon layers and applications in high capacity Li-ion storage. 2014 , 4, 4647		68
576	Hierarchical Li ₉ Ni ₃ Co ₂ O ₁₂ mesostructures as high-performance cathode materials for lithium ion batteries. <i>Journal of Power Sources</i> , 2016 , 326, 279-284	8.9	7

575	Nanoscale Engineering of Heterostructured Anode Materials for Boosting Lithium-Ion Storage. <i>Advanced Materials</i> , 2016 , 28, 7580-602	24	177
574	Recent Developments and Understanding of Novel Mixed Transition-Metal Oxides as Anodes in Lithium Ion Batteries. 2016 , 6, 1502175		600
573	Germaniumbasierte Nanomaterialien für wiederaufladbare Batterien. 2016 , 128, 8028-8054		5
572	Germanium-Based Nanomaterials for Rechargeable Batteries. 2016 , 55, 7898-922		122
571	Facile One-Step Synthesis of Mesoporous Tin Oxide Hollow Spheres and Their Functionalized Nanoreactor Variants. 2016 , 33, 519-523		5
570	Three-Dimensional Carbon-Coated SnO ₂ /Reduced Graphene Oxide Foam as a Binder-Free Anode for High-Performance Lithium-Ion Batteries. 2016 , 3, 1063-1071		24
569	Nanoparticles. 2016 , 491-521		2
568	Magneto-acceleration of Ostwald ripening in hollow Fe ₃ O ₄ nanospheres. <i>CrystEngComm</i> , 2016 , 18, 6134-6137	16	
567	One-pot template-free synthesis of porous CdMoO ₄ microspheres and their enhanced photocatalytic activity. 2016 , 387, 202-213		33
566	Self-template fabrication of one-dimensional hollow and solid porous titania by chemically induced self-transformation. <i>CrystEngComm</i> , 2016 , 18, 5572-5579	3-3	2
565	Octahedral Tin Dioxide Nanocrystals Anchored on Vertically Aligned Carbon Aerogels as High Capacity Anode Materials for Lithium-Ion Batteries. 2016 , 6, 31496		17
564	A Comprehensive Study on Rechargeable Energy Storage Technologies. 2016 , 13,		17
563	Formation of nickel-doped magnetite hollow nanospheres with high specific surface area and superior removal capability for organic molecules. 2016 , 27, 485601		3
562	Preparation of Hollow FeO Nanorods and Nanospheres by Nanoscale Kirkendall Diffusion, and Their Electrochemical Properties for Use in Lithium-Ion Batteries. 2016 , 6, 38933		49
561	Contribution of multiple reflections to light utilization efficiency of submicron hollow TiO ₂ photocatalyst. 2016 , 59, 1017-1026		22
560	Synthesis and photocatalytic properties of different SnO ₂ microspheres on graphene oxide sheets. 2016 , 376, 172-179		28
559	Pd cocatalyst on Sm-doped BiFeO ₃ nanoparticles: synergetic effect of a Pd cocatalyst and samarium doping on photocatalysis. 2016 , 6, 34574-34587		30
558	A new strategy to mitigate the initial capacity loss of lithium ion batteries. <i>Journal of Power Sources</i> , 2016 , 324, 150-157	8.9	44

557	Inside-out Ostwald ripening: A facile process towards synthesizing anatase TiO ₂ microspheres for high-efficiency dye-sensitized solar cells. 2016 , 9, 1891-1903		28
556	SnO ₂ nanoparticles encapsulated by curved graphite layers as anode materials for Li-ion batteries with high performances. <i>Journal of Alloys and Compounds</i> , 2016 , 683, 191-197	5-7	22
555	Facile assembly of TiO ₂ nanospheres/SnO ₂ quantum dots composites with excellent photocatalyst activity for the degradation of methyl orange. 2016 , 42, 12778-12782		21
554	Inhibiting Sn coarsening to enhance the reversibility of conversion reaction in lithiated SnO ₂ anodes by application of super-elastic NiTi films. 2016 , 109, 248-258		45
553	Morphology control of ZnO microstructures by varying hexamethylenetetramine and trisodium citrate concentration and their photocatalytic activity. 2016 , 101, 7-15		31
552	Hollow TiO ₂ microspheres: template-free synthesis, remarkable structure stability, and improved photoelectric performance. 2016 , 40, 4751-4755		2
551	Electrospun ZnO/SnO ₂ composite nanofibers with enhanced electrochemical performance as lithium-ion anodes. 2016 , 42, 10826-10832		30
550	Room-temperature synthesis of colloidal SnO ₂ quantum dot solution and ex-situ deposition on carbon nanotubes as anode materials for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2016 , 680, 109-115	5-7	54
549	The fabrication of hollow magnetite microspheres with a nearly 100% morphological yield and their applications in lithium ion batteries. 2016 , 27, 887-890		4
548	Synthesis, Properties, and Applications of Hollow Micro-/Nanostructures. <i>Chemical Reviews</i> , 2016 , 116, 10983-1060	68.1	996
547	Iodinated SnO ₂ Quantum Dots: A Facile and Efficient Approach To Increase Solar Absorption for Visible-Light Photocatalysis. 2016 , 120, 9253-9262		46
546	Synthesis of one-dimensional NiFe ₂ O ₄ nanostructures: tunable morphology and high-performance anode materials for Li ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 8620-8629	13	65
545	Facile Synthesis of Porous Zn-Sn-O Nanocubes and Their Electrochemical Performances. 2016 , 8, 174-181		20
544	Rational synthesis of carbon-coated hollow Ge nanocrystals with enhanced lithium-storage properties. <i>Nanoscale</i> , 2016 , 8, 12215-20	7-7	19
543	A SnO ₂ -Based Cathode Catalyst for Lithium-Air Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 12804-11	9-5	25
542	Hollow Manganese Silicate Nanotubes with Tunable Secondary Nanostructures as Excellent Fenton-Type Catalysts for Dye Decomposition at Ambient Temperature. 2016 , 26, 7334-7342		81
541	The application of plasma treatment for Ti ³⁺ modified TiO ₂ nanowires film electrode with enhanced lithium-storage properties. 2016 , 211, 395-403		16
540	Facile synthesis of 3D silicon/carbon nanotube capsule composites as anodes for high-performance lithium-ion batteries. <i>Journal of Power Sources</i> , 2016 , 329, 422-427	8.9	35

539	Hydrogen Storage in Palladium Hollow Nanoparticles. 2016 , 120, 23836-23841		20
538	Single Source Precursor Route to rGO/Sb ₂ S ₃ Nanocomposites for Lithium Ion Battery Anodes. 2016 , 115-129		
537	SnO ₂ -based solid solutions for CH ₄ deep oxidation: Quantifying the lattice capacity of SnO ₂ using an X-ray diffraction extrapolation method. 2016 , 37, 1293-1302		17
536	Mesoporous SnO Nanostructures of Ultrahigh Surface Areas by Novel Anodization. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 28862-28871	9.5	24
535	A high responsivity SnO ₂ hollow nanospheres based ultraviolet photodetector. 2016 ,		2
534	Sb-Al C-C Nanocomposite Alloy Anodes for Lithium-Ion Batteries. 2016 , 210, 567-574		14
533	Facile synthesis of ultrafine SnO ₂ nanoparticles on graphene nanosheets via thermal decomposition of tin-octoate as anode for lithium ion batteries. 2016 , 18, 1		6
532	A sensitive and selective amperometric hydrazine sensor based on mesoporous Au/ZnO nanocomposites. 2016 , 109, 530-538		70
531	Phosphate Based Cathodes and Reduced Graphene Oxide Composite Anodes for Energy Storage Applications. 2016 ,		6
530	Pd nanoparticles supported on amino-functionalized magnetic mesoporous silica nanotubes: a highly selective catalyst for the catalytic hydrodechlorination reaction. 2016 , 6, 76582-76589		10
529	Facile Synthesis of Ni Zn Fe O (x=0, 0.25, 0.5, 0.75, 1) as Anode Materials for Lithium Storage. 2016 , 81, 1174-1181		10
528	Nanocrystalline Na ₂ Mo ₂ O ₇ : A New High Performance Anode Material. 2016 , 215, 192-199		10
527	A Facile Self-Templated Approach for the Synthesis of Pt Hollow Nanospheres with Enhanced Electrocatalytic Activity. 2016 , 3, 1600563		7
526	Facile synthesis of ultrasmall stannic oxide nanoparticles as anode materials with superior cyclability and rate capability for lithium-ion batteries. 2016 , 6, 54179-54184		7
525	Sn nanoparticles uniformly dispersed in N-doped hollow carbon nanospheres as anode for lithium-ion batteries. 2016 , 184, 332-335		11
524	. 2016 , 52, 1-6		12
523	Peapod-like V ₂ O ₃ nanorods encapsulated into carbon as binder-free and flexible electrodes in lithium-ion batteries. <i>Journal of Power Sources</i> , 2016 , 331, 58-66	8.9	73
522	Three-dimensional porous carbon network encapsulated SnO ₂ quantum dots as anode materials for high-rate lithium ion batteries. 2016 , 217, 274-282		46

521	Fabrication of cubic spinel MnCo ₂ O ₄ nanoparticles embedded in graphene sheets with their improved lithium-ion and sodium-ion storage properties. <i>Journal of Power Sources</i> , 2016 , 326, 252-263	8.9	47
520	Hollow Alveolus-Like Nanovesicle Assembly with Metal-Encapsulated Hollow Zeolite Nanocrystals. 2016 , 10, 7401-8		70
519	Enhanced mechanical and thermal properties of hybrid SnO ₂ /woven carbon fiber composites using the facile controlled growth method. 2016 , 133, 60-69		7
518	A one-pot approach using recyclable template to prepare dual-responsive yolk-shell or Janus-like nanoparticles. 2016 , 7, 7170-7176		5
517	Carbon Coated SnS/SnO Heterostructures Wrapping on CNFs as an Improved-Performance Anode for Li-Ion Batteries: Lithiation-Induced Structural Optimization upon Cycling. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 30256-30263	9.5	62
516	Li-ion storage in morphology tailored porous hollow Cu ₂ O nanospheres fabricated by Ostwald ripening. 2016 , 6, 105231-105238		8
515	Graphene nanoribbons wrapping double nanoshells of SnO ₂ @TiO ₂ for high lithium storage. <i>Journal of Power Sources</i> , 2016 , 336, 298-306	8.9	26
514	Nanospace Control of SnO ₂ Nanocrystallites-Embedded Nanoporous Carbon for Reversible Electrochemical Charge/Discharge Reactions. 2016 , 120, 25717-25724		18
513	Encapsulation of SnO ₂ nanocrystals into hierarchically porous carbon by melt infiltration for high-performance lithium storage. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18706-18710	13	38
512	Coated/Sandwiched rGO/CoS _x Composites Derived from Metal-Organic Frameworks/GO as Advanced Anode Materials for Lithium-Ion Batteries. 2016 , 22, 1467-74		51
511	Formation of Uniform N-doped Carbon-Coated SnO ₂ Submicroboxes with Enhanced Lithium Storage Properties. 2016 , 6, 1600451		233
510	Influence of Microwave Irradiation on the Structural Properties of Carbon-Supported Hollow Copper Nanoparticles and Their Effect on the Synthesis of Dimethyl Carbonate. 2016 , 8, 861-871		21
509	Multi-shelled NiO hollow spheres: Easy hydrothermal synthesis and lithium storage performances. <i>Journal of Alloys and Compounds</i> , 2016 , 685, 8-14	5.7	61
508	Hierarchical BaB ₂ O ₄ hollow microspheres: surfactant-assisted hydrothermal formation, phase conversion, optical properties and application as adsorbents. 2016 , 6, 64383-64393		6
507	Enhancement of heterogeneous oxidation and adsorption of Hg ⁰ in a wide temperature window using SnO ₂ supported LaMnO ₃ perovskite oxide. 2016 , 292, 123-129		27
506	Hierarchical MnCo ₂ O ₄ constructed by mesoporous nanosheets@polypyrrole composites as anodes for lithium ion batteries. 2016 , 209, 163-170		48
505	A novel fabrication of Cu ₂ O@Cu ₇ S ₄ core-shell micro/nanocrystals from Cu ₂ O templates and enhanced photocatalytic activities. 2016 , 80, 200-208		11
504	Facile synthesis and application of multi-shelled SnO ₂ hollow spheres in lithium ion battery. 2016 , 6, 58069-58076		84

503	Hollow LDH nanowires as excellent adsorbents for organic dye. <i>Journal of Alloys and Compounds</i> , 2016 , 687, 499-505	5.7	34
502	Solvothermal Synthesis of Single-Crystal Magnetite Hollow Sub-Microspheres: A Novel Formation Mechanism and Magnetic Properties. 2016 , 69, 798		1
501	Novel Carbon-Encapsulated Porous SnO ₂ Anode for Lithium-Ion Batteries with Much Improved Cyclic Stability. <i>Small</i> , 2016 , 12, 1945-55	11	207
500	Influence of annealing temperature on microstructure and lithium storage performance of self-templated Cu ₃ Co ₃ O ₄ hollow microspheres. 2016 , 6, 62640-62646		9
499	Nonspherical hollow Fe ₂ O ₃ structures synthesized by stepwise effect of fluoride and phosphate anions. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 11000-11008	13	10
498	Photovoltaics with Ferroelectrics: Current Status and Beyond. <i>Advanced Materials</i> , 2016 , 28, 5153-68	24	226
497	Hollow-Structured Carbon-Supported Nickel Cobaltite Nanoparticles as an Efficient Bifunctional Electrocatalyst for the Oxygen Reduction and Evolution Reactions. 2016 , 8, 736-742		55
496	Synergistic effect of graphene and polypyrrole to enhance the SnO ₂ anode performance in lithium-ion batteries. 2016 , 6, 9402-9410		32
495	Comparison of Storage Mechanisms in RuO ₂ , SnO ₂ , and SnS ₂ for Lithium-Ion Battery Anode Materials. 2016 , 120, 2036-2046		42
494	Carbon coated SnO ₂ nanoparticles anchored on CNT as a superior anode material for lithium-ion batteries. <i>Nanoscale</i> , 2016 , 8, 4121-6	7.7	113
493	Nanoparticle shape, thermodynamics and kinetics. 2016 , 28, 053001		140
492	A simple synthesis of hollow Mn ₂ O ₃ core-shell microspheres and their application in lithium ion batteries. 2016 , 18, 4739-44		15
491	Anodic nanoporous SnO ₂ grown on Cu foils as superior binder-free Na-ion battery anodes. <i>Journal of Power Sources</i> , 2016 , 307, 634-640	8.9	53
490	Sulfonated graphene anchored with tin oxide nanoparticles for detection of nitrogen dioxide at room temperature with enhanced sensing performances. 2016 , 228, 134-143		61
489	Synthesis of hierarchical flower-like SnO ₂ nanostructures and their photocatalytic properties. 2016 , 127, 580-584		18
488	Phase and morphology evolution during the solvothermal synthesis of VO ₂ polymorphs. 2016 , 3, 117-124		20
487	Au nanoparticle-functionalized 3D SnO ₂ microstructures for high performance gas sensor. 2016 , 226, 266-272		106
486	Dramatically enhanced reversibility of Li ₂ O in SnO ₂ -based electrodes: the effect of nanostructure on high initial reversible capacity. <i>Energy and Environmental Science</i> , 2016 , 9, 595-603	35.4	257

485	Preparation and crystallization of hollow Fe ₂ O ₃ microspheres following the gas-bubble template method. 2016 , 169, 21-27		10
484	Nanowire-templated formation of SnO ₂ /carbon nanotubes with enhanced lithium storage properties. <i>Nanoscale</i> , 2016 , 8, 8384-9	7.7	123
483	Tunable construction of multi-shelled hollow carbonate nanospheres and their potential applications. <i>Nanoscale</i> , 2016 , 8, 8687-95	7.7	24
482	Electrochemical supercapacitor performance of SnO ₂ quantum dots. 2016 , 203, 230-237		71
481	Cobalt oxide 2D nano-assemblies from infinite coordination polymer precursors mediated by a multidentate pyridyl ligand. 2016 , 45, 7866-74		9
480	Porous Co ₃ O ₄ hollow nanododecahedra for nonenzymatic glucose biosensor and biofuel cell. 2016 , 81, 46-53		200
479	Synthesis and electrochemical investigation of highly dispersed ZnO nanoparticles as anode material for lithium-ion batteries. <i>Ionics</i> , 2016 , 22, 1387-1393	2.7	26
478	Template-free synthesis of hierarchical TiO ₂ hollow microspheres as scattering layer for dye-sensitized solar cells. 2016 , 369, 170-177		31
477	Bovine serum albumin assisted synthesis of Fe ₃ O ₄ @C@Mn ₃ O ₄ multilayer core-shell porous spheres as anodes for lithium ion battery. 2016 , 291, 238-243		20
476	Size Effect on Optical and Photocatalytic Properties in BiFeO ₃ Nanoparticles. 2016 , 120, 3595-3601		93
475	A general precursor strategy for one-dimensional titania with surface nanoprotrusion and tunable structural hierarchy. <i>CrystEngComm</i> , 2016 , 18, 1321-1328	3.3	6
474	Fabrication of hollow spheres of Co ₃ O ₄ for catalytic oxidation of carbon monoxide. <i>Journal of Alloys and Compounds</i> , 2016 , 663, 68-76	5.7	14
473	Influence of annealing conditions on the formation of hollow Al ₂ O ₃ microspheres studied by in situ ESEM. 2016 , 113, 198-206		11
472	Template-free synthesis of Ni ₂ P hollow microspheres with great photocatalytic and electrochemical properties. 2016 , 27, 2248-2254		12
471	Synthesis of SnO ₂ versus Sn crystals within N-doped porous carbon nanofibers via electrospinning towards high-performance lithium ion batteries. <i>Nanoscale</i> , 2016 , 8, 7595-603	7.7	61
470	Novel inkjet droplet method generating monodisperse hollow metal oxide micro-spheres. 2016 , 292, 139-146		10
469	Hierarchical photocatalysts. 2016 , 45, 2603-36		1216
468	An adsorption-reduction synergistic effect of mesoporous Fe/SiO ₂ @H ₂ hollow spheres for the removal of Cr(VI) ions. 2016 , 6, 27039-27046		14

467	Design, fabrication and modification of metal oxide semiconductor for improving conversion efficiency of excitonic solar cells. <i>Coordination Chemistry Reviews</i> , 2016 , 320-321, 193-215	23.2	49
466	Strategy for yolk-shell structured metal oxide-carbon composite powders and their electrochemical properties for lithium-ion batteries. <i>Carbon</i> , 2016 , 100, 137-144	10.4	33
465	Recycling of graphite anodes for the next generation of lithium ion batteries. 2016 , 46, 123-148		117
464	Synthesis and characterization of novel hierarchical starfish-like vanadium oxide and their electrochemical performance. 2016 , 188, 625-635		19
463	Facile synthesis of ternary CdMnS QD-based hollow nanospheres as fluorescent/magnetic probes for bioimaging. 2016 , 4, 1208-1212		5
462	Template-directed metal oxides for electrochemical energy storage. <i>Energy Storage Materials</i> , 2016 , 3, 1-17	19.4	43
461	Porous Iron Cobaltate Nanoneedles Array on Nickel Foam as Anode Materials for Lithium-Ion Batteries with Enhanced Electrochemical Performance. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 1351-9	9.5	64
460	Ni nanoparticle doped porous VN nanoflakes assembled into hierarchical hollow microspheres with a structural inheritance from the Ni _{1-x} V _x O ₂ cathode material for high performance asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 2158-2168	13	40
459	The developments of SnO ₂ /graphene nanocomposites as anode materials for high performance lithium ion batteries: A review. <i>Journal of Power Sources</i> , 2016 , 304, 81-101	8.9	185
458	Morphology Evolution of Tin-Based Oxide Hierarchical Structures Synthesized by Molten Salt Approach and Their Applications as Anode for Lithium Ion Battery. 2016 , 16, 34-41		11
457	Novel multiform morphologies of hydroxyapatite: Synthesis and growth mechanism. 2016 , 361, 25-32		26
456	Rational design of SnO ₂ @C nanocomposites for lithium ion batteries by utilizing adsorption properties of MOFs. 2016 , 52, 717-20		56
455	Synthesis of porous SnO ₂ nanocubes via selective leaching and enhanced gas-sensing properties. 2016 , 360, 1059-1065		12
454	Fe ₂ O ₃ nanosheet-assembled hierarchical hollow mesoporous microspheres: Microwave-assisted solvothermal synthesis and application in photocatalysis. 2016 , 463, 107-17		48
453	Synthesis and characterization of carbon coated sponge-like tin oxide (SnO _x) films and their application as electrode materials in lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 612-619	13	31
452	Distinctive slit-shaped porous carbon encapsulating phosphorus as a promising anode material for lithium batteries. <i>Ionics</i> , 2016 , 22, 167-172	2.7	12
451	UV-assisted, template-free synthesis of ultrathin nanosheet-assembled hollow indium oxide microstructures for effective gaseous formaldehyde detection. 2016 , 224, 559-567		12
450	Co ₉ S ₈ nanosheet arrays supported on nickel foam for enhanced performance as anode material for Li-ion batteries. 2016 , 163, 183-186		13

449	Nanostructured SnO ₂ encapsulated guar-gum hybrid nanocomposites for electrocatalytic determination of hydrazine. 2016 , 58, 432-41		31
448	Studies on cyclic voltammogram properties of SnO ₂ nanoflower. 2017 , 21, 195-197		1
447	A sensitive sodium dodecyl sulfonate functionalized graphene hybrid SnO ₂ nanoparticles composite modified glassy carbon electrode for detecting daphnetin. 2017 , 787, 72-79		7
446	Structural, optical properties, impedance spectroscopy studies and electrical conductivity of SnO ₂ nanoparticles prepared by polyol method. 2017 , 28, 6649-6656		19
445	Polypyrrole layer coated MnO _x /Fe ₂ O ₃ nanotubes with enhanced electrochemical performance for lithium ion batteries. 2017 , 403, 62-70		22
444	3D graphene network encapsulating SnO ₂ hollow spheres as a high-performance anode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 4535-4542	13	93
443	Polymer-Templated Formation of Polydopamine-Coated SnO ₂ Nanocrystals: Anodes for Cyclable Lithium-Ion Batteries. 2017 , 129, 1895-1898		23
442	Polymer-Templated Formation of Polydopamine-Coated SnO Nanocrystals: Anodes for Cyclable Lithium-Ion Batteries. 2017 , 56, 1869-1872		212
441	CoSn(OH) ₆ hybridized with anionic and cationic graphenes as a new high-capacity anode for lithium ion batteries. 2017 , 118, 294-303		17
440	Size-controlled synthesis and electrochemical performance of porous Fe ₂ O ₃ /SnO ₂ nanocubes as an anode material for lithium ion batteries. <i>CrystEngComm</i> , 2017 , 19, 708-715	3-3	20
439	Recent Progress in Metal-Organic Frameworks and Their Derived Nanostructures for Energy and Environmental Applications. 2017 , 10, 1645-1663		155
438	Highly Porous Thermoelectric Nanocomposites with Low Thermal Conductivity and High Figure of Merit from Large-Scale Solution-Synthesized Bi ₂ Te _{2.5} Se _{0.5} Hollow Nanostructures. 2017 , 129, 3600-3605		23
437	Highly Porous Thermoelectric Nanocomposites with Low Thermal Conductivity and High Figure of Merit from Large-Scale Solution-Synthesized Bi Te Se Hollow Nanostructures. 2017 , 56, 3546-3551		86
436	Complex Hollow Nanostructures: Synthesis and Energy-Related Applications. <i>Advanced Materials</i> , 2017 , 29, 1604563	24	529
435	Preparation of Zn ₂ SnO ₄ /SnO ₂ @Mn ₂ O ₃ Microbox Composite Materials with Enhanced Lithium-Storage Properties. 2017 , 4, 1334-1340		8
434	Solar synthesized tin oxide nanoparticles dispersed on graphene wrapped carbon nanotubes as a Li ion battery anode material with improved stability. 2017 , 7, 13789-13797		12
433	Template-free formation of various V ₂ O ₅ hierarchical structures as cathode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 6522-6531	13	41
432	Stabilizing the Nanostructure of SnO Anodes by Transition Metals: A Route to Achieve High Initial Coulombic Efficiency and Stable Capacities for Lithium Storage. <i>Advanced Materials</i> , 2017 , 29, 1605006	24	246

431	Synthesis of Zn ₂ SnO ₄ hollow spheres by a template route for high-performance acetone gas sensor. 2017 , 245, 493-506		62
430	Design and synthesis of porous ZnTiO ₃ /TiO ₂ nanocages with heterojunctions for enhanced photocatalytic H ₂ production. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 11615-11622	13	47
429	The Gadolinium (Gd) and Tin (Sn) Co-doped BiFeO Nanoparticles as New Solar Light Active Photocatalyst. 2017 , 7, 42493		76
428	A spray pyrolysis synthesis of MnFe ₂ O ₄ /SnO ₂ yolk/shell composites for magnetically recyclable photocatalyst. 2017 , 199, 135-138		10
427	Hierarchically branched TiO ₂ @SnO ₂ nanofibers as high performance anodes for lithium-ion batteries. 2017 , 96, 405-412		16
426	Ag-decorated SnO ₂ nanorods: microwave-assisted green synthesis and enhanced ethanol gas sensing properties. 2017 , 12, 245-247		7
425	Three-Dimensional Carbon@Fe ₂ O ₃ @SnO ₂ Hierarchical Inverse Opals Arrays as Li-ion Battery Anode with Improved Cycling Life and Rate Capability. <i>ChemistrySelect</i> , 2017 , 2, 3223-3230	1.8	4
424	Sensing and structural properties of Ti-doped tin oxide (SnO ₂) membrane for bio-sensor applications. 2017 , 43, 10386-10391		13
423	Fabrication of Highly Stable Metal Oxide Hollow Nanospheres and Their Catalytic Activity toward 4-Nitrophenol Reduction. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 18207-18214	9.5	68
422	Simultaneous Ni Doping at Atom Scale in Ceria and Assembling into Well-Defined Lotuslike Structure for Enhanced Catalytic Performance. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 16243-16251	9.5	22
421	Effect of replacing Sn ⁴⁺ ions by Zn ²⁺ ions on structural, optical and magnetic properties of SnO ₂ nanoparticles. 2017 , 123, 1		7
420	Facile hydrothermal synthesis of cobalt stannate (Co ₂ SnO ₄) nano particles for electrochemical properties. 2017 , 28, 4780-4787		11
419	Laser in-situ synthesis of SnO ₂ /N-doped graphene nanocomposite with enhanced lithium storage properties based on both alloying and insertion reactions. 2017 , 422, 645-653		15
418	Wet-Chemical Synthesis of Hollow Red-Phosphorus Nanospheres with Porous Shells as Anodes for High-Performance Lithium-Ion and Sodium-Ion Batteries. <i>Advanced Materials</i> , 2017 , 29, 1700214	24	175
417	Hierarchical Co ₉ S ₈ hollow microspheres as multifunctional electrocatalysts for oxygen reduction, oxygen evolution and hydrogen evolution reactions. 2017 , 246, 380-390		55
416	Silica template-assisted synthesis of SnO ₂ @porous carbon composites as anode materials with excellent rate capability and cycling stability for lithium-ion batteries. 2017 , 7, 30070-30079		18
415	Sn/Al ₂ O ₃ /C/CNT composite prepared by wet milling as anode material for lithium-ion cells. 2017 , 2, 210-214		3
414	Synthesis of porous Mn ₂ O ₃ embedded in reduced graphene oxide as advanced anode materials for lithium storage. 2017 , 41, 7102-7107		7

413	Facile synthesis of single-crystalline mesoporous NiO nanosheets as high-performance anode materials for Li-ion batteries. 2017 , 28, 13853-13860		13
412	Monodisperse hollow TiO ₂ spheres for thermal insulation materials: Template-free synthesis, characterization and properties. 2017 , 43, 8596-8602		16
411	Enhancement of electrochemical performance of tin-based anode in lithium ion batteries by polyimide containing amino benzoquinone. 2017 , 235, 429-436		2
410	In Situ Formation of Co S /N-C Hollow Nanospheres by Pyrolysis and Sulfurization of ZIF-67 for High-Performance Lithium-Ion Batteries. 2017 , 23, 9517-9524		88
409	Tin Oxide-Carbon-Coated Sepiolite Nanofibers with Enhanced Lithium-Ion Storage Property. 2017 , 12, 215		18
408	Multilayer Zn-doped SnO ₂ hollow nanospheres encapsulated in covalently interconnected three-dimensional graphene foams for high performance lithium-ion batteries. 2017 , 320, 405-415		39
407	In situ Sn-doped WO ₃ films with enhanced photoelectrochemical performance for reducing CO ₂ into formic acid. 2017 , 21, 2231-2240		25
406	Hierarchical zinc-copper oxide hollow microspheres as active Rochow reaction catalysts: The formation and effect of charge transferable interfaces. 2017 , 348, 233-245		18
405	Cockscomb-like Mn-doped Mn _x Fe _{1-x} CO ₃ as anode materials for a high-performance lithium-ion battery. 2017 , 47, 157-166		16
404	Distinct impact of cobalt salt type on the morphology, microstructure, and electrochemical properties of Co ₃ O ₄ synthesized by ultrasonic spray pyrolysis. <i>Journal of Alloys and Compounds</i> , 2017 , 696, 836-843	5.7	21
403	Evolution of form in metal-organic frameworks. 2017 , 8, 14070		69
402	Porous manganese oxide nanocubes enforced by solid electrolyte interphase as anode of high energy density battery. 2017 , 224, 251-259		9
401	Crack-resistant polyimide coating for high-capacity battery anodes. <i>Journal of Power Sources</i> , 2017 , 366, 226-232	8.9	10
400	Inflating hollow nanocrystals through a repeated Kirkendall cavitation process. 2017 , 8, 1261		99
399	Epitaxial growth and properties of Nb-doped anatase TiO ₂ films on LSAT by MOCVD. <i>Journal of Alloys and Compounds</i> , 2017 , 729, 38-42	5.7	4
398	Large-Scale Fabrication of Core-Shell Structured C/SnO Hollow Spheres as Anode Materials with Improved Lithium Storage Performance. <i>Small</i> , 2017 , 13, 1701993	11	53
397	Gas-sensing enhancement methods for hydrothermal synthesized SnO-based sensors. 2017 , 28, 452002		12
396	The influence of covering a germanium nanowire with a single wall carbon nanotube on mechanical properties: A molecular dynamics study. 2017 , 122, 035102		6

395	N-Doped hollow carbon nanosheet supported SnO ₂ nanoparticles. 2017 , 4, 1742-1747		12
394	Recent Advances in Nanostructured Vanadium Oxides and Composites for Energy Conversion. 2017 , 7, 1700885		129
393	Facile Fabrication of ZnFe ₂ O ₄ -MWCNTs Composite as an Anode Material for Rechargeable Lithium-Ion Batteries. <i>ChemistrySelect</i> , 2017 , 2, 7194-7201	1.8	8
392	Artificial interphase engineering of electrode materials to improve the overall performance of lithium-ion batteries. 2017 , 10, 4115-4138		38
391	Cytosine assisted aqueous synthesis of AgPt hollow alloyed nanostructures as highly active electrocatalyst for ethylene glycol oxidation and hydrogen evolution. 2017 , 42, 24767-24775		18
390	Synthesis and electrochemical performance of double shell SnO ₂ @amorphous TiO ₂ spheres for lithium ion battery application. 2017 , 322, 84-91		15
389	TEOA-mediated formation of hollow core-shell structured CoNi ₂ S ₄ nanospheres as a high-performance electrode material for supercapacitors. <i>Journal of Power Sources</i> , 2017 , 362, 123-130	8.9	16
388	Design and synthesis of Cr ₂ O ₃ @C@G composites with yolk-shell structure for Li ⁺ storage. <i>Journal of Alloys and Compounds</i> , 2017 , 724, 406-412	5.7	14
387	In-situ synthesized ZnFe ₂ O ₄ firmly anchored to the surface of MWCNTs as a long-life anode material with high lithium storage performance. 2017 , 425, 978-987		26
386	The influence of the pore structure of hollow silica/alumina composite spheres on their activity for hydrolytic dehydrogenation of ammonia borane. 2017 , 4, 1568-1574		13
385	MFe ₂ O ₄ (M = Ni, Co) nanoparticles anchored on amorphous carbon coated multiwalled carbon nanotubes as anode materials for lithium-ion batteries. <i>Carbon</i> , 2017 , 123, 448-459	10.4	27
384	Facile Hydrothermal Synthesis of Sn-Mn Mixed Oxide Nano-rods with Exposed (110) Facets and Remarkable Catalytic Performance. <i>ChemistrySelect</i> , 2017 , 2, 6364-6369	1.8	1
383	Remarkable High-temperature Performance of Hollow Co ₉ S ₈ Nanoparticles Integrated with Carbon Materials for Lithium-ion Batteries. 2017 , 250, 196-202		33
382	Three-Dimensional Porous Carbon Nanotube Papers as Current Collector and Buffer for SnO ₂ Anodes. 2017 , 12, 1750141		2
381	Hierarchically structured magnesium based oxides: synthesis strategies and applications in organic pollutant remediation. <i>CrystEngComm</i> , 2017 , 19, 6913-6926	3.3	12
380	Rational synthesis of SnS ₂ @C hollow microspheres with superior stability for lithium-ion batteries. 2017 , 60, 955-962		9
379	Sacrificial Template Strategy toward a Hollow LiNiCoMnO Nanosphere Cathode for Advanced Lithium-Ion Batteries. 2017 , 2, 7593-7599		11
378	Fast facile synthesis of SnO ₂ /Graphene composite assisted by microwave as anode material for lithium-ion batteries. 2017 , 246, 1104-1111		45

377	Citrate Stabilized Hierarchical SPIO Nanostructures: Synthesis and Application Towards Effective Removal of Toxin, Microcystin-LR from Water. <i>ChemistrySelect</i> , 2017 , 2, 5226-5233	1.8	1
376	Fluorine-doped SnO ₂ nanoparticles anchored on reduced graphene oxide as a high-performance lithium ion battery anode. <i>Journal of Power Sources</i> , 2017 , 362, 20-26	8.9	77
375	Heterogeneous Double-Shelled Constructed FeO Yolk-Shell Magnetite Nanoboxes with Superior Lithium Storage Performances. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 24662-24670	9.5	29
374	Synthesis and characterization of hollow and core-shell structured V ₂ O ₅ microspheres and their electrochemical properties. <i>Journal of Alloys and Compounds</i> , 2017 , 725, 923-934	5.7	14
373	Synthesis and Lithium Storage Properties of Zn, Co and Mg doped SnO ₂ Nano Materials. 2017 , 247, 358-370		28
372	Nano Metal-Organic Framework-Derived Inorganic Hybrid Nanomaterials: Synthetic Strategies and Applications. 2017 , 23, 5631-5651		80
371	Rambutan-like hierarchically heterostructured CeO ₂ -CuO hollow microspheres: Facile hydrothermal synthesis and applications. 2017 , 10, 381-396		22
370	3D Bi ₂ MoO ₆ hollow mesoporous nanostructures with high photodegradation for tetracycline. 2017 , 240, 91-95		22
369	Solid-state chemical synthesis and xylene-sensing properties of HMoO ₃ arrays assembled by nanoplates. 2017 , 242, 769-776		37
368	Synthesis of Uniquely Structured SnO ₂ Hollow Nanoplates and Their Electrochemical Properties for Li-Ion Storage. 2017 , 27, 1603399		81
367	Facile Synthesis of Nanocrystal Tin Oxide Hollow Microspheres by Microwave-Assisted Spray Pyrolysis Method. 2017 , 33, 874-878		6
366	High-performance reduced graphene oxide-based room-temperature NO ₂ sensors: A combined surface modification of SnO ₂ nanoparticles and nitrogen doping approach. 2017 , 242, 269-279		79
365	Hydrogen Bubble-Assisted Electrodeposition of Metal Nanoparticles from Protic Ionic Liquids for Electrocatalysis. 2017 , 5, 85-89		16
364	Mesoporous architecture of TiO ₂ microspheres via controlled template assisted route and their photoelectrochemical properties. 2017 , 28, 304-316		24
363	C@CoFe ₂ O ₄ fiber-in-tube mesoporous nanostructure: Formation mechanism and high electrochemical performance as an anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017 , 693, 110-117	5.7	36
362	Facile template-free hydrothermal synthesis of Co ₃ O ₄ hollow microspheres constructed by nanoparticles using [Co(NH ₃) ₄ CO ₃]NO ₃ and their photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2017 , 692, 923-933	5.7	14
361	Synthesis of 3D Flower-like Nanocomposites of Nitrogen-Doped Carbon Nanosheets Embedded with Hollow Cobalt(II,III) Oxide Nanospheres for Lithium Storage. 2017 , 4, 102-108		12
360	Study on the preparation, characterization and photocatalytic performance of SnO ₂ nanoparticles. 2017 , 16, 267-274		1

359	Introduction to semiconductor nanomaterial and its optical and electronics properties. 2017 , 1-33		6
358	Construction of complex WO ₃ -SnO ₂ hollow nanospheres as a high-performance anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2018 , 744, 375-380	5-7	16
357	CO switchable hollow nanospheres. 2018 , 522, 10-19		4
356	Uniformly Grafting SnO ₂ Nanoparticles on Ionic Liquid Reduced Graphene Oxide Sheets for High Lithium Storage. 2018 , 5, 1701685		11
355	Controllable synthesis of SnO ₂ @carbon hollow sphere based on bi-functional metallo-organic molecule for high-performance anode in Li-ion batteries. 2018 , 442, 65-70		12
354	Microwave-Assisted Preparation and Characterization of a Polyoxometalate-Based Inorganic 2D Framework Anode for Enhancing Lithium-Ion Battery Performance. 2018 , 13, 1199-1205		9
353	Cobalt-doped V ₂ O ₅ nanowire arrays on Ti foil for enhanced lithium-ion storage. <i>Journal of Alloys and Compounds</i> , 2018 , 742, 567-576	5-7	13
352	Fast ion transport at solid-solid interfaces in hybrid battery anodes. 2018 , 3, 310-316		313
351	CoP ₃ @PPy microcubes as anode for lithium-ion batteries with improved cycling and rate performance. 2018 , 347, 455-461		39
350	Oriented, One-Dimensional Tin Dioxide-Titanium Dioxide Composites as Anode Materials for Lithium-Ion Batteries. 2018 , 6, 1966-1974		6
349	Iron-antimony-based hybrid oxides as high-performance anodes for lithium-ion storage. <i>Journal of Power Sources</i> , 2018 , 389, 28-36	8.9	13
348	Transition metal-free graphene framework based on disulfide bridges as a Li host material. <i>Energy Storage Materials</i> , 2018 , 14, 238-245	19.4	3
347	Egg albumin-assisted sol-gel synthesis and photo-catalytic activity of SnO ₂ micro/nano-structured biscuits. 2018 , 85, 402-412		9
346	Surfactant-free solvothermal synthesis of Hydroxyapatite nested bundles for the effective photodegradation of cationic dyes. 2018 , 116, 180-186		14
345	1D Cu(OH) ₂ nanorod/2D SnO ₂ nanosheets core/shell structured array: Covering with graphene layer leads to excellent performances on lithium-ion battery. 2018 , 440, 91-98		15
344	Sandwich-like C@SnO ₂ /Sn/void@C hollow spheres as improved anode materials for lithium ion batteries. <i>Journal of Power Sources</i> , 2018 , 379, 191-196	8.9	54
343	Network structure of SnO hollow sphere/PANI nanocomposites for electrochemical performance. 2018 , 47, 2368-2375		17
342	Phosphorized SnO ₂ /graphene heterostructures for highly reversible lithium-ion storage with enhanced pseudocapacitance. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 3479-3487	13	96

341	Hollow nanostructures of metal oxides as next generation electrode materials for supercapacitors. 2018 , 8, 1307		69
340	Facile Fabrication of Hollow Li ₃ PO ₄ Catalyst via Ostwald Ripening. 2018 , 13, 1850004		1
339	A facile strategy to fabricate hollow cadmium sulfide nanospheres with nanoparticles-textured surface for hexavalent chromium reduction and bacterial inactivation. 2018 , 514, 396-406		23
338	Template-free synthesis of Co ₃ O ₄ nanorings and their catalytic application. <i>CrystEngComm</i> , 2018 , 20, 679-688	3-3	7
337	Yolk-Shell Nanostructures: Design, Synthesis, and Biomedical Applications. <i>Advanced Materials</i> , 2018 , 30, 1704639	24	116
336	Microwave synthesis of surface functionalized ErFeO ₃ nanoparticles for photoluminescence and excellent photocatalytic activity. 2018 , 196, 387-391		8
335	Hydrothermal preparation of hierarchical SnO ₂ microsphere for efficient dye-sensitized solar cells. 2018 , 207, 141-146		8
334	A narrow-band red-emitting K ₂ LiGaF ₆ :Mn ⁴⁺ phosphor with octahedral morphology: Luminescent properties, growth mechanisms, and applications. <i>Journal of Alloys and Compounds</i> , 2018 , 738, 307-316	5-7	34
333	Spray-Drying-Induced Assembly of Skeleton-Structured SnO/Graphene Composite Spheres as Superior Anode Materials for High-Performance Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 2515-2525	9-5	76
332	3D composites of ZnSnO ₃ nanoplates/reduced graphene oxide aerogels as an advanced lithium-ion battery anode. 2018 , 29, 5299-5306		9
331	Graphene aerogels for efficient energy storage and conversion. <i>Energy and Environmental Science</i> , 2018 , 11, 772-799	35-4	272
330	Osiers-sprout-like heteroatom-doped carbon nanofibers as ultrastable anodes for lithium/sodium ion storage. 2018 , 11, 3791-3801		12
329	Nanoreactor of MOF-Derived Yolk-Shell [email[protected]]: Precisely Controllable Structure and Enhanced Catalytic Activity. 2018 , 8, 1417-1426		196
328	Rational design of SnO ₂ @C@MnO ₂ hierarchical hollow hybrid nanospheres for a Li-ion battery anode with enhanced performances. 2018 , 262, 1-8		47
327	Nanospace-confined synthesis of coconut-like SnS/C nanospheres for high-rate and stable lithium-ion batteries. 2018 , 64, 1965-1974		38
326	Unveiling critical size of coarsened Sn nanograins for achieving high round-trip efficiency of reversible conversion reaction in lithiated SnO ₂ nanocrystals. 2018 , 45, 255-265		65
325	Polythiophene/ZnO nanocomposite-modified glassy carbon electrode as efficient electrochemical hydrazine sensor. 2018 , 214, 126-134		45
324	Template-free synthesis of metal oxide hollow micro-/nanospheres via Ostwald ripening for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10168-10175	13	87

323	Metal Oxide and Its Composite Nanomaterials for Electrochemical Monitoring of PTS: Design, Preparation, and Application. 2018 , 305-400		
322	Facile Synthesis of Pt-Functionalized Meso/Macroporous SnO Hollow Spheres through in Situ Templating with SiO for HS Sensors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 18183-18191	9.5	49
321	Electrode Materials, Electrolytes, and Challenges in Nonaqueous Lithium-Ion Capacitors. <i>Advanced Materials</i> , 2018 , 30, e1705670	24	236
320	Porous indium oxide hollow spheres (PIOHS) for asymmetric electrochemical supercapacitor with excellent cycling stability. 2018 , 270, 87-95		16
319	Facile one-step synthesis of Fe ₅ (PO ₄) ₄ (OH) ₃ · 2H ₂ O hollow octahedra and their application for DNA separation. 2018 , 36, 689-694		2
318	Popcorn like morphology and absence of room temperature ferromagnetism in Ni doped SnO ₂ nanoparticles. 2018 , 29, 38-48		7
317	General Synthesis of Transition-Metal Oxide Hollow Nanospheres/Nitrogen-Doped Graphene Hybrids by Metal-Ammine Complex Chemistry for High-Performance Lithium-Ion Batteries. 2018 , 24, 2126-2136		14
316	Template-based synthesis of uniform bimetallic nickel-tin oxide hollow nanospheres as a new sensing platform for detection of erythrosine in food products. 2018 , 255, 1716-1725		6
315	Electrochemical performance of all solid-state fluoride-ion batteries based on thin-film electrolyte using alternative conductive additives and anodes. 2018 , 22, 997-1006		24
314	Microwave Synthesized In ₂ S ₃ @CNTs with Excellent Properties in Lithium-Ion Battery and Electromagnetic Wave Absorption. 2018 , 36, 157-161		10
313	Complementary surface modification by disordered carbon and reduced graphene oxide on SnO ₂ hollow spheres as an anode for Li-ion battery. <i>Carbon</i> , 2018 , 129, 342-348	10.4	31
312	TIN-BASED COMPOUNDS AS ANODE MATERIALS FOR LITHIUM-ION STORAGE. 2018 , 581-638		
311	Hierarchical hybrid ZnFe ₂ O ₄ nanoparticles/reduced graphene oxide composite with long-term and high-rate performance for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2018 , 737, 58-66	5.7	30
310	In situ preparation of uniform and ultrafine SnO ₂ nanocrystals anchored within a mesoporous carbon network as advanced anode materials. 2018 , 5, 378-385		5
309	Synthesis and characterization of ordered mesoporous silica using rosin-based Gemini surfactants. 2018 , 53, 2434-2442		6
308	Effect of differentiated textural properties of tin oxide aerogels on anode performance in lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2018 , 732, 511-517	5.7	7
307	Self-assembled 3D flower-like Fe ₃ O ₄ /C architecture with superior lithium ion storage performance. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24940-24948	13	62
306	Solution-phase synthesized iron telluride nanostructures with controllable thermally triggered p-type to n-type transition. <i>Nanoscale</i> , 2018 , 10, 20664-20670	7.7	1

- 305 Role of Interparticle Space in Hollow Spheres of Silica-Based Solid Acids on Their Acidic Properties and Activity for Hydrolytic Dehydrogenation of Ammonia Borane. **2018**,
- 304 Nanosized Amorphous SnO₂ Particles Anchored in the Wheat Straw Carbon Substrate as the Stabilized Anode Material of Lithium-Ion Batteries. *ACS Applied Energy Materials*, **2018**, 1, 7065-7075 6.1 17
- 303 Controlled-Size Hollow Magnesium Sulfide Nanocrystals Anchored on Graphene for Advanced Lithium Storage. **2018**, 12, 12741-12750 21
- 302 Photovoltaics in Ferroelectric Materials: Origin, Challenges and Opportunities. **2018**, 103-140
- 301 A Green, General, and Ultrafast Route for the Synthesis of Diverse Metal Oxide Nanoparticles with Controllable Sizes and Enhanced Catalytic Activity. **2018**, 1, 6112-6122 9
- 300 Mechanical Properties Obtained by Indentation of Hollow Pd Nanoparticles. **2018**, 122, 25035-25042 14
- 299 Near room temperature sensing of nitric oxide using SnO₂/Ni-decorated natural cellulosic graphene nanohybrid film. **2018**, 29, 20162-20171 18
- 298 The Porous Carbon Nanotube-Cellulose Papers as Current Collector and Electrode for Lithium Ion Battery and Supercapacitor Applications. **2018**,
- 297 Lignosulfonate-Directed Synthesis of Consubstantial Yolk-Shell Carbon Microspheres with Pollen-Like Surface from Sugar Biomass. **2018**, 6, 16315-16322 9
- 296 Construction of Porous Mo₃P/Mo Nanobelts as Catalysts for Efficient Water Splitting. **2018**, 130, 14335-14339 6
- 295 Construction of Porous Mo₃P/Mo Nanobelts as Catalysts for Efficient Water Splitting. **2018**, 57, 14139-14143 53
- 294 In situ construction of interconnected SnO₂/nitrogen-doped Carbon@TiO₂ networks for lithium-ion half/full cells. **2018**, 290, 312-321 37
- 293 Sequential precipitation induced interdiffusion: a general strategy to synthesize microtubular materials for high performance lithium ion battery electrodes. *Journal of Materials Chemistry A*, **2018**, 6, 18430-18437 13 7
- 292 Shell-Induced Ostwald Ripening: Simultaneous Structure, Composition, and Morphology Transformations during the Creation of Hollow Iron Oxide Nanocapsules. **2018**, 12, 9051-9059 30
- 291 General and precise carbon confinement of functional nanostructures derived from assembled metal-phenolic networks for enhanced lithium storage. *Journal of Materials Chemistry A*, **2018**, 6, 18605-18614 13 9
- 290 Employment of ultra-thin carbon layer-coated porous tin oxide as anode in lithium-ion capacitor. **2018**, 461, 161-170 5
- 289 Self-Standing Carbon Nanofiber and SnO₂ Nanorod Composite as a High-Capacity and High-Rate-Capability Anode for Lithium-Ion Batteries. **2018**, 1, 2982-2989 22
- 288 Hollow SnO nanospheres with oxygen vacancies entrapped by a N-doped graphene network as robust anode materials for lithium-ion batteries. *Nanoscale*, **2018**, 10, 11460-11466 7.7 99

287	Tin-based materials as versatile anodes for alkali (earth)-ion batteries. <i>Journal of Power Sources</i> , 2018 , 395, 41-59	8.9	63
286	Novel formation of Bi@BiFe-glycolate hollow spheres and their conversion into Bi ₂ O ₃ /BiFeO ₃ composite hollow spheres with enhanced activity and durability in visible photocatalysis. 2018 , 42, 10697-10703		
285	ZnFe ₂ O ₄ /MoS ₂ /rGO composite as an anode for rechargeable Lithium-ion batteries. 2018 , 823, 407-415		10
284	Lithium, sodium and potassium storage behaviors of Pb ₃ Nb ₄ O ₁₃ nanowires for rechargeable batteries. 2018 , 44, 17094-17101		13
283	Vertically distributed VO ₂ nanoplatelets on hollow spheres with enhanced thermochromic properties. 2018 , 6, 7896-7904		8
282	Fabrication of Hollow Silica Particles Using a Self-Assembled Polyethylene Granule as a Template. 2018 , 2018, 1-9		
281	Dopamine-derived N-doped carbon encapsulating hollow Sn ₄ P ₃ microspheres as anode materials with superior sodium storage performance. <i>Journal of Alloys and Compounds</i> , 2018 , 769, 45-52	5.7	28
280	Scalable Fabrication of Nanostructured Tin Oxide Anodes for High-Energy Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 27019-27029	9.5	24
279	Facile synthesis of hierarchical CNF/SnO/Ni nanostructures via self-assembly process as anode materials for lithium ion batteries. 2018 , 5, 171522		6
278	Ultrafine Mo-doped SnO nanostructure and derivative Mo-doped Sn/C nanofibers for high-performance lithium-ion batteries. <i>Nanoscale</i> , 2018 , 10, 17378-17387	7.7	30
277	In Situ Techniques for Probing Kinetics and Mechanism of Hollowing Nanostructures through Direct Chemical Transformations. 2018 , 2, 1800165		9
276	1D ultrafine SnO nanorods anchored on 3D graphene aerogels with hierarchical porous structures for high-performance lithium/sodium storage. 2018 , 532, 352-362		33
275	Synthesis of MnWO ₄ @C as novel anode material for lithium ion battery. 2018 , 29, 12804-12812		3
274	Enhancing lithium-ion batteries performance via electron-beam irradiation strategies: A case study of graphene aerogels loaded with SnO ₂ quantum dots. 2018 , 281, 769-776		10
273	Constructing radially oriented macroporous spheres with central cavities as ultrastable lithium-ion battery anodes. <i>Energy Storage Materials</i> , 2019 , 17, 242-252	19.4	13
272	Ultra-fast transfer and high storage of Li ⁺ /Na ⁺ in MnO quantum dots@carbon hetero-nanotubes: Appropriate quantum dots to improve the rate. <i>Energy Storage Materials</i> , 2019 , 17, 157-166	19.4	45
271	Control of pore size in shell of hollow silica/alumina composite spheres for hydrolytic dehydrogenation of ammonia borane. 2019 , 26, 611-617		8
270	Black Titania with Nanoscale Helicity. 2019 , 29, 1904639		32

269	Ferrocene as a Novel Additive to Enhance the Lithium-Ion Storage Capability of SnO/Graphene Composite. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 31943-31953	9.5	17
268	Hydrothermal synthesis of hierarchical CoMoO ₄ microspheres and their lithium storage properties as anode for lithium ion batteries. 2019 , 20, 100578		9
267	Tin Oxide Based Nanomaterials and Their Application as Anodes in Lithium-Ion Batteries and Beyond. 2019 , 12, 4140-4159		51
266	Hollow In ₂ O ₃ microcubes for sensitive and selective detection of NO ₂ gas. <i>Journal of Alloys and Compounds</i> , 2019 , 806, 726-736	5.7	15
265	Enhanced reversible hydrogen storage in nickel nano hollow spheres. 2019 , 44, 22032-22038		9
264	DFT-based study of the structural, electronic and hyperfine properties of the semiconducting alloys Sn _{1-x} Ti _x O ₂ : HSE06 and non-regular TB-mBJ approach. 2019 , 237, 121874		4
263	SnO ₂ /Graphene Nanocomposite Coated by Carbonized Polyacrylic Acid Hydrogel as a High-Performance Anode for Lithium-Ion Batteries. <i>ChemistrySelect</i> , 2019 , 4, 8082-8088	1.8	3
262	Interconnected Ultrasmall VO and LiTiO Particles Construct Robust Interfaces for Long-Cycling Anodes of Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 29993-30000	9.5	12
261	A facile one-pot synthesis of CaO/CuO hollow microspheres featuring highly porous shells for enhanced CO ₂ capture in a combined Ca/Cu looping process via a template-free synthesis approach. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 21096-21105	13	37
260	New type of doping effect via metallization of surface reduction in SnO. 2019 , 9, 8129		3
259	SnO ₂ nano-particles imbedded in graphene bulk as anode material for lithium-ion batteries. <i>Ionics</i> , 2019 , 25, 5769-5778	2.7	4
258	Facile one-step dialysis strategy for fabrication of hollow complex nanoparticles. 2019 , 55, 9120-9123		4
257	Hydrothermal synthesis of mesoporous SnO ₂ as a stabilized anode material of lithium-ion batteries. <i>Ionics</i> , 2019 , 25, 5745-5757	2.7	4
256	Interfacial Super-Assembled Porous CeO ₂ /C Frameworks Featuring Efficient and Sensitive Decomposing Li ₂ O ₂ for Smart LiO ₂ Batteries. 2019 , 9, 1901751		53
255	Virus-Templated Nickel Phosphide Nanofoams as Additive-Free, Thin-Film Li-Ion Microbattery Anodes. <i>Small</i> , 2019 , 15, e1903166	11	18
254	Co ₃ Sn ₂ /SnO ₂ nanocomposite loaded on Cu foam as high-performance three-dimensional anode for lithium-ion batteries. 2019 , 43, 1238-1246		4
253	Graphene and Graphene-Based Hybrid Composites for Advanced Rechargeable Battery Electrodes. 2019 , 147-196		
252	Self-Standing Hybrid Film of SnO ₂ Nanotubes and MXene as A High-Performance Anode Material for Thin Film Lithium-Ion Batteries. <i>ChemistrySelect</i> , 2019 , 4, 12099-12103	1.8	8

251	Self-assembled multifunctional bulk hollow microspheres: Thermal insulation, sound absorption and fire resistance. 2019 , 205, 109533	10
250	Conductive Copper Niobate: Superior Li ⁺ -Storage Capability and Novel Li ⁺ -Transport Mechanism. 2019 , 9, 1902174	56
249	Understanding Ostwald Ripening and Surface Charging Effects in Solvothermally-Prepared Metal Oxide/Carbon Anodes for High Performance Rechargeable Batteries. 2019 , 9, 1902194	40
248	Synthesis of SnO ₂ , Zn-doped SnO ₂ and Zn ₂ SnO ₄ nanostructure-based hierarchical architectures by using deep eutectic precursors and their photocatalytic application. <i>CrystEngComm</i> , 2019 , 21, 6758-6773	7
247	Rational Design and Controllable Synthesis of Multishelled FeO@SnO@C Nanotubes as Advanced Anode Material for Lithium-/Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 36949-36959	33
246	MOF-derived Cu ^{II} loaded with SnO _x as a superior anode material for lithium-ion batteries. 2019 , 326, 134960	16
245	Study on sensitivity of nano SnO ₂ -ZnO composites with and without PPy layer for sensing CO ₂ gas. 2019 , 15, 604-610	3
244	Monodisperse tin nanoparticles and hollow tin oxide nanospheres as anode materials for high performance lithium ion batteries. 2019 , 6, 473-476	10
243	Formation of cerium oxide hollow spheres and investigation of hollowing mechanism. 2019 , 1, 1	0
242	Stable cycling of mesoporous Sn ₄ P ₃ /SnO ₂ @C nanosphere anode with high initial coulombic efficiency for Li-ion batteries. <i>Energy Storage Materials</i> , 2019 , 18, 125-132	19.4 37
241	Composition-controllable p-CuO/n-ZnO hollow nanofibers for high-performance H ₂ S detection. 2019 , 285, 495-503	53
240	Yolk-shell-structured microspheres composed of N-doped-carbon-coated NiMoO hollow nanospheres as superior performance anode materials for lithium-ion batteries. <i>Nanoscale</i> , 2019 , 11, 631-638	7.7 33
239	Co-MOF-Derived Hierarchical Mesoporous Yolk-shell-structured Nanoreactor for the Catalytic Reduction of Nitroarenes with Hydrazine Hydrate. 2019 , 11, 3327-3338	19
238	Recent advances in metal sulfides: from controlled fabrication to electrocatalytic, photocatalytic and photoelectrochemical water splitting and beyond. 2019 , 48, 4178-4280	463
237	Ternary Anode Design for Sustainable Battery Technology: An Off-Stoichiometric Sn/SnSiO _x +2@C Composite Recycled from Biomass. 2019 ,	2
236	Difference in Electrochemical Mechanism of SnO Conversion in Lithium-Ion and Sodium-Ion Batteries: Combined in Operando and Ex Situ XAS Investigations. 2019 , 4, 9731-9738	27
235	SnO Nanoflake Arrays Coated with Polypyrrole on a Carbon Cloth as Flexible Anodes for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 24198-24204	9.5 60
234	Hierarchical structure assembled from in-situ carbon-coated porous tin dioxide nanosheets towards high lithium storage. 2019 , 847, 113204	10

233	SnO ₂ @rice husk cellulose composite as an anode for superior lithium ion batteries. 2019 , 43, 8755-8760		7
232	Investigation on electrochemical performance of SnO ₂ -Carbon nanocomposite as better anode material for lithium ion battery. 2019 , 569, 8-13		19
231	Phase evolution of conversion-type electrode for lithium ion batteries. 2019 , 10, 2224		59
230	Hydrothermal synthesis of uniform tin oxide nanoparticles on reduced activated graphene oxide as anode material for lithium-ion batteries. 2019 , 845, 6-12		4
229	Bimetallic Ni-Co Silicate Hollow Spheres with Controllable Morphology for the Application on Supercapacitor. <i>ChemistrySelect</i> , 2019 , 4, 5258-5263	1.8	6
228	SnO ₂ nanoparticles functionalized MoS ₂ nanosheets as the electrode material for supercapacitor applications. 2019 , 6, 085526		9
227	The versatility of copper tin sulfide. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 17118-17182	13	29
226	A low temperature formaldehyde gas sensor based on hierarchical SnO/SnO ₂ nano-flowers assembled from ultrathin nanosheets: Synthesis, sensing performance and mechanism. 2019 , 294, 106-115		107
225	Asphalt-Decomposed Carbon-Coated SnO ₂ as an Anode for Lithium Ion Batteries. 2019 , 48, 3324-3329		4
224	Thermal Analysis, Morphology and Electrochemical Application of Graphene Decorated SnO ₂ Nanoparticles. 2019 , 384, 1800147		
223	Porous ZnO/Co ₃ O ₄ /CoO/Co composite derived from Zn-Co-ZIF as improved performance anodes for lithium-ion batteries. 2019 , 250, 75-78		11
222	Excimer ultraviolet-irradiated exfoliated graphite loaded with carbon-coated SnO small nanoparticles as advanced anodes for high-rate-capacity lithium-ion batteries. <i>Nanoscale</i> , 2019 , 11, 7744-7753		4
221	Highly Porous Double-Shelled Hollow Hematite Nanoparticles for Gas Sensing. 2019 , 2, 2347-2357		27
220	High capacity conversion anodes in Li-ion batteries: A review. 2019 , 44, 10852-10905		62
219	SnS@C Hollow Nanospheres with Robust Structural Stability as High-Performance Anodes for Sodium Ion Batteries. 2019 , 11, 14		58
218	High Initial Reversible Capacity and Long Life of Ternary SnO-Co-carbon Nanocomposite Anodes for Lithium-Ion Batteries. 2019 , 11, 18		29
217	Microbelt-structured SnO ₂ @C as an advanced electrode with outstanding rate capability and high reversibility. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 10523-10533	13	19
216	Controlled Synthesis of Hollow FeO Microspheres Assembled With Ionic Liquid for Enhanced Visible-Light Photocatalytic Activity. 2019 , 7, 58		14

215	Ag nanoframes: controllable reduction of AgClBr nanocubes. 2019 , 55, 5571-5574		7
214	Anodic Synthesis of Hierarchical SnS/SnO _x Hollow Nanospheres and Their Application for High-Performance Na-Ion Batteries. 2019 , 29, 1901000		32
213	Failure mechanism of Au@Co ₉ S ₈ yolk-shell anode in Li-ion batteries unveiled by in-situ transmission electron microscopy. 2019 , 114, 113901		28
212	Synthesis and Characterization of Itaconic Acid Doped Polyaniline/SnO ₂ Nanocomposites. 2019 , 61, 361-368		
211	The Influence of Annealing Temperature on Structure, Morphology and Optical Properties of (In _x Ga _{1-x}) ₂ O ₃ Films. 2019 , 8, Q3171-Q3175		2
210	3D interpenetrating cubic mesoporous carbon supported nanosized SnO ₂ as an efficient anode for high performance lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 791, 892-904	5.7	15
209	Improving the electrochemical cycling performance of anode materials via facile in situ surface deposition of a solid electrolyte layer. <i>Journal of Power Sources</i> , 2019 , 424, 150-157	8.9	17
208	Reactive molten salt synthesis of natural graphite flakes decorated with SnO ₂ nanorods as high performance, low cost anode material for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 792, 1213-1222	5.7	21
207	Unveiling the Origin of Superior Electrochemical Performance in Polycrystalline Dense SnO ₂ Nanospheres as Anodes for Lithium-ion Batteries. <i>ACS Applied Energy Materials</i> , 2019 , 2, 2004-2012	6.1	9
206	Multishelled Transition Metal-Based Microspheres: Synthesis and Applications for Batteries and Supercapacitors. <i>Small</i> , 2019 , 15, e1804737	11	38
205	Conformal Hollow Carbon Sphere Coated on Sn ₄ P ₃ Microspheres as High-Rate and Cycle-Stable Anode Materials with Superior Sodium Storage Capability. <i>ACS Applied Energy Materials</i> , 2019 , 2, 1756-1764	6.1	31
204	Facile template-free route to synthesis visible light responsive hollow TiO ₂ spheres. 2019 , 244, 50-53		2
203	Controlled synthesis and high photocatalytic properties of stannic oxide nanoflowers. 2019 , 18, 383-388		
202	Self-template synthesis of defect-rich NiO nanotubes as efficient electrocatalysts for methanol oxidation reaction. <i>Nanoscale</i> , 2019 , 11, 19783-19790	7.7	28
201	Controlled building of mesoporous MoS ₂ @MoO ₃ -doped magnetic carbon sheets for superior potassium ion storage. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 26818-26828	13	34
200	Controlled Synthesis of Pt Doped SnO Mesoporous Hollow Nanospheres for Highly Selective and Rapidly Detection of 3-Hydroxy-2-Butanone Biomarker. 2019 , 7, 843		12
199	Free-standing SnO ₂ @C/MWCNTs paper as anode for lithium-ion batteries. 2019 , 6, 125511		
198	Influence of point and linear defects on thermal and mechanical properties of germanium nanowire: a molecular dynamics study. 2019 , 6, 1250j4		

197	Self-Templating Approaches to Hollow Nanostructures. <i>Advanced Materials</i> , 2019 , 31, e1802349	24	105
196	Strategy for synthesizing mesoporous NiO polyhedra with empty nanovoids via oxidation of NiSe polyhedra by nanoscale Kirkendall diffusion and their superior lithium-ion storage performance. 2019 , 464, 597-605		8
195	Monodispersed SnO ₂ microspheres aggregated by tunable building units as effective photoelectrodes in solar cells. 2019 , 463, 679-685		14
194	One step synthesis of SnS ₂ -SnO ₂ nano-heterostructured as an electrode material for supercapacitor applications. <i>Journal of Alloys and Compounds</i> , 2019 , 782, 38-50	5.7	55
193	A study on graphene/tin oxide performance as negative electrode compound for lithium battery application. 2019 , 30, 79-90		7
192	Hollow SnO ₂ nanospheres with single-shelled structure and the application for supercapacitors. <i>Journal of Alloys and Compounds</i> , 2019 , 779, 728-734	5.7	29
191	Humidity effect on adsorption kinetics of ammonia onto electrospun SnO ₂ nanofibers. 2019 , 6, 045043		3
190	High-rate-induced capacity evolution of mesoporous C@SnO ₂ @C hollow nanospheres for ultra-long cycle lithium-ion batteries. <i>Journal of Power Sources</i> , 2019 , 414, 233-241	8.9	67
189	Facile Synthesis of quantum dots SnO ₂ /Fe ₃ O ₄ hybrid composites for superior reversible lithium-ion storage. 2019 , 72, 504-511		16
188	Scalable synthesis of Sn nanoparticles encapsulated in hierarchical porous carbon networks for high-rate reversible lithium storage. 2019 , 15, 105		
187	Synthesis and characterizations of CoCr ₂ O ₄ /C composite using high energy ball-milling technique as novel anode materials for Li-ion batteries. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 96, 205-213	5.3	5
186	A Simple Absorbent Cotton Biotemplate to Fabricate SnO ₂ Porous Microtubules and Their Gas-Sensing Properties for Chlorine. 2019 , 7, 147-155		27
185	PMOs with a Range of Morphologies. <i>Springer Series in Materials Science</i> , 2019 , 101-124	0.9	1
184	The preparation of a new quasi-elliptic TiO ₂ /SnO ₂ /C composite and its lithium storage. 2019 , 237, 45-48		4
183	Ultrasensitive gas sensor based on hollow tungsten trioxide-nickel oxide (WO ₃ -NiO) nanoflowers for fast and selective xylene detection. 2019 , 535, 458-468		63
182	Design of Hollow Nanostructures for Energy Storage, Conversion and Production. <i>Advanced Materials</i> , 2019 , 31, e1801993	24	224
181	Inorganic shell nanostructures to enhance performance and stability of metal nanoparticles in catalytic applications. 2020 , 39, 767-783		12
180	Synthesis and characterization of Au-loaded SnO ₂ mesoporous spheres by spray drying and their gas sensing property. 2020 , 105, 104710		6

179	Three-dimensional porous SnO ₂ @NC framework for excellent energy conversion and storage. 2020 , 46, 1396-1402		9
178	Tin oxide electrodes in Li and Na-ion batteries. 2020 , 411-439		2
177	N-doped carbon coated Ni-Mo sulfide tubular structure decorated with nanobubbles for enhanced sodium storage performance. 2020 , 383, 123112		11
176	Multifunctional Gadolinium-Based Coordination Polymer Hollow Submicrospheres: Synthesis, Characterization and Properties. 2020 , 30, 1419-1424		1
175	Effect of different oxidants on properties of tin-graphite composite anode material for lithium-ion battery. <i>Ionics</i> , 2020 , 26, 601-606	2.7	2
174	A fully coupled diffusional-mechanical finite element modeling for tin oxide-coated copper anode system in lithium-ion batteries. 2020 , 172, 109343		5
173	Fabrication of reduced graphene oxide wrapped TiO ₂ /SnO ₂ photoanode and its anticorrosion property. 2020 , 202, 163573		2
172	NiS ₂ nanoparticles anchored on open carbon nanohelmets as an advanced anode for lithium-ion batteries. 2020 , 2, 512-519		10
171	Synthesis of CuGeO ₃ /reduced graphene oxide nanocomposite by hydrothermal reduction for high performance Li-ion battery anodes. 2020 , 46, 9249-9255		4
170	A hierarchical hollow-on-hollow NiCoP electrocatalyst for efficient hydrogen evolution reaction. 2019 , 56, 90-93		14
169	Template-free fabrication of single-crystalline calcite nanorings during crystal growth in water. <i>CrystEngComm</i> , 2020 , 22, 9-13	3.3	3
168	Fabrication of tunable 1D rod-like and 3D yolk-like TiO ₂ hierarchical architectures for efficient photocatalysis. 2020 , 55, 3760-3773		6
167	Formaldehyde sensing performance of reduced graphene oxide-wrapped hollow SnO ₂ nanospheres composites. 2020 , 307, 127584		36
166	Observably improving initial coulombic efficiency of C/SiO _x anode using -C-O-PO ₃ Li ₂ groups in lithium ion batteries. <i>Journal of Power Sources</i> , 2020 , 447, 227400	8.9	19
165	Realizing Reversible Conversion-Alloying of Sb(V) in Polyantimonic Acid for Fast and Durable Lithium- and Potassium-Ion Storage. 2020 , 10, 1903119		41
164	Poly(ionic liquid) derived N-doped carbon@SnO _x nanostructures self-reconstruction for alkaline-metal-ion batteries. <i>Journal of Power Sources</i> , 2020 , 449, 227509	8.9	5
163	SnO ₂ as Advanced Anode of Alkali-Ion Batteries: Inhibiting Sn Coarsening by Crafting Robust Physical Barriers, Void Boundaries, and Heterophase Interfaces for Superior Electrochemical Reaction Reversibility. 2020 , 10, 1902657		29
162	The Influence of Porous Carbon Nanosheet/Carbon Nanotubes 3D Network on Tin Oxide Lithium Ion Batteries. 2020 , 49, 1090-1095		3

161	AP as a flexible host to construct SnO ₂ @Mn@GO/AP anode. 2020 , 172, 109072		3
160	Hollow core-shell structured Si@NiAl-LDH composite as high-performance anode material in lithium-ion batteries. 2020 , 331, 135331		16
159	Self-assemble SnO ₂ porous nanotubes as high-performance anodes for lithium-ion batteries. 2020 , 256, 123669		12
158	Nitrogen-doped carbon-wrapped porous FeMnO ₃ nanocages derived from etched prussian blue analogues as high-performance anode for lithium ion batteries. <i>Journal of Power Sources</i> , 2020 , 475, 228683	8.9	14
157	Copper, zinc, and manganese niobates (CuNb ₂ O ₆ , ZnNb ₂ O ₆ , and MnNb ₂ O ₆): structural characteristics, Li ⁺ storage properties, and working mechanisms. 2020 , 7, 3176-3183		6
156	Design of 3D Hollow Porous Heterogeneous Nickel-Cobalt Phosphides for Synergistically Enhancing Catalytic Performance for Electrooxidation of Methanol. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 34971-34979	9.5	20
155	Mo-Doped SnO Nanoparticles Embedded in Ultrathin Graphite Nanosheets as a High-Reversible-Capacity, Superior-Rate, and Long-Cycle-Life Anode Material for Lithium-Ion Batteries. 2020 , 36, 9276-9283		6
154	Graphite Sheet as Flexible Electrode for Construction of a Super-Stable Tin Oxide Anode. 2020 , 49, 4977-4983		
153	Investigation of the pore-size dependent microwave absorption properties of honeycomb SnO ₂ . 2020 , 1		1
152	Large-size carbon-coated SnO ₂ composite as improved anode material for lithium ion batteries. <i>Ionics</i> , 2020 , 26, 5879-5887	2.7	3
151	Facile Synthesis of Mesoporous AgO-ZnO Heterojunctions for Efficient Promotion of Visible Light Photodegradation of Tetracycline. 2020 , 5, 33269-33279		25
150	A Ti-site deficient spinel Li ₂ CoTi ₃ O ₈ anode with superior cycling performance for lithium-ion batteries. 2020 , 355, 115423		3
149	Fabrication of ZnO quantum dots@SnO ₂ hollow nanospheres hybrid hierarchical structures for effectively detecting formaldehyde. 2020 , 318, 128222		28
148	Ultrafine SnO ₂ nanoparticles anchored in the porous corn straw carbon substrate for high-performance Li-ion batteries application. <i>Journal of Alloys and Compounds</i> , 2020 , 835, 155446	5.7	19
147	Hydrothermal synthesis of Au@SnO ₂ hierarchical hollow microspheres for ethanol detection. 2020 , 319, 128299		25
146	Template assisted synthesis of Sn@C microspheres and SnO ₂ @C micro bowls as anode for Li-Ion batteries. 2020 , 2, e152		1
145	A Chronicle Review of Nonsilicon (Sn, Sb, Ge)-Based Lithium/Sodium-Ion Battery Alloying Anodes. 2020 , 4, 2000218		99
144	Influence of swelling agents on pore size distributions of porous silica-alumina hollow sphere particles in acid-promoted hydrolytic generation of hydrogen from ammonia borane. 2020 , 45, 19531-19538		3

143	The Effect of PVP Concentration on Particle Size, Morphological and Optical Properties of Cassiterite Nanoparticles. 2020 , 8, 93444-93454		6
142	Colloidal Transport in Locally Periodic Evolving Porous Media---An Upscaling Exercise. 2020 , 80, 448-475		6
141	Volumetric buffering of manganese dioxide nanotubes by employing Es islgraphene oxide: An approach towards stable metal oxide anode material in lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2020 , 842, 155803	5.7	27
140	Exfoliated graphite nanosheets wrapping on MoO ₂ /SnO ₂ nanoparticles as a high performance anode material for lithium ion batteries. <i>Journal of Power Sources</i> , 2020 , 467, 228357	8.9	25
139	SnO Quantum Dots: Rational Design to Achieve Highly Reversible Conversion Reaction and Stable Capacities for Lithium and Sodium Storage. <i>Small</i> , 2020 , 16, e2000681	11	39
138	SnO ₂ nanoflower arrays on an amorphous buffer layer as binder-free electrodes for flexible lithium-ion batteries. 2020 , 527, 146910		23
137	Functional Micro/Nanoreactors for Nanospace-Confined Migrations and Diffusions. 2020 , 6, 1437-1448		4
136	Investigation of electrochemical properties of various transition metals doped SnO ₂ spherical nanostructures for supercapacitor applications. 2020 , 31, 101530		29
135	Fluorine-doped porous SnO ₂ @C nanosheets as a high performance anode material for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2020 , 843, 156085	5.7	31
134	ZnTe-coated ZnO nanorods: Hydrogen sulfide nano-sensor purely controlled by pn junction. 2020 , 191, 108628		17
133	Jellyfish-Like Janus Polymeric Cage. 2020 , 53, 2228-2234		1
132	Undoped SnO as a Support for Ni Species to Boost Oxygen Generation through Alkaline Water Electrolysis. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 18407-18420	9.5	6
131	Porous Pd-PdO Nanotubes for Methanol Electrooxidation. 2020 , 30, 2000534		68
130	Modulating the properties of SnO ₂ nanocrystals: morphological effects on structural, photoluminescence, photocatalytic, electrochemical and gas sensing properties. 2020 , 8, 4604-4635		41
129	Investigation on synthesis of SnO ₂ nano-particles using sol-gel process for energy storage application. 2020 , 17, 114-121		
128	A large area mesh-like MoS ₂ with an expanded interlayer distance synthesized by one-pot method and lithium storage performance. 2020 , 873, 114428		7
127	Microwave-assisted synthesis of porous and hollow FeO/LaFeO nanostructures for acetone gas sensing as well as photocatalytic degradation of methylene blue. 2020 , 31, 215601		7
126	Pyrochlore phase Ce ₂ Sn ₂ O ₇ via an atom-confining strategy for reversible lithium storage. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 5744-5749	13	5

125	Hybrid SnO ₂ @NiCo ₂ O ₄ Heterostructure With Improved Capacitive Performance. 2020 , 49, 2419-2428		4
124	The Synthesis of Hollow/Porous CuO Nanoparticles by Ion-Pairing Behavior Control. 2020 , 5, 1879-1886		4
123	Porous nanofibers comprised of hollow SnO ₂ nanoplate building blocks for high-performance lithium ion battery anode. 2020 , 161, 110099		12
122	SnO/FeO hybrid nanofibers as high performance anodes for lithium-ion batteries. 2020 , 31, 185402		7
121	Facile synthesis of novel tungsten-based hierarchical core-shell composite for ultrahigh volumetric lithium storage. 2020 , 567, 28-36		3
120	One-dimensional mesoporous inorganic nanostructures and their applications in energy, sensor, catalysis and adsorption. 2020 , 113, 100671		39
119	Porous FeO /carbon nanocomposites with different iron oxidation degree for building high-performance lithium ion batteries. 2020 , 31, 285403		4
118	The Use of Phosphorus in Sodium-Ion Batteries (A Review). 2020 , 56, 1-17		6
117	Hollow metal halide perovskite nanocrystals with efficient blue emissions. 2020 , 6, eaaz5961		29
116	A Nano-Rattle SnO@carbon Composite Anode Material for High-Energy Li-ion Batteries by Melt Diffusion Impregnation. <i>Nanomaterials</i> , 2020 , 10,	5-4	3
115	Sonochemical synthesis of SnO ₂ @CuO nanocomposite: diverse applications on Li-ion battery, electrochemical sensing and photocatalytic activity. 2020 , 31, 8737-8749		5
114	Hollow flower-like ZnO: Synthesis, growth mechanism and application in polyacrylate. 2020 , 31, 1975-1984		7
113	Structure-related luminescent properties induced by doping in Sm-doped SnO ₂ hollow spheres. 2020 , 46, 17025-17033		4
112	Improved electrochemical performance of ternary SnSbCu nanospheres as anode materials for lithium-ion batteries. 2020 , 39, 1159-1164		21
111	Enhanced reversible hydrogen storage in palladium hollow spheres. 2021 , 39, 617-623		0
110	Three-Layer Structured SnO ₂ @C@TiO ₂ Hollow Spheres for High-Performance Sodium Storage. 2021 , 4, 428-433		6
109	Superior lithium-ion storage performance of hierarchical tin disulfide and carbon nanotube-carbon cloth composites. <i>Journal of Power Sources</i> , 2021 , 482, 228923	8.9	10
108	Atomic Layer Deposition of High-Capacity Anodes for Next-Generation Lithium-Ion Batteries and Beyond. 2021 , 4, 363-391		15

107	Hydrothermal synthesis of hierarchical SnO ₂ nanomaterials for high-efficiency detection of pesticide residue. 2021 , 32, 1502-1506		5
106	Synthesis of ternary SnO ₂ /MoO ₃ composite with nanosheet structure as high-capacity, high-rate and long-lifetime anode for lithium-ion batteries. 2021 , 47, 9303-9309		6
105	Complex Hollow Bowl-Like Nanostructures: Synthesis, Application, and Perspective. 2021 , 31, 2007801		12
104	Investigation of the structure-property relationship in binder free asymmetric supercapacitor device based on NiCo ₂ O ₄ .nH ₂ O nanostructures. 2021 , 880, 114850		4
103	Hollow CdS-based photocatalysts. 2021 , 7, 419-439		25
102	Mechanical simulation informed rational design of a soft-and-hard double-jacketed SnO ₂ flexible electrode for high performance lithium-ion battery. <i>Energy Storage Materials</i> , 2021 , 35, 520-529	19.4	13
101	SnO ₂ nanoparticles embedded in 3D hierarchical honeycomb-like carbonaceous network for high-performance lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2021 , 858, 157716	5.7	8
100	Enhanced thermoelectric performance of tin oxide through antimony doping and introducing pore structures. 2021 , 56, 2360-2371		3
99	Mixed Transition Metal Oxides for Energy Applications. 2021 , 405-429		1
98	Morphology control and interface characteristics of well-dispersed nanomaterials in K-ion batteries.. 2021 , 11, 30487-30494		
97	Electrospun Nanostructured Iron Oxides for High-Performance Lithium Ion Batteries. 2021 , 277-318		1
96	Hydrothermal synthesis of hexagonal YMnO and YbMnO below 250 °C. 2021 , 50, 9904-9913		0
95	Well-dispersed tin nanoparticles encapsulated in amorphous carbon tubes as high-performance anode for lithium ion batteries. 2021 , 32, 145402		4
94	Fluorescent Nanocomposites: Hollow Silica Microspheres with Embedded Carbon Dots. 2021 , 86, 176-183		0
93	A strategic co-assembly of carbon nanotubes and graphene on hierarchical flower-like Sn ₃ O ₄ clusters aimed to enhance lithium storage capability. 2021 , 880, 114898		0
92	Tin dioxide-based nanomaterials as anodes for lithium-ion batteries.. 2020 , 11, 1200-1221		5
91	Template-Free Synthesis of Zinc Cobalt Oxides/Phosphides (Co ₂ P/CoO/ZnCo ₂ O ₄) Hollow Sub-Micron Boxes as Hydrogen Evolution Reaction Catalysts. <i>ChemistrySelect</i> , 2021 , 6, 1685-1691	1.8	1
90	Synthesis of Magnetic Fe ₂ O ₃ /Rutile TiO ₂ Hollow Spheres for Visible-Light Photocatalytic Activity. 2021 , 11, 396		1

89	Electrochemical Detection of 2-Nitrophenol Using a Glassy Carbon Electrode Modified with BaO Nanorods. 2021 , 16, 1475-1485		5
88	Novel synthesis and electrochemical properties of fluoride cathode with a yolk-shell structure for K-ion battery. <i>Journal of Power Sources</i> , 2021 , 495, 229721	8.9	
87	Impact of Pd nanoparticle loading method on SnO ₂ surface for natural gas detection in humid atmosphere. 2021 , 56, 13975-13988		0
86	Innovative biotemplates for the synthesis of ZnO nanoparticles with versatile morphologies. 2021 , 99, 326-338		1
85	Rodlike SnO ₂ /graphene nanocomposite and its application for lithium-ion batteries. 2021 , 294, 129765		5
84	Dielectric Properties of ZnO-Based Nanocomposites and Their Potential Applications. 2021 , 2021, 1-20		5
83	Hybridizing ultrathin SnO ₂ nanorods with graphene for stabilized high capacity and flexible lithium-ion batteries. <i>Ionics</i> , 2021 , 27, 3847-3856	2.7	
82	Multilayered interlaced SnO ₂ nanosheets @ porous copper tube textile as thin and flexible electrode for lithium-ion batteries. 2021 , 385, 138436		4
81	Synthesis of SnO ₂ @MnO ₂ @graphite nanosheet with high reversibility and stable structure as a high-performance anode material for lithium-ion batteries. 2021 ,		0
80	Synergistic effect of graphene nanoperforation on the reversibility of the conversion reaction of a SnO ₂ /nanoperforated graphene composite. 2021 , 417, 128542		7
79	Application and prospective of Sn-P based anodes for alkali-ion batteries. <i>Energy Storage Materials</i> , 2021 , 40, 292-311	19.4	7
78	ZIF 67 derived CoSn composites with N-doped nanoporous carbon as anode material for Li-ion batteries. 2021 , 270, 124824		3
77	Mechanical prelithiation of Sn/C@ZrO ₂ yolk-shell anode for full cell cycling. 2021 , 276, 125303		0
76	Electromagnetic wave absorption performance and electrochemical properties of multifunctional materials: Air@Co@Co ₃ Sn ₂ @SnO ₂ hollow sphere/reduced graphene oxide composites. 2021 , 420, 130479		4
75	Formation of nanomaterial internal cavity based on process similar to bread-baking. 2021 , 302, 122391		
74	Holey platinum nanotubes for ethanol electrochemical reforming in aqueous solution. 2021 , 66, 2079-2089		26
73	Self-templated hollow nanospheres of B-site engineered non-stoichiometric perovskite for supercapacitive energy storage via anion-intercalation mechanism. 2021 , 600, 729-739		10
72	Fabrication of hollow SnO ₂ /ZnS@C nanocubes as anode materials for advanced lithium-ion battery. <i>Journal of Alloys and Compounds</i> , 2021 , 878, 160375	5.7	8

71	Kinetically enhanced electrochemical redox reactions by chemical bridging SnO ₂ and graphene sponges toward high-rate and long-cycle lithium ion battery. 2021 , 88, 250-257		1
70	Carbon coating and oxygen vacancies render superior Li-ion storage of crystalline Ta ₂ O ₅ by enhanced pseudocapacitance. <i>Journal of Alloys and Compounds</i> , 2021 , 881, 159920	5.7	2
69	SnCl ₂ -induced SnO ₂ nanoparticles uniformly anchored in the interpenetrating network porous structure of electrode-membranes to relieve volume expansion and enhance lithium storage performance. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 628, 127348	5.1	1
68	Hydrothermal synthesis of ZnSnO ₃ /rGO composite material and highly gas sensing performance to acetone. 2021 , 134, 106051		4
67	Ultra-thin carbon nanosheets coated with SnO ₂ @bC nanoparticles as high-performance anode materials for lithium-ion batteries. 2021 , 47, 31062-31072		3
66	Retarding electron conductor endows high reversibility and rate-capability for li-ion battery. 2021 , 425, 128409		
65	Ultra-thin N-doped carbon coated SnO ₂ nanotubes as anode material for high performance lithium-ion batteries. 2021 , 568, 150969		2
64	Application of LiMn ₂ O ₄ Nanostructures as Efficient Cathodes for Energy Storage Devices. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2021 , 204-228	0.2	
63	Nanomaterials: a review of synthesis methods, properties, recent progress, and challenges. <i>Materials Advances</i> , 2021 , 2, 1821-1871	3.3	223
62	Solvent-Free Synthesis of Uniform MOF Shell-Derived Carbon Confined SnO /Co Nanocubes for Highly Reversible Lithium Storage. <i>Small</i> , 2017 , 13, 1701504	11	53
61	Preparation of Co ₃ O ₄ hollow microspheres by recycling spent lithium-ion batteries and their application in electrochemical supercapacitors. <i>Journal of Alloys and Compounds</i> , 2020 , 816, 152604	5.7	15
60	Hollow Porous CoSnO Nanocubes Encapsulated in One-Dimensional N-Doped Carbon Nanofibers as Anode Material for High-Performance Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 660-670	9.5	3
59	Growth mechanism and electrochemical properties of hierarchical hollow SnO ₂ microspheres with a chestnut morphology. <i>CrystEngComm</i> , 2017 , 19, 6454-6463	3.3	7
58	PdAg nanoparticles and aminopolymer confined within mesoporous hollow carbon spheres as an efficient catalyst for hydrogenation of CO ₂ to formate. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 4437-4446	13.6	20
57	A review for modified Li composite anode: Principle, preparation and challenge. <i>Nanotechnology Reviews</i> , 2020 , 9, 1610-1624	6.3	5
56	Materials and Electrochemistry: Present and Future Battery. <i>Journal of Electrochemical Science and Technology</i> , 2016 , 7, 115-131	3.2	10
55	Rapid Low-cost Synthesis and Enhanced Electrochemical Properties of Mesoporous Mn ₃ O ₄ Nanorods. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2013 ,	1	2
54	Excellent Carbon Monoxide Sensing Performance of Au-Decorated SnO ₂ Nanofibers. <i>Korean Journal of Materials Research</i> , 2016 , 26, 741-750	0.2	16

53	Fabrication of Fe ₃ O ₄ /Fe/Graphene nanocomposite powder by Electrical Wire Explosion in Liquid Media and its Electrochemical Properties. <i>Journal of Korean Powder Metallurgy Institute</i> , 2017 , 24, 308-314	0.1	1
52	Reliability of electrode materials for supercapacitors and batteries in energy storage applications: a review. <i>Ionics</i> , 1	2.7	1
51	Clusters of ultra-fine tin dioxide nanoparticles anchored polypyrrole nanotubes as anode for high electrochemical capacity lithium ion batteries. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021 ,	5.3	2
50	Fabrication of 3-dimensional Sn-C Composites Using Microsphere. <i>Journal of the Korean Institute of Electrical and Electronic Material Engineers</i> , 2010 , 23, 741-746		
49	Template Synthesis of Ordered-Mesoporous Tin Oxide for Lithium-ion Battery Anode Materials. <i>Journal of the Korean Electrochemical Society</i> , 2014 , 17, 86-93		1
48	Nano Anode Materials for Lithium-Ion Batteries. 2014 , 127-176		
47	Electrospun Tin Oxide Nanofibers with a Controlled Diameter and Morphology. <i>Korean Journal of Materials Research</i> , 2014 , 24, 663-670	0.2	
46	Chemical Synthesis of Nanoscale Heterogeneous Catalysts. 9-29		
45	Materials and Electrochemistry: Present and Future Battery. <i>Journal of Electrochemical Science and Technology</i> , 2016 , 7, 115-131	3.2	4
44	Design and Control of Nanostructures and Interfaces for Excitonic Solar Cells. <i>Engineering Materials and Processes</i> , 2017 , 635-679		
43	Oxygen-Rich Non-Graphitic Carbon Derived from <i>Citrus sinensis</i> for High-Energy Density Pseudocapacitive Charge Storage. <i>ChemistrySelect</i> , 2020 , 5, 14993-15003	1.8	
42	Nanotechnology for Water and Wastewater Treatment Using Graphene Semiconductor Composite Materials. <i>Environmental Chemistry for A Sustainable World</i> , 2020 , 1-34	0.8	1
41	Realizing ultra-stable SnO ₂ anodes via in-situ formed confined space for volume expansion. <i>Carbon</i> , 2022 , 187, 321-329	10.4	1
40	Zinc phosphate nanoparticles: A review on physical, chemical, and biological synthesis and their applications. <i>Current Pharmaceutical Biotechnology</i> , 2021 ,	2.6	1
39	1D Mesoporous Inorganic Nanomaterials Applied in Rechargeable Batteries. <i>Springer Series in Materials Science</i> , 2022 , 89-127	0.9	
38	Crystallization kinetics modulation and defect suppression of all-inorganic CsPbX ₃ perovskite films. <i>Energy and Environmental Science</i> ,	35.4	9
37	Recent developments in properties and applications of metal oxides. 2022 , 95-111		0
36	Structure engineering of alveoli-like ZSM-5 with encapsulated Pt nanoparticles for the enhanced benzene oxidation.. <i>Nanoscale</i> , 2021 ,	7.7	1

35	Hollow nano- and microstructures: Mechanism, composition, applications, and factors affecting morphology and performance. <i>Coordination Chemistry Reviews</i> , 2022 , 458, 214429	23.2	7
34	Preparation of SnO ₂ -Nb-C composite by hydrothermal and ball milling processes for high-performance lithium-ion batteries. <i>Chemical Physics Letters</i> , 2021 , 139292	2.5	0
33	Structure Engineering of Vanadium Tetrasulfides for High-Capacity and High-Rate Sodium Storage.. <i>Small</i> , 2022 , e2107058	11	3
32	Effects of Pulverization and Dead Sn Accumulation in SnO ₂ Nanorods Grown on Carbon Cloth on Their Electrochemical Performances as the Anode in Lithium Ion Batteries. <i>ACS Applied Energy Materials</i> , 2022 , 5, 3536-3544	6.1	
31	A simple fabrication for nanoscale SnO ₂ -Fe ₂ O ₃ -C lithium-ion battery anode material with tubular network structure. <i>Ionics</i> , 2022 , 28, 2185	2.7	0
30	Amorphous-to-Crystalline Transformation: General Synthesis of Hollow Structured Covalent Organic Frameworks with High Crystallinity.. <i>Journal of the American Chemical Society</i> , 2022 ,	16.4	12
29	Recent Developments of Tin (II) Sulfide/Carbon Composites for Achieving High-Performance Lithium Ion Batteries: A Critical Review.. <i>Nanomaterials</i> , 2022 , 12,	5.4	1
28	Employing manufactured Mn ₃ O ₄ /ZnO nanocomposite for ameliorated photocatalytic performance under visible light. <i>Optical Materials</i> , 2022 , 127, 112286	3.3	0
27	The lithium storage mechanism of a new Li ₃ Ti _{0.75} (MoO ₄) ₃ high-performance anode material and its applications for both half-cell and full-cell. <i>Journal of Power Sources</i> , 2022 , 530, 231300	8.9	0
26	The catalysis of (de)lithiation in a nerve-cell-like anode of Li-ion battery. <i>Journal of Materials Chemistry A</i> ,	13	0
25	Image_1.pdf. 2019 ,		
24	An Effective Morphology Controlled Hydrothermal Synthesis of Bi ₂ WO ₆ and their Application in Riboflavin Electrochemical Sensor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 129183	5.1	0
23	Atomic interface catalytically synthesizing SnP/CoP hetero-nanocrystals within dual-carbon hybrids for ultrafast lithium-ion batteries. <i>Engineering</i> , 2022 ,	9.7	4
22	Solid-State Nanobatteries. <i>ACS Symposium Series</i> , 201-248	0.4	
21	Solid-State Reaction Synthesis of Nanoscale Materials: Strategies and Applications. <i>Chemical Reviews</i> ,	68.1	0
20	Electrochemical Performance of Graphene Oxide/Black Arsenic Phosphorus/Carbon Nanotubes as Anode Material for LIBs. <i>Materials</i> , 2022 , 15, 4576	3.5	0
19	MOF-derived Metal Sulfides for Electrochemical Energy Applications. <i>Energy Storage Materials</i> , 2022 ,	19.4	1
18	Molybdenum-fluorine-doped SnO ₂ nanoparticles based on 3D interconnected carbon structure as matrix as high-performance lithium-ion anode material.		

17	Ammonium-Modified Synthesis of Vanadium Sulfide Nanosheet Assemblies toward High Sodium Storage. 2022 , 16, 12900-12909	2
16	Spray pyrolysis: Approaches for nanostructured metal oxide films in energy storage application. 2022 , 54, 105387	0
15	Hollow NiO/carbon pompons for efficient lithium ion storage.	2
14	Corn stalk cellulose-derived carbon composited with SnO ₂ nanoparticles used as anode for high-performance lithium-ion batteries.	0
13	Conductometric Butanone Gas Sensor Based on Co ₃ O ₄ Modified SnO ₂ Hollow Spheres with ppb-level Detection Limit. 2022 , 132787	0
12	Improved efficiency for lead-free CsCu ₂ I ₃ halide microplatelets by suppressing surface pinholes via surface functionalization. 2022 , 119390	1
11	Interfacial engineering of holey platinum nanotubes for formic acid electrooxidation boosted water splitting. 2022 ,	0
10	Mn ₃ O ₄ @ZnO Hybrid Material: An Excellent Photocatalyst for the Degradation of Synthetic Dyes including Methylene Blue, Methyl Orange and Malachite Green. 2022 , 12, 3754	1
9	Cu-doped SnO ₂ /rGO nanocomposites for ultrasensitive H ₂ S detection under low temperature.	0
8	Advances in MoS ₂ based hollow structural materials for high-performance metal ion batteries.	0
7	Unraveling the Electrochemical Mechanism in Tin Oxide/MXene Nanocomposites as Highly Reversible Negative Electrodes for Lithium-Ion Batteries. 2202484	0
6	Rational design of conductive MXenes-based networks by Sn and Sn ₄ P ₃ nanoparticles for durable sodium-ion battery. 2023 , 562, 232750	0
5	3D porous and Li-rich Sn ₁₁ I alloy scaffold with mixed ionic-electronic conductivity for dendrite-free lithium metal anodes. 2023 , 947, 169362	0
4	Ternary nanocomposites of PEDOT: PSS, RGO, and urchin-like hollow microspheres of NiCo ₂ O ₄ for flexible and weavable supercapacitors. 2023 , 292, 116404	0
3	Preparation and humidity sensing performance study of SnO ₂ in situ loaded rGO. 2023 , 290, 116329	0
2	Decorating Phosphorus Anode with SnO ₂ Nanoparticles To Enhance Polyphosphides Chemisorption for High-Performance Lithium-Ion Batteries.	0
1	Large-lateral-area SnO ₂ nanosheets with a loose structure for high-performance acetone sensor at the ppt level. 2023 , 455, 131592	0