

CITATION REPORT

List of articles citing

Adjuvant chemotherapy for breast cancer--30 years later

DOI: 10.1056/nejme068204

New England Journal of Medicine, 2006, 355, 1920-2.

Source: <https://exaly.com/paper-pdf/40977882/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
40	Polychemotherapy for early breast cancer: results from the international adjuvant breast cancer chemotherapy randomized trial. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 506-15	9.7	28
39	Identifying and hurdling obstacles to translational research. <i>Nature Reviews Immunology</i> , 2007 , 7, 77-82	36.5	34
38	UFT (tegafur and uracil) as postoperative adjuvant chemotherapy for solid tumors (carcinoma of the lung, stomach, colon/rectum, and breast): clinical evidence, mechanism of action, and future direction. <i>Surgery Today</i> , 2007 , 37, 923-43	3	25
37	Adjuvante chemotherapie bij mammacarcinoom. <i>Medisch-farmaceutische Mededelingen</i> , 2007 , 45, 76-76		
36	Differences in breast cancer diagnosis and treatment: experiences of insured and uninsured women in a safety-net setting. <i>Inquiry (United States)</i> , 2008 , 45, 323-39	1.4	15
35	Differences in Breast Cancer Diagnosis and Treatment: Experiences of Insured and Uninsured Patients in a Safety Net Setting. 2008 ,		1
34	Troglitazone reverses the multiple drug resistance phenotype in cancer cells. <i>Drug Design, Development and Therapy</i> , 2009 , 3, 79-88	4.4	14
33	Cardiac troponin T for early detection of cardiotoxicity in breast cancer patients treated with epirubicin. <i>Open Medicine (Poland)</i> , 2009 , 4, 327-330	2.2	
32	Breast Cancer. 223-253		
31	Adjuvant chemotherapy in young women with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010 , 123 Suppl 1, 39-41	4.4	115
30	Cyclophosphamide, epirubicin, and Fluorouracil versus dose-dense epirubicin and cyclophosphamide followed by Paclitaxel versus Doxorubicin and cyclophosphamide followed by Paclitaxel in node-positive or high-risk node-negative breast cancer. <i>Journal of Clinical Oncology</i> , 2010 , 28, 77-82	2.2	115
29	MYC in oncogenesis and as a target for cancer therapies. <i>Advances in Cancer Research</i> , 2010 , 107, 163-224	9.9	175
28	Chemotherapy-induced cognitive impairment is associated with decreases in cell proliferation and histone modifications. <i>BMC Neuroscience</i> , 2011 , 12, 124	3.2	82
27	High rate of extra-haematological toxicity compromises dose-dense sequential adjuvant chemotherapy for breast cancer. <i>British Journal of Cancer</i> , 2011 , 105, 1480-6	8.7	5
26	The preventive oral supplementation of a selenium nanoparticle-enriched probiotic increases the immune response and lifespan of 4T1 breast cancer bearing mice. <i>Arzneimittelforschung</i> , 2012 , 62, 525-31		53
25	Neuropsychological performance in survivors of breast cancer more than 20 years after adjuvant chemotherapy. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1080-6	2.2	307
24	Neutrophil dynamics after chemotherapy and G-CSF: the role of pharmacokinetics in shaping the response. <i>Journal of Theoretical Biology</i> , 2012 , 315, 97-109	2.3	28

23	The influence of non-clinical patient factors on medical oncologists' decisions to recommend breast cancer adjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 867-74	4.4	2
22	Lack of association between MDR1 C3435T polymorphism and chemotherapy response in advanced breast cancer patients: evidence from current studies. <i>Molecular Biology Reports</i> , 2012 , 39, 5161-8	2.8	15
21	Evaluation of the prognostic role of centromere 17 gain and HER2/topoisomerase II alpha gene status and protein expression in patients with breast cancer treated with anthracycline-containing adjuvant chemotherapy: pooled analysis of two Hellenic Cooperative Oncology Group (HeCOG) phase III trials. <i>BMC Cancer</i> , 2013 , 13, 163	4.8	24
20	Selenium nanoparticle-enriched <i>Lactobacillus brevis</i> causes more efficient immune responses in vivo and reduces the liver metastasis in metastatic form of mouse breast cancer. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2013 , 21, 33	3.9	66
19	Late effects of adjuvant chemotherapy for adult onset non-CNS cancer; cognitive impairment, brain structure and risk of dementia. <i>Critical Reviews in Oncology/Hematology</i> , 2013 , 88, 87-101	7	53
18	Feasibility and safety of dose-dense docetaxel after conventional epirubicin and cyclophosphamide as adjuvant treatment for early breast cancer patients. <i>Breast</i> , 2013 , 22, 926-32	3.6	3
17	Ways of Regulating Drugs in the 19th and 20th Centuries. 2013 ,		14
16	Evolving risk of therapy-related acute myeloid leukemia following cancer chemotherapy among adults in the United States, 1975-2008. <i>Blood</i> , 2013 , 121, 2996-3004	2.2	152
15	Weight change trajectory in women with breast cancer receiving chemotherapy and the effect of different regimens. <i>Journal of Clinical Nursing</i> , 2014 , 23, 2757-68	3.2	12
14	Breast cancer. 2014 , 237-274		2
13	Sequential Dose-dense 5-fluorouracil, Epirubicin and Cyclophosphamide Followed by Docetaxel in Patients with Early Breast Cancer with Four or more Positive Lymph Nodes. <i>Tumori</i> , 2014 , 100, 128-135	1.7	1
12	Extended Versus Standard Lymphadenectomy for Pancreatic Head Cancer: Meta-Analysis of Randomized Controlled Trials. <i>Journal of Gastrointestinal Surgery</i> , 2015 , 19, 1725-32	3.3	43
11	Retracted: Involvement of insulin-like growth factor-1 in chemotherapy-related cognitive impairment. <i>Behavioural Brain Research</i> , 2015 , 279, 112-22	3.4	5
10	Correlation of MYC Gene and Protein Status With Breast Cancer Subtypes and Outcome of Patients Treated With Anthracycline-Based Adjuvant Chemotherapy. Pooled Analysis of 2 Hellenic Cooperative Group Phase III Trials. <i>Clinical Breast Cancer</i> , 2018 , 18, 53-62.e3	3	5
9	Patterns of on-treatment cardiac adverse events within three clinical trials of adjuvant anthracycline-based chemotherapy. <i>Breast Cancer</i> , 2018 , 25, 723-728	3.4	1
8	Early breast cancer patients benefit more from longer course chemotherapy: a matched-pair analysis. <i>Future Oncology</i> , 2019 , 15, 1781-1789	3.6	0
7	The GSTP1 105Val allele increases breast cancer risk and aggressiveness but enhances response to cyclophosphamide chemotherapy in North China. <i>PLoS ONE</i> , 2013 , 8, e67589	3.7	18
6	Efficacy and Cardiotoxicity of Liposomal Doxorubicin-Based Chemotherapy in Advanced Breast Cancer: A Meta-Analysis of Ten Randomized Controlled Trials. <i>PLoS ONE</i> , 2015 , 10, e0133569	3.7	75

5	Th1 Immune Response Induction by Biogenic Selenium Nanoparticles in Mice with Breast Cancer: Preliminary Vaccine Model. <i>Iranian Journal of Biotechnology</i> , 2015 , 13, 1-9	1	20
4	Early Diagnosis of Cardiac Toxicity Related to Antineoplastic Treatment. <i>Journal of Cancer Therapy</i> , 2011 , 02, 161-166	0.2	4
3	What's in a Pill? On the Informational Enrichment of Anti-Cancer Drugs. 2013 , 181-205		
2	A review of lapatinib ditosylate in the treatment of refractory or advanced breast cancer. <i>Therapeutics and Clinical Risk Management</i> , 2007 , 3, 665-73	2.9	14
1	Aptamer-armed nanostructures improve the chemotherapy outcome of triple-negative breast cancer.. <i>Molecular Therapy</i> , 2022 ,	11.7	0