Cigarette Smoking and Incidence of First Depressive Ep Follow-up Study

American Journal of Epidemiology 163, 421-432

DOI: 10.1093/aje/kwj058

Citation Report

#	Article	IF	CITATIONS
1	Depression and Smoking across 25 Years of the Normative Aging Study. International Journal of Psychiatry in Medicine, 2006, 36, 413-426.	0.8	50
2	Cigarette Smoking and Incidence of First Depressive Episode: An 11-Year, Population-based Follow-up Study. American Journal of Epidemiology, 2006, 163, 421-432.	1.6	228
3	RE: "CIGARETTE SMOKING AND INCIDENCE OF FIRST DEPRESSIVE EPISODE: AN 11-YEAR, POPULATION-BASED FOLLOW-UP STUDY― American Journal of Epidemiology, 2006, 164, 918-919.	1.6	2
4	TWO OF THE AUTHORS REPLY. American Journal of Epidemiology, 2006, 164, 919-920.	1.6	1
5	RE: "CIGARETTE SMOKING AND INCIDENCE OF FIRST DEPRESSIVE EPISODE: AN 11-YEAR, POPULATION-BASED FOLLOW-UP STUDY― American Journal of Epidemiology, 2006, 164, 917-918.	1.6	1
7	Smoking behaviour as a predictor of depression among Finnish men and women: a prospective cohort study of adult twins. Psychological Medicine, 2007, 37, 705.	2.7	92
8	Prevalence and Risk Factors for Depression in a Longitudinal, Population-Based Study Including Individuals in the Community and Residential Care. American Journal of Geriatric Psychiatry, 2007, 15, 497-505.	0.6	161
10	Does cannabis use predict the first incidence of mood and anxiety disorders in the adult population?. Addiction, 2007, 102, 1251-1260.	1.7	175
11	Smoking is associated with firstâ€ever incidence of mental disorders: a prospective populationâ€based study. Addiction, 2007, 102, 1303-1309.	1.7	70
12	Profiles of tamoxifen-related side effects by race and smoking status in women with breast cancer. Cancer Detection and Prevention, 2007, 31, 384-390.	2.1	25
13	Cancer in people with depression or anxiety: record-linkage study. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 683-689.	1.6	36
14	Use of antidepressants and risk of lung cancer. Cancer Causes and Control, 2007, 18, 1055-1064.	0.8	33
15	Cerebrovascular risk factors and incident depression in communityâ€dwelling elderly. Acta Psychiatrica Scandinavica, 2008, 118, 139-148.	2.2	38
16	Going up in smoke: Tobacco smoking is associated with worse treatment outcomes in mania. Journal of Affective Disorders, 2008, 110, 126-134.	2.0	77
18	Active and passive smoking and depression among Japanese workers. Preventive Medicine, 2008, 46, 451-456.	1.6	72
19	Smoking in relation to anxiety and depression: Evidence from a large population survey: The HUNT study. European Psychiatry, 2008, 23, 77-84.	0.1	177
20	Tobacco use and cessation in psychiatric disorders: National Institute of Mental Health report. Nicotine and Tobacco Research, 2008, 10, 1691-1715.	1.4	616
21	Tobacco Smoking and Depression – Results from the WHO/ISBRA Study. Neuropsychobiology, 2008, 57, 26-31.	0.9	85

#	Article	IF	CITATIONS
22	Low Workplace Social Capital as a Predictor of Depression: The Finnish Public Sector Study. American Journal of Epidemiology, 2008, 167, 1143-1151.	1.6	175
23	Tobacco smoking as a risk factor for major depressive disorder: population-based study. British Journal of Psychiatry, 2008, 193, 322-326.	1.7	190
24	The association between depressive symptoms and smoking in pregnant adolescents. Psychology, Health and Medicine, 2008, 13, 574-582.	1.3	8
25	Smoking by people with mental illness and benefits of smoke-free mental health services. Advances in Psychiatric Treatment, 2008, 14, 217-228.	0.6	66
26	Pathophysiology of Addiction. , 2008, , 354-378.		5
27	Global Reach of an Internet Smoking Cessation Intervention among Spanish- and English-Speaking Smokers from 157 Countries. International Journal of Environmental Research and Public Health, 2009, 6, 927-940.	1.2	9
28	Depression and Bone Metabolism. Psychotherapy and Psychosomatics, 2009, 78, 16-25.	4.0	51
29	Depression, selective serotonin re-uptake inhibitors and the regulation of bone mass. IBMS BoneKEy, 2009, 6, 8-15.	0.1	4
30	Contribution of Hypothalamic–Pituitary–Adrenal Activity and Environmental Stress to Vulnerability for Smoking in Adolescents. Neuropsychopharmacology, 2009, 34, 2721-2732.	2.8	36
31	Nicotine Exposure during Adolescence Induces a Depression-Like State in Adulthood. Neuropsychopharmacology, 2009, 34, 1609-1624.	2.8	122
33	Sensitivity analysis for unmeasured confounding in a marginal structural Cox proportional hazards model. Lifetime Data Analysis, 2009, 15, 278-294.	0.4	14
34	Depressive symptoms, smoking, and cigarette price elasticity: results from a population-based survey in Taiwan. International Journal of Public Health, 2009, 54, 421-426.	2.7	10
35	Selection effects in psychiatric epidemiology. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 881-886.	1.6	10
36	Modifiable risk factors predicting major depressive disorder at four year follow-up: a decision tree approach. BMC Psychiatry, 2009, 9, 75.	1.1	44
37	Smoking, nicotine dependence and mental health among young adults: a 13â€year populationâ€based longitudinal study. Addiction, 2009, 104, 129-137.	1.7	120
38	Adult versus adolescent onset of smoking: how are mood disorders and other risk factors involved?. Addiction, 2009, 104, 1411-1419.	1.7	25
39	Individual and family correlates for cigarette smoking among Taiwanese college students. Comprehensive Psychiatry, 2009, 50, 276-285.	1.5	32
40	Cardiovascular Risk Factors and Life Events as Antecedents of Depressive Symptoms in Middle and Early-Old Age: Path Through Life Study. Psychosomatic Medicine, 2009, 71, 937-943.	1.3	12

#	Article	IF	Citations
41	Secondhand Smoke Exposure and Depressive Symptoms. Psychosomatic Medicine, 2010, 72, 68-72.	1.3	95
42	Smoking, nicotine and neuropsychiatric disorders. Neuroscience and Biobehavioral Reviews, 2010, 34, 295-342.	2.9	188
43	Secondhand Smoke Policy and the Risk of Depression. Annals of Behavioral Medicine, 2010, 39, 198-203.	1.7	23
44	Depression, Selective Serotonin Reuptake Inhibitors, and Osteoporosis. Current Osteoporosis Reports, 2010, 8, 185-191.	1.5	40
45	Modifiable risk factors for incidence of pain in older adults. Pain, 2010, 151, 366-371.	2.0	46
46	Emotional and affective temperaments and cigarette smoking in a large sample. Journal of Affective Disorders, 2010, 127, 89-95.	2.0	20
47	The effect of stopping smoking on perceived stress levels. Addiction, 2010, 105, 1466-1471.	1.7	76
48	Depressive mood, suicide ideation and anxiety in smokers who do and smokers who do not manage to stop smoking after a target quit day. Addiction, 2010, 105, 2209-2216.	1.7	51
49	Association of breathlessness with multiple symptoms in chronic obstructive pulmonary disease. Journal of Advanced Nursing, 2010, 66, 2688-2700.	1.5	76
50	Depression and bone mass. Annals of the New York Academy of Sciences, 2010, 1192, 170-175.	1.8	33
51	Confrontations with aggression and mental health problems in police officers: The role of organizational stressors, life-events and previous mental health problems Psychological Trauma: Theory, Research, Practice, and Policy, 2010, 2, 135-144.	1.4	47
52	Smoking in Schizophrenia: Diagnostic Specificity, Symptom Correlates, and Illness Severity. Schizophrenia Bulletin, 2010, 36, 173-181.	2.3	103
53	Cigarette smoking and subsequent hospitalization in a cohort of young U.S. Navy female recruits. Nicotine and Tobacco Research, 2010, 12, 365-373.	1.4	19
54	Quitting smoking does not increase the risk of major depressive episodes among users of Internet smoking cessation interventions. Psychological Medicine, 2010, 40, 441-449.	2.7	35
55	A Longitudinal Study of the Relationship Between Lifestyle and Mental Health Among Midlife and Older Women in Australia: Findings From the Healthy Aging of Women Study. Health Care for Women International, 2010, 31, 1082-1096.	0.6	35
56	Cigarette smoking and depression: tests of causal linkages using a longitudinal birth cohort. British Journal of Psychiatry, 2010, 196, 440-446.	1.7	385
57	Sense of coherence and psychiatric morbidity: a 19-year register-based prospective study. Journal of Epidemiology and Community Health, 2010, 64, 255-261.	2.0	31
58	Genetics of Addictions. Psychiatric Clinics of North America, 2010, 33, 107-124.	0.7	6

#	Article	IF	CITATIONS
59	The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. Journal of Dual Diagnosis, 2010, 6, 212-234.	0.7	9
60	Failure to treat tobacco use in mental health and addiction treatment settings: A form of harm reduction?. Drug and Alcohol Dependence, 2010, 110, 177-182.	1.6	161
61	Genetics of Addictions. Clinics in Laboratory Medicine, 2010, 30, 847-864.	0.7	7
62	What are candidate biobehavioral mechanisms underlying the association between secondhand smoke exposure and mental health?. Medical Hypotheses, 2011, 77, 1009-1010.	0.8	28
63	Effect of co-administration of varenicline and antidepressants on extracellular monoamine concentrations in rat prefrontal cortex. Neurochemistry International, 2011, 58, 78-84.	1.9	14
64	Cardiovascular disease risk factors and depression in Korean women: Results from the fourth Korean National Health and Nutrition Examination Survey. Psychiatry Research, 2011, 190, 232-239.	1.7	17
65	Psychosocial determinants of cigarette smoking among university students in Jordan. Journal of Developmental Origins of Health and Disease, 2011, 2, 152-161.	0.7	11
66	A practical approach to assess depression risk and to guide risk reduction strategies in later life. International Psychogeriatrics, 2011, 23, 280-291.	0.6	51
67	Cigarette smoking may modify the risk of depression in eczema among adults: a preliminary study using NHANES 2005–2006. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 1048-1053.	1.3	9
68	Tobacco smoking as a risk factor for depression. A 26-year population-based follow-up study. Journal of Psychiatric Research, 2011, 45, 143-149.	1.5	102
69	Relationships Between Self-Reported Smoking, Household Environmental Tobacco Smoke Exposure and Depressive Symptoms in a Pregnant Minority Population. Maternal and Child Health Journal, 2011, 15, 65-74.	0.7	20
70	Structural models of the comorbidity of internalizing disorders and substance use disorders in a longitudinal birth cohort. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 933-942.	1.6	62
71	Depressive symptoms and smoking among young Turkish and Moroccan ethnic minority groups in the Netherlands: a cross-sectional study. Substance Abuse Treatment, Prevention, and Policy, 2011, 6, 5.	1.0	9
72	Psychological Distress is Associated with Tobacco Smoking and Quitting Behaviour in the Australian Population: Evidence from National Cross-Sectional Surveys. Australian and New Zealand Journal of Psychiatry, 2011, 45, 170-178.	1.3	40
73	Effects of Smoking Cessation on Pain in Older Adults. Nicotine and Tobacco Research, 2011, 13, 919-925.	1.4	30
74	Gender Differences in Smoking Behaviour and Cessation. Journal of Smoking Cessation, 2011, 6, 9-16.	0.3	24
75	A population-based twin study of the genetic and environmental relationship of major depression, regular tobacco use and nicotine dependence. Psychological Medicine, 2011, 41, 395-405.	2.7	57
76	A prospective study of smoking in young women and risk of later psychiatric hospitalization. Nordic Journal of Psychiatry, 2011, 65, 3-8.	0.7	26

#	ARTICLE	IF	CITATIONS
77	Cigarette Smoking and Dimensions of Depressive Symptoms: Longitudinal Analysis Among Finnish Male and Female Twins. Nicotine and Tobacco Research, 2011, 13, 261-272.	1.4	21
78	Age at Smoking Onset and the Onset of Depression and Anxiety Disorders. Nicotine and Tobacco Research, 2011, 13, 809-819.	1.4	43
79	Cigarette smoking and risk of completed suicide: A meta-analysis of prospective cohort studies. Journal of Psychiatric Research, 2012, 46, 1257-1266.	1.5	113
80	Comorbid Trajectories of Tobacco and Marijuana Use as Related to Psychological Outcomes. Substance Abuse, 2012, 33, 156-167.	1.1	21
81	Differences in happiness between smokers, ex-smokers and never smokers: cross-sectional findings from a national household survey. Drug and Alcohol Dependence, 2012, 121, 38-44.	1.6	56
82	Nicotine dependence and comorbid psychiatric disorders: Examination of specific genetic variants in the CHRNA5-A3-B4 nicotinic receptor genes. Drug and Alcohol Dependence, 2012, 123, S42-S51.	1.6	13
83	Association of smoking status, cumulative smoking, duration of smoking cessation, age of starting smoking, and depression in Korean adults. BMC Public Health, 2012, 12, 724.	1.2	30
84	Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. Drug and Alcohol Dependence, 2012, 126, 138-146.	1.6	78
85	Nicotine dependence., 0,, 287-296.		0
86	Genetics of smoking and depression. Human Genetics, 2012, 131, 905-915.	1.8	44
87	Persistent heavy smoking as risk factor for major depression (MD) incidence – Evidence from a longitudinal Canadian cohort of the National Population Health Survey. Journal of Psychiatric Research, 2012, 46, 436-443.	1.5	46
88	Predictors of and health services utilization related to depressive symptoms among elderly Koreans. Social Science and Medicine, 2012, 75, 179-185.	1.8	11
89	Characteristics of Mothers with Depressive Symptoms Outside the Postpartum Period. Maternal and Child Health Journal, 2013, 17, 1030-1037.	0.7	6
90	A Prospective Study of Ideal Cardiovascular Health and Depressive Symptoms. Psychosomatics, 2013, 54, 525-535.	2.5	50
91	The intergenerational transmission of smoking in adulthood: A 25-year study of maternal and offspring maladaptive attributes. Addictive Behaviors, 2013, 38, 2361-2368.	1.7	10
92	A time-varying measurement error model for age of onset of a psychiatric diagnosis: applied to first depressive episode diagnosed by the Composite International Diagnostic Interview (CiDI). Journal of Applied Statistics, 2013, 40, 843-861.	0.6	3
93	Exposure to secondhand smoke and depression and anxiety: A report from two studies in the Netherlands. Journal of Psychosomatic Research, 2013, 75, 431-436.	1.2	42
94	Association of mental distress with smoking status in the community: Results from the Gutenberg Health Study. Journal of Affective Disorders, 2013, 146, 355-360.	2.0	33

#	Article	IF	Citations
95	Lifestyle management of unipolar depression. Acta Psychiatrica Scandinavica, 2013, 127, 38-54.	2.2	88
96	Depressive Symptoms Among Heavy Cigarette Smokers: The Influence of Daily Rate, Gender, and Race. Nicotine and Tobacco Research, 2013, 15, 1714-1721.	1.4	21
97	Smokers' increased risk for disability pension: social confounding or health-mediated effects? Gender-specific analyses of the Hordaland Health Study cohort. Journal of Epidemiology and Community Health, 2013, 67, 758-764.	2.0	11
98	Prevalence and Psychosocial Determinants of Nicotine Dependence in Nine Countries of the Former Soviet Union. Nicotine and Tobacco Research, 2013, 15, 271-276.	1.4	22
99	The causal role of smoking in anxiety and depression: a Mendelian randomization analysis of the HUNT study. Psychological Medicine, 2013, 43, 711-719.	2.7	65
100	Cognitive biases in patients with chronic obstructive pulmonary disease and depression – a pilot study. British Journal of Health Psychology, 2013, 18, 827-843.	1.9	10
101	DEPRESSION AND SMOKING: A 5-YEAR PROSPECTIVE STUDY OF PATIENTS WITH MAJOR DEPRESSIVE DISORDER. Depression and Anxiety, 2013, 30, 580-588.	2.0	28
102	Spousal Loss and Health in Late Life. Journal of Aging and Health, 2013, 25, 221-242.	0.9	66
103	Depression and SES in women from Appalachia Journal of Rural Mental Health, 2013, 37, 2-15.	0.5	7
104	Cigarette Smoking and Onset of Mood and Anxiety Disorders. American Journal of Public Health, 2013, 103, 1656-1665.	1.5	78
105	Dimensions of Attitudes towards the Mentally III in the General Population Stability and Change over Time at Urban and Rural Sites. Psychiatry Journal, 2013, 2013, 1-11.	0.7	1
106	Smoking and Major Depressive Disorder in Chinese Women. PLoS ONE, 2014, 9, e106287.	1.1	8
107	Current smoking and secondhand smoke exposure and depression among Korean adolescents: analysis of a national cross-sectional survey. BMJ Open, 2014, 4, e003734.	0.8	56
108	Smoking cessation is associated with lower rates of mood/anxiety and alcohol use disorders. Psychological Medicine, 2014, 44, 2523-2535.	2.7	78
109	Changes in prevalence of depression and anxiety following smoking cessation: results from an international cohort study (ATTEMPT). Psychological Medicine, 2014, 44, 127-141.	2.7	30
110	Plasma Cotinine Levels in Cigarette Smokers: Impact of Mental Health and Other Correlates. European Addiction Research, 2014, 20, 183-191.	1.3	2
111	Cognitive mediators and disparities in the relation between teen depressiveness and smoking. Drug and Alcohol Dependence, 2014, 140, 56-62.	1.6	6
112	Prevalence and correlates of smoking status among Veterans Affairs primary care patients with probable Major Depressive Disorder. Addictive Behaviors, 2014, 39, 538-545.	1.7	13

#	Article	IF	Citations
113	Lifestyle medicine for depression. BMC Psychiatry, 2014, 14, 107.	1.1	265
114	The association between smoking and depression from adolescence to adulthood. Addiction, 2014, 109, 1022-1030.	1.7	63
115	Long-term depression and suicidal ideation outcomes subsequent to emancipation from foster care: Pathways to psychiatric risk in the Métis population. Psychiatry Research, 2014, 215, 347-354.	1.7	7
116	The mediating role of depressive symptoms in the relationship between adverse childhood experiences and smoking. Addictive Behaviors, 2014, 39, 1471-1476.	1.7	27
117	<scp>N</scp> icotine and the adolescent brain. Journal of Physiology, 2015, 593, 3397-3412.	1.3	372
119	Changes in Prevalence of Depression and Anxiety Following Smoking Cessation: Results From an International Cohort Study (ATTEMPT). Focus (American Psychiatric Publishing), 2015, 13, 385-395.	0.4	0
120	Implementation of psychiatricâ€focused lifestyle medicine programs in <scp>A</scp> sia. Asia-Pacific Psychiatry, 2015, 7, 345-354.	1.2	9
121	Co-morbid tobacco use disorder and depression: A re-evaluation of smoking cessation therapy in depressed smokers. American Journal on Addictions, 2015, 24, 687-694.	1.3	32
122	Smoking, Suicidality and Psychosis: A Systematic Meta-Analysis. PLoS ONE, 2015, 10, e0138147.	1.1	15
123	Quality of life and risk of psychiatric disorders among regular users of alcohol, nicotine, and cannabis: An analysis of the National Epidemiological Survey on Alcohol and Related Conditions (NESARC). Journal of Psychiatric Research, 2015, 66-67, 135-141.	1.5	59
124	Gender differences in the associations among marijuana use, cigarette use, and symptoms of depression during adolescence and young adulthood. Addictive Behaviors, 2015, 49, 33-39.	1.7	45
125	Nicotine Addiction and Psychiatric Disorders. International Review of Neurobiology, 2015, 124, 171-208.	0.9	34
126	Smoking and Mental Illness: Strategies to Increase Screening, Assessment, and Treatment. Focus (American Psychiatric Publishing), 2015, 13, 290-306.	0.4	6
127	Socioeconomic related inequality in depression among young and middle-adult women in Indonesia \times^3 s major cities. Journal of Affective Disorders, 2015, 182, 76-81.	2.0	26
128	Cigarette smoking and the onset and persistence of depression among adults in the United States: 1994–2005. Comprehensive Psychiatry, 2015, 60, 142-148.	1.5	74
129	Depressive symptoms and self-reported adherence to medical recommendations to prevent cardiovascular disease: NHANES 2005–2010. Social Science and Medicine, 2015, 138, 74-81.	1.8	26
130	STin2 VNTR polymorphism is associated with comorbid tobacco use and mood disorders. Journal of Affective Disorders, 2015, 172, 347-354.	2.0	13
131	Clustering of health risk behaviours and the relationship with mental disorders. Journal of Affective Disorders, 2015, 171, 111-119.	2.0	59

#	Article	IF	CITATIONS
132	Tobacco, Nicotine, Health, and Mental Health., 2016, , 300-313.		2
133	Cognitive Dysfunction, Affective States, and Vulnerability to Nicotine Addiction: A Multifactorial Perspective. Frontiers in Psychiatry, 2016, 7, 160.	1.3	37
134	Gene–Environment Interactions Between Depressive Symptoms and Smoking Quantity. Twin Research and Human Genetics, 2016, 19, 322-329.	0.3	4
135	Increased Risk of Major Depression With Early Age of Exposure to Cigarettes. American Journal of Preventive Medicine, 2016, 51, 933-938.	1.6	0
136	The Association of Panic Disorder, Posttraumatic Stress Disorder, and Major Depression With Smoking in American Indians. Nicotine and Tobacco Research, 2016, 18, 259-266.	1.4	12
137	Secondhand smoke exposure and mental health in adults: a meta-analysis of cross-sectional studies. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1339-1348.	1.6	29
138	The Association of Cigarette Smoking With Depression and Anxiety: A Systematic Review. Nicotine and Tobacco Research, 2017, 19, 3-13.	1.4	730
139	Temporal sequencing of nicotine dependence and major depressive disorder: A U.S. national study. Psychiatry Research, 2017, 250, 264-269.	1.7	6
140	The role of unhealthy lifestyles in the incidence and persistence of depression: a longitudinal general population study in four emerging countries. Globalization and Health, 2017, 13, 18.	2.4	47
141	Smoking, Mental Illness, and Public Health. Annual Review of Public Health, 2017, 38, 165-185.	7.6	309
142	Six-Month Outcomes for Collaborative Care Management of Depression Among Smoking and Nonsmoking Patients. Health Services Research and Managerial Epidemiology, 2017, 4, 233339281772164.	0.5	2
143	Innovative approaches to support smoking cessation for individuals with mental illness and co-occurring substance use disorders. Expert Review of Respiratory Medicine, 2017, 11, 841-850.	1.0	28
144	Does the number of previous mood episodes moderate the relationship between alcohol use, smoking and mood in bipolar outpatients?. BMC Psychiatry, 2017, 17, 185.	1.1	4
145	Do healthâ€related factors predict major depression? A longitudinal epidemiologic study. Clinical Psychology and Psychotherapy, 2018, 25, 378-387.	1.4	17
146	Nicotinic receptors mediate stress-nicotine detrimental interplay via dopamine cells' activity. Molecular Psychiatry, 2018, 23, 1597-1605.	4.1	29
147	The Temporal Relationship between Selected Mental Disorders and Substance-Related Disorders: A Nationwide Population-Based Cohort Study. Psychiatry Journal, 2018, 2018, 1-12.	0.7	10
148	Marijuana Use and Depressive Symptoms; Gender Differences in African American Adolescents. Frontiers in Psychology, 2018, 9, 2135.	1.1	33
149	Genome-wide association study identifies glutamate ionotropic receptor GRIA4 as a risk gene for comorbid nicotine dependence and major depression. Translational Psychiatry, 2018, 8, 208.	2.4	14

#	ARTICLE	IF	CITATIONS
151	Treatment of Tobacco Use Disorder and Mood Disorders in Adolescents. Current Addiction Reports, 2018, 5, 346-358.	1.6	1
153	Chronic medical conditions and metabolic syndrome as risk factors for incidence of major depressive disorder: A longitudinal study based on 4.7 million adults in South Korea. Journal of Affective Disorders, 2019, 257, 486-494.	2.0	31
154	Depression Outcomes in Smokers and Nonsmokers: Comparison of Collaborative Care Management Versus Usual Care. Journal of Primary Care and Community Health, 2019, 10, 215013271986126.	1.0	8
155	The 2016 Tips From Former Smokers \hat{A}^{\otimes} Campaign: Associations With Quit Intentions and Quit Attempts Among Smokers With and Without Mental Health Conditions. Nicotine and Tobacco Research, 2019, 21, 576-583.	1.4	18
156	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. International Journal of Environmental Research and Public Health, 2019, 16, 1412.	1.2	9
157	Tobacco 21: Increase Age, Decrease Riskâ€"A Commentary. Journal of School Health, 2019, 89, 235-236.	0.8	0
158	The Meaning of Bereavement Following Spousal Loss: A Qualitative Study of the Experiences of Older Adults. SAGE Open, 2019, 9, 215824401989427.	0.8	11
159	Major depressive episodes and mortality in the Canadian household population. Journal of Affective Disorders, 2019, 242, 165-171.	2.0	8
161	Tobacco smoking and health-related quality of life among university students: Mediating effect of depression. PLoS ONE, 2020, 15, e0227042.	1.1	36
162	The prevalence of depression symptoms after smoking cessation: a systematic review and meta-analysis. Journal of Addictive Diseases, 2020, 39, 109-124.	0.8	6
163	Education and mental health: Evidence and mechanisms. Journal of Economic Behavior and Organization, 2020, 180, 407-437.	1.0	27
164	Smoking, obesity, and their co-occurrence in the U.S. military veterans:Âresults from the national health and resilience in veterans study. Journal of Affective Disorders, 2020, 274, 354-362.	2.0	10
165	An analysis of the relationship between chronic obstructive pulmonary disease, smoking and depression in an integrated healthcare system. General Hospital Psychiatry, 2020, 64, 72-79.	1.2	12
166	Household food insecurity is associated with depressive symptoms in the Canadian adult population. Journal of Affective Disorders, 2021, 279, 563-571.	2.0	12
167	Tobacco Use Predicts Treatment Dropout and Outcome in an Acute, Transdiagnostic Psychiatric Treatment Setting. Behavior Therapy, 2021, 52, 897-906.	1.3	0
168	Adaptation of the Young Adults' Cigarette Dependence (YACD) Scale for the development and validation of the Adolescent Cigarette Dependence Scale (ACDS). Environmental Science and Pollution Research, 2021, 28, 28407-28414.	2.7	4
169	Use of alcohol, drugs, inhalants, and smoking tobacco and the long-term risk of depression in men: A nationwide Swedish cohort study from 1969–2017. Drug and Alcohol Dependence, 2021, 221, 108553.	1.6	9
170	Maternal smoking during pregnancy, offspring smoking, adverse childhood events, and risk of major depression: a sibling design study. Psychological Medicine, 2023, 53, 206-216.	2.7	3

#	Article	IF	CITATIONS
171	Relationship between high-risk behavior and mental health problems using latent factor regression for grouped outcomes model. Minerva Psychiatry, 2021, 62, .	0.3	1
172	Associations between family social circumstances and psychological distress among the university students of Bangladesh: To what extent do the lifestyle factors mediate?. BMC Psychology, 2021, 9, 80.	0.9	5
173	Comprehensive analysis of depression-related factors among middle-aged residents in Japan, an Eastern culture. Medicine (United States), 2021, 100, e25735.	0.4	3
174	Exposure to Secondhand Smoke at Home and Psychological Distress among College Students in China: The Role of Parental Attachment. Journal of Psychoactive Drugs, 2021, , 1-10.	1.0	1
175	Smoking and Neuropsychiatric Disease—Associations and Underlying Mechanisms. International Journal of Molecular Sciences, 2021, 22, 7272.	1.8	21
176	Sex Difference in Comorbid Depression in First-Episode and Drug-Naive Patients With Schizophrenia: Baseline Results From the Depression in Schizophrenia in China Study. Psychosomatic Medicine, 2021, 83, 1082-1088.	1.3	6
177	I smoke to cope with pain: patients' perspectives on the link between cigarette smoking and pain. Wiener Klinische Wochenschrift, 2021, 133, 1012-1019.	1.0	4
178	Comorbid major depression in first-episode drug-naÃ-ve patients with schizophrenia: Analysis of the Depression in Schizophrenia in China (DISC) study. Journal of Affective Disorders, 2021, 294, 33-38.	2.0	6
179	Genetics of Smoking Behavior., 2009,, 411-432.		42
180	The Genetic Basis of Addiction. , 2012, , 35-50.		1
182	Longitudinal Mediation Modeling of Unhealthy Behaviors as Mediators between Workplace Demands/Support and Depressive Symptoms. PLoS ONE, 2016, 11, e0169276.	1.1	6
183			
100	The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. Tobacco Prevention and Cessation, 2019, 5, 49.	0.2	12
184	The association between smokersâ∈™ self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. Tobacco Prevention and Cessation, 2019, 5, 49. Relationships between Depressed Mood and Life Style Patterns in Koreans Aged 40 Years. Journal of the Korean Society of Food Science and Nutrition, 2014, 43, 772-783.	0.2	12 7
	Four Country Smoking and Vaping Wave 1 Survey. Tobacco Prevention and Cessation, 2019, 5, 49. Relationships between Depressed Mood and Life Style Patterns in Koreans Aged 40 Years. Journal of the		
184	Four Country Smoking and Vaping Wave 1 Survey. Tobacco Prevention and Cessation, 2019, 5, 49. Relationships between Depressed Mood and Life Style Patterns in Koreans Aged 40 Years. Journal of the Korean Society of Food Science and Nutrition, 2014, 43, 772-783. A Longitudinal Study on the Causal Association Between Smoking and Depression. Journal of	0.2	7
184	Four Country Smoking and Vaping Wave 1 Survey. Tobacco Prevention and Cessation, 2019, 5, 49. Relationships between Depressed Mood and Life Style Patterns in Koreans Aged 40 Years. Journal of the Korean Society of Food Science and Nutrition, 2014, 43, 772-783. A Longitudinal Study on the Causal Association Between Smoking and Depression. Journal of Preventive Medicine and Public Health, 2010, 43, 193. Effects of Cigarette Smoking on Neuropsychological Performance in Mood Disorders. Journal of	0.2	7 37
184 185 186	Relationships between Depressed Mood and Life Style Patterns in Koreans Aged 40 Years. Journal of the Korean Society of Food Science and Nutrition, 2014, 43, 772-783. A Longitudinal Study on the Causal Association Between Smoking and Depression. Journal of Preventive Medicine and Public Health, 2010, 43, 193. Effects of Cigarette Smoking on Neuropsychological Performance in Mood Disorders. Journal of Clinical Psychiatry, 2013, 74, e130-e136. Smoking as a Risk Factor for Mental Health Disturbances After a Disaster. Journal of Clinical	0.2	7 37 21

#	Article	IF	CITATIONS
190	Bases pharmacologiques de l'utilisation des psychotropes. , 2010, , 10-19.		0
191	Bases pharmacologiques de l'utilisation desÂpsychotropes. , 2014, , 13-23.		0
193	The Relationship between Depression and Bone Mineral Density, and Mediating Role of Physical Activity in Korean Elder Men: KNHANES. Korean Journal of Sport Science, 2014, 25, 690-700.	0.0	0
213	Prevalence of cigarette smoking in schizophrenic patients compared to other hospital admitted psychiatric patients. Addiction and Health, 2009, 1, 38-42.	0.3	10
214	Risk Factors of Suicide Death Based on Psychological Autopsy Method; a Case-Control Study. Archives of Academic Emergency Medicine, 2019, 7, e50.	0.2	8
215	The impact of adolescent nicotine exposure on alcohol use during adulthood: The role of neuropeptides. International Review of Neurobiology, 2022, 161, 53-93.	0.9	0
216	Semiparametric Count Data Regression for Self-Reported Mental Health. Biometrics, 2023, 79, 1520-1533.	0.8	3
217	The effects of smoking habit change on the risk of depression–Analysis of data from the Korean National Health Insurance Service. Journal of Affective Disorders, 2022, 302, 293-301.	2.0	2
218	Monoamine oxidase inhibition in cigarette smokers: From preclinical studies to tobacco product regulation. Frontiers in Neuroscience, $0,16,.$	1.4	5
219	Facilitating Mental Health Treatment Through Proactive Screening and Concierge Services in the Workplace. Journal of Occupational and Environmental Medicine, 2023, 65, 160-166.	0.9	1
221	Tobacco, nicotine, health, and mental health. , 2023, , 461-474.		0
222	Prevalence of depression and associated factors among secondary school teachers in Medina region, Saudi Arabia., 2022, 7, 111.	0.1	0
223	Neurobiology of Addiction. , 2023, , 1-51.		0
226	Action in Policies: WHO Framework Convention on Tobacco Control., 2023,, 453-465.		O