

CITATION REPORT

List of articles citing

Occupant use of switching and dimming controls in offices

DOI: 10.1177/1477153506070994

Lighting Research and Technology, 2006, 38, 358-376.

Source: <https://exaly.com/paper-pdf/41048258/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|----|-----------|
| 101 | Lighting appraisal, well-being and performance in open-plan offices: A linked mechanisms approach. <i>Lighting Research and Technology</i> , 2008 , 40, 133-151 | 2 | 130 |
| 100 | Wireless networked lighting systems for optimizing energy savings and user satisfaction. 2008 , | | 8 |
| 99 | Individual control of electric lighting in a daylit space. <i>Lighting Research and Technology</i> , 2008 , 40, 25-41 | 2 | 61 |
| 98 | Control strategies for lighting and ventilation in offices: effects on energy and occupants. 2009 , 1, 101-121 | | 14 |
| 97 | Energy efficiency in lighting [Considerations and possibilities. <i>Lighting Research and Technology</i> , 2009 , 41, 209-218 | 2 | 25 |
| 96 | Stimulus range bias explains the outcome of preferred-illuminance adjustments. <i>Lighting Research and Technology</i> , 2010 , 42, 433-447 | 2 | 37 |
| 95 | A pilot study of lighting and low vision in older people. <i>Lighting Research and Technology</i> , 2010 , 42, 103-119 | | 10 |
| 94 | Energy saving potential and strategies for electric lighting in future North European, low energy office buildings: A literature review. 2011 , 43, 2572-2582 | | 193 |
| 93 | Daylight integrated illumination control of LED systems based on enhanced presence sensing. 2011 , 43, 944-950 | | 120 |
| 92 | Personalized dynamic design of networked lighting for energy-efficiency in open-plan offices. 2011 , 43, 1919-1924 | | 61 |
| 91 | Coupling of dynamic building simulation with stochastic modelling of occupant behaviour in offices [A review-based integrated methodology. 2011 , 4, 339-358 | | 83 |
| 90 | Investigating the use of an adjustment task to set the preferred illuminance in a workplace environment. <i>Lighting Research and Technology</i> , 2011 , 43, 403-422 | 2 | 37 |
| 89 | Occupancy-based illumination control of LED lighting systems. <i>Lighting Research and Technology</i> , 2011 , 43, 217-234 | 2 | 45 |
| 88 | Influence of shading control patterns on the energy assessment of office spaces. 2012 , 50, 35-48 | | 67 |
| 87 | A visual ergonomics intervention in mail sorting facilities: effects on eyes, muscles and productivity. 2012 , 43, 217-29 | | 39 |
| 86 | Investigating the use of an adjustment task to set preferred colour of ambient illumination. 2013 , 38, 46-57 | | 16 |
| 85 | Satisfaction and illuminances set with user-controlled lighting. 2013 , 56, 306-314 | | 11 |

| | | | |
|----|--|---|-----|
| 84 | Self-Report Diary: A Method to Measure Use of Office Lighting. 2013 , 9, 291-306 | | 8 |
| 83 | Analyses on Human Responses to Illuminance Variations for Resident-Friendly Lighting Environment in a Small Office. 2013 , 22, 535-550 | | 10 |
| 82 | User Preferences in Office Lighting: A Case Study Comparing LED and T5 Lighting. 2013 , 9, 261-290 | | 5 |
| 81 | Preferred Chromaticity of Color-Tunable LED Lighting. 2014 , 10, 101-115 | | 60 |
| 80 | A MISO UCA beamforming dimmable LED system for indoor positioning. 2014 , 14, 2362-78 | | 4 |
| 79 | A Critical Investigation of Common Lighting Design Metrics for Predicting Human Visual Comfort in Offices with Daylight. 2014 , 10, 145-164 | | 101 |
| 78 | A framework to characterize energy efficiency measures. 2014 , 118, 207-220 | | 103 |
| 77 | Optimal office lighting use: a Swedish case study. 2015 , 33, 573-587 | | 6 |
| 76 | Retrofitting the Electric Lighting and Daylighting Systems to Reduce Energy Use in Buildings: A Literature Review. 2015 , 6, 25-41 | | 27 |
| 75 | The impact of light source technology and colour temperature on the well-being, mental state and concentration of shop assistants. <i>Lighting Research and Technology</i> , 2015 , 47, 419-433 | 2 | 10 |
| 74 | Personal environmental control: Effects of pre-set conditions for heating and lighting on personal settings, task performance and comfort experience. 2015 , 86, 166-176 | | 34 |
| 73 | Development of computational algorithm for prediction of photosensor signals in daylight conditions. 2015 , 89, 229-243 | | 6 |
| 72 | Occupant behavior modeling for building performance simulation: Current state and future challenges. 2015 , 107, 264-278 | | 477 |
| 71 | Sensor-Driven Lighting Control With Illumination and Dimming Constraints. 2015 , 15, 5169-5176 | | 29 |
| 70 | Accounting for the Uncertainty Related to Building Occupants with Regards to Visual Comfort: A Literature Survey on Drivers and Models. 2016 , 6, 5 | | 13 |
| 69 | Defining Lighting Settings to Accommodate End-User Preferences While Reducing Energy Consumption in Buildings. 2016 , | | 1 |
| 68 | Energy saving claims for lighting controls in commercial buildings. 2016 , 133, 489-497 | | 42 |
| 67 | Satisfying light conditions: A field study on perception of consensus light in Dutch open office environments. 2016 , 105, 116-127 | | 24 |

| | | |
|----|--|-----|
| 66 | Lights, building, action: Impact of default lighting settings on occupant behaviour. 2016 , 48, 212-223 | 32 |
| 65 | Lighting control systems in individual offices rooms at high latitude: Measurements of electricity savings and occupants' satisfaction. 2016 , 127, 113-123 | 32 |
| 64 | Implementation and comparison of existing occupant behaviour models in EnergyPlus. 2016 , 9, 567-588 | 56 |
| 63 | Evaluating a New Suite of Luminance-Based Design Metrics for Predicting Human Visual Comfort in Offices with Daylight. 2016 , 12, 113-138 | 37 |
| 62 | Linking Psycho-Environmental Comfort Factors to Tourist Satisfaction Levels: Application of a Psychology Theory to Tourism Research. 2017 , 26, 717-734 | 13 |
| 61 | Energy saving potential and visual comfort of task light usage for offices in Malaysia. 2017 , 147, 166-175 | 12 |
| 60 | Predictability of occupant presence and performance gap in building energy simulation. 2017 , 208, 1639-1652 | 50 |
| 59 | Lighting preference profiles of users in an open office environment. 2017 , 116, 89-107 | 41 |
| 58 | Influence of wall luminance and uniformity on preferred task illuminance. 2017 , 117, 24-35 | 13 |
| 57 | A literature review on driving factors and contextual events influencing occupants' behaviours in buildings. 2017 , 118, 40-66 | 107 |
| 56 | Evaluating energy consumption saving from translucent concrete building envelope. 2017 , 153, 448-460 | 18 |
| 55 | Modelling barriers to the adoption of industrial sustainability measures. 2017 , 168, 1482-1504 | 40 |
| 54 | Review of current methods, opportunities, and challenges for in-situ monitoring to support occupant modelling in office spaces. 2017 , 10, 444-470 | 44 |
| 53 | International survey on current occupant modelling approaches in building performance simulation Isabella Gaetani, Sara Gilani, and Salvatore Carlucci contributed equally to this work. View all notes. 2017 , 10, 653-671 | 36 |
| 52 | Integrated automation for optimal demand management in commercial buildings considering occupant comfort. 2017 , 28, 16-29 | 35 |
| 51 | Development and implementation of an adaptive lighting and blinds control algorithm. 2017 , 113, 185-199 | 98 |
| 50 | Evaluating Interface Characteristics for Shared Lighting Systems in the Office Environment. 2017 , | 4 |
| 49 | Lighting preferences in individual offices. 2017 , 17, 39-53 | 5 |

| | | | |
|----|--|---|----|
| 48 | Visual discomfort indoors. <i>Lighting Research and Technology</i> , 2018 , 50, 98-114 | 2 | 23 |
| 47 | Lighting controls: Evolution and revolution. <i>Lighting Research and Technology</i> , 2018 , 50, 115-128 | 2 | 34 |
| 46 | Inferring personalized visual satisfaction profiles in daylight offices from comparative preferences using a Bayesian approach. 2018 , 138, 74-88 | | 12 |
| 45 | The impact of the internet of lighting on the office lighting value network. 2018 , 11, 29-40 | | 9 |
| 44 | A preliminary study of occupants' use of manual lighting controls in private offices: A case study. 2018 , 159, 572-586 | | 30 |
| 43 | Experimental study on occupants' interaction with windows and lights in Mediterranean offices during the non-heating season. 2018 , 127, 221-238 | | 28 |
| 42 | Understanding the influence of orientation, time-of-day and blind use on user's lighting choices and energy consumption using immersive virtual environments. 2019 , 1-27 | | 5 |
| 41 | The Influence of Air Heating and Lighting on the Comfort Conditions in NZEB Buildings' Rooms. 2019 , 603, 042064 | | |
| 40 | Connected Smart Lighting. 2019 , 351-370 | | |
| 39 | Light as a positive situational cue at work: Satisfaction with light relates to judgements of other's warmth and competence. 2019 , 62, 995-1007 | | 3 |
| 38 | An ANN-based model for the prediction of internal lighting conditions and user actions in non-residential buildings. 2019 , 12, 700-718 | | 8 |
| 37 | A method to generate design-sensitive occupant-related schedules for building performance simulations. 2019 , 25, 221-232 | | 9 |
| 36 | A personalized daylighting control approach to dynamically optimize visual satisfaction and lighting energy use. 2019 , 193, 111-126 | | 26 |
| 35 | New daylight fluctuation control in an optical fiber-based daylighting system. 2019 , 153, 35-45 | | 10 |
| 34 | Circadian Lighting Design in the LED Era. 2019 , | | 6 |
| 33 | LEDs and New Technologies for Circadian Lighting. 2019 , 157-207 | | 1 |
| 32 | Hospital employees' perceptions of circadian lighting: a pharmacy department case study. 2019 , 17, 422-437 | | 3 |
| 31 | Effects of Lighting Quality on Working Efficiency of Workers in Office Building in Tanzania. 2019 , 2019, 3476490 | | 8 |

| | | | |
|----|---|---|----|
| 30 | Towards a user preference model for interior lighting Part 1: Concept of the user preference model and experimental method. <i>Lighting Research and Technology</i> , 2019 , 51, 1014-1029 | 2 | 13 |
| 29 | The effect of illuminance and correlated colour temperature on perceived comfort according to reading behaviour in a capsule hotel. 2019 , 148, 384-393 | | 20 |
| 28 | Visual Performance in Office. 2019 , 215-239 | | 0 |
| 27 | Temporal and spatial variation in the predictability of building occupancy. 2019 , 149, 477-489 | | 4 |
| 26 | Lighting Systems. 2019 , 371-404 | | |
| 25 | Sharing lighting control in an open office: Doing one's best to avoid conflict. 2019 , 148, 1-10 | | 12 |
| 24 | A comparison of lighting control strategies for open offices. 2019 , 149, 68-78 | | 6 |
| 23 | Discomfort glare evaluation: The influence of anchor bias in luminance adjustments. <i>Lighting Research and Technology</i> , 2019 , 51, 131-146 | 2 | 22 |
| 22 | Die Bedeutung von Nutzerzentrierung in automatisierten Beleuchtungssystemen. 2020 , 42, 209-217 | | 2 |
| 21 | Uncertainty of building energy performance at spatio-temporal scales: A comparison of aggregated and disaggregated behavior models of solar shade control. 2020 , 195, 117079 | | 2 |
| 20 | A human-centred approach to smart housing. 2021 , 49, 84-99 | | 12 |
| 19 | User interaction for personalized total light management. 1-17 | | 1 |
| 18 | An interactive approach to investigate brightness perception of daylighting in Immersive Virtual Environments: Comparing subjective responses and quantitative metrics. 2022 , 15, 41-68 | | 9 |
| 17 | Analyzing occupants' control over lighting systems in office settings using immersive virtual environments. 2021 , 196, 107823 | | 4 |
| 16 | LumNet. 2021 , 5, 1-20 | | |
| 15 | Lighting preferences in office spaces concerning the indoor thermal environment. 2021 , 10, 639-651 | | 3 |
| 14 | On the impact of stochastic modeling of occupant behavior on the energy use of office buildings. 2021 , 246, 111049 | | 7 |
| 13 | Measurement and prediction of work engagement under different indoor lighting conditions using physiological sensing. 2021 , 203, 108098 | | 6 |

| | | |
|----|--|---|
| 12 | Using a Multi-touch Panel to Control Lights in Indoor Public Spaces [Prototype Designs and User Studies. 2012 , 2, 101-120 | |
| 11 | The Effects of Illuminance and Correlated Color Temperature on Visual Comfort of Occupants' Behavior. 2014 , 14, 23-30 | 0 |
| 10 | References. 2014 , 611-666 | |
| 9 | Assessment of visual comfort at leisure space using the simulation process. 2016 , 1125-1129 | 0 |
| 8 | Triggers for Users' Behaviours. 2018 , 19-29 | |
| 7 | Design considerations for net zero energy buildings for intensive, confined poultry production: A review of current insights, knowledge gaps, and future directions. 2022 , 154, 111874 | 3 |
| 6 | Improving lighting energy efficiency through user response. 2022 , 263, 112022 | 3 |
| 5 | Investigating the effect of wearing masks on office work in indoor environments during a pandemic using physiological sensing. 2022 , 221, 109346 | 0 |
| 4 | Implementing integrative lighting in conventional office luminaires: Effects on melatonin secretion and sleepiness. 147715352211232 | 0 |
| 3 | Experimental study on the impact of double tilted Venetian blinds on indoor daylight conditions. 2022 , 225, 109675 | 1 |
| 2 | Understanding the impacts of energy efficiency measures on a Company's operational performance: A new framework. 2022 , 328, 120118 | 1 |
| 1 | The Impact of Evaluated Daylight to the Total Light Ratio on the Comfort Level in Office Buildings. 2022 , 12, 2161 | 0 |