

CITATION REPORT

List of articles citing

ACC/AHA/ESC 2006 guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: a report of the American College of Cardiology/American Heart Association Task Force and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Develop guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death) developed in collaboration with the European Heart Rhythm Association and the Heart R

DOI: 10.1093/europace/eul108
Europace, 2006, 8, 746-837.

Source: <https://exaly.com/paper-pdf/41110126/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
452	Identification of adenylate cyclase-coupled beta-adrenergic receptors with radiolabeled beta-adrenergic antagonists. 1975 , 24, 1651-8		53
451	Upgrading to biventricular pacing/defibrillation systems in right ventricular paced congestive heart failure patients: prospective assessment of procedural parameters and response rate. <i>Europace</i> , 2008 , 10, 48-52	3.9	30
450	What is the role of risk stratification for sudden death in the defibrillator era?. 2007 , 9, 159-165		3
449	Implantable cardioverter defibrillators: from evidence of trials to clinical practice. 2007 , 9, 166-173		11
448	Celebrating 50 years of electrical therapies for the heart. 2007 , 9, 11-12		1
447	Diagnosis and treatment of catecholaminergic polymorphic ventricular tachycardia. 2007 , 4, 675-8		109
446	Molecular and electrophysiological bases of catecholaminergic polymorphic ventricular tachycardia. 2007 , 18, 791-7		101
445	[Indications for an implantable cardioverter/defibrillator]. 2007 , 48, 715-23; quiz 724-5		
444	Ionenhomöostase im insuffizienten Herzen. 2008 , 2, 93-99		
443	Prehospital cardiac arrest: a marker for higher mortality in patients with acute myocardial infarction and moderately reduced left ventricular function: results from the MITRA plus registry. 2008 , 97, 748-52		6
442	Implantable cardioverter-defibrillators in patients with left ventricular noncompaction. 2008 , 31, 461-7		70
441	Coronary sinus side branches for cardiac resynchronization therapy: prospective evaluation of availability, implant success, and procedural determinants. 2008 , 19, 489-94		20
440	Uncertainty as a predictor of adjustment to an implantable cardioverter defibrillator. 2008 , 23, 151-9		4
439	From broad vision to focused actions: handling the complexity of genotype-phenotype association in long QT syndromes. 2008 , 5, 1168-9		1
438	HRS/EHRA expert consensus on the monitoring of cardiovascular implantable electronic devices (CIEDs): description of techniques, indications, personnel, frequency and ethical considerations. 2008 , 5, 907-25		214
437	A study on pathogenesis of sudden death syndrome in broiler chickens. 2008 , 85, 131-40		48
436	HRS/EHRA Expert Consensus on the Monitoring of Cardiovascular Implantable Electronic Devices (CIEDs): description of techniques, indications, personnel, frequency and ethical considerations: developed in partnership with the Heart Rhythm Society (HRS) and the European Heart Rhythm Association (EHRA), and in collaboration with the American College of Cardiology (ACC), the American Heart Association (AHA), the European Society of Cardiology (ESC), the Heart Failure Association of ESC (HFA), and the Heart Fail. <i>Europace</i> , 2008 , 10, 707-25	3.9	177

435	Catheter ablation of bundle branch reentrant ventricular tachycardia. 2008 , 5, S68-72		33
434	Electrical storm in a patient with arrhythmogenic right ventricular cardiomyopathy and SCN5A mutation. <i>Europace</i> , 2008 , 10, 884-7	3.9	14
433	Long-term predictors of mortality in ICD patients with non-ischaemic cardiac disease: impact of renal function. <i>Europace</i> , 2008 , 10, 1052-9	3.9	17
432	A changing scenario in the clinical use of implantable defibrillators: the need for long-term data on lead performance. <i>Europace</i> , 2009 , 11, 1-3	3.9	4
431	Risk stratification of the patients with Brugada type electrocardiogram: a community-based prospective study. <i>Europace</i> , 2009 , 11, 507-13	3.9	92
430	Successful treatment of heart failure with devices requires collaboration. 2008 , 10, 1229-35		21
429	Therapeutic strategies for long-QT syndrome: does the molecular substrate matter?. 2008 , 1, 290-7		49
428	Subacute cardiac perforations associated with active fixation leads. <i>Europace</i> , 2009 , 11, 206-12	3.9	65
427	Exploring uncertainty and psychosocial adjustment after cardioverter defibrillator implantation. 2008 , 23, 527-35		8
426	Monomorphic ventricular tachycardia in 'Brugada syndrome': clinical case and literature review. 2008 , 9, 842-6		10
425	Management of nonvalvular atrial fibrillation: a comprehensive approach. 2009 , 63, 419-30		
424	Arrhythmic death in implantable cardioverter defibrillator patients: a long-term study over a 10 year implantation period. <i>Europace</i> , 2009 , 11, 1462-8	3.9	26
423	Microvolt T-wave alternans during exercise and pacing are not comparable. <i>Europace</i> , 2009 , 11, 1375-80	3.9	12
422	Is cardiac resynchronization therapy cost-effective?. <i>Europace</i> , 2009 , 11 Suppl 5, v93-7	3.9	13
421	Termination of idiopathic sustained monomorphic ventricular tachycardia by intravenous adenosine in a pregnant woman. <i>Europace</i> , 2009 , 11, 1560-1	3.9	8
420	Role of myocardial perfusion single photon emission computed tomography in pediatric cardiology practice. 2009 , 2, 127-39		6
419	Ablaci3n, marcapasos, resincronizaci3n y desfibrilador autom3tico implantable. 2009 , 9, 67-74		1
418	Recurrent syncope associated with a distinct ECG pattern consisting of short QT interval, early repolarization and atrioventricular block. 2009 , 98, 807-10		6

417	Implantable cardioverter defibrillator therapy for primary prevention of sudden cardiac death after myocardial infarction: implications of international guidelines. 2009 , 32 Suppl 1, S131-4	10
416	Low referral rate for prophylactic implantation of cardioverter-defibrillators in a tertiary care medical center. 2009 , 32 Suppl 1, S194-7	28
415	Defibrillation threshold testing: tradition or necessity?. 2009 , 32, 570-2; discussion 572	31
414	The long QT syndrome and catecholaminergic polymorphic ventricular tachycardia. 2009 , 32 Suppl 2, S52-7	5
413	Avoid delivering therapies for nonsustained fast ventricular tachyarrhythmia in patients with implantable cardioverter/defibrillator: the ADVANCE III Trial. 2009 , 20, 663-6	19
412	Precordial thump efficacy in termination of induced ventricular arrhythmias. 2009 , 80, 14-6	37
411	Guía de práctica clínica para el diagnóstico y manejo del síncope (versión 2009). 2009 , 62, 1466.e1-1466.e52	
410	Late presentation of arrhythmogenic right ventricular cardiomyopathy: a case report. 2009 , 3, 7235	3
409	Idiopathic ventricular fibrillation in two infants, not always idiopathic on follow-up. 2009 , 6, 1501-3	2
408	Guidelines for the diagnosis and management of syncope (version 2009). 2009 , 30, 2631-71	1408
407	Versorgungsforschung: Apotheker engagieren sich. 2009 , 103, 98	
406	[The practice of prioritising--using the example of the Swedish cardiology guideline]. 2009 , 103, 92-8	0
405	Manejo general y extrahospitalario del paciente con taquiarritmias. 2009 , 10, 2570-2578	
404	Indicaciones de Holter-electrocardiograma. 2009 , 10, 2579-2581	
403	Guía de práctica clínica para el diagnóstico y manejo del síncope (versión 2009). 2009 , 62, 1466.e1-1466.e52	5
402	Ischemic J wave: novel risk marker for ventricular fibrillation?. 2009 , 6, 829-35	52
401	Presumed arrhythmic death in consecutive survivors of acute myocardial infarction--implications for primary implantable cardioverter defibrillator implantation. 2009 , 20, 155-62	1
400	Ventricular fibrillation in acute mitral valve insufficiency caused by chordae tendineae rupture: report of a surgically corrected case. 2009 , 10, 261-3	

399	Complications leading to surgical revision in implantable cardioverter defibrillator patients: comparison of patients with single-chamber, dual-chamber, and biventricular devices. <i>Europace</i> , 2009 , 11, 297-302	3.9	44
398	Experiences of driving and driving restrictions in recipients with an implantable cardioverter defibrillator—the patient perspective. 2010 , 25, E1-E10		26
397	Bleeding complications after pacemaker or cardioverter-defibrillator implantation in patients receiving dual antiplatelet therapy: Results of a prospective, two-centre registry. 2010 , 18, 230-5		22
396	Unusual cause of syncope in young girl: arrhythmogenic right ventricular cardiomyopathy. 2010 , 99, 243-5		3
395	Impact of moderate exercise workload on predicted optimal AV and VV delays determined by an intracardiac electrogram-based method for optimizing cardiac resynchronization therapy. 2010 , 99, 735-41		5
394	[ICD therapy as secondary prevention]. 2010 , 21, 96-101		1
393	Kardiale Ionenkanalerkrankungen. 2010 , 4, 295-305		0
392	Transseptal versus transaortic approach for radiofrequency ablation in patients with cardioverter-defibrillator and electrical storm. 2010 , 28, 45-50		16
391	Ranolazina: ¿tratamiento potencial de las arritmias?. 2010 , 10, 62B-72B		
390	Extent of late gadolinium enhancement detected by cardiovascular magnetic resonance correlates with the inducibility of ventricular tachyarrhythmia in hypertrophic cardiomyopathy. 2010 , 12, 30		63
389	Role of drugs and devices in patients at risk of sudden cardiac death. 2010 , 24, 575-94		11
388	Optimizing ICD programming for shock reduction. 2010 , 24, 653-9		4
387	Heart rate turbulence for prediction of heart transplantation and mortality in chronic heart failure. <i>Annals of Noninvasive Electrocardiology</i> , 2010 , 15, 230-7	1.5	7
386	WHAT DOES PROVIDE A CLINICAL EFFICACY OF METOPROLOL?. 2010 , 6, 370-375		
385	THE POSSIBILITIES OF ANTIARRHYTHMIC THERAPY IN PRIMARY PREVENTION OF DEATH IN PATIENTS WITH VENTRICULAR ARRHYTHMIAS. 2010 , 6, 870-875		2
384	Device therapy in patients with heart failure and preserved ejection fraction (HFPEF): a new frontier?. 2010 , 12, 527-9		16
383	Prediction of atrial fibrillation in patients with an implantable cardioverter-defibrillator and heart failure. 2010 , 12, 1101-10		28
382	El síncope: un problema con mayúsculas. 2010 , 10, 53A-59A		

381	Effectiveness of prophylactic implantation of cardioverter-defibrillators without cardiac resynchronization therapy in patients with ischaemic or non-ischaemic heart disease: a systematic review and meta-analysis. <i>Europace</i> , 2010 , 12, 1564-70	3.9	102
380	Spinal cord stimulation for refractory angina in patients implanted with cardioverter defibrillators: five case reports. <i>Europace</i> , 2010 , 12, 1336-7	3.9	11
379	Implantable electrical devices for prevention of sudden cardiac death: data on implant rates from a 'real world' regional registry. <i>Europace</i> , 2010 , 12, 1224-30	3.9	20
378	Management of patients receiving implantable cardiac defibrillator shocks: recommendations for acute and long-term patient management. <i>Europace</i> , 2010 , 12, 1673-90	3.9	86
377	Early therapy following myocardial infarction: arguments for and against implantable cardioverter-defibrillators. 2010 , 6, 315-23		2
376	[Heart rhythm disturbances and their treatment according to recent recommendations]. 2010 , 135, 2461-76; quiz 2477-80		0
375	Extracardiac implantation of an ICD in a 7-year-old child. 2010 , 63, 122-4		
374	Therapeutic hypothermia after cardiac arrest. 2010 , 63, 124-5; author reply 125		
373	Pre-hospital cooling of patients following cardiac arrest is effective using even low volumes of cold saline. 2010 , 14, R231		21
372	[Routine electrocardiogram for preparticipation screening of athletes]. 2010 , 135, 288-9		0
371	Implante extracardiaco de un desfibrilador en una niã de 7 aõs. 2010 , 63, 122-124		
370	Assessment of response criteria to cardiac resynchronization therapy (CRT) and prediction of response. 2010 , 44, 337-45		8
369	From European to national guidelines on heart disease. 2011 , 45, 3-13		7
368	Cost-effectiveness of cardiac resynchronisation therapy for patients with moderate-to-severe heart failure: a lifetime Markov model. 2011 , 1, e000276		15
367	The Assessment and Management of Palpitations in Primary Care. 2011 , 4, 408-413		3
366	Gender differences of electrophysiologic characteristics in patients with accessory atrioventricular pathways. 2011 , 8, 571-4		12
365	Clinical Cardiogenetics. 2011 ,		3
364	[Pacemaker, implanted cardiac defibrillator and irradiation: Management proposal in 2010 depending on the type of cardiac stimulator and prognosis and location of cancer]. 2011 , 15, 238-49; quiz 257		9

363	Uncertainty is a major concern for patients with implantable cardioverter defibrillators. 2011 , 40, 420-8	25
362	Inherited cardiomyopathies. 2011 , 343, d6966	24
361	Organisation of care for Swedish patients with an implantable cardioverter defibrillator, a national survey. 2011 , 20, 2600-8	14
360	Primary prevention implantable cardioverter defibrillator recipients: the need for defibrillator back-up after an event-free first battery service-life. 2011 , 22, 1346-50	27
359	Long-term follow-up of prophylactic implantable cardioverter-defibrillator-only therapy: comparison of ischemic and nonischemic heart disease. 2011 , 34, 761-7	16
358	Is T-wave alternans testing feasible in candidates for prophylactic implantable defibrillators?. 2011 , 19, 6-9	11
357	Health care utilisation after defibrillator implantation for primary prevention according to the guidelines in 2 Dutch academic medical centres. 2011 , 19, 405-11	5
356	Rationale and design of the SPICE study-septal positioning of ventricular ICD electrodes. 2011 , 31, 247-54	7
355	Clinical experience with a novel subcutaneous implantable defibrillator system in a single center. 2011 , 100, 737-44	77
354	ICD-Therapie 2011. 2011 , 25, 331-336	
353	[Cardiac syncope : diagnosis and therapy]. 2011 , 22, 107-12	
352	[What is new in the 2009 ESC guidelines?]. 2011 , 22, 113-7	
351	Kommentar zu der Leitlinie zur Diagnostik und Therapie von Synkopen der Europäischen Gesellschaft für Kardiologie 2009. 2011 , 5, 5-12	10
350	COPE-ICD: a randomised clinical trial studying the effects and meaning of a comprehensive rehabilitation programme for ICD recipients -design, intervention and population. 2011 , 11, 33	21
349	Guidelines for cardiac arrhythmias: practice makes progress. 2011 , 4, 119-22	1
348	A critical analysis of the scientific evidence behind international guidelines related to cardiac arrhythmias. 2011 , 4, 202-10	12
347	Initial experience with a rapid access blackouts triage clinic. 2011 , 11, 11-6	21
346	Do implantable cardioverter defibrillators improve survival in patients with severe left ventricular systolic dysfunction after coronary artery bypass graft surgery?. 2011 , 12, 1010-6	2

345	Risk stratification in individuals with the Brugada type 1 ECG pattern without previous cardiac arrest: usefulness of a combined clinical and electrophysiologic approach. 2011 , 32, 169-76		145
344	Diagnosis, management, and outcomes of patients with syncope and bundle branch block. 2011 , 32, 1535-41		74
343	Morbidity associated with three different antiplatelet regimens in patients undergoing implantation of cardiac rhythm management devices. <i>Europace</i> , 2011 , 13, 395-401	3.9	25
342	An unmet need for implantable cardioverter-defibrillators in New Zealand. <i>Europace</i> , 2011 , 13, 1299-303	3.9	4
341	Prevalence and characteristics of idiopathic right ventricular outflow tract arrhythmias associated with J-waves. <i>Europace</i> , 2011 , 13, 1774-80	3.9	5
340	Mortality of inherited arrhythmia syndromes: insight into their natural history. 2012 , 5, 183-9		31
339	Prognostic impact of early ventricular fibrillation in patients with ST-elevation myocardial infarction treated with primary PCI. 2012 , 1, 302-11		25
338	COPE-ICD: patient experience of participation in an ICD specific rehabilitation programme. 2012 , 11, 207-15		16
337	The J wave and fragmented QRS complexes in inferior leads associated with sudden cardiac death in patients with chronic heart failure. <i>Europace</i> , 2012 , 14, 1180-7	3.9	54
336	ICDs in end-stage heart failure. 2012 , 2, 94-7		13
335	Dronedarone: an overview. 2012 , 44, 60-72		14
334	Risk of deterioration of cardiac function by frequent ventricular ectopy in patients without structural heart disease. 2012 , 14, 1083-4		
333	Antiarrhythmic properties of ranolazine--from bench to bedside. 2012 , 21, 1733-41		9
332	Fluoroquinolones and the risk of serious arrhythmia: a population-based study. 2012 , 55, 1457-65		59
331	Inherited arrhythmia syndromes. 2012 , 73, 160-6		
330	Ventricular automaticity as a predictor of sudden death in ischaemic heart disease. <i>Europace</i> , 2012 , 14, 795-803	3.9	9
329	Women and minorities are less likely to receive an implantable cardioverter defibrillator for primary prevention of sudden cardiac death. <i>Europace</i> , 2012 , 14, 341-4	3.9	31
328	Acquired long QT syndrome: as risky as congenital long QT syndrome?. <i>Europace</i> , 2012 , 14, 310-1	3.9	6

327	Appropriate implantable cardioverter defibrillator therapy in hypertrophic cardiomyopathy: what happens on Sunday afternoons in May?. <i>Europace</i> , 2012 , 14, 621-2	3.9	1
326	Ventricular tachycardia ablation in implantable cardioverter-defibrillator recipients: a need to catch up with current recommendations. <i>Europace</i> , 2012 , 14, 778-80	3.9	4
325	Independent predictors of mortality in patients with advanced heart failure treated by cardiac resynchronization therapy. <i>Europace</i> , 2012 , 14, 1596-601	3.9	21
324	Primary prevention with a defibrillator: are therapies always really optimized before implantation?. <i>Europace</i> , 2012 , 14, 1572-7	3.9	
323	Current practice in out-of-hospital cardiac arrest management: a European heart rhythm association EP network survey. <i>Europace</i> , 2012 , 14, 1195-8	3.9	7
322	Sudden cardiac death and implantable cardioverter defibrillators: two modern epidemics?. <i>Europace</i> , 2012 , 14, 787-94	3.9	20
321	Erratum. <i>Europace</i> , 2012 , 14, 311-311	3.9	2
320	Hypoxische Enzephalopathie (HE). 2012 , 39, 309-321		4
319	Association of physical activity and atrial fibrillation. 2012 , 9, 605-16		11
318	Non-invasive risk stratification for sudden cardiac death by heart rate turbulence and microvolt T-wave alternans in patients after myocardial infarction. <i>Europace</i> , 2012 , 14, 1786-92	3.9	19
317	Prophylactic implantable defibrillators in dilated cardiomyopathy. 2012 , 37, 859-66		3
316	Sudden cardiac death in the young: how can disease recognition and prevention in family members be improved?. 2012 , 23, 149-60		4
315	[National and regional prioritisation in Swedish health care: experiences from cardiology]. 2012 , 106, 435-42		1
314	The prognostic significance of premature ventricular complexes in adults without clinically apparent heart disease: a meta-analysis and systematic review. 2012 , 98, 1290-8		59
313	Ventricular tachycardia in coronary artery disease. 2012 , 65, 939-55		40
312	Key role of the molecular autopsy in sudden unexpected death. 2012 , 9, 145-50		56
311	Safety and efficacy of programming a high number of antitachycardia pacing attempts for fast ventricular tachycardia: a prospective study. <i>Europace</i> , 2012 , 14, 1457-64	3.9	38
310	Influence of time between last myocardial infarction and prophylactic implantable defibrillator implant on device detections and therapies. "Routine Practice" data from the SEARCH MI registry. 2012 , 12, 72		4

309	Effects of flecainide therapy on inappropriate shocks and arrhythmias in catecholaminergic polymorphic ventricular tachycardia. 2012 , 45, 736-8	5
308	Cardioverter defibrillator: A useful or harmful parachute?. 2012 , 3, 186-188	
307	Arrhythmias. 2012 , 413-436	
306	Ventricular Tachycardia in Coronary Artery Disease. 2012 , 65, 939-955	7
305	A heart stopping performance. 2012 , 345, e6076	
304	Kidney dysfunction and deterioration of ejection fraction pose independent risk factors for mortality in implantable cardioverter-defibrillator recipients for primary prevention. 2012 , 35, 575-9	8
303	First experience with the wearable cardioverter defibrillator in the Netherlands. 2012 , 20, 77-81	3
302	Living with life-saving technology - coping strategies in implantable cardioverter defibrillators recipients. 2012 , 21, 311-21	14
301	An acute myocardial infarction case that survived an out-of-hospital cardiac arrest in which prominent ischemic J waves were documented. 2012 , 35, e27-30	8
300	Sleep quality and sleepiness in persons with implantable cardioverter defibrillators: outcome from a clinical randomized longitudinal trial. 2012 , 35, 431-43	14
299	Electrocardiographic predictors of out-of-hospital sudden cardiac arrest in patients with coronary artery disease. 2012 , 109, 1278-82	9
298	Clinical characteristics and mutational analysis of the RyR2 gene in seven Czech families with catecholaminergic polymorphic ventricular tachycardia. 2012 , 35, 798-803	2
297	The antiarrhythmic dipeptide ZP1609 (danegaptide) when given at reperfusion reduces myocardial infarct size in pigs. 2013 , 386, 383-91	40
296	Imagerie en coupes du cœur et des vaisseaux. 2013 ,	
295	Diagnose und Therapie von Herzrhythmusstörungen bei Kindern und Jugendlichen. 2013 , 161, 814-822	
294	Assessing the outcomes of implantable cardioverter defibrillator treatment in a real world setting: results from hospital record data. 2013 , 13, 100	6
293	Implementation of guidelines for implantable cardioverter-defibrillator therapy in clinical practice: Which patients do benefit?. 2013 , 21, 274-83	27
292	Association of psychiatric history and type D personality with symptoms of anxiety, depression, and health status prior to ICD implantation. 2013 , 20, 425-33	27

291	A patient with severely reduced LV function and electrical storm saved by wearable cardioverter-defibrillator: a case report. 2013 , 24, 136-8		2
290	Defibrillation testing in everyday medical practice during implantable cardioverter defibrillator implantation in France: analysis from the LEADER registry. 2013 , 106, 562-9		5
289	["Is it possible to do less?" The current state of the debate in Sweden]. 2013 , 107, 140-7		
288	Indication to cardioverter-defibrillator therapy and outcome in real world primary prevention. Data from the IRIDE [Italian registry of prophylactic implantation of defibrillators] study. 2013 , 168, 1416-21		11
287	Video-assisted thoracoscopic left ventricular pacing in patients with and without previous sternotomy. 2013 , 95, 907-13		16
286	Diagnostic value of magnetocardiography in coronary artery disease and cardiac arrhythmias: a review of clinical data. 2013 , 167, 1835-42		57
285	Electrical storm in the brain and in the heart: epilepsy and Brugada syndrome. 2013 , 88, 1167-73		19
284	Caso clínico de taquiarritmias. 2013 , 11, 2381.e1-2381.e3		
283	Renal sympathetic denervation as an adjunct to catheter ablation for the treatment of ventricular electrical storm in the setting of acute myocardial infarction. 2013 , 24, 1175-8		41
282	Psychological impact of surveillance in patients with a defibrillator lead under advisory: a prospective evaluation. 2013 , 36, 221-30		3
281	Screening and risk evaluation for sudden cardiac death in ischaemic and non-ischaemic cardiomyopathy: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 1059-62 ^{3.9}		5
280	Implantable cardioverter defibrillator outcome: beyond ejection fraction?. <i>Europace</i> , 2013 , 15, 467-70 ^{3.9}		
279	Absolute risk reduction in total mortality with implantable cardioverter defibrillators: analysis of primary and secondary prevention trial data to aid risk/benefit analysis. <i>Europace</i> , 2013 , 15, 813-9 ^{3.9}		25
278	The efficacy and safety of cardiac resynchronization therapy combined with implantable cardioverter defibrillator for heart failure: a meta-analysis of 5674 patients. <i>Europace</i> , 2013 , 15, 992-1001 ^{3.9}		15
277	Risk stratification after myocardial infarction: is left ventricular ejection fraction enough to prevent sudden cardiac death?. 2013 , 34, 1964-71		89
276	Sudden cardiac death in non-ischemic dilated cardiomyopathy: a critical appraisal of existing and potential risk stratification tools. 2013 , 167, 335-41		36
275	Polymorphic ventricular tachycardia--part II: the channelopathies. 2013 , 38, 503-48		5
274	Palpitations. 2013 , 41, 118-124		1

273	Usefulness of sleep-disordered breathing to predict occurrence of appropriate and inappropriate implantable-cardioverter defibrillator therapy in patients with implantable cardioverter-defibrillator for primary prevention of sudden cardiac death. 2013 , 111, 1319-23		26
272	Executive summary: HRS/EHRA/APHRS expert consensus statement on the diagnosis and management of patients with inherited primary arrhythmia syndromes. <i>Europace</i> , 2013 , 15, 1389-406	3.9	379
271	Outcome of patients with syncope beyond the implantable loop recorder. <i>Europace</i> , 2013 , 15, 122-6	3.9	5
270	The relationship between left ventricular scar and ventricular repolarization in patients with coronary artery disease: insights from late gadolinium enhancement magnetic resonance imaging. <i>Europace</i> , 2013 , 15, 899-906	3.9	11
269	A case series of chronic haemodialysis patients: mortality, sudden death, and QT interval. <i>Europace</i> , 2013 , 15, 1025-33	3.9	41
268	Safe drug use in long QT syndrome and Brugada syndrome: comparison of website statistics. <i>Europace</i> , 2013 , 15, 1042-9	3.9	47
267	Implantation of cardioverter defibrillators with minimal fluoroscopy using a three-dimensional navigation system: a feasibility study. <i>Europace</i> , 2013 , 15, 1763-70	3.9	13
266	Sexual concerns and practices after ICD implantation: findings of the COPE-ICD rehabilitation trial. 2013 , 12, 468-74		17
265	Impact of extending device longevity on the long-term costs of implantable cardioverter-defibrillator therapy: a modelling study with a 15-year time horizon. <i>Europace</i> , 2013 , 15, 1453-62	3.9	41
264	Heart rate variability assessment with rational-dilation wavelet transform. 2013 , 9,		
263	Pharmacological and non-pharmacological therapy for arrhythmias in the pediatric population: EHRA and AEPC-Arrhythmia Working Group joint consensus statement. <i>Europace</i> , 2013 , 15, 1337-82	3.9	190
262	Genetics of sudden cardiac death in children and young athletes. 2013 , 23, 159-73		17
261	Healthcare professionals' experiences of delivering care to patients with an implantable cardioverter defibrillator. 2013 , 12, 346-52		9
260	Comment suivre une cardiopathie congénitale l'âge adulte en imagerie en coupes. 2013 , 143-158		
259	Chronic implantation of intravascular cardioverter defibrillator in a canine model: device stability, vascular patency, and anchor histology. 2013 , 36, 1251-8		2
258	Asian Sudden Cardiac Death in Heart Failure (ASIAN-HF) registry. 2013 , 15, 928-36		54
257	Cascade screening in families with inherited cardiac diseases driven by cardiologists: feasibility and nationwide outcome in long QT syndrome. 2013 , 126, 131-7		16
256	Treatment of Cheyne-Stokes respiration reduces arrhythmic events in chronic heart failure. 2013 , 24, 1132-40		35

255	Clinical markers of organ dysfunction associated with increased 1-year mortality post-implantable cardioverter defibrillator implantation. <i>Europace</i> , 2013 , 15, 508-14	3.9	14
254	Value of early cardiovascular magnetic resonance for the prediction of adverse arrhythmic cardiac events after a first noncomplicated ST-segment-elevation myocardial infarction. 2013 , 6, 755-61		38
253	The cost-effectiveness of primary prophylactic implantable defibrillator therapy in patients with ischaemic or non-ischaemic heart disease: a European analysis. 2013 , 34, 211-9		50
252	Usefulness of microvolt T-wave alternans testing in the assessment of all-cause mortality and life-threatening ventricular arrhythmia risk in patients with left ventricular dysfunction. 2015 , 11, 945-51		1
251	Ventricular Arrhythmia Risk in Noncardiac Diseases. 2014 ,		2
250	Targeting cardiomyocyte Ca ²⁺ homeostasis in heart failure. 2015 , 21, 431-48		62
249	Sudden cardiac arrest in takotsubo cardiomyopathy - a case study. 2014 , 10, 110-3		5
248	3D X-ray imaging methods in support catheter ablations of cardiac arrhythmias. 2014 , 30, 1207-23		6
247	Follow-up of implantable cardioverter-defibrillator therapy: comparison of coronary artery disease and dilated cardiomyopathy. 2014 , 22, 431-7		6
246	Effectiveness of wearable defibrillators: systematic review and quality of evidence. 2014 , 30, 194-202		1
245	Scar extent as a predictive factor of ventricular tachycardia cycle length after myocardial infarction: implications for implantable cardioverter-defibrillator programming optimization. <i>Europace</i> , 2014 , 16, 220-6	3.9	11
244	Sex differences in implantable cardioverter-defibrillator implantation indications and outcomes: lessons from the Nationwide Israeli-ICD Registry. <i>Europace</i> , 2014 , 16, 1175-80	3.9	18
243	Role of extended external loop recorders for the diagnosis of unexplained syncope, pre-syncope, and sustained palpitations. <i>Europace</i> , 2014 , 16, 914-22	3.9	34
242	Subcutaneous implantable cardioverter-defibrillator: Initial experience. 2014 , 33, 511-7		4
241	Incidence of sudden cardiac death in Germany: results from an emergency medical service registry in Lower Saxony. <i>Europace</i> , 2014 , 16, 1752-8	3.9	38
240	Systematic fluoroscopic and electrical assessment of implantable cardioverter-defibrillator patients implanted with silicone-polyurethane copolymer (Optimâ) coated leads. <i>Europace</i> , 2014 , 16, 265-70	3.9	4
239	Gender differences in psychological distress and quality of life in patients with an ICD 1-year postimplant. 2014 , 37, 843-52		19
238	Outcomes in patients with sustained ventricular tachyarrhythmias occurring within 48 h of acute myocardial infarction: when is ICD appropriate?. <i>Europace</i> , 2014 , 16, 1759-66	3.9	13

237	Psychological indices as predictors for phantom shocks in implantable cardioverter defibrillator recipients. 2014 , 37, 768-73		10
236	Arrhythmogenesis after acute myocardial necrosis with and without preceding ischemia in rats. 2014 , 25, 143-53		7
235	Programming implantable cardioverter-defibrillators in primary prevention: higher or later. 2014 , 107, 308-18		4
234	Prognostic value of T-wave alternans in survivors of ventricular fibrillation or hemodynamically unstable ventricular tachycardia. 2014 , 30, 485-490		
233	Use of external defibrillator jacket to facilitate safe delivery of radiotherapy for lung cancer - a report of two cases. 2014 , 66, 111-4		8
232	Elevated plasma free fatty acids are associated with sudden death: a prospective community-based evaluation at the time of cardiac arrest. 2014 , 11, 691-6		13
231	The status of IRBs/ECs, ICFs and trial registration in clinical trials of traditional Chinese medicine for stable angina. 2014 , 174, 396-7		1
230	Echocardiography in hemodialysis patients: uses and challenges. 2014 , 64, 804-16		22
229	Early mortality in prophylactic implantable cardioverter-defibrillator recipients: development and validation of a clinical risk score. <i>Europace</i> , 2014 , 16, 40-6	3.9	30
228	Myocardial scar characteristics based on cardiac magnetic resonance imaging is associated with ventricular tachyarrhythmia in patients with ischemic cardiomyopathy. 2014 , 177, 392-9		35
227	Acute decrease of cerebral oxygen saturation during rapid ventricular and supraventricular rhythm: a pilot study. 2014 , 37, 1159-65		3
226	Sudden cardiac death and obesity. <i>Expert Review of Cardiovascular Therapy</i> , 2014 , 12, 1099-110	2.5	47
225	Supraventricular and ventricular arrhythmias: interventional management. 2014 , 42, 611-614		
224	2014 ESC Guidelines on diagnosis and management of hypertrophic cardiomyopathy: the Task Force for the Diagnosis and Management of Hypertrophic Cardiomyopathy of the European Society of Cardiology (ESC). 2014 , 35, 2733-79		2361
223	Prevalence and clinical relevance of the morphological substrate of ventricular arrhythmias in patients without known cardiac conditions detected by cardiovascular MR. 2014 , 87, 20140059		3
222	Subcutaneous implantable cardioverter-defibrillator: Initial experience. 2014 , 33, 511-517		2
221	Acquired heart conditions in adults with congenital heart disease: a growing problem. 2014 , 100, 1317-21		40
220	EHRA/HRS/APHS expert consensus on ventricular arrhythmias. 2014 , 11, e166-96		179

219	EHRA/HRS/APHRS expert consensus on ventricular arrhythmias. 2014 , 30, 327-349		3
218	Left cardiac sympathetic denervation for the treatment of inherited arrhythmia syndromes: salvation for the desperate?. 2014 , 22, 158-9		
217	ICDs at higher age and clinical risk factors. 2014 , 22, 279-85		10
216	Do elderly patients benefit from implantable-cardioverter defibrillators?. 2014 , 22, 277-8		3
215	EHRA/HRS/APHRS expert consensus on ventricular arrhythmias. <i>Europace</i> , 2014 , 16, 1257-83	3.9	135
214	Delay to diagnosis amongst patients with catecholaminergic polymorphic ventricular tachycardia. 2014 , 176, 1402-4		18
213	Cardiac arrhythmias in acute coronary syndromes: position paper from the joint EHRA, ACCA, and EAPCI task force. <i>Europace</i> , 2014 , 16, 1655-73	3.9	77
212	Atypical (mid-ventricular) Takotsubo syndrome in a survival of out-of-hospital ventricular fibrillation: cause or consequence?. 2014 , 172, e51-3		9
211	Transient and rapid QRS-widening associated with a J-wave pattern predicts impending ventricular fibrillation in experimental myocardial infarction. 2014 , 11, 1195-201		23
210	Brugada syndrome with a novel missense mutation in SCN5A gene: a case report from Bangladesh. 2014 , 66, 104-7		2
209	Long-term follow-up of right ventricular disarticulation for treatment of Arrhythmogenic Right Ventricular Cardiomyopathy: a case series. 2014 , 175, e21-4		
208	Reply to the letter to the editor: "ventricular fibrillation and takotsubo syndrome: which one was first?". 2014 , 174, 397		0
207	Imaging and epicardial substrate ablation of ventricular tachycardia in patients late after myocarditis. <i>Europace</i> , 2014 , 16, 1363-72	3.9	39
206	Effect of beta-blockers on QT dynamics in the long QT syndrome: measuring the benefit. <i>Europace</i> , 2014 , 16, 1847-51	3.9	22
205	Effectiveness of antitachycardia pacing therapy after primary prophylaxis implantation of implantable defibrillators in coronary artery disease patients. 2014 , 59, 161-5		
204	Implantable intravascular defibrillator: defibrillation thresholds of an intravascular cardioverter-defibrillator compared with those of a conventional ICD in humans. 2014 , 11, 210-5		6
203	Palpitations. 331-340		
202	Prognosis of myocardial infarction with left ventricular dysfunction in the coronary revascularization era.Subanalysis of the Japanese Coronary Artery Disease (JCAD) Study. 2014 , 78, 2483-91		8

201	Primary preventive cardioverter-defibrillator implantation (Pro-ICD) in patients awaiting heart transplantation. A prospective, randomized, controlled 12-year follow-up study. 2015 , 28, 34-41		8
200	Current status of primary prevention of sudden cardiac death with implantable cardioverter defibrillator in patients with chronic heart failure--a report from the CHART-2 Study. 2015 , 79, 381-90		36
199	Prophylactic implantation of implantable cardioverter-defibrillator for Japanese patients with heart failure âproblem of "underuse". 2015 , 79, 297-9		
198	Omega-3 fatty acid supplementation candidates can be selected using fatty acid profiling. 2015 , 117, 601-607		2
197	Amiodarone versus other pharmacological interventions for prevention of sudden cardiac death. 2015 , CD008093		11
196	Catheter Ablation of Ventricular Tachycardia as the First-Line Therapy in Patients With Coronary Artery Disease and Preserved Left Ventricular Systolic Function: Long-Term Results. 2015 , 26, 1105-10		3
195	Arrhythmia risk in liver cirrhosis. 2015 , 7, 662-72		37
194	Flecainide: Current status and perspectives in arrhythmia management. 2015 , 7, 76-85		44
193	A case study of a 59-year-old male with a cardiac variant of AndersonâFabry disease. 2015 , 10, 26-32		
192	Implantable cardioverter defibrillators: state of the art. 2015 , 29		0
191	Upgrade from ICD to CRT-D: clinical and haemodynamic impact of biventricular pacing in a patient with acquired long QT syndrome. 2015 , 10, 113-118		
190	Stellungnahme zum Einsatz des tragbaren Kardioverter/Defibrillators. 2015 , 9, 165-170		10
189	Terapia con desfibrilador automtico implantable en la miocardiopat hipertfica: utilidad en prevenci primaria y secundaria. 2015 , 68, 492-496		4
188	Fever-induced type 1 Brugada pattern. 2015 , 34, 287.e1-287.e7		3
187	Usefulness of exercise test in the diagnosis of short QT syndrome. <i>Europace</i> , 2015 , 17, 628-34	3.9	27
186	Improve the prevention of sudden cardiac arrest in emerging countries: the Improve SCA clinical study design. <i>Europace</i> , 2015 , 17, 1720-6	3.9	12
185	How are European patients at risk of malignant arrhythmias or sudden cardiac death identified and informed about their risk profile: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2015 , 17, 994-8	3.9	4
184	Cardiac tachyarrhythmias and patient values and preferences for their management: the European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci Cardca y Electrofisiolog (SOLEACE). <i>Europace</i> , 2015 , 17, 1717-19	3.9	94

183	A systematic review of ICD complications in randomised controlled trials versus registries: is our 'real-world' data an underestimation?. 2015 , 2, e000198		91
182	Re-entry using anatomically determined isthmuses: a curable ventricular tachycardia in repaired congenital heart disease. 2015 , 8, 102-9		67
181	Guía de práctica clínica de la ESC 2014 sobre el diagnóstico y manejo de la miocardiopatía hipertrófica. 2015 , 68, 63.e1-63.e52		4
180	Rare cause of ventricular tachycardia: Pheochromocytoma. 2015 , 11, 62-65		7
179	Impact of out-of-hospital cardiac arrest due to ventricular fibrillation in patients with ST-elevation myocardial infarction admitted for primary percutaneous coronary intervention: Impact of ventricular fibrillation in STEMI patients. 2015 , 4, 16-23		30
178	Clinical impact of a novel three-dimensional electrocardiographic imaging for non-invasive mapping of ventricular arrhythmias-a prospective randomized trial. <i>Europace</i> , 2015 , 17, 591-7	3.9	39
177	New diagnostic criteria for identifying left-sided ventricular ectopy using non-contact mapping and virtual unipolar electrogram analysis. <i>Europace</i> , 2015 , 17, 108-16	3.9	9
176	Implantable Cardioverter-defibrillator Therapy for Hypertrophic Cardiomyopathy: Usefulness in Primary and Secondary Prevention. 2015 , 68, 492-6		
175	The NO Regular Defibrillation testing In Cardioverter Defibrillator Implantation (NORDIC ICD) trial: concept and design of a randomized, controlled trial of intra-operative defibrillation testing during de novo defibrillator implantation. <i>Europace</i> , 2015 , 17, 142-7	3.9	10
174	[Primary and secondary prophylactic ICD therapy in congenital electrical and structural cardiomyopathies]. 2015 , 26, 82-93		2
173	Rescue renal sympathetic denervation in a patient with ventricular electrical storm refractory to endo- and epicardial catheter ablation. 2015 , 104, 79-84		22
172	The utility of pocket-sized echocardiography to assess left ventricular systolic function prior to permanent pacemaker implantation. 2015 , 13, 10		2
171	Rotational angiography of left ventricle to guide ventricular tachycardia ablation. 2015 , 31, 899-904		2
170	Suppression of Ventricular Arrhythmias After Myocardial Infarction by AT1 Receptor Blockade: Role of the AT2 Receptor and Casein Kinase 2/Kir2.1 Pathway. Editorial to: "Valsartan Upregulates Kir2.1 in Rats Suffering from Myocardial Infarction Via Casein Kinase 2" by Xinran Li et al. 2015 , 29, 201-6		1
169	Influence of smoking dosage and chronic obstructive lung disease on the incidence of appropriate therapies and mortality in patients with structural heart disease and an implantable cardioverter defibrillator. 2015 , 38, 71-6		2
168	Effect of cardiac rehabilitation in patients with ICD: are gender differences present? Results from the COPE-ICD trial. 2015 , 38, 18-27		7
167	Clinical impact of mapping strategies for treatment of ventricular tachycardias in patients with structural heart disease. 2015 , 38, 630-40		13
166	Fever-induced type 1 Brugada pattern. 2015 , 34, 287.e1-7		4

165	[ICD therapy in the primary prevention of sudden cardiac death: Risk stratification and patient selection]. 2015 , 26, 75-81		2
164	Current trends in the use of cardiac implantable electronic devices and interventional electrophysiological procedures in the European Society of Cardiology member countries: 2015 report from the European Heart Rhythm Association. <i>Europace</i> , 2015 , 17 Suppl 4, iv1-72	3.9	36
163	Management of patients with ventricular tachycardia in Europe: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2015 , 17, 1294-9	3.9	6
162	Management of recurrent and refractory ventricular tachycardia in pregnancy. 2015 , 54, 319-21		1
161	Cardiac arrhythmias in acute coronary syndromes: position paper from the joint EHRA, ACCA, and EAPCI task force. 2015 , 4, 386		8
160	ICD Therapy for Primary Prevention in Hypertrophic Cardiomyopathy. 2016 , 5, 188-196		14
159	Microvolt T-wave alternans in young myocardial infarction patients with preserved cardiac function treated with single-vessel primary percutaneous coronary intervention. 2016 , 1, e68-e74		1
158	Cardiac MRI Anatomy and Function as a Substrate for Arrhythmias. <i>Europace</i> , 2016 , 18, iv130-iv135	3.9	8
157	A feasibility study of arrhythmia risk prediction in patients with myocardial infarction and preserved ejection fraction. <i>Europace</i> , 2016 , 18, iv60-iv66	3.9	34
156	Spot diagnosis of inferior axis and concordant R-pattern predicts left ventricular inflow tract tachycardia: Ablation from the great cardiac vein of an underdiagnosed entity. 2016 , 214, 175-9		4
155	Harms and benefits of screening young people to prevent sudden cardiac death. 2016 , 353, i1156		30
154	The clinical value of T-wave alternans derived from Holter monitoring. <i>Europace</i> , 2017 , 19, 529-534	3.9	3
153	A dolus of i.v. amiodarone. 2017 , 38, 1336-1338		1
152	Feasibility and safety of catheter ablation of electrical storm in ischemic dilated cardiomyopathy. 2016 , 17, 425-32		1
151	Propofol sedation administered by cardiologists for patients undergoing catheter ablation for ventricular tachycardia. <i>Europace</i> , 2016 , 18, 1245-51	3.9	15
150	True idiopathic ventricular fibrillation in out-of-hospital cardiac arrest survivors in the Swiss Canton Ticino: prevalence, clinical features, and long-term follow-up. <i>Europace</i> , 2017 , 19, 259-266	3.9	25
149	Failure rate and conductor externalization in the Biotronik Linx/Sorin Vigila implantable cardioverter-defibrillator lead. 2016 , 13, 1075-1082		19
148	Integration of electro-anatomical and imaging data of the left ventricle: An evaluation framework. 2016 , 32, 131-44		16

147	Non-invasive programmed stimulation to identify high-risk patients with implanted cardioverter defibrillator (the NIPS-ICD study): study protocol for a randomized controlled trial. 2016 , 17, 50		1
146	Addictive drugs, arrhythmias, and cardiac inward rectifiers. <i>Europace</i> , 2017 , 19, 346-355	3.9	12
145	Update on the cardiovascular profile of fingolimod in the therapy of relapsing-remitting multiple sclerosis (MS). 2016 , 8, 19-26		15
144	Outcomes following the implantation of cardioverter-defibrillator for primary prevention in transposition of the great arteries after intra-atrial baffle repair: a single-centre experience. <i>Europace</i> , 2016 , 18, 1016-22	3.9	12
143	A Leadless Intracardiac Transcatheter Pacing System. 2016 , 374, 2604-5		21
142	Early repolarization pattern is the strongest predictor of arrhythmia recurrence in patients with idiopathic ventricular fibrillation: results from a single centre long-term follow-up over 20 years. <i>Europace</i> , 2016 , 18, 718-25	3.9	33
141	Implantable cardioverter defibrillator therapy in young individuals: comparison of conventional and subcostal approaches-a single-centre experience. <i>Europace</i> , 2017 , 19, 81-87	3.9	4
140	Geometrical considerations in cardiac electrophysiology and arrhythmogenesis. <i>Europace</i> , 2016 , 18, 320-34	3.9	7
139	Exercise restrictions for patients with inherited cardiac conditions: Current guidelines, challenges and limitations. 2016 , 209, 234-41		16
138	The 'Normal' Heart: Fascicular Ventricular Tachycardia. 2016 , 129, 580-2		1
137	External prolonged electrocardiogram monitoring in unexplained syncope and palpitations: results of the SYNARR-Flash study. <i>Europace</i> , 2016 , 18, 1265-72	3.9	47
136	A Leadless Intracardiac Transcatheter Pacing System. 2016 , 374, 533-41		45 ¹
135	Reduced long-term overall mortality in heart failure patients with prolonged QRS treated with CRT combined with ICD vs. heart failure patients with narrow QRS treated with ICD only. <i>Europace</i> , 2016 , 18, 1374-82	3.9	7
134	Predictors of Long-Term Outcome in Children with Hypertrophic Cardiomyopathy. 2016 , 37, 448-58		35
133	Incidence of and predictors for appropriate implantable cardioverter-defibrillator therapy in patients with a secondary preventive implantable cardioverter-defibrillator indication. <i>Europace</i> , 2016 , 18, 227-31	3.9	16
132	The ratio of the neutrophil leucocytes to the lymphocytes predicts the outcome after cardiac resynchronization therapy. <i>Europace</i> , 2016 , 18, 747-54	3.9	17
131	Quantitative Analysis of Electro-Anatomical Maps: Application to an Experimental Model of Left Bundle Branch Block/Cardiac Resynchronization Therapy. 2017 , 5, 1900215		9
130	Implantable cardioverter defibrillator treatment in long QT syndrome patients: a national study on adherence to international guidelines. 2017 , 51, 88-94		4

129	Association of air pollution with increased incidence of ventricular tachyarrhythmias recorded by implantable cardioverter defibrillators: Vulnerable patients to air pollution. 2017 , 240, 214-220		9
128	CARDIOVASCULAR SCREENING OF YOUNG ATHLETES: A REVIEW OF ECONOMIC EVALUATIONS. 2017 , 33, 76-83		3
127	Arrhythmogenic right ventricular dysplasia: Atypical clinical presentation. 2017 , 36, 217.e1-217.e10		
126	Application and comparison of the FADES, MADIT, and SHFM-D risk models for risk stratification of prophylactic implantable cardioverter-defibrillator treatment. <i>Europace</i> , 2017 , 19, 72-80	3-9	7
125	WITHDRAWN Ventricular Arrhythmias in Non-ischemic Cardiomyopathy. 2017 ,		
124	Implantable Cardioverter Defibrillator Implantation Rates After Out of Hospital Cardiac Arrest: Are the Rates Guideline-Concordant?. 2017 , 33, 1266-1273		3
123	Employment Status and Sick Leave After First-Time Implantable Cardioverter Defibrillator Implantation: Results From the COPE-ICD Trial. 2017 , 32, 448-454		3
122	Incidence of ventricular arrhythmic events in CKD patients with ICD. 2017 , 227, 312-317		7
121	Safety and efficacy in ablation of premature ventricular contraction: data from the German ablation registry. 2017 , 106, 49-57		19
120	Mortality and predictors of appropriate implantable cardioverter defibrillator therapy in Japanese patients with Multicenter Automatic Defibrillator Implantation Trial II criteria. 2017 , 33, 17-22		4
119	Electrocardiographic surveillance in a psychiatric institution: avoiding iatrogenic cardiovascular death. 2017 , 21, 64-66		6
118	Disappearance of Idiopathic Outflow Tract Premature Ventricular Contractions After Catheter Ablation of Overt Accessory Pathways. 2017 , 28, 78-84		0
117	Two in one is better than one plus one: comparison of adverse events between combining electrophysiological examination and coronary angiography versus performing them consecutively. 2017 , 50, 203-209		
116	[Severe ventricular arrhythmias in a patient with dilated cardiomyopathy and automated implantable defibrillator (AID)]. 2017 , 27, 31		
115	Ventricular Arrhythmia after Acute Myocardial Infarction: 'The Perfect Storm'. 2017 , 6, 134-139		38
114	Admission serum potassium concentration and long-term mortality in patients with acute myocardial infarction: results from the MONICA/KORA myocardial infarction registry. 2017 , 17, 198		6
113	Performance of Leadless Pacemaker in Japanese Patients vs. Rest of the World - Results From a Global Clinical Trial. 2017 , 81, 1589-1595		21
112	Arrhythmias Post Coronary Artery Bypass Surgery. 2017 ,		1

111	Electromagnetic Interference in Implantable Defibrillators in Single-Engine Fixed-Wing Aircraft. 2017 , 88, 52-55		2
110	Association of serum potassium concentration with mortality and ventricular arrhythmias in patients with acute myocardial infarction: A systematic review and meta-analysis. 2018 , 25, 576-595		15
109	Complexity of scar and ventricular arrhythmias in dilated cardiomyopathy of any etiology: Long-term data from the SCARFEAR (Cardiovascular Magnetic Resonance Predictors of Appropriate Implantable Cardioverter-Defibrillator Therapy Delivery) Registry. 2018 , 41, 494-501		9
108	Antiarrhythmic drugs-clinical use and clinical decision making: a consensus document from the European Heart Rhythm Association (EHRA) and European Society of Cardiology (ESC) Working Group on Cardiovascular Pharmacology, endorsed by the Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS) and International Society of Cardiovascular Pharmacotherapy (ISCP). 2018 , 20, 731-732	3.9	81
107	Ventricular arrhythmias in nonischemic cardiomyopathy. 2018 , 34, 336-346		10
106	Implantable cardioverter-defibrillator therapy and device-related complications in young patients with inherited cardiomyopathies or channelopathies: a 17-year cohort study. <i>Europace</i> , 2018 , 20, 1849-1855		3
105	Catheter ablation for ventricular tachycardia in patients with cardiac sarcoidosis: a systematic review. <i>Europace</i> , 2018 , 20, 682-691	3.9	44
104	Shock efficacy of single and dual coil electrodes-new insights from the NORDIC ICD Trial. <i>Europace</i> , 2018 , 20, 971-978	3.9	5
103	Long-term outcomes of different ablation strategies for ventricular tachycardia in patients with structural heart disease: systematic review and meta-analysis. <i>Europace</i> , 2018 , 20, 104-115	3.9	41
102	High-resolution three-dimensional late gadolinium-enhanced cardiac magnetic resonance imaging to identify the underlying substrate of ventricular arrhythmia. <i>Europace</i> , 2018 , 20, f179-f191	3.9	19
101	Accuracy of the pacemaker event recorder versus Holter-ECG to detect both symptomatic and asymptomatic ventricular arrhythmias. 2018 , 29, 154-159		6
100	Extended Use of the Wearable Cardioverter-Defibrillator: Which Patients Are Most Likely to Benefit?. 2018 , 2018, 7373610		4
99	Spanish Implantable Cardioverter-defibrillator Registry. 14th Official Report of the Spanish Society of Cardiology Electrophysiology and Arrhythmias Section (2017). 2018 , 71, 1047-1058		3
98	Registro Español de Desfibrilador Automático Implantable. XIV Informe Oficial de la Sección de Electrofisiología y Arritmias de la Sociedad Española de Cardiología (2017). 2018 , 71, 1047-1058		16
97	Detection of a new KCNQ1 frameshift mutation associated with Jervell and Lange-Nielsen syndrome in 2 Iranian families. 2018 , 34, 286-290		2
96	Risen from the dead: Cardiac stereotactic ablative radiotherapy as last rescue in a patient with refractory ventricular fibrillation storm. 2019 , 5, 329-332		26
95	Left Atrial Function Using Cardiovascular Magnetic Resonance Imaging Independently Predicts Life-Threatening Arrhythmias in Patients Referred to Receive a Primary Prevention Implantable Cardioverter Defibrillator. 2019 , 35, 1149-1157		2
94	Registro Español de Desfibrilador Automático Implantable. XV Informe Oficial de la Sección de Electrofisiología y Arritmias de la Sociedad Española de Cardiología (2018). 2019 , 72, 1054-1064		5

93	Management of asymptomatic arrhythmias: a European Heart Rhythm Association (EHRA) consensus document, endorsed by the Heart Failure Association (HFA), Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRs), Cardiac Arrhythmia Society of Southern Africa (CASSA), and Latin America Heart Rhythm Society (LAHRS). <i>Europace</i> , 2019 ,	3.9	30
92	Spanish Implantable Cardioverter-defibrillator Registry. 15th Official Report of the Spanish Society of Cardiology Electrophysiology and Arrhythmias Section (2018). 2019 , <i>72</i> , 1054-1064		3
91	Channelopathies: New ECG Criteria for Risk Stratification. 2019 , 119-135		
90	Predictors, Burden, and the Impact of Arrhythmia on Patients Admitted for Acute Myocarditis. 2019 , <i>123</i> , 139-144		13
89	Dose-Dependent Effects of Ranolazine on Reentrant Ventricular Arrhythmias Induced After Subacute Myocardial Infarction in Rabbits. 2020 , <i>25</i> , 65-71		2
88	Utilization of implantable cardioverter-defibrillators for the prevention of sudden cardiac death in emerging countries: Improve SCA clinical trial. 2020 , <i>17</i> , 468-475		8
87	Spanish Implantable Cardioverter-defibrillator Registry. 16th Official Report of the Heart Rhythm Association of the Spanish Society of Cardiology (2019). 2020 , <i>73</i> , 1026-1037		1
86	Pregnancies, ventricular arrhythmias, and substrate progression in women with arrhythmogenic right ventricular cardiomyopathy in the Nordic ARVC Registry. <i>Europace</i> , 2020 , <i>22</i> , 1873-1879	3.9	3
85	Carotid Intima-Media Thickness and the Risk of Sudden Cardiac Death: The ARIC Study and the CHS. 2020 , <i>9</i> , e016981		6
84	Overweight and obesity as protective factors against mortality in nonischemic cardiomyopathy patients with an implantable cardioverter defibrillator. 2020 , <i>43</i> , 1435-1442		5
83	Non-linear Association Between Body Mass Index and Ventricular Tachycardia/Ventricular Fibrillation in Patients With an Implantable Cardioverter-Defibrillator or Cardiac Resynchronization Therapy Defibrillator: A Multicenter Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , <i>7</i> , 610629	5.4	
82	ECG-based prediction algorithm for imminent malignant ventricular arrhythmias using decision tree. 2020 , <i>15</i> , e0231635		7
81	Sudden death in a patient with long QT syndrome presenting with an epileptic phenotype. <i>Annals of Noninvasive Electrocardiology</i> , 2020 , <i>25</i> , e12753	1.5	1
80	Approach to the Patient: Perioperative Management of the Patient with Pheochromocytoma or Sympathetic Paraganglioma. 2020 , <i>105</i> ,		13
79	The Multifaced Perspectives of Genetic Testing in Pediatric Cardiomyopathies and Channelopathies. <i>Journal of Clinical Medicine</i> , 2020 , <i>9</i> ,	5.1	1
78	An expert consensus document on the management of cardiovascular manifestations of Fabry disease. 2020 , <i>22</i> , 1076-1096		33
77	Diagnostic yield in victims of sudden cardiac death and their relatives. <i>Europace</i> , 2020 , <i>22</i> , 964-971	3.9	8
76	Impact of Sustained Cardiac Tachyarrhythmias Recorded in Coronary Intensive Care Unit on Short- and Long-Term Mortality and Duration of Hospitalization. 2021 , <i>36</i> , 775-782		1

75	Knowing Times: Temporalities of Evidence for Implantable Cardioverter Defibrillators. 2021 , 46, 628-654	0
74	Non-invasive detection of exercise-induced cardiac conduction abnormalities in sudden cardiac death survivors in the inherited cardiac conditions. <i>Europace</i> , 2021 , 23, 305-312	3.9 3
73	Q waves are the strongest electrocardiographic variable associated with primary prophylactic implantable cardioverter-defibrillator benefit: a prospective multicentre study. <i>Europace</i> , 2021 ,	3.9 0
72	Early ICD implantation in cardiac arrest survivors with acute coronary syndrome - predictors of implantation, ICD-therapy and long-term survival. 2021 , 55, 205-212	0
71	[Periprocedural mortality after ICD implantation]. 2021 , 46, 581-588	1
70	2020 Clinical practice guidelines for Hypertrophic cardiomyopathy. 2021 , 26, 4541	6
69	Registro Español de Desfibrilador Automático Implantable. XVII Informe Oficial de la Asociación del Ritmo Cardíaco de la Sociedad Española de Cardiología (2020). 2021 ,	2
68	Spanish Implantable Cardioverter-defibrillator Registry. 17th Official Report of the Heart Rhythm Association of the Spanish Society of Cardiology (2020). 2021 , 74, 971-982	1
67	Mechanisms, time course and predictability of premature ventricular contractions cardiomyopathy-an update on its development and resolution. 2021 , 1	0
66	Cardiac Arrhythmias.	1
65	Biomedical Data Processing Using HHT: A Review. 2009 , 335-352	9
64	Severity of nocturnal cardiac arrhythmias correlates with intensity of sleep apnea in men. 2013 , 755, 155-68	3
63	Registro Español de Desfibrilador Automático Implantable. XVI Informe Oficial de la Asociación del Ritmo Cardíaco de la Sociedad Española de Cardiología (2019). 2020 , 73, 1026-1037	7
62	Genetics of Cardiovascular Diseases. 2009 , 281-293	1
61	Heart Failure. 2009 , 835-876	3
60	Ventricular tachycardia as the first manifestation of cardiac sarcoidosis. 2009 , 2009,	1
59	Impact of Magnesium L-Lactate on Occurrence of Ventricular Arrhythmias in Patients with Implantable Cardioverter Defibrillators: A Randomized, Placebo-Controlled Trial. 2015 , 9, 83-8	3
58	Komorovárytmie. <i>Cor Et Vasa</i> , 2011 , 53, 53-77	0.3 1

57	Cardiac arrhythmias in acute coronary syndromes: position paper from the joint EHRA, ACCA, and EAPCI task force. 2015 , 10, 1095-108		25
56	Gender differences related to the presence of atrial fibrillation in older hypertensive patients. 2013 , 5, 124-31		2
55	Utility of electrophysiological studies to predict arrhythmic events. 2015 , 7, 344-50		21
54	Arrhythmogenic right ventricular cardiomyopathy and third degree AV block. <i>Cor Et Vasa</i> , 2008 , 50, 343-346		0
53	Cardiovascular disease. 2009 , 681-810		0
52	Clinical characteristics of three Czech families with catecholaminergic polymorphic ventricular tachycardia and pilot results of RyR2 gene mutation analysis. <i>Cor Et Vasa</i> , 2010 , 52, 39-42	0.3	1
51	Magnetic Resonance for Functional Testing and Interventional Guidance. 178-194		
50	Congenital Long QT-Syndrome. 2011 , 143-164		
49	Unexplained Syncope in Patients with High Risk of Sudden Cardiac Death. 2011 , 237-250		
48	Herzrhythmusstörungen. 2011 , 459-468		
47	Nonsustained Ventricular Tachycardia. 2012 , 625-640		
46	Genetic Diseases. 2012 , 885-901		
45	Arrhythmogenic Right Ventricular Cardiomyopathy. 2012 , 845-853		
44	Role of electrophysiological study and catheter ablation for recurrent ventricular tachycardia complicating myocarditis. <i>Acta Medica (Hradec Kralove)</i> , 2012 , 55, 96-9	0.8	
43	Electrophysiological Evaluation of Ventricular Fibrillation. 2012 , 327-332		
42	Omega-3 index of erythrocytes and predictors of sudden cardiac death in patients with coronary heart disease and ventricular arrhythmias. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2012 , 11, 16-22	0.9	
41	Electrophysiology and Pacing. 174-204		
40	Arrhythmias. 90-134		

- 39 Repetitive ICD Shocks and Incessant VTs in Heart Failure: What to Do?. **2013**, 145-167
- 38 [Possible prognostic value of atrial fibrillation and atrial flutter in Brugada syndrome]. *Archivos De Cardiologia De Mexico*, **2013**, 83, 4-7 0.2 3
- 37 Herzrhythmusstörungen. **2013**, 523-533
- 36 Treatment for cardiac arrhythmias in pregnancy: Efficiency and safety. *Cardiosomatics*, **2013**, 4, 81-91 0.4
- 35 Cardiac Arrhythmias. **2014**, 69-96
- 34 Lai Tai, the Mysterious Death of Young Thai Men. **2014**, 265-277
- 33 Ventrikuläre Tachykardie bei struktureller Herzerkrankung (ischämisch/DCM). **2014**, 1-9
- 32 Anamnese. **2014**, 1-20
- 31 Prevalence and clinical relevance of the morphological substrate of ventricular arrhythmias in patients without known cardiac conditions detected by cardiovascular MR. *BJR/case Reports*, **2014**, 1, 20140059 0.7
- 30 Arzneimitteltherapiesicherheit und besondere Verfahren. **2015**, 863-966
- 29 Long QT Syndrome. **2015**, 287-297
- 28 Expertise in Interpretation of 12-Lead Electrocardiograms of Staff and Residents Physician: Current Knowledge and Comparison between Two Different Teaching Methods. *Journal of Cardiology & Current Research*, **2016**, 5, 0.1
- 27 EP Testing in Asymptomatic Brugada Patients with Recurrent Palpitations. Just do it!. *International Cardiovascular Research Journal*, **2016**, 10,
- 26 Design of Korean Noninvasive Risk Evaluation Study for Sudden Cardiac Death from Infarction or Heart Failure - Heart failure study of K-REDEFINE registry -. *International Journal of Arrhythmia*, **2016**, 17, 181-189 2.4 1
- 25 Clinical Predictors of Appropriate Implantable Cardioverter-Defibrillator Therapies in Primary Prevention: A Retrospective Study. *World Journal of Cardiovascular Diseases*, **2017**, 07, 79-90 0
- 24 Kardiologie. **2017**, 61-143
- 23 Cachexia in Cancer Patients. *Hospice and Palliative Medicine International Journal*, **2017**, 1, 0.7
- 22 Extraction of a dual-chamber pacemaker and inserting of a new automatic implantable cardioverter defibrillator: The easy procedure almost became catastrophic: a case report. *Medicine (United States)*, **2017**, 96, e7919 1.8

21 Arzneimitteltherapiesicherheit und besondere Verfahren. **2018**, 971-1009

20 Exercise stress tests in heart rhythm and conduction disturbances. *Kardiologiya i Serdechno-Sosudistaya Khirurgiya*, **2020**, 13, 239 0.3

19 Heart Failure with Preserved Ejection Fraction: Can Device Therapy Be Our Option?. *Cureus*, **2020**, 12, e7323 1.2

18 Literatur. **2008**, 187-196

17 Cardioverter-defibrillator implantation in myeloma-associated cardiac amyloidosis. *Experimental and Clinical Cardiology*, **2013**, 18, 31-4

16 Ventricular fibrillation cardiac arrest due to 5-fluorouracil cardiotoxicity. *Texas Heart Institute Journal*, **2013**, 40, 472-6 0.8 10

15 Frequent Ventricular Ectopics in a Healthy Adult Woman - is it Associated with Sudden Cardiac Death?. *Malaysian Family Physician*, **2008**, 3, 156-7 0.5

14 Interdisciplinary Approach in a Complex Case of STEMI. *Médica*, **2014**, 9, 382-6

13 Epidemiology of infective endocarditis: novel aspects in the twenty-first century.. *Expert Review of Cardiovascular Therapy*, **2022**, 2.5 0

12 Arzneimitteltherapiesicherheit und besondere Verfahren. **2022**, 1071-1113

11 Absence of Obesity Paradox in All-Cause Mortality Among Chinese Patients With an Implantable Cardioverter Defibrillator: A Multicenter Cohort Study.. *Frontiers in Cardiovascular Medicine*, **2021**, 8, 730368 5.4 1

10 Data_Sheet_1.docx. **2020**,

9 QRS fragmentation is associated with increased risk of ventricular arrhythmias in high-risk patients; Data from the SMASH 1 Study. *Annals of Noninvasive Electrocardiology*, 1.5

8 Monomorphic VT Non-Inducibility after Electrical Storm Ablation Reduces Mortality and Recurrences. *Journal of Clinical Medicine*, **2022**, 11, 3887 5.1

7 Importance of Formula-Specific Centile Thresholds for Evaluation of Heart Rate-Corrected QT Prolongation in Williams Syndrome. **2022**, 0

6 Registro español de desfibrilador automático implantable. XVIII informe oficial de la Asociación del Ritmo Cardíaco de la Sociedad Española de Cardiología (2021). **2022**, 0

5 Registro español de desfibrilador automático implantable. XVIII informe oficial de la Asociación del Ritmo Cardíaco de la Sociedad Española de Cardiología (2021). **2022**, 0

4 Eurasian association of cardiology (EAC) guidelines for the prevention and treatment of ventricular heart rhythm disorders and prevention of sudden cardiac death (2022). **2022**, 6-67 0

- 3 Adult Congenital Heart Disease. **2023**, 999-1054 ○
- 2 Criteria for Predicting Cardiovascular Events with Holter Electrocardiogram Monitoring (Literature Review and Results of own Research) in Patients with Heart Disease. **2023**, 1, 59-65 ○
- 1 Characteristics of sudden death by clinical criteria. **2023**, 102, e33029 ○