

CITATION REPORT

List of articles citing

Risk factors for progression of peripheral arterial disease in large and small vessels

DOI: 10.1161/circulationaha.105.608679
Circulation, 2006, 113, 2623-9.

Source: <https://exaly.com/paper-pdf/41137032/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
217	Descripci3n de factores de riesgo cardiovascular de una muestra de pacientes con isquemia cr3nica de miembros inferiores. 2006 , 58, 357-368		1
216	Inflammation and platelet activation in peripheral arterial occlusive disease. 2007 , 16, 84-8		6
215	Ankle-brachial index and hemostatic markers in the Atherosclerosis Risk in Communities (ARIC) study cohort. <i>Vascular Medicine</i> , 2007 , 12, 267-73	3.3	32
214	The evaluation of cardiac and peripheral arterial disease in patients with diabetes mellitus. 2007 , 32, 109-42		3
213	Bibliography. Current world literature. Genes and nutrition. 2007 , 10, 542-51		
212	Bibliography. Current world literature. Diabetes and the endocrine pancreas II. 2007 , 14, 329-57		
211	Association of Novel Risk Factors With the Ankle Brachial Index in African American and Non-Hispanic White Populations. 2007 , 82, 709-716		24
210	Association between C-reactive protein level and peripheral arterial disease among US adults without cardiovascular disease, diabetes, or hypertension. 2007 , 154, 495-501		44
209	A rational connection of inflammation with peripheral arterial disease. 2007 , 69, 1190-5		6
208	The course of vascular risk factors and the occurrence of vascular events in patients with symptomatic peripheral arterial disease. 2007 , 45, 47-54		32
207	Therapy insight: peripheral arterial disease and diabetes--from pathogenesis to treatment guidelines. 2007 , 4, 151-62		20
206	Atherosclerotic risk factors among ankle-brachial index and toe-brachial index in peritoneal dialysis patients. 2007 , 29, 835-41		3
205	Novel and traditional cardiovascular risk factors for peripheral arterial disease in incident-dialysis patients. 2007 , 14, 304-13		18
204	Prevalence of and risk factors for peripheral arterial disease in the patients with hypertension among Han Chinese. 2007 , 46, 296-302		27
203	Vascular assessment and reconstruction of the ischemic diabetic limb. 2007 , 24, 449-67, viii		2
202	Association of novel risk factors with the ankle brachial index in African American and non-Hispanic white populations. 2007 , 82, 709-16		27
201	Approaches to prevention of cardiovascular complications and events in diabetes mellitus. 2007 , 67, 997-1026		97

200	Current treatment of peripheral arterial disease: role of percutaneous interventional therapies. 2007 , 50, 473-90	33
199	C-reactive protein (CRP) as a marker in peripheral vascular disease. 2007 , 34, 18-22	24
198	Prognostic significance of declining ankle-brachial index values in patients with suspected or known peripheral arterial disease. 2007 , 34, 206-13	33
197	Large and small vessels atherosclerosis: similarities and differences. 2007 , 50, 112-25	93
196	Timing of C-reactive protein increment in acute traumatic stress: relevance for CRP determinations in acute cardiovascular events. 2008 , 24, 281-285	2
195	The association between elevated ankle systolic pressures and peripheral occlusive arterial disease in diabetic and nondiabetic subjects. 2008 , 48, 1197-203	218
194	Novel cardiovascular risk factors do not completely explain the higher prevalence of peripheral arterial disease among African Americans. The San Diego Population Study. 2008 , 51, 2347-54	52
193	Progression of peripheral arterial disease predicts cardiovascular disease morbidity and mortality. 2008 , 52, 1736-42	172
192	The LPA gene C93T polymorphism influences plasma lipoprotein(a) levels and is independently associated with susceptibility to peripheral arterial disease. 2008 , 387, 109-12	10
191	High total-to-HDL cholesterol ratio predicting deterioration of ankle brachial index in Asian type 2 diabetic subjects. 2008 , 79, 419-26	9
190	Peripheral arterial disease: diagnosis and management. 2008 , 83, 944-49; quiz 949-50	11
189	[Thrombophilias and peripheral arterial occlusive disease]. 2008 , 33, 126-36	2
188	Prolonged-release nicotinic acid in patients with atherosclerotic disease in the Netherlands. 2008 , 41, 313-8	3
187	C-reactive protein predicts future arterial and cardiovascular events in patients with symptomatic peripheral arterial disease. 2008 , 42, 341-7	10
186	Primary antiphospholipid syndrome: a low-grade auto-inflammatory disease?. 2008 , 47, 1832-7	36
185	Risk Factors for Progression of Peripheral Arterial Disease in Large and Small Vessels. 2008 , 2008, 59	
184	Peripheral Arterial Disease: Diagnosis and Management. 2008 , 83, 944-950	22
183	Evaluation of lower extremity arterial circulation and implications for nursing practice. 2008 , 23, 144-52	4

182	Distribution pattern of infrageniculate arterial obstructions in patients with diabetes mellitus and renal insufficiency - implications for revascularization. 2008 , 37, 265-73		22
181	Evolution and Progression of Arterial Occlusive Disease in Patients with Diabetes. 2008 , 32, 21-26		
180	Novel markers of peripheral arterial disease. <i>Vascular Medicine</i> , 2009 , 14, 381-92	3-3	37
179	The burden of peripheral artery disease and the role of antiplatelet therapy. 2009 , 121, 123-35		13
178	G20210A prothrombin mutation and critical limb ischaemia in patients with peripheral arterial disease. 2009 , 38, 113-7		4
177	Cribado de la arteriopatía periférica: ¿hay evidencias para realizarlo?. 2009 , 16, 340-348		
176	Low-grade inflammation can partly explain the association between the metabolic syndrome and either coronary artery disease or severity of peripheral arterial disease: the CODAM study. 2009 , 39, 437-44		76
175	Ethnicity and risk factors for change in the ankle-brachial index: the Multi-Ethnic Study of Atherosclerosis. 2009 , 50, 1049-56		33
174	Increased risk of peripheral arterial disease in polymyalgia rheumatica: a population-based cohort study. 2009 , 11, R50		22
173	Subintimal angioplasty: predictors of long-term success. 2009 , 20, 1013-22		18
172	Small-vessel lower extremity arterial disease and erectile dysfunction: The Rancho Bernardo study. <i>Atherosclerosis</i> , 2009 , 203, 620-5	3-1	11
171	Atherosclerotic risk factors and segmental distribution in symptomatic peripheral artery disease. 2009 , 20, 437-41		27
170	What's new in lower-extremity arterial disease? WOCN's 2008 clinical practice guideline. 2009 , 36, 37-44		8
169	Lipoprotein a: where are we now?. 2009 , 24, 351-7		44
168	The cardiologist and smoking cessation. 2010 , 25, 469-77		18
167	Are toe pressures measured by a portable photoplethysmograph equivalent to standard laboratory tests?. 2010 , 37, 475-86		5
166	Neurological symptoms in acute Leriche's syndrome. 2010 , 99, 459-62		12
165	Renal insufficiency is independently associated with a distal distribution pattern of symptomatic lower-limb atherosclerosis. 2010 , 39, 591-6		22

164	Lipoprotein(a), inflammation, and peripheral arterial disease in a community-based sample of older men and women (the InCHIANTI study). 2010 , 105, 1825-30	36
163	Potential mechanisms for reduced delivery of nitric oxide to peripheral tissues in diabetes mellitus. 2010 , 1203, 101-6	13
162	Population-based observational study of claudication in older men: the Health in Men Study. 2010 , 192, 641-5	10
161	Thrombophilic risk factors and peripheral arterial disease severity. 2010 , 104, 71-7	19
160	Current Management of Peripheral Arterial Disease. 2010 , 53, 228	2
159	Effects of peripheral arterial disease on outcomes in advanced chronic systolic heart failure: a propensity-matched study. 2010 , 3, 118-24	27
158	High Risk Diabetic Foot. 2010 ,	1
157	Inflammation in peripheral artery disease. <i>Circulation</i> , 2010 , 122, 1862-75	16.7 185
156	Reduced high-density lipoprotein level is linked to worse ankle brachial index and peak oxygen uptake in postmenopausal women with peripheral arterial disease. 2010 , 61, 698-704	2
155	The importance of early diagnosis and treatment in peripheral arterial disease: insights from the PARTNERS and REACH registries. 2010 , 8, 293-300	14
154	The general prognosis of patients with peripheral arterial disease differs according to the disease localization. 2010 , 55, 898-903	82
153	A systematic review of the limitations and approaches to improve detection and management of peripheral arterial disease in Hispanics. 2010 , 51, 275-355	14
152	Younger women with symptomatic peripheral arterial disease are at increased risk of depressive symptoms. 2010 , 52, 637-44	20
151	Unsorted human adipose tissue-derived stem cells promote angiogenesis and myogenesis in murine ischemic hindlimb model. 2010 , 80, 310-6	40
150	Comprehensive evaluation and medical management of infrainguinal peripheral artery disease: "when to treat, when not to treat". 2010 , 13, 2-10	5
149	Effects of disturbed flow on vascular endothelium: pathophysiological basis and clinical perspectives. 2011 , 91, 327-87	1300
148	Characteristics of peripheral arterial disease and its relevance to the diabetic population. 2011 , 10, 152-66	51
147	Peripheral artery disease, biomarkers, and darapladib. 2011 , 161, 972-8	15

146	Lower extremity peripheral artery disease in the absence of traditional risk factors. The Multi-Ethnic Study of Atherosclerosis. <i>Atherosclerosis</i> , 2011 , 214, 169-73	3.1	56
145	An arterial pulse examination is not sufficient for diagnosis of peripheral arterial disease in lumbar spinal canal stenosis: a prospective multicenter study. 2011 , 36, 1204-10		17
144	Neopterin: from forgotten biomarker to leading actor in cardiovascular pathophysiology. 2011 , 9, 188-99		43
143	The association between the metabolic syndrome and peripheral, but not coronary, artery disease is partly mediated by endothelial dysfunction: the CODAM study. 2011 , 41, 167-75		18
142	Hemostatic cardiovascular risk factors, common carotid-intima medial thickness and peripheral arterial disease in South Asians and African Caribbeans: a substudy to the Ethnic-Echocardiographic Heart of England Screening (E-ECHOES) study. 2011 , 9, 645-52		2
141	Thrombotic risk factors and cardiovascular events after endovascular intervention for peripheral arterial disease. 2011 , 42, 817-23		9
140	Peripheral arterial disease--what do we need to know?. 2011 , 34, 478-82		14
139	[Contrast-enhanced ultrasound of skeletal muscle]. 2011 , 51, 497-505		7
138	Asymptomatic peripheral arterial disease in type 2 diabetes mellitus: prevalence patterns and risk factor associations. 2011 , 31, 229-238		4
137	Treatment of Aortoiliac Occlusive Disease: Medical versus Endovascular versus Surgical Therapy. 2011 , 13, 114-28		8
136	Simultaneous bilateral magnetic resonance imaging of the femoral arteries in peripheral arterial disease patients. 2011 , 34, 150-6		5
135	Lipoprotein(a) and risk of coronary, cerebrovascular, and peripheral artery disease: the EPIC-Norfolk prospective population study. 2012 , 32, 3058-65		97
134	The effects of normalizing hyperhomocysteinemia on clinical and operative outcomes in patients with critical limb ischemia. 2012 , 19, 815-25		4
133	Associations between the ankle-brachial index and cardiovascular and all-cause mortality are similar in individuals without and with type 2 diabetes: nineteen-year follow-up of a population-based cohort study. 2012 , 35, 1731-5		39
132	Measurement and interpretation of the ankle-brachial index: a scientific statement from the American Heart Association. <i>Circulation</i> , 2012 , 126, 2890-909	16.7	909
131	Relationship of a low ankle-brachial index with all-cause mortality and cardiovascular mortality in Chinese patients with metabolic syndrome after a 6-year follow-up: a Chinese prospective cohort study. 2012 , 51, 2847-56		10
130	Apolipoprotein(a) genetic sequence variants associated with systemic atherosclerosis and coronary atherosclerotic burden but not with venous thromboembolism. 2012 , 60, 722-9		118
129	Predictors of decrease in ankle-brachial index among patients with diabetes mellitus. 2012 , 29, e304-7		6

128	The Modification of Diet in Renal Disease 4-calculated glomerular filtration rate is a better prognostic factor of cardiovascular events than classical cardiovascular risk factors in patients with peripheral arterial disease. 2012 , 56, 1324-30	12
127	Nuevos marcadores de riesgo cardiovascular. ¿Pueden influir en la clasificación del riesgo cardiovascular?. 2012 , 24, 57-70	
126	The Postexercise Common Femoral Artery Doppler Waveform: A Powerful Noninvasive Vascular Laboratory Test to Exclude Aortoiliac Disease. 2012 , 36, 249-253	1
125	Lower Extremity Peripheral Arterial Disease. 2012 ,	
124	Diagnosis, prevention, and treatment of claudication. 2013 , 93, 779-88, vii	5
123	A hospital discharge risk score for 1-year all-cause mortality or non-fatal cardiovascular events in patients with lower-extremity peripheral artery disease, with and without revascularisation. 2013 , 45, 488-96	13
122	The toe-brachial index in the diagnosis of peripheral arterial disease. 2013 , 58, 231-8	139
121	Peripheral Artery Disease in Hypertension. 2013 , 296-302	
120	Arteriopatía periférica. 2013 , 20, 246-255	
119	Oxidation-specific biomarkers and risk of peripheral artery disease. 2013 , 61, 2169-79	56
118	Disease location is associated with survival in patients with peripheral arterial disease. 2013 , 2, e000304	41
117	Comparison of in vitro human endothelial cell response to self-expanding stent deployment in a straight and curved peripheral artery simulator. 2013 , 10, 20120965	10
116	Peripheral arterial disease in diabetic Jordanian patients and the agreement between ankle brachial index and toe brachial index. 2013 , 13, 37-42	2
115	Differences of ankle-brachial index according to ischemic stroke subtypes: the peripheral artery disease in Korean patients with ischemic stroke (PIPE) study. 2013 , 69, 179-84	9
114	Epidemiology, risk factors & prognosis. 2013 , 8-17	
113	The Epidemiology of Peripheral Artery Disease. 2013 , 211-222	1
112	Comparison of cardiovascular risk factors for peripheral artery disease and coronary artery disease in the Korean population. 2013 , 43, 316-28	12
111	Prevalence of low ankle brachial index and relationship with cardiovascular risk factors in a Western urban population in Turkey. 2014 , 65, 43-50	3

110	Risk factors for incident peripheral arterial disease in type 2 diabetes: results from the Bypass Angioplasty Revascularization Investigation in type 2 Diabetes (BARI 2D) Trial. 2014 , 37, 1346-52		53
109	C-Reactive Protein Predicts Progression of Peripheral Arterial Disease in Patients with Type 2 Diabetes: A 5-Year Follow-Up Study. 2014 , 33, 347-355		1
108	Associations of diabetes mellitus and other cardiovascular disease risk factors with decline in the ankle-brachial index. <i>Vascular Medicine</i> , 2014 , 19, 465-72	3.3	16
107	Lipoprotein (a) concentrations, apolipoprotein (a) phenotypes, and peripheral arterial disease in three independent cohorts. 2014 , 103, 28-36		66
106	Renin-angiotensin system genetic polymorphisms: lack of association with CRP levels in patients with coronary artery disease. 2014 , 15, 559-65		6
105	Prevalence, incidence and progression of peripheral arterial disease in Asian Indian type 2 diabetic patients. 2014 , 28, 627-31		18
104	Non-coronary atherosclerosis. 2014 , 35, 1112-9		95
103	Plasma homocysteine, dietary B vitamins, betaine, and choline and risk of peripheral artery disease. <i>Atherosclerosis</i> , 2014 , 235, 94-101	3.1	39
102	Preoperative neutrophil-lymphocyte ratio and saphenous vein graft patency after coronary artery bypass grafting. 2014 , 20, 819-24		24
101	Neutrophil-lymphocyte ratio and the platelet-lymphocyte ratio predict the limb survival in critical limb ischemia. 2014 , 20, 645-50		43
100	Ankle-brachial index, toe-brachial index, and cardiovascular mortality in persons with and without diabetes mellitus. 2014 , 60, 390-5		75
99	C-reactive protein and endovascular treatment of lower limb peripheral artery disease: an independent prognostic factor. 2015 , 22, 233-9		9
98	Long-Term Prognostic Risk in Lower Extremity Peripheral Arterial Disease as a Function of the Number of Peripheral Arterial Lesions. 2015 , 4, e001823		5
97	Systemic inflammation is higher in peripheral artery disease than in stable coronary artery disease. <i>Atherosclerosis</i> , 2015 , 239, 299-303	3.1	30
96	Epidemiology of peripheral artery disease. 2015 , 116, 1509-26		790
95	[Extracardiac manifestation of elevated lipoprotein(a) levels--cumulative incidence of peripheral arterial disease and stenosis of the carotid artery]. 2015 , 10, 39-45		4
94	Patterns of disease distribution of lower extremity peripheral arterial disease. 2015 , 66, 211-8		15
93	Prevalence and Correlates of Peripheral Arterial Disease in Nigerians with Type 2 Diabetes. 2016 , 2016, 3529419		12

92	Plasma Levels of Advanced Glycation End Products Are Related to the Clinical Presentation and Angiographic Severity of Symptomatic Lower Extremity Peripheral Arterial Disease. 2016 , 25, 44-53		3
91	New semiquantitative ultrasonographic score for peripheral arterial disease assessment and its association with cardiovascular risk factors. 2016 , 39, 868-873		12
90	Peripheral arterial disease in patients with giant cell arteritis: a meta-analysis. 2016 , 19, 819-25		12
89	Change in Ankle-Brachial Index Over Time in a Screened Japanese Cohort - The Okinawa Peripheral Arterial Disease Study. 2016 , 80, 2004-9		6
88	Endothelial colony-forming cells: Biological and functional abnormalities in patients with recurrent, unprovoked venous thromboembolic disease. 2016 , 137, 157-168		21
87	Angiographic evidence of proliferative retinopathy predicts neuropsychiatric morbidity in diabetic patients. 2016 , 67, 163-70		3
86	Multiple biomarkers for mortality prediction in peripheral arterial disease. <i>Vascular Medicine</i> , 2016 , 21, 105-12	3.3	18
85	Type 2 Diabetes. 2016 ,		2
84	Peripheral arterial disease preoperatively may predict graft failure and mortality in kidney transplant recipients. <i>Vascular Medicine</i> , 2017 , 22, 225-230	3.3	19
83	Hyperhomocysteinaemia is an independent risk factor for peripheral arterial disease in a Chinese Han population. <i>Atherosclerosis</i> , 2017 , 263, 205-210	3.1	16
82	Peripheral Atheromatous Arterial Disease in the Young: Risk Factors, Clinical Features, and Prognosis From the COPART Cohort. 2017 , 68, 893-898		9
81	Biomarkers and Genetics in Peripheral Artery Disease. 2017 , 63, 236-244		23
80	Epidemiology of Peripheral Artery Disease. 2017 , 1-35		
79	Crural Index and extensive atherosclerosis of crural vessels are associated with long-term cardiovascular mortality in patients with symptomatic peripheral artery disease. <i>Atherosclerosis</i> , 2017 , 264, 44-50	3.1	9
78	Peripheral artery disease: epidemiology and global perspectives. 2017 , 14, 156-170		272
77	Peripheral Arterial Disease. 2017 , 449-453		
76	Patency of the arterial pedal-plantar arch in patients with chronic kidney disease or diabetes mellitus. 2018 , 12, 145-153		11
75	[Epidemiology of lower extremity artery disease]. 2018 , 47, 38-46		12

74	Rapid volumetric photoacoustic tomographic imaging with a Fabry-Perot ultrasound sensor depicts peripheral arteries and microvascular vasomotor responses to thermal stimuli. 2018 , 28, 1037-1045	36
73	Underutilization of Evidence-Based Smoking Cessation Support Strategies Despite High Smoking Addiction Burden in Peripheral Artery Disease Specialty Care: Insights from the International PORTRAIT Registry. 2018 , 7, e010076	15
72	Cardiac Troponin T Risk Stratification Model Predicts All-Cause Mortality Following Kidney Transplant. 2018 , 48, 242-250	5
71	Prevalence, Progression and Associated Risk Factors of Asymptomatic Peripheral Arterial Disease. 2018 , 14,	
70	[CEUS-application possibilities in the musculoskeletal system]. 2018 , 58, 579-589	4
69	BAD transmission and SAD distribution: a new scenario for critical limb ischemia. 2018 , 59, 655-664	15
68	Subclinical Peripheral Arterial Disease in Patients with Acute Ischemic Stroke: A Study with Ultrasonography. 2019 , 28, 104370	1
67	The progression rate of peripheral arterial disease in patients with intermittent claudication: a systematic review. 2019 , 12, 40	9
66	Active Tobacco Use in Patients with Claudication Does Not Affect Outcomes after Endovascular Interventions. 2019 , 60, 279-285	1
65	Platelet to Lymphocyte Ratio in Cardiovascular Diseases: A Systematic Review. 2019 , 70, 802-818	49
64	The association of the ankle-brachial index, the toe-brachial index, and their difference, with mortality and limb outcomes in dialysis patients. 2019 , 23, 214-222	3
63	Contributions of HIV, hepatitis C virus, and traditional vascular risk factors to peripheral artery disease in women. 2019 , 33, 2025-2033	7
62	WITHDRAWN: Below-the-ankle arterial disease is a determinant of critical limb ischemia in the diabetic population. 2019 ,	
61	Risk factors for patients with diabetes who have abnormal toe-brachial index and normal ankle-brachial index. 2019 , 127, 326-330	
60	"The Renal Foot" - Angiographic Pattern of Patients with Chronic Limb Threatening Ischemia and End-Stage Renal Disease. 2020 , 21, 118-121	6
59	Joint Effects of Plasma Homocysteine Concentration and Traditional Cardiovascular Risk Factors on the Risk of New-Onset Peripheral Arterial Disease. 2020 , 13, 3383-3393	2
58	Biomarker Utility for Peripheral Artery Disease Diagnosis in Real Clinical Practice: A Prospective Study. 2020 , 10,	5
57	Skeletal Muscle Mitochondrial Dysfunction and Oxidative Stress in Peripheral Arterial Disease: A Unifying Mechanism and Therapeutic Target. <i>Antioxidants</i> , 2020 , 9,	7.1 6

56	Accurate Noninvasive Arterial Assessment of the Wounded Lower Limb: A Clinical Challenge for Wound Practitioners. 2020 , 19, 215-226			2
55	Serum apolipoprotein A-I concentration differs in coronary and peripheral artery disease. 2020 , 80, 370-374			1
54	Prediction of Ankle Brachial Index with Photoplethysmography Using Convolutional Long Short Term Memory. 2020 , 40, 282-291			5
53	Association of Ankle-Brachial and Toe-Brachial Indexes With Mortality in Patients With CKD. 2020 , 2, 68-75			5
52	PredyCLU: A prediction system for chronic leg ulcers based on fuzzy logic; part II-Exploring the arterial side. 2020 , 17, 987-991			1
51	A Novel Scoring System for Small Artery Disease and Medial Arterial Calcification Is Strongly Associated With Major Adverse Limb Events in Patients With Chronic Limb-Threatening Ischemia. 2021 , 28, 194-207			5
50	Elevated remnant cholesterol increases the risk of peripheral artery disease, myocardial infarction, and ischaemic stroke: a cohort-based study. 2021 ,			8
49	Association of peripheral artery disease and chronic limb-threatening ischemia with socioeconomic deprivation in people with diabetes: A population data-linkage and geospatial analysis. <i>Vascular Medicine</i> , 2021 , 26, 147-154	3.3		1
48	Pre-operative ankle-brachial index for cardiovascular risk assessment in simultaneous pancreas-kidney transplant recipients: a simple and elegant strategy!. 2021 , 21, 156			
47	Successful Peripheral Vascular Intervention in Patients with High-risk Comorbidities or Lesion Characteristics. 2021 , 23, 32			
46	Association Between the Angiotensin-Converting Enzyme I/D Polymorphism and Risk of Cerebral Small Vessel Disease: A Meta-Analysis Based on 7186 Subjects. 2021 , 30, 105579			2
45	Molecular Mechanisms Associated with ROS-Dependent Angiogenesis in Lower Extremity Artery Disease. <i>Antioxidants</i> , 2021 , 10,	7.1		4
44	Ankle and Toe Brachial Index Extraction from Clinical Reports For Peripheral Artery Disease Identification: Unlocking Clinical Data through Novel Methods.			
43	Diabetes and peripheral artery disease: A review. 2021 , 12, 827-838			6
42	Epidemiology of Peripheral Artery Disease and Polyvascular Disease. 2021 , 128, 1818-1832			27
41	Prognostic value of C-reactive protein to albumin ratio for long-term outcomes of patients with peripheral arterial disease underwent endovascular treatment. 2021 , 17085381211025172			3
40	Cholesterol Efflux Capacity Associates with the Ankle-Brachial Index but Not All-Cause Mortality in Patients with Peripheral Artery Disease. 2021 , 11,			
39	Racial and ethnic amputation level disparities in veterans undergoing incident dysvascular lower extremity amputation. 2021 ,			

38	Structured pain-free exercise progressively improves ankle-brachial index and walking ability in patients with claudication and compressible arteries: an observational study. 2021 , 1	0
37	Lipoprotein(a). 2009 , 130-143	11
36	The Effect of Arterial Disease Level on Outcomes of Supervised Exercise Therapy for Intermittent Claudication: A Prospective Cohort Study. 2020 ,	1
35	Association of diabetes mellitus with decline in ankle-brachial index among patients on hemodialysis: A 6-year follow-up study. 2017 , 12, e0175363	1
34	Role of lipoprotein (a) in peripheral arterial disease. 2019 , 7, S242	6
33	Relationship between sociodemographic, anthropometric and biochemical characteristics and degree of peripheral arterial disease. 2010 , 138, 584-9	2
32	The role of novel atherosclerosis markers in peripheral artery disease: is there a gender difference?. 2018 , 29, 322-330	10
31	The Evaluation of Cardiac and Peripheral Arterial Disease in Patients with Diabetes Mellitus. 2007 , 437-461	
30	Peripheral Arterial Disease. 2008 , 53-58	
29	Atherosclerosis. 2010 , 287-491	
28	Peripheral arterial disease. 2010 , 1-8	
27	Peripheral Arterial Disease Assessment and Management. 2011 , 512-525	
26	Correlation between Changes in Leg Blood Flow and Ankle-Brachial Pressure Index: A Study Using Laser Doppler Flowmeter -The 1st Report-. 2011 , 4, 79-86	3
25	Peripheral Artery Diseases. 2012 , 1338-1358	1
24	Prevalence and Risk Factors of Peripheral Artery Disease in Elderly Chronic Ischemic Stroke Patients: A Study of a Single Geriatric Hospital. 2012 , 16, 5-11	
23	C. 2013 , 197-296	
22	Arteriosclerosis Obliterans Ulcer (Arterial Ulcer). 108-109	
21	Biomarkers of Peripheral Arterial Disease. 2013 , 218-243	

20	The Impact of Antithrombotic Regimens on Clinical Outcomes After Endovascular Intervention and Bypass Surgery for Infrapopliteal Artery Disease. 2019 , 10, 255-267		
19	Mortality, Cardiovascular and Limb Events in Patients With Symptomatic Lower Extremity Artery Disease and Diabetes. 2021 , 33197211050144		1
18	Toe pressure and toe brachial index are predictive of cardiovascular mortality regardless of the most diseased arterial segment in symptomatic lower-extremity artery disease-A retrospective cohort study. 2021 , 16, e0259122		
17	Ankle- and Toe-Brachial Index for Peripheral Artery Disease Identification: Unlocking Clinical Data Through Novel Methods.. <i>Circulation: Cardiovascular Interventions</i> , 2022 , CIRCINTERVENTIONS121011092		6
16	Circulating Biomarkers in Lower Extremity Artery Disease.. <i>European Cardiology Review</i> , 2022 , 17, e09	3.9	1
15	Social Deprivation and Peripheral Artery Disease.. <i>Canadian Journal of Cardiology</i> , 2021 ,	3.8	0
14	Elevated lipoprotein (a) levels and risk of peripheral artery disease outcomes: A systematic review.. <i>Vascular Medicine</i> , 2022 , 1358863X221091320	3.3	0
13	One-Year Health Status Outcomes Following Early Invasive and Noninvasive Treatment in Symptomatic Peripheral Artery Disease.. <i>Circulation: Cardiovascular Interventions</i> , 2022 , 101161CIRCINTERVENTIONS121011092		6
12	Peripheral Arterial Disease and the AnkleBrachial Index. <i>Contemporary Cardiology</i> , 2022 , 307-323	0.1	
11	Lipoprotein(a) and cardiovascular and valvular diseases: A genetic epidemiological perspective. <i>Atherosclerosis</i> , 2022 , 349, 7-16	3.1	16
10	Oxidative Stress Induced by High Salt DietPossible Implications for Development and Clinical Manifestation of Cutaneous Inflammation and Endothelial Dysfunction in Psoriasis vulgaris. <i>Antioxidants</i> , 2022 , 11, 1269	7.1	0
9	Modest association between health literacy and risk for peripheral vascular disease in patients with type 2 diabetes. 10,		
8	Kontrastmittelsonografie des muskuloskeletalen Systems. 2022 , 229-265		0
7	Retrospective Multicenter Comparison Between Viabahn Covered Stent-Grafts and Supera Interwoven Nitinol Stents for Endovascular Treatment in Severely Calcified Femoropopliteal Artery Disease: The ARMADILLO Study (Adjusted Retrospective coMparison of scAffoldDs In caLcified LesiOns). 152660282211247		0
6	The Role of Systemic Immune Inflammation Index for Predicting Saphenous Vein Graft Disease in Patients with Coronary Artery Bypass Grafting. 000331972211293		1
5	Positive association between urinary albumin-creatinine ratio and lower extremity peripheral arterial disease in Chinese diabetes patients: A cross-section study with propensity score matching analysis. 2022 ,		0
4	Association of Lipoprotein(a) Levels With Incidence of Major Adverse Limb Events. 2022 , 5, e2245720		0
3	Vascular Involvement in Patients with Lower Extremity Artery Disease: Difference of Distribution Pattern among Smoking, Diabetes Mellitus, and End-Stage Renal Disease. 2023 ,		0

- 2 Evaluation of Lower Extremity Calcium Score as a Measure of Peripheral Arterial Disease Burden and Amputation Risk. **2023**,
- 1 Peripheral Arterial Disease. **2013**, 584-591.e1