

Inhibition of phosphoinositide 3-kinase γ attenuates airway hyperresponsiveness in murine asthma model

FASEB Journal

20, 455-465

DOI: [10.1096/fj.05-5045com](https://doi.org/10.1096/fj.05-5045com)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Respiratory Review of 2006 -Asthma-. Tuberculosis and Respiratory Diseases, 2006, 61, 114. | 0.7 | 0 |
| 2 | Leukocyte navigation mechanisms as targets in airway diseases. Drug Discovery Today, 2006, 11, 866-879. | 3.2 | 18 |
| 3 | PTEN Down-Regulates IL-17 Expression in a Murine Model of Toluene Diisocyanate-Induced Airway Disease. Journal of Immunology, 2007, 179, 6820-6829. | 0.4 | 42 |
| 4 | Therapeutic Potential of Phosphatidylinositol 3-Kinase Inhibitors in Inflammatory Respiratory Disease. Journal of Pharmacology and Experimental Therapeutics, 2007, 321, 1-8. | 1.3 | 148 |
| 5 | Potential use of an anticancer drug gefinitib, an EGFR inhibitor, on allergic airway inflammation. Experimental and Molecular Medicine, 2007, 39, 367-375. | 3.2 | 50 |
| 6 | Allergen-induced CD11b+ CD11cint CCR3+ macrophages in the lung promote eosinophilic airway inflammation in a mouse asthma model. International Immunology, 2007, 19, 1371-1381. | 1.8 | 46 |
| 7 | The PI3K p110 β controls T-cell development, differentiation and regulation. Biochemical Society Transactions, 2007, 35, 167-171. | 1.6 | 25 |
| 8 | The p110 δ catalytic isoform of PI3K is a key player in NK-cell development and cytokine secretion. Blood, 2007, 110, 3202-3208. | 0.6 | 83 |
| 9 | Recent Patents of Gene Sequences Relative to the Phosphatidylinositol 3-kinase / Akt Pathway and their Relevance to Drug Discovery. Recent Patents on DNA & Gene Sequences, 2007, 1, 9-23. | 0.7 | 1 |
| 10 | Antigen receptor signalling: a distinctive role for the p110 β isoform of PI3K. Trends in Immunology, 2007, 28, 80-87. | 2.9 | 114 |
| 11 | Ceramide inhibits LPS-induced production of IL-5, IL-10, and IL-13 from mast cells. Journal of Cellular Physiology, 2007, 213, 126-136. | 2.0 | 50 |
| 12 | Role of the phosphoinositide 3-kinase p110 β in generation of type 2 cytokine responses and allergic airway inflammation. European Journal of Immunology, 2007, 37, 416-424. | 1.6 | 106 |
| 13 | PI3K β and PI3K δ : partners in crime in inflammation in rheumatoid arthritis and beyond?. Nature Reviews Immunology, 2007, 7, 191-201. | 10.6 | 382 |
| 14 | Phosphoinositide 3-kinase signalling in lung disease: leucocytes and beyond. Immunology, 2007, 121, 448-461. | 2.0 | 71 |
| 15 | Five-aminoimidazole-4-carboxamide-1- β -D-ribofuranoside attenuates poly (I:C)-induced airway inflammation in a murine model of asthma. Clinical and Experimental Allergy, 2007, 37, 1709-1719. | 1.4 | 28 |
| 16 | Lipid signalling in disease. Nature Reviews Molecular Cell Biology, 2008, 9, 162-176. | 16.1 | 1,091 |
| 17 | Phosphoinositide 3-kinase β inhibitor as a novel therapeutic agent in asthma. Respirology, 2008, 13, 764-771. | 1.3 | 31 |
| 18 | Neonatal vaccination with Bacillus Calmette-Guérin elicits long-term protection in mouse allergic responses. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 555-563. | 2.7 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Phosphatidylinositol 3-kinase inhibitors: promising drug candidates for cancer therapy. <i>Cancer Science</i> , 2008, 99, 1734-1740. | 1.7 | 140 |
| 20 | Taming the PI3K team to hold inflammation and cancer at bay. , 2008, 118, 192-205. | | 61 |
| 21 | Lipopolysaccharide induces VCAM-1 expression and neutrophil adhesion to human tracheal smooth muscle cells: Involvement of Src/EGFR/PI3-K/Akt pathway. <i>Toxicology and Applied Pharmacology</i> , 2008, 228, 256-268. | 1.3 | 63 |
| 22 | The multiple roles of phosphoinositide 3-kinase in mast cell biology. <i>Trends in Immunology</i> , 2008, 29, 493-501. | 2.9 | 131 |
| 23 | Structural analysis of PI3-kinase isoforms: Identification of residues enabling selective inhibition by small molecule ATP-competitive inhibitors. <i>Archives of Biochemistry and Biophysics</i> , 2008, 477, 404-410. | 1.4 | 25 |
| 24 | Inhibition of PI-3 kinase for treating respiratory disease: good idea or bad idea?. <i>Current Opinion in Pharmacology</i> , 2008, 8, 267-274. | 1.7 | 29 |
| 25 | Activation and Function of the mTORC1 Pathway in Mast Cells. <i>Journal of Immunology</i> , 2008, 180, 4586-4595. | 0.4 | 112 |
| 26 | Dual Modulation of Airway Smooth Muscle Contraction by Th2 Cytokines via Matrix Metalloproteinase-1 Production. <i>Journal of Immunology</i> , 2008, 180, 4191-4199. | 0.4 | 32 |
| 27 | Interleukin 13 Increases Contractility of Murine Tracheal Smooth Muscle by a Phosphoinositide 3-kinase p110 α -Dependent Mechanism. <i>Molecular Pharmacology</i> , 2008, 73, 1530-1537. | 1.0 | 41 |
| 28 | Tumor Necrosis Factor- α Enhances Neutrophil Adhesiveness: Induction of Vascular Cell Adhesion Molecule-1 via Activation of Akt and CaM Kinase II and Modifications of Histone Acetyltransferase and Histone Deacetylase 4 in Human Tracheal Smooth Muscle Cells. <i>Molecular Pharmacology</i> , 2008, 73, 1454-1464. | 1.0 | 38 |
| 29 | Isoform-Specific Functions of Phosphoinositide 3-Kinases: p110 α but Not p110 β Promotes Optimal Allergic Responses In Vivo. <i>Journal of Immunology</i> , 2008, 180, 2538-2544. | 0.4 | 111 |
| 30 | Cacao Liquor Proanthocyanidins Inhibit Lung Injury Induced by Diesel Exhaust Particles. <i>International Journal of Immunopathology and Pharmacology</i> , 2008, 21, 279-288. | 1.0 | 8 |
| 31 | Aerosolized Phosphoinositide 3-Kinase β Inhibitor TG100-115 [3-[2,4-Diamino-6-(3-hydroxyphenyl)pteridin-7-yl]phenol] as a Therapeutic Candidate for Asthma and Chronic Obstructive Pulmonary Disease. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 758-765. | 1.3 | 104 |
| 32 | Phosphoinositide 3-Kinase p110 α Regulates Natural Antibody Production, Marginal Zone and B-1 B Cell Function, and Autoantibody Responses. <i>Journal of Immunology</i> , 2009, 183, 5673-5684. | 0.4 | 122 |
| 33 | The p110 α Isoform of Phosphatidylinositol 3-Kinase Controls Susceptibility to <i>Leishmania major</i> by Regulating Expansion and Tissue Homing of Regulatory T Cells. <i>Journal of Immunology</i> , 2009, 183, 1921-1933. | 0.4 | 83 |
| 34 | PI3K signalling in lymphocyte migration. <i>Cell Cycle</i> , 2009, 8, 3307-3310. | 1.3 | 21 |
| 35 | A New Compound, 1H,8H-Pyrano[3,4-C]Pyran-1,8-Dione, Suppresses Airway Epithelial Cell Inflammatory Responses in a Murine Model of Asthma. <i>International Journal of Immunopathology and Pharmacology</i> , 2009, 22, 591-603. | 1.0 | 19 |
| 36 | Small Molecule Inhibitors of Phosphoinositide 3-Kinase (PI3K) δ and γ. <i>Current Topics in Medicinal Chemistry</i> , 2009, 9, 738-753. | 1.0 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Advances in Development of Phosphatidylinositol 3-Kinase Inhibitors. <i>Current Medicinal Chemistry</i> , 2009, 16, 2839-2854. | 1.2 | 105 |
| 38 | PI3K β -deficient mice have reduced levels of allergen-induced eosinophilic inflammation and airway remodeling. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009, 296, L210-L219. | 1.3 | 57 |
| 39 | Celastrol binds to ERK and inhibits Fc μ RI signaling to exert an anti-allergic effect. <i>European Journal of Pharmacology</i> , 2009, 612, 131-142. | 1.7 | 58 |
| 40 | Essential role of phosphoinositide 3-kinase gamma in eosinophil chemotaxis within acute pulmonary inflammation. <i>Immunology</i> , 2009, 126, 413-422. | 2.0 | 33 |
| 41 | Fine tuning the immune response with PI3K. <i>Immunological Reviews</i> , 2009, 228, 253-272. | 2.8 | 191 |
| 42 | Allergic airway hyperresponsiveness, inflammation, and remodeling do not develop in phosphoinositide 3-kinase β -deficient mice. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 805-812. | 1.5 | 69 |
| 43 | Inhibition of PI3K γ Restores Glucocorticoid Function in Smoking-induced Airway Inflammation in Mice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 179, 542-548. | 2.5 | 222 |
| 44 | Phosphoinositide 3-kinases and their role in inflammation: potential clinical targets in atherosclerosis?. <i>Clinical Science</i> , 2009, 116, 791-804. | 1.8 | 37 |
| 45 | PI3K p110 β regulates T-cell cytokine production during primary and secondary immune responses in mice and humans. <i>Blood</i> , 2010, 115, 2203-2213. | 0.6 | 174 |
| 46 | Evidence for PI3K-dependent CXCR3 agonist-induced degranulation of human cord blood-derived mast cells. <i>Molecular Immunology</i> , 2010, 47, 2367-2377. | 1.0 | 21 |
| 47 | Ayanin, a non-selective phosphodiesterase 4 inhibitor, effectively suppresses ovalbumin-induced airway hyperresponsiveness without affecting xylazine/ketamine-induced anesthesia. <i>European Journal of Pharmacology</i> , 2010, 635, 198-203. | 1.7 | 4 |
| 48 | PI3K inhibition in inflammation: Toward tailored therapies for specific diseases. <i>BioEssays</i> , 2010, 32, 185-196. | 1.2 | 109 |
| 49 | Taking PI3K γ and PI3K β One Step Ahead: Dual Active PI3K γ/β Inhibitors for the Treatment of Immune-Mediated Inflammatory Diseases. <i>Current Topics in Microbiology and Immunology</i> , 2010, 346, 279-299. | 0.7 | 24 |
| 50 | The Pathophysiological Roles of PI3Ks and Therapeutic Potential of Selective Inhibitors in Allergic Inflammation. <i>International Archives of Allergy and Immunology</i> , 2010, 152, 90-95. | 0.9 | 18 |
| 51 | Phosphoinositide 3-Kinase Activity in T Cells Regulates the Magnitude of the Germinal Center Reaction. <i>Journal of Immunology</i> , 2010, 185, 4042-4052. | 0.4 | 200 |
| 52 | CD28 co-signaling in the adaptive immune response. <i>Self/nonself</i> , 2010, 1, 231-240. | 2.0 | 66 |
| 53 | Targeting Phosphoinositide-3-Kinase- γ with Theophylline Reverses Corticosteroid Insensitivity in Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 897-904. | 2.5 | 321 |
| 54 | Phosphoinositide 3-kinase β inhibitor suppresses interleukin-17 expression in a murine asthma model. <i>European Respiratory Journal</i> , 2010, 36, 1448-1459. | 3.1 | 78 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Phosphatidylinositol 3-kinase isoforms as targets in respiratory disease. <i>Therapeutic Advances in Respiratory Disease</i> , 2010, 4, 19-34. | 1.0 | 43 |
| 56 | Direct inhibition of arginase attenuated airway allergic reactions and inflammation in a <i>Dermatophagoides farinae</i> -induced NC/Nga mouse model. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010, 299, L17-L24. | 1.3 | 47 |
| 57 | A role for phosphoinositol 3-kinase γ in the impairment of glucocorticoid responsiveness in patients with chronic obstructive pulmonary disease. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1146-1153. | 1.5 | 99 |
| 58 | Overcoming Reduced Glucocorticoid Sensitivity in Airway Disease. <i>Drugs</i> , 2010, 70, 929-948. | 4.9 | 33 |
| 59 | PI3Ks in Lymphocyte Signaling and Development. <i>Current Topics in Microbiology and Immunology</i> , 2010, 346, 57-85. | 0.7 | 55 |
| 60 | Phosphoinositide 3-kinase in Health and Disease. <i>Current Topics in Microbiology and Immunology</i> , 2011, , . | 0.7 | 1 |
| 61 | VEGF-mediated PI3K class IA and PKC signaling in cardiomyogenesis and vasculogenesis of mouse embryonic stem cells. <i>Journal of Cell Science</i> , 2011, 124, 1819-1830. | 1.2 | 64 |
| 62 | PI3K γ drives the pathogenesis of experimental autoimmune encephalomyelitis by inhibiting effector T cell apoptosis and promoting Th17 differentiation. <i>Journal of Autoimmunity</i> , 2011, 36, 278-287. | 3.0 | 72 |
| 63 | Alleviation of murine allergic rhinitis by C19, a C-terminal peptide of chemokine-like factor 1 (CKLF1). <i>International Immunopharmacology</i> , 2011, 11, 2188-2193. | 1.7 | 16 |
| 64 | Phosphatidylinositol 3-Kinase Isoforms as Novel Drug Targets. <i>Current Drug Targets</i> , 2011, 12, 1056-1081. | 1.0 | 38 |
| 65 | The CKLF1-C19 peptide attenuates allergic lung inflammation by inhibiting CCR3- and CCR4-mediated chemotaxis in a mouse model of asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 287-297. | 2.7 | 30 |
| 66 | Phosphoinositide 3-kinase delta (PI3K δ) in leukocyte signaling and function. <i>Cellular Signalling</i> , 2011, 23, 603-608. | 1.7 | 95 |
| 67 | Hesperetin-7,3'-O-dimethylether selectively inhibits phosphodiesterase 4 and effectively suppresses ovalbumin-induced airway hyperresponsiveness with a high therapeutic ratio. <i>Journal of Biomedical Science</i> , 2011, 18, 84. | 2.6 | 22 |
| 68 | TNF- α -Converting Enzyme/A Disintegrin and Metalloprotease γ 17 Mediates Mechanotransduction in Murine Tracheal Epithelial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 45, 376-385. | 1.4 | 24 |
| 69 | Identifying and testing potential new anti-asthma agents. <i>Expert Opinion on Drug Discovery</i> , 2011, 6, 1027-1044. | 2.5 | 0 |
| 70 | Biochanin A, a Phytoestrogenic Isoflavone with Selective Inhibition of Phosphodiesterase 4, Suppresses Ovalbumin-Induced Airway Hyperresponsiveness. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-13. | 0.5 | 37 |
| 71 | <i>S</i> -Petasin, the Main Sesquiterpene of <i>Petasites formosanus</i> , Inhibits Phosphodiesterase Activity and Suppresses Ovalbumin-Induced Airway Hyperresponsiveness. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-14. | 0.5 | 8 |
| 72 | The p110 γ subunit of PI3K regulates bone marrow-derived eosinophil trafficking and airway eosinophilia in allergen-challenged mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2012, 302, L1179-L1191. | 1.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Hesperetin, a Selective Phosphodiesterase 4 Inhibitor, Effectively Suppresses Ovalbumin-Induced Airway Hyperresponsiveness without Influencing Xylazine/Ketamine-Induced Anesthesia. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-10. | 0.5 | 14 |
| 74 | Hesperidin-3-O-Methylether Is More Potent than Hesperidin in Phosphodiesterase Inhibition and Suppression of Ovalbumin-Induced Airway Hyperresponsiveness. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-12. | 0.5 | 6 |
| 75 | Blockade of Phosphatidylinositol 3-Kinase (PI3K) γ or PI3K β Reduces IL-17 and Ameliorates Imiquimod-Induced Psoriasis-like Dermatitis. Journal of Immunology, 2012, 189, 4612-4620. | 0.4 | 71 |
| 76 | Regulation of CD38 Expression in Human Airway Smooth Muscle Cells. American Journal of Respiratory Cell and Molecular Biology, 2012, 47, 427-435. | 1.4 | 35 |
| 77 | Targeting Phosphoinositide 3-Kinase β in Airway Smooth Muscle Cells to Suppress Interleukin-13-Induced Mouse Airway Hyperresponsiveness. Journal of Pharmacology and Experimental Therapeutics, 2012, 342, 305-311. | 1.3 | 20 |
| 78 | PI3Ks as Drug Targets in Inflammation and Cancer. Sub-Cellular Biochemistry, 2012, 58, 111-181. | 1.0 | 9 |
| 79 | Selective inhibitors of phosphoinositide 3-kinase delta: modulators of B-cell function with potential for treating autoimmune inflammatory diseases and B-cell malignancies. Frontiers in Immunology, 2012, 3, 256. | 2.2 | 91 |
| 80 | p110 γ Phosphoinositide 3-Kinase Represses IgE Switch by Potentiating BCL6 Expression. Journal of Immunology, 2012, 188, 3700-3708. | 0.4 | 30 |
| 81 | Suppression of Nuclear Factor- κ B Activation and Inflammation in Microglia by Physically Modified Saline. Journal of Biological Chemistry, 2012, 287, 29529-29542. | 1.6 | 99 |
| 82 | Phosphoinositide 3-Kinases and Leukocyte Migration. Current Immunology Reviews, 2012, 8, 154-160. | 1.2 | 3 |
| 83 | Targeting phosphoinositide 3-kinase γ for allergic asthma. Biochemical Society Transactions, 2012, 40, 240-245. | 1.6 | 42 |
| 84 | Simultaneous quantitation of IC87114, roflumilast and its active metabolite roflumilast N-oxide in plasma by LC-MS/MS: application for a pharmacokinetic study. Journal of Mass Spectrometry, 2012, 47, 1612-1619. | 0.7 | 16 |
| 85 | PI3K β activation is required for LPS-induced reactive oxygen species generation in respiratory epithelial cells. Inflammation Research, 2012, 61, 1265-1272. | 1.6 | 6 |
| 86 | Inhibition of PI3K Signaling Spurs New Therapeutic Opportunities in Inflammatory/Autoimmune Diseases and Hematological Malignancies. Pharmacological Reviews, 2012, 64, 1027-1054. | 7.1 | 107 |
| 87 | PI3K γ and PI3K β as Targets for Autoimmune and Inflammatory Diseases. Journal of Medicinal Chemistry, 2012, 55, 8559-8581. | 2.9 | 82 |
| 88 | PI3 Kinase γ Is a Key Regulator of Synoviocyte Function in Rheumatoid Arthritis. American Journal of Pathology, 2012, 180, 1906-1916. | 1.9 | 92 |
| 89 | Skullcapflavone II inhibits ovalbumin-induced airway inflammation in a mouse model of asthma. International Immunopharmacology, 2012, 12, 666-674. | 1.7 | 41 |
| 90 | Attenuation of phosphoinositide 3-kinase γ signaling restrains autoimmune disease. Journal of Autoimmunity, 2012, 38, 381-391. | 3.0 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Anti-inflammatory effects of Tat-Annexin protein on ovalbumin-induced airway inflammation in a mouse model of asthma. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 1024-1029. | 1.0 | 28 |
| 92 | Phenotypic characterization of lung macrophages in asthmatic patients: Overexpression of CCL17. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 1404-1412.e7. | 1.5 | 110 |
| 93 | Phosphoinositides I: Enzymes of Synthesis and Degradation. <i>Sub-Cellular Biochemistry</i> , 2012, , . | 1.0 | 6 |
| 94 | The phosphoinositide 3-kinase p110 δ modulates contractile protein production and IL6 release in human airway smooth muscle. <i>Journal of Cellular Physiology</i> , 2012, 227, 3044-3052. | 2.0 | 27 |
| 95 | An <i>in vitro</i> method for detecting chemical sensitization using human reconstructed skin models and its applicability to cosmetic, pharmaceutical, and medical device safety testing. <i>Cutaneous and Ocular Toxicology</i> , 2012, 31, 292-305. | 0.5 | 69 |
| 96 | Phosphatidylinositol 3-kinase inhibitor suppresses inducible nitric oxide synthase expression in bronchiole epithelial cells in asthmatic rats. <i>Molecular and Cellular Biochemistry</i> , 2012, 359, 293-299. | 1.4 | 11 |
| 97 | PI3K- γ and PI3K- β Inhibition by IPI-145 Abrogates Immune Responses and Suppresses Activity in Autoimmune and Inflammatory Disease Models. <i>Chemistry and Biology</i> , 2013, 20, 1364-1374. | 6.2 | 219 |
| 98 | Selective pharmacological inhibition of phosphoinositide 3-kinase p110 δ opposes the progression of autoimmune diabetes in non-obese diabetic (NOD) mice. <i>Autoimmunity</i> , 2013, 46, 62-73. | 1.2 | 17 |
| 100 | Anti-inflammatory Effect of Arginase Inhibitor and Corticosteroid on Airway Allergic Reactions in a <i>Dermatophogoides farinae</i> -induced NC/Nga Mouse Model. <i>Inflammation</i> , 2013, 36, 141-151. | 1.7 | 11 |
| 101 | Identification of GNE-293, a potent and selective PI3K γ inhibitor: Navigating <i>in vitro</i> genotoxicity while improving potency and selectivity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 4953-4959. | 1.0 | 27 |
| 102 | Emerging airway smooth muscle targets to treat asthma. <i>Pulmonary Pharmacology and Therapeutics</i> , 2013, 26, 132-144. | 1.1 | 28 |
| 103 | Novel non-canonical TGF- β 2 signaling networks: Emerging roles in airway smooth muscle phenotype and function. <i>Pulmonary Pharmacology and Therapeutics</i> , 2013, 26, 50-63. | 1.1 | 39 |
| 104 | PI3K and Notch signal pathways coordinately regulate the activation and proliferation of T lymphocytes in asthma. <i>Life Sciences</i> , 2013, 92, 890-895. | 2.0 | 29 |
| 105 | Inflammatory Signalings Involved in Airway and Pulmonary Diseases. <i>Mediators of Inflammation</i> , 2013, 2013, 1-12. | 1.4 | 187 |
| 106 | Differential Roles of CXCL2 and CXCL3 and Their Receptors in Regulating Normal and Asthmatic Airway Smooth Muscle Cell Migration. <i>Journal of Immunology</i> , 2013, 191, 2731-2741. | 0.4 | 110 |
| 107 | EGF-Induced Bronchial Epithelial Cells Drive Neutrophil Chemotactic and Anti-Apoptotic Activity in Asthma. <i>PLoS ONE</i> , 2013, 8, e72502. | 1.1 | 36 |
| 108 | Phosphoinositide 3-kinase (PI3K) as a New Therapeutic Target for Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2013, 20, 74. | 0.4 | 0 |
| 109 | Consequences of acute ozone exposure imposed on the culminated allergic pulmonary inflammation in an established murine model of asthma. <i>Frontiers in Bioscience - Landmark</i> , 2013, 18, 838. | 3.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 110 | TEC and MAPK Kinase Signalling Pathways in T helper (TH) cell Development, TH2 Differentiation and Allergic Asthma. <i>Journal of Clinical & Cellular Immunology</i> , 2013, 01, 11. | 1.5 | 11 |
| 111 | Evaluation of WO2013136076: two crystalline forms of the phosphatidylinositol 3-kinase- γ inhibitor RV-1729. <i>Expert Opinion on Therapeutic Patents</i> , 2014, 24, 471-475. | 2.4 | 12 |
| 112 | Impact of ozone exposure on the response to glucocorticoid in a mouse model of asthma: involvements of p38 MAPK and MKP-1. <i>Respiratory Research</i> , 2014, 15, 126. | 1.4 | 18 |
| 113 | FIZZ1 promotes airway remodeling through the PI3K/Akt signaling pathway in asthma. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 1265-1270. | 0.8 | 26 |
| 114 | Inflammatory airway responses by nasal inoculation of suspended particulate matter in NC/Nga mice. <i>Environmental Toxicology</i> , 2014, 29, 642-654. | 2.1 | 19 |
| 115 | Development and validation of a highly sensitive LC-MS/MS method for quantification of IC87114 in mice plasma, bronchoalveolar lavage and lung samples: Application to pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 89, 197-202. | 1.4 | 1 |
| 116 | Low-level laser therapy suppresses the oxidative stress-induced glucocorticoids resistance in U937 cells: Relevance to cytokine secretion and histone deacetylase in alveolar macrophages. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2014, 130, 327-336. | 1.7 | 24 |
| 117 | Molecular targets on mast cells and basophils for novel therapies. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 530-544. | 1.5 | 123 |
| 118 | Activity and expression of histone acetylases and deacetylases in inflammatory phenotypes of asthma. <i>Clinical and Experimental Allergy</i> , 2014, 44, 47-57. | 1.4 | 55 |
| 119 | Reduction in Renal Ischemia-Reperfusion Injury in Mice by a Phosphoinositide 3-Kinase p110 γ -Specific Inhibitor. <i>Transplantation</i> , 2015, 99, 2070-2076. | 0.5 | 9 |
| 120 | G-Protein-Coupled Estrogen Receptor Agonist Suppresses Airway Inflammation in a Mouse Model of Asthma through IL-10. <i>PLoS ONE</i> , 2015, 10, e0123210. | 1.1 | 25 |
| 121 | Phosphatidylinositol 3-kinases pathway mediates lung caspase-1 activation and high mobility group box 1 production in a toluene-diisocyanate induced murine asthma model. <i>Toxicology Letters</i> , 2015, 236, 25-33. | 0.4 | 31 |
| 122 | Lineage-specific regulation of allergic airway inflammation by the lipid phosphatase Src homology 2 domain-containing inositol 5-phosphatase (SHIP-1). <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 725-736.e2. | 1.5 | 10 |
| 123 | Transcriptomic profiling of peripheral blood CD4+ T-cells in asthmatics with and without depression. <i>Gene</i> , 2015, 565, 282-287. | 1.0 | 13 |
| 124 | Cytokine-Induced Loss of Glucocorticoid Function: Effect of Kinase Inhibitors, Long-Acting β 2-Adrenoceptor Agonist and Glucocorticoid Receptor Ligands. <i>PLoS ONE</i> , 2015, 10, e0116773. | 1.1 | 27 |
| 125 | p110 δ Inhibits Monocyte Infiltration by Thioglycollate-Induced Peritoneal Inflammation but Not HCD-induced Inflammation and Atherosclerosis in APOE KO Mice. <i>Lipids</i> , 2015, 50, 839-846. | 0.7 | 2 |
| 126 | Th2 cytokines impair innate immune responses to rhinovirus in respiratory epithelial cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 910-920. | 2.7 | 136 |
| 127 | Rebamipide suppresses mite-induced asthmatic responses in NC/Nga mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 309, L872-L878. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 128 | The Role of p110 β in the Development and Activation of B Lymphocytes. <i>Advances in Experimental Medicine and Biology</i> , 2015, 850, 119-135. | 0.8 | 4 |
| 129 | p110 β / δ Double-Deficiency Induces Eosinophilia and IgE Production but Protects from OVA-Induced Airway Inflammation. <i>PLoS ONE</i> , 2016, 11, e0159310. | 1.1 | 3 |
| 130 | Kinases as Novel Therapeutic Targets in Asthma and Chronic Obstructive Pulmonary Disease. <i>Pharmacological Reviews</i> , 2016, 68, 788-815. | 7.1 | 93 |
| 131 | A phosphatidylinositol 3-kinase inhibitor strongly suppressed pulmonary vascular remodeling of allergic vasculitis in a murine model. <i>Experimental Lung Research</i> , 2016, 42, 111-120. | 0.5 | 5 |
| 132 | Phosphoinositide 3-Kinase δ Regulates Dectin-2 Signaling and the Generation of Th2 and Th17 Immunity. <i>Journal of Immunology</i> , 2016, 197, 278-287. | 0.4 | 12 |
| 133 | Anti-inflammatory potential of PI3K δ and JAK inhibitors in asthma patients. <i>Respiratory Research</i> , 2016, 17, 124. | 1.4 | 33 |
| 134 | Inhibition of PI3K promotes dilation of human small airways in a rho kinase-dependent manner. <i>British Journal of Pharmacology</i> , 2016, 173, 2726-2738. | 2.7 | 34 |
| 135 | Xanthines and Phosphodiesterase Inhibitors. <i>Handbook of Experimental Pharmacology</i> , 2016, 237, 63-91. | 0.9 | 43 |
| 136 | Sapponone A Attenuates Allergic Airway Inflammation in Ovalbumin-Induced Asthma. <i>International Archives of Allergy and Immunology</i> , 2016, 170, 180-186. | 0.9 | 27 |
| 137 | Phosphatidylinositol 3-Kinase p110 δ Isoform Regulates CD8+ T Cell Responses during Acute Viral and Intracellular Bacterial Infections. <i>Journal of Immunology</i> , 2016, 196, 1186-1198. | 0.4 | 24 |
| 138 | Autophagy is essential for ultrafine particle-induced inflammation and mucus hyperproduction in airway epithelium. <i>Autophagy</i> , 2016, 12, 297-311. | 4.3 | 144 |
| 139 | Phosphoinositide 3-kinase- δ regulates fungus-induced allergic lung inflammation through endoplasmic reticulum stress. <i>Thorax</i> , 2016, 71, 52-63. | 2.7 | 62 |
| 140 | Randomized phase 1 study of the phosphatidylinositol 3-kinase δ inhibitor idelalisib in patients with allergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1733-1741. | 1.5 | 29 |
| 141 | PI3K and ERK1/2 kinase inhibition potentiate protease inhibitor to attenuate allergen induced Th2 immune response in mouse. <i>European Journal of Pharmacology</i> , 2016, 776, 176-184. | 1.7 | 8 |
| 142 | Mast cell stabilisers. <i>European Journal of Pharmacology</i> , 2016, 778, 158-168. | 1.7 | 97 |
| 143 | Signal transduction and chemotaxis in mast cells. <i>European Journal of Pharmacology</i> , 2016, 778, 11-23. | 1.7 | 61 |
| 144 | IL-17A Monoclonal Antibody Partly Reverses the Glucocorticoids Insensitivity in Mice Exposed to Ozone. <i>Inflammation</i> , 2017, 40, 788-797. | 1.7 | 7 |
| 145 | Activating transcription factor 3 represses cigarette smoke-induced IL6 and IL8 expression via suppressing NF- κ B activation. <i>Toxicology Letters</i> , 2017, 270, 17-24. | 0.4 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 146 | TLR2 Regulates Allergic Airway Inflammation and Autophagy Through PI3K/Akt Signaling Pathway. <i>Inflammation</i> , 2017, 40, 1382-1392. | 1.7 | 38 |
| 147 | An investigation of the anti-inflammatory effects and a potential biomarker of PI3K γ inhibition in COPD T cells. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017, 44, 932-940. | 0.9 | 9 |
| 148 | Phosphoinositide 3-Kinase in Asthma: Novel Roles and Therapeutic Approaches. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2017, 56, 700-707. | 1.4 | 65 |
| 149 | Src-dependent EGFR transactivation regulates lung inflammation via downstream signaling involving ERK1/2, PI3K γ /Akt and NF κ B induction in a murine asthma model. <i>Scientific Reports</i> , 2017, 7, 9919. | 1.6 | 55 |
| 150 | MiR-139-5p inhibits proliferation and promoted apoptosis of human airway smooth muscle cells by downregulating the Brg1 gene. <i>Respiratory Physiology and Neurobiology</i> , 2017, 246, 9-16. | 0.7 | 37 |
| 151 | 1,6-O,O-Diacetylbritannilactone Inhibits Eotaxin-1 and ALOX15 Expression Through Inactivation of STAT6 in A549 Cells. <i>Inflammation</i> , 2017, 40, 1967-1974. | 1.7 | 9 |
| 153 | A new antagonist for CCR4 attenuates allergic lung inflammation in a mouse model of asthma. <i>Scientific Reports</i> , 2017, 7, 15038. | 1.6 | 22 |
| 154 | Mechanisms and treatments for severe, steroid-resistant allergic airway disease and asthma. <i>Immunological Reviews</i> , 2017, 278, 41-62. | 2.8 | 119 |
| 155 | Comprehensive attenuation of IL-25-induced airway hyperresponsiveness, inflammation and remodelling by the PI3K inhibitor LY294002. <i>Respirology</i> , 2017, 22, 78-85. | 1.3 | 14 |
| 156 | TNF-stimulated gene 6 promotes formation of hyaluronan-inter- α -inhibitor heavy chain complexes necessary for ozone-induced airway hyperresponsiveness. <i>Journal of Biological Chemistry</i> , 2017, 292, 20845-20858. | 1.6 | 24 |
| 157 | Involvements of p38 MAPK and oxidative stress in the ozone-induced enhancement of AHR and pulmonary inflammation in an allergic asthma model. <i>Respiratory Research</i> , 2017, 18, 216. | 1.4 | 37 |
| 158 | Urban particulate matter triggers lung inflammation via the ROS-MAPK-NF κ B signaling pathway. <i>Journal of Thoracic Disease</i> , 2017, 9, 4398-4412. | 0.6 | 161 |
| 159 | PI3K γ contributes to ER stress-associated asthma through ER-redox disturbances: the involvement of the RIDD κ RIG-I κ NF κ B axis. <i>Experimental and Molecular Medicine</i> , 2018, 50, e444-e444. | 3.2 | 27 |
| 160 | Plantamajoside Inhibits Lipopolysaccharide-Induced MUC5AC Expression and Inflammation through Suppressing the PI3K/Akt and NF κ B Signaling Pathways in Human Airway Epithelial Cells. <i>Inflammation</i> , 2018, 41, 795-802. | 1.7 | 23 |
| 161 | MTOR Suppresses Environmental Particle-Induced Inflammatory Response in Macrophages. <i>Journal of Immunology</i> , 2018, 200, 2826-2834. | 0.4 | 16 |
| 162 | Phosphoinositide 3-kinase γ (PI3K γ) in respiratory disease. <i>Biochemical Society Transactions</i> , 2018, 46, 361-369. | 1.6 | 19 |
| 163 | Phosphoinositide 3-kinase-delta could be a biomarker for eosinophilic nasal polyps. <i>Scientific Reports</i> , 2018, 8, 15990. | 1.6 | 0 |
| 164 | A Multicentre, Randomized, Double-Blind, Placebo-Controlled, Crossover Study To Investigate the Efficacy, Safety, Tolerability, and Pharmacokinetics of Repeat Doses of Inhaled Nemoralisib in Adults with Persistent, Uncontrolled Asthma. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 367, 405-413. | 1.3 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 165 | Can Controlling Endoplasmic Reticulum Dysfunction Treat Allergic Inflammation in Severe Asthma With Fungal Sensitization?. <i>Allergy, Asthma and Immunology Research</i> , 2018, 10, 106. | 1.1 | 8 |
| 166 | mTOR complexes differentially orchestrates eosinophil development in allergy. <i>Scientific Reports</i> , 2018, 8, 6883. | 1.6 | 17 |
| 167 | Defining Bronchial Asthma with Phosphoinositide 3-Kinase Delta Activation: Towards Endotype-Driven Management. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3525. | 1.8 | 19 |
| 168 | <p>Therapeutic potential of BLT1 antagonist for COPD: involvement of inducing autophagy and ameliorating inflammation</p>. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 3105-3116. | 2.0 | 11 |
| 170 | For Better or Worse: The Potential for Dose Limiting the On-Target Toxicity of PI 3-Kinase Inhibitors. <i>Biomolecules</i> , 2019, 9, 402. | 1.8 | 16 |
| 171 | Phosphoinositide 3-Kinase P110Î-Signaling Is Critical for Microbiota-Activated IL-10 Production by B Cells that Regulate Intestinal Inflammation. <i>Cells</i> , 2019, 8, 1121. | 1.8 | 15 |
| 172 | Preparation of human hair keratin/calcium alginate blend films. <i>Ferroelectrics</i> , 2019, 547, 27-36. | 0.3 | 0 |
| 173 | Discovery of a natural PI3KÎ inhibitor through virtual screening and biological assay study. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 709-714. | 1.0 | 2 |
| 174 | Inactivation of MTOR promotes autophagy-mediated epithelial injury in particulate matter-induced airway inflammation. <i>Autophagy</i> , 2020, 16, 435-450. | 4.3 | 76 |
| 175 | Evidence for the critical role of the PI3K signaling pathway in particulate matter-induced dysregulation of the inflammatory mediators COX-2/PGE2 and the associated epithelial barrier protein Filaggrin in the bronchial epithelium. <i>Cell Biology and Toxicology</i> , 2020, 36, 301-313. | 2.4 | 17 |
| 176 | PI3KÎ Inhibition as a Potential Therapeutic Target in COVID-19. <i>Frontiers in Immunology</i> , 2020, 11, 2094. | 2.2 | 23 |
| 177 | Inducible expression of heat shock protein 20 protects airway epithelial cells against oxidative injury involving the Nrf2-NQO-1 pathway. <i>Cell and Bioscience</i> , 2020, 10, 120. | 2.1 | 7 |
| 178 | Alpinetin prevents inflammatory responses in OVA-induced allergic asthma through modulating PI3K/AKT/NF-ÎB and HO-1 signaling pathways in mice. <i>International Immunopharmacology</i> , 2020, 89, 107073. | 1.7 | 28 |
| 179 | A Case for Phosphoinositide 3-Kinaseâ€Targeted Therapy for Infectious Disease. <i>Journal of Immunology</i> , 2020, 205, 3237-3245. | 0.4 | 6 |
| 180 | Roles of PI3K pan-inhibitors and PI3KÎ inhibitors in allergic lung inflammation: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2020, 10, 7608. | 1.6 | 17 |
| 181 | PI3K inhibitor treatment ameliorates the glucocorticoid insensitivity of PBMCs in severe asthma. <i>Clinical and Translational Medicine</i> , 2020, 9, 22. | 1.7 | 22 |
| 182 | Novel Strategies to Target Mast Cells in Disease. <i>Journal of Innate Immunity</i> , 2021, 13, 131-147. | 1.8 | 35 |
| 183 | Structural and Signaling Events Driving <i>Aspergillus fumigatus</i> -Induced Human Eosinophil Extracellular Trap Release. <i>Frontiers in Microbiology</i> , 2021, 12, 633696. | 1.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 184 | Autophagy Promotes Cigarette Smoke-Initiated and Elastin-Driven Bronchitis-Like Airway Inflammation in Mice. <i>Frontiers in Immunology</i> , 2021, 12, 594330. | 2.2 | 6 |
| 185 | Distinct roles of PI3K $\hat{\nu}$ and PI3K $\hat{\beta}$ in a toluene diisocyanate-induced murine asthma model. <i>Toxicology</i> , 2021, 454, 152747. | 2.0 | 5 |
| 186 | Selective deletion of SHIP-1 in hematopoietic cells in mice leads to severe lung inflammation involving ILC2 cells. <i>Scientific Reports</i> , 2021, 11, 9220. | 1.6 | 1 |
| 187 | PI3K inhibitors are finally coming of age. <i>Nature Reviews Drug Discovery</i> , 2021, 20, 741-769. | 21.5 | 222 |
| 188 | Impaired airway epithelial barrier integrity was mediated by PI3K $\hat{\nu}$ in a mouse model of lipopolysaccharide-induced acute lung injury. <i>International Immunopharmacology</i> , 2021, 95, 107570. | 1.7 | 13 |
| 189 | Particulate matter exposure is highly correlated to pediatric asthma exacerbation. <i>Aging</i> , 2021, 13, 17818-17829. | 1.4 | 5 |
| 190 | Effect of Vitamin D Deficiency and Supplementation in Lactation and Early Life on Allergic Airway Inflammation and the Expression of Autophagy-Related Genes in an Ovalbumin Mouse Model. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 4125-4141. | 1.6 | 5 |
| 191 | Targeting the PI3K/Akt/mTOR pathway: A therapeutic strategy in COVID-19 patients. <i>Immunology Letters</i> , 2021, 240, 1-8. | 1.1 | 26 |
| 192 | Phosphoinositide 3-Kinases in Health and Disease. <i>Sub-Cellular Biochemistry</i> , 2012, 58, 183-213. | 1.0 | 24 |
| 193 | CF airway smooth muscle transcriptome reveals a role for PYK2. <i>JCI Insight</i> , 2017, 2, . | 2.3 | 7 |
| 194 | Syk-Mediated Translocation of PI3K $\hat{\nu}$ to the Leading Edge Controls Lamellipodium Formation and Migration of Leukocytes. <i>PLoS ONE</i> , 2007, 2, e1132. | 1.1 | 44 |
| 195 | Role of SHIP-1 in the Adaptive Immune Responses to Aeroallergen in the Airway. <i>PLoS ONE</i> , 2010, 5, e14174. | 1.1 | 14 |
| 196 | Anti-Malarial Drug Artesunate Attenuates Experimental Allergic Asthma via Inhibition of the Phosphoinositide 3-Kinase/Akt Pathway. <i>PLoS ONE</i> , 2011, 6, e20932. | 1.1 | 97 |
| 197 | Human Mesenchymal Stem Cells Suppress the Stretch-Induced Inflammatory miR-155 and Cytokines in Bronchial Epithelial Cells. <i>PLoS ONE</i> , 2013, 8, e71342. | 1.1 | 24 |
| 198 | Proton-Sensing Ovarian Cancer G Protein-Coupled Receptor 1 on Dendritic Cells Is Required for Airway Responses in a Murine Asthma Model. <i>PLoS ONE</i> , 2013, 8, e79985. | 1.1 | 42 |
| 199 | Induction of neutrophil apoptosis by a Bcl-2 inhibitor reduces particulate matter-induced lung inflammation. <i>Aging</i> , 2018, 10, 1415-1423. | 1.4 | 15 |
| 200 | Early-life vancomycin treatment promotes airway inflammation and impairs microbiome homeostasis. <i>Aging</i> , 2019, 11, 2071-2081. | 1.4 | 17 |
| 201 | MiR-29b-3p promotes particulate matter-induced inflammatory responses by regulating the C1QTNF6/AMPK pathway. <i>Aging</i> , 2020, 12, 1141-1158. | 1.4 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 202 | Cross-talk of Signaling Pathways in the Pathogenesis of Allergic Asthma and Cataract. Protein and Peptide Letters, 2020, 27, 810-822. | 0.4 | 12 |
| 203 | The Therapeutic Potential for PI3K Inhibitors in Autoimmune Rheumatic Diseases. Open Rheumatology Journal, 2012, 6, 245-258. | 0.1 | 82 |
| 204 | Role of phosphoinositide 3-kinase in the pathogenesis of acute pancreatitis. World Journal of Gastroenterology, 2014, 20, 15190. | 1.4 | 12 |
| 205 | Epithelial PI3K- γ Promotes House Dust Mite-Induced Allergic Asthma in NLRP3 Inflammasome-Dependent and -Independent Manners. Allergy, Asthma and Immunology Research, 2020, 12, 338. | 1.1 | 14 |
| 206 | PIK3CD (phosphoinositide-3-kinase, catalytic, delta polypeptide). Atlas of Genetics and Cytogenetics in Oncology and Haematology, 2012, , . | 0.1 | 1 |
| 207 | Expression of phosphatidylinositol-3 kinase and effects of inhibitor Wortmannin on expression of tumor necrosis factor- α in severe acute pancreatitis associated with acute lung injury. World Journal of Emergency Medicine, 2015, 6, 299. | 0.5 | 10 |
| 208 | CircNPHP4 in monocyte-derived small extracellular vesicles controls heterogeneous adhesion in coronary heart atherosclerotic disease. Cell Death and Disease, 2021, 12, 948. | 2.7 | 26 |
| 209 | TNF_ Inhibitors Emerging Biologic Therapies for the Treatment of Asthma. , 2009, , . | | 0 |
| 211 | Antiallergic Effects of Caffeic Acid in Blomia Tropicalis Murine Model of Experimental Asthma. Journal of Lung, Pulmonary & Respiratory Research, 2014, 1, . | 0.3 | 0 |
| 213 | Ursolic Acid Suppresses Oncostatin M Expression through Blockade of PI3K/Akt/NF- κ B Signaling Processes in Neutrophil-like Differentiated HL-60 Cells. Processes, 2022, 10, 220. | 1.3 | 0 |
| 214 | Resveratrol Downregulates Granulocyte-Macrophage Colony-Stimulating Factor-Induced Oncostatin M Production through Blocking of PI3K/Akt/NF- κ B Signal Cascade in Neutrophil-like Differentiated HL-60 Cells. Current Issues in Molecular Biology, 2022, 44, 541-549. | 1.0 | 1 |
| 215 | Black Tea Alleviates Particulate Matter-Induced Lung Injury via the Gut-Lung Axis in Mice. Journal of Agricultural and Food Chemistry, 2021, 69, 15362-15373. | 2.4 | 12 |
| 216 | PI3K γ inhibition prevents IL33, ILC2s and inflammatory eosinophils in persistent airway inflammation. BMC Immunology, 2021, 22, 78. | 0.9 | 3 |
| 217 | Fgf10 Mediates protective Anti-Oxidative Effects in Particulate Matter (Pm)-Induced Lung Injury Through Nrf2 And nf- κ b Signaling. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 218 | Dioscin exhibits protective effects on in vivo and in vitro asthma models via suppressing TGF α β 1/Smad2/3 and AKT pathways. Journal of Biochemical and Molecular Toxicology, 2022, 36, e23084. | 1.4 | 5 |
| 219 | Treatment of allergic eosinophilic asthma through engineered IL-5-anchored chimeric antigen receptor T cells. Cell Discovery, 2022, 8, . | 3.1 | 9 |
| 221 | Advances in the Discovery of Novel Inhaled PI3K γ Inhibitors for the Treatment of Asthma. Current Medicinal Chemistry, 2023, 30, 1971-1992. | 1.2 | 0 |
| 222 | Developing PI3K Inhibitors for Respiratory Diseases. Current Topics in Microbiology and Immunology, 2022, , 437-466. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 223 | FGF10 mediates protective anti-oxidative effects in particulate matter-induced lung injury through Nrf2 and NF- κ B signaling. <i>Annals of Translational Medicine</i> , 2022, 10, 1203-1203. | 0.7 | 5 |
| 224 | Epidermal growth factor receptor in asthma: A promising therapeutic target?. <i>Respiratory Medicine</i> , 2023, 207, 107117. | 1.3 | 1 |
| 225 | Hydrogen Sulfide Downregulates Oncostatin M Expression via PI3K/Akt/NF- κ B Signaling Processes in Neutrophil-like Differentiated HL-60 Cells. <i>Antioxidants</i> , 2023, 12, 417. | 2.2 | 2 |
| 226 | Role of chemokine-like factor 1 as an inflammatory marker in diseases. <i>Frontiers in Immunology</i> , 0, 14, . | 2.2 | 4 |
| 227 | IOA-244 is a Non-ATP-competitive, Highly Selective, Tolerable PI3K Delta Inhibitor That Targets Solid Tumors and Breaks Immune Tolerance. <i>Cancer Research Communications</i> , 2023, 3, 576-591. | 0.7 | 6 |
| 228 | Severe COVID-19: Drugs and Clinical Trials. <i>Journal of Clinical Medicine</i> , 2023, 12, 2893. | 1.0 | 0 |