

# Molecular Pharmacological Phenotyping of EBI2

Journal of Biological Chemistry

281, 13199-13208

DOI: [10.1074/jbc.m602245200](https://doi.org/10.1074/jbc.m602245200)

Citation Report

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Identification of N-arachidonylglycine as the endogenous ligand for orphan G-protein-coupled receptor GPR18. <i>Biochemical and Biophysical Research Communications</i> , 2006, 347, 827-832.                                   | 1.0  | 248       |
| 2  | Do orphan G-protein-coupled receptors have ligand-independent functions?. <i>EMBO Reports</i> , 2006, 7, 1094-1098.   | 2.0  | 112       |
| 3  | Structure, function and physiological consequences of virally encoded chemokine seven transmembrane receptors. <i>British Journal of Pharmacology</i> , 2008, 153, S154-66.   | 2.7  | 45        |
| 4  | Alternative drug discovery approaches for orphan GPCRs. <i>Drug Discovery Today</i> , 2008, 13, 52-58.  | 3.2  | 33        |
| 5  | Gene expression profiling for the identification of G-protein coupled receptors in human platelets. <i>Thrombosis Research</i> , 2008, 122, 47-57.  | 0.8  | 140       |
| 6  | Viral hijacking of human receptors through heterodimerization. <i>Biochemical and Biophysical Research Communications</i> , 2008, 377, 93-97.   | 1.0  | 52        |
| 7  | Structural Motifs of Importance for the Constitutive Activity of the Orphan 7TM Receptor EBI2: Analysis of Receptor Activation in the Absence of an Agonist. <i>Molecular Pharmacology</i> , 2008, 74, 1008-1021.               | 1.0  | 32        |
| 8  | Orphan endogenous lipids and orphan GPCRs: A good match. <i>Prostaglandins and Other Lipid Mediators</i> , 2009, 89, 131-134.   | 1.0  | 38        |
| 9  | A constitutively active GPCR governs morphogenic transitions in <i>Cryptococcus neoformans</i> . <i>EMBO Journal</i> , 2009, 28, 1220-1233.   | 3.5  | 63        |
| 10 | EBI2 mediates B cell segregation between the outer and centre follicle. <i>Nature</i> , 2009, 460, 1122-1126.   | 13.7 | 331       |
| 11 | Guidance of B Cells by the Orphan G Protein-Coupled Receptor EBI2 Shapes Humoral Immune Responses. <i>Immunity</i> , 2009, 31, 259-269.   | 6.6  | 248       |
| 12 | Clonal expansions of cytotoxic T cells exist in the blood of patients with Waldenström macroglobulinemia but exhibit anergic properties and are eliminated by nucleoside analogue therapy. <i>Blood</i> , 2010, 115, 3580-3588. | 0.6  | 30        |
| 13 | Immune responses to Epstein-Barr virus: molecular interactions in the virus evasion of CD8+ T cell immunity. <i>Microbes and Infection</i> , 2010, 12, 173-181.   | 1.0  | 46        |
| 14 | Distinct expression and ligand-binding profiles of two constitutively active GPR17 splice variants. <i>British Journal of Pharmacology</i> , 2010, 159, 1092-1105.  | 2.7  | 56        |
| 15 | <i>In vivo</i> control of B-cell survival and antigen-specific B-cell responses. <i>Immunological Reviews</i> , 2010, 237, 90-103.  | 2.8  | 33        |
| 16 | Cell transformation mediated by the Epstein-Barr virus G protein-coupled receptor BILF1 is dependent on constitutive signaling. <i>Oncogene</i> , 2010, 29, 4388-4398.  | 2.6  | 44        |
| 17 | Finding the right niche: B-cell migration in the early phases of T-dependent antibody responses. <i>International Immunology</i> , 2010, 22, 413-419.   | 1.8  | 218       |
| 18 | Detection of Epstein-Barr Virus in Idiopathic Orbital Inflammatory Pseudotumor. , 2010, , .   |      | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | CXC Chemokine Receptor 4 Is a Cell Surface Receptor for Extracellular Ubiquitin. <i>Journal of Biological Chemistry</i> , 2010, 285, 15566-15576.  | 1.6 | 146       |
| 20 | Assessment of Constitutive Activity of a G Protein-Coupled Receptor, Cpr2, in <i>Cryptococcus neoformans</i> by Heterologous and Homologous Methods. <i>Methods in Enzymology</i> , 2010, 484, 397-412.      | 0.4 | 2         |
| 21 | The minor binding pocket: a major player in 7TM receptor activation. <i>Trends in Pharmacological Sciences</i> , 2010, 31, 567-574.  | 4.0 | 99        |
| 23 | EBI2 Operates Independently of but in Cooperation with CXCR5 and CCR7 To Direct B Cell Migration and Organization in Follicles and the Germinal Center. <i>Journal of Immunology</i> , 2011, 187, 4621-4628. | 0.4 | 83        |
| 24 | Ligand Modulation of the Epstein-Barr Virus-induced Seven-transmembrane Receptor EBI2. <i>Journal of Biological Chemistry</i> , 2011, 286, 29292-29302.  | 1.6 | 41        |
| 25 | EBI2 Guides Serial Movements of Activated B Cells and Ligand Activity Is Detectable in Lymphoid and Nonlymphoid Tissues. <i>Journal of Immunology</i> , 2011, 187, 3026-3032.                                | 0.4 | 103       |
| 26 | Unique Interaction Pattern for a Functionally Biased Ghrelin Receptor Agonist. <i>Journal of Biological Chemistry</i> , 2011, 286, 20845-20860.  | 1.6 | 42        |
| 27 | Molecular Characterization of Oxysterol Binding to the Epstein-Barr Virus-induced Gene 2 (GPR183). <i>Journal of Biological Chemistry</i> , 2012, 287, 35470-35483.  | 1.6 | 46        |
| 28 | Identification of Structural Motifs Critical for Epstein-Barr Virus-Induced Molecule 2 Function and Homology Modeling of the Ligand Docking Site. <i>Molecular Pharmacology</i> , 2012, 82, 1094-1103.       | 1.0 | 19        |
| 29 | EBI2 regulates CXCL13-mediated responses by heterodimerization with CXCR5. <i>FASEB Journal</i> , 2012, 26, 4841-4854.   | 0.2 | 35        |
| 30 | GPR18 in microglia: implications for the CNS and endocannabinoid system signalling. <i>British Journal of Pharmacology</i> , 2012, 167, 1575-1582.   | 2.7 | 64        |
| 31 | Virus Immune Evasion: New Mechanism and Implications in Disease Outcome. <i>Advances in Virology</i> , 2012, 2012, 1-1.  | 0.5 | 3         |
| 32 | Structural Diversity in Conserved Regions Like the DRY-Motif among Viral 7TM Receptors—A Consequence of Evolutionary Pressure?. <i>Advances in Virology</i> , 2012, 2012, 1-15.                              | 0.5 | 14        |
| 33 | Cannabinoid Signaling Through Non-CB1R/Non-CB2R Targets in Microglia. , 2013, , 143-171.   |     | 6         |
| 34 | An atlas and functional analysis of G-protein coupled receptors in human islets of Langerhans. , 2013, 139, 359-391.   |     | 168       |
| 35 | Small molecule antagonism of oxysterol-induced Epstein-Barr virus induced gene 2 (EBI2) activation. <i>FEBS Open Bio</i> , 2013, 3, 156-160.   | 1.0 | 30        |
| 36 | The chemotactic receptor EBI2 regulates the homeostasis, localization and immunological function of splenic dendritic cells. <i>Nature Immunology</i> , 2013, 14, 446-453.                                   | 7.0 | 188       |
| 37 | B cell localization: regulation by EBI2 and its oxysterol ligand. <i>Trends in Immunology</i> , 2013, 34, 336-341.   | 2.9 | 64        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 38 | On the role of 25-hydroxycholesterol synthesis by glioblastoma cell lines. Implications for chemotactic monocyte recruitment. <i>Experimental Cell Research</i> , 2013, 319, 1828-1838.                         | 1.2  | 61        |
| 39 | International Union of Basic and Clinical Pharmacology. LXXXVIII. G Protein-Coupled Receptor List: Recommendations for New Pairings with Cognate Ligands. <i>Pharmacological Reviews</i> , 2013, 65, 967-986.   | 7.1  | 250       |
| 40 | EBV BILF1 Evolved To Downregulate Cell Surface Display of a Wide Range of HLA Class I Molecules through Their Cytoplasmic Tail. <i>Journal of Immunology</i> , 2013, 190, 1672-1684.                            | 0.4  | 68        |
| 41 | EBI2 Is a Negative Regulator of Type I Interferons in Plasmacytoid and Myeloid Dendritic Cells. <i>PLoS ONE</i> , 2013, 8, e83457.  | 1.1  | 43        |
| 42 | Oxysterolâ€EBI2 signaling in immune regulation and viral infection. <i>European Journal of Immunology</i> , 2014, 44, 1904-1912.  | 1.6  | 35        |
| 43 | Identification and Characterization of Small Molecule Modulators of the Epsteinâ€Barr Virus-Induced Gene 2 (EBI2) Receptor. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 3358-3368.                        | 2.9  | 49        |
| 44 | 25-Hydroxycholesterols in innate and adaptive immunity. <i>Nature Reviews Immunology</i> , 2014, 14, 731-743.   | 10.6 | 296       |
| 45 | EBV, the Human Host, and the 7TM Receptors. <i>Progress in Molecular Biology and Translational Science</i> , 2015, 129, 395-427.  | 0.9  | 11        |
| 46 | An atlas of G-protein coupled receptor expression and function in human subcutaneous adipose tissue. , 2015, 146, 61-93.  |      | 65        |
| 47 | Biased signaling of lipids and allosteric actions of synthetic molecules for GPR119. <i>Biochemical Pharmacology</i> , 2016, 119, 66-75.  | 2.0  | 40        |
| 48 | The EBI2 signalling pathway plays a role in cellular crosstalk between astrocytes and macrophages. <i>Scientific Reports</i> , 2016, 6, 25520.  | 1.6  | 20        |
| 49 | The future of antiviral immunotoxins. <i>Journal of Leukocyte Biology</i> , 2016, 99, 911-925.  | 1.5  | 24        |
| 50 | Identification of a conserved gene signature associated with an exacerbated inflammatory environment in the hippocampus of aging rats. <i>Hippocampus</i> , 2017, 27, 435-449.                                  | 0.9  | 21        |
| 51 | Epstein-Barr Virusâ€induced Gene 2 Mediates Allergen-induced Leukocyte Migration into Airways. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 1576-1585.                        | 2.5  | 24        |
| 52 | Epstein-Barr Virusâ€induced Gene 2 and Leukocyte Airway Recruitment in Response to Allergen Challenge. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 1543-1544.                | 2.5  | 3         |
| 53 | Biased agonism and allosteric modulation of G proteinâ€coupled receptor 183 â€ a 7TM receptor also known as Epsteinâ€Barr virusâ€induced gene 2. <i>British Journal of Pharmacology</i> , 2017, 174, 2031-2042. | 2.7  | 13        |
| 54 | EBI2 overexpression in mice leads to B1 B-cell expansion and chronic lymphocytic leukemiaâ€like B-cell malignancies. <i>Blood</i> , 2017, 129, 866-878.   | 0.6  | 14        |
| 55 | Pharmacological Properties and Biological Functions of the GPR17 Receptor, a Potential Target for Neuro-Regenerative Medicine. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1051, 169-192.      | 0.8  | 24        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 56 | Cannabinoid Receptor-Related Orphan G Protein-Coupled Receptors. <i>Advances in Pharmacology</i> , 2017, 80, 223-247.  | 1.2  | 58        |
| 57 | Protein engineering of the chemokine CCL20 prevents psoriasiform dermatitis in an IL-23-dependent murine model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 12460-12465. | 3.3  | 48        |
| 58 | Prostaglandin E2 glyceryl ester is an endogenous agonist of the nucleotide receptor P2Y6. <i>Scientific Reports</i> , 2017, 7, 2380.   | 1.6  | 29        |
| 59 | Signaling via G proteins mediates tumorigenic effects of GPR87. <i>Cellular Signalling</i> , 2017, 30, 9-18.   | 1.7  | 21        |
| 60 | Novel Chemokine-Based Immunotoxins for Potent and Selective Targeting of Cytomegalovirus Infected Cells. <i>Journal of Immunology Research</i> , 2017, 2017, 1-12.   | 0.9  | 22        |
| 61 | EBI2 is a Sensor for dihydroxycholesterol gradients in neuroinflammation. <i>Biochimie</i> , 2018, 153, 52-55.   | 1.3  | 14        |
| 62 | EBI2 in splenic and local immune responses and in autoimmunity. <i>Journal of Leukocyte Biology</i> , 2018, 104, 313-322.  | 1.5  | 26        |
| 63 | Arrestin-independent constitutive endocytosis of GPR125/ADGRA3. <i>Annals of the New York Academy of Sciences</i> , 2019, 1456, 186-199.   | 1.8  | 21        |
| 64 | Some Prospective Alternatives for Treating Pain: The Endocannabinoid System and Its Putative Receptors GPR18 and GPR55. <i>Frontiers in Pharmacology</i> , 2018, 9, 1496.  | 1.6  | 67        |
| 65 | Gene Regulatory Programs Conferring Phenotypic Identities to Human NK Cells. <i>Cell</i> , 2019, 176, 348-360.e12.   | 13.5 | 125       |
| 66 | Ezetimibe Enhances Macrophage-to-Feces Reverse Cholesterol Transport in Golden Syrian Hamsters Fed a High-Cholesterol Diet. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 375, 349-356.                   | 1.3  | 4         |
| 67 | The genetics of asthma and the promise of genomics-guided drug target discovery. <i>Lancet Respiratory Medicine</i> , 2020, 8, 1045-1056.  | 5.2  | 98        |
| 68 | GPR183 Regulates Interferons, Autophagy, and Bacterial Growth During Mycobacterium tuberculosis Infection and Is Associated With TB Disease Severity. <i>Frontiers in Immunology</i> , 2020, 11, 601534.                         | 2.2  | 25        |
| 69 | GPR183-Oxysterol Axis in Spinal Cord Contributes to Neuropathic Pain. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 375, 349-357.   | 1.3  | 17        |
| 70 | 25-Dihydroxycholesterol Suppresses Hepatocellular Steatosis through GPR183/EBI2 in Mouse and Human Hepatocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 374, 142-150.                               | 1.3  | 10        |
| 71 | EBI2 Is Temporarily Upregulated in MO3.13 Oligodendrocytes during Maturation and Regulates Remyelination in the Organotypic Cerebellar Slice Model. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4342.         | 1.8  | 8         |
| 72 | Discovery of GPR183 Agonists Based on an Antagonist Scaffold. <i>ChemMedChem</i> , 2021, 16, 2623-2627.  | 1.6  | 6         |
| 73 | Multiple Targets for Oxysterols in Their Regulation of the Immune System. <i>Cells</i> , 2021, 10, 2078.   | 1.8  | 15        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 74 | Overview of Non-CB1/CB2 Cannabinoid Receptors: Chemistry and Modeling. <i>Receptors</i> , 2013, , 29-51.  | 0.2 | 1         |
| 75 | Functional Properties of Virus-Encoded and Virus-Regulated G Protein-Coupled Receptors. <i>Methods in Pharmacology and Toxicology</i> , 2014, , 45-65.  | 0.1 | 3         |
| 76 | EBI2 expression in B lymphocytes is controlled by the Epstein-Barr virus transcription factor, BRRF1 (Na), during viral infection. <i>Journal of General Virology</i> , 2017, 98, 435-446.  | 1.3 | 5         |
| 78 | The E92K Melanocortin 1 Receptor Mutant Induces cAMP Production and Arrestin Recruitment but Not ERK Activity Indicating Biased Constitutive Signaling. <i>PLoS ONE</i> , 2011, 6, e24644.  | 1.1 | 27        |
| 79 | Identification of Vascular and Hematopoietic Genes Downstream of etsrp by Deep Sequencing in Zebrafish. <i>PLoS ONE</i> , 2012, 7, e31658.  | 1.1 | 26        |
| 80 | Class A Orphans (version 2019.5) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .   | 0.2 | 8         |
| 81 | Intercellular Lipid Mediators and GPCR Drug Discovery. <i>Biomolecules and Therapeutics</i> , 2013, 21, 411-422.  | 1.1 | 36        |
| 82 | Overview of Nonclassical Cannabinoid Receptors. <i>Receptors</i> , 2013, , 3-27.  | 0.2 | 4         |
| 83 | GPR18 and NAGly Signaling: New Members of the Endocannabinoid Family or Distant Cousins?. , 2013, , 135-142.  |     | 0         |
| 84 | Class A Orphans (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .   | 0.2 | 0         |
| 86 | GPR183 Is Dispensable for B1 Cell Accumulation and Function, but Affects B2 Cell Abundance, in the Omentum and Peritoneal Cavity. <i>Cells</i> , 2022, 11, 494.   | 1.8 | 3         |
| 87 | A Blunted GPR183/Oxysterol Axis During Dysglycemia Results in Delayed Recruitment of Macrophages to the Lung During <i>Mycobacterium tuberculosis</i> Infection. <i>Journal of Infectious Diseases</i> , 2022, 225, 2219-2228.                              | 1.9 | 14        |
| 88 | Effects of Oxysterols on Immune Cells and Related Diseases. <i>Cells</i> , 2022, 11, 1251.  | 1.8 | 15        |
| 90 | Structures of oxysterol sensor EBI2/GPR183, a key regulator of the immune response. <i>Structure</i> , 2022, 30, 1016-1024.e5.  | 1.6 | 15        |
| 91 | Viral G Protein-Coupled Receptors Encoded by $\hat{1}^2$ - and $\hat{1}^3$ -Herpesviruses. <i>Annual Review of Virology</i> , 2022, 9, 329-351.   | 3.0 | 11        |
| 92 | Activation of GPR183 by 7 $\alpha$ ,25-Dihydroxycholesterol Induces Behavioral Hypersensitivity through Mitogen-Activated Protein Kinase and Nuclear Factor- $\kappa$ B. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2022, 383, 172-181. | 1.3 | 3         |
| 93 | Migration mediated by the oxysterol receptor GPR183 depends on arrestin coupling but not receptor internalization. <i>Science Signaling</i> , 2023, 16, .   | 1.6 | 1         |