

CITATION REPORT

List of articles citing

Neuregulin 1 transcripts are differentially expressed in schizophrenia and regulated by 5sSNPs associated with the disease

DOI: 10.1073/pnas.0602002103

Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 6747-52.

Source: <https://exaly.com/paper-pdf/41301213/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
365	Critical factors in gene expression in postmortem human brain: Focus on studies in schizophrenia. 2006 , 60, 650-8		204
364	Schizophrenia: Modeling a complex psychiatric disorder. 2006 , 3, 319-325		5
363	Modeling madness in mice: one piece at a time. 2006 , 52, 179-96		294
362	Pathophysiologically based treatment interventions in schizophrenia. 2006 , 12, 1016-22		280
361	A neuregulin 1 variant associated with abnormal cortical function and psychotic symptoms. 2006 , 9, 1477-8		208
360	[Advances in neurobiological understanding of schizophrenia. Perspectives for new therapeutic concepts]. 2006 , 77 Suppl 2, S65-74; quiz S75-6		4
359	Axonal regulation of myelination by neuregulin 1. 2006 , 16, 492-500		338
358	ErbB receptors: new insights on mechanisms and biology. 2006 , 16, 649-56		266
357	Allelic variation in RGS4 impacts functional and structural connectivity in the human brain. <i>Journal of Neuroscience</i> , 2007 , 27, 1584-93	6.6	91
356	Loss of erbB signaling in oligodendrocytes alters myelin and dopaminergic function, a potential mechanism for neuropsychiatric disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 8131-6	11.5	243
355	Alpha7 nicotinic acetylcholine receptor mRNA expression and binding in postmortem human brain are associated with genetic variation in neuregulin 1. 2007 , 16, 2921-32		51
354	Neuregulin1 (NRG1) signaling through Fyn modulates NMDA receptor phosphorylation: differential synaptic function in NRG1+/- knock-outs compared with wild-type mice. <i>Journal of Neuroscience</i> , 2007 , 27, 4519-29	6.6	153
353	Molecular cloning of a brain-specific, developmentally regulated neuregulin 1 (NRG1) isoform and identification of a functional promoter variant associated with schizophrenia. 2007 , 282, 24343-51		108
352	Gene expression in the etiology of schizophrenia. <i>Schizophrenia Bulletin</i> , 2008 , 34, 412-8	1.3	37
351	CRISPLD2: a novel NSCLP candidate gene. 2007 , 16, 2241-8		68
350	Genetic evidence implicating DARPP-32 in human frontostriatal structure, function, and cognition. 2007 , 117, 672-82		177
349	Resolving the latent structure of schizophrenia endophenotypes using expectation-maximization-based finite mixture modeling. 2007 , 116, 16-29		56

348	The neuregulin-1 receptor erbB4 controls glutamatergic synapse maturation and plasticity. 2007 , 54, 583-97	285
347	Phenotypic characterization of spatial cognition and social behavior in mice with knockout of the schizophrenia risk gene neuregulin 1. 2007 , 147, 18-27	193
346	Novel regional and developmental NMDA receptor expression patterns uncovered in NR2C subunit-beta-galactosidase knock-in mice. 2007 , 34, 468-80	74
345	Oxygen restriction of neonate rats elevates neuregulin-1alpha isoform levels: possible relationship to schizophrenia. 2007 , 51, 447-50	14
344	No association between the ERBB3 gene and schizophrenia in a Japanese population. 2007 , 57, 574-8	15
343	Impact of schizophrenia candidate genes on schizotypy and cognitive endophenotypes at the population level. 2007 , 62, 784-92	115
342	Disease-associated intronic variants in the ErbB4 gene are related to altered ErbB4 splice-variant expression in the brain in schizophrenia. 2007 , 16, 129-41	252
341	Glutamate and dopamine dysregulation in schizophrenia--a synthesis and selective review. 2007 , 21, 440-52	283
340	Acetylcholinesterase inhibitors may improve myelin integrity. 2007 , 62, 294-301	34
339	Schizophrenia susceptibility genes and neurodevelopment. 2007 , 61, 1119-20	26
338	Fabp7 maps to a quantitative trait locus for a schizophrenia endophenotype. 2007 , 5, e297	147
337	Postmortem Brain Studies: Focus on Susceptibility Genes in Schizophrenia. 2007 ,	
336	Expression of multiple catechol-o-methyltransferase (COMT) mRNA variants in human brain. 2007 , 144B, 834-9	32
335	Neuregulin1-induced cell migration is impaired in schizophrenia: association with neuregulin1 and catechol-o-methyltransferase gene polymorphisms. <i>Molecular Psychiatry</i> , 2007 , 12, 946-57	15.1 62
334	Evidence that many of the DISC1 isoforms in C57BL/6J mice are also expressed in 129S6/SvEv mice. <i>Molecular Psychiatry</i> , 2007 , 12, 897-9	15.1 45
333	d-Amino acid oxidase and serine racemase in human brain: normal distribution and altered expression in schizophrenia. 2007 , 26, 1657-69	143
332	Altered motor activity, exploration and anxiety in heterozygous neuregulin 1 mutant mice: implications for understanding schizophrenia. 2007 , 6, 677-87	140
331	Heterozygous neuregulin 1 mice are more sensitive to the behavioural effects of Delta9-tetrahydrocannabinol. 2007 , 192, 325-36	147

330	Schizophrenia: from brain morphology to psychopathology. 2007 , 9, 337-42		
329	The role of cerebellar genes in pathology of autism and schizophrenia. 2008 , 7, 279-94		43
328	Impact of neuregulin-1 on the pathophysiology of schizophrenia in human post-mortem studies. 2008 , 258 Suppl 5, 35-9		18
327	Neuregulin-1, a key axonal signal that drives Schwann cell growth and differentiation. 2008 , 56, 1491-7		182
326	The neuregulin 1 promoter polymorphism rs6994992 is not associated with chronic schizophrenia or neurocognition. 2008 , 147B, 1298-300		24
325	Recurrent CNVs disrupt three candidate genes in schizophrenia patients. 2008 , 83, 504-10		220
324	Genomewide association for schizophrenia in the CATIE study: results of stage 1. <i>Molecular Psychiatry</i> , 2008 , 13, 570-84	15.1	308
323	Neuregulin 1 in neural development, synaptic plasticity and schizophrenia. 2008 , 9, 437-52		770
322	Neuroimaging and molecular genetics of schizophrenia: pathophysiological advances and therapeutic potential. 2008 , 153 Suppl 1, S120-4		26
321	Molecular dissection of NRG1-ERBB4 signaling implicates PTPRZ1 as a potential schizophrenia susceptibility gene. <i>Molecular Psychiatry</i> , 2008 , 13, 162-72	15.1	63
320	The effects of a neuregulin 1 variant on white matter density and integrity. <i>Molecular Psychiatry</i> , 2008 , 13, 1054-9	15.1	170
319	Neuregulin-1 haplotype HAP(ICE) is associated with lower hippocampal volumes in schizophrenic patients and in non-affected family members. 2008 , 43, 1-6		38
318	The functional consequences of alternative promoter use in mammalian genomes. 2008 , 24, 167-77		264
317	Increased levels of serotonin 2A receptors and serotonin transporter in the CNS of neuregulin 1 hypomorphic/mutant mice. <i>Schizophrenia Research</i> , 2008 , 99, 341-9	3.6	38
316	Differential RNA expression between schizophrenic patients and controls of the dystrobrevin binding protein 1 and neuregulin 1 genes in immortalized lymphocytes. <i>Schizophrenia Research</i> , 2008 , 100, 281-90	3.6	25
315	Elevated neuregulin-1 and ErbB4 protein in the prefrontal cortex of schizophrenic patients. <i>Schizophrenia Research</i> , 2008 , 100, 270-80	3.6	153
314	Schizophrenia, "Just the Facts": what we know in 2008 part 1: overview. <i>Schizophrenia Research</i> , 2008 , 100, 4-19	3.6	232
313	Evidence of missense mutations on the neuregulin 1 gene affecting function of prepulse inhibition. 2008 , 63, 17-23		67

312	Support for neuregulin 1 as a susceptibility gene for bipolar disorder and schizophrenia. 2008 , 64, 419-27		95
311	Mechanisms of neuregulin action. 2008 , 289, 74-84; discussion 84-93		46
310	Specific developmental reductions in subventricular zone ErbB1 and ErbB4 mRNA in the human brain. 2008 , 26, 791-803		15
309	Neuregulin-1/ErbB signaling serves distinct functions in myelination of the peripheral and central nervous system. 2008 , 59, 581-95		278
308	Disruption to social dyadic interactions but not emotional/anxiety-related behaviour in mice with heterozygous knockout of the schizophrenia risk gene neuregulin-1. 2008 , 32, 462-6		81
307	Schizophrenia, "just the facts" what we know in 2008. 2. Epidemiology and etiology. <i>Schizophrenia Research</i> , 2008 , 102, 1-18	3.6	509
306	The effects of neuregulin1 on brain function in controls and patients with schizophrenia and bipolar disorder. 2008 , 42, 817-26		59
305	A roadmap to disentangle the molecular etiology of schizophrenia. 2008 , 23, 224-32		7
304	Association between polymorphisms in the vesicular monoamine transporter 1 gene (VMAT1/SLC18A1) on chromosome 8p and schizophrenia. 2008 , 57, 55-60		26
303	Common genetic variation and human disease. 2008 , 62, 1-32		47
302	Presynaptic type III neuregulin1-ErbB signaling targets $\alpha 7$ nicotinic acetylcholine receptors to axons. 2008 , 181, 511-21		46
301	Type III neuregulin-1 is required for normal sensorimotor gating, memory-related behaviors, and corticostriatal circuit components. <i>Journal of Neuroscience</i> , 2008 , 28, 6872-83	6.6	175
300	ErbB4-neuregulin signaling modulates synapse development and dendritic arborization through distinct mechanisms. 2008 , 283, 32944-56		86
299	DNA sequence-based phenotypic association analysis. 2008 , 60, 195-217		16
298	Cis- and trans- loci influence expression of the schizophrenia susceptibility gene DTNBP1. 2008 , 17, 1169-74		18
297	Role of glutamate in schizophrenia: integrating excitatory avenues of research. 2008 , 8, 1389-406		39
296	Expression of a GRM3 splice variant is increased in the dorsolateral prefrontal cortex of individuals carrying a schizophrenia risk SNP. 2008 , 33, 2626-34		62
295	Alteration of BACE1-dependent NRG1/ErbB4 signaling and schizophrenia-like phenotypes in BACE1-null mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 5585-90	11.5	245

294	The group II metabotropic glutamate receptor 3 (mGluR3, mGlu3, GRM3): expression, function and involvement in schizophrenia. 2008 , 22, 308-22	136
293	Schizophrenia: complex genetics, not fairy tales. 2008 , 38, 1697-9; discussion 1818-20	9
292	Chronic antipsychotic drug administration alters the expression of neuregulin 1beta, ErbB2, ErbB3, and ErbB4 in the rat prefrontal cortex and hippocampus. 2008 , 11, 553-61	33
291	Theories of cognition, emotion and the social world: missing links in psychosis. 219-237	6
290	Genetic vulnerability. 31-46	
289	Whole genome association study in a homogenous population in Shandong peninsula of China reveals JARID2 as a susceptibility gene for schizophrenia. 2009 , 2009, 536918	26
288	Identification of candidate regulatory SNPs by combination of transcription-factor-binding site prediction, SNP genotyping and haploChIP. 2009 , 37, e85	29
287	Genetic association of the activin A receptor gene (ACVR2A) and pre-eclampsia. 2009 , 15, 195-204	31
286	Analysis of a promoter polymorphism in the SMDF neuregulin 1 isoform in Schizophrenia. 2009 , 59, 205-12	5
285	Targeted disruption of the mouse Npal3 gene leads to deficits in behavior, increased IgE levels, and impaired lung function. 2009 , 125, 186-200	4
284	Neuregulin links dopaminergic and glutamatergic neurotransmission to control hippocampal synaptic plasticity. 2009 , 2, 261-4	20
283	Altered growth factor signaling pathways as the basis of aberrant stem cell maturation in schizophrenia. 2009 , 121, 115-22	52
282	ErbB receptors and the development of the nervous system. 2009 , 315, 611-8	99
281	Neuregulin 1 transgenic mice display reduced mismatch negativity, contextual fear conditioning and social interactions. 2009 , 1294, 116-27	103
280	A polymorphism of the neuregulin 1 gene (SNP8NRG243177/rs6994992) affects reactivity to expressed emotion in schizophrenia. 2009 , 150B, 418-20	31
279	Genetic variation in neuregulin1 is associated with differences in prefrontal engagement in children. 2009 , 30, 3934-43	11
278	Deficient NRG1-ERBB signaling alters social approach: relevance to genetic mouse models of schizophrenia. 2009 , 1, 302-12	29
277	Gene expression in the prefrontal cortex during adolescence: implications for the onset of schizophrenia. 2009 , 2, 28	83

276	Effects of a neuregulin 1 variant on conversion to schizophrenia and schizophreniform disorder in people at high risk for psychosis. <i>Molecular Psychiatry</i> , 2009 , 14, 118-9	15.1	51
275	A 5Ppromoter region SNP in NRG1 is associated with schizophrenia risk and type III isoform expression. <i>Molecular Psychiatry</i> , 2009 , 14, 741-3	15.1	35
274	Bias in genetic association studies and impact factor. <i>Molecular Psychiatry</i> , 2009 , 14, 119-20	15.1	48
273	Chromosome 8p as a potential hub for developmental neuropsychiatric disorders: implications for schizophrenia, autism and cancer. <i>Molecular Psychiatry</i> , 2009 , 14, 563-89	15.1	170
272	Survey of schizophrenia and bipolar disorder candidate genes using chromatin immunoprecipitation and tiled microarrays (ChIP-chip). 2009 , 23, 341-52		14
271	Fine mapping on chromosome 10q22-q23 implicates Neuregulin 3 in schizophrenia. 2009 , 84, 21-34		78
270	Genes for psychosis and creativity: a promoter polymorphism of the neuregulin 1 gene is related to creativity in people with high intellectual achievement. 2009 , 20, 1070-3		97
269	Associative learning and the genetics of schizophrenia. 2009 , 32, 359-65		26
268	DISC1 regulates new neuron development in the adult brain via modulation of AKT-mTOR signaling through KIAA1212. 2009 , 63, 761-73		258
267	The genetics of schizophrenia. 2009 , 164, 288-99		48
266	Levels of neuregulin 1 and 3 proteins in Brodmann's area 46 from subjects with schizophrenia and bipolar disorder. 2009 , 466, 27-9		11
265	A neuregulin 1 variant is associated with increased lateral ventricle volume in patients with first-episode schizophrenia. 2009 , 65, 535-40		47
264	The beta-secretase enzyme BACE in health and Alzheimer's disease: regulation, cell biology, function, and therapeutic potential. <i>Journal of Neuroscience</i> , 2009 , 29, 12787-94	6.6	418
263	Genetic risk for white matter abnormalities in bipolar disorder. 2009 , 21, 387-93		20
262	Support for NRG1 as a susceptibility factor for schizophrenia in a northern Swedish isolated population. 2009 , 66, 828-37		28
261	Behavioural characterization of neuregulin 1 type I overexpressing transgenic mice. 2009 , 20, 1523-8		70
260	The role of genes involved in neuroplasticity and neurogenesis in the observation of a gene-environment interaction (GxE) in schizophrenia. 2009 , 9, 506-18		51
259	Neuregulin 1 hypomorphic mutant mice: enhanced baseline locomotor activity but normal psychotropic drug-induced hyperlocomotion and prepulse inhibition regulation. 2009 , 12, 1383-93		80

258	A follow-up study: acute behavioural effects of Delta(9)-THC in female heterozygous neuregulin 1 transmembrane domain mutant mice. 2010 , 211, 277-89		54
257	Mice with genetically altered glutamate receptors as models of schizophrenia: a comprehensive review. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 285-94	9	56
256	Gene expression of NMDA receptor subunits in the cerebellum of elderly patients with schizophrenia. 2010 , 260, 101-11		33
255	Neuregulin-1 genotypes and eye movements in schizophrenia. 2010 , 260, 77-85		9
254	Influence of neuregulin1 genotype on neural substrate of perceptual matching in children. 2010 , 40, 157-66		4
253	Measurement and comparison of serum neuregulin 1 immunoreactivity in control subjects and patients with schizophrenia: an influence of its genetic polymorphism. 2010 , 117, 887-95		43
252	Molecular and cellular characterization of Neuregulin-1 type IV isoforms. 2010 , 113, 1163-76		17
251	Cytokine hypothesis of schizophrenia pathogenesis: evidence from human studies and animal models. 2010 , 64, 217-30		160
250	Genetic investigations in the CATIE sample. 237-254		
249	Common genetic variation in Neuregulin 3 (NRG3) influences risk for schizophrenia and impacts NRG3 expression in human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 15619-24	11.5	106
248	ErbB4 in parvalbumin-positive interneurons is critical for neuregulin 1 regulation of long-term potentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 21818-23	11.5	179
247	Disrupted-in-Schizophrenia-1 expression is regulated by beta-site amyloid precursor protein cleaving enzyme-1-neuregulin cascade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5622-7	11.5	85
246	Gene expression of neuregulin-1 isoforms in different brain regions of elderly schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 243-50	3.8	37
245	Executive function, neural circuitry, and genetic mechanisms in schizophrenia. 2010 , 35, 258-77		172
244	Lymphoblast and brain expression of AHI1 and the novel primate-specific gene, C6orf217, in schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2010 , 120, 159-66	3.6	16
243	Decreased Neuregulin 1 C-terminal fragment in Brodmann's area 6 of patients with schizophrenia. <i>Schizophrenia Research</i> , 2010 , 124, 200-7	3.6	22
242	Aumento de los valores de las proteínas neuregulina 1 y ErbB4 en la corteza prefrontal de pacientes esquizofrénicos. 2010 , 17, 54-62		
241	Aberrant regulation of alternative pre-mRNA splicing in schizophrenia. 2010 , 57, 691-704		30

240	Neuregulin 1-erbB4 pathway in schizophrenia: From genes to an interactome. 2010 , 83, 132-9		65
239	The neuregulin signaling pathway and schizophrenia: from genes to synapses and neural circuits. 2010 , 83, 122-31		127
238	Additive effect of NRG1 and DISC1 genes on lateral ventricle enlargement in first episode schizophrenia. 2010 , 53, 1016-22		37
237	Imaging genetics of structural brain connectivity and neural integrity markers. 2010 , 53, 848-56		17
236	Chemical genetics identifies small-molecule modulators of neuritogenesis involving neuregulin-1/ErbB4 signaling. 2010 , 1, 325-342		5
235	DISC1 in schizophrenia: genetic mouse models and human genomic imaging. <i>Schizophrenia Bulletin</i> , 2011 , 37, 14-20	1.3	77
234	Cysteine and histidine shuffling: mixing and matching cysteine and histidine residues in zinc finger proteins to afford different folds and function. 2011 , 40, 12619-32		34
233	Analyzing schizophrenia by DNA microarrays. 2011 , 69, 157-62		54
232	The influence of schizophrenia-related neuregulin-1 polymorphisms on sensorimotor gating in healthy males. 2011 , 69, 479-86		52
231	Genetic neuropathology of schizophrenia: new approaches to an old question and new uses for postmortem human brains. 2011 , 69, 140-5		72
230	Neurodevelopmental Origins of Schizophrenia. 2011 , 393-412		16
229	Lack of association to a NRG1 missense polymorphism in schizophrenia or bipolar disorder in a Costa Rican population. <i>Schizophrenia Research</i> , 2011 , 131, 52-7	3.6	18
228	TRP channels and psychiatric disorders. 2011 , 704, 987-1009		17
227	Animal Models of Schizophrenia and Related Disorders. 2011 ,		1
226	Modeling Schizophrenia in Neuregulin 1 and ErbB4 Mutant Mice. 2011 , 261-277		
225	Alterations in the expression of neuronal chloride transporters may contribute to schizophrenia. 2011 , 35, 410-4		20
224	Reciprocal signalling between NR2 subunits of the NMDA receptor and neuregulin1 and their role in schizophrenia. 2011 , 35, 896-904		32
223	Antipsychotic treatment and neuregulin 1-ErbB4 signalling in schizophrenia. 2011 , 35, 924-30		29

222	Concise review: the promise of human induced pluripotent stem cell-based studies of schizophrenia. 2011 , 29, 1915-22		60
221	Do transmembrane domain neuregulin 1 mutant mice exhibit a reliable sensorimotor gating deficit?. <i>Behavioural Brain Research</i> , 2011 , 223, 336-41	3-4	48
220	The role of the cerebellum in schizophrenia: from cognition to molecular pathways. 2011 , 66 Suppl 1, 71-7		68
219	Expression of ErbB4 in the neurons of Alzheimer β disease brain and APP/PS1 mice, a model of Alzheimer β disease. 2011 , 44, 116-27		33
218	Neuropathology of Schizophrenia. 2011 , 372-392		4
217	Animal models of schizophrenia. 2011 , 164, 1162-94		487
216	Schizophrenia susceptibility pathway neuregulin 1-ErbB4 suppresses Src upregulation of NMDA receptors. 2011 , 17, 470-8		126
215	A Src link in schizophrenia. 2011 , 17, 425-7		14
214	Transient exposure of neonatal mice to neuregulin-1 results in hyperdopaminergic states in adulthood: implication in neurodevelopmental hypothesis for schizophrenia. <i>Molecular Psychiatry</i> , 2011 , 16, 307-20	15.1	87
213	Neuregulin 3 (NRG3) as a susceptibility gene in a schizophrenia subtype with florid delusions and relatively spared cognition. <i>Molecular Psychiatry</i> , 2011 , 16, 860-6	15.1	60
212	Personalized medicine: new genomics, old lessons. 2011 , 130, 3-14		146
211	Linkage and association on 8p21.2-p21.1 in schizophrenia. 2011 , 156, 188-97		23
210	A phenotype-based genetic association study reveals the contribution of neuregulin1 gene variants to age of onset and positive symptom severity in schizophrenia. 2011 , 156B, 340-5		11
209	The CRISPLD2 gene is involved in cleft lip and/or cleft palate in a Chinese population. 2011 , 91, 918-24		17
208	Neuroplasticity signaling pathways linked to the pathophysiology of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 848-70	9	123
207	Dysbindin-1 and NRG-1 gene expression in immortalized lymphocytes from patients with schizophrenia. 2011 , 56, 478-83		25
206	Neuregulin 1 promotes excitatory synapse development and function in GABAergic interneurons. <i>Journal of Neuroscience</i> , 2011 , 31, 15-25	6.6	162
205	Specific regulation of NRG1 isoform expression by neuronal activity. <i>Journal of Neuroscience</i> , 2011 , 31, 8491-501	6.6	111

204	Adolescent onset of cortical disinhibition in schizophrenia: insights from animal models. <i>Schizophrenia Bulletin</i> , 2011 , 37, 484-92	1.3	109
203	DRD2/AKT1 interaction on D2 c-AMP independent signaling, attentional processing, and response to olanzapine treatment in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 1158-63	11.5	65
202	Increased expression of receptor phosphotyrosine phosphatase- Π s associated with molecular, cellular, behavioral and cognitive schizophrenia phenotypes. <i>Translational Psychiatry</i> , 2011 , 1, e8	8.6	31
201	Schizophrenia-related neuregulin-1 single-nucleotide polymorphisms lead to deficient smooth eye pursuit in a large sample of young men. <i>Schizophrenia Bulletin</i> , 2011 , 37, 822-31	1.3	15
200	Genome-wide copy number analysis uncovers a new HSCR gene: NRG3. 2012 , 8, e1002687		46
199	NMDA receptor hypofunction, parvalbumin-positive neurons, and cortical gamma oscillations in schizophrenia. <i>Schizophrenia Bulletin</i> , 2012 , 38, 950-7	1.3	319
198	Microduplications disrupting the MYT1L gene (2p25.3) are associated with schizophrenia. 2012 , 22, 206-9		35
197	Transgenic overexpression of the type I isoform of neuregulin 1 affects working memory and hippocampal oscillations but not long-term potentiation. <i>Cerebral Cortex</i> , 2012 , 22, 1520-9	5.1	59
196	The association of white matter volume in psychotic disorders with genotypic variation in NRG1, MOG and CNP: a voxel-based analysis in affected individuals and their unaffected relatives. <i>Translational Psychiatry</i> , 2012 , 2, e167	8.6	46
195	Schizophrenia-associated HapICE haplotype is associated with increased NRG1 type III expression and high nucleotide diversity. <i>Translational Psychiatry</i> , 2012 , 2, e104	8.6	62
194	Genetics of schizophrenia from a clinical perspective. 2012 , 24, 393-404		9
193	Evidence that schizophrenia risk variation in the ZNF804A gene exerts its effects during fetal brain development. 2012 , 169, 1301-8		64
192	Mouse models of genetic effects on cognition: relevance to schizophrenia. 2012 , 62, 1204-20		91
191	Genetic mouse models relevant to schizophrenia: taking stock and looking forward. 2012 , 62, 1164-7		16
190	Avoiding mouse traps in schizophrenia genetics: lessons and promises from current and emerging mouse models. 2012 , 211, 136-64		32
189	Convergent functional genomics of schizophrenia: from comprehensive understanding to genetic risk prediction. <i>Molecular Psychiatry</i> , 2012 , 17, 887-905	15.1	308
188	Animal models of schizophrenia emphasizing construct validity. 2012 , 105, 411-44		10
187	Neuregulin-1 genotype is associated with structural differences in the normal human brain. 2012 , 59, 2057-61		23

186	Brain connectivity in psychiatric imaging genetics. 2012 , 62, 2250-60		52
185	Decreased peripheral expression of neuregulin 1 in high-risk individuals who later converted to psychosis. <i>Schizophrenia Research</i> , 2012 , 135, 198-9	3.6	9
184	Statistical epistasis and progressive brain change in schizophrenia: an approach for examining the relationships between multiple genes. <i>Molecular Psychiatry</i> , 2012 , 17, 1093-102	15.1	22
183	Human genetics of schizophrenia. 2012 , 106, 37-52		4
182	Evidence for transcriptional factor dysregulation in the dorsal raphe nucleus of patients with major depressive disorder. 2012 , 6, 135		26
181	Finding a druggable target for schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 11902-3	11.5	11
180	Neuregulin 1-ErbB4-PI3K signaling in schizophrenia and phosphoinositide 3-kinase-p110 β inhibition as a potential therapeutic strategy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 12165-70	11.5	106
179	Synaptic dysfunction in schizophrenia. 2012 , 970, 493-516		52
178	Schizophrenia susceptibility alleles are enriched for alleles that affect gene expression in adult human brain. <i>Molecular Psychiatry</i> , 2012 , 17, 193-201	15.1	104
177	Dysregulated Src upregulation of NMDA receptor activity: a common link in chronic pain and schizophrenia. 2012 , 279, 2-11		46
176	Association study of myelin transcription factor 1-like polymorphisms with schizophrenia in Han Chinese population. 2012 , 11, 87-93		24
175	The first decade and beyond of transcriptional profiling in schizophrenia. 2012 , 45, 23-36		59
174	Neuregulin-1 signalling and antipsychotic treatment: potential therapeutic targets in a schizophrenia candidate signalling pathway. 2013 , 226, 201-15		39
173	A neuregulin 1 transmembrane domain mutation causes imbalanced glutamatergic and dopaminergic receptor expression in mice. 2013 , 248, 670-80		30
172	Evaluating the role of the alpha-7 nicotinic acetylcholine receptor in the pathophysiology and treatment of schizophrenia. 2013 , 86, 1122-32		102
171	Losing your inhibition: linking cortical GABAergic interneurons to schizophrenia. 2013 , 53, 36-48		69
170	Association study of neuregulin-1 gene polymorphisms in a North Indian schizophrenia sample. <i>Schizophrenia Research</i> , 2013 , 144, 24-30	3.6	28
169	Synapse-specific contributions in the cortical pathology of schizophrenia. 2013 , 53, 26-35		22

168	Progress in imaging the effects of psychosis susceptibility gene variants. 2013 , 13, 37-47		6
167	Switching metal ion coordination and DNA Recognition in a Tandem CCHHC-type zinc finger peptide. 2013 , 52, 4721-8		8
166	Reversal of behavioral deficits and synaptic dysfunction in mice overexpressing neuregulin 1. 2013 , 78, 644-57		95
165	Multiple variants aggregate in the neuregulin signaling pathway in a subset of schizophrenia patients. <i>Translational Psychiatry</i> , 2013 , 3, e264	8.6	31
164	Oligodendrocyte genes, white matter tract integrity, and cognition in schizophrenia. <i>Cerebral Cortex</i> , 2013 , 23, 2044-57	5.1	57
163	Neuregulin-1 impairs the long-term depression of hippocampal inhibitory synapses by facilitating the degradation of endocannabinoid 2-AG. <i>Journal of Neuroscience</i> , 2013 , 33, 15022-31	6.6	25
162	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , 2013 , 3, e251	8.6	25
161	Spine Homeostasis as a Novel Therapeutic Target for Schizophrenia. 2013 , S1,		1
160	Biomarker investigations related to pathophysiological pathways in schizophrenia and psychosis. 2013 , 7, 95		26
159	Reward learning as a potential target for pharmacological augmentation of cognitive remediation for schizophrenia: a roadmap for preclinical development. 2013 , 7, 103		19
158	Schizophrenia: susceptibility genes and oligodendroglial and myelin related abnormalities. 2014 , 8, 5		67
157	Neuron-specific regulation of class I PI3K catalytic subunits and their dysfunction in brain disorders. 2014 , 7, 12		37
156	Use of Behavioral Analysis in Animal Models for Schizophrenia Research. 2014 , 17, 12		
155	Schizophrenia-risk variant rs6994992 in the neuregulin-1 gene on brain developmental trajectories in typically developing children. <i>Translational Psychiatry</i> , 2014 , 4, e392	8.6	9
154	Striatal response to reward anticipation: evidence for a systems-level intermediate phenotype for schizophrenia. 2014 , 71, 531-9		74
153	Effects of neuregulin-1 genetic variation and depression symptom severity on longitudinal patterns of psychotic symptoms in primary care attendees. 2014 , 165B, 62-7		7
152	Ablation of ErbB4 from excitatory neurons leads to reduced dendritic spine density in mouse prefrontal cortex. 2014 , 522, 3351-62		19
151	NRG1/ErbB4 and the PI3K/AKT pathway: Novel therapeutic options for schizophrenia. <i>Schizophrenia Research</i> , 2014 , 160, e10-e11	3.6	1

150	Expression of ZNF804A in human brain and alterations in schizophrenia, bipolar disorder, and major depressive disorder: a novel transcript fetally regulated by the psychosis risk variant rs1344706. 2014 , 71, 1112-20	89
149	Common variants in psychiatric risk genes predict brain structure at birth. <i>Cerebral Cortex</i> , 2014 , 24, 1230-46	100
148	Reversible overexpression of bace1-cleaved neuregulin-1 N-terminal fragment induces schizophrenia-like phenotypes in mice. 2014 , 76, 120-7	43
147	Using genetic findings in autism for the development of new pharmaceutical compounds. 2014 , 231, 1063-78	15
146	Neuregulin-ERBB signaling in the nervous system and neuropsychiatric diseases. 2014 , 83, 27-49	342
145	Molecular evolution in the CREB1 signal pathway and a rare haplotype in CREB1 with genetic predisposition to schizophrenia. 2014 , 57, 84-9	10
144	Partial genetic deletion of neuregulin 1 modulates the effects of stress on sensorimotor gating, dendritic morphology, and HPA axis activity in adolescent mice. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1272-84 ^{1,3}	26
143	Cognitive outcome and gamma noise power unrelated to neuregulin 1 and 3 variation in schizophrenia. 2014 , 13, 18	5
142	TrkB interacts with ErbB4 and regulates NRG1-induced NR2B phosphorylation in cortical neurons before synaptogenesis. 2014 , 12, 47	15
141	Effects of schizophrenia risk variation in the NRG1 gene on NRG1-IV splicing during fetal and early postnatal human neocortical development. 2014 , 171, 979-89	21
140	Dopaminergic function in relation to genes associated with risk for schizophrenia: translational mutant mouse models. 2014 , 211, 79-112	17
139	What causes aberrant salience in schizophrenia? A role for impaired short-term habituation and the GRIA1 (GluA1) AMPA receptor subunit. <i>Molecular Psychiatry</i> , 2014 , 19, 1060-70	15.1 55
138	Dysregulated expression of neuregulin-1 by cortical pyramidal neurons disrupts synaptic plasticity. 2014 , 8, 1130-45	66
137	Genetic mouse models of neuregulin 1: gene dosage effects, isoform-specific functions, and relevance to schizophrenia. 2014 , 76, 89-90	7
136	Risk genes for schizophrenia: translational opportunities for drug discovery. <i>Pharmacology & Therapeutics</i> , 2014 , 143, 34-50	13.9 24
135	Pathological aggression. 86-96	
134	Schizophrenia. 189-207	1
133	The Neurobiology of Schizophrenia. 2015 , 303-319	

132	Alterations in Gene Expression in Depression: Prospects for Personalize Patient Treatment. 2015 , 101, 97-124		1
131	Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. 2015 , 25, 147-54		9
130	Neuronal migration abnormalities and its possible implications for schizophrenia. 2015 , 9, 74		49
129	Neurobehavioral Differences Between Mice Receiving Distinct Neuregulin Variants as Neonates; Impact on Sensitivity to MK-801. 2015 , 15, 222-36		8
128	Differential effects of short- and long-term antipsychotic treatment on the expression of neuregulin-1 and ErbB4 receptors in the rat brain. 2015 , 225, 347-54		11
127	Genetic variants in Nogo receptor signaling pathways may be associated with early life adversity in schizophrenia susceptibility. 2015 , 3, 36-43		2
126	Preliminary evidence of an interaction between the CRISPLD2 gene and non-syndromic cleft lip with or without cleft palate (nsCL/P) in Xinjiang Uyghur population, China. 2015 , 79, 94-100		8
125	Glia-related genes and their contribution to schizophrenia. 2015 , 69, 448-61		22
124	A decade from discovery to therapy: Lingo-1, the dark horse in neurological and psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 56, 97-114	9	29
123	Neural Zinc Finger Factor/Myelin Transcription Factor Proteins: Metal Binding, Fold, and Function. 2015 , 54, 4443-52		4
122	Two functional promoter polymorphisms of neuregulin 1 gene are associated with progressive forms of multiple sclerosis. 2015 , 351, 154-159		7
121	ERBB4 polymorphism and family history of psychiatric disorders on age-related cortical changes in healthy children. 2015 , 9, 128-40		1
120	Decreased plasma levels of neureglin-1 in drug naïve patients and chronic patients with schizophrenia. 2015 , 606, 220-4		15
119	Neuregulin 1 Prevents Phencyclidine-Induced Behavioral Impairments and Disruptions to GABAergic Signaling in Mice. 2015 , 18, pyu114		13
118	Modulation of schizophrenia-related genes in the forebrain of adolescent and adult rats exposed to maternal immune activation. <i>Schizophrenia Research</i> , 2015 , 168, 411-20	3.6	26
117	Neuregulin 1 Controls Glutamate Uptake by Up-regulating Excitatory Amino Acid Carrier 1 (EAAC1). 2015 , 290, 20233-44		18
116	Myelin, myelin-related disorders, and psychosis. <i>Schizophrenia Research</i> , 2015 , 161, 85-93	3.6	89
115	The current and potential impact of genetics and genomics on neuropsychopharmacology. 2015 , 25, 671-81		9

114	Neurodevelopment, GABA system dysfunction, and schizophrenia. 2015 , 40, 190-206		127
113	Calcitonin stimulates neuregulin 1 maturation and signaling. <i>Molecular Psychiatry</i> , 2015 , 20, 1251-60	15.1	9
112	Recent genetic findings in schizophrenia and their therapeutic relevance. 2015 , 29, 85-96		124
111	Perinatal asphyxia alters neuregulin-1 and COMT gene expression in the medial prefrontal cortex in rats. 2015 , 56, 149-54		11
110	Neuregulin 1 signalling modulates mGluR1 function in mesencephalic dopaminergic neurons. <i>Molecular Psychiatry</i> , 2015 , 20, 959-73	15.1	26
109	Dimensions of GSK3 Monoamine-Related Intracellular Signaling in Schizophrenia. 2016 , 23, 447-462		
108	Mouse Models of Schizophrenia: Risk Genes. 2016 , 23, 267-284		
107	Expression of the Longest RGS4 Splice Variant in the Prefrontal Cortex Is Associated with Single Nucleotide Polymorphisms in Schizophrenia Patients. <i>Frontiers in Psychiatry</i> , 2016 , 7, 26	5	6
106	The role of P2X7 receptors in a rodent PCP-induced schizophrenia model. 2016 , 6, 36680		26
105	A human-specific AS3MT isoform and BORCS7 are molecular risk factors in the 10q24.32 schizophrenia-associated locus. 2016 , 22, 649-56		112
104	Behavioral, Neurophysiological, and Synaptic Impairment in a Transgenic Neuregulin1 (NRG1-IV) Murine Schizophrenia Model. <i>Journal of Neuroscience</i> , 2016 , 36, 4859-75	6.6	38
103	Positive Traits in the Bipolar Spectrum: The Space between Madness and Genius. 2017 , 2, 198-212		12
102	Sub-chronic Antipsychotic Drug Administration Reverses the Expression of Neuregulin 1 and ErbB4 in a Cultured MK801-Induced Mouse Primary Hippocampal Neuron or a Neurodevelopmental Schizophrenia Model. 2016 , 41, 2049-64		13
101	Neuregulin-1 and schizophrenia in the genome-wide association study era. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 68, 387-409	9	50
100	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. 2016 , 53, 6608-6619		13
99	From Genetics to Genomics: A Short Introduction for Pediatric Neurologists. 2016 , 47, 5-11		1
98	Neurexin 1 (NRXN1) splice isoform expression during human neocortical development and aging. <i>Molecular Psychiatry</i> , 2016 , 21, 701-6	15.1	28
97	Variation at NRG1 genotype related to modulation of small-world properties of the functional cortical network. 2017 , 267, 25-32		3

96	Down-Regulation of Neuregulin1/ErbB4 Signaling in the Hippocampus Is Critical for Learning and Memory. 2017 , 54, 3976-3987		26
95	Neuregulin-1 mutant mice indicate motor and sensory deficits, indeed few references for schizophrenia endophenotype model. <i>Behavioural Brain Research</i> , 2017 , 322, 177-185	3-4	5
94	Molecular mechanisms underlying noncoding risk variations in psychiatric genetic studies. <i>Molecular Psychiatry</i> , 2017 , 22, 497-511	15.1	28
93	RETRACTION: Illuminating the dark road from schizophrenia genetic associations to disease mechanisms. 2017 , 4, 240-251		4
92	A functional neuregulin-1 gene variant and stressful life events: Effect on drug use in a longitudinal population-representative cohort study. 2017 , 31, 54-61		8
91	Translating advances in the molecular basis of schizophrenia into novel cognitive treatment strategies. 2017 , 174, 3173-3190		12
90	Spironolactone is an antagonist of NRG1-ERBB4 signaling and schizophrenia-relevant endophenotypes in mice. 2017 , 9, 1448-1462		21
89	Elevated peripheral expression of neuregulin-1 (NRG1) mRNA isoforms in clozapine-treated schizophrenia patients. <i>Translational Psychiatry</i> , 2017 , 7, 1280	8.6	21
88	A group II metabotropic glutamate receptor 3 (mGlu3, GRM3) isoform implicated in schizophrenia interacts with canonical mGlu3 and reduces ligand binding. 2017 , 31, 1519-1526		6
87	The Genetics of Cognition in Schizophrenia: Combining Mouse and Human Studies. 2017 , 115-142		
86	Prediction Analysis for Transition to Schizophrenia in Individuals at Clinical High Risk for Psychosis: The Relationship of , and Variants with Negative Symptoms and Cognitive Deficits. <i>Frontiers in Psychiatry</i> , 2017 , 8, 292	5	11
85	Specialized Information Processing Deficits and Distinct Metabolomic Profiles Following TM-Domain Disruption of Nrg1. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1100-1113	1.3	2
84	A gender dimorphism in up-regulation of BACE1 gene expression in schizophrenia. 2018 , 33, 933-937		4
83	Brain, blood, cerebrospinal fluid, and serum biomarkers in schizophrenia. 2018 , 265, 25-38		42
82	A Novel Ultrasensitive In Situ Hybridization Approach to Detect Short Sequences and Splice Variants with Cellular Resolution. 2018 , 55, 6169-6181		36
81	Schizophrenia-relevant behaviours of female mice overexpressing neuregulin 1 type III. <i>Behavioural Brain Research</i> , 2018 , 353, 227-235	3-4	16
80	Neuregulin 3 and its roles in schizophrenia risk and presentation. 2018 , 177, 257-266		11
79	Overexpression of Neuregulin 1 Type III Confers Hippocampal mRNA Alterations and Schizophrenia-Like Behaviors in Mice. <i>Schizophrenia Bulletin</i> , 2018 , 44, 865-875	1.3	15

78	Neuregulin-1 (NRG1) polymorphisms linked with psychosis transition are associated with enlarged lateral ventricles and white matter disruption in schizophrenia. 2018 , 48, 801-809		9
77	ErbB signaling antagonist ameliorates behavioral deficit induced by phencyclidine (PCP) in mice, without affecting metabolic syndrome markers. 2018 , 82, 322-331		6
76	Constitutive loss and acute pharmacological manipulation of ErbB4 signaling do not affect attention and inhibitory control in mice. 2018 , 17, 56-69		3
75	Neuregulin1 types mRNA level changes in autism spectrum disorder, and is associated with deficit in executive functions. 2018 , 37, 483-488		10
74	Excitotoxicity. 2018 , 70-100		
73	Altered hippocampal gene expression and structure in transgenic mice overexpressing neuregulin 1 (Nrg1) type I. <i>Translational Psychiatry</i> , 2018 , 8, 229	8.6	6
72	Immediate Early Genes Anchor a Biological Pathway of Proteins Required for Memory Formation, Long-Term Depression and Risk for Schizophrenia. 2018 , 12, 23		13
71	Antibody-mediated stabilization of NRG1 induces behavioral and electrophysiological alterations in adult mice. 2018 , 8, 8239		6
70	Neuregulin 1 (NRG1) gene expression predicts functional outcomes in individuals at clinical high-risk for psychosis. 2018 , 266, 143-146		3
69	The other side of the coin: Hypersociability. 2019 , 18, e12512		5
68	Effect of age onset on schizophrenia-like phenotypes and underlying mechanisms in model mice. 2019 , 89, 465-474		4
67	The Association Between Schizophrenia Risk Variants and Creativity in Healthy Han Chinese Subjects. 2019 , 10, 2218		3
66	Neuregulin-1/ErbB network: An emerging modulator of nervous system injury and repair. 2019 , 180, 101643		38
65	Association between schizophrenia risk allele dosage of rs6994992 and whole-brain structural and functional characteristics. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 294, 110956	2.9	3
64	Biochemical Pathways Triggered by Antipsychotics in Human [corrected] Oligodendrocytes: Potential of Discovering New Treatment Targets. <i>Frontiers in Pharmacology</i> , 2019 , 10, 186	5.6	10
63	Can N-Methyl-D-Aspartate Receptor Hypofunction in Schizophrenia Be Localized to an Individual Cell Type?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 835	5	11
62	Genetic study of neuregulin 1 and receptor tyrosine-protein kinase erbB-4 in tardive dyskinesia. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 91-95	3.8	8
61	The origin of NMDA receptor hypofunction in schizophrenia. <i>Pharmacology & Therapeutics</i> , 2020 , 205, 107426	13.9	48

60	Temporal Dynamics of the Neuregulin-ErbB Network in the Murine Prefrontal Cortex across the Lifespan. <i>Cerebral Cortex</i> , 2020 , 30, 3325-3339	5.1	0
59	Prefrontal cortical alterations of glutamate and GABA neurotransmission in schizophrenia: Insights for rational biomarker development. <i>Biomarkers in Neuropsychiatry</i> , 2020 , 3,	3.8	7
58	Neuregulin 1: an intriguing therapeutic target for neurodevelopmental disorders. <i>Translational Psychiatry</i> , 2020 , 10, 190	8.6	8
57	Adolescent cannabinoid exposure interacts with other risk factors in schizophrenia: A review of the evidence from animal models. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 116, 202-220	9	6
56	Add-on spironolactone as antagonist of the NRG1-ERBB4 signaling pathway for the treatment of schizophrenia: Study design and methodology of a multicenter randomized, placebo-controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020 , 17, 100537	1.8	6
55	Creativity and Bipolar Disorder: A Shared Genetic Vulnerability. <i>Annual Review of Clinical Psychology</i> , 2020 , 16, 239-264	20.5	7
54	A Human-Specific Schizophrenia Risk Tandem Repeat Affects Alternative Splicing of a Human-Unique Isoform AS3MTd2d3 and Mushroom Dendritic Spine Density. <i>Schizophrenia Bulletin</i> , 2021 , 47, 219-227	1.3	10
53	Overexpression of neuregulin 1 in GABAergic interneurons results in reversible cortical disinhibition. <i>Nature Communications</i> , 2021 , 12, 278	17.4	6
52	An alternative splicing hypothesis for neuropathology of schizophrenia: evidence from studies on historical candidate genes and multi-omics data. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
51	Hyperactivity is a Core Endophenotype of Elevated Neuregulin-1 Signaling in Embryonic Glutamatergic Networks. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1409-1420	1.3	0
50	Spine impairment in mice high-expressing neuregulin 1 due to LIMK1 activation. <i>Cell Death and Disease</i> , 2021 , 12, 403	9.8	5
49	Effects of handling on the behavioural phenotype of the neuregulin 1 type III transgenic mouse model for schizophrenia. <i>Behavioural Brain Research</i> , 2021 , 405, 113166	3.4	0
48	Prenatal dexamethasone exposure induces anxiety- and depressive-like behavior of male offspring rats through intrauterine programming of the activation of NRG1-ErbB4 signaling in hippocampal PV interneurons. <i>Cell Biology and Toxicology</i> , 2021 , 1	7.4	0
47	Association and epistatic analysis of white matter related genes across the continuum schizophrenia and autism spectrum disorders: The joint effect of NRG1-ErbB genes. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-11	3.8	
46	Perinatal Epidermal Growth Factor Signal Perturbation Results in the Series of Abnormal Auditory Oscillations and Responses Relevant to Schizophrenia. <i>Schizophrenia Bulletin Open</i> , 2021 , 2,	2.2	3
45	Epiregulin (EREG) and Myocardin Related Transcription Factor A (MRTF-A) Form a Feedforward Loop to Drive Hepatic Stellate Cell Activation. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 591246	5.7	15
44	Intermediate Phenotypes in Genetic Studies of Schizophrenia. 289-310		1
43	Contributions of Glutamate and GABA Systems to the Neurobiology and Treatment of Schizophrenia. 433-461		5

42	Neuregulin 1 and Schizophrenia. 2009 , 243-265		1
41	The Neuropathology of Schizophrenia: Central Role for the Hippocampus?. 2010 , 149-165		3
40	The role of cerebellar genes in pathology of autism and schizophrenia. 2008 , 7, 279		2
39	Sustained ErbB activation causes demyelination and hypomyelination by driving necroptosis of mature oligodendrocytes and apoptosis of oligodendrocyte precursor cells.		1
38	Phenotypic characterization of transgenic mice overexpressing neuregulin-1. <i>PLoS ONE</i> , 2010 , 5, e141853.	3.7	93
37	Fine mapping of the NRG1 Hirschsprung β disease locus. <i>PLoS ONE</i> , 2011 , 6, e16181	3.7	27
36	Neuregulin 1 expression and electrophysiological abnormalities in the Neuregulin 1 transmembrane domain heterozygous mutant mouse. <i>PLoS ONE</i> , 2015 , 10, e0124114	3.7	15
35	PKB/AKT3 loss-of-function causes learning and memory deficits and deregulation of AKT/mTORC2 signaling: Relevance for schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0175993	3.7	27
34	ErbB4 Null Mice Display Altered Mesocorticolimbic and Nigrostriatal Dopamine Levels as well as Deficits in Cognitive and Motivational Behaviors. <i>ENeuro</i> , 2020 , 7,	3.9	4
33	Neuregulin 1 Type I Overexpression Is Associated with Reduced NMDA Receptor-Mediated Synaptic Signaling in Hippocampal Interneurons Expressing PV or CCK. <i>ENeuro</i> , 2018 , 5,	3.9	17
32	Estudos transcriptômicos no contexto da conectividade perturbada em esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2013 , 40, 10-15	0.8	1
31	Neuregulin in Health and Disease. 2018 , 4,		7
30	Time Windows of Interneuron Development: Implications to Our Understanding of the Aetiology and Treatment of Schizophrenia. <i>AIMS Neuroscience</i> , 2015 , 2, 294-321	1.7	0
29	Soluble Neuregulin and Schwann Cell Myelination: a Therapeutic Potential for Improving Remyelination of Adult Axons. <i>Molecular and Cellular Pharmacology</i> , 2010 , 2, 161-167		17
28	Biomarkers in Schizophrenia. 2008 , 23-55		1
27	Cdk5 and Neuregulin-1 Signaling. 2008 , 139-144		
26	Genetic and Proteomic Studies in Schizophrenia. 2010 , 193-218		
25	Animal Models of Schizophrenia. 462-481		

24	The neurobiology of schizophrenia. 2012 , 561-568		
23	Integrating Imaging and Genetic Research. 2012 , 239-252		
22	CHAPTER 8:GSK3 Networks in Schizophrenia. <i>RSC Drug Discovery Series</i> , 2015 , 173-201	0.6	
21	CHAPTER 5:Modelling Schizophrenia: Strategies for Identifying Improved Platforms for Drug Discovery. <i>RSC Drug Discovery Series</i> , 2015 , 89-114	0.6	
20	Sustained ErbB Activation Causes Demyelination and Hypomyelination by Driving Necroptosis of Mature Oligodendrocytes and Apoptosis of Oligodendrocyte Precursor Cells. <i>Journal of Neuroscience</i> , 2021 , 41, 9872-9890	6.6	2
19	ErbB dysregulation impairs cognition via myelination-dependent and - independent oligodendropathy.		
18	Neuregulin 1 genetic variation and anterior cingulum integrity in patients with schizophrenia and healthy controls. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 181-6	4.5	36
17	Epistatic interactions of NRG1 and ERBB4 on antipsychotic treatment response in first-episode schizophrenia patients.. <i>Schizophrenia Research</i> , 2022 , 241, 197-200	3.6	
16	Genetic animal models for psychiatric disorders. 2022 , 241-267		
15	The molecular genetic basis of creativity: a mini review and perspectives.. <i>Psychological Research</i> , 2022 , 1	2.5	
14	Antipsychotic drugs increase Neuregulin1 serum levels in first-episode drug-naïve patients and chronic schizophrenia with suggestions for improving the treatment of psychotic symptoms.. <i>BMC Psychiatry</i> , 2022 , 22, 217	4.2	0
13	Efficacy of Spironolactone as an Adjunctive Therapy to Risperidone to Improve Symptoms of Schizophrenia: A Double-Blind, Randomized, Placebo-Controlled, Clinical Trial.. <i>Iranian Journal of Psychiatry</i> , 2022 , 17, 14-23	1.9	1
12	Image_1.JPEG. 2019 ,		
11	Table_1.DOCX. 2019 ,		
10	Table_2.DOCX. 2019 ,		
9	Table_3.DOCX. 2019 ,		
8	Table_4.DOCX. 2019 ,		
7	Table_5.DOCX. 2019 ,		

6	Table_6.DOCX. 2019,	
5	Presentation_1.PDF. 2017,	
4	Role of the NRG1/ErbB4 and PI3K/AKT/mTOR signaling pathways in the anti-psychotic effects of aripiprazole and sertindole in ketamine-induced schizophrenia-like behaviors in rats.	○
3	ErbB4 in the brain: Focus on high grade glioma. 12,	○
2	Effects of psychosis-associated genetic markers on brain volumetry: a systematic review of replicated findings and an independent validation. 1-16	○
1	Schizophrenia Animal Modeling with Epidermal Growth Factor and Its Homologs: Their Connections to the Inflammatory Pathway and the Dopamine System. 2023, 13, 372	○