

Transforming growth factor- β^2 employs HMGA2 to elicit

Journal of Cell Biology

174, 175-183

DOI: [10.1083/jcb.200512110](https://doi.org/10.1083/jcb.200512110)

Citation Report

#	ARTICLE	IF	CITATIONS
1	New potential therapeutic targets to combat epithelial tumor invasion. <i>Clinical and Translational Oncology</i> , 2006, 8, 851-857.	1.2	18
2	Differential Regulation of Epithelial and Mesenchymal Markers by β 1 Proteins in Epithelial-Mesenchymal Transition Induced by TGF- β 2. <i>Molecular Biology of the Cell</i> , 2007, 18, 3533-3544.	0.9	310
3	TGF- β 2-induced EMT: mechanisms and implications for fibrotic lung disease. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007, 293, L525-L534.	1.3	895
4	Dual roles of myocardin-related transcription factors in epithelial-mesenchymal transition via <i>slug</i> induction and actin remodeling. <i>Journal of Cell Biology</i> , 2007, 179, 1027-1042.	2.3	249
5	Epithelial to Mesenchymal Transition in Human Breast Epithelial Cells Transformed by 17 β -Estradiol. <i>Cancer Research</i> , 2007, 67, 11147-11157.	0.4	78
6	The second AT-hook of the architectural transcription factor HMGA2 is determinant for nuclear localization and function. <i>Nucleic Acids Research</i> , 2007, 35, 1751-1760.	6.5	46
7	A 3 α Enhancer Controls Snail Expression in Melanoma Cells. <i>Cancer Research</i> , 2007, 67, 6113-6120.	0.4	30
8	Non-enzymatic Glycation of Bone Collagen Modifies Osteoclastic Activity and Differentiation. <i>Journal of Biological Chemistry</i> , 2007, 282, 5691-5703.	1.6	165
9	A proximal activator of transcription in epithelial-mesenchymal transition. <i>Journal of Clinical Investigation</i> , 2007, 117, 482-491.	3.9	143
10	Unique CCT repeats mediate transcription of the TWIST1 gene in mesenchymal cell lines. <i>Biochemical and Biophysical Research Communications</i> , 2007, 352, 925-931.	1.0	12
11	Cell size and invasion in TGF- β 2-induced epithelial to mesenchymal transition is regulated by activation of the mTOR pathway. <i>Journal of Cell Biology</i> , 2007, 178, 437-451.	2.3	505
12	Functional role of Meox2 during the epithelial cyostatic response to TGF- β 2. <i>Molecular Oncology</i> , 2007, 1, 55-71.	2.1	35
13	Leukocytes Induce Epithelial to Mesenchymal Transition after Unilateral Ureteral Obstruction in Neonatal Mice. <i>American Journal of Pathology</i> , 2007, 171, 861-871.	1.9	87
14	Snail, Zeb and bHLH factors in tumour progression: an alliance against the epithelial phenotype?. <i>Nature Reviews Cancer</i> , 2007, 7, 415-428.	12.8	2,796
15	Roles of HMGA proteins in cancer. <i>Nature Reviews Cancer</i> , 2007, 7, 899-910.	12.8	627
16	Signaling networks guiding epithelial-mesenchymal transitions during embryogenesis and cancer progression. <i>Cancer Science</i> , 2007, 98, 1512-1520.	1.7	722
17	Actions of TGF- β 2 as tumor suppressor and pro-metastatic factor in human cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2007, 1775, 21-62.	3.3	350
18	DNA architectural factor and proto-oncogene HMGA2 regulates key developmental genes in pluripotent human embryonic stem cells. <i>FEBS Letters</i> , 2007, 581, 3533-3537.	1.3	58

#	ARTICLE	IF	CITATIONS
19	Promoter-independent regulation of vimentin expression in mammary epithelial cells by val12 ras and TGF β 2. <i>Experimental Cell Research</i> , 2007, 313, 3718-3728.	1.2	15
20	HMG chromosomal proteins in development and disease. <i>Trends in Cell Biology</i> , 2007, 17, 72-79.	3.6	298
21	Pre-EMTing metastasis? Recapitulation of morphogenetic processes in cancer. <i>Clinical and Experimental Metastasis</i> , 2007, 24, 587-597.	1.7	220
22	The transcriptional factor Snail simultaneously triggers cell cycle arrest and migration of human hepatoma HepG2. <i>Journal of Biomedical Science</i> , 2008, 15, 343-355.	2.6	29
23	Role of Cancer Microenvironment in Metastasis: Focus on Colon Cancer. <i>Cancer Microenvironment</i> , 2008, 1, 69-83.	3.1	159
24	Molecular and pathological signatures of epithelial-mesenchymal transitions at the cancer invasion front. <i>Histochemistry and Cell Biology</i> , 2008, 130, 481-94.	0.8	206
25	The physiology and pathology of the EMT. <i>EMBO Reports</i> , 2008, 9, 322-326.	2.0	101
26	Transcriptional regulation of cell polarity in EMT and cancer. <i>Oncogene</i> , 2008, 27, 6958-6969.	2.6	528
27	Ink4a/Arf Regulation by let-7b and Hmga2: A Genetic Pathway Governing Stem Cell Aging. <i>Cell Stem Cell</i> , 2008, 3, 469-470.	5.2	38
28	TGF β 2 in Cancer. <i>Cell</i> , 2008, 134, 215-230.	13.5	3,312
29	NCAM Is at the Heart of Reciprocal Regulation of E-Cadherin- and Integrin-Mediated Adhesions via Signaling Modulation. <i>Developmental Cell</i> , 2008, 15, 494-496.	3.1	27
30	Transforming Growth Factor- β 1-Mediated Slug and Snail Transcription Factor Up-Regulation Reduces the Density of Langerhans Cells in Epithelial Metaplasia by Affecting E-Cadherin Expression. <i>American Journal of Pathology</i> , 2008, 172, 1391-1402.	1.9	39
31	Downregulation of hepatocyte nuclear factor-4 β and its role in regulation of gene expression by TGF- β 2 in mammary epithelial cells. <i>Experimental Cell Research</i> , 2008, 314, 2131-2140.	1.2	18
32	Erk5 Controls Slug Expression and Keratinocyte Activation during Wound Healing. <i>Molecular Biology of the Cell</i> , 2008, 19, 4738-4749.	0.9	136
33	Vascular Endothelial Cadherin Promotes Breast Cancer Progression via Transforming Growth Factor β 2 Signaling. <i>Cancer Research</i> , 2008, 68, 1388-1397.	0.4	96
34	Aberrant Expression of E-cadherin in Lobular Carcinomas of the Breast. <i>American Journal of Surgical Pathology</i> , 2008, 32, 773-783.	2.1	160
35	MicroRNAs as regulators of epithelial-mesenchymal transition. <i>Cell Cycle</i> , 2008, 7, 3112-3117.	1.3	467
36	HMGA2 and Smads Co-regulate SNAIL1 Expression during Induction of Epithelial-to-Mesenchymal Transition. <i>Journal of Biological Chemistry</i> , 2008, 283, 33437-33446.	1.6	310

#	ARTICLE	IF	CITATIONS
37	Epithelial-Mesenchymal Transition Induced by Growth Suppressor p12CDK2-AP1 Promotes Tumor Cell Local Invasion but Suppresses Distant Colony Growth. <i>Cancer Research</i> , 2008, 68, 10377-10386.	0.4	217
38	Clinical Significance of High Mobility Group A2 in Human Gastric Cancer and Its Relationship to <i>let-7</i> MicroRNA Family. <i>Clinical Cancer Research</i> , 2008, 14, 2334-2340.	3.2	209
39	Transforming Growth Factor- β 2 Suppresses the Ability of Ski to Inhibit Tumor Metastasis by Inducing Its Degradation. <i>Cancer Research</i> , 2008, 68, 3277-3285.	0.4	94
40	Microenvironmental regulation of E-cadherin-mediated adherens junctions. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 3975.	3.0	58
41	Mechanisms of the epithelial-mesenchymal transition by TGF- β 2. <i>Future Oncology</i> , 2009, 5, 1145-1168.	1.1	290
42	<i>Let-7</i> and miR-200 microRNAs: Guardians against pluripotency and cancer progression. <i>Cell Cycle</i> , 2009, 8, 843-852.	1.3	386
43	Yin Yang 1 Regulates the Expression of <i>Snail</i> through a Distal Enhancer. <i>Molecular Cancer Research</i> , 2009, 7, 221-229.	1.5	67
44	Ras alters epithelial-mesenchymal transition in response to TGF- β 2 by reducing actin fibers and cell-matrix adhesion. <i>Cell Cycle</i> , 2009, 8, 284-298.	1.3	44
45	Thyroid Transcription Factor-1 Inhibits Transforming Growth Factor- β 2-Mediated Epithelial-to-Mesenchymal Transition in Lung Adenocarcinoma Cells. <i>Cancer Research</i> , 2009, 69, 2783-2791.	0.4	123
46	Emerging roles of microRNAs as molecular switches in the integrated circuit of the cancer cell. <i>Rna</i> , 2009, 15, 1443-1461.	1.6	147
47	Zyxin Mediates Actin Fiber Reorganization in Epithelial-Mesenchymal Transition and Contributes to Endocardial Morphogenesis. <i>Molecular Biology of the Cell</i> , 2009, 20, 3115-3124.	0.9	48
48	Slug is a downstream mediator of transforming growth factor- β 1-induced matrix metalloproteinase-9 expression and invasion of oral cancer cells. <i>Journal of Cellular Biochemistry</i> , 2009, 108, 726-736.	1.2	75
49	Complete reversal of epithelial to mesenchymal transition requires inhibition of both ZEB expression and the Rho pathway. <i>BMC Cell Biology</i> , 2009, 10, 94.	3.0	89
50	TGF- β 2-induced epithelial to mesenchymal transition. <i>Cell Research</i> , 2009, 19, 156-172.	5.7	2,285
51	Raf kinase inhibitory protein suppresses a metastasis signalling cascade involving LIN28 and <i>let-7</i> . <i>EMBO Journal</i> , 2009, 28, 347-358.	3.5	340
52	HMGA2 protein expression correlates with lymph node metastasis and increased tumor grade in pancreatic ductal adenocarcinoma. <i>Modern Pathology</i> , 2009, 22, 43-49.	2.9	96
53	Overexpression of HMGA2 relates to reduction of the <i>let-7</i> and its relationship to clinicopathological features in pituitary adenomas. <i>Modern Pathology</i> , 2009, 22, 431-441.	2.9	120
54	The ubiquitin ligase CHIP acts as an upstream regulator of oncogenic pathways. <i>Nature Cell Biology</i> , 2009, 11, 312-319.	4.6	145

#	ARTICLE	IF	CITATIONS
55	The morphological and molecular features of the epithelial-to-mesenchymal transition. <i>Nature Protocols</i> , 2009, 4, 1591-1613.	5.5	185
56	Interleukin-6 induces an epithelial-to-mesenchymal transition phenotype in human breast cancer cells. <i>Oncogene</i> , 2009, 28, 2940-2947.	2.6	640
57	Epithelial-to-Mesenchymal Transition as a Mechanism of Metastasis. , 2009, , 65-92.		0
58	Association of a high mobility group gene (HMGA2) variant with bone mineral density. <i>Bone</i> , 2009, 45, 295-300.	1.4	13
59	HMGA2 Maintains Oncogenic RAS-Induced Epithelial-Mesenchymal Transition in Human Pancreatic Cancer Cells. <i>American Journal of Pathology</i> , 2009, 174, 854-868.	1.9	180
60	Cell Adhesion and Transcriptional Activity – Defining the Role of the Novel Protooncogene LPP. <i>Translational Oncology</i> , 2009, 2, 107-116.	1.7	48
61	Three-dimensional culture using a radial flow bioreactor induces matrix metalloproteinase 7-mediated EMT-like process in tumor cells via TGF- β 1/Smad pathway. <i>International Journal of Oncology</i> , 2009, , .	1.4	8
62	Transforming growth factor- β signaling in epithelial-mesenchymal transition and progression of cancer. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2009, 85, 314-323.	1.6	283
63	Molecular signaling of the epithelial to mesenchymal transition in generating and maintaining cancer stem cells. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2605-2618.	2.4	88
64	The Tumor Microenvironment in Colorectal Carcinogenesis. <i>Cancer Microenvironment</i> , 2010, 3, 149-166.	3.1	179
65	The Pathophysiology of Epithelial-Mesenchymal Transition Induced by Transforming Growth Factor- β in Normal and Malignant Mammary Epithelial Cells. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2010, 15, 169-190.	1.0	202
66	Regulatory expression of genes related to metastasis by TGF- β and activin A in B16 murine melanoma cells. <i>Molecular Biology Reports</i> , 2010, 37, 1279-1286.	1.0	18
67	Identification of target genes for wild type and truncated HMGA2 in mesenchymal stem-like cells. <i>BMC Cancer</i> , 2010, 10, 329.	1.1	25
68	Transcriptional induction of MMP-10 by TGF- β , mediated by activation of MEF2A and downregulation of class IIa HDACs. <i>Oncogene</i> , 2010, 29, 909-919.	2.6	38
69	Increased cell migration and plasticity in Nrf2-deficient cancer cell lines. <i>Oncogene</i> , 2010, 29, 3703-3714.	2.6	88
70	EMT, cancer stem cells and drug resistance: an emerging axis of evil in the war on cancer. <i>Oncogene</i> , 2010, 29, 4741-4751.	2.6	2,263
71	TWISTing an embryonic transcription factor into an oncoprotein. <i>Oncogene</i> , 2010, 29, 3173-3184.	2.6	155
72	TGF- β -mediated phosphorylation of hnRNP E1 induces EMT via transcript-selective translational induction of Dab2 and ILEI. <i>Nature Cell Biology</i> , 2010, 12, 286-293.	4.6	269

#	ARTICLE	IF	CITATIONS
73	EMT and TGF-beta in renal fibrosis. <i>Frontiers in Bioscience - Scholar</i> , 2010, S2, 229-238.	0.8	70
74	Epithelial-to-Mesenchymal Transition in Pancreatic Adenocarcinoma. <i>Scientific World Journal</i> , The, 2010, 10, 1947-1957.	0.8	55
75	The molecular mediators of type 2 epithelial to mesenchymal transition (EMT) and their role in renal pathophysiology. <i>Expert Reviews in Molecular Medicine</i> , 2010, 12, e17.	1.6	58
76	Inhibition and Role of let-7d in Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 220-229.	2.5	454
77	IKK β controls canonical TGF β 2 SMAD signaling to regulate genes expressing SNAIL and SLUG during EMT in Panc1 cells. <i>Journal of Cell Science</i> , 2010, 123, 4231-4239.	1.2	113
78	Role of androgens and the androgen receptor in epithelial-mesenchymal transition and invasion of prostate cancer cells. <i>FASEB Journal</i> , 2010, 24, 769-777.	0.2	198
79	Transcriptional crosstalk between TGF β 2 and stem cell pathways in tumor cell invasion: Role of EMT promoting Smad complexes. <i>Cell Cycle</i> , 2010, 9, 2363-2374.	1.3	303
80	Loss of MicroRNA-192 Promotes Fibrogenesis in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 438-447.	3.0	319
81	Identification of a Smad4/YY1-Recognized and BMP2-Responsive Transcriptional Regulatory Module in the Promoter of Mouse GABA Transporter Subtype 1 (<i>Gat1</i>) Gene. <i>Journal of Neuroscience</i> , 2010, 30, 4062-4071.	1.7	14
82	ASK-ing EMT not to spread cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2731-2732.	3.3	14
83	TGF- β 2 Signaling Alterations and Colon Cancer. <i>Cancer Treatment and Research</i> , 2010, 155, 85-103.	0.2	125
84	Epithelial-Mesenchymal Transition: From Molecular Mechanisms, Redox Regulation to Implications in Human Health and Disease. <i>Antioxidants and Redox Signaling</i> , 2010, 12, 1383-1430.	2.5	226
85	MicroRNAs in ovarian cancer biology and therapy resistance. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 1282-1290.	1.2	142
86	Tumors as Organs: Complex Tissues that Interface with the Entire Organism. <i>Developmental Cell</i> , 2010, 18, 884-901.	3.1	988
87	HMGA molecular network: From transcriptional regulation to chromatin remodeling. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2010, 1799, 37-47.	0.9	105
88	HMGA and Cancer. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2010, 1799, 48-54.	0.9	132
89	Chronic cadmium exposure induces transcriptional activation of the Wnt pathway and upregulation of epithelial-to-mesenchymal transition markers in mouse kidney. <i>Toxicology Letters</i> , 2010, 198, 69-76.	0.4	54
92	Key signalling nodes in mammary gland development and cancer. The Snail1-Twist1 conspiracy in malignant breast cancer progression. <i>Breast Cancer Research</i> , 2010, 12, 206.	2.2	70

#	ARTICLE	IF	CITATIONS
93	Conformational Role for the C-Terminal Tail of the Intrinsically Disordered High Mobility Group A (HMGA) Chromatin Factors. <i>Journal of Proteome Research</i> , 2011, 10, 3283-3291.	1.8	28
94	Smadddening Complexity: The Role of Smad3 in Epithelial-Myofibroblast Transition. <i>Cells Tissues Organs</i> , 2011, 193, 41-52.	1.3	59
95	MicroRNAs in idiopathic pulmonary fibrosis. <i>Translational Research</i> , 2011, 157, 191-199.	2.2	274
96	MicroRNAs in Cancer <i>Translational Research</i> . , 2011, , .		5
97	Cancer Stem Cells in Solid Tumors. , 2011, , .		7
98	Overexpression of HMGA2 in bladder cancer and its association with clinicopathologic features and prognosis. <i>European Journal of Surgical Oncology</i> , 2011, 37, 265-271.	0.5	39
99	Epithelial-to-mesenchymal transition and acquired resistance to sunitinib in a patient with hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2011, 54, 1073-1078.	1.8	50
100	Reactivation of Epithelial-Mesenchymal Transition in Invasive and Metastatic Cancer. , 2011, , 13-69.		1
101	TGF- β 2 Induces Sustained Upregulation of SNAI1 and SNAI2 through Smad and Non-Smad Pathways in a Human Corneal Epithelial Cell Line. , 2011, 52, 2437.		61
102	TGF- β 2 Signaling in Breast Cancer Cell Invasion and Bone Metastasis. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2011, 16, 97-108.	1.0	127
103	Tumor-associated Macrophages (TAM) and Inflammation in Colorectal Cancer. <i>Cancer Microenvironment</i> , 2011, 4, 141-154.	3.1	269
104	TGF- β 1-induced EMT of non-transformed prostate hyperplasia cells is characterized by early induction of SNAI2/Slug. <i>Prostate</i> , 2011, 71, 1332-1343.	1.2	95
105	The stable repression of mesenchymal program is required for hepatocyte identity: A novel role for hepatocyte nuclear factor 4 β . <i>Hepatology</i> , 2011, 53, 2063-2074.	3.6	116
106	Snail1 controls epithelial-mesenchymal lineage commitment in focal adhesion kinase-null embryonic cells. <i>Journal of Cell Biology</i> , 2011, 195, 729-738.	2.3	51
107	Let It Be. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 1-2.	2.5	23
108	c-Jun N-Terminal Kinase 1 Promotes Transforming Growth Factor- β 2-Induced Epithelial-to-Mesenchymal Transition via Control of Linker Phosphorylation and Transcriptional Activity of Smad3. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 44, 571-581.	1.4	66
109	Negative Regulation of TGF β 2 Signaling by the Kinase LKB1 and the Scaffolding Protein LIP1. <i>Journal of Biological Chemistry</i> , 2011, 286, 341-353.	1.6	50
110	Hepatocyte-Derived Snail1 Propagates Liver Fibrosis Progression. <i>Molecular and Cellular Biology</i> , 2011, 31, 2392-2403.	1.1	114

#	ARTICLE	IF	CITATIONS
111	Emergence of the Phosphoinositide 3-Kinase-Akt- Mammalian Target of Rapamycin Axis in Transforming Growth Factor- β -Induced Epithelial-Mesenchymal Transition. <i>Cells Tissues Organs</i> , 2011, 193, 8-22.	1.3	85
112	Mouse Snail Is a Target Gene for HIF. <i>Molecular Cancer Research</i> , 2011, 9, 234-245.	1.5	92
113	Growth Factors in Induction of Epithelial-Mesenchymal Transition and Metastasis. <i>Cells Tissues Organs</i> , 2011, 193, 85-97.	1.3	73
114	JunB contributes to Id2 repression and the epithelial \rightarrow mesenchymal transition in response to transforming growth factor β . <i>Journal of Cell Biology</i> , 2012, 196, 589-603.	2.3	72
115	High-mobility group A1 protein inhibits p53-mediated intrinsic apoptosis by interacting with Bcl-2 at mitochondria. <i>Cell Death and Disease</i> , 2012, 3, e383-e383.	2.7	25
116	Tissue transglutaminase links TGF- β , epithelial to mesenchymal transition and a stem cell phenotype in ovarian cancer. <i>Oncogene</i> , 2012, 31, 2521-2534.	2.6	187
117	Regulation of Transcription Factor Twist Expression by the DNA Architectural Protein High Mobility Group A2 during Epithelial-to-Mesenchymal Transition. <i>Journal of Biological Chemistry</i> , 2012, 287, 7134-7145.	1.6	94
118	Context-dependent Action of Transforming Growth Factor β Family Members on Normal and Cancer Stem Cells. <i>Current Pharmaceutical Design</i> , 2012, 18, 4072-4086.	0.9	22
119	The basic helix-loop-helix transcription factor DEC2 inhibits TGF- β -induced tumor progression in human pancreatic cancer BxPC-3 cells. <i>International Journal of Molecular Medicine</i> , 2012, 30, 495-501.	1.8	26
120	Transcriptional and Post-transcriptional Regulation in TGF- β -mediated epithelial-mesenchymal transition. <i>Journal of Biochemistry</i> , 2012, 151, 563-571.	0.9	49
121	ETV5 cooperates with LPP as a sensor of extracellular signals and promotes EMT in endometrial carcinomas. <i>Oncogene</i> , 2012, 31, 4778-4788.	2.6	45
122	TGF- β -induced epithelial-mesenchymal transition of A549 lung adenocarcinoma cells is enhanced by pro-inflammatory cytokines derived from RAW 264.7 macrophage cells. <i>Journal of Biochemistry</i> , 2012, 151, 205-216.	0.9	117
123	Crosstalk between TGF- β signaling and the microRNA machinery. <i>Trends in Pharmacological Sciences</i> , 2012, 33, 382-393.	4.0	196
124	New Insights into the Regulation of Epithelial \rightarrow Mesenchymal Transition and Tissue Fibrosis. <i>International Review of Cell and Molecular Biology</i> , 2012, 294, 171-221.	1.6	141
125	Induction of a Mesenchymal Expression Program in Lung Epithelial Cells by Wingless Protein (Wnt)/ β -Catenin Requires the Presence of c-Jun N-Terminal Kinase β 1 (JNK1). <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012, 47, 306-314.	1.4	30
126	EMT-activating transcription factors in cancer: beyond EMT and tumor invasiveness. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 3429-3456.	2.4	437
127	Expression of High Mobility GroupA2 is Associated with Poor Survival in Hepatocellular Carcinoma. <i>Pathology and Oncology Research</i> , 2012, 18, 983-987.	0.9	11
128	The Dual Role of TGF β in Human Cancer: From Tumor Suppression to Cancer Metastasis. , 2012, 2012, 1-28.		275

#	ARTICLE	IF	CITATIONS
129	miR-182 overexpression in tumorigenesis of high-grade serous ovarian carcinoma. <i>Journal of Pathology</i> , 2012, 228, 204-215.	2.1	138
130	miRNAs expressed differently in cancer stem cells and cancer cells of human gastric cancer cell line MKN45. <i>Cell Biochemistry and Function</i> , 2012, 30, 411-418.	1.4	54
131	Genome-wide analysis of HMGA2 transcription factor binding sites by ChIP on chip in gastric carcinoma cells. <i>Molecular and Cellular Biochemistry</i> , 2012, 364, 243-251.	1.4	26
132	The Effect of JDP2 and ATF2 on the Epithelial-mesenchymal Transition of Human Pancreatic Cancer Cell Lines. <i>Pathology and Oncology Research</i> , 2012, 18, 571-577.	0.9	12
133	The Inflammatory Tumor Microenvironment, Epithelial Mesenchymal Transition and Lung Carcinogenesis. <i>Cancer Microenvironment</i> , 2012, 5, 5-18.	3.1	74
134	Deregulated expression of HMGA2 is implicated in clonal expansion of PIGA deficient cells in paroxysmal nocturnal haemoglobinuria. <i>British Journal of Haematology</i> , 2012, 156, 383-387.	1.2	28
135	HMGA1 and HMGA2 protein expression correlates with advanced tumour grade and lymph node metastasis in pancreatic adenocarcinoma. <i>Histopathology</i> , 2012, 60, 397-404.	1.6	82
136	Regulation of EMT by TGF β 2 in cancer. <i>FEBS Letters</i> , 2012, 586, 1959-1970.	1.3	435
137	EMT as the ultimate survival mechanism of cancer cells. <i>Seminars in Cancer Biology</i> , 2012, 22, 194-207.	4.3	421
138	Wild type Ras displays anti-malignant properties, in part by downregulating decorin. <i>Journal of Cellular Physiology</i> , 2012, 227, 2341-2351.	2.0	8
139	Deconstructing the mechanisms and consequences of TGF β 2-induced EMT during cancer progression. <i>Cell and Tissue Research</i> , 2012, 347, 85-101.	1.5	202
140	HMGA2 and high-grade serous ovarian carcinoma. <i>Journal of Molecular Medicine</i> , 2013, 91, 1155-1165.	1.7	55
141	Common variant in the HMGA2 gene increases susceptibility to nephropathy in patients with type 2 diabetes. <i>Diabetologia</i> , 2013, 56, 323-329.	2.9	21
142	MicroRNAome profiling in benign and malignant neurofibromatosis type 1-associated nerve sheath tumors: evidences of PTEN pathway alterations in early NF1 tumorigenesis. <i>BMC Genomics</i> , 2013, 14, 473.	1.2	46
143	All-transretinoic acid ameliorates bleomycin-induced lung fibrosis by downregulating the TGF β 1/Smad3 signaling pathway in rats. <i>Laboratory Investigation</i> , 2013, 93, 1219-1231.	1.7	70
144	HMGA2 Elicits EMT by Activating the Wnt β -catenin Pathway in Gastric Cancer. <i>Digestive Diseases and Sciences</i> , 2013, 58, 724-733.	1.1	88
145	MicroRNAs, transforming growth factor beta1, and tissue fibrosis. <i>Journal of Pathology</i> , 2013, 229, 274-285.	2.1	148
146	Transcription factors link mouse WAP mammary tumors with human breast cancer. <i>International Journal of Cancer</i> , 2013, 132, 1311-1322.	2.3	19

#	ARTICLE	IF	CITATIONS
147	p53 regulates epithelialâ€“mesenchymal transition induced by transforming growth factor β^2 . <i>Journal of Cellular Physiology</i> , 2013, 228, 801-813.	2.0	37
148	HMGA2 Is a Driver of Tumor Metastasis. <i>Cancer Research</i> , 2013, 73, 4289-4299.	0.4	248
149	Enrichment of stem-like cell population comprises transformation ability of Epsteinâ€“Barr virus latent membrane protein 2A for non-transformed cells. <i>Virus Research</i> , 2013, 174, 108-115.	1.1	7
150	Crosstalk between breast cancer stem cells and metastatic niche: emerging molecular metastasis pathway?. <i>Tumor Biology</i> , 2013, 34, 2019-2030.	0.8	44
151	Transcriptome Profiling Identifies HMGA2 as a Biomarker of Melanoma Progression and Prognosis. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2585-2592.	0.3	96
152	Lipoxins Attenuate Renal Fibrosis by Inducing let-7c and Suppressing TGF β^2 R1. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 627-637.	3.0	140
153	Low RKIP expression associates with poor prognosis in bladder cancer patients. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 445-453.	1.4	16
154	Lowâ€“grade and highâ€“grade mammary carcinomas in WAPâ€“ transgenic mice are independent entities distinguished by Met expression. <i>International Journal of Cancer</i> , 2013, 132, 1300-1310.	2.3	15
155	Analysis of Snail1 function and regulation by Twist1 in palatal fusion. <i>Frontiers in Physiology</i> , 2013, 4, 12.	1.3	16
156	Updates in therapy for uterine serous carcinoma. <i>Current Opinion in Obstetrics and Gynecology</i> , 2013, 25, 29-37.	0.9	12
157	Vitamin D Receptor and Retinoid X Receptor β Status and Vitamin D Insufficiency in Models of Murine Colitis. <i>Cancer Prevention Research</i> , 2013, 6, 585-593.	0.7	18
158	Disruption of the transforming growth factor- β^2 pathway by tolfenamic acid via the ERK MAP kinase pathway. <i>Carcinogenesis</i> , 2013, 34, 2900-2907.	1.3	13
159	The Epsteinâ€“Barr virus nuclear antigen-1 reprograms transcription by mimicry of high mobility group A proteins. <i>Nucleic Acids Research</i> , 2013, 41, 2950-2962.	6.5	40
160	Activation-induced cytidine deaminase (AID) is necessary for the epithelialâ€“mesenchymal transition in mammary epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E2977-86.	3.3	67
161	TGF- β^2 : An emerging player in drug resistance. <i>Cell Cycle</i> , 2013, 12, 2960-2968.	1.3	117
162	Inhibition of TGF- β^2 and EGF pathway gene expression and migration of oral carcinoma cells by mucosa-associated lymphoid tissue 1. <i>British Journal of Cancer</i> , 2013, 109, 207-214.	2.9	9
163	Transcription factors interfering with dedifferentiation induce cell type-specific transcriptional profiles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6412-6417.	3.3	37
164	An Autocrine Loop between TGF- β^2 1 and the Transcription Factor Brachyury Controls the Transition of Human Carcinoma Cells into a Mesenchymal Phenotype. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 1805-1815.	1.9	57

#	ARTICLE	IF	CITATIONS
165	NDRG2 positively regulates E-cadherin expression and prolongs overall survival in colon cancer patients. <i>Oncology Reports</i> , 2013, 30, 1890-1898.	1.2	28
166	Identification and Characterization of Cells with Cancer Stem Cell Properties in Human Primary Lung Cancer Cell Lines. <i>PLoS ONE</i> , 2013, 8, e57020.	1.1	109
167	Inhibition of Breast Cancer Metastasis Suppressor 1 Promotes a Mesenchymal Phenotype in Lung Epithelial Cells That Express Oncogenic K-RasV12 and Loss of p53. <i>PLoS ONE</i> , 2014, 9, e95869.	1.1	9
168	Normal Fibroblasts Induce E-Cadherin Loss and Increase Lymph Node Metastasis in Gastric Cancer. <i>PLoS ONE</i> , 2014, 9, e97306.	1.1	12
169	Role of microRNA in epithelial to mesenchymal transition and metastasis and clinical perspectives. <i>Cancer Management and Research</i> , 2014, 6, 205.	0.9	144
170	Yap1 Is Required for Endothelial to Mesenchymal Transition of the Atrioventricular Cushion. <i>Journal of Biological Chemistry</i> , 2014, 289, 18681-18692.	1.6	136
171	Integrated analyses identify the involvement of microRNA-26a in epithelial to mesenchymal transition during idiopathic pulmonary fibrosis. <i>Cell Death and Disease</i> , 2014, 5, e1238-e1238.	2.7	91
172	Laminins 411 and 421 differentially promote tumor cell migration via $\alpha 6 \beta 1$ integrin and MCAM (CD146). <i>Matrix Biology</i> , 2014, 38, 69-83.	1.5	53
173	Let-7d microRNA affects mesenchymal phenotypic properties of lung fibroblasts. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2014, 306, L534-L542.	1.3	91
174	Mechanisms of Therapeutic Resistance in Cancer (Stem) Cells with Emphasis on Thyroid Cancer Cells. <i>Frontiers in Endocrinology</i> , 2014, 5, 37.	1.5	31
175	Tumor Microenvironment: A New Treatment Target for Cancer. , 2014, 2014, 1-8.		98
176	Tissue remodelling in chronic bronchial diseases: from the epithelial to mesenchymal phenotype. <i>European Respiratory Review</i> , 2014, 23, 118-130.	3.0	166
177	Innate Antiviral Host Defense Attenuates TGF- $\beta 2$ Function through IRF3-Mediated Suppression of Smad Signaling. <i>Molecular Cell</i> , 2014, 56, 723-737.	4.5	64
178	Tenascin-X promotes epithelial-to-mesenchymal transition by activating latent TGF- $\beta 2$. <i>Journal of Cell Biology</i> , 2014, 205, 409-428.	2.3	80
179	Molecular Determinants of Head and Neck Cancer. , 2014, , .		2
180	Hmga2 is required for canonical WNT signaling during lung development. <i>BMC Biology</i> , 2014, 12, 21.	1.7	55
181	Wilms' tumor 1 (Wt1) regulates pleural mesothelial cell plasticity and transition into myofibroblasts in idiopathic pulmonary fibrosis. <i>FASEB Journal</i> , 2014, 28, 1122-1131.	0.2	80
182	TGF- $\beta 2$ and matrix-regulated epithelial to mesenchymal transition. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 2621-2634.	1.1	116

#	ARTICLE	IF	CITATIONS
183	The Importance of the Retinoid X Receptor Alpha in Modulating Inflammatory Signaling in Acute Murine Colitis. <i>Digestive Diseases and Sciences</i> , 2014, 59, 753-759.	1.1	10
184	Molecular mechanisms of epithelial-mesenchymal transition. <i>Nature Reviews Molecular Cell Biology</i> , 2014, 15, 178-196.	16.1	6,331
185	A mitochondrial thioredoxin-sensitive mechanism regulates TGF- β -mediated gene expression associated with epithelial-mesenchymal transition. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 821-827.	1.0	43
186	HMGA2 induces transcription factor Slug expression to promote epithelial-to-mesenchymal transition and contributes to colon cancer progression. <i>Cancer Letters</i> , 2014, 355, 130-140.	3.2	108
187	Epithelial-mesenchymal transition-associated miRNAs in ovarian carcinoma, with highlight on the miR-200 family: Prognostic value and prospective role in ovarian cancer therapeutics. <i>Cancer Letters</i> , 2014, 351, 173-181.	3.2	110
188	HMGB1 in health and disease. <i>Molecular Aspects of Medicine</i> , 2014, 40, 1-116.	2.7	763
189	H19 promotes pancreatic cancer metastasis by derepressing let-7a TM s suppression on its target HMGA2-mediated EMT. <i>Tumor Biology</i> , 2014, 35, 9163-9169.	0.8	258
190	SMAD7: a timer of tumor progression targeting TGF- β signaling. <i>Tumor Biology</i> , 2014, 35, 8379-8385.	0.8	46
191	Quantitative proteomics reveals ER- β involvement in CD146-induced epithelial-mesenchymal transition in breast cancer cells. <i>Journal of Proteomics</i> , 2014, 103, 153-169.	1.2	26
192	HMGA proteins as modulators of chromatin structure during transcriptional activation. <i>Frontiers in Cell and Developmental Biology</i> , 2014, 2, 5.	1.8	109
193	Epithelial-mesenchymal transition is regulated at post-transcriptional levels by transforming growth factor- β signaling during tumor progression. <i>Cancer Science</i> , 2015, 106, 481-488.	1.7	96
194	Role of TGF- β in regulation of the tumor microenvironment and drug delivery (Review). <i>International Journal of Oncology</i> , 2015, 46, 933-943.	1.4	160
195	Inhibition of ZEB1 expression induces redifferentiation of adult human β cells expanded in vitro. <i>Scientific Reports</i> , 2015, 5, 13024.	1.6	17
196	The Anticancer Effect of (1S,2S,3E,7E,11E)-3,7,11, 15-Cembratetraen-17,2-olide(LS-1) through the Activation of TGF- β Signaling in SNU-C5/5-FU, Fluorouracil-Resistant Human Colon Cancer Cells. <i>Marine Drugs</i> , 2015, 13, 1340-1359.	2.2	9
197	Drug Development for Metastasis Prevention. <i>Critical Reviews in Oncogenesis</i> , 2015, 20, 449-473.	0.2	48
199	TGF- β Signaling in Tumor Initiation, Epithelial-to-Mesenchymal Transition, and Metastasis. <i>Journal of Oncology</i> , 2015, 2015, 1-15.	0.6	177
200	TGF- β and BMP signaling in cancer. , 2015, , 204-221.		1
201	A novel mechanism of post-translational modulation of HMGA functions by the histone chaperone nucleophosmin. <i>Scientific Reports</i> , 2015, 5, 8552.	1.6	16

#	ARTICLE	IF	CITATIONS
202	The code of non-coding RNAs in lung fibrosis. Cellular and Molecular Life Sciences, 2015, 72, 3507-3519.	2.4	11
203	Downregulating HMGA2 attenuates epithelial-mesenchymal transition-induced invasion and migration in nasopharyngeal cancer cells. Biochemical and Biophysical Research Communications, 2015, 463, 357-363.	1.0	28
204	Intercellular Communication in Cancer. , 2015, , .		4
205	High-mobility-group A2 overexpression provokes a poor prognosis of gastric cancer through the epithelial-mesenchymal transition. International Journal of Oncology, 2015, 46, 2431-2438.	1.4	26
206	MicroRNA regulatory networks in idiopathic pulmonary fibrosis. Biochemistry and Cell Biology, 2015, 93, 129-137.	0.9	66
207	Reprogramming during epithelial to mesenchymal transition under the control of TGF β 2. Cell Adhesion and Migration, 2015, 9, 233-246.	1.1	82
208	TGF- β 2 Promotes Heterogeneity and Drug Resistance in Squamous Cell Carcinoma. Cell, 2015, 160, 963-976.	13.5	401
209	Ficus carica Latex Prevents Invasion Through Induction of Let-7d Expression in GBM Cell Lines. Cellular and Molecular Neurobiology, 2015, 35, 175-187.	1.7	30
210	Elevated TGF- β 1 and - β 2 expression accelerates the epithelial to mesenchymal transition in triple-negative breast cancer cells. Cytokine, 2015, 75, 151-158.	1.4	40
211	Inflammation and Lung Cancer. , 2015, , .		2
212	High mobility group protein-mediated transcription requires DNA damage marker β -H2AX. Cell Research, 2015, 25, 837-850.	5.7	70
213	Auto-regulation of Slug mediates its activity during epithelial to mesenchymal transition. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2015, 1849, 1209-1218.	0.9	15
214	TGF- β 2-activated SMAD3/4 complex transcriptionally upregulates N-cadherin expression in non-small cell lung cancer. Lung Cancer, 2015, 87, 249-257.	0.9	90
215	Let-7a inhibits migration, invasion and epithelial-mesenchymal transition by targeting HMGA2 in nasopharyngeal carcinoma. Journal of Translational Medicine, 2015, 13, 105.	1.8	59
216	The high mobility group A2 protein epigenetically silences the Cdh1 gene during epithelial-to-mesenchymal transition. Nucleic Acids Research, 2015, 43, 162-178.	6.5	69
217	The Chromatin-Modifying Protein HMGA2 Promotes Atypical Teratoid/Rhabdoid Cell Tumorigenicity. Journal of Neuropathology and Experimental Neurology, 2015, 74, 177-185.	0.9	26
218	High-mobility group A2 overexpression is an unfavorable prognostic biomarker for nasopharyngeal carcinoma patients. Molecular and Cellular Biochemistry, 2015, 409, 155-162.	1.4	17
219	HMGA1/HMGA2 protein expression and prognostic implications in gastric cancer. International Journal of Surgery, 2015, 24, 39-44.	1.1	33

#	ARTICLE	IF	CITATIONS
220	Epigenetic targets for novel therapies of lung diseases. , 2015, 147, 91-110.		71
221	FRA-1 as a driver of tumour heterogeneity: a nexus between oncogenes and embryonic signalling pathways in cancer. <i>Oncogene</i> , 2015, 34, 4421-4428.	2.6	60
222	Zeb1 and <i>S</i> naill1 engage mi <i>R</i> -200f transcriptional and epigenetic regulation during <i>EMT</i> . <i>International Journal of Cancer</i> , 2015, 136, E62-73.	2.3	52
223	The role of the oncofetal H19 lncRNA in tumor metastasis: orchestrating the EMT-MET decision. <i>Oncotarget</i> , 2016, 7, 3748-3765.	0.8	115
224	Mechanisms of TGF β -Induced Epithelial-Mesenchymal Transition. <i>Journal of Clinical Medicine</i> , 2016, 5, 63.	1.0	194
225	Noncoding RNAs in Tumor Epithelial-to-Mesenchymal Transition. <i>Stem Cells International</i> , 2016, 2016, 1-13.	1.2	25
226	Let-7d miRNA Shows Both Antioncogenic and Oncogenic Functions in Osteosarcoma-Derived 3AB-OS Cancer Stem Cells. <i>Journal of Cellular Physiology</i> , 2016, 231, 1832-1841.	2.0	41
227	Lipocalin2 suppresses metastasis of colorectal cancer by attenuating NF- κ B-dependent activation of snail and epithelial mesenchymal transition. <i>Molecular Cancer</i> , 2016, 15, 77.	7.9	61
228	TGF- β 2 induces p53/Smads complex formation in the PAI-1 promoter to activate transcription. <i>Scientific Reports</i> , 2016, 6, 35483.	1.6	56
229	The transcriptional modulator HMGA2 promotes stemness and tumorigenicity in glioblastoma. <i>Cancer Letters</i> , 2016, 377, 55-64.	3.2	50
230	Interplay Between Transcription Factors and MicroRNAs Regulating Epithelial-Mesenchymal Transitions in Colorectal Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2016, 937, 71-92.	0.8	30
231	Let-7d miRNA prevents TGF- β 1-induced EMT and renal fibrogenesis through regulation of HMGA2 expression. <i>Biochemical and Biophysical Research Communications</i> , 2016, 479, 676-682.	1.0	35
232	Quercetin modulates Wnt signaling components in prostate cancer cell line by inhibiting cell viability, migration, and metastases. <i>Tumor Biology</i> , 2016, 37, 14025-14034.	0.8	56
233	Hmga2 is dispensable for cutaneous squamous cell carcinoma. <i>Experimental Dermatology</i> , 2016, 25, 409-412.	1.4	5
234	The Pathobiology of the Breast Cancer Invasive Process. , 2016, , 47-77.		0
235	Dichotomous roles of TGF- β 2 in human cancer. <i>Biochemical Society Transactions</i> , 2016, 44, 1441-1454.	1.6	91
236	Effects of HMGA2 siRNA and doxorubicin dual delivery by chitosan nanoparticles on cytotoxicity and gene expression of HT-29 colorectal cancer cell line. <i>Journal of Pharmacy and Pharmacology</i> , 2016, 68, 1119-1130.	1.2	60
237	Hmga2 is required for neural crest cell specification in <i>Xenopus laevis</i> . <i>Developmental Biology</i> , 2016, 411, 25-37.	0.9	23

#	ARTICLE	IF	CITATIONS
238	Role of redoximiRs in fibrogenesis. <i>Redox Biology</i> , 2016, 7, 58-67.	3.9	36
239	miR-1271 inhibits migration, invasion and epithelial-mesenchymal transition by targeting ZEB1 and TWIST1 in pancreatic cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2016, 472, 346-352.	1.0	52
240	Effects and mechanism of miR-23b on glucose-mediated epithelial-to-mesenchymal transition in diabetic nephropathy. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 70, 149-160.	1.2	41
241	Analysis of Epithelialâ€“Mesenchymal Transition Induced by Transforming Growth Factor β 2. <i>Methods in Molecular Biology</i> , 2016, 1344, 147-181.	0.4	23
242	TGF- β 2 Family Signaling in Tumor Suppression and Cancer Progression. <i>Cold Spring Harbor Perspectives in Biology</i> , 2017, 9, a022277.	2.3	345
243	Inverse correlation between the metastasis suppressor RKIP and the metastasis inducer YY1: Contrasting roles in the regulation of chemo/immuno-resistance in cancer. <i>Drug Resistance Updates</i> , 2017, 30, 28-38.	6.5	39
244	Downregulation of Lnc-Spry1 mediates TGF- β 2-induced epithelialâ€“mesenchymal transition by transcriptional and posttranscriptional regulatory mechanisms. <i>Cell Death and Differentiation</i> , 2017, 24, 785-797.	5.0	43
245	Kidney Development and Disease. <i>Results and Problems in Cell Differentiation</i> , 2017, , .	0.2	2
246	Specific microRNAâ€“mRNA Regulatory Network of Colon Cancer Invasion Mediated by Tissue Kallikreinâ€“Related Peptidase 6. <i>Neoplasia</i> , 2017, 19, 396-411.	2.3	27
247	Epithelial to Mesenchymal Transition (EMT) and Endothelial to Mesenchymal Transition (EndMT): Role and Implications in Kidney Fibrosis. <i>Results and Problems in Cell Differentiation</i> , 2017, 60, 345-372.	0.2	98
248	Stroma-regulated HMGA2 is an independent prognostic marker in PDAC and AAC. <i>British Journal of Cancer</i> , 2017, 117, 65-77.	2.9	30
249	Extracellular microRNA signature in chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F982-F991.	1.3	46
250	MicroRNAs-mediated epithelial-mesenchymal transition in fibrotic diseases. <i>European Journal of Pharmacology</i> , 2017, 796, 190-206.	1.7	54
251	Pharmacological and immunological targeting of tumor mesenchymalization. , 2017, 170, 212-225.		14
252	The role of Thyroid Transcription Factor-1 and Tumor differentiation in Resected Lung Adenocarcinoma. <i>Scientific Reports</i> , 2017, 7, 14222.	1.6	15
253	Interplay between TGF- β 2 signaling and receptor tyrosine kinases in tumor development. <i>Science China Life Sciences</i> , 2017, 60, 1133-1141.	2.3	24
254	Roles of microRNA let-7b in papillary thyroid carcinoma by regulating HMGA2. <i>Tumor Biology</i> , 2017, 39, 101042831771927.	0.8	23
256	Prevalence and significance of HMGA2 expression in oesophageal adenocarcinoma. <i>Histopathology</i> , 2017, 71, 909-917.	1.6	10

#	ARTICLE	IF	CITATIONS
257	<scp>HMGA</scp>2 regulates lung cancer proliferation and metastasis. Thoracic Cancer, 2017, 8, 501-510.	0.8	80
258	Circulating high mobility group A hook 2 and pleomorphic adenoma gene 1 in blood of patients with oral squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2017, 46, 998-1003.	1.4	6
259	IL-6/STAT3/TWIST inhibition reverses ionizing radiation-induced EMT and radioresistance in esophageal squamous carcinoma. Oncotarget, 2017, 8, 11228-11238.	0.8	60
260	Multiple biological functions of Twist1 in various cancers. Oncotarget, 2017, 8, 20380-20393.	0.8	118
261	OVOL2 antagonizes TGF- β 2 signaling to regulate epithelial to mesenchymal transition during mammary tumor metastasis. Oncotarget, 2017, 8, 39401-39416.	0.8	32
262	Overexpression of miR-194 Reverses HMGA2-driven Signatures in Colorectal Cancer. Theranostics, 2017, 7, 3889-3900.	4.6	36
263	Long Non-Coding RNAs: Key Regulators of Epithelial-Mesenchymal Transition, Tumour Drug Resistance and Cancer Stem Cells. Cancers, 2017, 9, 38.	1.7	143
264	HER2 in Breast Cancer Stemness: A Negative Feedback Loop towards Trastuzumab Resistance. Cancers, 2017, 9, 40.	1.7	60
265	Reverse epithelial-mesenchymal transition contributes to the regain of drug sensitivity in tyrosine kinase inhibitor-resistant non-small cell lung cancer cells. PLoS ONE, 2017, 12, e0180383.	1.1	38
266	Hmga2 translocation induced in skin tumorigenesis. Oncotarget, 2017, 8, 30019-30029.	0.8	7
267	Glyoxalase 1 sustains the metastatic phenotype of prostate cancer cells via <scp>EMT</scp> control. Journal of Cellular and Molecular Medicine, 2018, 22, 2865-2883.	1.6	53
268	Regulation of Signal Transduction in Human Cell Research. Current Human Cell Research and Applications, 2018, , .	0.1	0
269	The morphological and molecular mechanisms of epithelial/endothelial-to-mesenchymal transition and its involvement in atherosclerosis. Vascular Pharmacology, 2018, 106, 1-8.	1.0	77
270	Regulation of EMT by TGF- β 2 Signaling in Cancer Cells. Current Human Cell Research and Applications, 2018, , 71-84.	0.1	4
271	Endocardial Cell Plasticity in Cardiac Development, Diseases and Regeneration. Circulation Research, 2018, 122, 774-789.	2.0	88
272	Up-regulation of microRNA-93 inhibits TGF- β 1-induced EMT and renal fibrogenesis by down-regulation of Orai1. Journal of Pharmacological Sciences, 2018, 136, 218-227.	1.1	47
273	FPPS mediates TGF- β 1-induced non-small cell lung cancer cell invasion and the EMT process via the RhoA/Rock1 pathway. Biochemical and Biophysical Research Communications, 2018, 496, 536-541.	1.0	27
274	Inhibition of Epithelial to Mesenchymal Transition and Tissue Regeneration by Waterborne Titanium Dioxide Nanoparticles. ACS Applied Materials & Interfaces, 2018, 10, 3449-3458.	4.0	22

#	ARTICLE	IF	CITATIONS
275	<scp>HMGA</scp>2, but not <scp>HMGA</scp>1, is overexpressed in human larynx carcinomas. <i>Histopathology</i> , 2018, 72, 1102-1114.	1.6	19
276	Emerging roles of epithelial-mesenchymal transition in hematological malignancies. <i>Journal of Biomedical Science</i> , 2018, 25, 37.	2.6	40
277	High Mobility Group A (HMGA) proteins: Molecular instigators of breast cancer onset and progression. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2018, 1869, 216-229.	3.3	72
278	Paraspeckle factor turns TGF- β 1 pro-metastatic. <i>Nature Cell Biology</i> , 2018, 20, 367-369.	4.6	3
279	CK1 α promotes tumour suppressive autophagy. <i>Nature Cell Biology</i> , 2018, 20, 369-371.	4.6	1
280	Sox5 contributes to prostate cancer metastasis and is a master regulator of TGF- β -induced epithelial mesenchymal transition through controlling Twist1 expression. <i>British Journal of Cancer</i> , 2018, 118, 88-97.	2.9	48
281	miR-152 regulates TGF- β -induced epithelial-mesenchymal transition by targeting HPIP in tubular epithelial cells. <i>Molecular Medicine Reports</i> , 2018, 17, 7973-7979.	1.1	7
282	Irradiated endothelial cells modulate the malignancy of liver cancer cells. <i>Oncology Letters</i> , 2019, 17, 2187-2196.	0.8	6
283	Natural Products to Fight Cancer: A Focus on Juglans regia. <i>Toxins</i> , 2018, 10, 469.	1.5	46
284	Epithelial-Mesenchymal Transition and Metastasis under the Control of Transforming Growth Factor β . <i>International Journal of Molecular Sciences</i> , 2018, 19, 3672.	1.8	117
285	A Pan-Cancer Analysis Reveals High-Frequency Genetic Alterations in Mediators of Signaling by the TGF- β Superfamily. <i>Cell Systems</i> , 2018, 7, 422-437.e7.	2.9	134
286	Cross-talk among writers, readers, and erasers of m ⁶ A regulates cancer growth and progression. <i>Science Advances</i> , 2018, 4, eaar8263.	4.7	245
287	High mobility group A2 (HMGA2) promotes EMT via MAPK pathway in prostate cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018, 504, 196-202.	1.0	48
288	Elevated transforming growth factor β signaling activation in β -actin-knockout mouse embryonic fibroblasts enhances myofibroblast features. <i>Journal of Cellular Physiology</i> , 2018, 233, 8884-8895.	2.0	8
289	Reciprocal expression of Slug and Snail in human oral cancer cells. <i>PLoS ONE</i> , 2018, 13, e0199442.	1.1	52
290	Circulating tumor cells and their advances to promote cancer metastasis and relapse, with focus on glioblastoma multiforme. <i>Experimental and Molecular Pathology</i> , 2018, 105, 166-174.	0.9	36
291	The role of TGF- β /SMAD4 signaling in cancer. <i>International Journal of Biological Sciences</i> , 2018, 14, 111-123.	2.6	379
292	Reawakening of dormant estrogen-dependent human breast cancer cells by bone marrow stroma secretory senescence. <i>Cell Communication and Signaling</i> , 2018, 16, 48.	2.7	50

#	ARTICLE	IF	CITATIONS
293	RKIP: A Key Regulator in Tumor Metastasis Initiation and Resistance to Apoptosis: Therapeutic Targeting and Impact. <i>Cancers</i> , 2018, 10, 287.	1.7	53
294	The regulatory role of APE1 in epithelial-to-mesenchymal transition and in determining EGFR-TKI responsiveness in non-small cell lung cancer. <i>Cancer Medicine</i> , 2018, 7, 4406-4419.	1.3	27
295	PLC μ regulates prostate cancer mitochondrial oxidative metabolism and migration via upregulation of Twist1. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 337.	3.5	18
296	An miR-340-5p-macrophage feedback loop modulates the progression and tumor microenvironment of glioblastoma multiforme. <i>Oncogene</i> , 2019, 38, 7399-7415.	2.6	52
297	Competing Endogenous RNAs in Hepatocellular Carcinoma—The Pinnacle of Rivalry. <i>Seminars in Liver Disease</i> , 2019, 39, 463-475.	1.8	8
298	The oncogenic impact of RNF2 on cell proliferation, invasion and migration through EMT on mammary carcinoma. <i>Pathology Research and Practice</i> , 2019, 215, 152523.	1.0	10
299	Aberrant MicroRNAomics in Pulmonary Complications: Implications in Lung Health and Diseases. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 18, 413-431.	2.3	27
300	The Prominent Role of HMGA Proteins in the Early Management of Gastrointestinal Cancers. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	6
301	The E-Cadherin and N-Cadherin Switch in Epithelial-to-Mesenchymal Transition: Signaling, Therapeutic Implications, and Challenges. <i>Cells</i> , 2019, 8, 1118.	1.8	703
302	H19 Facilitates Tongue Squamous Cell Carcinoma Migration and Invasion via Sponging miR-let-7. <i>Oncology Research</i> , 2019, 27, 173-182.	0.6	51
303	HMGA2 Contributes to Distant Metastasis and Poor Prognosis by Promoting Angiogenesis in Oral Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2473.	1.8	24
304	Identification of Breast Cancer Stem Cell Related Genes Using Functional Cellular Assays Combined With Single-Cell RNA Sequencing in MDA-MB-231 Cells. <i>Frontiers in Genetics</i> , 2019, 10, 500.	1.1	26
305	DEPTOR induces a partial epithelial-to-mesenchymal transition and metastasis via autocrine TGF β 1 signaling and is associated with poor prognosis in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 273.	3.5	21
306	Oleuropein modulates glioblastoma miRNA pattern different from <i>Olea europaea</i> leaf extract. <i>Human and Experimental Toxicology</i> , 2019, 38, 1102-1110.	1.1	15
307	The High Mobility Group A1 (HMGA1) Chromatin Architectural Factor Modulates Nuclear Stiffness in Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2733.	1.8	24
308	Ca ²⁺ and CACNA1H mediate targeted suppression of breast cancer brain metastasis by AM RF EMF. <i>EBioMedicine</i> , 2019, 44, 194-208.	2.7	45
309	Comprehensive functional profiling of long non-coding RNAs through a novel pan-cancer integration approach and modular analysis of their protein-coding gene association networks. <i>BMC Genomics</i> , 2019, 20, 454.	1.2	8
310	Differential Expression of HMGA1 and HMGA2 in pituitary neuroendocrine tumors. <i>Molecular and Cellular Endocrinology</i> , 2019, 490, 80-87.	1.6	6

#	ARTICLE	IF	CITATIONS
311	Prognostic value of high mobility group protein A2 (HMGA2) over-expression in cancer progression. <i>Gene</i> , 2019, 706, 131-139.	1.0	17
312	TGF β ² -induced SMAD4-dependent Apoptosis Proceeded by EMT in CRC. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 1312-1322.	1.9	20
313	Transformation of the Transcriptomic Profile of Mouse Periocular Mesenchyme During Formation of the Embryonic Cornea. , 2019, 60, 661.		16
314	Oncological role of HMGA2 (Review). <i>International Journal of Oncology</i> , 2019, 55, 775-788.	1.4	74
315	Molecular regulation of Snai2 in development and disease. <i>Journal of Cell Science</i> , 2019, 132, .	1.2	71
316	PM2.5, Fine Particulate Matter: A Novel Player in the Epithelial-Mesenchymal Transition?. <i>Frontiers in Physiology</i> , 2019, 10, 1404.	1.3	41
317	HMGA and Cancer: A Review on Patent Literatures. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2019, 14, 258-267.	0.8	21
318	Slug mediates myofibroblastic differentiation to promote fibrogenesis in buccal mucosa. <i>Journal of Cellular Physiology</i> , 2019, 234, 6721-6730.	2.0	25
319	Has2 natural antisense RNA and Hmga2 promote Has2 expression during TGF β ² -induced EMT in breast cancer. <i>Matrix Biology</i> , 2019, 80, 29-45.	1.5	43
320	Towards control of cellular decision-making networks in the epithelial-to-mesenchymal transition. <i>Physical Biology</i> , 2019, 16, 031002.	0.8	44
321	BTB and CNC homology 1 (Bach1) promotes human ovarian cancer cell metastasis by HMGA2-mediated epithelial-mesenchymal transition. <i>Cancer Letters</i> , 2019, 445, 45-56.	3.2	64
322	Negative feedback by SNAI2 regulates TGF β ² -induced amelotin gene transcription in epithelial-mesenchymal transition. <i>Journal of Cellular Physiology</i> , 2019, 234, 11474-11489.	2.0	6
323	miR-330 suppresses EMT and induces apoptosis by downregulating HMGA2 in human colorectal cancer. <i>Journal of Cellular Physiology</i> , 2020, 235, 920-931.	2.0	51
324	Redox distress in organ fibrosis: The role of noncoding RNAs. , 2020, , 779-820.		1
325	Overexpressing of POU2F2 accelerates fracture healing via regulating HMGA1/Wnt/ β ² -catenin signaling pathway. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 491-499.	0.6	3
326	Targeting the intrinsically disordered architectural High Mobility Group A (HMGA) oncoproteins in breast cancer: learning from the past to design future strategies. <i>Expert Opinion on Therapeutic Targets</i> , 2020, 24, 953-969.	1.5	7
327	Identification of HMGA2 inhibitors by AlphaScreen-based ultra-high-throughput screening assays. <i>Scientific Reports</i> , 2020, 10, 18850.	1.6	20
328	Silencing of the Long Noncoding RNA MYCNOS1 Suppresses Activity of MYCN-Amplified Retinoblastoma Without RB1 Mutation. , 2020, 61, 8.		9

#	ARTICLE	IF	CITATIONS
329	<p>TAGLN and High-mobility Group AT-Hook 2 (HMGA2) Complex Regulates TGF- β -induced Colorectal Cancer Metastasis</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 10489-10498.	1.0	9
331	ASB13 inhibits breast cancer metastasis through promoting SNAI2 degradation and relieving its transcriptional repression of YAP. <i>Genes and Development</i> , 2020, 34, 1359-1372.	2.7	32
332	The New Model of Snail Expression Regulation: The Role of MRTFs in Fast and Slow Endothelialâ€ˆMesenchymal Transition. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5875.	1.8	10
333	Cytoplasmic levels of high mobility group A2 determine survival prognoses in breast cancer patients. <i>International Journal of Biological Markers</i> , 2020, 35, 20-28.	0.7	1
334	The Mammalian High Mobility Group Protein AT-Hook 2 (HMGA2): Biochemical and Biophysical Properties, and Its Association with Adipogenesis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3710.	1.8	17
335	High Mobility Group AT-Hook 2 (HMGA2) Oncogenicity in Mesenchymal and Epithelial Neoplasia. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3151.	1.8	33
336	A novel pancreatic tumour and stellate cell 3D co-culture spheroid model. <i>BMC Cancer</i> , 2020, 20, 475.	1.1	36
337	Regulation of breast cancer metastasis signaling by miRNAs. <i>Cancer and Metastasis Reviews</i> , 2020, 39, 837-886.	2.7	87
338	A New TGF- β 1 Inhibitor, CTI-82, Antagonizes Epithelialâ€ˆMesenchymal Transition through Inhibition of Phospho-SMAD2/3 and Phospho-ERK. <i>Biology</i> , 2020, 9, 143.	1.3	1
339	HMGA Genes and Proteins in Development and Evolution. <i>International Journal of Molecular Sciences</i> , 2020, 21, 654.	1.8	51
340	The dual roles of calycosin in growth inhibition and metastatic progression during pancreatic cancer development: A â€ˆTGF- β paradoxâ€ˆ. <i>Phytomedicine</i> , 2020, 68, 153177.	2.3	21
341	HMGA2 Antisense Long Non-coding RNAs as New Players in the Regulation of HMGA2 Expression and Pancreatic Cancer Promotion. <i>Frontiers in Oncology</i> , 2019, 9, 1526.	1.3	19
342	Immunological Aspects of the Tumor Microenvironment and Epithelial-Mesenchymal Transition in Gastric Carcinogenesis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2544.	1.8	34
343	TGF β 2 Signaling in the Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1270, 89-105.	0.8	12
344	Preventing phenotypic plasticity in cancer to mitigate therapy resistance. , 2021, , 119-160.		0
345	TGF- β 2-induced cell motility requires downregulation of ARHGAPs to sustain Rac1 activity. <i>Journal of Biological Chemistry</i> , 2021, 296, 100545.	1.6	5
346	Cytokine-chemokine network driven metastasis in esophageal cancer; promising avenue for targeted therapy. <i>Molecular Cancer</i> , 2021, 20, 2.	7.9	76
347	HMGA2 as a Critical Regulator in Cancer Development. <i>Genes</i> , 2021, 12, 269.	1.0	91

#	ARTICLE	IF	CITATIONS
348	Positioning of nucleosomes containing γ -H2AX precedes active DNA demethylation and transcription initiation. <i>Nature Communications</i> , 2021, 12, 1072.	5.8	30
349	Epithelial plasticity, epithelial-mesenchymal transition, and the TGF- β family. <i>Developmental Cell</i> , 2021, 56, 726-746.	3.1	82
350	Potential Role of Musashi-2 RNA-Binding Protein in Cancer EMT. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 1969-1980.	1.0	10
351	HMGA1 Is a Potential Driver of Preeclampsia Pathogenesis by Interference with Extravillous Trophoblasts Invasion. <i>Biomolecules</i> , 2021, 11, 822.	1.8	8
352	Quercetin Offers Chemopreventive Potential against Breast Cancer by Targeting a Network of Signalling Pathways. <i>Research Journal of Pharmacy and Technology</i> , 2021, , 2829-2839.	0.2	4
353	RNF8-CDH1 Co-Expression Predicts Clinical Benefit of Chemoradiotherapy in Triple-Negative Breast Cancer. <i>Journal of Personalized Medicine</i> , 2021, 11, 655.	1.1	3
354	TGF- β Signaling: From Tissue Fibrosis to Tumor Microenvironment. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7575.	1.8	87
355	Molecular mechanism involved in epithelial to mesenchymal transition. <i>Archives of Biochemistry and Biophysics</i> , 2021, 710, 108984.	1.4	36
356	Epithelial to Mesenchymal Transition. , 2021, , .		1
357	TGF- β Signaling Alterations in Neoplastic and Stromal Cells. , 2010, , 335-348.		1
358	Inflammation and Lung Cancer: The Role of Epithelial-Mesenchymal Transition. , 2015, , 23-68.		3
359	The Role of MicroRNAs in Lung Cancer Development, Progression, and Metastasis. , 2011, , 73-89.		1
361	Transcriptional Networks in Epithelial-Mesenchymal Transition. <i>PLoS ONE</i> , 2011, 6, e25354.	1.1	46
362	The Transcription Factors Snail and Slug Activate the Transforming Growth Factor-Beta Signaling Pathway in Breast Cancer. <i>PLoS ONE</i> , 2011, 6, e26514.	1.1	137
363	Ptk7 Marks the First Human Developmental EMT In Vitro. <i>PLoS ONE</i> , 2012, 7, e50432.	1.1	13
364	Raf Kinase Inhibitory Protein (RKIP) as a Metastasis Suppressor: Regulation of Signaling Networks in Cancer. <i>Critical Reviews in Oncogenesis</i> , 2014, 19, 447-454.	0.2	54
365	Alterations in TGF- β signaling leads to high HMGA2 levels potentially through modulation of PJA1/SMAD3 in HCC cells. <i>Genes and Cancer</i> , 2020, 11, 43-52.	0.6	8
366	MT2-MMP induces proteolysis and leads to EMT in carcinomas. <i>Oncotarget</i> , 2016, 7, 48193-48205.	0.8	26

#	ARTICLE	IF	CITATIONS
367	AKT-ions with a TWIST between EMT and MET. <i>Oncotarget</i> , 2016, 7, 62767-62777.	0.8	71
368	^{125}I -Np63 and microRNAs: leveraging the epithelial-mesenchymal transition. <i>Oncotarget</i> , 2017, 8, 2114-2129.	0.8	23
369	KrÄppel-like factors in cancer progression: three fingers on the steering wheel. <i>Oncotarget</i> , 2014, 5, 29-48.	0.8	58
370	Lin28B facilitates the progression and metastasis of pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 60414-60428.	0.8	16
371	Kallikrein 6 protease advances colon tumorigenesis via induction of the high mobility group A2 protein. <i>Oncotarget</i> , 2019, 10, 6062-6078.	0.8	15
372	P73 tumor suppressor and its targets, p21 and PUMA, are required for madin-darby canine kidney cell morphogenesis by maintaining an appropriate level of epithelial to mesenchymal transition. <i>Oncotarget</i> , 2015, 6, 13994-14004.	0.8	12
373	Zerumbone suppresses the motility and tumorigenicity of triple negative breast cancer cells via the inhibition of TGF- β 1 signaling pathway. <i>Oncotarget</i> , 2016, 7, 1544-1558.	0.8	43
374	HMGA2 sustains self-renewal and invasiveness of glioma-initiating cells. <i>Oncotarget</i> , 2016, 7, 44365-44380.	0.8	22
375	The High Mobility Group A1 (HMGA1) Transcriptome in Cancer and Development. <i>Current Molecular Medicine</i> , 2016, 16, 353-393.	0.6	100
376	HMGA2 Modulates the TGF β 2/Smad, TGF β 2/ERK and Notch Signaling Pathways in human Lens Epithelial-Mesenchymal Transition.. <i>Current Molecular Medicine</i> , 2018, 18, 71-82.	0.6	12
377	The Role of Snail in EMT and Tumorigenesis. <i>Current Cancer Drug Targets</i> , 2013, 13, 963-972.	0.8	688
378	High mobility group A2 and c-MYC as potential prognostic factors in pancreatic ductal adenocarcinoma. <i>Oncology Letters</i> , 2020, 19, 1584-1592.	0.8	2
379	Targeting the Transforming Growth Factor- β 2 Signaling in Cancer Therapy. <i>Biomolecules and Therapeutics</i> , 2013, 21, 323-331.	1.1	87
380	The Effect of (1S,2S,3E,7E,11E)-3,7,11,15-Cembratetraen-17,2-Olide (LS-1) from <i>Lobophyllum</i> sp. on the Apoptosis Induction of SNU-C5 Human Colorectal Cancer Cells. <i>Biomolecules and Therapeutics</i> , 2016, 24, 623-629.	1.1	5
381	Heat shock protein 90 is involved in the regulation of HMGA2-driven growth and epithelial-to-mesenchymal transition of colorectal cancer cells. <i>PeerJ</i> , 2016, 4, e1683.	0.9	16
382	Uvangoletin, extracted from <i>Sarcandra glabra</i> , exerts anticancer activity by inducing autophagy and apoptosis and inhibiting invasion and migration on hepatocellular carcinoma cells. <i>Phytomedicine</i> , 2022, 94, 153793.	2.3	8
383	HMGA2 Supports Cancer Hallmarks in Triple-Negative Breast Cancer. <i>Cancers</i> , 2021, 13, 5197.	1.7	11
384	Fluid flow exposure promotes epithelial-to-mesenchymal transition and adhesion of breast cancer cells to endothelial cells. <i>Breast Cancer Research</i> , 2021, 23, 97.	2.2	8

#	ARTICLE	IF	CITATIONS
385	The Epithelial-to-Mesenchymal Transition and Cancer Stem Cells. , 2011, , 243-256.		0
386	Endocrine Resistance and Epithelial Mesenchymal Transition in Breast Cancer. , 0, , .		0
387	Cadherin Expression and Progression of Squamous Cell Carcinomas of the Oral Cavity. , 0, , .		1
388	Molecular Traits of the Budding Colorectal Cancer Cells. , 0, , .		0
389	The Multifunctional Roles of TGF- β^2 in Navigating the Metastatic Cascade. , 2013, , 169-187.		0
390	TGF β^2 Regulates EMT in Head and Neck Cancer. , 2014, , 179-197.		0
391	E-Cadherin/Catenin Complex Modulations in Human Oral Cancer. , 2015, , 169-187.		0
393	Increased High Mobility Group Protein A2/SMAD3 Relates to Ovarian Cancer Progression. Journal of Gynecology Research, 2015, 1, .	0.0	0
394	Targeted Drug Delivery in Solid Tumors. , 2016, , 233-252.		0
395	Animal Models of Paroxysmal Nocturnal Hemoglobinuria. , 2017, , 55-65.		0
397	Proteomic analysis of radio-resistant breast cancer xenografts: Increased TGF β^2 signaling and metabolism. Cell Biology International, 2021, 45, 804-819.	1.4	3
400	Serpin peptidase inhibitor clade A member 1 overexpression in gastric cancer promotes tumor progression <i>in vitro</i> and is associated with poor prognosis. Oncology Letters, 2020, 20, 1-1.	0.8	13
402	Hepatic stellate cells secretes type I collagen to trigger epithelial mesenchymal transition of hepatoma cells. American Journal of Cancer Research, 2014, 4, 751-63.	1.4	23
405	Cross-Talk Between Tumor Cells Undergoing Epithelial to Mesenchymal Transition and Natural Killer Cells in Tumor Microenvironment in Colorectal Cancer. Frontiers in Cell and Developmental Biology, 2021, 9, 750022.	1.8	18
406	A mechanistic basis for the malignant progression of salivary gland tumors. Science, 2021, 24, 103508.	1.9	1
407	Metastasising Pleomorphic Adenoma: A Rare Entity. Indian Journal of Otolaryngology and Head and Neck Surgery, 2022, 74, 6321-6323.	0.3	2
408	The Epithelial-Mesenchymal Transition at the Crossroads between Metabolism and Tumor Progression. International Journal of Molecular Sciences, 2022, 23, 800.	1.8	59
409	One DNA Methylation Regulates <i>CHIP</i> Gene Expression of Human Breast Cancer and Predicts Recurrence. Anticancer Research, 2022, 42, 759-766.	0.5	1

#	ARTICLE	IF	CITATIONS
410	Spatial genomics enables multi-modal study of clonal heterogeneity in tissues. <i>Nature</i> , 2022, 601, 85-91.	13.7	117
411	Transcriptional and post-transcriptional control of epithelial-mesenchymal plasticity: why so many regulators?. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 182.	2.4	18
412	Vestigial-like family member 3 stimulates cell motility by inducing high-mobility group AT-hook 2 expression in cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 2686-2697.	1.6	5
413	Epithelial-Mesenchymal Plasticity in Tumor Immune Evasion. <i>Cancer Research</i> , 2022, 82, 2329-2343.	0.4	23
414	Chemokines driven ovarian cancer progression, metastasis and chemoresistance: Potential pharmacological targets for cancer therapy. <i>Seminars in Cancer Biology</i> , 2022, 86, 568-579.	4.3	16
415	Mechanisms of cancer stem cells drug resistance and the pivotal role of HMGA2. <i>Pathology Research and Practice</i> , 2022, 234, 153906.	1.0	2
433	MicroRNAs as the critical regulators of cell migration and invasion in thyroid cancer. <i>Biomarker Research</i> , 2022, 10, .	2.8	17
434	Hallmarks of Cancer Applied to Oral and Oropharyngeal Carcinogenesis: A Scoping Review of the Evidence Gaps Found in Published Systematic Reviews. <i>Cancers</i> , 2022, 14, 3834.	1.7	11
436	TGF- β 2 in developmental and fibrogenic EMTs. <i>Seminars in Cancer Biology</i> , 2022, 86, 136-145.	4.3	58
437	Hallmarks of Cancer Expression in Oral Lichen Planus: A Scoping Review of Systematic Reviews and Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2022, 23, 13099.	1.8	5
438	hsa_circ_0000264 promotes tumor progression via the hsa_circ_let-7b-5p/HMGA2 axis in head and neck squamous cell carcinoma. <i>Oral Diseases</i> , 2023, 29, 2677-2688.	1.5	7
439	Exosomal circ-1199 derived from EPCs exposed to oscillating shear stress acts as a sponge of let-7g-5p to promote endothelial-mesenchymal transition of EPCs by increasing HMGA2 expression. <i>Life Sciences</i> , 2023, 312, 121223.	2.0	3
440	Identification of HMGA2 as a predictive biomarker of response to bintrafusp alfa in a phase 1 trial in patients with advanced triple-negative breast cancer. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	1
441	Endothelial miR-196b-5p regulates angiogenesis via the hypoxia/miR-196b-5p/HMGA2/HIF1 α loop. <i>American Journal of Physiology - Cell Physiology</i> , 2023, 324, C407-C419.	2.1	4
442	Construction of a TFs-miRNA-mRNA network related to idiopathic pulmonary fibrosis. <i>Annals of Translational Medicine</i> , 2023, 11, 78-78.	0.7	1
443	Mechanistic Role of <i>Scutellaria baicalensis</i> Georgi in Breast Cancer Therapy. <i>The American Journal of Chinese Medicine</i> , 2023, 51, 279-308.	1.5	4
444	Boolean modeling of mechanosensitive epithelial to mesenchymal transition and its reversal. <i>IScience</i> , 2023, 26, 106321.	1.9	5
445	TGF- β 2/EP300/SMAD4 cascade signaling pathway promotes invasion and glycolysis in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2023, 52, 483-492.	1.4	0

#	ARTICLE	IF	CITATIONS
446	METTL3-mediated m6A modification of HMGA2 mRNA promotes subretinal fibrosis and epithelialâ€mesenchymal transition. <i>Journal of Molecular Cell Biology</i> , 2023, 15, .	1.5	6