Intraneuronal beta-Amyloid Aggregates, Neurodegener Transgenic Mice with Five Familial Alzheimer's Disease Amyloid Plaque Formation

Journal of Neuroscience

26, 10129-10140

DOI: 10.1523/jneurosci.1202-06.2006

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 3 | Â-Site Amyloid Precursor Protein Cleaving Enzyme 1 Levels Become Elevated in Neurons around Amyloid Plaques: Implications for Alzheimer's Disease Pathogenesis. Journal of Neuroscience, 2007, 27, 3639-3649. | 1.7 | 333 |
| 4 | The Basic Biology of BACE1: A Key Therapeutic Target for Alzheimers Disease. Current Genomics, 2007, 8, 509-530. | 0.7 | 82 |
| 5 | Advances on the Understanding of the Origins of Synaptic Pathology in AD. Current Genomics, 2007, 8, 486-508. | 0.7 | 32 |
| 6 | Molecular and Cellular Mechanisms for Alzheimers Disease:Understanding APP Metabolism. Current Molecular Medicine, 2007, 7, 687-696. | 0.6 | 74 |
| 7 | The role of intracellular amyloid β in Alzheimer's disease. Progress in Neurobiology, 2007, 83, 131-139. | 2.8 | 112 |
| 8 | Immunotherapy for Alzheimer's disease: attacking amyloid-Î ² from the inside. Trends in Immunology, 2007, 28, 511-513. | 2.9 | 15 |
| 9 | Internalized Antibodies to the Aβ Domain of APP Reduce Neuronal Aβ and Protect against Synaptic Alterations. Journal of Biological Chemistry, 2007, 282, 18895-18906. | 1.6 | 110 |
| 10 | The Alzheimer's disease Beta-secretase enzyme, BACE1. Molecular Neurodegeneration, 2007, 2, 22. | 4.4 | 386 |
| 11 | APP-BP1 inhibits Abeta42 levels by interacting with Presenilin-1. Molecular Neurodegeneration, 2007, 2, 3. | 4.4 | 18 |
| 12 | Intracellular amyloid-β in Alzheimer's disease. Nature Reviews Neuroscience, 2007, 8, 499-509. | 4.9 | 1,722 |
| 13 | Congo red and thioflavinâ€T analogs detect Aβ oligomers. Journal of Neurochemistry, 2008, 104, 457-468. | 2.1 | 198 |
| 14 | Alterations in intrinsic neuronal excitability during normal aging. Aging Cell, 2007, 6, 327-336. | 3.0 | 116 |
| 15 | BACE1 gene deletion prevents neuron loss and memory deficits in 5XFAD APP/PS1 transgenic mice. Neurobiology of Disease, 2007, 26, 134-145. | 2.1 | 272 |
| 16 | The molecular link between β- and γ-secretase activity on the amyloid β precursor protein. Cellular and Molecular Life Sciences, 2007, 64, 2211-2218. | 2.4 | 55 |
| 17 | Mechanisms of amyloid plaque pathogenesis. Acta Neuropathologica, 2007, 114, 551-571. | 3.9 | 85 |
| 18 | Alzheimer disease models and human neuropathology: similarities and differences. Acta Neuropathologica, 2008, 115, 5-38. | 3.9 | 365 |
| 19 | Construction of SH-EP1-α4β2-hAPP695 Cell Line and Effects of Nicotinic Agonists on β-amyloid in the Cells. Cellular and Molecular Neurobiology, 2008, 28, 103-112. | 1.7 | 12 |
| 20 | MFG-E8 Regulates Microglial Phagocytosis of Apoptotic Neurons. Journal of NeuroImmune Pharmacology, 2008, 3, 246-256. | 2.1 | 122 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 21 | Loss of presenilin function causes Alzheimer's diseaseâ€ŀike neurodegeneration in the mouse. Journal of Neuroscience Research, 2008, 86, 1615-1625. | 1.3 | 41 |
| 22 | Review on the APP/PS1KI mouse model: intraneuronal Aβ accumulation triggers axonopathy, neuron loss and working memory impairment. Genes, Brain and Behavior, 2008, 7, 6-11. | 1.1 | 47 |
| 23 | Conditionally inducible tau mice – designing a better mouse model of neurodegenerative diseases. Genes, Brain and Behavior, 2008, 7, 12-27. | 1.1 | 14 |
| 24 | Downâ€regulation of insulinâ€degrading enzyme by presenilin 1 V97L mutant potentially underlies increased levels of amyloid beta 42. European Journal of Neuroscience, 2008, 27, 2425-2432. | 1.2 | 11 |
| 25 | Memantine protects rat cortical cultured neurons against βâ€amyloidâ€induced toxicity by attenuating tau phosphorylation. European Journal of Neuroscience, 2008, 28, 1989-2002. | 1.2 | 125 |
| 26 | Age-dependent loss of dentate gyrus granule cells in APP/PS1KI mice. Brain Research, 2008, 1222, 207-213. | 1.1 | 18 |
| 27 | Amyloid beta, mitochondrial dysfunction and synaptic damage: implications for cognitive decline in aging and Alzheimer's disease. Trends in Molecular Medicine, 2008, 14, 45-53. | 3.5 | 799 |
| 28 | Phosphorylation of the Translation Initiation Factor eIF2α Increases BACE1 Levels and Promotes Amyloidogenesis. Neuron, 2008, 60, 988-1009. | 3.8 | 383 |
| 29 | Translational Control of BACE1 May Go Awry in Alzheimer's Disease. Neuron, 2008, 60, 941-943. | 3.8 | 12 |
| 30 | Overexpression of Neprilysin Reduces Alzheimer Amyloid-β42 (Aβ42)-induced Neuron Loss and Intraneuronal Aβ42 Deposits but Causes a Reduction in cAMP-responsive Element-binding Protein-mediated Transcription, Age-dependent Axon Pathology, and Premature Death in Drosophila. Journal of Biological Chemistry, 2008, 283, 19066-19076. | 1.6 | 68 |
| 31 | Intraneuronal β-Amyloid Is a Major Risk Factor – Novel Evidence from the APP/PS1KI Mouse Model. Neurodegenerative Diseases, 2008, 5, 140-142. | 0.8 | 18 |
| 32 | The Role of Amyloid Precursor Protein Processing by BACE1, the β-Secretase, in Alzheimer Disease Pathophysiology. Journal of Biological Chemistry, 2008, 283, 29621-29625. | 1.6 | 218 |
| 33 | Amyloid Pathology Is Associated with Progressive Monoaminergic Neurodegeneration in a Transgenic Mouse Model of Alzheimer's Disease. Journal of Neuroscience, 2008, 28, 13805-13814. | 1.7 | 180 |
| 34 | Human ApoD, an apolipoprotein up-regulated in neurodegenerative diseases, extends lifespan and increases stress resistance in <i>Drosophila</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 7088-7093. | 3.3 | 89 |
| 35 | Intracellular Amyloid β-Protein As a Therapeutic Target for Treating Alzheimers Disease. Current Alzheimer Research, 2008, 5, 555-561. | 0.7 | 40 |
| 36 | BACE1 Structure and Function in Health and Alzheimers Disease. Current Alzheimer Research, 2008, 5, 100-120. | 0.7 | 87 |
| 37 | Processing of Amyloid Precursor Protein and Amyloid Peptide Neurotoxicity. Current Alzheimer Research, 2008, 5, 92-99. | 0.7 | 58 |
| 38 | Distinct Pools of β-Amyloid in Alzheimer Disease–Affected Brain. Archives of Neurology, 2008, 65, 906-12. | 4.9 | 88 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 40 | Drosophila Models of Alzheimer's Amyloidosis: The Challenge of Dissecting the Complex Mechanisms of Toxicity of Amyloid-β 42. Journal of Alzheimer's Disease, 2008, 15, 523-540. | 1.2 | 57 |
| 41 | The Effects of NOS2 Gene Deletion on Mice Expressing Mutated Human AβPP. Journal of Alzheimer's Disease, 2008, 15, 571-587. | 1.2 | 81 |
| 42 | Increase in p53 Protein Levels by Presenilin 1 Gene Mutations and its Inhibition by Secretase Inhibitors. Journal of Alzheimer's Disease, 2009, 16, 565-575. | 1.2 | 17 |
| 43 | Isolation and Characterization of Patient-derived, Toxic, High Mass Amyloid β-Protein (Aβ) Assembly from Alzheimer Disease Brains. Journal of Biological Chemistry, 2009, 284, 32895-32905. | 1.6 | 162 |
| 44 | RAGE-mediated signaling contributes to intraneuronal transport of amyloid-β and neuronal dysfunction. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 20021-20026. | 3.3 | 251 |
| 45 | The Insulin/Akt Signaling Pathway Is Targeted by Intracellular β-Amyloid. Molecular Biology of the Cell, 2009, 20, 1533-1544. | 0.9 | 184 |
| 46 | A PPARdelta Agonist Reduces Amyloid Burden and Brain Inflammation in a Transgenic Mouse Model of Alzheimers Disease. Current Alzheimer Research, 2009, 6, 431-437. | 0.7 | 98 |
| 47 | Omi is a mammalian heat-shock protein that selectively binds and detoxifies oligomeric amyloid-β. Journal of Cell Science, 2009, 122, 1917-1926. | 1.2 | 23 |
| 49 | Impairments in remote memory stabilization precede hippocampal synaptic and cognitive failures in 5XFAD Alzheimer mouse model. Neurobiology of Disease, 2009, 33, 229-235. | 2.1 | 257 |
| 50 | Intracellular Aβ and C99 aggregates induce mitochondria-dependent cell death in human neuroglioma H4 cells through recruitment of the 20S proteasome subunits. Brain Research, 2009, 1273, 1-8. | 1.1 | 19 |
| 51 | Age-related cognitive decline and nesting behavior in an APPswe/PS1 bigenic model of Alzheimer's disease. Brain Research, 2009, 1292, 93-99. | 1.1 | 111 |
| 52 | Formic acid is essential for immunohistochemical detection of aggregated intraneuronal Aβ peptides in mouse models of Alzheimer's disease. Brain Research, 2009, 1301, 116-125. | 1.1 | 31 |
| 53 | Common key-signals in learning and neurodegeneration: focus on excito-amino acids, β-amyloid peptides and α-synuclein. Journal of Neural Transmission, 2009, 116, 953-974. | 1.4 | 8 |
| 54 | Classification and basic pathology of Alzheimer disease. Acta Neuropathologica, 2009, 118, 5-36. | 3.9 | 805 |
| 55 | APP/PS1KI bigenic mice develop early synaptic deficits and hippocampus atrophy. Acta Neuropathologica, 2009, 117, 677-685. | 3.9 | 74 |
| 56 | Intraneuronal pyroglutamate-Abeta 3–42 triggers neurodegeneration and lethal neurological deficits in a transgenic mouse model. Acta Neuropathologica, 2009, 118, 487-496. | 3.9 | 151 |
| 57 | Amyloid β and impairment in multiple memory systems in older transgenic APP TgCRND8 mice. Genes, Brain and Behavior, 2009, 8, 676-684. | 1.1 | 20 |
| 58 | βâ€Secretaseâ€1 elevation in transgenic mouse models of Alzheimer's disease is associated with synaptic/axonal pathology and amyloidogenesis: implications for neuritic plaque development. European Journal of Neuroscience, 2009, 30, 2271-2283. | 1.2 | 105 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 59 | Inhibition of Alzheimer's amyloid toxicity with a tricyclic pyrone molecule <i>in vitro</i> and <i>in vivo</i> . Journal of Neurochemistry, 2009, 108, 1097-1108. | 2.1 | 68 |
| 60 | Fluorescent Arc/Arg3.1 indicator mice: A versatile tool to study brain activity changes in vitro and in vivo. Journal of Neuroscience Methods, 2009, 184, 25-36. | 1.3 | 43 |
| 61 | Myelin Basic Protein Binds to and Inhibits the Fibrillar Assembly of Aβ42 in Vitro. Biochemistry, 2009, 48, 4720-4727. | 1.2 | 27 |
| 62 | Reassessing the amyloid cascade hypothesis of Alzheimer's disease. International Journal of Biochemistry and Cell Biology, 2009, 41, 1261-1268. | 1.2 | 318 |
| 63 | Linking vascular disorders and Alzheimer's disease: Potential involvement of BACE1. Neurobiology of Aging, 2009, 30, 1535-1544. | 1.5 | 35 |
| 64 | CCR5 deficiency induces astrocyte activation, AÎ ² deposit and impaired memory function. Neurobiology of Learning and Memory, 2009, 92, 356-363. | 1.0 | 50 |
| 65 | Failures to reconsolidate memory in a mouse model of Alzheimer's disease. Neurobiology of Learning and Memory, 2009, 92, 455-459. | 1.0 | 77 |
| 66 | The E693Δ Mutation in Amyloid Precursor Protein Increases Intracellular Accumulation of Amyloid β Oligomers and Causes Endoplasmic Reticulum Stress-Induced Apoptosis in Cultured Cells. American Journal of Pathology, 2009, 174, 957-969. | 1.9 | 109 |
| 67 | Independent Effects of Intra- and Extracellular Aβ on Learning-Related Gene Expression. American Journal of Pathology, 2009, 175, 271-282. | 1.9 | 35 |
| 68 | Extracellular Amyloid-β and Cytotoxic Glial Activation Induce Significant Entorhinal Neuron Loss in Young PS1M146L/APP751SL Mice. Journal of Alzheimer's Disease, 2009, 18, 755-776. | 1.2 | 40 |
| 70 | Galanin Protects Against Intracellular Amyloid Toxicity in Human Primary Neurons. Journal of Alzheimer's Disease, 2010, 19, 529-544. | 1.2 | 23 |
| 71 | Modulation of tau pathology in tau transgenic models. Biochemical Society Transactions, 2010, 38, 996-1000. | 1.6 | 10 |
| 72 | Transgenic Mouse Models of Alzheimer's Disease. Mount Sinai Journal of Medicine, 2010, 77, 69-81. | 1.9 | 261 |
| 73 | Accumulation of intraneuronal AÎ ² correlates with ApoE4 genotype. Acta Neuropathologica, 2010, 119, 555-566. | 3.9 | 94 |
| 74 | Intraneuronal β-amyloid accumulation and synapse pathology in Alzheimer's disease. Acta Neuropathologica, 2010, 119, 523-541. | 3.9 | 341 |
| 75 | Presenilin transgenic mice as models of Alzheimer's disease. Brain Structure and Function, 2010, 214, 127-143. | 1.2 | 60 |
| 76 | Transgenic Drosophila models of Alzheimer's disease and tauopathies. Brain Structure and Function, 2010, 214, 245-262. | 1.2 | 96 |
| 77 | Pyroglutamate Abeta pathology in APP/PS1KI mice, sporadic and familial Alzheimer's disease cases. Journal of Neural Transmission, 2010, 117, 85-96. | 1.4 | 87 |

| # | Article | IF | CITATIONS |
|----|---|---------------|-----------|
| 78 | Homocysteine Potentiates Seizures and Cell Loss Induced by Pilocarpine Treatment. NeuroMolecular Medicine, 2010, 12, 248-259. | 1.8 | 31 |
| 79 | Intraneuronal amyloid β accumulation and oxidative damage to nucleic acids in Alzheimer disease. Neurobiology of Disease, 2010, 37, 731-737. | 2.1 | 88 |
| 80 | Reduction of hippocampal Nâ€acetyl aspartate level in aged APP _{Swe} /PS1 _{dE9} transgenic mice is associated with degeneration of CA3 pyramidal neurons. Journal of Neuroscience Research, 2010, 88, 3155-3160. | 1.3 | 20 |
| 81 | Icariin improves memory impairment in Alzheimer's disease model mice (5xFAD) and attenuates amyloid βâ€induced neurite atrophy. Phytotherapy Research, 2010, 24, 1658-1663. | 2.8 | 93 |
| 82 | Partial reduction of BACE1 improves synaptic plasticity, recent and remote memories in Alzheimer's disease transgenic mice. Journal of Neurochemistry, 2010, 113, 248-261. | 2.1 | 126 |
| 83 | Animal models of amyloidâ€Î²â€related pathologies in Alzheimer's disease. FEBS Journal, 2010, 277, 1389-14 | 0 9. 2 | 87 |
| 84 | Protein aggregation diseases: pathogenicity and therapeutic perspectives. Nature Reviews Drug Discovery, 2010, 9, 237-248. | 21.5 | 639 |
| 85 | Genetic reductions of βâ€site amyloid precursor proteinâ€cleaving enzyme 1 and amyloidâ€Î² ameliorate impairment of conditioned taste aversion memory in 5XFAD Alzheimer's disease model mice. European Journal of Neuroscience, 2010, 31, 110-118. | 1.2 | 79 |
| 87 | Intracellular accumulation of amyloid-beta – a predictor for synaptic dysfunction and neuron loss in Alzheimer's disease. Frontiers in Aging Neuroscience, 2010, 2, 8. | 1.7 | 161 |
| 88 | Calcium and Neurogenesis in Alzheimer's Disease. Frontiers in Neuroscience, 2010, 4, 194. | 1.4 | 27 |
| 89 | Neuron Loss in Transgenic Mouse Models of Alzheimer's Disease. International Journal of Alzheimer's Disease, 2010, 2010, 1-6. | 1.1 | 57 |
| 90 | Differential effects of amyloid-beta peptide aggregation status on in vivo retinal neurotoxicity. Eye and Brain, 2010, 2, 121. | 3.8 | 4 |
| 91 | Immunomodulation of Al̂2PP Processing Alleviates Amyloid-l̂2-Related Pathology in Alzheimer's Disease Transgenic Mice. Journal of Alzheimer's Disease, 2010, 22, 469-482. | 1.2 | 6 |
| 92 | The Society for Neuroscience 2009 Meeting Report, Part 4. Journal of Alzheimer's Disease, 2010, 20, 673-679. | 1.2 | 0 |
| 93 | Immunohistochemical Visualization of Amyloid-β Protein Precursor and Amyloid-β in Extra- and Intracellular Compartments in the Human Brain. Journal of Alzheimer's Disease, 2010, 20, 1015-1028. | 1.2 | 64 |
| 94 | Ascidians: an invertebrate chordate model to study Alzheimer's disease pathogenesis. DMM Disease Models and Mechanisms, 2010, 3, 377-385. | 1.2 | 19 |
| 95 | Identification of Low Molecular Weight Pyroglutamate Aβ Oligomers in Alzheimer Disease. Journal of Biological Chemistry, 2010, 285, 41517-41524. | 1.6 | 91 |
| 96 | Alzheimer's Disease and the Amyloid- \hat{l}^2 Peptide. Journal of Alzheimer's Disease, 2010, 19, 311-323. | 1.2 | 1,270 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 97 | A Mouse Model of Amyloid β Oligomers: Their Contribution to Synaptic Alteration, Abnormal Tau Phosphorylation, Glial Activation, and Neuronal Loss <i>In Vivo</i> . Journal of Neuroscience, 2010, 30, 4845-4856. | 1.7 | 348 |
| 98 | Concerted changes in transcripts in the prefrontal cortex precede neuropathology in Alzheimer's disease. Brain, 2010, 133, 3699-3723. | 3.7 | 203 |
| 99 | Selecting a Mouse Model of Alzheimer's Disease. Methods in Molecular Biology, 2010, 670, 169-189. | 0.4 | 76 |
| 101 | Sex- and brain region-specific acceleration of β-amyloidogenesis following behavioral stress in a mouse model of Alzheimer's disease. Molecular Brain, 2010, 3, 34. | 1.3 | 104 |
| 102 | EEC, Activity, and Sleep Architecture in a Transgenic AβPPswe/PSEN1A246E Alzheimer's Disease Mouse. Journal of Alzheimer's Disease, 2010, 22, 873-887. | 1.2 | 92 |
| 103 | Potential protection of curcumin against intracellular amyloid β-induced toxicity in cultured rat prefrontal cortical neurons. Neuroscience Letters, 2010, 480, 21-24. | 1.0 | 54 |
| 104 | Murine models of Alzheimer's disease and their use in developing immunotherapies. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2010, 1802, 847-859. | 1.8 | 71 |
| 105 | Mouse models of neurological disorders—A comparison of heritable and acquired traits. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2010, 1802, 785-795. | 1.8 | 13 |
| 106 | Co-occurrence of Alzheimer's disease β-amyloid and tau pathologies at synapses. Neurobiology of Aging, 2010, 31, 1145-1152. | 1.5 | 116 |
| 107 | Intracellular Al̂² triggers neuron loss in the cholinergic system of the APP/PS1KI mouse model of Alzheimer's disease. Neurobiology of Aging, 2010, 31, 1153-1163. | 1.5 | 66 |
| 108 | Candidate anti-Aβ fluorene compounds selected from analogs of amyloid imaging agents. Neurobiology of Aging, 2010, 31, 1690-1699. | 1.5 | 21 |
| 109 | Fibrinogen and β-Amyloid Association Alters Thrombosis and Fibrinolysis: A Possible Contributing Factor to Alzheimer's Disease. Neuron, 2010, 66, 695-709. | 3.8 | 283 |
| 110 | Caprospinol reduces amyloid deposits and improves cognitive function in a rat model of Alzheimer's disease. Neuroscience, 2010, 165, 427-435. | 1.1 | 23 |
| 111 | Mechanism of amyloid plaque formation suggests an intracellular basis of Aβ pathogenicity. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 1942-1947. | 3.3 | 262 |
| 112 | Neuronal and Axonal Loss Are Selectively Linked to Fibrillar Amyloid-β within Plaques of the Aged Primate Cerebral Cortex. American Journal of Pathology, 2010, 177, 325-333. | 1.9 | 35 |
| 113 | Amyloid-β and Mitochondria in Aging and Alzheimer's Disease: Implications for Synaptic Damage and Cognitive Decline. Journal of Alzheimer's Disease, 2010, 20, S499-S512. | 1.2 | 203 |
| 114 | Diabetes, Insulin and Alzheimer's Disease. Research and Perspectives in Alzheimer's Disease, 2010, , . | 0.1 | 7 |
| 115 | Amyloid-Independent Mechanisms in Alzheimer's Disease Pathogenesis. Journal of Neuroscience, 2010, 30, 14946-14954. | 1.7 | 244 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 116 | β-Amyloid1–42 Gene Transfer Model Exhibits Intraneuronal Amyloid, Gliosis, Tau Phosphorylation, and Neuronal Loss. Journal of Biological Chemistry, 2010, 285, 7440-7446. | 1.6 | 53 |
| 117 | In Situ Measurements of the Formation and Morphology of Intracellular Î ² -Amyloid Fibrils by Super-Resolution Fluorescence Imaging. Journal of the American Chemical Society, 2011, 133, 12902-12905. | 6.6 | 151 |
| 118 | Alzheimer's Disease and Frontotemporal Dementia. Methods in Molecular Biology, 2011, , . | 0.4 | 5 |
| 119 | Genetic Ablation of Apolipoprotein A-IV Accelerates Alzheimer's Disease Pathogenesis in a Mouse Model. American Journal of Pathology, 2011, 178, 1298-1308. | 1.9 | 35 |
| 120 | High-Resolution 3D Reconstruction Reveals Intra-Synaptic Amyloid Fibrils. American Journal of Pathology, 2011, 179, 2551-2558. | 1.9 | 27 |
| 121 | Zebrafish as a tool in Alzheimer's disease research. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2011, 1812, 346-352. | 1.8 | 60 |
| 122 | TGF-β1 affects endothelial cell interaction with macrophages and T cells leading to the development of cerebrovascular amyloidosis. Brain, Behavior, and Immunity, 2011, 25, 1017-1024. | 2.0 | 28 |
| 123 | Increased expression of miRNA-146a in Alzheimer's disease transgenic mouse models. Neuroscience Letters, 2011, 487, 94-98. | 1.0 | 127 |
| 124 | Wheat germ agglutinin enhanced cerebral uptake of anti-Aβ antibody after intranasal administration in 5XFAD mice. Vaccine, 2011, 29, 7631-7637. | 1.7 | 12 |
| 125 | Development of Alzheimer-disease neuroimaging-biomarkers using mouse models with amyloid-precursor protein-transgene expression. Progress in Neurobiology, 2011, 95, 547-556. | 2.8 | 30 |
| 126 | Impaired neurogenesis, neuronal loss, and brain functional deficits in the APPxPS1-Ki mouse model of Alzheimer's disease. Neurobiology of Aging, 2011, 32, 407-418. | 1.5 | 86 |
| 127 | Age-associated cerebral atrophy in mouse lemur primates. Neurobiology of Aging, 2011, 32, 894-906. | 1.5 | 72 |
| 128 | Mechanisms underlying basal and learning-related intrinsic excitability in a mouse model of Alzheimer's disease. Neurobiology of Aging, 2011, 32, 1452-1465. | 1.5 | 84 |
| 129 | Early onset amyloid lesions lead to severe neuritic abnormalities and local, but not global neuron loss in APPPS1 transgenic mice. Neurobiology of Aging, 2011, 32, 2324.e1-2324.e6. | 1.5 | 67 |
| 130 | Inhibition of β-amyloid1-42 internalization attenuates neuronal death by stabilizing the endosomal-lysosomal system in rat cortical cultured neurons. Neuroscience, 2011, 178, 181-188. | 1.1 | 28 |
| 131 | The Aβ oligomer hypothesis for synapse failure and memory loss in Alzheimer's disease. Neurobiology of Learning and Memory, 2011, 96, 529-543. | 1.0 | 386 |
| 133 | P.5.b.004 Cognition and hippocampal plasticity in 5XFAD mouse model of Alzheimer's disease. European Neuropsychopharmacology, 2011, 21, S550. | 0.3 | 0 |
| 134 | Amyloid-related imaging abnormalities in amyloid-modifying therapeutic trials: Recommendations from the Alzheimer's Association Research Roundtable Workgroup. , 2011, 7, 367-385. | | 531 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 135 | Introducing HumanAPOEinto AβTransgenic Mouse Models. International Journal of Alzheimer's Disease, 2011, 2011, 1-9. | 1.1 | 42 |
| 136 | A Comparative Study of Five Mouse Models of Alzheimer's Disease: Cell Cycle Events Reveal New Insights into Neurons at Risk for Death. International Journal of Alzheimer's Disease, 2011, 2011, 1-10. | 1.1 | 39 |
| 139 | 17α-Estradiol Attenuates Neuron Loss in Ovariectomized Dtg AβPP/PS1 Mice. Journal of Alzheimer's Disease, 2011, 23, 629-639. | 1.2 | 14 |
| 140 | Mechanisms of Amyloid-Beta Peptide Uptake by Neurons: The Role of Lipid Rafts and Lipid Raft-Associated Proteins. International Journal of Alzheimer's Disease, 2011, 2011, 1-11. | 1.1 | 81 |
| 141 | Insights into Alzheimer disease pathogenesis from studies in transgenic animal models. Clinics, 2011, 66, 45-54. | 0.6 | 91 |
| 142 | Cotinine Reduces Amyloid-β Aggregation and Improves Memory in Alzheimer's Disease Mice. Journal of Alzheimer's Disease, 2011, 24, 817-835. | 1.2 | 77 |
| 143 | Retinal amyloid peptides and complement factor H in transgenic models of Alzheimer's disease. NeuroReport, 2011, 22, 623-627. | 0.6 | 123 |
| 144 | Omega-3 Polyunsaturated Fatty Acids in Alzheimers Disease: Key Questions and Partial Answers. Current Alzheimer Research, 2011, 8, 470-478. | 0.7 | 64 |
| 145 | Addressing the complex etiology of Alzheimer's disease: the role of p25/Cdk5. Future Neurology, 2011, 6, 481-496. | 0.9 | 3 |
| 146 | Review: Sporadic cerebral amyloid angiopathy. Neuropathology and Applied Neurobiology, 2011, 37, 75-93. | 1.8 | 285 |
| 147 | Presenilin-1 but not amyloid precursor protein mutations present in mouse models of Alzheimer's disease attenuate the response of cultured cells to γ-secretase modulators regardless of their potency and structure. Journal of Neurochemistry, 2011, 116, 385-395. | 2.1 | 43 |
| 148 | Insulinâ€activated Akt rescues Aβ oxidative stressâ€induced cell death by orchestrating molecular trafficking. Aging Cell, 2011, 10, 832-843. | 3.0 | 64 |
| 149 | Development and evaluation of polymer nanoparticles for oral delivery of estradiol to rat brain in a model of Alzheimer's pathology. Journal of Controlled Release, 2011, 150, 220-228. | 4.8 | 128 |
| 150 | The Amazonian herbal Marapuama attenuates cognitive impairment and neuroglial degeneration in a mouse Alzheimer model. Phytomedicine, 2011, 18, 327-333. | 2.3 | 29 |
| 151 | Mitosis-specific phosphorylation of amyloid precursor protein at Threonine 668 leads to its altered processing and association with centrosomes. Molecular Neurodegeneration, 2011, 6, 80. | 4.4 | 31 |
| 152 | Drosophila as a model to study age-related neurodegenerative disorders: Alzheimer's disease. Experimental Gerontology, 2011, 46, 335-339. | 1.2 | 29 |
| 153 | Abnormal tau, mitochondrial dysfunction, impaired axonal transport of mitochondria, and synaptic deprivation in Alzheimer's disease. Brain Research, 2011, 1415, 136-148. | 1.1 | 227 |
| 154 | Postsynaptic degeneration as revealed by PSD-95 reduction occurs after advanced Aβ and tau pathology in transgenic mouse models of Alzheimer's disease. Acta Neuropathologica, 2011, 122, 285-292. | 3.9 | 151 |

| | CHAIION | REPORT | |
|-----|---|--------|-----------|
| # | Article | IF | CITATIONS |
| 155 | APP Transgenic Mice: Their Use and Limitations. NeuroMolecular Medicine, 2011, 13, 117-137. | 1.8 | 69 |
| 156 | The γ-Secretase Modulator CHF5074 Reduces the Accumulation of Native Hyperphosphorylated Tau in a Transgenic Mouse Model of Alzheimer's Disease. Journal of Molecular Neuroscience, 2011, 45, 22-31. | 1.1 | 25 |
| 157 | Exposure to Pyrithiamine Increases β-Amyloid Accumulation, Tau Hyperphosphorylation, and Glycogen Synthase Kinase-3 Activity in the Brain. Neurotoxicity Research, 2011, 19, 575-583. | 1.3 | 32 |
| 158 | APP processing in Alzheimer's disease. Molecular Brain, 2011, 4, 3. | 1.3 | 669 |
| 159 | γâ€ S ecretase component presenilin is important for microglia βâ€ e myloid clearance. Annals of Neurology, 2011, 69, 170-180. | 2.8 | 45 |
| 160 | Apomorphine treatment in Alzheimer mice promoting amyloidâ€Î² degradation. Annals of Neurology, 2011, 69, 248-256. | 2.8 | 134 |
| 161 | Amyloid-β42 alters apolipoprotein E solubility in brains of mice with five familial AD mutations. Journal of Neuroscience Methods, 2011, 196, 51-59. | 1.3 | 58 |
| 162 | Genetic Mouse Models of Neurodegenerative Diseases. Progress in Molecular Biology and Translational Science, 2011, 100, 419-482. | 0.9 | 37 |
| 163 | Transgenic Mice as a Model for Alzheimers Disease. Current Alzheimer Research, 2011, 8, 818-831. | 0.7 | 30 |
| 164 | CC Chemokine Receptor 2 Deficiency Aggravates Cognitive Impairments and Amyloid Pathology in a Transgenic Mouse Model of Alzheimer's Disease. Journal of Neuroscience, 2011, 31, 6208-6220. | 1.7 | 151 |
| 165 | Orally Administrated Cinnamon Extract Reduces Î ² -Amyloid Oligomerization and Corrects Cognitive Impairment in Alzheimer's Disease Animal Models. PLoS ONE, 2011, 6, e16564. | 1.1 | 160 |
| 166 | Parkin mediates beclin-dependent autophagic clearance of defective mitochondria and ubiquitinated AÂ in AD models. Human Molecular Genetics, 2011, 20, 2091-2102. | 1.4 | 156 |
| 167 | PKC Îμ Activation Prevents Synaptic Loss, Aβ Elevation, and Cognitive Deficits in Alzheimer's Disease Transgenic Mice. Journal of Neuroscience, 2011, 31, 630-643. | 1.7 | 188 |
| 168 | Overexpression of Glutaminyl Cyclase, the Enzyme Responsible for Pyroglutamate Aβ Formation, Induces Behavioral Deficits, and Glutaminyl Cyclase Knock-out Rescues the Behavioral Phenotype in 5XFAD Mice. Journal of Biological Chemistry, 2011, 286, 4454-4460. | 1.6 | 79 |
| 169 | Selective Hippocampal Neurodegeneration in Transgenic Mice Expressing Small Amounts of Truncated Aβ Is Induced by Pyroglutamate–Aβ Formation. Journal of Neuroscience, 2011, 31, 12790-12801. | 1.7 | 90 |
| 170 | Alzheimers Disease: Pathological Mechanisms and Recent Insights. Current Neuropharmacology, 2011, 9, 674-684. | 1.4 | 46 |
| 171 | Pyroglutamate Amyloid-β (Aβ): A Hatchet Man in Alzheimer Disease. Journal of Biological Chemistry, 2011, 286, 38825-38832. | 1.6 | 177 |
| 172 | Amyloid β Peptide-(1–42) Induces Internalization and Degradation of β2 Adrenergic Receptors in Prefrontal Cortical Neurons. Journal of Biological Chemistry, 2011, 286, 31852-31863. | 1.6 | 72 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 173 | Impaired β-Amyloid Secretion in Alzheimer's Disease Pathogenesis. Journal of Neuroscience, 2011, 31, 15384-15390. | 1.7 | 35 |
| 174 | Sominone Improves Memory Impairments and Increases Axonal Density in Alzheimer's Disease Model Mice, 5XFAD. International Journal of Neuroscience, 2011, 121, 181-190. | 0.8 | 27 |
| 175 | Myeloid differentiation factor 88-deficient bone marrow cells improve Alzheimer's disease-related symptoms and pathology. Brain, 2011, 134, 278-292. | 3.7 | 49 |
| 176 | Kamikihi-to (KKT) Rescues Axonal and Synaptic Degeneration Associated with Memory Impairment in a Mouse Model of Alzheimer's Disease, 5XFAD. International Journal of Neuroscience, 2011, 121, 641-648. | 0.8 | 39 |
| 177 | Mechanisms Underlying Insulin Deficiency-Induced Acceleration of β-Amyloidosis in a Mouse Model of Alzheimer's Disease. PLoS ONE, 2012, 7, e32792. | 1.1 | 126 |
| 178 | Pyroglutamate Amyloid β (Aβ) Aggravates Behavioral Deficits in Transgenic Amyloid Mouse Model for Alzheimer Disease. Journal of Biological Chemistry, 2012, 287, 8154-8162. | 1.6 | 71 |
| 179 | RNA-Seq Analysis of Frontal Cortex and Cerebellum from 5XFAD Mice at Early Stage of Disease Pathology. Journal of Alzheimer's Disease, 2012, 29, 793-808. | 1.2 | 43 |
| 180 | Cdk5 Protein Inhibition and Aβ42 Increase BACE1 Protein Level in Primary Neurons by a Post-transcriptional Mechanism. Journal of Biological Chemistry, 2012, 287, 7224-7235. | 1.6 | 56 |
| 181 | AÂ1-42-RAGE Interaction Disrupts Tight Junctions of the Blood-Brain Barrier Via Ca2+-Calcineurin Signaling. Journal of Neuroscience, 2012, 32, 8845-8854. | 1.7 | 215 |
| 182 | Diosgenin is an exogenous activator of 1,25D3-MARRS/Pdia3/ERp57 and improves Alzheimer's disease pathologies in 5XFAD mice. Scientific Reports, 2012, 2, 535. | 1.6 | 129 |
| 183 | Neurologic and motor dysfunctions in APP transgenic mice. Reviews in the Neurosciences, 2012, 23, 363-79. | 1.4 | 43 |
| 184 | Spines, Plasticity, and Cognition in Alzheimer's Model Mice. Neural Plasticity, 2012, 2012, 1-10. | 1.0 | 117 |
| 185 | Aβ neurotoxicity depends on interactions between copper ions, prion protein, and <i>N</i> -methyl- <scp>d</scp> -aspartate receptors. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 1737-1742. | 3.3 | 209 |
| 186 | Proton and Phosphorus Magnetic Resonance Spectroscopy of a Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 31, S87-S99. | 1.2 | 40 |
| 187 | Amyloid and Alzheimer's Disease: Inside and Out. Canadian Journal of Neurological Sciences, 2012, 39, 286-298. | 0.3 | 56 |
| 189 | The value and limitations of transgenic mouse models used in drug discovery for Alzheimer's disease: an update. Expert Opinion on Drug Discovery, 2012, 7, 281-297. | 2.5 | 42 |
| 190 | Deregulated Cdk5 Activity Is Involved in Inducing Alzheimer's Disease. Archives of Medical Research, 2012, 43, 655-662. | 1.5 | 139 |
| 191 | Alzheimer's Disease and Amyloid: Culprit or Coincidence?. International Review of Neurobiology, 2012, 102, 277-316. | 0.9 | 67 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 192 | Targeting Astrocytes Ameliorates Neurologic Changes in a Mouse Model of Alzheimer's Disease. Journal of Neuroscience, 2012, 32, 16129-16140. | 1.7 | 249 |
| 193 | TDP-43: A new player on the AD field?. Experimental Neurology, 2012, 237, 90-95. | 2.0 | 25 |
| 196 | P.5.b.002 Comparative study of metrifonate and galantamine on active avoidance test and locomotor activity in rats with diazepam-induced amnesia. European Neuropsychopharmacology, 2012, 22, S383-S384. | 0.3 | 0 |
| 197 | Direct Observation of Internalization and ROS Generation of Amyloid βâ€Peptide in Neuronal Cells at Subcellular Resolution. ChemBioChem, 2012, 13, 2335-2338. | 1.3 | 18 |
| 198 | Monoacylglycerol Lipase Is a Therapeutic Target for Alzheimer's Disease. Cell Reports, 2012, 2, 1329-1339. | 2.9 | 219 |
| 199 | JNK3 Perpetuates Metabolic Stress Induced by $A\hat{I}^2$ Peptides. Neuron, 2012, 75, 824-837. | 3.8 | 197 |
| 200 | Lack of Tau Proteins Rescues Neuronal Cell Death and Decreases Amyloidogenic Processing of APP in APP/PS1 Mice. American Journal of Pathology, 2012, 181, 1928-1940. | 1.9 | 116 |
| 201 | 7,8-Dihydroxyflavone, a Small-Molecule TrkB Agonist, Reverses Memory Deficits and BACE1 Elevation in a Mouse Model of Alzheimer's Disease. Neuropsychopharmacology, 2012, 37, 434-444. | 2.8 | 247 |
| 202 | Motor deficits, neuron loss, and reduced anxiety coinciding with axonal degeneration and intraneuronal Al² aggregation in the 5XFAD mouse model of Alzheimer's disease. Neurobiology of Aging, 2012, 33, 196.e29-196.e40. | 1.5 | 421 |
| 203 | The noradrenaline precursor L-DOPS reduces pathology in a mouse model of Alzheimer's disease. Neurobiology of Aging, 2012, 33, 1651-1663. | 1.5 | 98 |
| 204 | No improvement after chronic ibuprofen treatment in the 5XFAD mouse model of Alzheimer's disease. Neurobiology of Aging, 2012, 33, 833.e39-833.e50. | 1.5 | 32 |
| 205 | Selective inhibition of the membrane attack complex of complement by low molecular weight components of the aurin tricarboxylic acid synthetic complex. Neurobiology of Aging, 2012, 33, 2237-2246. | 1.5 | 30 |
| 206 | PET imaging with [18F]AV-45 in an APP/PS1-21 murine model of amyloid plaque deposition. Neurobiology of Aging, 2012, 33, 2561-2571. | 1.5 | 68 |
| 207 | An age-related axon terminal pathology around the first olfactory relay that involves amyloidogenic protein overexpression without plaque formation. Neuroscience, 2012, 215, 160-173. | 1.1 | 22 |
| 208 | Potential protection of green tea polyphenols against intracellular amyloid beta-induced toxicity on primary cultured prefrontal cortical neurons of rats. Neuroscience Letters, 2012, 513, 170-173. | 1.0 | 53 |
| 209 | Mouse models of Alzheimer's disease. Brain Research Bulletin, 2012, 88, 3-12. | 1.4 | 254 |
| 210 | Copperâ€dependent regulation of NMDA receptors by cellular prion protein: implications for neurodegenerative disorders. Journal of Physiology, 2012, 590, 1357-1368. | 1.3 | 91 |
| 211 | Advances in the pathogenesis of Alzheimer's disease: a re-evaluation of amyloid cascade hypothesis. Translational Neurodegeneration, 2012, 1, 18. | 3.6 | 94 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 212 | Concise Review: Can Stem Cells be Used to Treat or Model Alzheimer's Disease?. Stem Cells, 2012, 30, 2612-2618. | 1.4 | 53 |
| 213 | APOE4-specific Changes in AÎ ² Accumulation in a New Transgenic Mouse Model of Alzheimer Disease. Journal of Biological Chemistry, 2012, 287, 41774-41786. | 1.6 | 213 |
| 214 | Intraneuronal Aß Accumulation, Amyloid Plaques, and Synapse Pathology in Alzheimer's Disease. Neurodegenerative Diseases, 2012, 10, 56-59. | 0.8 | 21 |
| 215 | MicroRNA 146a (miR-146a) Is Over-Expressed during Prion Disease and Modulates the Innate Immune Response and the Microglial Activation State. PLoS ONE, 2012, 7, e30832. | 1.1 | 143 |
| 216 | Gastrodin protect primary cultured rat hippocampal neurons against amyloid-beta peptide-induced neurotoxicity via ERK1/2-Nrf2 pathway. Brain Research, 2012, 1482, 13-21. | 1.1 | 94 |
| 217 | Imaging brain amyloid deposition using grating-based differential phase contrast tomography. NeuroImage, 2012, 61, 1336-1346. | 2.1 | 74 |
| 218 | Hypercholesterolemia accelerates intraneuronal accumulation of Aβ oligomers resulting in memory impairment in Alzheimer's disease model mice. Life Sciences, 2012, 91, 1169-1176. | 2.0 | 68 |
| 219 | Intraneuronal Al ² accumulation and neurodegeneration: Lessons from transgenic models. Life Sciences, 2012, 91, 1148-1152. | 2.0 | 81 |
| 220 | Evidence for the accumulation of Abeta immunoreactive material in the human brain and in transgenic animal models. Life Sciences, 2012, 91, 1141-1147. | 2.0 | 13 |
| 221 | Critical role of intraneuronal Aβ in Alzheimer's disease: Technical challenges in studying intracellular Aβ. Life Sciences, 2012, 91, 1153-1158. | 2.0 | 36 |
| 222 | Epigenetics, Brain and Behavior. Research and Perspectives in Neurosciences, 2012, , . | 0.4 | 5 |
| 223 | Intracellular Amyloid-β Accumulation in Calcium-Binding Protein-Deficient Neurons Leads to Amyloid-β Plaque Formation in Animal Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 29, 615-628. | 1.2 | 53 |
| 224 | scyllo-Inositol, Preclinical, and Clinical Data for Alzheimer's Disease. Advances in Pharmacology, 2012, 64, 177-212. | 1.2 | 61 |
| 225 | Intraneuronal AÎ ² detection in 5xFAD mice by a new AÎ ² -specific antibody. Molecular Neurodegeneration, 2012, 7, 8. | 4.4 | 144 |
| 226 | Beneficial Effect of Antibodies against β- Secretase Cleavage Site of App on Alzheimer's-Like Pathology in Triple-Transgenic Mice. PLoS ONE, 2012, 7, e46650. | 1.1 | 15 |
| 227 | Neuroprotection and Neuroregeneration in Alzheimer's Disease. International Journal of Alzheimer's Disease, 2012, 2012, 1-1. | 1.1 | 2 |
| 228 | The Complexity of Sporadic Alzheimer's Disease Pathogenesis: The Role of RAGE as Therapeutic Target to Promote Neuroprotection by Inhibiting Neurovascular Dysfunction. International Journal of Alzheimer's Disease, 2012, 2012, 1-13. | 1.1 | 41 |
| 229 | An epigenetic blockade of cognitive functions in the neurodegenerating brain. Nature, 2012, 483, 222-226. | 13.7 | 733 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 230 | Automatic segmentation of amyloid plaques in MR images using unsupervised support vector machines. Magnetic Resonance in Medicine, 2012, 67, 1794-1802. | 1.9 | 9 |
| 231 | Modeling human neurodegenerative diseases in transgenic systems. Human Genetics, 2012, 131, 535-563. | 1.8 | 100 |
| 232 | Axonal degeneration as a therapeutic target in the CNS. Cell and Tissue Research, 2012, 349, 289-311. | 1.5 | 224 |
| 233 | Val97Leu mutant presenilinâ€1 induces tau hyperphosphorylation and spatial memory deficit in mice and the underlying mechanisms. Journal of Neurochemistry, 2012, 121, 135-145. | 2.1 | 20 |
| 234 | Cellular model of Alzheimer's disease — Relevance to therapeutic testing. Experimental Neurology, 2012, 233, 733-739. | 2.0 | 8 |
| 235 | Active AÎ ² vaccination fails to enhance amyloid clearance in a mouse model of Alzheimer's disease with AÎ ² 42-driven pathology. Journal of Neuroimmunology, 2012, 247, 95-99. | 1.1 | 7 |
| 236 | Mitochondrial dysfunction and accumulation of the β-secretase-cleaved C-terminal fragment of APP in Alzheimer's disease transgenic mice. Neurobiology of Disease, 2012, 45, 417-424. | 2.1 | 118 |
| 237 | Naphthoquinone-tyrptophan reduces neurotoxic Aβ*56 levels and improves cognition in Alzheimer's disease animal model. Neurobiology of Disease, 2012, 46, 663-672. | 2.1 | 37 |
| 238 | APP transgenic mice for modelling behavioural and psychological symptoms of dementia (BPSD). Neuroscience and Biobehavioral Reviews, 2012, 36, 1357-1375. | 2.9 | 60 |
| 239 | Can the benefits of cannabinoid receptor stimulation on neuroinflammation, neurogenesis and memory during normal aging be useful in AD prevention?. Journal of Neuroinflammation, 2012, 9, 10. | 3.1 | 15 |
| 240 | Recent rodent models for Alzheimer's disease: clinical implications and basic research. Journal of Neural Transmission, 2012, 119, 173-195. | 1.4 | 97 |
| 241 | AÎ ² impairs nicotinic regulation of inhibitory synaptic transmission and interneuron excitability in prefrontal cortex. Molecular Neurodegeneration, 2013, 8, 3. | 4.4 | 24 |
| 242 | Neuron loss in the 5XFAD mouse model of Alzheimer's disease correlates with intraneuronal Aβ42 accumulation and Caspase-3 activation. Molecular Neurodegeneration, 2013, 8, 2. | 4.4 | 278 |
| 243 | Comprehensive behavioral characterization of an APP/PS-1 double knock-in mouse model of Alzheimer's disease. Alzheimer's Research and Therapy, 2013, 5, 28. | 3.0 | 106 |
| 244 | Tackling neurodegenerative diseases: animal models of Alzheimer's disease and Parkinson's disease. Genes and Genomics, 2013, 35, 425-440. | 0.5 | 10 |
| 245 | Spatial learning impairments in PLB1Triple knock-in Alzheimer mice are task-specific and age-dependent. Cellular and Molecular Life Sciences, 2013, 70, 2603-2619. | 2.4 | 25 |
| 246 | Amyloid plaque pathogenesis in 5XFAD mouse spinal cord: retrograde transneuronal modulation after peripheral nerve injury. Neurotoxicity Research, 2013, 24, 1-14. | 1.3 | 16 |
| 247 | Peroxisome proliferator-activated receptor (PPAR)β/Î′, a possible nexus of PPARα- and PPARγ-dependent molecular pathways in neurodegenerative diseases: Review and novel hypotheses. Neurochemistry International, 2013, 63, 322-330. | 1.9 | 68 |

| # | Article | IF | CITATIONS |
|---------------------------------|---|-------------------|----------------------------|
| 248 | Chronic Administration of Dimebon does not Ameliorate Amyloid-β Pathology in 5xFAD Transgenic Mice. Journal of Alzheimer's Disease, 2013, 36, 589-596. | 1.2 | 26 |
| 249 | Scavenger Receptor A Deficiency Accelerates Cerebrovascular Amyloidosis in an Animal Model. Journal of Molecular Neuroscience, 2013, 50, 198-203. | 1.1 | 14 |
| 250 | Therapeutic Effect of Exogenous Hsp70 in Mouse Models of Alzheimer's Disease. Journal of Alzheimer's Disease, 2013, 38, 425-435. | 1.2 | 106 |
| 251 | Transgenic models of Alzheimer's disease: Better utilization of existing models through viral transgenesis. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2013, 1832, 1437-1448. | 1.8 | 27 |
| 252 | The Alzheimer's β-secretase BACE1 localizes to normal presynaptic terminals and to dystrophic presynaptic terminals surrounding amyloid plaques. Acta Neuropathologica, 2013, 126, 329-352. | 3.9 | 190 |
| 253 | N-truncated amyloid \hat{l}^2 (A \hat{l}^2) 4-42 forms stable aggregates and induces acute and long-lasting behavioral deficits. Acta Neuropathologica, 2013, 126, 189-205. | 3.9 | 153 |
| 254 | Early intraneuronal accumulation and increased aggregation of phosphorylated Abeta in a mouse model of Alzheimer's disease. Acta Neuropathologica, 2013, 125, 699-709. | 3.9 | 79 |
| 255 | Synaptic deficits in layer 5 neurons precede overt structural decay in 5xFAD mice. Neuroscience, 2013, 254, 152-159. | 1.1 | 51 |
| 256 | Δ9-THC-Caused Synaptic and Memory Impairments Are Mediated through COX-2 Signaling. Cell, 2013, 155, 1154-1165. | 13.5 | 166 |
| | | | |
| 257 | Models of Alzheimer's Disease. , 2013, , 595-632. | | 0 |
| 257 258 | Models of Alzheimer's Disease. , 2013, , 595-632. Genetically Modified Animal Models. , 2013, , 811-831. | | 0 |
| | | 0.1 | |
| 258 | Genetically Modified Animal Models. , 2013, , 811-831. Proteopathic Seeds and Neurodegenerative Diseases. Research and Perspectives in Alzheimer's Disease, | 0.1 | 0 |
| 258 259 | Genetically Modified Animal Models., 2013, , 811-831. Proteopathic Seeds and Neurodegenerative Diseases. Research and Perspectives in Alzheimer's Disease, 2013, , . Pharmacologic Inhibition of ROCK2 Suppresses Amyloid-Î ² Production in an Alzheimer's Disease Mouse | | 0 |
| 258 259 260 | Genetically Modified Animal Models., 2013, , 811-831. Proteopathic Seeds and Neurodegenerative Diseases. Research and Perspectives in Alzheimer's Disease, 2013, , . Pharmacologic Inhibition of ROCK2 Suppresses Amyloid-Î² Production in an Alzheimer's Disease Mouse Model. Journal of Neuroscience, 2013, 33, 19086-19098. Long-term treadmill exercise inhibits the progression of Alzheimer's disease-like neuropathology in | 1.7 | 0 4 118 |
| 258 259 260 261 | Genetically Modified Animal Models., 2013, , 811-831. Proteopathic Seeds and Neurodegenerative Diseases. Research and Perspectives in Alzheimer's Disease, 2013, , . Pharmacologic Inhibition of ROCK2 Suppresses Amyloid-Î ² Production in an Alzheimer's Disease Mouse Model. Journal of Neuroscience, 2013, 33, 19086-19098. Long-term treadmill exercise inhibits the progression of Alzheimer's disease-like neuropathology in the hippocampus of APP/PS1 transgenic mice. Behavioural Brain Research, 2013, 256, 261-272. Combination therapy in a transgenic model of Alzheimer's disease. Experimental Neurology, 2013, 250, | 1.7 1.2 | 0 4 118 106 |
| 258 259 260 261 262 | Genetically Modified Animal Models., 2013, 811-831. Proteopathic Seeds and Neurodegenerative Diseases. Research and Perspectives in Alzheimer's Disease, 2013, , . Pharmacologic Inhibition of ROCK2 Suppresses Amyloid. ¹ ² Production in an Alzheimer's Disease Mouse Model. Journal of Neuroscience, 2013, 33, 19086-19098. Long-term treadmill exercise inhibits the progression of Alzheimer's disease-like neuropathology in the hippocampus of APP/PS1 transgenic mice. Behavioural Brain Research, 2013, 256, 261-272. Combination therapy in a transgenic model of Alzheimer's disease. Experimental Neurology, 2013, 250, 228-238. The airbag problem〓a potential culprit for bench-to-bedside translational efforts: relevance for | 1.7 1.2 2.0 | 0 4 118 106 29 |

ARTICLE IF CITATIONS # The absence of myelin basic protein promotes neuroinflammation and reduces amyloid Î²-protein 266 3.1 30 accumulation in Tg-5xFAD mice. Journal of Neuroinflammation, 2013, 10, 134. Accelerated tau pathology with synaptic and neuronal loss in a novel triple transgenic mouse model of Alzheimer's disease. Neurobiology of Aging, 2013, 34, 2564-2573. 1.5 PDK1 decreases TACE-mediated α-secretase activity and promotes disease progression in prion and 268 15.2 108 Alzheimer's diseases. Nature Medicine, 2013, 19, 1124-1131. Conditional inactivation of nicastrin restricts amyloid deposition in an <scp>A</scp>lzheimer's 3.0 disease mouse model. Aging Cell, 2013, 12, 1032-1040. Chronic Intermittent Hypoxia/Reoxygenation Facilitate Amyloid-Î² Generation in Mice. Journal of 270 1.2 127 Alzheimer's Disease, 2013, 37, 325-333. Animal systems in the development of treatments for Alzheimer's disease: challenges, methods, and implications. Neurobiology of Aging, 2013, 34, 169-183. 271 1.5 O-linked Î²-N-acetylglucosaminidase inhibitor attenuates Î²-amyloid plaque and rescues memory 272 1.5 98 impairment. Neurobiology of Aging, 2013, 34, 275-285. Histone acetylation: molecular mnemonics on the chromatin. Nature Reviews Neuroscience, 2013, 14, 512 97-111. A two-photon fluorescent probe for amyloid-¹/₂ plaques in living mice. Chemical Communications, 2013, 274 2.2 54 49, 1303. Alzheimer's Disease Modeling: Ups, Downs, and Perspectives for Human Induced Pluripotent Stem 1.2 34 Cells. Journal of Alzheimer's Disease, 2013, 34, 563-588. Specific Inhibition of p25/Cdk5 Activity by the Cdk5 Inhibitory Peptide Reduces Neurodegeneration <i>In 276 1.7 87 Vivo</i>. Journal of Neuroscience, 2013, 33, 334-343. SUMO1 modulates AÎ² generation via BACE1 accumulation. Neurobiology of Aging, 2013, 34, 650-662. 1.5 Age-related loss of noradrenergic neurons in the brains of triple transgenic mice. Age, 2013, 35, 139-147. 278 3.0 43 A truncated peptide from p35, a Cdk5 activator, prevents Alzheimer's disease phenotypes in model mice. FASEB Journal, 2013, 27, 174-186. 279 0.2 Blocking the Interaction between Apolipoprotein E and AÎ² Reduces Intraneuronal Accumulation of AÎ² 280 1.9 70 and Inhibits Synaptic Degeneration. American Journal of Pathology, 2013, 182, 1750-1768. InÂvivo evaluation of amyloid deposition and brain glucose metabolism of 5XFAD mice using positron 69 emission tomography. Néurobiology of Aging, 2013, 34, 1790-1798. Characteristics of nobiletin-mediated alteration of gene expression in cultured cell lines. 282 1.0 25 Biochemical and Biophysical Research Communications, 2013, 431, 530-534. Pyroglutamate-3 Amyloid-Î² Deposition in the Brains of Humans, Non-Human Primates, Canines, and Alzheimer Disease–Like Transgenic Mouse Models. American Journal of Pathology, 2013, 183, 369-381.

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 284 | Identification of promethazine as an amyloid-binding molecule using a fluorescence high-throughput assay and MALDI imaging mass spectrometry. NeuroImage: Clinical, 2013, 2, 620-629. | 1.4 | 20 |
| 286 | Reduced basal and novelty-induced levels of activity-regulated cytoskeleton associated protein (Arc) and c-Fos mRNA in the cerebral cortex and hippocampus of APPswe/PS1ΔE9 transgenic mice. Neurochemistry International, 2013, 63, 54-60. | 1.9 | 14 |
| 288 | Combination of Aβ clearance and neurotrophic factors as a potential treatment for Alzheimer's disease. Neuroscience Bulletin, 2013, 29, 111-120. | 1.5 | 9 |
| 289 | The Potential of HDAC Inhibitors as Cognitive Enhancers. Annual Review of Pharmacology and Toxicology, 2013, 53, 311-330. | 4.2 | 253 |
| 290 | The Pro-Neurotrophin Receptor Sortilin Is a Major Neuronal Apolipoprotein E Receptor for Catabolism of Amyloid-β Peptide in the Brain. Journal of Neuroscience, 2013, 33, 358-370. | 1.7 | 86 |
| 291 | Neurodegeneration-Associated Protein Fragments as Short-Lived Substrates of the N-End Rule Pathway. Molecular Cell, 2013, 50, 161-171. | 4.5 | 95 |
| 292 | Effects of levetiracetam, an antiepileptic drug, on memory impairments associated with aging and Alzheimer's disease in mice. Neurobiology of Learning and Memory, 2013, 102, 7-11. | 1.0 | 39 |
| 293 | Inhibition of Glycogen Synthase Kinase-3 Ameliorates β-Amyloid Pathology and Restores Lysosomal Acidification and Mammalian Target of Rapamycin Activity in the Alzheimer Disease Mouse Model. Journal of Biological Chemistry, 2013, 288, 1295-1306. | 1.6 | 193 |
| 294 | Quantitative evaluation of MRI and histological characteristics of the 5xFAD Alzheimer mouse brain. NeuroImage, 2013, 76, 108-115. | 2.1 | 23 |
| 295 | Drug pipeline in neurodegeneration based on transgenic mice models of Alzheimer's disease. Ageing Research Reviews, 2013, 12, 116-140. | 5.0 | 34 |
| 296 | A Transgenic Alzheimer Rat with Plaques, Tau Pathology, Behavioral Impairment, Oligomeric Aβ, and Frank Neuronal Loss. Journal of Neuroscience, 2013, 33, 6245-6256. | 1.7 | 376 |
| 297 | Studying micro RNA Function and Dysfunction in Alzheimer's Disease. Frontiers in Genetics, 2012, 3, 327. | 1.1 | 65 |
| 298 | Differential X-ray phase contrast tomography of Alzheimer plaques in mouse models: perspectives for drug development and clinical imaging techniques. Journal of Instrumentation, 2013, 8, C05005-C05005. | 0.5 | 1 |
| 299 | Axonal degeneration in Alzheimer's disease: When signaling abnormalities meet the axonal transport system. Experimental Neurology, 2013, 246, 44-53. | 2.0 | 171 |
| 300 | Modulation of 5-Lipoxygenase in Proteotoxicity and Alzheimer's Disease. Journal of Neuroscience, 2013, 33, 10512-10525. | 1.7 | 71 |
| 301 | Immunotherapeutic efficiency of a tetravalent Aβ1-15 vaccine in APP/PS1 transgenic mice as mouse model for Alzheimer's disease. Human Vaccines and Immunotherapeutics, 2013, 9, 1643-1653. | 1.4 | 17 |
| 302 | Optogenetic stimulation of cholinergic projection neurons as an alternative for deep brain stimulation for Alzheimer's treatment. Proceedings of SPIE, 2013, , . | 0.8 | 4 |
| 303 | Disruption of blood-brain barrier in Alzheimer disease pathogenesis. Tissue Barriers, 2013, 1, e23993. | 1.6 | 72 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 304 | Molecular Differences and Similarities between Alzheimer's Disease and the 5XFAD Transgenic Mouse Model of Amyloidosis. Biochemistry Insights, 2013, 6, BCI.S13025. | 3.3 | 48 |
| 305 | Quantitative Proteomic Analysis of the Hippocampus in the 5XFAD Mouse Model at Early Stages of Alzheimer's Disease Pathology. Journal of Alzheimer's Disease, 2013, 36, 321-334. | 1.2 | 39 |
| 306 | Lysosomal NEU1 deficiency affects amyloid precursor protein levels and amyloid-Î ² secretion via deregulated lysosomal exocytosis. Nature Communications, 2013, 4, 2734. | 5.8 | 109 |
| 307 | Amyloid precursor protein controls cholesterol turnover needed for neuronal activity. EMBO Molecular Medicine, 2013, 5, 608-625. | 3.3 | 88 |
| 308 | In vivo characterization of a bigenic fluorescent mouse model of Alzheimer's disease with neurodegeneration. Journal of Comparative Neurology, 2013, 521, Spc1-Spc1. | 0.9 | 4 |
| 309 | In vivo characterization of a bigenic fluorescent mouse model of Alzheimer's disease with neurodegeneration. Journal of Comparative Neurology, 2013, 521, 2181-2194. | 0.9 | 14 |
| 310 | GSK-3 and lysosomes meet in Alzheimer's disease. Communicative and Integrative Biology, 2013, 6, e25179. | 0.6 | 6 |
| 311 | Mechanisms that lessen benefits of β-secretase reduction in a mouse model of Alzheimer's disease. Translational Psychiatry, 2013, 3, e284-e284. | 2.4 | 31 |
| 312 | SORLA-Dependent and -Independent Functions for PACS1 in Control of Amyloidogenic Processes. Molecular and Cellular Biology, 2013, 33, 4308-4320. | 1.1 | 28 |
| 313 | Comment on "ApoE-Directed Therapeutics Rapidly Clear β-Amyloid and Reverse Deficits in AD Mouse Models― Science, 2013, 340, 924-924. | 6.0 | 136 |
| 314 | β2 Adrenergic Receptor, Protein Kinase A (PKA) and c-Jun N-terminal Kinase (JNK) Signaling Pathways Mediate Tau Pathology in Alzheimer Disease Models. Journal of Biological Chemistry, 2013, 288, 10298-10307. | 1.6 | 81 |
| 315 | Ferulic Acid: a Natural Antioxidant Against Oxidative Stress Induced by Oligomeric A-beta on Sea Urchin Embryo. Biological Bulletin, 2013, 224, 18-28. | 0.7 | 50 |
| 316 | Brain Transit and Ameliorative Effects of Intranasally Delivered Anti-Amyloid-β Oligomer Antibody in 5XFAD Mice. Journal of Alzheimer's Disease, 2013, 35, 777-788. | 1.2 | 56 |
| 318 | Cerebral Microvascular Rather than Parenchymal Amyloid-β Protein Pathology Promotes Early Cognitive Impairment in Transgenic Mice. Journal of Alzheimer's Disease, 2013, 38, 621-632. | 1.2 | 40 |
| 319 | Anti-amyloid-beta to tau-based immunization: developments in immunotherapy for Alzheimer's disease. ImmunoTargets and Therapy, 2013, 2013, 105. | 2.7 | 32 |
| 320 | AAD-2004 Attenuates Progressive Neuronal Loss in the Brain of Tg-betaCTF99/B6 Mouse Model of Alzheimer Disease. Experimental Neurobiology, 2013, 22, 31-37. | 0.7 | 8 |
| 321 | An Update of Animal Models of Alzheimer Disease with a Reevaluation of Plaque Depositions. Experimental Neurobiology, 2013, 22, 84-95. | 0.7 | 83 |
| 322 | Elevated copper in the amyloid plaques and iron in the cortex are observed in mouse models of Alzheimer's disease that exhibit neurodegeneration. Biomedical Spectroscopy and Imaging, 2013, 2, 129-139 | 1.2 | 50 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 323 | Accumulation of Intraneuronal Î ² -Amyloid 42 Peptides Is Associated with Early Changes in Microtubule-Associated Protein 2 in Neurites and Synapses. PLoS ONE, 2013, 8, e51965. | 1.1 | 48 |
| 324 | Pathology Associated with AAV Mediated Expression of Beta Amyloid or C100 in Adult Mouse Hippocampus and Cerebellum. PLoS ONE, 2013, 8, e59166. | 1.1 | 8 |
| 325 | Neuroinflammation and Neuronal Loss Precede Aβ Plaque Deposition in the hAPP-J20 Mouse Model of Alzheimer's Disease. PLoS ONE, 2013, 8, e59586. | 1.1 | 262 |
| 326 | Urine Proteins Identified by Two-Dimensional Differential Gel Electrophoresis Facilitate the Differential Diagnoses of Scrapie. PLoS ONE, 2013, 8, e64044. | 1.1 | 9 |
| 327 | Area-Specific Alterations of Synaptic Plasticity in the 5XFAD Mouse Model of Alzheimer's Disease: Dissociation between Somatosensory Cortex and Hippocampus. PLoS ONE, 2013, 8, e74667. | 1.1 | 78 |
| 328 | HIV-1 Tat Interacts with and Regulates the Localization and Processing of Amyloid Precursor Protein. PLoS ONE, 2013, 8, e77972. | 1.1 | 56 |
| 329 | Early administration of RS 67333, a specific 5-HT4 receptor agonist, prevents amyloidogenesis and behavioral deficits in the 5XFAD mouse model of Alzheimer's disease. Frontiers in Aging Neuroscience, 2013, 5, 96. | 1.7 | 71 |
| 330 | Alzheimer's Disease and Diabetes. , 0, , . | | 1 |
| 331 | A Lifespan Observation of a Novel Mouse Model: In Vivo Evidence Supports Aβ Oligomer Hypothesis. PLoS ONE, 2014, 9, e85885. | 1.1 | 35 |
| 332 | Genetic Inhibition of Phosphorylation of the Translation Initiation Factor eIF2α Does Not Block Aβ-Dependent Elevation of BACE1 and APP Levels or Reduce Amyloid Pathology in a Mouse Model of Alzheimer's Disease. PLoS ONE, 2014, 9, e101643. | 1.1 | 31 |
| 333 | Spared Piriform Cortical Single-Unit Odor Processing and Odor Discrimination in the Tg2576 Mouse Model of Alzheimer's Disease. PLoS ONE, 2014, 9, e106431. | 1.1 | 16 |
| 334 | Imaging of cerebrovascular pathology in animal models of Alzheimer's disease. Frontiers in Aging Neuroscience, 2014, 6, 32. | 1.7 | 71 |
| 335 | Deciphering the Molecular Profile of Plaques, Memory Decline and Neuron Loss in Two Mouse Models for Alzheimerââ,¬â"¢s Disease by Deep Sequencing. Frontiers in Aging Neuroscience, 2014, 6, 75. | 1.7 | 78 |
| 336 | Cotinine halts the advance of Alzheimer's disease-like pathology and associated depressive-like behavior in Tg6799 mice. Frontiers in Aging Neuroscience, 2014, 6, 162. | 1.7 | 30 |
| 337 | Differential spatio-temporal regulation of MMPs in the 5xFAD mouse model of Alzheimerââ,¬â,,¢s disease: evidence for a pro-amyloidogenic role of MT1-MMP. Frontiers in Aging Neuroscience, 2014, 6, 247. | 1.7 | 60 |
| 338 | Roles of eIF2α kinases in the pathogenesis of Alzheimerââ,¬â,,¢s disease. Frontiers in Molecular Neuroscience, 2014, 7, 22. | 1.4 | 105 |
| 339 | Induced Pluripotent Stem Cells Derived from Alzheimer's Disease Patients: The Promise, the Hope and the Path Ahead. Journal of Clinical Medicine, 2014, 3, 1402-1436. | 1.0 | 17 |
| 340 | Early Detection of Cerebral Glucose Uptake Changes in the 5XFAD Mouse. Current Alzheimer Research, 2014, 11, 450-460. | 0.7 | 64 |

| | | IF | CITATIONS |
|-----|--|-----|-----------|
| # | ARTICLE AÎ ² 38 in the Brains of Patients with Sporadic and Familial Alzheimer's Disease and Transgenic Mouse | IF | CITATIONS |
| 341 | Models. Journal of Alzheimer's Disease, 2014, 39, 871-881. | 1.2 | 25 |
| 343 | Temporal gene profiling of the 5XFAD transgenic mouse model highlights the importance of microglial activation in Alzheimer's disease. Molecular Neurodegeneration, 2014, 9, 33. | 4.4 | 138 |
| 344 | Models of β-amyloid induced Tau-pathology: the long and "folded―road to understand the mechanism. Molecular Neurodegeneration, 2014, 9, 51. | 4.4 | 220 |
| 345 | Unfolded protein response signaling by transcription factor XBPâ€1 regulates ADAM10 and is affected in Alzheimer's disease. FASEB Journal, 2014, 28, 978-997. | 0.2 | 86 |
| 346 | Crucial role of calbindin-D28k in the pathogenesis of Alzheimer's disease mouse model. Cell Death and Differentiation, 2014, 21, 1575-1587. | 5.0 | 80 |
| 347 | Aβ1–42 reduces P-glycoprotein in the blood–brain barrier through RAGE–NF-κB signaling. Cell Death and Disease, 2014, 5, e1299-e1299. | 2.7 | 93 |
| 348 | High-dose of vitamin C supplementation reduces amyloid plaque burden and ameliorates pathological changes in the brain of 5XFAD mice. Cell Death and Disease, 2014, 5, e1083-e1083. | 2.7 | 99 |
| 349 | Lead Discovery for Alzheimer's Disease Related Target Protein RbAp48 from Traditional Chinese Medicine. BioMed Research International, 2014, 2014, 1-14. | 0.9 | 9 |
| 350 | New Treatment for Alzheimer's Disease, Kamikihito, Reverses Amyloid- <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"><mml:mrow><mml:mi mathvariant="bold-italic">β</mml:mi </mml:mrow>-Induced Progression of Tau Phosphorylation and Axonal Atrophy. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-10.</mml:math | 0.5 | 21 |
| 351 | Abnormal vibrissaâ€related behavior and loss of barrel field inhibitory neurons in <scp>5xFAD</scp> transgenics. Genes, Brain and Behavior, 2014, 13, 488-500. | 1.1 | 72 |
| 352 | Degradation of amyloid beta by human induced pluripotent stem cell-derived macrophages expressing Neprilysin-2. Stem Cell Research, 2014, 13, 442-453. | 0.3 | 52 |
| 353 | Membraneâ€ŧype 1 metalloproteinase is upregulated in microglia/brain macrophages in neurodegenerative and neuroinflammatory diseases. Journal of Neuroscience Research, 2014, 92, 275-286. | 1.3 | 29 |
| 354 | Selective clearance of aberrant tau proteins and rescue of neurotoxicity by transcription factor EB. EMBO Molecular Medicine, 2014, 6, 1142-1160. | 3.3 | 297 |
| 355 | Plasmin deficiency leads to fibrin accumulation and a compromised inflammatory response in the mouse brain. Journal of Thrombosis and Haemostasis, 2014, 12, 701-712. | 1.9 | 30 |
| 356 | Water influx into cerebrospinal fluid is significantly reduced in senile plaque bearing transgenic mice, supporting beta-amyloid clearance hypothesis of Alzheimer's disease. Neurological Research, 2014, 36, 1094-1098. | 0.6 | 35 |
| 357 | Triptolide treatment reduces Alzheimer's disease (AD)-like pathology through inhibition of BACE1 in a transgenic mouse model of AD. DMM Disease Models and Mechanisms, 2014, 7, 1385-1395. | 1.2 | 50 |
| 358 | Is There a Molecular Logic That Sustains Neuronal Functional Integrity and Survival? Lipid Signaling Is Necessary for Neuroprotective Neuronal Transcriptional Programs. Molecular Neurobiology, 2014, 50, 1-5. | 1.9 | 16 |
| 359 | Tauopathy contributes to synaptic and cognitive deficits in a murine model for Alzheimer's disease. FASEB Journal, 2014, 28, 2620-2631. | 0.2 | 37 |

| | CITATION | Report | |
|----------|--|--------|-----------|
| # 360 | ARTICLE Neurodegeneration and Neuroglia: Emphasis on Astroglia in Alzheimer's Disease. , 2014, , 265-291. | IF | Citations |
| 361 | <i>mNos2</i> Deletion and Human <i>NOS2</i> Replacement in Alzheimer Disease Models. Journal of Neuropathology and Experimental Neurology, 2014, 73, 752-769. | 0.9 | 30 |
| 362 | Olfactory delayed matching to sample performance in mice: Sex differences in the 5XFAD mouse model of Alzheimer's disease. Behavioural Brain Research, 2014, 270, 165-170. | 1.2 | 29 |
| 363 | Migration of neutrophils targeting amyloid plaques in Alzheimer's disease mouse model. Neurobiology of Aging, 2014, 35, 1286-1292. | 1.5 | 146 |
| 364 | Membrane lipid modifications and therapeutic effects mediated by hydroxydocosahexaenoic acid on Alzheimer's disease. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 1680-1692. | 1.4 | 50 |
| 365 | Distribution of different isoforms of receptor protein tyrosine phosphatase γ (Ptprg-RPTP γ) in adult mouse brain: upregulation during neuroinflammation. Brain Structure and Function, 2014, 219, 875-890. | 1.2 | 18 |
| 366 | Spine pruning in 5xFAD mice starts on basal dendrites of layer 5 pyramidal neurons. Brain Structure and Function, 2014, 219, 571-580. | 1.2 | 30 |
| 367 | Animal models of human disease: Challenges in enabling translation. Biochemical Pharmacology, 2014, 87, 162-171. | 2.0 | 396 |
| 368 | ApoE and Aβ in Alzheimer's Disease: Accidental Encounters or Partners?. Neuron, 2014, 81, 740-754. | 3.8 | 460 |
| 369 | Exosome reduction inÂvivo is associated with lower amyloid plaque load in the 5XFAD mouse model of Alzheimer's disease. Neurobiology of Aging, 2014, 35, 1792-1800. | 1.5 | 363 |
| 370 | Activity-Dependent p25 Generation Regulates Synaptic Plasticity and AÎ ² -Induced Cognitive Impairment. Cell, 2014, 157, 486-498. | 13.5 | 74 |
| 371 | Impairments in experience-dependent scaling and stability of hippocampal place fields limit spatial learning in a mouse model of Alzheimer's disease. Hippocampus, 2014, 24, 963-978. | 0.9 | 33 |
| 372 | PERK mediates elF2α phosphorylation responsible for BACE1 elevation, CREB dysfunction and neurodegeneration in a mouse model of Alzheimer's disease. Neurobiology of Aging, 2014, 35, 2272-2281. | 1.5 | 131 |
| 373 | Anti-amyloidogenic effects of ID1201, the ethanolic extract of the fruits of Melia toosendan, through activation of the phosphatidylinositol 3-kinase/Akt pathway. Environmental Toxicology and Pharmacology, 2014, 37, 513-520. | 2.0 | 14 |
| 374 | 7,8-Dihydroxyflavone Prevents Synaptic Loss and Memory Deficits in a Mouse Model of Alzheimer's Disease. Neuropsychopharmacology, 2014, 39, 638-650. | 2.8 | 198 |
| 375 | Genetic mouse models of brain ageing and Alzheimer's disease. , 2014, 142, 244-257. | | 211 |
| 376 | The behavioral, pathological and therapeutic features of the senescence-accelerated mouse prone 8 strain as an Alzheimer's disease animal model. Ageing Research Reviews, 2014, 13, 13-37. | 5.0 | 104 |
| 377 | InÂVivo Direct Reprogramming of Reactive Glial Cells into Functional Neurons after Brain Injury and in an Alzheimer's Disease Model. Cell Stem Cell, 2014, 14, 188-202. | 5.2 | 687 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 378 | Synaptic and Cognitive Improvements by Inhibition of 2-AG Metabolism Are through Upregulation of MicroRNA-188-3p in a Mouse Model of Alzheimer's Disease. Journal of Neuroscience, 2014, 34, 14919-14933. | 1.7 | 111 |
| 379 | Amyloid-β Pathology and APOE Genotype Modulate Retinoid X Receptor Agonist Activity in Vivo. Journal of Biological Chemistry, 2014, 289, 30538-30555. | 1.6 | 82 |
| 380 | The Inside-Out Amyloid Hypothesis and Synapse Pathology in Alzheimer's Disease. Neurodegenerative Diseases, 2014, 13, 142-146. | 0.8 | 26 |
| 381 | Amyloid beta receptors responsible for neurotoxicity and cellular defects in Alzheimer's disease. Cellular and Molecular Life Sciences, 2014, 71, 4803-4813. | 2.4 | 42 |
| 382 | The effects of aging, housing and ibuprofen treatment on brain neurochemistry in a triple transgene Alzheimer's disease mouse model using magnetic resonance spectroscopy and imaging. Brain Research, 2014, 1590, 85-96. | 1.1 | 19 |
| 383 | Pharmacological inhibition of O-GlcNAcase (OGA) prevents cognitive decline and amyloid plaque formation in bigenic tau/APP mutant mice. Molecular Neurodegeneration, 2014, 9, 42. | 4.4 | 114 |
| 384 | Onset of hippocampusâ€dependent memory impairments in 5XFAD transgenic mouse model of Alzheimer's disease. Hippocampus, 2014, 24, 762-772. | 0.9 | 89 |
| 385 | Impaired Hippocampal Neurogenesis and its Enhancement with Ghrelin in 5XFAD Mice. Journal of Alzheimer's Disease, 2014, 41, 233-241. | 1.2 | 94 |
| 386 | Early-onset Formation of Parenchymal Plaque Amyloid Abrogates Cerebral Microvascular Amyloid Accumulation in Transgenic Mice. Journal of Biological Chemistry, 2014, 289, 17895-17908. | 1.6 | 17 |
| 388 | ID1201, the ethanolic extract of the fruit of Melia toosendan ameliorates impairments in spatial learning and reduces levels of amyloid beta in 5XFAD mice. Neuroscience Letters, 2014, 583, 170-175. | 1.0 | 11 |
| 389 | Progranulin protects against amyloid β deposition and toxicity in Alzheimer's disease mouse models. Nature Medicine, 2014, 20, 1157-1164. | 15.2 | 195 |
| 390 | Neuroprotective role of MMP-9 overexpression in the brain of Alzheimer's 5xFAD mice. Neurobiology of Disease, 2014, 70, 179-189. | 2.1 | 67 |
| 391 | Learning strategy preference of 5XFAD transgenic mice depends on the sequence of place/spatial and cued training in the water maze task. Behavioural Brain Research, 2014, 273, 116-122. | 1.2 | 15 |
| 392 | Hyperphosphorylation of Tau at Ser396 occurs in the much earlier stage than appearance of learning and memory disorders in 5XFAD mice. Behavioural Brain Research, 2014, 274, 302-306. | 1.2 | 52 |
| 393 | Prediction of miRNA-mRNA associations in Alzheimer's disease mice using network topology. BMC Genomics, 2014, 15, 644. | 1.2 | 25 |
| 394 | Human APOE4 increases microglia reactivity at Aβ plaques in a mouse model of Aβ deposition. Journal of Neuroinflammation, 2014, 11, 111. | 3.1 | 144 |
| 395 | Development of a novel cellular model of Alzheimer's disease utilizing neurosphere cultures derived from B6C3-Tg(APPswe,PSEN1dE9)85Dbo/J embryonic mouse brain. SpringerPlus, 2014, 3, 161. | 1.2 | 12 |
| 396 | Hirano body expression impairs spatial working memory in a novel mouse model. Acta Neuropathologica Communications, 2014, 2, 131. | 2.4 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | A novel Aβ-fibrinogen interaction inhibitor rescues altered thrombosis and cognitive decline in Alzheimer's disease mice. Journal of Experimental Medicine, 2014, 211, 1049-1062. | 4.2 | 94 |
| 398 | Abundance of Aβ5-xlike immunoreactivity in transgenic 5XFAD, APP/PS1KI and 3xTG mice, sporadic and familial Alzheimer's disease. Molecular Neurodegeneration, 2014, 9, 13. | 4.4 | 19 |
| 399 | Increased mtDNA mutations with aging promotes amyloid accumulation and brain atrophy in the APP/Ld transgenic mouse model of Alzheimer's disease. Molecular Neurodegeneration, 2014, 9, 16. | 4.4 | 54 |
| 400 | Back to the Future with Phenotypic Screening. ACS Chemical Neuroscience, 2014, 5, 503-513. | 1.7 | 91 |
| 401 | P.5.b.001 Effect of the timing of acetylcholinesterase inhibitor ingestion on sleep. European Neuropsychopharmacology, 2014, 24, S632-S633. | 0.3 | 0 |
| 403 | Spontaneous behavior in the social homecage discriminates strains, lesions and mutations in mice. Journal of Neuroscience Methods, 2014, 234, 26-37. | 1.3 | 38 |
| 404 | Inositol trisphosphate 3-kinase B is increased in human Alzheimer brain and exacerbates mouse Alzheimer pathology. Brain, 2014, 137, 537-552. | 3.7 | 61 |
| 405 | Intracellular amyloid beta alters the tight junction of retinal pigment epithelium in 5XFAD mice. Neurobiology of Aging, 2014, 35, 2013-2020. | 1.5 | 71 |
| 406 | Novel styrylbenzene derivatives for detecting amyloid deposits. Clinica Chimica Acta, 2014, 436, 27-34. | 0.5 | 4 |
| 407 | Disrupted cross-laminar cortical processing in \hat{l}^2 amyloid pathology precedes cell death. Neurobiology of Disease, 2014, 63, 62-73. | 2.1 | 21 |
| 408 | Age-dependent effects of valproic acid in Alzheimer's disease (AD) mice are associated with nerve growth factor (NGF) regulation. Neuroscience, 2014, 266, 255-265. | 1.1 | 33 |
| 409 | Increased misfolding and truncation of tau in APP/PS1/tau transgenic mice compared to mutant tau mice. Neurobiology of Disease, 2014, 62, 100-112. | 2.1 | 54 |
| 410 | Tonic inhibition in dentate gyrus impairs long-term potentiation and memory in an Alzheimer's disease model. Nature Communications, 2014, 5, 4159. | 5.8 | 215 |
| 411 | Mouse strain and brain regionâ€specific expression of the glutaminyl cyclases QC and isoQC. International Journal of Developmental Neuroscience, 2014, 36, 64-73. | 0.7 | 13 |
| 412 | Behavioral and EEG changes in male 5xFAD mice. Physiology and Behavior, 2014, 135, 25-33. | 1.0 | 122 |
| 413 | Animal models of CNS disorders. Biochemical Pharmacology, 2014, 87, 140-149. | 2.0 | 104 |
| 414 | Using mice to model Alzheimer's dementia: an overview of the clinical disease and the preclinical behavioral changes in 10 mouse models. Frontiers in Genetics, 2014, 5, 88. | 1.1 | 562 |
| 415 | Pyroglutamate-Modified Amyloid-β Protein Demonstrates Similar Properties in an Alzheimer's Disease Familial Mutant Knock-In Mouse and Alzheimer's Disease Brain. Neurodegenerative Diseases, 2014, 14, 53-66. | 0.8 | 30 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 416 | Early Neuronal Loss and Axonal/Presynaptic Damage is Associated with Accelerated Amyloid-β Accumulation in AβPP/PS1 Alzheimer's Disease Mice Subiculum. Journal of Alzheimer's Disease, 2014, 42, 521-541. | 1.2 | 48 |
| 417 | Inhibition of Glutaminyl Cyclase Ameliorates Amyloid Pathology in an Animal Model of Alzheimer's Disease via the Modulation of γ-Secretase Activity. Journal of Alzheimer's Disease, 2014, 43, 797-807. | 1.2 | 12 |
| 418 | Effects of Ashwagandha (Roots of <i>Withania somnifera</i>) on Neurodegenerative Diseases. Biological and Pharmaceutical Bulletin, 2014, 37, 892-897. | 0.6 | 99 |
| 419 | Ligandâ€Based Molecular MRI: Oâ€17 JJVCPE Amyloid Imaging in Transgenic Mice. Journal of Neuroimaging, 2014, 24, 595-598. | 1.0 | 11 |
| 420 | Amyloid Plaque-Independent Deficit of Early Postnatal Visual Cortical Plasticity in the 5XFAD Transgenic Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2014, 42, 103-107. | 1.2 | 10 |
| 421 | Murine versus human apolipoprotein E4: differential facilitation of and co-localization in cerebral amyloid angiopathy and amyloid plaques in APP transgenic mouse models. Acta Neuropathologica Communications, 2015, 3, 70. | 2.4 | 45 |
| 423 | Swedish mutant APP-based BACE1 binding site peptide reduces APP β-cleavage and cerebral Aβ levels in Alzheimer's mice. Scientific Reports, 2015, 5, 11322. | 1.6 | 25 |
| 424 | Forebrain microglia from wild-type but not adult 5xFAD mice prevent amyloid-β plaque formation in organotypic hippocampal slice cultures. Scientific Reports, 2015, 5, 14624. | 1.6 | 82 |
| 425 | Gene Dosage Dependent Aggravation of the Neurological Phenotype in the 5XFAD Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 45, 1223-1236. | 1.2 | 80 |
| 426 | Fasting activates macroautophagy in neurons of Alzheimer's disease mouse model but is insufficient to degrade amyloid-beta. Scientific Reports, 2015, 5, 12115. | 1.6 | 56 |
| 427 | Nasal Application of the Galantamine Pro-drug Memogain Slows Down Plaque Deposition and Ameliorates Behavior in 5X Familial Alzheimer's Disease Mice. Journal of Alzheimer's Disease, 2015, 46, 123-136. | 1.2 | 34 |
| 428 | Tomoregulin (TMEFF2) Binds Alzheimer's Disease Amyloid-β (Aβ) Oligomer and AβPP and Protects Neurons from Aβ-Induced Toxicity. Journal of Alzheimer's Disease, 2015, 48, 731-743. | 1.2 | 17 |
| 429 | Neprilysin Deficiency Alters the Neuropathological and Behavioral Phenotype in the 5XFAD Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 44, 1291-1302. | 1.2 | 63 |
| 430 | N-Truncated Aβ2-X Starting with Position Two in Sporadic Alzheimer's Disease Cases and Two Alzheimer Mouse Models. Journal of Alzheimer's Disease, 2015, 49, 101-110. | 1.2 | 9 |
| 431 | Alzheimer therapy with an antibody against N-terminal Abeta 4-X and pyroglutamate Abeta 3-X. Scientific Reports, 2015, 5, 17338. | 1.6 | 34 |
| 432 | The 5XFAD Mouse Model of Alzheimer's Disease Exhibits an Age-Dependent Increase in Anti-Ceramide IgG and Exogenous Administration of Ceramide Further Increases Anti-Ceramide Titers and Amyloid Plaque Burden. Journal of Alzheimer's Disease, 2015, 46, 55-61. | 1.2 | 63 |
| 433 | Cerebral nitric oxide represses choroid plexus <scp>NF</scp> κBâ€dependent gateway activity for leukocyteÂtrafficking. EMBO Journal, 2015, 34, 1816-1828. | 3.5 | 63 |
| 434 | Inflammation Combined with Ischemia Produces Myelin Injury and Plaque-Like Aggregates of Myelin, Amyloid-β and AβPP in Adult Rat Brain. Journal of Alzheimer's Disease, 2015, 46, 507-523. | 1.2 | 36 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 435 | Stereotaxic Infusion of Oligomeric Amyloid-beta into the Mouse Hippocampus. Journal of Visualized Experiments, 2015, , e52805. | 0.2 | 21 |
| 436 | ESC-Derived Basal Forebrain Cholinergic Neurons Ameliorate the Cognitive Symptoms Associated with Alzheimer's Disease in Mouse Models. Stem Cell Reports, 2015, 5, 776-790. | 2.3 | 75 |
| 437 | Neuronal response in Alzheimer's and Parkinson's disease: the effect of toxic proteins on intracellular pathways. BMC Neuroscience, 2015, 16, 69. | 0.8 | 61 |
| 438 | Fructus mume extracts alleviate cognitive impairments in 5XFAD transgenic mice. BMC Complementary and Alternative Medicine, 2015, 16, 54. | 3.7 | 19 |
| 439 | Prolonged In Vivo Retention of a Cathepsin D Targeted Optical Contrast Agent in a Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 48, 73-87. | 1.2 | 10 |
| 440 | Cognitive Deficits, Changes in Synaptic Function, and Brain Pathology in a Mouse Model of Normal Aging. ENeuro, 2015, 2, ENEURO.0047-15.2015. | 0.9 | 62 |
| 441 | Dual pathways mediate Î ² -amyloid stimulated glutathione release from astrocytes. Clia, 2015, 63, 2208-2219. | 2.5 | 44 |
| 442 | Alzheimer's in 3D culture: Challenges and perspectives. BioEssays, 2015, 37, 1139-1148. | 1.2 | 83 |
| 443 | Reduction of Glucose Metabolism in Olfactory Bulb is an Earlier Alzheimer's Disease-related Biomarker in 5XFAD Mice. Chinese Medical Journal, 2015, 128, 2220-2227. | 0.9 | 55 |
| 444 | Beneficial Effects of the β-Secretase Inhibitor GRL-8234 in 5XFAD Alzheimer's Transgenic Mice Lessen During Disease Progression. Current Alzheimer Research, 2015, 12, 13-21. | 0.7 | 24 |
| 445 | 1950 MHz Electromagnetic Fields Ameliorate Aβ Pathology in Alzheimer's Disease Mice. Current Alzheimer Research, 2015, 12, 481-492. | 0.7 | 61 |
| 446 | Endothelial LRP1 transports amyloid-β1–42 across the blood-brain barrier. Journal of Clinical Investigation, 2015, 126, 123-136. | 3.9 | 299 |
| 447 | Alzheimer's Disease: Mechanism and Approach to Cell Therapy. International Journal of Molecular Sciences, 2015, 16, 26417-26451. | 1.8 | 82 |
| 448 | Connectivity of Pathology: The Olfactory System as a Model for Network-Driven Mechanisms of Alzheimer's Disease Pathogenesis. Frontiers in Aging Neuroscience, 2015, 7, 234. | 1.7 | 37 |
| 449 | Epigenetic Alterations in Alzheimer's Disease. Frontiers in Behavioral Neuroscience, 2015, 9, 347. | 1.0 | 143 |
| 450 | Synaptic activity and Alzheimer's disease: a critical update. Frontiers in Neuroscience, 2015, 9, 423. | 1.4 | 97 |
| 451 | Nanoscale Synaptic Membrane Mimetic Allows Unbiased High Throughput Screen That Targets Binding Sites for Alzheimer's-Associated Aβ Oligomers. PLoS ONE, 2015, 10, e0125263. | 1.1 | 28 |
| 452 | Quantification of Histone Deacetylase Isoforms in Human Frontal Cortex, Human Retina, and Mouse Brain. PLoS ONE, 2015, 10, e0126592. | 1.1 | 54 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 453 | Phloroglucinol Attenuates the Cognitive Deficits of the 5XFAD Mouse Model of Alzheimer's Disease. PLoS ONE, 2015, 10, e0135686. | 1.1 | 54 |
| 454 | Preventive Effects of a Fermented Dairy Product against Alzheimer's Disease and Identification of a Novel Oleamide with Enhanced Microglial Phagocytosis and Anti-Inflammatory Activity. PLoS ONE, 2015, 10, e0118512. | 1.1 | 80 |
| 455 | β-Amyloid: the key peptide in the pathogenesis of Alzheimer's disease. Frontiers in Pharmacology, 2015, 6, 221. | 1.6 | 216 |
| 456 | Neuron Loss and Behavioral Deficits in the TBA42 Mouse Model Expressing N-Truncated Pyroglutamate Amyloid-β3–42. Journal of Alzheimer's Disease, 2015, 45, 471-482. | 1.2 | 12 |
| 457 | Altered Theta Oscillations and Aberrant Cortical Excitatory Activity in the 5XFAD Model of Alzheimer's Disease. Neural Plasticity, 2015, 2015, 1-17. | 1.0 | 49 |
| 458 | Limited Effects of an <i>elF2α</i> ^{S51A} Allele on Neurological Impairments in the 5xFAD Mouse Model of Alzheimer's Disease. Neural Plasticity, 2015, 2015, 1-14. | 1.0 | 26 |
| 459 | Prion-Protein-interacting Amyloid-β Oligomers of High Molecular Weight Are Tightly Correlated with Memory Impairment in Multiple Alzheimer Mouse Models. Journal of Biological Chemistry, 2015, 290, 17415-17438. | 1.6 | 104 |
| 460 | Aβ regulation-based multitarget strategy for drug discovery against Alzheimer's disease. Reviews in the Neurosciences, 2015, 26, 13-30. | 1.4 | 5 |
| 461 | Aβ-induced degradation of BMAL1 and CBP leads to circadian rhythm disruption in Alzheimer's disease. Molecular Neurodegeneration, 2015, 10, 13. | 4.4 | 108 |
| 462 | Characterization of Aldh2 -/- mice as an age-related model of cognitive impairment and Alzheimer's disease. Molecular Brain, 2015, 8, 27. | 1.3 | 67 |
| 463 | Butyrylcholinesterase-knockout reduces brain deposition of fibrillar β-amyloid in an Alzheimer mouse model. Neuroscience, 2015, 298, 424-435. | 1.1 | 109 |
| 464 | TrkB reduction exacerbates Alzheimer's disease-like signaling aberrations and memory deficits without affecting β-amyloidosis in 5XFAD mice. Translational Psychiatry, 2015, 5, e562-e562. | 2.4 | 64 |
| 465 | Amyloid-β peptide increases cell surface localization of α7 ACh receptor to protect neurons from amyloid β-induced damage. Biochemical and Biophysical Research Communications, 2015, 468, 157-160. | 1.0 | 12 |
| 466 | Chronic adjunction of 1-deoxynojirimycin protects from age-related behavioral and biochemical changes in the SAMP8 mice. Age, 2015, 37, 102. | 3.0 | 23 |
| 467 | Standardized processing of MALDI imaging raw data for enhancement of weak analyte signals in mouse models of gastric cancer and Alzheimer's disease. Analytical and Bioanalytical Chemistry, 2015, 407, 2255-2264. | 1.9 | 12 |
| 468 | The N-terminal region of myelin basic protein reduces fibrillar amyloid-β deposition in Tg-5xFAD mice. Neurobiology of Aging, 2015, 36, 801-811. | 1.5 | 10 |
| 470 | Neurotoxicity and synaptic plasticity impairment of N-acetylglucosamine polymers: implications for Alzheimer's disease. Neurobiology of Aging, 2015, 36, 1780-1791. | 1.5 | 17 |
| 471 | Tripchlorolide improves cognitive deficits by reducing amyloid β and upregulating synapseâ€related proteins in a transgenic model of Alzheimer's Disease. Journal of Neurochemistry, 2015, 133, 38-52. | 2.1 | 49 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 472 | <i><scp>APOE</scp></i> â€modulated Aβâ€induced neuroinflammation in Alzheimer's disease: current landscape, novel data, and future perspective. Journal of Neurochemistry, 2015, 133, 465-488. | 2.1 | 123 |
| 473 | Increased fragmentation of sleep–wake cycles in the 5XFAD mouse model of Alzheimer's disease. Neuroscience, 2015, 290, 80-89. | 1.1 | 59 |
| 474 | Comprehensive phosphoproteome analysis unravels the core signaling network that initiates the earliest synapse pathology in preclinical Alzheimer's disease brain. Human Molecular Genetics, 2015, 24, 540-558. | 1.4 | 70 |
| 475 | RBM3 mediates structural plasticity and protective effects of cooling in neurodegeneration. Nature, 2015, 518, 236-239. | 13.7 | 189 |
| 476 | TREM2 Lipid Sensing Sustains the Microglial Response in an Alzheimer's Disease Model. Cell, 2015, 160, 1061-1071. | 13.5 | 1,236 |
| 477 | TREM2 deficiency eliminates TREM2+ inflammatory macrophages and ameliorates pathology in Alzheimer's disease mouse models. Journal of Experimental Medicine, 2015, 212, 287-295. | 4.2 | 538 |
| 478 | Aβ reduction in BACE1 heterozygous null 5XFAD mice is associated with transgenic APP level. Molecular Neurodegeneration, 2015, 10, 1. | 4.4 | 146 |
| 479 | Neutrophils promote Alzheimer's disease–like pathology and cognitive decline via LFA-1 integrin. Nature Medicine, 2015, 21, 880-886. | 15.2 | 589 |
| 480 | Intraperitoneal injection of the pancreatic peptide amylin potently reduces behavioral impairment and brain amyloid pathology in murine models of Alzheimer's disease. Molecular Psychiatry, 2015, 20, 252-262. | 4.1 | 83 |
| 481 | Massive accumulation of luminal protease-deficient axonal lysosomes at Alzheimer's disease amyloid plaques. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E3699-708. | 3.3 | 313 |
| 482 | Analyzing dendritic spine pathology in Alzheimer's disease: problems and opportunities. Acta Neuropathologica, 2015, 130, 1-19. | 3.9 | 154 |
| 483 | CR6-interacting factor 1 is a key regulator in Aβ-induced mitochondrial disruption and pathogenesis of Alzheimer's disease. Cell Death and Differentiation, 2015, 22, 959-973. | 5.0 | 27 |
| 484 | Effect of amyloids on the vesicular machinery: implications for somatic neurotransmission. Philosophical Transactions of the Royal Society B: Biological Sciences, 2015, 370, 20140187. | 1.8 | 12 |
| 485 | Omega-3 Fatty Acids Augment the Actions of Nuclear Receptor Agonists in a Mouse Model of Alzheimer's Disease. Journal of Neuroscience, 2015, 35, 9173-9181. | 1.7 | 47 |
| 486 | Activation of peroxisome proliferator-activated receptor α stimulates ADAM10-mediated proteolysis of APP. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 8445-8450. | 3.3 | 116 |
| 487 | Nuclear Receptors License Phagocytosis by Trem2 ⁺ Myeloid Cells in Mouse Models of Alzheimer's Disease. Journal of Neuroscience, 2015, 35, 6532-6543. | 1.7 | 144 |
| 488 | Astrocyte physiopathology: At the crossroads of intercellular networking, inflammation and cell death. Progress in Neurobiology, 2015, 130, 86-120. | 2.8 | 157 |
| 489 | Transcriptional regulation of N-acetylaspartate metabolism in the 5xFAD model of Alzheimer's disease: Evidence for neuron–glia communication during energetic crisis. Molecular and Cellular Neurosciences, 2015, 65, 143-152. | 1.0 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 490 | Specific Amyloid β Clearance by a Catalytic Antibody Construct. Journal of Biological Chemistry, 2015, 290, 10229-10241. | 1.6 | 26 |
| 491 | Activation of the nuclear receptor PPARÎ′ is neuroprotective in a transgenic mouse model of Alzheimer's disease through inhibition of inflammation. Journal of Neuroinflammation, 2015, 12, 7. | 3.1 | 66 |
| 492 | APOE4 enhances age-dependent decline in cognitive function by down-regulating an NMDA receptor pathway in EFAD-Tg mice. Molecular Neurodegeneration, 2015, 10, 7. | 4.4 | 79 |
| 493 | A combination Alzheimer's therapy targeting BACE1 and neprilysin in 5XFAD transgenic mice. Molecular Brain, 2015, 8, 19. | 1.3 | 26 |
| 494 | Amyloid-Beta: A Crucial Factor in Alzheimer's Disease. Medical Principles and Practice, 2015, 24, 1-10. | 1.1 | 344 |
| 495 | Minocycline Reduces Spontaneous Hemorrhage in Mouse Models of Cerebral Amyloid Angiopathy. Stroke, 2015, 46, 1633-1640. | 1.0 | 30 |
| 496 | Caffeine as Treatment for Alzheimer's Disease: A Review. Journal of Caffeine Research, 2015, 5, 61-64. | 1.0 | 10 |
| 497 | Two-Photon Absorbing Dyes with Minimal Autofluorescence in Tissue Imaging: Application to <i>in Vivo</i> Imaging of Amyloid-β Plaques with a Negligible Background Signal. Journal of the American Chemical Society, 2015, 137, 6781-6789. | 6.6 | 181 |
| 498 | Rodent models for Alzheimer's disease drug discovery. Expert Opinion on Drug Discovery, 2015, 10, 703-711. | 2.5 | 170 |
| 499 | Reduction of epileptiform activity by valproic acid in a mouse model of Alzheimer's disease is not long-lasting after treatment discontinuation. Epilepsy Research, 2015, 112, 43-55. | 0.8 | 24 |
| 500 | Activation of the factor XII-driven contact system in Alzheimer's disease patient and mouse model plasma. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 4068-4073. | 3.3 | 87 |
| 501 | The problem of genotype and sex differences in life expectancy in transgenic AD mice. Neuroscience and Biobehavioral Reviews, 2015, 57, 238-251. | 2.9 | 68 |
| 502 | Progressive inflammatory pathology in the retina of aluminum-fed 5xFAD transgenic mice. Journal of Inorganic Biochemistry, 2015, 152, 206-209. | 1.5 | 32 |
| 503 | Protective effects of low molecular weight chondroitin sulfate on amyloid beta (Aβ)-induced damage in vitro and in vivo. Neuroscience, 2015, 305, 169-182. | 1.1 | 54 |
| 504 | Stereological estimation of neuron number and plaque load in the hippocampal region of a transgenic rat model of <scp>A</scp> lzheimer's disease. European Journal of Neuroscience, 2015, 41, 1245-1262. | 1.2 | 43 |
| 505 | Abeta targets of the biosimilar antibodies of Bapineuzumab, Crenezumab, Solanezumab in comparison to an antibody against N-truncated Abeta in sporadic Alzheimer disease cases and mouse models. Acta Neuropathologica, 2015, 130, 713-729. | 3.9 | 53 |
| 506 | Adipose-derived stem cell-conditioned medium ameliorates antidepression-related behaviors in the mouse model of Alzheimer's disease. Neuroscience Letters, 2015, 609, 53-57. | 1.0 | 20 |
| 507 | Thrombospondin-1 prevents amyloid beta–mediated synaptic pathology in Alzheimer's disease. Neurobiology of Aging, 2015, 36, 3214-3227. | 1.5 | 37 |

| | CITATION REP | PORT | |
|--|-----------------------|-----------|-----------------|
| ARTICLE Effects of BACE1 haploinsufficiency on APP processing and AÎ ² concentrations in male a Alzheimer mice at different disease stages. Neuroscience, 2015, 307, 128-137. | and female 5XFAD | IF 1.1 | CITATIONS 23 |
| Breaking immune tolerance by targeting Foxp3+ regulatory T cells mitigates Alzheimerá pathology. Nature Communications, 2015, 6, 7967. | à€™s disease | 5.8 | 366 |
| Estrogen receptor β in Alzheimer's disease: From mechanisms to therapeutics. Age 2015, 24, 178-190. | ing Research Reviews, | 5.0 | 70 |
| Endocannabinoid regulation of amyloid-induced neuroinflammation. Neurobiology of Ag 3008-3019. | ging, 2015, 36, | 1.5 | 29 |
| A rationally designed small molecule for identifying an in vivo link between metal–am and the pathogenesis of Alzheimer's disease. Chemical Science, 2015, 6, 1879-1886. | ıyloid-β complexes | 3.7 | 60 |
| In vitro validation of effects of BDNF-expressing mesenchymal stem cells on neurodege primary cultured neurons of APP/PS1 mice. Neuroscience, 2015, 307, 37-50. | neration in | 1.1 | 29 |
| Distinct Functions for Anterograde and Retrograde Sorting of SORLA in Amyloidogenic the Brain. Journal of Neuroscience, 2015, 35, 12703-12713. | Processes in | 1.7 | 32 |
| Histone H3 Ser57 and Thr58 phosphorylation in the brain of 5XFAD mice. FEBS Open B | io, 2015, 5, 550-556. | 1.0 | 25 |
| Reduction of amyloid-beta levels in mouse eye tissues byÂintra-vitreally delivered nepril Experimental Eye Research, 2015, 138, 134-144. | ysin. | 1.2 | 36 |
| A Redox-Active, Compact Molecule for Cross-Linking Amyloidogenic Peptides into Nont Off-Pathway Aggregates: In Vitro and In Vivo Efficacy and Molecular Mechanisms. Journ American Chemical Society, 2015, 137, 14785-14797. | oxic, al of the | 6.6 | 65 |
| Low-Level Laser Therapy Ameliorates Disease Progression in a Mouse Model of Alzheime Journal of Molecular Neuroscience, 2015, 55, 430-436. | er's Disease. | 1.1 | 91 |
| Towards non-invasive diagnostic imaging of early-stage Alzheimer's disease. Nature Nar 2015, 10, 91-98. | notechnology, | 15.6 | 155 |
| Intraneuronal AÎ ² accumulation induces hippocampal neuron hyperexcitability through current inhibition mediated by activation of caspases and GSK-3. Neurobiology of Aging 886-900. | | 1.5 | 78 |
| Fibrin deposited in the Alzheimer's disease brain promotes neuronal degeneration. Neu Aging, 2015, 36, 608-617. | robiology of | 1.5 | 146 |
| | | | |

| 523 | Age-associated evolution of plasmatic amyloid in mouse lemur primates: relationship with intracellular amyloid deposition. Neurobiology of Aging, 2015, 36, 149-156. | 1.5 | 15 |
|-----|---|-----|----|
| 524 | Effects of methylphenidate on the behavior of male 5xFAD mice. Pharmacology Biochemistry and Behavior, 2015, 128, 68-77. | 1.3 | 20 |
| 525 | Correlation between orphan nuclear receptor Nurr1 expression and amyloid deposition in 5 <scp>XFAD</scp> mice, an animal model of Alzheimer's disease. Journal of Neurochemistry, 2015, 132, 254-262. | 2.1 | 34 |
| 526 | Proteinopathies, a core concept for understanding and ultimately treating degenerative disorders?. European Neuropsychopharmacology, 2015, 25, 713-724. | 0.3 | 78 |

#

508

509

510

512

514

517

519

521

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 527 | Evidence for Alzheimer's disease-linked synapse loss and compensation in mouse and human hippocampal CA1 pyramidal neurons. Brain Structure and Function, 2015, 220, 3143-3165. | 1.2 | 83 |
| 528 | Valproic Acid Alleviates Memory Deficits and Attenuates Amyloid-β Deposition in Transgenic Mouse Model of Alzheimer's Disease. Molecular Neurobiology, 2015, 51, 300-312. | 1.9 | 68 |
| 529 | Inhalable Curcumin: Offering the Potential for Translation to Imaging and Treatment of Alzheimer's Disease, Journal of Alzheimer's Disease, 2015, 44, 283-295. | 1.2 | 40 |
| 530 | MiR-126 Regulates Growth Factor Activities and Vulnerability to Toxic Insult in Neurons. Molecular Neurobiology, 2016, 53, 95-108. | 1.9 | 48 |
| 531 | Role of BACE1 in Cognitive Function, from Alzheimer's Disease to Traumatic Brain Injury. , 2016, , 239-266. | | 0 |
| 532 | Modulators of Amyloid β-Protein (Aβ) Self-Assembly. , 2016, , 97-191. | | 6 |
| 533 | Endoplasmic Reticulum Stress Induces the Early Appearance of Pro-apoptotic and Anti-apoptotic Proteins in Neurons of Five Familial Alzheimer's Disease Mice. Chinese Medical Journal, 2016, 129, 2845-2852. | 0.9 | 15 |
| 534 | Oral Triphenylmethane Food Dye Analog, Brilliant Blue G, Prevents Neuronal Loss in APPSwDI/NOS2-/- Mouse Model. Current Alzheimer Research, 2016, 13, 663-677. | 0.7 | 13 |
| 535 | CCR5 deficiency accelerates lipopolysaccharide-induced astrogliosis, amyloid-beta deposit and impaired memory function. Oncotarget, 2016, 7, 11984-11999. | 0.8 | 23 |
| 536 | Aromatase Expression in the Hippocampus of AD Patients and 5xFAD Mice. Neural Plasticity, 2016, 2016, 1-11. | 1.0 | 20 |
| 537 | Amyloid-Beta Induced Changes in Vesicular Transport of BDNF in Hippocampal Neurons. Neural Plasticity, 2016, 2016, 1-15. | 1.0 | 26 |
| 538 | Overview of Alzheimer's Disease and Some Therapeutic Approaches Targeting A <i>β</i> by Using Several Synthetic and Herbal Compounds. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-22. | 1.9 | 126 |
| 539 | Tanshinone IIA Alleviates the AD Phenotypes in APP and PS1 Transgenic Mice. BioMed Research International, 2016, 2016, 1-8. | 0.9 | 14 |
| 540 | Alzheimer's-Related Amyloid Beta Peptide Aggregates in the Ageing Retina: Implications for Sight Loss and Dementia. , 0, , . | | 2 |
| 541 | Hippocampal Injections of Oligomeric Amyloid β-peptide (1–42) Induce Selective Working Memory Deficits and Long-lasting Alterations of ERK Signaling Pathway. Frontiers in Aging Neuroscience, 2015, 7, 245. | 1.7 | 84 |
| 542 | Chronic Progressive Neurodegeneration in a Transgenic Mouse Model of Prion Disease. Frontiers in Neuroscience, 2016, 10, 510. | 1.4 | 11 |
| 543 | Synaptosomal Mitochondrial Dysfunction in 5xFAD Mouse Model of Alzheimer's Disease. PLoS ONE, 2016, 11, e0150441. | 1.1 | 66 |
| 544 | PERK Regulates Working Memory and Protein Synthesis-Dependent Memory Flexibility. PLoS ONE, 2016, 11, e0162766 | 1.1 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 545 | Amyloid Î ² Protein Aggravates Neuronal Senescence and Cognitive Deficits in 5XFAD Mouse Model of Alzheimer's Disease. Chinese Medical Journal, 2016, 129, 1835-1844. | 0.9 | 54 |
| 546 | The use of MALDIâ€MSI in the investigation of psychiatric and neurodegenerative disorders: A review. Proteomics, 2016, 16, 1747-1758. | 1.3 | 39 |
| 547 | TrkB activation by 7, 8â€dihydroxyflavone increases synapse <scp>AMPA</scp> subunits and ameliorates spatial memory deficits in a mouse model of Alzheimer's disease. Journal of Neurochemistry, 2016, 136, 620-636. | 2.1 | 63 |
| 548 | Increased tauopathy drives microglia-mediated clearance of beta-amyloid. Acta Neuropathologica Communications, 2016, 4, 63. | 2.4 | 35 |
| 549 | Partial Amelioration of Synaptic and Cognitive Deficits by Inhibiting Cofilin Dephosphorylation in an Animal Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 53, 1419-1432. | 1.2 | 28 |
| 550 | Highâ€Fatâ€Diet Intake Enhances Cerebral Amyloid Angiopathy and Cognitive Impairment in a Mouse Model of Alzheimer's Disease, Independently of Metabolic Disorders. Journal of the American Heart Association, 2016, 5, . | 1.6 | 78 |
| 551 | Metformin Facilitates Amyloid-β Generation by β- and γ-Secretases via Autophagy Activation. Journal of Alzheimer's Disease, 2016, 51, 1197-1208. | 1.2 | 79 |
| 552 | Aerosol Delivery of Curcumin Reduced Amyloid-β Deposition and Improved Cognitive Performance in a Transgenic Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 55, 797-811. | 1.2 | 42 |
| 553 | Fingolimod modulates multiple neuroinflammatory markers in a mouse model of Alzheimer's disease. Scientific Reports, 2016, 6, 24939. | 1.6 | 92 |
| 554 | Expression of the Alzheimer's Disease Mutations AβPP695sw and PSEN1M146I in Double-Transgenic GA¶ttingen Minipigs. Journal of Alzheimer's Disease, 2016, 53, 1617-1630. | 1.2 | 35 |
| 555 | Naphthoquinone-Tryptophan Hybrid Inhibits Aggregation of the Tau-Derived Peptide PHF6 and Reduces Neurotoxicity. Journal of Alzheimer's Disease, 2016, 51, 165-178. | 1.2 | 39 |
| 556 | Hyperexpression of STIM2 protein lowers the amount of Abeta plaques in the brain of Alzheimer's disease mouse model. St Petersburg Polytechnical University Journal Physics and Mathematics, 2016, 2, 329-336. | 0.3 | 1 |
| 557 | Close Correlation of Monoamine Oxidase Activity with Progress of Alzheimer's Disease in Mice, Observed by <i>in Vivo</i> Two-Photon Imaging. ACS Central Science, 2016, 2, 967-975. | 5.3 | 94 |
| 558 | A Metal-Free Method for Producing MRI Contrast at Amyloid-β. Journal of Alzheimer's Disease, 2016, 55, 1667-1681. | 1.2 | 9 |
| 559 | Inflammatory Eicosanoids Increase Amyloid Precursor Protein Expression via Activation of Multiple Neuronal Receptors. Scientific Reports, 2016, 5, 18286. | 1.6 | 37 |
| 560 | Loss of <i>O</i> -GlcNAc glycosylation in forebrain excitatory neurons induces neurodegeneration. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 15120-15125. | 3.3 | 151 |
| 561 | Deregulation of mitochondrial F1FO-ATP synthase via OSCP in Alzheimer's disease. Nature Communications, 2016, 7, 11483. | 5.8 | 127 |
| 562 | Gamma frequency entrainment attenuates amyloid load and modifies microglia. Nature, 2016, 540, 230-235. | 13.7 | 812 |

| # | Article | IF | CITATIONS |
|---------------------------------|---|---------------------------------|------------------------------|
| 563 | Ginsenoside Rg1 ameliorates hippocampal long-term potentiation and memory in an Alzheimer's disease model. Molecular Medicine Reports, 2016, 13, 4904-4910. | 1.1 | 48 |
| 564 | MicroRNA-146a suppresses ROCK1 allowing hyperphosphorylation of tau in Alzheimer's disease. Scientific Reports, 2016, 6, 26697. | 1.6 | 84 |
| 565 | Lipid microdomain modification sustains neuronal viability in models of Alzheimer's disease. Acta Neuropathologica Communications, 2016, 4, 103. | 2.4 | 30 |
| 566 | Exercise as a pro-cognitive, pro-neurogenic and anti-inflammatory intervention in transgenic mouse models of Alzheimer's disease. Ageing Research Reviews, 2016, 27, 77-92. | 5.0 | 84 |
| 567 | Deposition of C-terminally truncated Aβ species Aβ37 and Aβ39 in Alzheimer's disease and transgenic mouse models. Acta Neuropathologica Communications, 2016, 4, 24. | 2.4 | 29 |
| 568 | Reduced fibrillar β-amyloid in subcortical structures in a butyrylcholinesterase-knockout Alzheimer disease mouse model. Chemico-Biological Interactions, 2016, 259, 307-312. | 1.7 | 43 |
| 569 | TREM2 Haplodeficiency in Mice and Humans Impairs the Microglia Barrier Function Leading to Decreased Amyloid Compaction and Severe Axonal Dystrophy. Neuron, 2016, 90, 724-739. | 3.8 | 528 |
| 570 | Presynaptic dystrophic neurites surrounding amyloid plaques are sites of microtubule disruption, BACE1 elevation, and increased Al² generation in Alzheimer's disease. Acta Neuropathologica, 2016, 132, 235-256. | 3.9 | 193 |
| 571 | Animal Models in Neuro Ophthalmology. , 2016, , 239-263. | | 0 |
| | | | |
| 572 | A quadrupolar two-photon fluorescent probe for in vivo imaging of amyloid-β plaques. Chemical Science, 2016, 7, 4600-4606. | 3.7 | 49 |
| 572 573 | | 3.7 1.3 | 49 28 |
| | Science, 2016, 7, 4600-4606. Intracerebral Injection of Metal-Binding Domain of AÎ ² Comprising the Isomerized Asp7 Increases the | | |
| 573 | Science, 2016, 7, 4600-4606. Intracerebral Injection of Metal-Binding Domain of AÎ ² Comprising the Isomerized Asp7 Increases the Amyloid Burden in Transgenic Mice. Neurotoxicity Research, 2016, 29, 551-557. The polarity protein Par3 regulates APP trafficking and processing through the endocytic adaptor | 1.3 | 28 |
| 573 574 | Science, 2016, 7, 4600-4606.Intracerebral Injection of Metal-Binding Domain of AÎ ² Comprising the Isomerized Asp7 Increases the Amyloid Burden in Transgenic Mice. Neurotoxicity Research, 2016, 29, 551-557.The polarity protein Par3 regulates APP trafficking and processing through the endocytic adaptor protein Numb. Neurobiology of Disease, 2016, 93, 1-11.TREM2-mediated early microglial response limits diffusion and toxicity of amyloid plaques. Journal of | 1.3 2.1 | 28 23 |
| 573 574 575 | Science, 2016, 7, 4600-4606. Intracerebral Injection of Metal-Binding Domain of AÎ² Comprising the Isomerized Asp7 Increases the Amyloid Burden in Transgenic Mice. Neurotoxicity Research, 2016, 29, 551-557. The polarity protein Par3 regulates APP trafficking and processing through the endocytic adaptor protein Numb. Neurobiology of Disease, 2016, 93, 1-11. TREM2-mediated early microglial response limits diffusion and toxicity of amyloid plaques. Journal of Experimental Medicine, 2016, 213, 667-675. IL-33 ameliorates Alzheimer's disease-like pathology and cognitive decline. Proceedings of the National | 1.3 2.1 4.2 | 28 23 565 |
| 573 574 575 576 | Science, 2016, 7, 4600-4606. Intracerebral Injection of Metal-Binding Domain of Aβ Comprising the Isomerized Asp7 Increases the Amyloid Burden in Transgenic Mice. Neurotoxicity Research, 2016, 29, 551-557. The polarity protein Par3 regulates APP trafficking and processing through the endocytic adaptor protein Numb. Neurobiology of Disease, 2016, 93, 1-11. TREM2-mediated early microglial response limits diffusion and toxicity of amyloid plaques. Journal of Experimental Medicine, 2016, 213, 667-675. IL-33 ameliorates Alzheimer's disease-like pathology and cognitive decline. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E2705-13. Alzheimer's therapy targeting the β-secretase enzyme BACE1: Benefits and potential limitations from the | 1.3 2.1 4.2 3.3 | 28 23 565 247 |
| 573 574 575 576 577 | Science, 2016, 7, 4600-4606. Intracerebral Injection of Metal-Binding Domain of Aβ Comprising the Isomerized Asp7 Increases the Amyloid Burden in Transgenic Mice. Neurotoxicity Research, 2016, 29, 551-557. The polarity protein Par3 regulates APP trafficking and processing through the endocytic adaptor protein Numb. Neurobiology of Disease, 2016, 93, 1-11. TREM2-mediated early microglial response limits diffusion and toxicity of amyloid plaques. Journal of Experimental Medicine, 2016, 213, 667-675. IL-33 ameliorates Alzheimer's disease-like pathology and cognitive decline. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E2705-13. Alzheimer's therapy targeting the β-secretase enzyme BACE1: Benefits and potential limitations from the perspective of animal model studies. Brain Research Bulletin, 2016, 126, 183-198. Quercetin stabilizes apolipoprotein E and reduces brain Aβ levels in amyloid model mice. | 1.3 2.1 4.2 3.3 1.4 | 28 23 565 247 42 |

| # | Article | IF | CITATIONS |
|---------------------------------|--|--------------------------|--------------------------|
| 581 | Astrocytes from old Alzheimer's disease mice are impaired in AÎ ² uptake and in neuroprotection. Neurobiology of Disease, 2016, 96, 84-94. | 2.1 | 85 |
| 582 | Microglia contributes to plaque growth by cell death due to uptake of amyloid β in the brain of Alzheimer's disease mouse model. Glia, 2016, 64, 2274-2290. | 2.5 | 147 |
| 583 | Animal Models of Behavior Genetics. , 2016, , . | | 0 |
| 584 | Activin A secreted by human mesenchymal stem cells induces neuronal development and neurite outgrowth in an in vitro model of Alzheimer's disease: neurogenesis induced by MSCs via activin A. Archives of Pharmacal Research, 2016, 39, 1171-1179. | 2.7 | 33 |
| 585 | Differential transgene expression patterns in Alzheimer mouse models revealed by novel human amyloid precursor proteinâ€specific antibodies. Aging Cell, 2016, 15, 953-963. | 3.0 | 22 |
| 586 | Sex and Genotype Differences in Odor Detection in the 3×Tg-AD and 5XFAD Mouse Models of Alzheimer's Disease at 6 Months of Age. Chemical Senses, 2016, 41, 433-440. | 1.1 | 41 |
| 587 | Chronic cerebral hypoperfusion induces memory deficits and facilitates AÎ ² generation in C57BL/6J mice. Experimental Neurology, 2016, 283, 353-364. | 2.0 | 56 |
| 588 | Angiotensin Converting Enzyme Inhibitors Ameliorate Brain Inflammation Associated with Microglial Activation: Possible Implications for Alzheimer's Disease. Journal of NeuroImmune Pharmacology, 2016, 11, 774-785. | 2.1 | 51 |
| 589 | Neutral Sphingomyelinase-2 Deficiency Ameliorates Alzheimer's Disease Pathology and Improves Cognition in the 5XFAD Mouse. Journal of Neuroscience, 2016, 36, 8653-8667. | 1.7 | 177 |
| | | | |
| 590 | Neurodegenerative Diseases and Dementia. , 2016, , 167-197. | | 0 |
| 590 591 | | 0.9 | 0 |
| | Neurodegenerative Diseases and Dementia. , 2016, , 167-197. A Novel Way of Amelioration of Amyloid Beta Induced Toxicity in <i>Caenorhabditis</i> | 0.9 | |
| 591 | Neurodegenerative Diseases and Dementia. , 2016, , 167-197. A Novel Way of Amelioration of Amyloid Beta Induced Toxicity in <i>Caenorhabditis elegans</i> . Annals of Neurosciences, 2016, 23, 149-154. New Age Therapy for Alzheimer's Disease by Neuronal Network Reconstruction. Biological and | | 4 |
| 591 592 | Neurodegenerative Diseases and Dementia. , 2016, , 167-197. A Novel Way of Amelioration of Amyloid Beta Induced Toxicity in <i>Caenorhabditis elegans</i> . Annals of Neurosciences, 2016, 23, 149-154. New Age Therapy for Alzheimer's Disease by Neuronal Network Reconstruction. Biological and Pharmaceutical Bulletin, 2016, 39, 1569-1575. Calpain Activation in Alzheimer's Model Mice Is an Artifact of APP and Presenilin Overexpression. | 0.6 | 4 16 |
| 591 592 593 | Neurodegenerative Diseases and Dementia. , 2016, , 167-197. A Novel Way of Amelioration of Amyloid Beta Induced Toxicity in <i>Caenorhabditis elegans</i> . Annals of Neurosciences, 2016, 23, 149-154. New Age Therapy for Alzheimer's Disease by Neuronal Network Reconstruction. Biological and Pharmaceutical Bulletin, 2016, 39, 1569-1575. Calpain Activation in Alzheimer's Model Mice Is an Artifact of APP and Presenilin Overexpression. Journal of Neuroscience, 2016, 36, 9933-9936. Immunotherapy Against N-Truncated Amyloid-β Oligomers. Methods in Pharmacology and Toxicology, | 0.6 1.7 | 4 16 98 |
| 591 592 593 594 | Neurodegenerative Diseases and Dementia., 2016, , 167-197. A Novel Way of Amelioration of Amyloid Beta Induced Toxicity in <i>Caenorhabditis elegans</i> . Annals of Neurosciences, 2016, 23, 149-154. New Age Therapy for Alzheimer's Disease by Neuronal Network Reconstruction. Biological and Pharmaceutical Bulletin, 2016, 39, 1569-1575. Calpain Activation in Alzheimer's Model Mice Is an Artifact of APP and Presenilin Overexpression. Journal of Neuroscience, 2016, 36, 9933-9936. Immunotherapy Against N-Truncated Amyloid-β Oligomers. Methods in Pharmacology and Toxicology, 2016, , 37-50. A comparative study of dietary curcumin, nanocurcumin, and other classical amyloid-binding dyes for labeling and imaging of amyloid plaques in brain tissue of 5ŗfamilial Alzheimer's disease mice. | 0.6 1.7 0.1 | 4 16 98 3 |
| 591 592 593 594 595 | Neurodegenerative Diseases and Dementia. , 2016, , 167-197. A Novel Way of Amelioration of Amyloid Beta Induced Toxicity in <i>Caenorhabditis elegans</i> . Annals of Neurosciences, 2016, 23, 149-154. New Age Therapy for Alzheimer's Disease by Neuronal Network Reconstruction. Biological and Pharmaceutical Bulletin, 2016, 39, 1569-1575. Calpain Activation in Alzheimer's Model Mice Is an Artifact of APP and Presenilin Overexpression. Journal of Neuroscience, 2016, 36, 9933-9936. Immunotherapy Against N-Truncated Amyloid-β Oligomers. Methods in Pharmacology and Toxicology, 2016, , 37-50. A comparative study of dietary curcumin, nanocurcumin, and other classical amyloid-binding dyes for labeling and imaging of amyloid plaques in brain tissue of 5—familial Alzheimer's disease mice. Histochemistry and Cell Biology, 2016, 146, 609-625. Ameliorative effect of membrane-associated estrogen receptor C protein coupled receptor 30 activation on object recognition memory in mouse models of Alzheimer's disease. Journal of | 0.6 1.7 0.1 0.8 | 4 16 98 3 68 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 599 | A unique type of GSK-3 inhibitor brings new opportunities to the clinic. Science Signaling, 2016, 9, ra110. | 1.6 | 53 |
| 600 | Amyloid-β peptide protects against microbial infection in mouse and worm models of Alzheimer's disease. Science Translational Medicine, 2016, 8, 340ra72. | 5.8 | 816 |
| 601 | The neuritic plaque facilitates pathological conversion of tau in an Alzheimer's disease mouse model. Nature Communications, 2016, 7, 12082. | 5.8 | 56 |
| 602 | HMCB1, a pathogenic molecule that induces neurite degeneration via TLR4-MARCKS, is a potential therapeutic target for Alzheimer's disease. Scientific Reports, 2016, 6, 31895. | 1.6 | 111 |
| 603 | Replenishment of microRNA-188-5p restores the synaptic and cognitive deficits in 5XFAD Mouse Model of Alzheimer's Disease. Scientific Reports, 2016, 6, 34433. | 1.6 | 54 |
| 604 | Structure-mechanism-based engineering of chemical regulators targeting distinct pathological factors in Alzheimer's disease. Nature Communications, 2016, 7, 13115. | 5.8 | 80 |
| 605 | GRK5 Deficiency Leads to Selective Basal Forebrain Cholinergic Neuronal Vulnerability. Scientific Reports, 2016, 6, 26116. | 1.6 | 10 |
| 606 | Longitudinal In Vivo Imaging of the Cerebrovasculature: Relevance to CNS Diseases. Journal of Visualized Experiments, 2016, , . | 0.2 | 6 |
| 607 | Transnasal delivery of human A-beta peptides elicits impaired learning and memory performance in wild type mice. BMC Neuroscience, 2016, 17, 44. | 0.8 | 3 |
| 608 | Intensive â€~Brain Training' Intervention FailsÂto Reduce Amyloid Pathologies orÂCognitive Deficits in Transgenic MouseÂModels of Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 55, 1109-1121. | 1.2 | 3 |
| 609 | Fractionationâ€dependent improvements in proteome resolution in the mouse hippocampus by IEF LCâ€MS/MS. Electrophoresis, 2016, 37, 2054-2062. | 1.3 | 3 |
| 610 | Anti-Amyloid-β Immunotherapy for Alzheimer's Disease. , 2016, , 193-226. | | 9 |
| 611 | Stimulation of Tau Degradation. , 2016, , 343-369. | | 0 |
| 612 | Activation of phagocytic activity in astrocytes by reduced expression of the inflammasome component ASC and its implication in a mouse model of Alzheimer disease. Journal of Neuroinflammation, 2016, 13, 20. | 3.1 | 73 |
| 613 | Vitamin D interacts with Esr1 and lgf1 to regulate molecular pathways relevant to Alzheimer's disease. Molecular Neurodegeneration, 2016, 11, 22. | 4.4 | 58 |
| 614 | Hippocampal network dynamics in response to α7 nACh receptors activation in amyloid-β overproducing transgenic mice. Neurobiology of Aging, 2016, 45, 161-168. | 1.5 | 17 |
| 615 | A role for β2* nicotinic receptors in a model of local amyloid pathology induced in dentate gyrus. Neurobiology of Aging, 2016, 46, 221-234. | 1.5 | 7 |
| 616 | Differential effects on glial activation by a direct versus an indirect thrombin inhibitor. Journal of Neuroimmunology, 2016, 297, 159-168. | 1.1 | 16 |

ARTICLE IF CITATIONS Chronic Toxoplasma gondii infection enhances \hat{l}^2 -amyloid phagocytosis and clearance by recruited 2.4 78 617 monocytes. Acta Neuropathologica Communications, 2016, 4, 25. Altered motility of plaque-associated microglia in a model of Alzheimer's disease. Neuroscience, 2016, 618 1.1 330, 410-420. Positive allosteric modulators of 1±7 nicotinic acetylcholine receptors affect neither the function of 619 other ligand- and voltage-gated ion channels and acetylcholinesterase, nor î²-amyloid content. 1.2 10 International Journal of Biochemistry and Cell Biology, 2016, 76, 19-30. TFEB and TFE3: Linking Lysosomes to Cellular Adaptation to Stress. Annual Review of Cell and 620 308 Developmental Biology, 2016, 32, 255-278. <i>In vivo</i> imaging of microglial activation by positron emission tomography with <scp>[¹¹C]PBR28</scp> in the <scp>5XFAD</scp> model of <scp>A</scp>lzheimer's disease. 621 2.5 71 Glia, 2016, 64, 993-1006. Causes, consequences, and cures for neuroinflammation mediated via the locus coeruleus: 2.1 noradrenergic signaling system. Journal of Neurochemistry, 2016, 139, 154-178. The Abundance of Nonphosphorylated Tau in Mouse and Human Tauopathy Brains Revealed by the Use 623 1.9 20 of Phos-Tag Method. American Journal of Pathology, 2016, 186, 398-409. Experimental models of Alzheimer's disease for deciphering the pathogenesis and therapeutic 624 1.8 screening (Review). International Journal of Molecular Medicine, 2016, 37, 271-283. Positive modulators of the α7 nicotinic receptor against neuroinflammation and cognitive impairment 625 2.8 85 in Alzheimer's disease. Progress in Neurobiology, 2016, 144, 142-157. Cerebrovascular pathology during the progression of experimental Alzheimer's disease. Neurobiology 2.1 of Disease, 2016, 88, 107-117. PD-1 immune checkpoint blockade reduces pathology and improves memory in mouse models of 627 15.2 286 Alzheimer's disease. Nature Medicine, 2016, 22, 135-137. The APOE4 allele shows opposite sex bias in microbleeds and Alzheimer's disease of humans and mice. 1.5 Neurobiology of Aging, 2016, 37, 47-57. Validation and Characterization of a Novel Peptide That Binds Monomeric and Aggregated Î²-Amyloid and Inhibits the Formation of Neurotoxic Oligomers. Journal of Biological Chemistry, 2016, 291, 629 1.6 15 547-559. Gene Therapy Models of Alzheimer's Disease and Other Dementias. Methods in Molecular Biology, 2016, 0.4 26 1382, 339-366. Differential effect of intranasally administrated kinin B1 and B2 receptor antagonists in Alzheimer's 631 1.2 10 disease mice. Biological Chemistry, 2016, 397, 345-351. Aluminum, the genetic apparatus of the human CNS and Alzheimer's disease (AD). Morphologie, 2016, 33 100, 56-64. The adaptive immune system restrains Alzheimer's disease pathogenesis by modulating microglial 633 function. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3.3 311E1316-25. Oxidized Docosahexaenoic Acid Species and Lipid Peroxidation Products Increase Amyloidogenic 634 Amyloid Precursor Protein Processing. Neurodegenerative Diseases, 2016, 16, 44-54.

| # | Article | IF | CITATIONS |
|--------------------------|---|--------------------------|----------------------|
| 635 | Mitochondria-Targeting Ceria Nanoparticles as Antioxidants for Alzheimer's Disease. ACS Nano, 2016, 10, 2860-2870. | 7.3 | 481 |
| 636 | TREM2 Function in Alzheimer's Disease and Neurodegeneration. ACS Chemical Neuroscience, 2016, 7, 420-427. | 1.7 | 100 |
| 637 | Dendritic Spine Pathology in Neurodegenerative Diseases. Annual Review of Pathology: Mechanisms of Disease, 2016, 11, 221-250. | 9.6 | 161 |
| 638 | Psychotropic Activity of New Fluorinated Derivatives of Tetrahydrocarbasoles. Bulletin of Experimental Biology and Medicine, 2016, 160, 455-458. | 0.3 | 4 |
| 639 | Eliminating microglia in Alzheimer's mice prevents neuronal loss without modulating amyloid-β pathology. Brain, 2016, 139, 1265-1281. | 3.7 | 514 |
| 640 | Cognitive benefits of memantine in Alzheimer's 5XFAD model mice decline during advanced disease stages. Pharmacology Biochemistry and Behavior, 2016, 144, 60-66. | 1.3 | 25 |
| 641 | A subcutaneous cellular implant for passive immunization against amyloid-β reduces brain amyloid and tau pathologies. Brain, 2016, 139, 1587-1604. | 3.7 | 33 |
| 642 | Insulin-degrading enzyme secretion from astrocytes is mediated by an autophagy-based unconventional secretory pathway in Alzheimer disease. Autophagy, 2016, 12, 784-800. | 4.3 | 99 |
| 643 | Novel advances in shotgun lipidomics for biology and medicine. Progress in Lipid Research, 2016, 61, 83-108. | 5.3 | 211 |
| 644 | Gene Therapy for Neurological Disorders. Methods in Molecular Biology, 2016, , . | 0.4 | 3 |
| | | | |
| 645 | Global changes of phospholipids identified by MALDI imaging mass spectrometry in a mouse model of Alzheimer's disease. Journal of Lipid Research, 2016, 57, 36-45. | 2.0 | 59 |
| 645 646 | Global changes of phospholipids identified by MALDI imaging mass spectrometry in a mouse model of Alzheimer's disease. Journal of Lipid Research, 2016, 57, 36-45. MT5-MMP is a new pro-amyloidogenic proteinase that promotes amyloid pathology and cognitive decline in a transgenic mouse model of Alzheimerâ∈™s disease. Cellular and Molecular Life Sciences, 2016, 73, 217-236. | 2.0 2.4 | 59 96 |
| | Alzheimer's disease. Journal of Lipid Research, 2016, 57, 36-45. MT5-MMP is a new pro-amyloidogenic proteinase that promotes amyloid pathology and cognitive decline in a transgenic mouse model of Alzheimer's disease. Cellular and Molecular Life Sciences, | | |
| 646 | Alzheimer's disease. Journal of Lipid Research, 2016, 57, 36-45. MT5-MMP is a new pro-amyloidogenic proteinase that promotes amyloid pathology and cognitive decline in a transgenic mouse model of Alzheimer's disease. Cellular and Molecular Life Sciences, 2016, 73, 217-236. Combination of PKClµ Activation and PTP1B Inhibition Effectively Suppresses Al²-Induced GSK-3l² Activation | 2.4 | 96 |
| 646 647 | Alzheimer's disease. Journal of Lipid Research, 2016, 57, 36-45. MT5-MMP is a new pro-amyloidogenic proteinase that promotes amyloid pathology and cognitive decline in a transgenic mouse model of Alzheimer's disease. Cellular and Molecular Life Sciences, 2016, 73, 217-236. Combination of PKCε Activation and PTP1B Inhibition Effectively Suppresses AÎ²-Induced GSK-3Î² Activation and Tau Phosphorylation. Molecular Neurobiology, 2016, 53, 4787-4797. Endogenous Apolipoprotein E (ApoE) Fragmentation Is Linked to Amyloid Pathology in Transgenic | 2.4 1.9 | 96 37 |
| 646 647 648 | Alzheimer's disease. Journal of Lipid Research, 2016, 57, 36-45. MT5-MMP is a new pro-amyloidogenic proteinase that promotes amyloid pathology and cognitive decline in a transgenic mouse model of Alzheimer's disease. Cellular and Molecular Life Sciences, 2016, 73, 217-236. Combination of PKCε Activation and PTP1B Inhibition Effectively Suppresses AÎ²-Induced GSK-3Î² Activation and Tau Phosphorylation. Molecular Neurobiology, 2016, 53, 4787-4797. Endogenous Apolipoprotein E (ApoE) Fragmentation Is Linked to Amyloid Pathology in Transgenic Mouse Models of Alzheimer's Disease. Molecular Neurobiology, 2017, 54, 319-327. Hippocampal proteomics defines pathways associated with memory decline and resilience in normal | 2.4 1.9 1.9 | 96 37 26 |
| 646 647 648 649 | Alzheimer's disease. Journal of Lipid Research, 2016, 57, 36-45. MT5-MMP is a new pro-amyloidogenic proteinase that promotes amyloid pathology and cognitive decline in a transgenic mouse model of Alzheimer's disease. Cellular and Molecular Life Sciences, 2016, 73, 217-236. Combination of PKClµ Activation and PTP1B Inhibition Effectively Suppresses Al²-Induced GSK-3l² Activation and Tau Phosphorylation. Molecular Neurobiology, 2016, 53, 4787-4797. Endogenous Apolipoprotein E (ApoE) Fragmentation Is Linked to Amyloid Pathology in Transgenic Mouse Models of Alzheimer's Disease. Molecular Neurobiology, 2017, 54, 319-327. Hippocampal proteomics defines pathways associated with memory decline and resilience in normal aging and Alzheimer's disease mouse models. Behavioural Brain Research, 2017, 322, 288-298. Transcriptional signatures of brain aging and Alzheimer's disease: What are our rodent models | 2.4 1.9 1.9 1.2 | 96 37 26 72 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 653 | Particulate air pollutants, APOE alleles and their contributions to cognitive impairment in older women and to amyloidogenesis in experimental models. Translational Psychiatry, 2017, 7, e1022-e1022. | 2.4 | 298 |
| 654 | Reduced acoustic startle response and peripheral hearing loss in the <scp>5xFAD</scp> mouse model of Alzheimer's disease. Genes, Brain and Behavior, 2017, 16, 554-563. | 1.1 | 55 |
| 655 | Iso-α-acids, Bitter Components of Beer, Prevent Inflammation and Cognitive Decline Induced in a Mouse Model of Alzheimer's Disease. Journal of Biological Chemistry, 2017, 292, 3720-3728. | 1.6 | 72 |
| 656 | Modulation of neuroinflammation and pathology in the 5XFAD mouse model of Alzheimer's disease using a biased and selective beta-1 adrenergic receptor partial agonist. Neuropharmacology, 2017, 116, 371-386. | 2.0 | 74 |
| 657 | Disease-Modifying Effects of M ₁ Muscarinic Acetylcholine Receptor Activation in an Alzheimer's Disease Mouse Model. ACS Chemical Neuroscience, 2017, 8, 1177-1187. | 1.7 | 36 |
| 658 | HuCNS-SC Human NSCs Fail to Differentiate, Form Ectopic Clusters, and Provide No Cognitive Benefits in a Transgenic Model of Alzheimer's Disease. Stem Cell Reports, 2017, 8, 235-248. | 2.3 | 50 |
| 659 | Neuronally-directed effects of RXR activation in a mouse model of Alzheimer's disease. Scientific Reports, 2017, 7, 42270. | 1.6 | 82 |
| 660 | Therapeutic potential of nuclear receptor agonists in Alzheimer's disease. Journal of Lipid Research, 2017, 58, 1937-1949. | 2.0 | 61 |
| 661 | Discovery of Potent Human Glutaminyl Cyclase Inhibitors as Anti-Alzheimer's Agents Based on Rational Design. Journal of Medicinal Chemistry, 2017, 60, 2573-2590. | 2.9 | 33 |
| 662 | Peripheral administration of the soluble TNF inhibitor XPro1595 modifies brain immune cell profiles, decreases beta-amyloid plaque load, and rescues impaired long-term potentiation in 5xFAD mice. Neurobiology of Disease, 2017, 102, 81-95. | 2.1 | 104 |
| 663 | Depletion of coagulation factor XII ameliorates brain pathology and cognitive impairment in Alzheimer disease mice. Blood, 2017, 129, 2547-2556. | 0.6 | 69 |
| 664 | Preclinical models in the study of sex differences. Clinical Science, 2017, 131, 449-469. | 1.8 | 32 |
| 665 | EFAD transgenic mice as a human APOE relevant preclinical model of Alzheimer'ns disease. Journal of Lipid Research, 2017, 58, 1733-1755. | 2.0 | 56 |
| 666 | Understanding Alzheimer's disease by global quantification of protein phosphorylation and sialylated N-linked glycosylation profiles: A chance for new biomarkers in neuroproteomics?. Journal of Proteomics, 2017, 161, 11-25. | 1.2 | 23 |
| 667 | Preclinical models of Alzheimer's disease for identification and preclinical validation of therapeutic targets: from fine-tuning strategies for validated targets to new venues for therapy. , 2017, , 115-156. | | 2 |
| 668 | Posttranslational modification impact on the mechanism by which amyloidâ€Î² induces synaptic dysfunction. EMBO Reports, 2017, 18, 962-981. | 2.0 | 50 |
| 669 | Detrimental Effects of Centrally Administered Angiotensin II are Enhanced in a Mouse Model of Alzheimer Disease Independently ofÂBlood Pressure. Journal of the American Heart Association, 2017, 6, | 1.6 | 25 |
| 670 | TREM2, Microglia, and Neurodegenerative Diseases. Trends in Molecular Medicine, 2017, 23, 512-533. | 3.5 | 327 |

ARTICLE IF CITATIONS Alterations in protein phosphorylation in the amygdala of the 5XFamilial Alzheimer's disease animal 671 1.1 11 model. Journal of Pharmacological Sciences, 2017, 133, 261-267. Elucidating the Role of TREM2 in Alzheimer's Disease. Neuron, 2017, 94, 237-248. 3.8 Higher levels of myelin phospholipids in brains of neuronal α-Synuclein transgenic mice precede myelin 673 2.4 19 loss. Acta Neuropathologica Communications, 2017, 5, 37. A fluoro-Nissl dye identifies pericytes as distinct vascular mural cells during in vivo brain imaging. 674 Nature Neuroscience, 2017, 20, 1023-1032. The Anti-Amyloid-Î² and Neuroprotective Properties of a Novel Tricyclic Pyrone Molecule. Journal of 675 1.2 10 Alzheimer's Disease, 2017, 58, 559-574. Peripheral Tumor Necrosis Factor-Alpha (TNF-α) Modulates Amyloid Pathology by Regulating Blood-Derived Immune Cells and Clial Response in the Brain of AD/TNF Transgenic Mice. Journal of 1.7 Neuroscience, 2017, 37, 5155-5171. Sphingolipid-Enriched Extracellular Vesicles and Alzheimer's Disease: A Decade of Research. Journal of 677 1.2 55 Alzheimer's Disease, 2017, 60, 757-768. Deficiency of TYROBP, an adapter protein for TREM2 and CR3 receptors, is neuroprotective in a mouse model of early Alzheimer's pathology. Acta Neuropathologica, 2017, 134, 769-788. Deletion of the Inflammasome Sensor <i>Aim2</i> Mitigates Al2 Deposition 679 and Microglial Activation but Increases Inflammatory Cytokine Expression in an Alzheimer Disease 0.9 47 Mouse Model. NeuroImmunoModulation, 2017, 24, 29-39. A Unique Microglia Type Associated with Restricting Development of Alzheimer $\hat{a} \in \mathbb{M}_s$ Disease. Cell, 2017, 13.5 3,282 169, 1276-1290.e17 A critical overview of therapeutic strategy and advancement for Alzheimer's disease treatment. 681 2.7 11 Journal of the Taiwan Institute of Chemical Engineers, 2017, 77, 92-105. Changes in phagocytosis and potassium channel activity in microglia of 5xFAD mice indicate alterations in purinergic signaling in a mouse model of Alzheimer's disease. Neurobiology of Aging, 1.5 44 2017, 58, 41-53. The Lesion Analysis of Cholinergic Neurons in 5XFAD Mouse Model in the Three-Dimensional Level of 683 1.9 14 Whole Brain. Molecular Neurobiology, 2018, 55, 4115-4125. Synthesis, docking study and neuroprotective effects of some novel pyrano[3,2- c]chromene derivatives bearing morpholine/phenylpiperazine moiety. Bioorganic and Medicinal Chemistry, 2017, 25, 684 1.4 3980-3988. Cotinine improves visual recognition memory and decreases cortical Tau phosphorylation in the 685 2.528 Tg6799 mice. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 78, 75-81. A Multifunctional Biocompatible Drug Candidate is Highly Effective in Delaying Pathological Signs of 686 1.2 Alzheimer's Disease in 5XFAD Mice. Journal of Alzheimer's Disease, 2017, 58, 389-400. Estrogen and Alzheimer's disease: Still an attractive topic despite disappointment from early clinical 687 1.7 74 results. European Journal of Pharmacology, 2017, 817, 51-58. Calcineurin/NFAT Signaling in Activated Astrocytes Drives Network Hyperexcitability in AÎ²-Bearing Mice. 688 Journal of Neuroscience, 2017, 37, 6132-6148.

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 689 | Mitochondria-targeted small molecule SS31: a potential candidate for the treatment of Alzheimer's disease. Human Molecular Genetics, 2017, 26, 1483-1496. | 1.4 | 83 |
| 690 | Amylin receptor ligands reduce the pathological cascade of Alzheimer's disease. Neuropharmacology, 2017, 119, 170-181. | 2.0 | 34 |
| 691 | Neuronal p38α mediates synaptic and cognitive dysfunction in an Alzheimer's mouse model by controlling β-amyloid production. Scientific Reports, 2017, 7, 45306. | 1.6 | 38 |
| 692 | Intranasal telmisartan ameliorates brain pathology in five familial Alzheimer's disease mice. Brain, Behavior, and Immunity, 2017, 64, 80-90. | 2.0 | 40 |
| 693 | Targeting butyrylcholinesterase for preclinical single photon emission computed tomography (SPECT) imaging of Alzheimer's disease. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 166-176. | 1.8 | 19 |
| 694 | Cathepsin B Improves ß-Amyloidosis and Learning and Memory in Models of Alzheimer's Disease. Journal of NeuroImmune Pharmacology, 2017, 12, 340-352. | 2.1 | 51 |
| 695 | IRE1 signaling exacerbates Alzheimer's disease pathogenesis. Acta Neuropathologica, 2017, 134, 489-506. | 3.9 | 147 |
| 696 | Inhibition of delta-secretase improves cognitive functions in mouse models of Alzheimer's disease. Nature Communications, 2017, 8, 14740. | 5.8 | 96 |
| 697 | Beneficial effects of a pyrroloquinolinequinone-containing dietary formulation on motor deficiency, cognitive decline and mitochondrial dysfunction in a mouse model of Alzheimer's disease. Heliyon, 2017, 3, e00279. | 1.4 | 24 |
| 698 | Overexpression of matrix metalloproteinase-9 (MMP-9) rescues insulin-mediated impairment in the 5XFAD model of Alzheimer's disease. Scientific Reports, 2017, 7, 683. | 1.6 | 44 |
| 699 | The hydroxylated form of docosahexaenoic acid (DHA-H) modifies the brain lipid composition in a model of Alzheimer's disease, improving behavioral motor function and survival. Biochimica Et Biophysica Acta - Biomembranes, 2017, 1859, 1596-1603. | 1.4 | 16 |
| 700 | Astrocytes and synaptic plasticity in health and disease. Experimental Brain Research, 2017, 235, 1645-1655. | 0.7 | 65 |
| 701 | Mouse Models of Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 57, 1171-1183. | 1.2 | 201 |
| 702 | Alzheimer's disease: experimental models and reality. Acta Neuropathologica, 2017, 133, 155-175. | 3.9 | 513 |
| 703 | Neurophysiological assessment of neural network plasticity and connectivity: Progress towards early functional biomarkers for disease interception therapies in Alzheimer's disease. Neuroscience and Biobehavioral Reviews, 2017, 73, 340-358. | 2.9 | 30 |
| 704 | The chemokine CXCL12 mediates the anti-amyloidogenic action of painless human nerve growth factor. Brain, 2017, 140, 201-217. | 3.7 | 34 |
| 705 | Altered Gut Microbiome Composition and Tryptic Activity of the 5xFAD Alzheimer's Mouse Model. Journal of Alzheimer's Disease, 2017, 56, 775-788. | 1.2 | 230 |
| 706 | Small molecule modulator of sigma 2 receptor is neuroprotective and reduces cognitive deficits and neuroinflammation in experimental models of Alzheimer's disease. Journal of Neurochemistry, 2017, 140, 561-575. | 2.1 | 93 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 707 | Chronic kidney disease accelerates cognitive impairment in a mouse model of Alzheimer's disease, through angiotensin II. Experimental Gerontology, 2017, 87, 108-112. | 1.2 | 21 |
| 708 | Early and Late Pathomechanisms in Alzheimer's Disease: From Zinc to Amyloid-β Neurotoxicity. Neurochemical Research, 2017, 42, 891-904. | 1.6 | 10 |
| 709 | Intraneuronal protein aggregation as a trigger for inflammation and neurodegeneration in the aging brain. FASEB Journal, 2017, 31, 5-10. | 0.2 | 92 |
| 710 | Impact of enriched environment on production of tau, amyloid precursor protein and, amyloid-β peptide in high-fat and high-sucrose-fed rats. Acta Neuropsychiatrica, 2017, 29, 291-298. | 1.0 | 17 |
| 711 | Curcumin Ameliorates Neuroinflammation, Neurodegeneration, and Memory Deficits in p25 Transgenic Mouse Model that Bears Hallmarks of Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 60, 1429-1442. | 1.2 | 71 |
| 712 | A guanidine-appended scyllo-inositol derivative AAD-66 enhances brain delivery and ameliorates Alzheimer's phenotypes. Scientific Reports, 2017, 7, 14125. | 1.6 | 20 |
| 713 | Animal models of cerebral amyloid angiopathy. Clinical Science, 2017, 131, 2469-2488. | 1.8 | 43 |
| 714 | An inhibitor of the proteasomal deubiquitinating enzyme USP14 induces tau elimination in cultured neurons. Journal of Biological Chemistry, 2017, 292, 19209-19225. | 1.6 | 98 |
| 715 | Semagacestat Is a Pseudo-Inhibitor of Î ³ -Secretase. Cell Reports, 2017, 21, 259-273. | 2.9 | 56 |
| 716 | LSD1 protects against hippocampal and cortical neurodegeneration. Nature Communications, 2017, 8, 805. | 5.8 | 55 |
| 717 | Design and Application of Anti-Amyloid Peptide-Based Inhibitors as a Therapeutic Strategy of Alzheimer's Disease. World Scientific Lecture and Course Notes in Chemistry, 2017, , 73-111. | 0.2 | 1 |
| 718 | 2-(4â€2-Aminophenyl)benzothiazole Labeled with ^{99m} Tc-Cyclopentadienyl for Imaging β-Amyloid Plaques. ACS Medicinal Chemistry Letters, 2017, 8, 1089-1092. | 1.3 | 22 |
| 719 | Molecular Mechanisms Underlying Neuroprotective Effect of Intranasal Administration of Human Hsp70 in Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 59, 1415-1426. | 1.2 | 38 |
| 720 | Lack of BACE1 S-palmitoylation reduces amyloid burden and mitigates memory deficits in transgenic mouse models of Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E9665-E9674. | 3.3 | 51 |
| 721 | Alzheimer's disease: A matter of blood–brain barrier dysfunction?. Journal of Experimental Medicine, 2017, 214, 3151-3169. | 4.2 | 467 |
| 722 | Advanced Drug Discovery for Alzheimer's Disease: Challenges and Strategies. , 2017, , 9-29. | | 0 |
| 723 | Evaluation of ⁶⁴ Cu-Based Radiopharmaceuticals that Target Aβ Peptide Aggregates as Diagnostic Tools for Alzheimer's Disease. Journal of the American Chemical Society, 2017, 139, 12550-12558. | 6.6 | 53 |
| 724 | Remote Control: Impacts of Peripheral Tumor Necrosis Factor-Alpha on Alzheimer Disease-Related Pathology. Journal of Neuroscience, 2017, 37, 8045-8047. | 1.7 | 7 |

ARTICLE IF CITATIONS # Chronic treatments with a 5-HT 4 receptor agonist decrease amyloid pathology in the entorhinal cortex and learning and memory deficits in the 5xFAD mouse model of Alzheimer's disease. 725 2.0 41 Neuropharmacology, 2017, 126, 128-141. Emerging Roles of Mitochondrial Serine Protease HtrA2 in Neurodegeneration., 2017,, 325-353. Gamma rhythm low field magnetic stimulation alleviates neuropathologic changes and rescues 727 memory and cognitive impairments in a mouse model of Alzheimer's disease. Alzheimer's and Dementia: 1.8 36 Translational Research and Clinical Interventions, 2017, 3, 487-497. Review: Neuropathology and behavioural features of transgenic murine models of Alzheimer's 1.8 disease. Neuropathology and Applied Neurobiology, 2017, 43, 553-570. ER Stress and Neurodegenerative Disease: A Cause or Effect Relationship?. Current Topics in 729 0.7 29 Microbiology and Immunology, 2017, 414, 131-157. Necroptosis activation in Alzheimer's disease. Nature Neuroscience, 2017, 20, 1236-1246. 7.1 Butyrylcholinesterase-knockout reduces fibrillar Î²-amyloid and conserves 18FDG retention in 5XFAD 731 1.1 27 mouse model of Alzheimer's disease. Brain Research, 2017, 1671, 102-110. A human scFv antibody that targets and neutralizes high molecular weight pathogenic amyloid $\hat{e}\hat{H}^2$ 2.1 oligomers. Journal of Neurochemistry, 2017, 142, 934-947. Nanoplasmonic fiber tip probe detects significant reduction of intracellular Alzheimer's 733 1.6 6 disease-related oligomers by curcumin. Scientific Reports, 2017, 7, 5722. Protection against RAGE-mediated neuronal cell death by sRAGE-secreting human mesenchymal stem 734 cells in 5xFAD transgenic mouse model. Brain, Behavior, and Immunity, 2017, 66, 347-358. A protocol for quantitative analysis of murine and human amyloid-Î²1-40 and 1-42. Journal of 735 1.3 11 Neuroscience Methods, 2017, 291, 28-35. Human placenta extract ameliorates memory dysfunction and dendritic atrophy in a <scp>5XFAD</scp> mouse model of <scp>A</scp>lzheimer's disease. Traditional & Kampo Medicine, 2017, 4, 94-104. TREM2 Maintains Microglial Metabolic Fitness in Alzheimer's Disease. Cell, 2017, 170, 649-663.e13. 737 13.5 741 <scp>APP</scp> mouse models for Alzheimer's disease preclinical studies. EMBO Journal, 2017, 36, 3.5 2473-2487. 739 Drug Design: Principles and Applications., 2017,,. 5 Impaired JIP3-dependent axonal lysosome transport promotes amyloid plaque pathology. Journal of 740 2.3 Cell Biology, 2017, 216, 3291-3305. Genetic Deletion of Tumor Necrosis Factor-α Attenuates Amyloid-Î² Production and Decreases Amyloid 741 Plaque Formation and Glial Response in the 5XFAD Model of Alzheimer's Disease. Journal of 1.2 33 Alzheimer's Disease, 2017, 60, 165-181. 742 Illuminating Neural Circuits: From Molecules to MRI. Journal of Neuroscience, 2017, 37, 10817-10825.

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 743 | Animal Models of Alzheimer's Disease. , 2017, , 1031-1085. | | 9 |
| 745 | <i>Crocus sativus</i> Extract Tightens the Blood-Brain Barrier, Reduces Amyloid β Load and Related Toxicity in 5XFAD Mice. ACS Chemical Neuroscience, 2017, 8, 1756-1766. | 1.7 | 66 |
| 746 | Sex differences in the molecular signature of the developing mouse hippocampus. BMC Genomics, 2017, 18, 237. | 1.2 | 53 |
| 747 | Late onset Alzheimer's disease genetics implicates microglial pathways in disease risk. Molecular Neurodegeneration, 2017, 12, 43. | 4.4 | 407 |
| 748 | Cholesterol-metabolizing enzyme cytochrome P450 46A1 as a pharmacologic target for Alzheimer's disease. Neuropharmacology, 2017, 123, 465-476. | 2.0 | 81 |
| 749 | Quantification of Butyrylcholinesterase Activity as a Sensitive and Specific Biomarker of Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 58, 491-505. | 1.2 | 57 |
| 750 | Can MRI T1 be used to detect early changes in 5xFAD Alzheimer's mouse brain?. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2017, 30, 153-163. | 1.1 | 4 |
| 751 | A review on tacrine-based scaffolds as multi-target drugs (MTDLs) for Alzheimer's disease. European Journal of Medicinal Chemistry, 2017, 128, 332-345. | 2.6 | 147 |
| 752 | Identification of natural products with neuronal and metabolic benefits through autophagy induction. Autophagy, 2017, 13, 41-56. | 4.3 | 61 |
| 753 | Neurotrophin Signaling and Stem Cells—Implications for Neurodegenerative Diseases and Stem Cell Therapy. Molecular Neurobiology, 2017, 54, 7401-7459. | 1.9 | 49 |
| 754 | Limited Effects of Prolonged Environmental Enrichment on the Pathology of 5XFAD Mice. Molecular Neurobiology, 2017, 54, 6542-6555. | 1.9 | 34 |
| 755 | Magnetic Resonance Imaging of Ferumoxytol-Labeled Human Mesenchymal Stem Cells in the Mouse Brain. Stem Cell Reviews and Reports, 2017, 13, 127-138. | 5.6 | 24 |
| 756 | Cl-NQTrp Alleviates Tauopathy Symptoms in a Model Organism through the Inhibition of Tau Aggregation-Engendered Toxicity. Neurodegenerative Diseases, 2017, 17, 73-82. | 0.8 | 24 |
| 757 | Amyloid precursor protein processing and bioenergetics. Brain Research Bulletin, 2017, 133, 71-79. | 1.4 | 143 |
| 758 | Engrampigenetics: Epigenetics of engram memory cells. Behavioural Brain Research, 2017, 325, 297-302. | 1.2 | 7 |
| 759 | A hybrid siRNA delivery complex for enhanced brain penetration and precise amyloid plaque targeting in Alzheimer's disease mice. Acta Biomaterialia, 2017, 49, 388-401. | 4.1 | 41 |
| 760 | Modification of membrane lipids protects neurons against insulin resistance in models of Alzheimer's disease. E-Neuroforum, 2017, 23, A157-A166. | 0.2 | 11 |
| 761 | Veräderung von Membranlipiden schützt vor neuronaler Insulinresistenz in Alzheimer-Modellen. E-Neuroforum, 2017, 23, 212-222. | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 762 | An Intracellular Amyloid-β/AβPP Epitope Correlates with Neurodegeneration in those Neuronal Populations Early Involved in Alzheimer's Disease. Journal of Alzheimer's Disease, 2017, 59, 1079-1096. | 1.2 | 15 |
| 763 | Animal Models of Alzheimer's Disease. , 2017, , 31-58. | | 1 |
| 764 | Impaired IL-17 Production in Gut-Residing Immune Cells of 5xFAD Mice with Alzheimer's Disease Pathology. Journal of Alzheimer's Disease, 2017, 61, 619-630. | 1.2 | 27 |
| 765 | Animal models of dementia. , 0, , 77-93. | | 0 |
| 766 | Gad67 haploinsufficiency reduces amyloid pathology and rescues olfactory memory deficits in a mouse model of Alzheimer's disease. Molecular Neurodegeneration, 2017, 12, 73. | 4.4 | 24 |
| 767 | Peptides Derived from Neuronal Cell Cycle like Kinase 5 Activator p35, in Neurodegeneration; Pathology and Therapy. , 2017, 07, . | | 0 |
| 768 | Polygalae Radix Extract Prevents Axonal Degeneration and Memory Deficits in a Transgenic Mouse Model of Alzheimer's Disease. Frontiers in Pharmacology, 2017, 8, 805. | 1.6 | 34 |
| 769 | Genetically Modified Animal Models. , 2017, , 703-726. | | 1 |
| 770 | Optical projection tomography for rapid whole mouse brain imaging. Biomedical Optics Express, 2017, 8, 5637. | 1.5 | 26 |
| 771 | Rodent Models for Alzheimer's Disease in Drug Discovery. , 2017, , 235-247. | | 5 |
| 772 | Potential Neuroprotective Effects of Adiponectin in Alzheimer's Disease. International Journal of Molecular Sciences, 2017, 18, 592. | 1.8 | 54 |
| 773 | Involvement of the Bradykinin B1 Receptor in Microglial Activation: In Vitro and In Vivo Studies. Frontiers in Endocrinology, 2017, 8, 82. | 1.5 | 28 |
| 774 | Recent Advances in the Study of Bipolar/Rod-Shaped Microglia and their Roles in Neurodegeneration. Frontiers in Aging Neuroscience, 2017, 9, 128. | 1.7 | 54 |
| 775 | The Role of Microglia in Retinal Neurodegeneration: Alzheimer's Disease, Parkinson, and Glaucoma. Frontiers in Aging Neuroscience, 2017, 9, 214. | 1.7 | 348 |
| 776 | Sortilin Fragments Deposit at Senile Plaques in Human Cerebrum. Frontiers in Neuroanatomy, 2017, 11, 45. | 0.9 | 28 |
| 777 | Deep Brain Magnetic Stimulation Promotes Neurogenesis and Restores Cholinergic Activity in a Transgenic Mouse Model of Alzheimer's Disease. Frontiers in Neural Circuits, 2017, 11, 48. | 1.4 | 28 |
| 778 | Exosomes in the Diseased Brain: First Insights from In vivo Studies. Frontiers in Neuroscience, 2017, 11, 142. | 1.4 | 65 |
| 779 | The Metalloprotease Meprin β Is an Alternative β-Secretase of APP. Frontiers in Molecular Neuroscience, 2016, 9, 159. | 1.4 | 43 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 780 | MT5-MMP Promotes Alzheimer's Pathogenesis in the Frontal Cortex of 5xFAD Mice and APP Trafficking in vitro. Frontiers in Molecular Neuroscience, 2016, 9, 163. | 1.4 | 34 |
| 781 | Identification of the Role of miR-142-5p in Alzheimer's Disease by Comparative Bioinformatics and Cellular Analysis. Frontiers in Molecular Neuroscience, 2017, 10, 227. | 1.4 | 47 |
| 782 | Metabolic changes and inflammation in cultured astrocytes from the 5xFAD mouse model of Alzheimer's disease: Alleviation by pantethine. PLoS ONE, 2017, 12, e0175369. | 1.1 | 37 |
| 783 | Computational investigation of Amyloid-β-induced location- and subunit-specific disturbances of NMDAR at hippocampal dendritic spine in Alzheimer's disease. PLoS ONE, 2017, 12, e0182743. | 1.1 | 14 |
| 784 | A Becn1 mutation mediates hyperactive autophagic sequestration of amyloid oligomers and improved cognition in Alzheimer's disease. PLoS Genetics, 2017, 13, e1006962. | 1.5 | 120 |
| 785 | Role of microglial amylin receptors in mediating beta amyloid (Aβ)-induced inflammation. Journal of Neuroinflammation, 2017, 14, 199. | 3.1 | 41 |
| 786 | Diesel engine exhaust accelerates plaque formation in a mouse model of Alzheimer's disease. Particle and Fibre Toxicology, 2017, 14, 35. | 2.8 | 77 |
| 787 | Aβ accumulation causes MVB enlargement and is modelled by dominant negative VPS4A. Molecular Neurodegeneration, 2017, 12, 61. | 4.4 | 63 |
| 788 | Multiscale network modeling of oligodendrocytes reveals molecular components of myelin dysregulation in Alzheimer's disease. Molecular Neurodegeneration, 2017, 12, 82. | 4.4 | 100 |
| 789 | YKL-40 in the brain and cerebrospinal fluid of neurodegenerative dementias. Molecular Neurodegeneration, 2017, 12, 83. | 4.4 | 140 |
| 790 | Practical considerations for choosing a mouse model of Alzheimer's disease. Molecular Neurodegeneration, 2017, 12, 89. | 4.4 | 305 |
| 791 | Restoring synaptic plasticity and memory in mouse models of Alzheimer's disease by PKR inhibition. Molecular Brain, 2017, 10, 57. | 1.3 | 43 |
| 792 | Rho GTPases as therapeutic targets in Alzheimer's disease. Alzheimer's Research and Therapy, 2017, 9, 97. | 3.0 | 88 |
| 793 | Bitter Components in Beer Regulate Microglial Inflammation and Prevent Cognitive Decline. Journal of Clinical & Cellular Immunology, 2017, 08, . | 1.5 | 0 |
| 794 | Ligands of Receptor for Advanced Glycation End-Products Produced by Activated Microglia are Critical in Neurodegenerative Diseases. , 2017, 07, . | | 3 |
| 795 | Mitochondrial Dysfunction and Mitophagy in Neurodegenerative Diseases. Cell & Developmental Biology, 2017, 06, . | 0.3 | 1 |
| 796 | Eyeblink Conditioning $\hat{a} \in A$ Behavioral Model of Procedural and Declarative Learning. , 2017, , 327-355. | | 0 |
| 797 | β-amyloid inhibits hippocampal LTP through TNFR/IKK/NF-κB pathway. Neurological Research, 2018, 40, 268-276. | 0.6 | 24 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 798 | Neuronal pentraxin 1: A synaptic-derived plasma biomarker in Alzheimer's disease. Neurobiology of Disease, 2018, 114, 120-128. | 2.1 | 25 |
| 799 | Protective effects of 7,8-dihydroxyflavone on neuropathological and neurochemical changes in a mouse model of Alzheimer's disease. European Journal of Pharmacology, 2018, 828, 9-17. | 1.7 | 36 |
| 800 | Elevated TREM2 Gene Dosage Reprograms Microglia Responsivity and Ameliorates Pathological Phenotypes in Alzheimer's Disease Models. Neuron, 2018, 97, 1032-1048.e5. | 3.8 | 246 |
| 801 | Functional and structural connectome properties in the 5XFAD transgenic mouse model of Alzheimer's disease. Network Neuroscience, 2018, 2, 241-258. | 1.4 | 23 |
| 802 | Visualization of Altered Hippocampal Connectivity in an Animal Model of Alzheimer's Disease. Molecular Neurobiology, 2018, 55, 7886-7899. | 1.9 | 20 |
| 803 | Synaptic vesicle cycle and amyloid β: Biting the hand that feeds. Alzheimer's and Dementia, 2018, 14, 502-513. | 0.4 | 40 |
| 804 | Alteration of global protein SUMOylation in neurons and astrocytes in response to Alzheimer's disease-associated insults. Biochemical and Biophysical Research Communications, 2018, 500, 470-475. | 1.0 | 17 |
| 805 | Synaptotoxic Signaling by Amyloid Beta Oligomers in Alzheimer's Disease Through Prion Protein and mGluR5. Advances in Pharmacology, 2018, 82, 293-323. | 1.2 | 67 |
| 806 | Preventing neurodegeneration by adrenergic astroglial excitation. FEBS Journal, 2018, 285, 3645-3656. | 2.2 | 26 |
| 807 | <scp>SUMO</scp> 1â€conjugation is altered during normal aging but not by increased amyloid burden. Aging Cell, 2018, 17, e12760. | 3.0 | 15 |
| 808 | Verapamil Inhibits Ser202/Thr205 Phosphorylation of Tau by Blocking TXNIP/ROS/p38 MAPK Pathway. Pharmaceutical Research, 2018, 35, 44. | 1.7 | 50 |
| 809 | BACE1 deletion in the adult mouse reverses preformed amyloid deposition and improves cognitive functions. Journal of Experimental Medicine, 2018, 215, 927-940. | 4.2 | 92 |
| 810 | An Excitatory Neural Assembly Encodes Short-Term Memory in the Prefrontal Cortex. Cell Reports, 2018, 22, 1734-1744. | 2.9 | 19 |
| 811 | Early Stage Alterations in CA1 Extracellular Region Proteins Indicate Dysregulation of IL6 and Iron Homeostasis in the 5XFAD Alzheimer's Disease Mouse Model. Journal of Alzheimer's Disease, 2018, 61, 1399-1410. | 1.2 | 26 |
| 812 | Synthetic Fragment of Receptor for Advanced Glycation End Products Prevents Memory Loss and Protects Brain Neurons in Olfactory Bulbectomized Mice. Journal of Alzheimer's Disease, 2018, 61, 1061-1076. | 1.2 | 12 |
| 813 | Characterization of a 3xTgâ€AD mouse model of Alzheimer's disease with the senescence accelerated mouse prone 8 (SAMP8) background. Synapse, 2018, 72, e22025. | 0.6 | 16 |
| 814 | Aβ pathology downregulates brain mGluR5 density in a mouse model of Alzheimer. Neuropharmacology, 2018, 133, 512-517. | 2.0 | 25 |
| 815 | <scp>LINGO</scp> â€l antibody ameliorates myelin impairment and spatial memory deficits in the early stage of 5 <scp>XFAD</scp> mice. CNS Neuroscience and Therapeutics, 2018, 24, 381-393. | 1.9 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 816 | An Aspartyl Cathepsin Targeted PET Agent: Application in an Alzheimer's Disease Mouse Model. Journal of Alzheimer's Disease, 2018, 61, 1241-1252. | 1.2 | 7 |
| 817 | Candesartan ameliorates brain inflammation associated with Alzheimer's disease. CNS Neuroscience and Therapeutics, 2018, 24, 231-242. | 1.9 | 61 |
| 818 | Myelin changes at the early stage of 5XFAD mice. Brain Research Bulletin, 2018, 137, 285-293. | 1.4 | 41 |
| 819 | Humanized TREM2 mice reveal microglia-intrinsic and -extrinsic effects of R47H polymorphism. Journal of Experimental Medicine, 2018, 215, 745-760. | 4.2 | 182 |
| 820 | Thrombospondin-1 secreted by human umbilical cord blood-derived mesenchymal stem cells rescues neurons from synaptic dysfunction in Alzheimer's disease model. Scientific Reports, 2018, 8, 354. | 1.6 | 57 |
| 821 | Vitamin D Improves Neurogenesis and Cognition in a Mouse Model of Alzheimer's Disease. Molecular Neurobiology, 2018, 55, 6463-6479. | 1.9 | 109 |
| 822 | Oleocanthal-rich extra-virgin olive oil enhances donepezil effect by reducing amyloid-β load and related toxicity in a mouse model of Alzheimer's disease. Journal of Nutritional Biochemistry, 2018, 55, 113-123. | 1.9 | 55 |
| 823 | The prodrug of 7,8-dihydroxyflavone development and therapeutic efficacy for treating Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 578-583. | 3.3 | 123 |
| 824 | Kv1.3 inhibition as a potential microglia-targeted therapy for Alzheimer's disease: preclinical proof of concept. Brain, 2018, 141, 596-612. | 3.7 | 79 |
| 825 | Functionalization and Characterization of Magnetic Nanoparticles for the Detection of Ferritin Accumulation in Alzheimer's Disease. ACS Chemical Neuroscience, 2018, 9, 912-924. | 1.7 | 49 |
| 826 | Early long-term administration of the CSF1R inhibitor PLX3397 ablates microglia and reduces accumulation of intraneuronal amyloid, neuritic plaque deposition and pre-fibrillar oligomers in 5XFAD mouse model of Alzheimer's disease. Molecular Neurodegeneration, 2018, 13, 11. | 4.4 | 260 |
| 827 | Lack of human-like extracellular sortilin neuropathology in transgenic Alzheimer's disease model mice and macaques. Alzheimer's Research and Therapy, 2018, 10, 40. | 3.0 | 19 |
| 829 | Development of GMP â€1 a molecular chaperone network modulator protecting mitochondrial function and its assessment in fly and mice models of Alzheimer's disease. Journal of Cellular and Molecular Medicine, 2018, 22, 3464-3474. | 1.6 | 11 |
| 830 | Human Umbilical Cord Blood Serum–derived α-Secretase. Cell Transplantation, 2018, 27, 438-455. | 1.2 | 8 |
| 831 | The retina as a window to early dysfunctions of Alzheimer's disease following studies with a 5xFAD mouse model. Neurobiology of Aging, 2018, 67, 181-188. | 1.5 | 51 |
| 832 | Characterization of Hit Compounds Identified from High-throughput Screening for their Effect on Blood–brain Barrier Integrity and Amyloid-β Clearance: In Vitro and In Vivo Studies. Neuroscience, 2018, 379, 269-280. | 1.1 | 7 |
| 833 | Intrahippocampal injection of a lentiviral vector expressing neurogranin enhances cognitive function in 5XFAD mice. Experimental and Molecular Medicine, 2018, 50, e461-e461. | 3.2 | 22 |
| 834 | Histone Deacetylases 1 and 2 Regulate Microglia Function during Development, Homeostasis, and Neurodegeneration in a Context-Dependent Manner. Immunity, 2018, 48, 514-529.e6. | 6.6 | 144 |

ARTICLE IF CITATIONS Innate immunity in Alzheimer's disease: the relevance of animal models?. Journal of Neural 835 1.4 16 Transmission, 2018, 125, 827-846. Mouse models of neurodegenerative disease: preclinical imaging and neurovascular component. Brain 1.1 Imaging and Behavior, 2018, 12, 1160-1196. 837 Optogenetics: A Roadmap. Neuromethods, 2018, , . 0.2 5 Anesthetic Isoflurane or Desflurane Plus Surgery Differently Affects Cognitive Function in 838 1.9 Alzheimer's Disease Transgenic Mice. Mŏlećular Neuróbiology, 2018, 55, 5623-5638. Reduction in open field activity in the absence of memory deficits in the AppNLâ⁻'Gâ⁻'F knock-in mouse 839 1.2 50 model of Alzheimer's disease. Behavioural Brain Research, 2018, 336, 177-181. Motor function deficits in the 12 month-old female 5xFAD mouse model of Alzheimer's disease. 840 1.2 Behavioural Brain Research, 2018, 337, 256-263. Protection against $\hat{l}^2 \hat{a} \in a$ myloid neurotoxicity by a non $\hat{a} \in t$ oxic endogenous N $\hat{a} \in t$ erminal $\hat{l}^2 \hat{a} \in a$ myloid fragment and 2.1 841 23 its active hexapeptide core sequence. Journal of Neurochemistry, 2018, 144, 201-217. Seedâ€induced AÎ² deposition is modulated by microglia under environmental enrichment in a mouse model of Alzheimer's disease. EMBO Journal, 2018, 37, 167-182. 3.5 87 Combined administration of resolvin E1 and lipoxin A4 resolves inflammation in a murine model of 843 2.0 86 Alzheimer's disease. Experimental Neurology, 2018, 300, 111-120. Systemic immune \hat{e}_c heckpoint blockade with anti \hat{e} PD1 antibodies does not alter cerebral amyloid \hat{e}_i^2 burden 844 2.5 in several amyloid transgenic mouse models. Glia, 2018, 66, 492-504. Upregulated BMP6 pathway involved in the pathogenesis of Al² toxicity in vivo. Neuroscience Letters, 845 4 1.0 2018, 664, 152-159. PERK as a hub of multiple pathogenic pathways leading to memory deficits and neurodegeneration in 846 1.4 39 Alzheimer's disease. Brain Research Bulletin, 2018, 141, 72-78. 847 Mitochondrial Function in Alzheimer's Disease: Focus on Astrocytes., 2018, , . 4 A Novel Transgenic Rat Model of Robust Cerebral Microvascular Amyloid with Prominent 848 23 Vasculopathy. American Journal of Pathology, 2018, 188, 2877-2889. The Value of the Object Recognition Paradigm in Investigating Animal Models of Alzheimer's Disease. 849 0.7 1 Handbook of Behavioral Neuroscience, 2018, , 307-330. Short-term administration of iso-α-acids increases transthyretin transcription in the hippocampus. Biochemical and Biophysical Research Communications, 2018, 507, 471-475. Effects of a Dehydroevodiamine-Derivative on Synaptic Destabilization and Memory Impairment in the 851 1.0 22 5xFAD, Alzheimer's Disease Mouse Model. Frontiers in Behavioral Neuroscience, 2018, 12, 273. The Emerging Role of Altered Cerebellar Synaptic Processing in Alzheimer's Disease. Frontiers in Aging 38 Neuroscience, 2018, 10, 396.

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 853 | Transgenic Mouse Models as Tools for Understanding How Increased Cognitive and Physical Stimulation Can Improve Cognition in Alzheimer's Disease. Brain Plasticity, 2018, 4, 127-150. | 1.9 | 20 |
| 854 | IL-33 suppresses GSK-3Î ² activation through an ST2-independent MyD88/TRAF6/RIP/PI3K/Akt pathway. Heliyon, 2018, 4, e00971. | 1.4 | 12 |
| 855 | New insights into the role of TREM2 in Alzheimer's disease. Molecular Neurodegeneration, 2018, 13, 66. | 4.4 | 286 |
| 856 | Changes in Serine Racemase-Dependent Modulation of NMDA Receptor: Impact on Physiological and Pathological Brain Aging. Frontiers in Molecular Biosciences, 2018, 5, 106. | 1.6 | 15 |
| 857 | Exploiting Novelty and Oddity Exploratory Preferences in Rodents to Study Multisensory Object Memory and Perception. Handbook of Behavioral Neuroscience, 2018, 27, 103-123. | 0.7 | 3 |
| 858 | A small molecule ApoE4-targeted therapeutic candidate that normalizes sirtuin 1 levels and improves cognition in an Alzheimer's disease mouse model. Scientific Reports, 2018, 8, 17574. | 1.6 | 25 |
| 859 | Genomics: New Light on Alzheimer's Disease Research. International Journal of Molecular Sciences, 2018, 19, 3771. | 1.8 | 14 |
| 860 | Traditional Japanese Herbal Medicine Yokukansan Targets Distinct but Overlapping Mechanisms in Aged Mice and in the 5xFAD Mouse Model of Alzheimer's Disease. Frontiers in Aging Neuroscience, 2018, 10, 411. | 1.7 | 21 |
| 861 | Uncaria rhynchophylla ameliorates amyloid beta deposition and amyloid beta-mediated pathology in 5XFAD mice. Neurochemistry International, 2018, 121, 114-124. | 1.9 | 29 |
| 862 | Basolateral amygdala Thy1-expressing neurons facilitate the inhibition of contextual fear during consolidation, reconsolidation, and extinction. Neurobiology of Learning and Memory, 2018, 155, 498-507. | 1.0 | 8 |
| 863 | Oxidative Stress Levels in the Brain Are Determined by Post-Mortem Interval and Ante-Mortem Vitamin C State but Not Alzheimer's Disease Status. Nutrients, 2018, 10, 883. | 1.7 | 8 |
| 864 | The intellectual disability gene PQBP1 rescues Alzheimer's disease pathology. Molecular Psychiatry, 2018, 23, 2090-2110. | 4.1 | 41 |
| 865 | The identity and function of microglia in neurodegeneration. Nature Immunology, 2018, 19, 1048-1058. | 7.0 | 241 |
| 866 | Centella asiatica attenuates hippocampal mitochondrial dysfunction and improves memory and executive function in β-amyloid overexpressing mice. Molecular and Cellular Neurosciences, 2018, 93, 1-9. | 1.0 | 53 |
| 867 | Fibrin-targeting immunotherapy protects against neuroinflammation and neurodegeneration. Nature Immunology, 2018, 19, 1212-1223. | 7.0 | 149 |
| 868 | ER stress is not elevated in the 5XFAD mouse model of Alzheimer's disease. Journal of Biological Chemistry, 2018, 293, 18434-18443. | 1.6 | 37 |
| 869 | An Aqueous Extract of Herbal Medicine ALWPs Enhances Cognitive Performance and Inhibits LPS-Induced Neuroinflammation via FAK/NF-κB Signaling Pathways. Frontiers in Aging Neuroscience, 2018, 10, 269. | 1.7 | 16 |
| 870 | Microglia in Alzheimer's Disease: A Role for Ion Channels. Frontiers in Neuroscience, 2018, 12, 676. | 1.4 | 31 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 871 | Metabolic Syndrome, Brain Insulin Resistance, and Alzheimer's Disease: Thioredoxin Interacting Protein (TXNIP) and Inflammasome as Core Amplifiers. Journal of Alzheimer's Disease, 2018, 66, 857-885. | 1.2 | 29 |
| 872 | NMDA receptors mediate synaptic depression, but not spine loss in the dentate gyrus of adult amyloid Beta (Aβ) overexpressing mice. Acta Neuropathologica Communications, 2018, 6, 110. | 2.4 | 26 |
| 873 | Photobiomodulation using a low-level light-emitting diode improves cognitive dysfunction in the 5XFAD mouse model of Alzheimer's disease. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 75, 631-639. | 1.7 | 19 |
| 874 | Glycoprotein NMB: a novel Alzheimer's disease associated marker expressed in a subset of activated microglia. Acta Neuropathologica Communications, 2018, 6, 108. | 2.4 | 107 |
| 875 | Effect of growth differentiation factor-15 secreted by human umbilical cord blood-derived mesenchymal stem cells on amyloid beta levels in inÂvitro and in vivo models of Alzheimer's disease. Biochemical and Biophysical Research Communications, 2018, 504, 933-940. | 1.0 | 29 |
| 876 | Combined adult neurogenesis and BDNF mimic exercise effects on cognition in an Alzheimer's mouse model. Science, 2018, 361, . | 6.0 | 536 |
| 877 | Role of interleukin 1-beta in the inflammatory response in a fatty acid amide hydrolase-knockout mouse model of Alzheimer's disease. Biochemical Pharmacology, 2018, 157, 202-209. | 2.0 | 11 |
| 878 | Rodent models for Alzheimer disease. Nature Reviews Neuroscience, 2018, 19, 583-598. | 4.9 | 240 |
| 879 | Axonal organization defects in the hippocampus of adult conditional BACE1 knockout mice. Science Translational Medicine, 2018, 10, . | 5.8 | 66 |
| 880 | Vulnerability and resilience to Alzheimer's disease: early life conditions modulate neuropathology and determine cognitive reserve. Alzheimer's Research and Therapy, 2018, 10, 95. | 3.0 | 79 |
| 881 | Discovery of Butyrylcholinesterase-Activated Near-Infrared Fluorogenic Probe for Live-Cell and <i>In Vivo</i> Imaging. ACS Sensors, 2018, 3, 2118-2128. | 4.0 | 67 |
| 882 | Cannabinoid CB2 receptors in the mouse brain: relevance for Alzheimer's disease. Journal of Neuroinflammation, 2018, 15, 158. | 3.1 | 98 |
| 883 | Short-Term Fish Oil Treatment Changes the Composition of Phospholipids While Not Affecting the Expression of Mfsd2a Omega-3 Transporter in the Brain and Liver of the 5xFAD Mouse Model of Alzheimer's Disease. Nutrients, 2018, 10, 1250. | 1.7 | 16 |
| 884 | Selective disruption of TLR2-MyD88 interaction inhibits inflammation and attenuates Alzheimer's pathology. Journal of Clinical Investigation, 2018, 128, 4297-4312. | 3.9 | 97 |
| 885 | Abnormal clotting of the intrinsic/contact pathway in Alzheimer disease patients is related to cognitive ability. Blood Advances, 2018, 2, 954-963. | 2.5 | 33 |
| 886 | Deoxyelephantopin ameliorates lipopolysaccharides (LPS)-induced memory impairments in rats: Evidence for its anti-neuroinflammatory properties. Life Sciences, 2018, 206, 45-60. | 2.0 | 20 |
| 887 | Chronic stress as a risk factor for Alzheimer's disease: Roles of microglia-mediated synaptic remodeling, inflammation, and oxidative stress. Neurobiology of Stress, 2018, 9, 9-21. | 1.9 | 255 |
| 888 | Characterization of Impaired Cerebrovascular Structure in APP/PS1 Mouse Brains. Neuroscience, 2018, 385, 246-254. | 1.1 | 40 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 889 | Whole-brain low-intensity pulsed ultrasound therapy markedly improves cognitive dysfunctions in mouse models of dementiaÂ-ÂCrucial roles of endothelial nitric oxide synthase. Brain Stimulation, 2018, 11, 959-973. | 0.7 | 89 |
| 890 | Amyloid-β plaques enhance Alzheimer's brain tau-seeded pathologies by facilitating neuritic plaque tau aggregation. Nature Medicine, 2018, 24, 29-38. | 15.2 | 433 |
| 891 | Early Detection of A <i>β</i> Deposition in the 5xFAD Mouse by Amyloid PET. Contrast Media and Molecular Imaging, 2018, 2018, 1-7. | 0.4 | 23 |
| 892 | Aspirin Induces Lysosomal Biogenesis and Attenuates Amyloid Plaque Pathology in a Mouse Model of Alzheimer's Disease via PPARα. Journal of Neuroscience, 2018, 38, 6682-6699. | 1.7 | 98 |
| 893 | Brimapitide Reduced Neuronal Stress Markers and Cognitive Deficits in 5XFAD Transgenic Mice. Journal of Alzheimer's Disease, 2018, 63, 665-674. | 1.2 | 10 |
| 894 | The Microglial Response to Neurodegenerative Disease. Advances in Immunology, 2018, 139, 1-50. | 1.1 | 22 |
| 895 | Neohesperidin Prevents Aβ25–35-Induced Apoptosis in Primary Cultured Hippocampal Neurons by Blocking the S-Nitrosylation of Protein-Disulphide Isomerase. Neurochemical Research, 2018, 43, 1736-1744. | 1.6 | 24 |
| 896 | Quantitative proteomics of acutely-isolated mouse microglia identifies novel immune Alzheimer's disease-related proteins. Molecular Neurodegeneration, 2018, 13, 34. | 4.4 | 100 |
| 897 | Neonatal Neurodegeneration in Alzheimer's Disease Transgenic Mouse Model. Journal of Alzheimer's Disease Reports, 2018, 2, 79-91. | 1.2 | 8 |
| 898 | Noninvasive 40-Hz light flicker to recruit microglia and reduce amyloid beta load. Nature Protocols, 2018, 13, 1850-1868. | 5.5 | 70 |
| 899 | Heat Shock Cognate 70 Inhibitor, VER-155008, Reduces Memory Deficits and Axonal Degeneration in a Mouse Model of Alzheimer's Disease. Frontiers in Pharmacology, 2018, 9, 48. | 1.6 | 32 |
| 900 | Neuronal Cell Death. Physiological Reviews, 2018, 98, 813-880. | 13.1 | 737 |
| 901 | Functional aspects of meningeal lymphatics in ageing and Alzheimer's disease. Nature, 2018, 560, 185-191. | 13.7 | 839 |
| 902 | Differential Phagocytic Properties of CD45low Microglia and CD45high Brain Mononuclear Phagocytes—Activation and Age-Related Effects. Frontiers in Immunology, 2018, 9, 405. | 2.2 | 102 |
| 903 | Synergistic Effect on Neurodegeneration by N-Truncated Aβ4â^'42 and Pyroglutamate Aβ3â^'42 in a Mouse Model of Alzheimer's Disease. Frontiers in Aging Neuroscience, 2018, 10, 64. | 1.7 | 11 |
| 904 | U1 snRNP Alteration and Neuronal Cell Cycle Reentry in Alzheimer Disease. Frontiers in Aging Neuroscience, 2018, 10, 75. | 1.7 | 16 |
| 905 | Microglial Activation Is Modulated by Captopril: in Vitro and in Vivo Studies. Frontiers in Cellular Neuroscience, 2018, 12, 116. | 1.8 | 38 |
| 906 | Application of Metabolomics in Alzheimer's Disease. Frontiers in Neurology, 2017, 8, 719. | 1.1 | 178 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 907 | Deletion of Specific Sphingolipids in Distinct Neurons Improves Spatial Memory in a Mouse Model of Alzheimer's Disease. Frontiers in Molecular Neuroscience, 2018, 11, 206. | 1.4 | 17 |
| 908 | MK-0677, a Ghrelin Agonist, Alleviates Amyloid Beta-Related Pathology in 5XFAD Mice, an Animal Model of Alzheimer's Disease. International Journal of Molecular Sciences, 2018, 19, 1800. | 1.8 | 32 |
| 909 | Synaptic Alterations in Mouse Models for Alzheimer Disease—A Special Focus on N-Truncated Abeta 4-42. Molecules, 2018, 23, 718. | 1.7 | 20 |
| 910 | Identification and therapeutic modulation of a pro-inflammatory subset of disease-associated-microglia in Alzheimer's disease. Molecular Neurodegeneration, 2018, 13, 24. | 4.4 | 267 |
| 911 | The TRPM2 channel nexus from oxidative damage to Alzheimer's pathologies: An emerging novel intervention target for age-related dementia. Ageing Research Reviews, 2018, 47, 67-79. | 5.0 | 39 |
| 912 | Protective roles of melatonin against the amyloid-dependent development of Alzheimer's disease: A critical review. Pharmacological Research, 2018, 134, 223-237. | 3.1 | 43 |
| 913 | Alzheimer's Disease-Associated β-Amyloid Is Rapidly Seeded by Herpesviridae to Protect against Brain Infection. Neuron, 2018, 99, 56-63.e3. | 3.8 | 470 |
| 914 | Alternative Method to Detect Neuronal Degeneration and Amyloid β Accumulation in Free-Floating Brain Sections With Fluoro-Jade. ASN Neuro, 2018, 10, 175909141878435. | 1.5 | 11 |
| 915 | SMPD3 deficiency perturbs neuronal proteostasis and causes progressive cognitive impairment. Cell Death and Disease, 2018, 9, 507. | 2.7 | 18 |
| 916 | Hippocampal place cell dysfunction and the effects of muscarinic M ₁ receptor agonism in a rat model of Alzheimer's disease. Hippocampus, 2018, 28, 568-585. | 0.9 | 13 |
| 917 | Intraventricular infusion of clusterin ameliorated cognition and pathology in Tg6799 model of Alzheimer's disease. BMC Neuroscience, 2018, 19, 2. | 0.8 | 28 |
| 918 | Molecular and functional signatures in a novel Alzheimer's disease mouse model assessed by quantitative proteomics. Molecular Neurodegeneration, 2018, 13, 2. | 4.4 | 62 |
| 919 | BACE1 elevation engendered by GGA3 deletion increases \hat{l}^2 -amyloid pathology in association with APP elevation and decreased CHL1 processing in 5XFAD mice. Molecular Neurodegeneration, 2018, 13, 6. | 4.4 | 24 |
| 920 | Novel botanical drug DA-9803 prevents deficits in Alzheimer's mouse models. Alzheimer's Research and Therapy, 2018, 10, 11. | 3.0 | 14 |
| 921 | Acute tau knockdown in the hippocampus of adult mice causes learning and memory deficits. Aging Cell, 2018, 17, e12775. | 3.0 | 55 |
| 922 | Diosgenin restores AÎ ² -induced axonal degeneration by reducing the expression of heat shock cognate 70 (HSC70). Scientific Reports, 2018, 8, 11707. | 1.6 | 19 |
| 923 | Phloroglucinol ameliorates cognitive impairments by reducing the amyloid β peptide burden and pro-inflammatory cytokines in the hippocampus of 5XFAD mice. Free Radical Biology and Medicine, 2018, 126, 221-234. | 1.3 | 28 |
| 924 | Environmental enrichment reverses Aβ pathology during pregnancy in a mouse model of Alzheimer's disease. Acta Neuropathologica Communications, 2018, 6, 44. | 2.4 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 925 | Riluzole reduces amyloid beta pathology, improves memory, and restores gene expression changes in a transgenic mouse model of early-onset Alzheimer's disease. Translational Psychiatry, 2018, 8, 153. | 2.4 | 64 |
| 926 | Environmental Enrichment Improves Cognitive Deficits, AD Hallmarks and Epigenetic Alterations Presented in 5xFAD Mouse Model. Frontiers in Cellular Neuroscience, 2018, 12, 224. | 1.8 | 70 |
| 927 | Early Impairments of Hippocampal Neurogenesis in 5xFAD Mouse Model of Alzheimer's Disease Are Associated with Altered Expression of SOXB Transcription Factors. Journal of Alzheimer's Disease, 2018, 65, 963-976. | 1.2 | 29 |
| 928 | Resident brain neural precursor cells develop age-dependent loss of therapeutic functions in Alzheimer's mice. Neurobiology of Aging, 2018, 72, 40-52. | 1.5 | 15 |
| 929 | Gamma oscillations in cognitive disorders. Current Opinion in Neurobiology, 2018, 52, 182-187. | 2.0 | 164 |
| 930 | The Amyloid-β Oligomer Hypothesis: Beginning of the Third Decade. Journal of Alzheimer's Disease, 2018, 64, S567-S610. | 1.2 | 572 |
| 931 | Aromatase/Seladin-1 Interactions in Human Neuronal Cell Culture, the Hippocampus of Healthy Rats and Transgenic Alzheimer's Disease Mice. Pharmacology, 2018, 102, 42-52. | 0.9 | 4 |
| 932 | PTK2B/Pyk2 overexpression improves a mouse model of Alzheimer's disease. Experimental Neurology, 2018, 307, 62-73. | 2.0 | 36 |
| 933 | Neuroinflammation in Age-Related Neurodegenerative Diseases. , 2018, , 477-507. | | 0 |
| 934 | Genotype and Sex Differences in Longevity in Transgenic Mouse Models of Alzheimer's Disease. , 2018, , 563-576. | | 2 |
| 935 | SENP1 and SENP2 regulate SUMOylation of amyloid precursor protein. Heliyon, 2018, 4, e00601. | 1.4 | 11 |
| 936 | Store depletion-induced h-channel plasticity rescues a channelopathy linked to Alzheimer's disease. Neurobiology of Learning and Memory, 2018, 154, 141-157. | 1.0 | 17 |
| 937 | Triggering receptor expressed on myeloid cells 2 (TREM2): a potential therapeutic target for Alzheimer disease?. Expert Opinion on Therapeutic Targets, 2018, 22, 587-598. | 1.5 | 27 |
| 938 | An optimized method for enrichment of whole brain-derived extracellular vesicles reveals insight into neurodegenerative processes in a mouse model of Alzheimer's disease. Journal of Neuroscience Methods, 2018, 307, 210-220. | 1.3 | 50 |
| 939 | Bidirectional relationships between sleep and amyloid-beta in the hippocampus. Neurobiology of Learning and Memory, 2019, 160, 108-117. | 1.0 | 19 |
| 940 | Latency to startle is reduced in the 5xFAD mouse model of Alzheimer's disease. Behavioural Brain Research, 2019, 359, 823-827. | 1.2 | 6 |
| 941 | Early compensatory responses against neuronal injury: A new therapeutic window of opportunity for Alzheimer's Disease?. CNS Neuroscience and Therapeutics, 2019, 25, 5-13. | 1.9 | 43 |
| 942 | APOE and Alzheimer's Disease: Evidence Mounts that Targeting APOE4 may Combat Alzheimer's Pathogenesis. Molecular Neurobiology, 2019, 56, 2450-2465. | 1.9 | 140 |

ARTICLE IF CITATIONS Expression of the Cerebral Olfactory Receptors Olfr110/111 and Olfr544 Is Altered During Aging and in 943 1.9 16 Alzheimer's Disease-Like Mice. Molecular Neurobiology, 2019, 56, 2057-2072. Genetic background modifies CNSâ€mediated sensorimotor decline in the ADâ€BXD mouse model of genetic 944 1.1 diversity in Alzheimer's disease. Genes, Brain and Behavior, 2019, 18, e12603. Targeting Synaptic Plasticity in Experimental Models of Alzheimer's Disease. Frontiers in 945 1.6 66 Pharmacology, 2019, 10, 778. Suppression of gut dysbiosis by Bifidobacterium longum alleviates cognitive decline in 5XFAD 946 transgenic and aged mice. Scientific Reports, 2019, 9, 11814. Disrupted hippocampal growth hormone secretagogue receptor 11± interaction with dopamine receptor 947 5.8 45 D1 plays a role in Alzheimerâ€²s disease. Science Translational Medicine, 2019, 11, . Sustained microglial depletion with CSF1R inhibitor impairs parenchymal plaque development in an Alzheimer's disease model. Nature Communications, 2019, 10, 3758. 948 5.8 478 Reboxetine Treatment Reduces Neuroinflammation and Neurodegeneration in the 5xFAD Mouse Model 949 1.9 21 of Alzheimer's Disease: Role of CCL2. Molecular Neurobiology, 2019, 56, 8628-8642. Malva parviflora extract ameliorates the deleterious effects of a highÂfat diet on the cognitive deficit in a mouse model of Alzheimer's disease by restoring microglial function via a PPAR-I3-dependent 950 3.1 48 mechanism. Journal of Neuroinflammation, 2019, 16, 143. VDAC1 and the TSPO: Expression, Interactions, and Associated Functions in Health and Disease States. 951 1.8 68 International Journal of Molecular Sciences, 2019, 20, 3348. Inhibition of Polo-like kinase 2 ameliorates pathogenesis in Alzheimer's disease model mice. PLoS ONE, 1.1 14 2019, 14, e0219691. Photobiomodulation for Alzheimer's Disease: Has the Light Dawned?. Photonics, 2019, 6, 77. 953 0.9 80 An Animal Model to Test Reversal of Cognitive Decline Associated with Beta-Amyloid Pathologies. 954 0.4 Methods in Molecular Biology, 2019, 2011, 393-412. TREM2 Acts Downstream of CD33 in Modulating Microglial Pathology in Alzheimer's Disease. Neuron, 955 3.8 222 2019, 103, 820-835.e7. Model validity for preclinical studies in precision medicine: precisely how precise do we need to be?. Mammalian Genome, 2019, 30, 111-122. 1.0 5xFAD Mice Display Sex-Dependent Inflammatory Gene Induction During the Prodromal Stage of 957 1.2 30 Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 70, 1259-1274. Effects of Amylin Against Amyloid-Î²-Induced Tauopathy and Synapse Loss in Primary Neurons. Journal of 1.2 Alzheimer's Dísease, 2019, 7Ó, 1025-1040. Loss of Midbrain Dopamine Neurons and Altered Apomorphine EEG Effects in the 5xFAD Mouse Model 959 1.2 26 of Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 70, 241-256. Recent Advances in Cannabinoid Physiology and Pathology. Advances in Experimental Medicine and Biology, 2019, , .

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 961 | Genetic Factors in Cannabinoid Use and Dependence. Advances in Experimental Medicine and Biology, 2019, 1162, 129-150. | 0.8 | 25 |
| 962 | The Synthetic Retinoid Acitretin Increases IL-6 in the Central Nervous System of Alzheimer Disease Model Mice and Human Patients. Frontiers in Aging Neuroscience, 2019, 11, 182. | 1.7 | 18 |
| 963 | Fabrication of Amyloid-β-Secreting Alginate Microbeads for Use in Modelling Alzheimer's Disease. Journal of Visualized Experiments, 2019, , . | 0.2 | 3 |
| 964 | Short amylin receptor antagonist peptides improve memory deficits in Alzheimer's disease mouse model. Scientific Reports, 2019, 9, 10942. | 1.6 | 25 |
| 965 | Red Ginseng Attenuates Aβ-Induced Mitochondrial Dysfunction and Aβ-mediated Pathology in an Animal Model of Alzheimer's Disease. International Journal of Molecular Sciences, 2019, 20, 3030. | 1.8 | 42 |
| 966 | Long-Term Pantethine Treatment Counteracts Pathologic Gene Dysregulation and Decreases Alzheimer's Disease Pathogenesis in a Transgenic Mouse Model. Neurotherapeutics, 2019, 16, 1237-1254. | 2.1 | 9 |
| 967 | LC3-Associated Endocytosis Facilitates β-Amyloid Clearance and Mitigates Neurodegeneration in Murine Alzheimer's Disease. Cell, 2019, 178, 536-551.e14. | 13.5 | 326 |
| 968 | A Breakdown in Metabolic Reprogramming Causes Microglia Dysfunction in Alzheimer's Disease. Cell Metabolism, 2019, 30, 493-507.e6. | 7.2 | 374 |
| 969 | Preventive Effects of Tryptophan–Methionine Dipeptide on Neural Inflammation and Alzheimer's Pathology. International Journal of Molecular Sciences, 2019, 20, 3206. | 1.8 | 13 |
| 970 | Myeloperoxidase Deficiency Inhibits Cognitive Decline in the 5XFAD Mouse Model of Alzheimer's Disease. Frontiers in Neuroscience, 2019, 13, 990. | 1.4 | 39 |
| 971 | Current fluid biomarkers, animal models, and imaging tools for diagnosing chronic traumatic encephalopathy. Molecular and Cellular Toxicology, 2019, 15, 353-368. | 0.8 | 5 |
| 972 | Imbalance in the response of pre- and post-synaptic components to amyloidopathy. Scientific Reports, 2019, 9, 14837. | 1.6 | 15 |
| 973 | TET2 Regulates the Neuroinflammatory Response in Microglia. Cell Reports, 2019, 29, 697-713.e8. | 2.9 | 74 |
| 974 | Pharmacological Treatment of Depression in Alzheimer's Disease: A Challenging Task. Frontiers in Pharmacology, 2019, 10, 1067. | 1.6 | 37 |
| 975 | Effects of the Novel IDO Inhibitor DWG-1036 on the Behavior of Male and Female 3xTg-AD Mice. Frontiers in Pharmacology, 2019, 10, 1044. | 1.6 | 33 |
| 977 | Topographical Visualization of the Reciprocal Projection between the Medial Septum and the Hippocampus in the 5XFAD Mouse Model of Alzheimer's Disease. International Journal of Molecular Sciences, 2019, 20, 3992. | 1.8 | 22 |
| 978 | <i>N</i> , <i>N</i> ′-Diacetyl- <i>p</i> -phenylenediamine restores microglial phagocytosis and improves cognitive defects in Alzheimer's disease transgenic mice. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 23426-23436. | 3.3 | 34 |
| 979 | Alzheimer's Disease Progression in the 5×FAD Mouse Captured with a Multiplex Gene Expression Array. Journal of Alzheimer's Disease, 2019, 72, 1177-1191. | 1.2 | 7 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 980 | Cuscutae Japonicae Semen Ameliorates Memory Dysfunction by Rescuing Synaptic Damage in Alzheimer's Disease Models. Nutrients, 2019, 11, 2591. | 1.7 | 12 |
| 982 | Intra- and extracellular β-amyloid overexpression via adeno-associated virus-mediated gene transfer impairs memory and synaptic plasticity in the hippocampus. Scientific Reports, 2019, 9, 15936. | 1.6 | 12 |
| 983 | A Curcumin Analog Reduces Levels of the Alzheimer's Disease-Associated Amyloid-β Protein by Modulating AβPP Processing and Autophagy. Journal of Alzheimer's Disease, 2019, 72, 761-771. | 1.2 | 20 |
| 984 | Effects of the drug combination memantine and melatonin on impaired memory and brain neuronal deficits in an amyloid-predominant mouse model of Alzheimer's disease. Journal of Pharmacy and Pharmacology, 2019, 71, 1695-1705. | 1.2 | 24 |
| 985 | Midlife physical activity is associated with lower incidence of vascular dementia but not Alzheimer's disease. Alzheimer's Research and Therapy, 2019, 11, 87. | 3.0 | 30 |
| 986 | Don't forget astrocytes when targeting Alzheimer's disease. British Journal of Pharmacology, 2019, 176, 3585-3598. | 2.7 | 40 |
| 987 | Dietary inulin alters the gut microbiome, enhances systemic metabolism and reduces neuroinflammation in an APOE4 mouse model. PLoS ONE, 2019, 14, e0221828. | 1.1 | 78 |
| 988 | Overview of Transgenic Mouse Models for Alzheimer's Disease. Current Protocols in Neuroscience, 2019, 89, e81. | 2.6 | 78 |
| 989 | p35 Hemizygous Deletion in 5xFAD Mice Increases Aβ Plaque Load in Males but Not in Females. Neuroscience, 2019, 417, 45-56. | 1.1 | 4 |
| 990 | Samung Fan-out Panel Level Package Solutions. , 2019, , . | | 1 |
| 991 | Sodium oligomannate therapeutically remodels gut microbiota and suppresses gut bacterial amino acids-shaped neuroinflammation to inhibit Alzheimer's disease progression. Cell Research, 2019, 29, 787-803. | 5.7 | 706 |
| 992 | Dorsal hippocampal changes in T2 relaxation times are associated with early spatial cognitive deficits in 5XFAD mice. Brain Research Bulletin, 2019, 153, 150-161. | 1.4 | 5 |
| 993 | Treatment with scFv-h3D6 Prevented Neuronal Loss and Improved Spatial Memory in Young 3xTg-AD Mice by Reducing the Intracellular Amyloid-β Burden. Journal of Alzheimer's Disease, 2019, 70, 1069-1091. | 1.2 | 18 |
| 994 | The expanding phenotypes of cohesinopathies: one ring to rule them all!. Cell Cycle, 2019, 18, 2828-2848. | 1.3 | 45 |
| 995 | Non-invasive in vivo hyperspectral imaging of the retina for potential biomarker use in Alzheimer's disease. Nature Communications, 2019, 10, 4227. | 5.8 | 157 |
| 996 | Emerging Alternative Proteinases in APP Metabolism and Alzheimer's Disease Pathogenesis: A Focus on MT1-MMP and MT5-MMP. Frontiers in Aging Neuroscience, 2019, 11, 244. | 1.7 | 46 |
| 997 | Neuroglia in Neurodegenerative Diseases. Advances in Experimental Medicine and Biology, 2019, , . | 0.8 | 18 |
| 998 | 3D mapping reveals network-specific amyloid progression and subcortical susceptibility in mice. | 2.0 | 42 |

| # | Article | IF | Citations |
|------|--|-----|-----------|
| 999 | The mitochondria-targeted antioxidant MitoQ inhibits memory loss, neuropathology, and extends lifespan in aged 3xTg-AD mice. Molecular and Cellular Neurosciences, 2019, 101, 103409. | 1.0 | 65 |
| 1000 | Age-related changes in social behaviours in the 5xFAD mouse model of Alzheimer's disease. Behavioural Brain Research, 2019, 362, 160-172. | 1.2 | 33 |
| 1001 | Do Neural Stem Cells Have a Choice? Heterogenic Outcome of Cell Fate Acquisition in Different Injury Models. International Journal of Molecular Sciences, 2019, 20, 455. | 1.8 | 7 |
| 1002 | PD-1/PD-L1 checkpoint blockade harnesses monocyte-derived macrophages to combat cognitive impairment in a tauopathy mouse model. Nature Communications, 2019, 10, 465. | 5.8 | 112 |
| 1003 | Reduction of the expression of the late-onset Alzheimer's disease (AD) risk-factor BIN1 does not affect amyloid pathology in an AD mouse model. Journal of Biological Chemistry, 2019, 294, 4477-4487. | 1.6 | 33 |
| 1004 | Conditional BDNF delivery from astrocytes rescues memory deficits, spine density and synaptic properties in the 5xFAD mouse model of Alzheimer disease. Journal of Neuroscience, 2019, 39, 2121-18. | 1.7 | 105 |
| 1005 | Derivatives of Piperazines as Potential Therapeutic Agents for Alzheimer's Disease. Molecular Pharmacology, 2019, 95, 337-348. | 1.0 | 26 |
| 1006 | The Effect of Human HSP70 Administration on a Mouse Model of Alzheimer's Disease Strongly Depends on Transgenicity and Age. Journal of Alzheimer's Disease, 2019, 67, 1391-1404. | 1.2 | 16 |
| 1007 | Inflammatory mechanisms in neurodegeneration. Journal of Neurochemistry, 2019, 149, 562-581. | 2.1 | 85 |
| 1008 | Inhibition of EHMT1/2 rescues synaptic and cognitive functions for Alzheimer's disease. Brain, 2019, 142, 787-807. | 3.7 | 98 |
| 1009 | Multi-faceted therapeutic strategy for treatment of Alzheimer's disease by concurrent administration of etodolac and α-tocopherol. Neurobiology of Disease, 2019, 125, 123-134. | 2.1 | 24 |
| 1010 | Fibrinogen Induces Microglia-Mediated Spine Elimination and Cognitive Impairment in an Alzheimer's Disease Model. Neuron, 2019, 101, 1099-1108.e6. | 3.8 | 252 |
| 1011 | The viral protein corona directs viral pathogenesis and amyloid aggregation. Nature Communications, 2019, 10, 2331. | 5.8 | 160 |
| 1012 | The intracellular domain of CX3CL1 regulates adult neurogenesis and Alzheimer's amyloid pathology. Journal of Experimental Medicine, 2019, 216, 1891-1903. | 4.2 | 30 |
| 1013 | CD4ÂT Cells Induce A Subset of MHCII-Expressing Microglia that Attenuates Alzheimer Pathology. IScience, 2019, 16, 298-311. | 1.9 | 60 |
| 1014 | Adiponectin improves long-term potentiation in the 5XFAD mouse brain. Scientific Reports, 2019, 9, 8918. | 1.6 | 26 |
| 1015 | Tyrosol Reduces Amyloid-β Oligomer Neurotoxicity and Alleviates Synaptic, Oxidative, and Cognitive Disturbances in Alzheimer's Disease Model Mice. Journal of Alzheimer's Disease, 2019, 70, 937-952. | 1.2 | 25 |
| 1016 | The Study of Cognitive-Stimulating Activity of Fluorinated Tetrahydrocarbazole Derivatives and Behavioral Responses in Transgenic Tg6799 Mice with Alzheimer's Disease. Biology Bulletin, 2019, 46, 268-276. | 0.1 | 2 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1017 | Gemfibrozil, a Lipid-Lowering Drug, Lowers Amyloid Plaque Pathology and Enhances Memory in a Mouse Model of Alzheimer's Disease via Peroxisome Proliferator-Activated Receptor α. Journal of Alzheimer's Disease Reports, 2019, 3, 149-168. | 1.2 | 37 |
| 1018 | Adiponectin suppresses amyloid-β oligomer (AβO)-induced inflammatory response of microglia via AdipoR1-AMPK-NF-κB signaling pathway. Journal of Neuroinflammation, 2019, 16, 110. | 3.1 | 78 |
| 1019 | Theracurmin Ameliorates Cognitive Dysfunctions in 5XFAD Mice by Improving Synaptic Function and Mitigating Oxidative Stress. Biomolecules and Therapeutics, 2019, 27, 327-335. | 1.1 | 24 |
| 1020 | The role of APOE in transgenic mouse models of AD. Neuroscience Letters, 2019, 707, 134285. | 1.0 | 37 |
| 1021 | High-Performance Acellular Tissue Scaffold Combined with Hydrogel Polymers for Regenerative Medicine. ACS Biomaterials Science and Engineering, 2019, 5, 3462-3474. | 2.6 | 18 |
| 1022 | A Robust and Scalable High-Throughput Compatible Assay for Screening Amyloid-β-Binding Compounds. Journal of Alzheimer's Disease, 2019, 70, 187-197. | 1.2 | 7 |
| 1023 | Effects of <i>in vivo</i> conditions on amyloid aggregation. Chemical Society Reviews, 2019, 48, 3946-3996. | 18.7 | 148 |
| 1024 | Apolipoprotein E4, inhibitory network dysfunction, and Alzheimer's disease. Molecular Neurodegeneration, 2019, 14, 24. | 4.4 | 111 |
| 1025 | Metalloproteinases and their tissue inhibitors in Alzheimer's disease and other neurodegenerative disorders. Cellular and Molecular Life Sciences, 2019, 76, 3167-3191. | 2.4 | 73 |
| 1026 | The Major Human Stress Protein Hsp70 as a Factor of Protein Homeostasis and a Cytokine-Like Regulator. Molecular Biology, 2019, 53, 176-191. | 0.4 | 6 |
| 1027 | Analysis of Motor Function in the Tg4-42 Mouse Model of Alzheimer's Disease. Frontiers in Behavioral Neuroscience, 2019, 13, 107. | 1.0 | 41 |
| 1028 | CYP46A1 Activation by Efavirenz Leads to Behavioral Improvement without Significant Changes in Amyloid Plaque Load in the Brain of 5XFAD Mice. Neurotherapeutics, 2019, 16, 710-724. | 2.1 | 60 |
| 1029 | The key genes, phosphoproteins, processes, and pathways affected by efavirenzâ€activated CYP46A1 in the amyloidâ€decreasing paradigm of efavirenz treatment. FASEB Journal, 2019, 33, 8782-8798. | 0.2 | 22 |
| 1030 | Impaired Peripheral Lymphatic Function and Cerebrospinal Fluid Outflow in a Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 69, 585-593. | 1.2 | 14 |
| 1031 | Gamma Entrainment Binds Higher-Order Brain Regions and Offers Neuroprotection. Neuron, 2019, 102, 929-943.e8. | 3.8 | 252 |
| 1032 | BDNF-producing, amyloid β-specific CD4 T cells as targeted drug-delivery vehicles in Alzheimer's disease. EBioMedicine, 2019, 43, 424-434. | 2.7 | 20 |
| 1033 | Aquaporin-4 reduces neuropathology in a mouse model of Alzheimer's disease by remodeling peri-plaque astrocyte structure. Acta Neuropathologica Communications, 2019, 7, 74. | 2.4 | 55 |
| 1034 | Design, synthesis, and biological evaluation of novel 4-oxobenzo[d]1,2,3-triazin-benzylpyridinum derivatives as potent anti-Alzheimer agents. Bioorganic and Medicinal Chemistry, 2019, 27, 2914-2922. | 1.4 | 8 |

| # | Article | IF | CITATIONS |
|------|--|------|-----------|
| 1036 | Short-term fish oil supplementation applied in presymptomatic stage of Alzheimer's disease enhances microglial/macrophage barrier and prevents neuritic dystrophy in parietal cortex of 5xFAD mouse model. PLoS ONE, 2019, 14, e0216726. | 1.1 | 16 |
| 1037 | 5XFAD Mice Show Early Onset Gap Detection Deficits. Frontiers in Aging Neuroscience, 2019, 11, 66. | 1.7 | 12 |
| 1038 | 18F-FDG-PET in Mouse Models of Alzheimer's Disease. Frontiers in Medicine, 2019, 6, 71. | 1.2 | 36 |
| 1039 | Cholesterol 24-Hydroxylation by CYP46A1: Benefits of Modulation for Brain Diseases. Neurotherapeutics, 2019, 16, 635-648. | 2.1 | 61 |
| 1040 | APP-Mediated Signaling Prevents Memory Decline in Alzheimer's Disease Mouse Model. Cell Reports, 2019, 27, 1345-1355.e6. | 2.9 | 20 |
| 1041 | Immune Signaling in Neurodegeneration. Immunity, 2019, 50, 955-974. | 6.6 | 217 |
| 1042 | Repurposing the KCa3.1 inhibitor senicapoc for Alzheimer's disease. Annals of Clinical and Translational Neurology, 2019, 6, 723-738. | 1.7 | 45 |
| 1043 | A Novel Contrast Agent Based on Magnetic Nanoparticles for Cholesterol Detection as Alzheimer's Disease Biomarker. Nanoscale Research Letters, 2019, 14, 36. | 3.1 | 13 |
| 1044 | Pharmacologic normalization of pathogenic dosage underlying genetic diseases: an overview of the literature and path forward. Emerging Topics in Life Sciences, 2019, 3, 53-62. | 1.1 | 1 |
| 1045 | Experimental Pharmacology in Transgenic Rodent Models of Alzheimer's Disease. Frontiers in Pharmacology, 2019, 10, 189. | 1.6 | 13 |
| 1046 | Amyloid-β plaque formation and reactive gliosis are required for induction of cognitive deficits in App knock-in mouse models of Alzheimer's disease. BMC Neuroscience, 2019, 20, 13. | 0.8 | 37 |
| 1047 | Evaluating the applicability of mouse SINEs as an alternative normalization approach for RT-qPCR in brain tissue of the APP23 model for Alzheimer's disease. Journal of Neuroscience Methods, 2019, 320, 128-137. | 1.3 | 6 |
| 1048 | PKR knockout in the 5xFAD model of Alzheimer's disease reveals beneficial effects on spatial memory and brain lesions. Aging Cell, 2019, 18, e12887. | 3.0 | 28 |
| 1049 | Magnetite/Ceria Nanoparticle Assemblies for Extracorporeal Cleansing of Amyloidâ€Î² in Alzheimer's Disease. Advanced Materials, 2019, 31, e1807965. | 11.1 | 87 |
| 1050 | The effects of omega-3 fatty acid deficiency during development on oxidative fatty acid degradation during maturity in a mouse model of Alzheimer's disease. Neurobiology of Aging, 2019, 79, 66-74. | 1.5 | 8 |
| 1051 | The role of gut microbiota in pathogenesis of Alzheimer's disease. Journal of Applied Microbiology, 2019, 127, 954-967. | 1.4 | 128 |
| 1052 | In vivo neuronal gene editing via CRISPR–Cas9 amphiphilic nanocomplexes alleviates deficits in mouse models of Alzheimer's disease. Nature Neuroscience, 2019, 22, 524-528. | 7.1 | 183 |
| 1053 | Preclinical Models of Alzheimer's Disease: Relevance and Translational Validity. Current Protocols in Pharmacology, 2019, 84, e57. | 4.0 | 91 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1054 | Multi-sensory Gamma Stimulation Ameliorates Alzheimer's-Associated Pathology and Improves Cognition. Cell, 2019, 177, 256-271.e22. | 13.5 | 423 |
| 1055 | Effects of the dual orexin receptor antagonist DORAâ€22 on sleep in 5XFAD mice. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 70-80. | 1.8 | 17 |
| 1056 | Chronic Angiotensin 1-7 Infusion Prevents Angiotensin-II-Induced Cognitive Dysfunction and Skeletal Muscle Injury in a Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 69, 297-309. | 1.2 | 18 |
| 1057 | Neuroprotective Effects of the Amylin Analog, Pramlintide, on Alzheimer's Disease Are Associated with Oxidative Stress Regulation Mechanisms. Journal of Alzheimer's Disease, 2019, 69, 157-168. | 1.2 | 15 |
| 1058 | Interval timing is disrupted in female 5xFAD mice: An indication of altered memory processes. Journal of Neuroscience Research, 2019, 97, 817-827. | 1.3 | 16 |
| 1059 | Icariin and Its Metabolites as Potential Protective Phytochemicals Against Alzheimer's Disease. Frontiers in Pharmacology, 2019, 10, 271. | 1.6 | 66 |
| 1060 | Plasma Rich in Growth Factors (PRGF) Disrupt the Blood-Brain Barrier Integrity and Elevate Amyloid Pathology in the Brains of 5XFAD Mice. International Journal of Molecular Sciences, 2019, 20, 1489. | 1.8 | 4 |
| 1061 | Identification of Pre-symptomatic Gene Signatures That Predict Resilience to Cognitive Decline in the Genetically Diverse AD-BXD Model. Frontiers in Genetics, 2019, 10, 35. | 1.1 | 22 |
| 1062 | Continuous intracerebroventricular injection of Porphyromonas gingivalis lipopolysaccharide induces systemic organ dysfunction in a mouse model of Alzheimer's disease. Experimental Gerontology, 2019, 120, 1-5. | 1.2 | 42 |
| 1063 | Effects of Species-Specific Genetics on Alzheimer's Mouse Models. Neuron, 2019, 101, 351-352. | 3.8 | 9 |
| 1064 | The Role of APOE4 in Disrupting the Homeostatic Functions of Astrocytes and Microglia in Aging and Alzheimer's Disease. Frontiers in Aging Neuroscience, 2019, 11, 14. | 1.7 | 174 |
| 1065 | Detection of Active Caspase-3 in Mouse Models of Stroke and Alzheimer's Disease with a Novel Dual Positron Emission Tomography/Fluorescent Tracer [⁶⁸ Ga]Ga-TC3-OGDOTA. Contrast Media and Molecular Imaging, 2019, 2019, 1-17. | 0.4 | 17 |
| 1066 | Fresh evidence for major brain gangliosides as a target for the treatment of Alzheimer's disease. Neurobiology of Aging, 2019, 77, 128-143. | 1.5 | 28 |
| 1067 | Neutrophil adhesion in brain capillaries reduces cortical blood flow and impairs memory function in Alzheimer's disease mouse models. Nature Neuroscience, 2019, 22, 413-420. | 7.1 | 316 |
| 1068 | Thioredoxin-Interacting Protein (TXNIP) Associated NLRP3 Inflammasome Activation in Human Alzheimer's Disease Brain. Journal of Alzheimer's Disease, 2019, 68, 255-265. | 1.2 | 77 |
| 1069 | Sodium rutin ameliorates Alzheimer's disease–like pathology by enhancing microglial amyloid-β clearance. Science Advances, 2019, 5, eaau6328. | 4.7 | 163 |
| 1070 | lso-α-Acids, Bitter Components in Beer, Suppress Inflammatory Responses and Attenuate Neural Hyperactivation in the Hippocampus. Frontiers in Pharmacology, 2019, 10, 81. | 1.6 | 8 |
| 1071 | Epigenome-Wide DNA Methylation and Histone Modification of Alzheimer's Disease. , 2019, , 131-148. | | 1 |

| ~ | | | | |
|------|------|-----|----|-----|
| (ПТ | ATIO | N R | FD | JDT |
| | ALIO | | | |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1072 | Recent developments in biological aspects of chalcones: the odyssey continues. Expert Opinion on Drug Discovery, 2019, 14, 249-288. | 2.5 | 61 |
| 1073 | Inhibition of Bruton's Tyrosine Kinase Modulates Microglial Phagocytosis: Therapeutic Implications for Alzheimer's Disease. Journal of NeuroImmune Pharmacology, 2019, 14, 448-461. | 2.1 | 53 |
| 1074 | The Protective Effects of PSM-04 Against Beta Amyloid-Induced Neurotoxicity in Primary Cortical Neurons and an Animal Model of Alzheimer's Disease. Frontiers in Pharmacology, 2019, 10, 2. | 1.6 | 22 |
| 1075 | Golden Exosomes Selectively Target Brain Pathologies in Neurodegenerative and Neurodevelopmental Disorders. Nano Letters, 2019, 19, 3422-3431. | 4.5 | 252 |
| 1076 | Frontiers in Probing Alzheimer's Disease Biomarkers with Fluorescent Small Molecules. ACS Central Science, 2019, 5, 209-217. | 5.3 | 72 |
| 1077 | Alcohol drinking exacerbates neural and behavioral pathology in the 3xTg-AD mouse model of Alzheimer's disease. International Review of Neurobiology, 2019, 148, 169-230. | 0.9 | 56 |
| 1078 | Deep proteome profiling of the hippocampus in the 5XFAD mouse model reveals biological process alterations and a novel biomarker of Alzheimer's disease. Experimental and Molecular Medicine, 2019, 51, 1-17. | 3.2 | 56 |
| 1079 | Autophagy protein NRBF2 has reduced expression in Alzheimer's brains and modulates memory and amyloid-beta homeostasis in mice. Molecular Neurodegeneration, 2019, 14, 43. | 4.4 | 63 |
| 1080 | Type I interferon (IFN)-inducible Absent in Melanoma 2 proteins in neuroinflammation: implications for Alzheimer's disease. Journal of Neuroinflammation, 2019, 16, 236. | 3.1 | 24 |
| 1081 | Regulation of Diabetes: a Therapeutic Strategy for Alzheimer's Disease?. Journal of Korean Medical Science, 2019, 34, e297. | 1.1 | 8 |
| 1082 | Therapeutic Potential of AAV1-Rheb(S16H) Transduction Against Alzheimer's Disease. Journal of Clinical Medicine, 2019, 8, 2053. | 1.0 | 5 |
| 1083 | New Alzheimer's disease model mouse specialized for analyzing the function and toxicity of intraneuronal Amyloid β oligomers. Scientific Reports, 2019, 9, 17368. | 1.6 | 13 |
| 1084 | A Synthetic Fragment of the Receptor for Glycation End Products and Its Analogue Improve Memory in Transgenic Alzheimer's Disease Mouse Model. Russian Journal of Bioorganic Chemistry, 2019, 45, 361-365. | 0.3 | 4 |
| 1085 | Synergistic effects of APOE and sex on the gut microbiome of young EFAD transgenic mice. Molecular Neurodegeneration, 2019, 14, 47. | 4.4 | 33 |
| 1086 | C5aR agonist enhances phagocytosis of fibrillar and non-fibrillar Aβ amyloid and preserves memory in a mouse model of familial Alzheimer's disease. PLoS ONE, 2019, 14, e0225417. | 1.1 | 14 |
| 1087 | Brain targeting of 9c,11t-Conjugated Linoleic Acid, a natural calpain inhibitor, preserves memory and reduces Al ² and P25 accumulation in 5XFAD mice. Scientific Reports, 2019, 9, 18437. | 1.6 | 22 |
| 1088 | Repression of phagocytosis by human CD33 is not conserved with mouse CD33. Communications Biology, 2019, 2, 450. | 2.0 | 61 |
| 1089 | Electroacupuncture attenuates cognition impairment via anti-neuroinflammation in an Alzheimer's disease animal model. Journal of Neuroinflammation, 2019, 16, 264. | 3.1 | 90 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1090 | Testing a MultiTEP-based combination vaccine to reduce AÎ ² and tau pathology in Tau22/5xFAD bigenic mice. Alzheimer's Research and Therapy, 2019, 11, 107. | 3.0 | 19 |
| 1091 | Parvalbumin-Positive Neuron Loss and Amyloid-β Deposits in the Frontal Cortex of Alzheimer's Disease-Related Mice. Journal of Alzheimer's Disease, 2019, 72, 1323-1339. | 1.2 | 30 |
| 1092 | Emerging roles of N- and C-terminally truncated Aβ species in Alzheimer's disease. Expert Opinion on Therapeutic Targets, 2019, 23, 991-1004. | 1.5 | 32 |
| 1093 | Bazhu Decoction, a Traditional Chinese Medical Formula, Ameliorates Cognitive Deficits in the 5xFAD Mouse Model of Alzheimer's Disease. Frontiers in Pharmacology, 2019, 10, 1391. | 1.6 | 9 |
| 1094 | Centella Asiatica Improves Memory and Promotes Antioxidative Signaling in 5XFAD Mice. Antioxidants, 2019, 8, 630. | 2.2 | 47 |
| 1095 | JBPOS0101 attenuates amyloid-β accumulation and memory loss in a mouse model of Alzheimer's disease. NeuroReport, 2019, 30, 741-747. | 0.6 | 2 |
| 1096 | Fragile X and APP: a Decade in Review, a Vision for the Future. Molecular Neurobiology, 2019, 56, 3904-3921. | 1.9 | 23 |
| 1097 | Neural tissue microphysiological systems in the era of patient-derived pluripotent stem cells. , 2019, , 249-296. | | 3 |
| 1098 | Commentary on Giralt et al.: PTK2B/Pyk2 overexpression improves a mouse model of Alzheimer's disease. Experimental Neurology, 2019, 311, 313-317. | 2.0 | 5 |
| 1099 | A novel mechanism of synaptic and cognitive impairments mediated via microRNA-30b in Alzheimer's disease. EBioMedicine, 2019, 39, 409-421. | 2.7 | 60 |
| 1100 | Cinnamic acid activates PPARα to stimulate Lysosomal biogenesis and lower Amyloid plaque pathology in an Alzheimer's disease mouse model. Neurobiology of Disease, 2019, 124, 379-395. | 2.1 | 90 |
| 1101 | Downâ€regulated expression of microRNAâ€338â€5p contributes to neuropathology in Alzheimer's disease. FASEB Journal, 2019, 33, 4404-4417. | 0.2 | 46 |
| 1102 | Harnessing Genetic Complexity to Enhance Translatability of Alzheimer's Disease Mouse Models: A Path toward Precision Medicine. Neuron, 2019, 101, 399-411.e5. | 3.8 | 162 |
| 1103 | CD11a expression distinguishes infiltrating myeloid cells from plaqueâ€associated microglia in Alzheimer's disease. Glia, 2019, 67, 844-856. | 2.5 | 32 |
| 1104 | Amyloid-β pathology enhances pathological fibrillary tau seeding induced by Alzheimer PHF in vivo. Acta Neuropathologica, 2019, 137, 397-412. | 3.9 | 74 |
| 1105 | Painless Nerve Growth Factor: A TrkA biased agonist mediating a broad neuroprotection via its actions on microglia cells. Pharmacological Research, 2019, 139, 17-25. | 3.1 | 32 |
| 1106 | The metalloprotease ADAMTS4 generates N-truncated Aβ4–x species and marks oligodendrocytes as a source of amyloidogenic peptides in Alzheimer's disease. Acta Neuropathologica, 2019, 137, 239-257. | 3.9 | 44 |
| 1107 | PPARî²/δâ€agonist GW0742 ameliorates dysfunction in fatty acid oxidation in PSEN1ΔE9 astrocytes. Glia, 2019, 67, 146-159. | 2.5 | 46 |

| # 1108 | ARTICLE Cognitive decline in Tg2576 mice shows sex-specific differences and correlates with cerebral amyloid-beta. Behavioural Brain Research, 2019, 359, 408-417. | IF 1.2 | CITATIONS 23 |
|-----------|---|-----------|-----------------|
| 1109 | The Anti-amyloid Compound DO1 Decreases Plaque Pathology and Neuroinflammation-Related Expression Changes in 5xFAD Transgenic Mice. Cell Chemical Biology, 2019, 26, 109-120.e7. | 2.5 | 8 |
| 1110 | Generation of two iPSC lines with either a heterozygous V717I or a heterozygous KM670/671NL mutation in the APP gene. Stem Cell Research, 2019, 34, 101368. | 0.3 | 11 |
| 1111 | Dissociable cognitive impairments in two strains of transgenic Alzheimer's disease mice revealed by a battery of object-based tests. Scientific Reports, 2019, 9, 57. | 1.6 | 45 |
| 1112 | 3K3A-activated protein C blocks amyloidogenic BACE1 pathway and improves functional outcome in mice. Journal of Experimental Medicine, 2019, 216, 279-293. | 4.2 | 55 |
| 1113 | Involvement of GAT2/BGT-1 in the preventive effects of betaine on cognitive impairment and brain oxidative stress in amyloid β peptide-injected mice. European Journal of Pharmacology, 2019, 842, 57-63. | 1.7 | 23 |
| 1114 | A stereotaxic MRI template set of mouse brain with fine sub-anatomical delineations: Application to MEMRI studies of 5XFAD mice. Magnetic Resonance Imaging, 2019, 57, 83-94. | 1.0 | 21 |
| 1115 | Development of chemical isotope labeling LC-MS for tissue metabolomics and its application for brain and liver metabolome profiling in Alzheimer's disease mouse model. Analytica Chimica Acta, 2019, 1050, 95-104. | 2.6 | 27 |
| 1116 | Design, synthesis and anti-Alzheimer's activity of novel 1,2,3-triazole-chromenone carboxamide derivatives. Bioorganic Chemistry, 2019, 83, 391-401. | 2.0 | 77 |
| 1117 | Prenylated quinolinecarboxylic acid derivative prevents neuronal cell death through inhibition of MKK4. Biochemical Pharmacology, 2019, 162, 109-122. | 2.0 | 9 |
| 1118 | Nurr1 (NR4A2) regulates Alzheimer's diseaseâ€related pathogenesis and cognitive function in the 5XFAD mouse model. Aging Cell, 2019, 18, e12866. | 3.0 | 72 |
| 1119 | Aberrant accrual of BIN1 near Alzheimer's disease amyloid deposits in transgenic models. Brain Pathology, 2019, 29, 485-501. | 2.1 | 25 |
| 1120 | Defined astrocytic expression of human amyloid precursor protein in Tg2576 mouse brain. Glia, 2019, 67, 393-403. | 2.5 | 12 |
| 1121 | Vasoactive Intestinal Peptide Decreases β-Amyloid Accumulation and Prevents Brain Atrophy in the 5xFAD Mouse Model of Alzheimer's Disease. Journal of Molecular Neuroscience, 2019, 68, 389-396. | 1.1 | 22 |
| 1122 | Alzheimer's Disease and Dementia. , 2019, , 25-82. | | 2 |
| 1123 | CoREST Complex-Selective Histone Deacetylase Inhibitors Show Prosynaptic Effects and an Improved Safety Profile To Enable Treatment of Synaptopathies. ACS Chemical Neuroscience, 2019, 10, 1729-1743. | 1.7 | 33 |
| 1124 | Unsupervised excitation: GABAergic dysfunctions in Alzheimer's disease. Brain Research, 2019, 1707, 216-226. | 1.1 | 76 |
| 1125 | Clusterin contributes to early stage of Alzheimer's disease pathogenesis. Brain Pathology, 2019, 29, 217-231. | 2.1 | 37 |

ARTICLE IF CITATIONS Sexâ€biased hippocampal pathology in the 5XFAD mouse model of Alzheimer's disease: A multiâ€omic 1126 0.9 67 analysis. Journal of Comparative Neurology, 2019, 527, 462-475. DI-3-n-Butylphthalide Inhibits NLRP3 Inflammasome and Mitigates Alzheimer's-Like Pathology <i>via</i> 2.5 139 Nrf2-TXNIP-TrX Axis. Antioxidants and Redox Signaling, 2019, 30, 1411-1431. Genetic enhancement of macroautophagy in vertebrate models of neurodegenerative diseases. 1128 2.115 Neurobiology of Disease, 2019, 122, 3-8. The locus coeruleus neuroprotective drug vindeburnol normalizes behavior in the 5xFAD transgenic 1.1 mouse model of Alzheimera€™s disease. Brain Research, 2019, 1702, 29-37. Ageâ€related deterioration of motor function in male and female 5xFAD mice from 3 to 16 months of age. 1130 1.1 58 Genes, Brain and Behavior, 2020, 19, e12538. Whisker exploration behaviours in the 5xFAD mouse are affected by sex and retinal degeneration. 1.1 Genes, Brain and Behavior, 2020, 19, e12532. Animal Models of Psychosis in Alzheimer Disease. American Journal of Geriatric Psychiatry, 2020, 28, 1132 0.6 13 1-19. $A\hat{I}^2$ oligomers trigger and accelerate $A\hat{I}^2$ seeding. Brain Pathology, 2020, 30, 36-45. 2.1 What electrophysiology tells us about Alzheimer's disease: a window into the synchronization and 1134 150 1.5 connectivity of brain neurons. Neurobiology of Aging, 2020, 85, 58-73. Non-invasive in vivo imaging of caspase-1 activation enables rapid and spatiotemporal detection of 5.7 acute and chronic inflammatory disorders. Biomaterials, 2020, 226, 119543. NeuroDefend, a novel Chinese medicine, attenuates amyloid-Î² and tau pathology in experimental 1136 0.9 34 Alzheimer's disease models. Journal of Food and Drug Analysis, 2020, 28, 132-146. 1137 Modeling Alzheimer's disease with iPSC-derived brain cells. Molecular Psychiatry, 2020, 25, 148-167. 4.1 263 Avenanthramide-C Restores Impaired Plasticity and Cognition in Alzheimer's Disease Model Mice. 1138 1.9 20 Molecular Neurobiology, 2020, 57, 315-330. Amyloid pathologyâ€produced unexpected modifications of calcium homeostasis in hippocampal 0.4 subicular dendrites. Alzheimer's and Dementia, 2020, 16, 251-261. TDP-43 inhibitory peptide alleviates neurodegeneration and memory loss in an APP transgenic mouse model for Alzheimer's disease. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2020, 1866, 1140 1.8 17 165580. Telmisartan ameliorates Al² oligomer-induced inflammation via PPARl³/PTEN pathway in BV2 microglial 1141 2.0 cells. Biochemical Pharmacology, 2020, 171, 113674. Enhanced oxidative stress contributes to worse prognosis and delayed neurofunctional recovery 1142 after striatal intracerebral hemorrhage in 5XFAD mice. European Journal of Neuroscience, 2020, 51, 1.2 10 1806-1814. Modeling neurological disease using human stem cell-derived microglia-like cells transplanted into 1143 rodent brains. Lab Animal, 2020, 49, 49-51.

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1144 | Lysosomal Dysregulation in the Murine App Model of Alzheimer's Disease. Neuroscience, 2020, 429, 143-155. | 1.1 | 11 |
| 1145 | Deep Multilayer Brain Proteomics Identifies Molecular Networks in Alzheimer's Disease Progression. Neuron, 2020, 105, 975-991.e7. | 3.8 | 287 |
| 1146 | Every-other-day feeding exacerbates inflammation and neuronal deficits in 5XFAD mouse model of Alzheimer's disease. Neurobiology of Disease, 2020, 136, 104745. | 2.1 | 21 |
| 1147 | Picrorhiza kurroa Prevents Memory Deficits by Inhibiting NLRP3 Inflammasome Activation and BACE1 Expression in 5xFAD Mice. Neurotherapeutics, 2020, 17, 189-199. | 2.1 | 30 |
| 1148 | Amyloid-Beta (Aβ) Plaques Promote Seeding and Spreading of Alpha-Synuclein and Tau in a Mouse Model of Lewy Body Disorders with Aβ Pathology. Neuron, 2020, 105, 260-275.e6. | 3.8 | 141 |
| 1149 | Frailty index and phenotype frailty score: Sex- and age-related differences in 5XFAD transgenic mouse model of Alzheimer's disease. Mechanisms of Ageing and Development, 2020, 185, 111195. | 2.2 | 16 |
| 1150 | Dose-dependent neuroprotective effect of the JNK inhibitor Brimapitide in 5xFAD transgenic mice. Brain Research, 2020, 1727, 146587. | 1.1 | 6 |
| 1151 | Pâ€glycoprotein: a role in the export of amyloidâ€Î² in Alzheimer's disease?. FEBS Journal, 2020, 287, 612-625. | 2.2 | 62 |
| 1152 | Prolonged isolation stress accelerates the onset of Alzheimer's disease-related pathology in 5xFAD mice despite running wheels and environmental enrichment. Behavioural Brain Research, 2020, 379, 112366. | 1.2 | 22 |
| 1153 | Age-Related Intraneuronal Aggregation of Amyloid-β in Endosomes, Mitochondria, Autophagosomes, and Lysosomes. Journal of Alzheimer's Disease, 2020, 73, 229-246. | 1.2 | 25 |
| 1154 | Recommendations for measuring whisker movements and locomotion in mice with sensory, motor and cognitive deficits. Journal of Neuroscience Methods, 2020, 331, 108532. | 1.3 | 9 |
| 1155 | Spatial Lipidomics Reveals Region and Long Chain Base Specific Accumulations of Monosialogangliosides in Amyloid Plaques in Familial Alzheimer's Disease Mice (5xFAD) Brain. ACS Chemical Neuroscience, 2020, 11, 14-24. | 1.7 | 37 |
| 1156 | Donecopride, a Swiss army knife with potential against Alzheimer's disease. British Journal of Pharmacology, 2020, 177, 1988-2005. | 2.7 | 19 |
| 1157 | Infiltrating Hematogenous Macrophages Aggregate Around β-Amyloid Plaques in an Age- and Sex-Dependent Manner in a Mouse Model of Alzheimer Disease. Journal of Neuropathology and Experimental Neurology, 2020, 79, 1147-1162. | 0.9 | 6 |
| 1158 | The VEGF inhibitor vatalanib regulates AD pathology in 5xFAD mice. Molecular Brain, 2020, 13, 131. | 1.3 | 9 |
| 1159 | Microglia prevent beta-amyloid plaque formation in the early stage of an Alzheimer's disease mouse model with suppression of glymphatic clearance. Alzheimer's Research and Therapy, 2020, 12, 125. | 3.0 | 70 |
| 1160 | Peli1 impairs microglial Aβ phagocytosis through promoting C/EBPβ degradation. PLoS Biology, 2020, 18, e3000837. | 2.6 | 24 |
| 1161 | miRNA Alterations Elicit Pathways Involved in Memory Decline and Synaptic Function in the Hippocampus of Aged Tg4-42 Mice. Frontiers in Neuroscience, 2020, 14, 580524. | 1.4 | 5 |

| | Ċr | ΤΑΤΙ | ON | Repo | RT |
|--|----|------|----|------|----|
|--|----|------|----|------|----|

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1162 | Metabolic Defects Caused by High-Fat Diet Modify Disease Risk through Inflammatory and Amyloidogenic Pathways in a Mouse Model of Alzheimer's Disease. Nutrients, 2020, 12, 2977. | 1.7 | 18 |
| 1163 | The microbiota–microglia axis in central nervous system disorders. Brain Pathology, 2020, 30, 1159-1177. | 2.1 | 52 |
| 1164 | 14,15-Epoxyeicosatrienoic Acid Alleviates Pathology in a Mouse Model of Alzheimer's Disease. Journal of Neuroscience, 2020, 40, 8188-8203. | 1.7 | 25 |
| 1165 | The novel DYRK1A inhibitor KVN93 regulates cognitive function, amyloid-beta pathology, and neuroinflammation. Free Radical Biology and Medicine, 2020, 160, 575-595. | 1.3 | 19 |
| 1166 | Neuropeptides Modulate Local Astrocytes to Regulate Adult Hippocampal Neural Stem Cells. Neuron, 2020, 108, 349-366.e6. | 3.8 | 42 |
| 1167 | Negative feedback control of neuronal activity by microglia. Nature, 2020, 586, 417-423. | 13.7 | 520 |
| 1168 | Aβ-accelerated neurodegeneration caused by Alzheimer's-associated <i>ACE</i> variant R1279Q is rescued by angiotensin system inhibition in mice. Science Translational Medicine, 2020, 12, . | 5.8 | 22 |
| 1169 | Detection of Synaptic Proteins in Microglia by Flow Cytometry. Frontiers in Molecular Neuroscience, 2020, 13, 149. | 1.4 | 20 |
| 1170 | Attenuation of Spatial Memory in 5xFAD Mice by Halting Cholinesterases, Oxidative Stress and Neuroinflammation Using a Cyclopentanone Derivative. Pharmaceuticals, 2020, 13, 318. | 1.7 | 16 |
| 1171 | In vivo Imaging With 18F-FDG- and 18F-Florbetaben-PET/MRI Detects Pathological Changes in the Brain of the Commonly Used 5XFAD Mouse Model of Alzheimer's Disease. Frontiers in Medicine, 2020, 7, 529. | 1.2 | 23 |
| 1172 | The effect of amyloid on microglia-neuron interactions before plaque onset occurs independently of TREM2 in a mouse model of Alzheimer's disease. Neurobiology of Disease, 2020, 145, 105072. | 2.1 | 12 |
| 1173 | Neuronal activity modulates alpha-synuclein aggregation and spreading in organotypic brain slice cultures and in vivo. Acta Neuropathologica, 2020, 140, 831-849. | 3.9 | 37 |
| 1174 | Gene-environment interaction promotes Alzheimer's risk as revealed by synergy of repeated mild traumatic brain injury and mouse App knock-in. Neurobiology of Disease, 2020, 145, 105059. | 2.1 | 2 |
| 1175 | Development of Alzheimer's Disease Progressively Alters Sex-Dependent KCa and Sex-Independent KIR Channel Function in Cerebrovascular Endothelium. Journal of Alzheimer's Disease, 2020, 76, 1423-1442. | 1.2 | 17 |
| 1176 | Intranasal Dantrolene as a Disease-Modifying Drug in Alzheimer 5XFAD Mice. Journal of Alzheimer's Disease, 2020, 76, 1375-1389. | 1.2 | 18 |
| 1177 | Intravenous Injection of PHF-Tau Proteins From Alzheimer Brain Exacerbates Neuroinflammation, Amyloid Beta, and Tau Pathologies in 5XFAD Transgenic Mice. Frontiers in Molecular Neuroscience, 2020, 13, 106. | 1.4 | 4 |
| 1178 | Metal-chelating benzothiazole multifunctional compounds for the modulation and ⁶⁴ Cu PET imaging of Al ² aggregation. Chemical Science, 2020, 11, 7789-7799. | 3.7 | 40 |
| 1179 | Synthesis and biological evaluation of novel quinazoline-triazole hybrid compounds with potential use in Alzheimer's disease. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 127404. | 1.0 | 33 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1180 | Altered Brain Adiponectin Receptor Expression in the 5XFAD Mouse Model of Alzheimer's Disease. Pharmaceuticals, 2020, 13, 150. | 1.7 | 6 |
| 1181 | Galectin-3 Secreted by Human Umbilical Cord Blood-Derived Mesenchymal Stem Cells Reduces Aberrant Tau Phosphorylation in an Alzheimer Disease Model. Stem Cells International, 2020, 2020, 1-14. | 1.2 | 20 |
| 1182 | <i>Gga3</i> deletion and a <i>GGA3</i> rare variant associated with late onset Alzheimer's disease trigger BACE1 accumulation in axonal swellings. Science Translational Medicine, 2020, 12, . | 5.8 | 11 |
| 1183 | TMEM59 Haploinsufficiency Ameliorates the Pathology and Cognitive Impairment in the 5xFAD Mouse Model of Alzheimer's Disease. Frontiers in Cell and Developmental Biology, 2020, 8, 596030. | 1.8 | 9 |
| 1184 | Comprehensive Proteomic Profiling of Urinary Exosomes and Identification of Potential Non-invasive Early Biomarkers of Alzheimer's Disease in 5XFAD Mouse Model. Frontiers in Genetics, 2020, 11, 565479. | 1.1 | 17 |
| 1185 | Curcumin Formulations and Trials: What's New in Neurological Diseases. Molecules, 2020, 25, 5389. | 1.7 | 22 |
| 1186 | Caffeoylquinic Acids in Centella asiatica Reverse Cognitive Deficits in Male 5XFAD Alzheimer's Disease Model Mice. Nutrients, 2020, 12, 3488. | 1.7 | 34 |
| 1187 | Altered Brain Leptin and Leptin Receptor Expression in the 5XFAD Mouse Model of Alzheimer's Disease. Pharmaceuticals, 2020, 13, 401. | 1.7 | 9 |
| 1188 | Anti-Aβ antibodies bound to neuritic plaques enhance microglia activity and mitigate tau pathology. Acta Neuropathologica Communications, 2020, 8, 198. | 2.4 | 7 |
| 1189 | Human Pluripotent Stem Cells-Based Therapies for Neurodegenerative Diseases: Current Status and Challenges. Cells, 2020, 9, 2517. | 1.8 | 45 |
| 1190 | Endosomal Dysfunction Induced by Directly Overactivating Rab5 Recapitulates Prodromal and Neurodegenerative Features of Alzheimer's Disease. Cell Reports, 2020, 33, 108420. | 2.9 | 58 |
| 1191 | Whole-Brain Three-Dimensional Profiling Reveals Brain Region Specific Axon Vulnerability in 5xFAD Mouse Model. Frontiers in Neuroanatomy, 2020, 14, 608177. | 0.9 | 12 |
| 1192 | A novel systems biology approach to evaluate mouse models of late-onset Alzheimer's disease. Molecular Neurodegeneration, 2020, 15, 67. | 4.4 | 45 |
| 1193 | Activity of Alzheimer's γ-secretase is linked to changes of interferon-induced transmembrane proteins (IFITM) in innate immunity. Molecular Neurodegeneration, 2020, 15, 69. | 4.4 | 16 |
| 1194 | Oligodendroglial glycolytic stress triggers inflammasome activation and neuropathology in Alzheimer's disease. Science Advances, 2020, 6, . | 4.7 | 79 |
| 1195 | Imbalance of Endocannabinoid/Lysophosphatidylinositol Receptors Marks the Severity of Alzheimer's Disease in a Preclinical Model: A Therapeutic Opportunity. Biology, 2020, 9, 377. | 1.3 | 21 |
| 1196 | Neuron Loss in Alzheimer's Disease: Translation in Transgenic Mouse Models. International Journal of Molecular Sciences, 2020, 21, 8144. | 1.8 | 39 |
| 1197 | Electrophysiological and Imaging Calcium Biomarkers of Aging in Male and Female 5×FAD Mice. Journal of Alzheimer's Disease, 2020, 78, 1419-1438. | 1.2 | 5 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1198 | scTenifoldNet: A Machine Learning Workflow for Constructing and Comparing Transcriptome-wide Gene Regulatory Networks from Single-Cell Data. Patterns, 2020, 1, 100139. | 3.1 | 25 |
| 1199 | CYP46A1-dependent and independent effects of efavirenz treatment. Brain Communications, 2020, 2, fcaa180. | 1.5 | 14 |
| 1200 | Targeting isoaspartate-modified Aβ rescues behavioral deficits in transgenic mice with Alzheimer's disease-like pathology. Alzheimer's Research and Therapy, 2020, 12, 149. | 3.0 | 10 |
| 1201 | New coumarin-benzotriazole based hybrid molecules as inhibitors of acetylcholinesterase and amyloid aggregation. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 127477. | 1.0 | 51 |
| 1202 | Multiscale causal networks identify VGF as a key regulator of Alzheimer's disease. Nature Communications, 2020, 11, 3942. | 5.8 | 94 |
| 1203 | Multiscale ATUM-FIB Microscopy Enables Targeted Ultrastructural Analysis at Isotropic Resolution. IScience, 2020, 23, 101290. | 1.9 | 13 |
| 1204 | Blood and cerebrospinal fluid neurofilament light differentially detect neurodegeneration in early Alzheimer's disease. Neurobiology of Aging, 2020, 95, 143-153. | 1.5 | 34 |
| 1205 | Robust light–dark patterns and reduced amyloid load in an Alzheimer's disease transgenic mouse model. Scientific Reports, 2020, 10, 11436. | 1.6 | 8 |
| 1206 | Different effects of constitutive and induced microbiota modulation on microglia in a mouse model of Alzheimer's disease. Acta Neuropathologica Communications, 2020, 8, 119. | 2.4 | 75 |
| 1207 | 5XFAD mice show early-onset gap encoding deficits in the auditory cortex. Neurobiology of Aging, 2020, 94, 101-110. | 1.5 | 8 |
| 1208 | Microglia facilitate loss of perineuronal nets in the Alzheimer's disease brain. EBioMedicine, 2020, 58, 102919. | 2.7 | 123 |
| 1209 | Brain-Derived Neurotrophic Factor (BDNF) Preserves the Functional Integrity of Neural Networks in the β-Amyloidopathy Model in vitro. Frontiers in Cell and Developmental Biology, 2020, 8, 582. | 1.8 | 17 |
| 1210 | Alzheimer's disease in the gut—Major changes in the gut of 5xFAD model mice with ApoA1 as potential key player. FASEB Journal, 2020, 34, 11883-11899. | 0.2 | 18 |
| 1211 | Significance of cytosolic cathepsin D in Alzheimer's disease pathology: Protective cellular effects of PLGA nanoparticles against βâ€amyloidâ€toxicity. Neuropathology and Applied Neurobiology, 2020, 46, 686-706. | 1.8 | 14 |
| 1212 | Turn-on chemiluminescence probes and dual-amplification of signal for detection of amyloid beta species in vivo. Nature Communications, 2020, 11, 4052. | 5.8 | 52 |
| 1213 | Presenilin 1 phosphorylation regulates amyloid- \hat{l}^2 degradation by microglia. Molecular Psychiatry, 2021, 26, 5620-5635. | 4.1 | 17 |
| 1214 | Higher CSF sTREM2 and microglia activation are associated with slower rates of betaâ€amyloid accumulation. EMBO Molecular Medicine, 2020, 12, e12308. | 3.3 | 73 |
| 1215 | Modulation of the Aβ-Peptide-Aggregation Pathway by Active Compounds From Platycladus orientalis Seed Extract in Alzheimer's Disease Models. Frontiers in Aging Neuroscience, 2020, 12, 207. | 1.7 | 5 |

ARTICLE IF CITATIONS An HDAC6-dependent surveillance mechanism suppresses tau-mediated neurodegeneration and 1216 5.8 56 cognitive decline. Nature Communications, 2020, 11, 5522. Molecular imaging of Alzheimer's disease–related gamma-secretase in mice and nonhuman primates. 4.2 Journal of Experimental Medicine, 2020, 217, . Altered Expression of Glial Gap Junction Proteins Cx43, Cx30, and Cx47 in the 5XFAD Model of 1218 1.4 22 Alzheimer's Disease. Frontiers in Neuroscience, 2020, 14, 582934. Microglial response to experimental periodontitis in a murine model of Alzheimer's disease. Scientific Reports, 2020, 10, 18561. Role of Kalirin and mouse strain in retention of spatial memory training in an Alzheimer's disease 1220 1.59 model mouse line. Neurobiology of Aging, 2020, 95, 69-80. Plaque-associated myeloid cells derive from resident microglia in an Alzheimer's disease model. 1221 4.2 Journal of Experimental Medicine, 2020, 217, . Anti-human TREM2 induces microglia proliferation and reduces pathology in an Alzheimer's disease 1222 4.2 223 model. Journal of Experimental Medicine, 2020, 217, . Retinal Functional and Structural Changes in the 5xFAD Mouse Model of Alzheimer's Disease. 1.4 Frontiers in Neuroscience, 2020, 14, 862. Increased levels of Stress-inducible phosphoprotein-1 accelerates amyloid-l² deposition in a mouse 1224 2.4 13 model of Alzheimer's disease. Acta Neuropathologica Communications, 2020, 8, 143. The innate immunity protein IFITM3 modulates γ-secretase in Alzheimer's disease. Nature, 2020, 586, 13.7 219 735-740. Dietary Wheat Amylase Trypsin Inhibitors Impact Alzheimer's Disease Pathology in 5xFAD Model Mice. 1226 1.8 15 International Journal of Molecular Sciences, 2020, 21, 6288. Antenatal Hypoxia Accelerates the Onset of Alzheimer's Disease Pathology in 5xFAD Mouse Model. Frontiers in Áging Neuroscience, 2020, 12, 251. Effects of optogenetic stimulation of basal forebrain parvalbumin neurons on Alzheimer's disease 1228 1.6 11 pathology. Scientific Reports, 2020, 10, 15456. β-Hydroxybutyrate inhibits inflammasome activation to attenuate Alzheimer's disease pathology. 1229 3.1 Journal of Neuroinflammation, 2020, 17, 280. Limiting RyR2 Open Time Prevents Alzheimer's Disease-Related Neuronal Hyperactivity and Memory Loss 1230 2.9 41 but Not Î²-Amyloid Accumulation. Cell Reports, 2020, 32, 108169. Traumatic Injury Reduces Amyloid Plaque Burden in the Transgenic 5xFAD Alzheimer's Mouse Spinal 1.2 Cord. Journal of Alzheimer's Disease, 2020, 77, 1315-1330. Microphysiological Systems for Neurodegenerative Diseases in Central Nervous System. 1232 1.4 10 Micromachines, 2020, 11, 855. A synthetic synaptic organizer protein restores glutamatergic neuronal circuits. Science, 2020, 369, . 6.0

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1234 | Restoring neuron connections. Science, 2020, 369, 1052-1053. | 6.0 | 0 |
| 1235 | Increased blood BACE1 activity as a potential common pathogenic factor of vascular dementia and late onset Alzheimer's disease. Scientific Reports, 2020, 10, 14980. | 1.6 | 21 |
| 1236 | Behavioral and neural network abnormalities in human APP transgenic mice resemble those of App knock-in mice and are modulated by familial Alzheimer's disease mutations but not by inhibition of BACE1. Molecular Neurodegeneration, 2020, 15, 53. | 4.4 | 44 |
| 1237 | Correction of microtubule defects within Aβ plaqueâ€associated dystrophic axons results in lowered Aβ release and plaque deposition. Alzheimer's and Dementia, 2020, 16, 1345-1357. | 0.4 | 11 |
| 1238 | Early Detection of Amyloid β Pathology in Alzheimer's Disease by Molecular MRI*. , 2020, 2020, 1100-1103. | | 3 |
| 1239 | Astrocyte remodeling in the beneficial effects of long-term voluntary exercise in Alzheimer's disease. Journal of Neuroinflammation, 2020, 17, 271. | 3.1 | 40 |
| 1240 | Development of High-Specificity Fluorescent Probes to Enable Cannabinoid Type 2 Receptor Studies in Living Cells. Journal of the American Chemical Society, 2020, 142, 16953-16964. | 6.6 | 31 |
| 1241 | 4-Hydroxynonenal Immunoreactivity Is Increased in the Frontal Cortex of 5XFAD Transgenic Mice. Biomedicines, 2020, 8, 326. | 1.4 | 10 |
| 1242 | Development and Technical Validation of an Immunoassay for the Detection of APP669–711 (Aβâ^3–40) in Biological Samples. International Journal of Molecular Sciences, 2020, 21, 6564. | 1.8 | 12 |
| 1243 | Therapeutic Trem2 activation ameliorates amyloid-beta deposition and improves cognition in the 5XFAD model of amyloid deposition. Journal of Neuroinflammation, 2020, 17, 238. | 3.1 | 60 |
| 1244 | Identifying the molecular systems that influence cognitive resilience to Alzheimer's disease in genetically diverse mice. Learning and Memory, 2020, 27, 355-371. | 0.5 | 15 |
| 1245 | Emodin inhibits aggregation of amyloidâ€Î² peptide 1–42 and improves cognitive deficits in Alzheimer's disease transgenic mice. Journal of Neurochemistry, 2021, 157, 1992-2007. | 2.1 | 17 |
| 1246 | Involvement of Bradykinin Receptor 2 in Nerve Growth Factor Neuroprotective Activity. Cells, 2020, 9, 2651. | 1.8 | 6 |
| 1247 | Ceramide analog [18F]F-HPA-12 detects sphingolipid disbalance in the brain of Alzheimer's disease transgenic mice by functioning as a metabolic probe. Scientific Reports, 2020, 10, 19354. | 1.6 | 9 |
| 1248 | Hop bitter acids containing a β-carbonyl moiety prevent inflammation-induced cognitive decline via the vagus nerve and noradrenergic system. Scientific Reports, 2020, 10, 20028. | 1.6 | 9 |
| 1249 | Label-free X-ray estimation of brain amyloid burden. Scientific Reports, 2020, 10, 20505. | 1.6 | 5 |
| 1250 | Effect of Combined Electroacupuncture and Selegiline Treatment in Alzheimer's Disease: An Animal Model. Frontiers in Pharmacology, 2020, 11, 606480. | 1.6 | 4 |
| 1251 | Oral Gavage Delivery of Stable Isotope Tracer for In Vivo Metabolomics. Metabolites, 2020, 10, 501. | 1.3 | 15 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1252 | An enriched environment prevents cognitive impairment in an Alzheimer's disease model by enhancing the secretion of exosomal microRNA-146a from the choroid plexus. Brain, Behavior, & Immunity - Health, 2020, 9, 100149. | 1.3 | 17 |
| 1253 | Model organism development and evaluation for lateâ€onset Alzheimer's disease: MODELâ€AD. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2020, 6, e12110. | 1.8 | 63 |
| 1254 | Targeting histone K4 trimethylation for treatment of cognitive and synaptic deficits in mouse models of Alzheimer's disease. Science Advances, 2020, 6, . | 4.7 | 52 |
| 1255 | An epoxide hydrolase inhibitor reduces neuroinflammation in a mouse model of Alzheimer's disease. Science Translational Medicine, 2020, 12, . | 5.8 | 77 |
| 1256 | Longitudinal GluCEST MRI Changes and Cerebral Blood Flow in 5xFAD Mice. Contrast Media and Molecular Imaging, 2020, 2020, 1-12. | 0.4 | 10 |
| 1257 | An Overview of Astrocyte Responses in Genetically Induced Alzheimer's Disease Mouse Models. Cells, 2020, 9, 2415. | 1.8 | 18 |
| 1258 | Three-dimensional nanoscopy of whole cells and tissues with in situ point spread function retrieval. Nature Methods, 2020, 17, 531-540. | 9.0 | 64 |
| 1259 | HDAC1 modulates OGG1-initiated oxidative DNA damage repair in the aging brain and Alzheimer's disease. Nature Communications, 2020, 11, 2484. | 5.8 | 107 |
| 1260 | Alzheimer's Disease, a Lipid Story: Involvement of Peroxisome Proliferator-Activated Receptor α. Cells, 2020, 9, 1215. | 1.8 | 30 |
| 1261 | M1 muscarinic acetylcholine receptor dysfunction in moderate Alzheimer's disease pathology. Brain Communications, 2020, 2, fcaa058. | 1.5 | 16 |
| 1262 | Impact of Acute and Chronic Amyloid-β Peptide Exposure on Gut Microbial Commensals in the Mouse. Frontiers in Microbiology, 2020, 11, 1008. | 1.5 | 18 |
| 1263 | Herpes Simplex Virus-1 in the Brain: The Dark Side of a Sneaky Infection. Trends in Microbiology, 2020, 28, 808-820. | 3.5 | 132 |
| 1264 | Protective actions of exerciseâ€related FNDC5/Irisin in memory and Alzheimer's disease. Journal of Neurochemistry, 2020, 155, 602-611. | 2.1 | 45 |
| 1265 | Behavioral and electrophysiological evidence for a neuroprotective role of aquaporin-4 in the 5xFAD transgenic mice model. Acta Neuropathologica Communications, 2020, 8, 67. | 2.4 | 27 |
| 1266 | Pharmacological exploration of traditional plants for the treatment of neurodegenerative disorders. Phytotherapy Research, 2020, 34, 3089-3112. | 2.8 | 25 |
| 1267 | Microglia depletion rapidly and reversibly alters amyloid pathology by modification of plaque compaction and morphologies. Neurobiology of Disease, 2020, 142, 104956. | 2.1 | 76 |
| 1268 | Pharmacological Inhibition of Soluble Epoxide Hydrolase as a New Therapy for Alzheimer's Disease. Neurotherapeutics, 2020, 17, 1825-1835. | 2.1 | 45 |
| 1269 | Evaluation of neurological effects of cerium dioxide nanoparticles doped with different amounts of zirconium following inhalation exposure in mouse models of Alzheimer's and vascular disease. Neurochemistry International, 2020, 138, 104755. | 1.9 | 15 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1270 | A 3′UTR modification of the TNF-α mouse gene increases peripheral TNF-α and modulates the Alzheimer-like phenotype in 5XFAD mice. Scientific Reports, 2020, 10, 8670. | 1.6 | 9 |
| 1271 | Resveratrol Differently Modulates Group I Metabotropic Glutamate Receptors Depending on Age in SAMP8 Mice. ACS Chemical Neuroscience, 2020, 11, 1770-1780. | 1.7 | 10 |
| 1272 | A Role of Low-Density Lipoprotein Receptor-Related Protein 4 (LRP4) in Astrocytic AÎ ² Clearance. Journal of Neuroscience, 2020, 40, 5347-5361. | 1.7 | 35 |
| 1273 | SPON1 Can Reduce Amyloid Beta and Reverse Cognitive Impairment and Memory Dysfunction in Alzheimer's Disease Mouse Model. Cells, 2020, 9, 1275. | 1.8 | 8 |
| 1274 | Neurofilament-Light Chain as Biomarker of Neurodegenerative and Rare Diseases With High Translational Value. Frontiers in Neuroscience, 2020, 14, 579. | 1.4 | 37 |
| 1275 | Biophysical studies of protein misfolding and aggregation inin vivomodels of Alzheimer's and Parkinson's diseases. Quarterly Reviews of Biophysics, 2020, 53, e22. | 2.4 | 13 |
| 1276 | DNA methylation in the pathology of Alzheimer's disease: from gene to cognition. Annals of the New York Academy of Sciences, 2020, 1475, 15-33. | 1.8 | 28 |
| 1277 | Omega-3 Fatty Acid-Type Docosahexaenoic Acid Protects against Aβ-Mediated Mitochondrial Deficits and Pathomechanisms in Alzheimer's Disease-Related Animal Model. International Journal of Molecular Sciences, 2020, 21, 3879. | 1.8 | 26 |
| 1278 | Loss of Hippocampal Calretinin and Parvalbumin Interneurons in the 5XFAD Mouse Model of Alzheimer's Disease. ASN Neuro, 2020, 12, 175909142092535. | 1.5 | 23 |
| 1279 | The lipid phosphatase Synaptojanin 1 undergoes a significant alteration in expression and solubility and is associated with brain lesions in Alzheimer's disease. Acta Neuropathologica Communications, 2020, 8, 79. | 2.4 | 15 |
| 1280 | Secondary Metabolites from Plants Possessing Inhibitory Properties against Beta-Amyloid Aggregation as Revealed by Thioflavin-T Assay and Correlations with Investigations on Transgenic Mouse Models of Alzheimer's Disease. Biomolecules, 2020, 10, 870. | 1.8 | 21 |
| 1281 | Intact olfactory memory in the 5xFAD mouse model of Alzheimer's disease from 3 to 15 months of age. Behavioural Brain Research, 2020, 393, 112731. | 1.2 | 19 |
| 1282 | Brain regionâ€specific amyloid plaqueâ€associated myelin lipid loss, APOE deposition and disruption of the myelin sheath in familial Alzheimer's disease mice. Journal of Neurochemistry, 2020, 154, 84-98. | 2.1 | 50 |
| 1283 | Amyloid-specific extraction using organic solvents. MethodsX, 2020, 7, 100770. | 0.7 | 4 |
| 1284 | Bicyclic α-Iminophosphonates as High Affinity Imidazoline I ₂ Receptor Ligands for Alzheimer's Disease. Journal of Medicinal Chemistry, 2020, 63, 3610-3633. | 2.9 | 17 |
| 1285 | Brain Permeable Tafamidis Amide Analogs for Stabilizing TTR and Reducing APP Cleavage. ACS Medicinal Chemistry Letters, 2020, 11, 1973-1979. | 1.3 | 12 |
| 1286 | Discovery of Chemicals to Either Clear or Indicate Amyloid Aggregates by Targeting Memoryâ€Impairing Antiâ€Parallel Aβ Dimers. Angewandte Chemie - International Edition, 2020, 59, 11491-11500. | 7.2 | 15 |
| 1287 | Prominent amyloid plaque pathology and cerebral amyloid angiopathy in APP V717I (London) carrier – phenotypic variability in autosomal dominant Alzheimer's disease. Acta Neuropathologica Communications, 2020, 8, 31. | 2.4 | 14 |

| | | CITATION RE | PORT | |
|------|---|------------------------------|------|-----------|
| # | Article | | IF | CITATIONS |
| 1288 | Murine Gut Microbiome Association With APOE Alleles. Frontiers in Immunology, 2020 |), 11, 200. | 2.2 | 37 |
| 1289 | Robust neuroinflammation and perivascular pathology in rTg-DI rats, a novel model of cerebral amyloid angiopathy. Journal of Neuroinflammation, 2020, 17, 78. | microvascular | 3.1 | 19 |
| 1290 | Alzheimer's Disease: The Link Between Amyloid-β and Neurovascular Dysfunction. Disease, 2020, 76, 1179-1198. | Journal of Alzheimer's | 1.2 | 76 |
| 1291 | Upregulation of Alzheimer's Disease Amyloid-β Protein Precursor in Astrocytes Bo vivo. Journal of Alzheimer's Disease, 2020, 76, 1071-1082. | th in vitro and in | 1.2 | 18 |
| 1292 | Apolipoprotein E isoforms differentially regulate matrix metallopeptidase 9 function in disease. Neurobiology of Aging, 2020, 95, 56-68. | Alzheimer's | 1.5 | 13 |
| 1293 | Natural Medicines and Their Underlying Mechanisms of Prevention and Recovery from Β-Induced Axonal Degeneration in Alzheimer's Disease. International Journal of Mo 2020, 21, 4665. | Amyloid lecular Sciences, | 1.8 | 5 |
| 1294 | Yeast-Based Aβ1-15 Vaccine Elicits Strong Immunogenicity and Attenuates Neuropath Deficits in Alzheimer's Disease Transgenic Mice. Vaccines, 2020, 8, 351. | ology and Cognitive | 2.1 | 7 |
| 1295 | Age-Specific Retinal and Cerebral Immunodetection of Amyloid-β Plaques and Oligome Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2020, 76, 1135-1150 | ers in a Rodent). | 1.2 | 26 |
| 1296 | Hybrid PET/MRI enables high-spatial resolution, quantitative imaging of amyloid plaque Alzheimer's disease mouse model. Scientific Reports, 2020, 10, 10379. | s in an | 1.6 | 15 |
| 1297 | Correlation of pyroglutamate amyloid β and ptau Ser202/Thr205 levels in Alzheimerâ€ related murine models. PLoS ONE, 2020, 15, e0235543. | ™s disease and | 1.1 | 15 |
| 1298 | Nicotinamide attenuates the decrease in dendritic spine density in hippocampal prima 5xFAD mice, an Alzheimer's disease animal model. Molecular Brain, 2020, 13, 17. | ry neurons from | 1.3 | 17 |
| 1299 | Antifibrotic Effects of Amyloid-Beta and Its Loss in Cirrhotic Liver. Cells, 2020, 9, 452. | | 1.8 | 8 |
| 1300 | Disrupted blood-brain barrier in 5×FAD mouse model of Alzheimer's disease can repaired inÂvitro with neural stem cell-derived exosomes. Biochemical and Biophysical Communications, 2020, 525, 192-196. | | 1.0 | 25 |
| 1301 | Amyloidogenic Peptides in Human Neuro-Degenerative Diseases and in Microorganism Shared Is a Sorrow Halved?. Molecules, 2020, 25, 925. | s: A Sorrow | 1.7 | 9 |
| 1302 | Beta secretase 1-dependent amyloid precursor protein processing promotes excessive sprouting through NOTCH3 signalling. Cell Death and Disease, 2020, 11, 98. | vascular | 2.7 | 23 |
| 1303 | Silica Nanodepletors: Targeting and Clearing Alzheimer's βâ€Amyloid Plaques. Advanc Materials, 2020, 30, 1910475. | ed Functional | 7.8 | 24 |
| 1304 | Systemic microbial TLR2 agonists induce neurodegeneration in Alzheimer's disease Neuroinflammation, 2020, 17, 55. | ? mice. Journal of | 3.1 | 20 |
| 1305 | Sclerotiorin Stabilizes the Assembly of Nonfibrillar Abeta42 Oligomers with Low Toxici Activity, and Beta-sheet Content. Journal of Molecular Biology, 2020, 432, 2080-2098. | | 2.0 | 12 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1306 | Behavioural and psychological symptoms of dementia in mouse models of Alzheimer's disease-related pathology. Neuroscience and Biobehavioral Reviews, 2020, 112, 634-647. | 2.9 | 84 |
| 1307 | Modeling Mixed Vascular and Alzheimer's Dementia Using Focal Subcortical Ischemic Stroke in Human ApoE4-TR:5XFAD Transgenic Mice. Translational Stroke Research, 2020, 11, 1064-1076. | 2.3 | 2 |
| 1308 | Alzheimer's disease pathology in APOE transgenic mouse models: The Who, What, When, Where, Why, and How. Neurobiology of Disease, 2020, 139, 104811. | 2.1 | 44 |
| 1309 | Characterization of the effects of calcitonin gene-related peptide receptor antagonist for Alzheimer's disease. Neuropharmacology, 2020, 168, 108017. | 2.0 | 14 |
| 1310 | Caspase-6 Knockout in the 5xFAD Model of Alzheimer's Disease Reveals Favorable Outcome on Memory and Neurological Hallmarks. International Journal of Molecular Sciences, 2020, 21, 1144. | 1.8 | 19 |
| 1311 | Born to Protect: Leveraging BDNF Against Cognitive Deficit in Alzheimer's Disease. CNS Drugs, 2020, 34, 281-297. | 2.7 | 31 |
| 1312 | Innate sensing of mechanical properties of brain tissue by microglia. Current Opinion in Immunology, 2020, 62, 123-130. | 2.4 | 32 |
| 1313 | OCIAD1 contributes to neurodegeneration in Alzheimer's disease by inducing mitochondria dysfunction, neuronal vulnerability and synaptic damages. EBioMedicine, 2020, 51, 102569. | 2.7 | 10 |
| 1314 | Estrogen protects neuroblastoma cell from amyloid-β 42 (Aβ42)-induced apoptosis via TXNIP/TRX axis and AMPK signaling. Neurochemistry International, 2020, 135, 104685. | 1.9 | 17 |
| 1315 | Human and mouse single-nucleus transcriptomics reveal TREM2-dependent and TREM2-independent cellular responses in Alzheimer's disease. Nature Medicine, 2020, 26, 131-142. | 15.2 | 641 |
| 1316 | YAP-dependent necrosis occurs in early stages of Alzheimer's disease and regulates mouse model pathology. Nature Communications, 2020, 11, 507. | 5.8 | 62 |
| 1317 | Sodium Butyrate Reduces Brain Amyloid-β Levels and Improves Cognitive Memory Performance in an Alzheimer's Disease Transgenic Mouse Model at an Early Disease Stage. Journal of Alzheimer's Disease, 2020, 74, 91-99. | 1.2 | 65 |
| 1318 | Effects of neural stem cell transplantation in Alzheimer's disease models. Journal of Biomedical Science, 2020, 27, 29. | 2.6 | 54 |
| 1319 | Intracerebral seeding of amyloid-β and tau pathology in mice: Factors underlying prion-like spreading and comparisons with α-synuclein. Neuroscience and Biobehavioral Reviews, 2020, 112, 1-27. | 2.9 | 31 |
| 1320 | Vortioxetine administration attenuates cognitive and synaptic deficits in 5×FAD mice. Psychopharmacology, 2020, 237, 1233-1243. | 1.5 | 11 |
| 1321 | Oscillotherapeutics – Time-targeted interventions in epilepsy and beyond. Neuroscience Research, 2020, 152, 87-107. | 1.0 | 45 |
| 1322 | PET imaging of mGluR5 in Alzheimer's disease. Alzheimer's Research and Therapy, 2020, 12, 15. | 3.0 | 29 |
| 1323 | FAM222A encodes a protein which accumulates in plaques in Alzheimer's disease. Nature Communications, 2020, 11, 411. | 5.8 | 16 |

| # | Article | IF | CITATIONS |
|------|--|------|-----------|
| 1324 | β-Lactolin, a Whey-Derived Lacto-Tetrapeptide, Prevents Alzheimer's Disease Pathologies and Cognitive Decline. Journal of Alzheimer's Disease, 2020, 73, 1331-1342. | 1.2 | 20 |
| 1325 | VGF-derived peptide TLQP-21 modulates microglial function through C3aR1 signaling pathways and reduces neuropathology in 5xFAD mice. Molecular Neurodegeneration, 2020, 15, 4. | 4.4 | 52 |
| 1326 | Microglial Activation in the Retina of a Triple-Transgenic Alzheimer's Disease Mouse Model (3xTg-AD). International Journal of Molecular Sciences, 2020, 21, 816. | 1.8 | 29 |
| 1327 | Association of AÎ ² with ceramide-enriched astrosomes mediates AÎ ² neurotoxicity. Acta Neuropathologica Communications, 2020, 8, 60. | 2.4 | 42 |
| 1328 | Minimalistic Principles for Designing Small Molecules with Multiple Reactivities against Pathological Factors in Dementia. Journal of the American Chemical Society, 2020, 142, 8183-8193. | 6.6 | 23 |
| 1329 | Leveraging preclinical models for the development of Alzheimer disease therapeutics. Nature Reviews Drug Discovery, 2020, 19, 447-462. | 21.5 | 73 |
| 1330 | Transcriptome Profile of Nicotinic Receptor-Linked Sensitization of Beta Amyloid Neurotoxicity. Scientific Reports, 2020, 10, 5696. | 1.6 | 5 |
| 1331 | Brain sterol flux mediated by cytochrome P450 46A1 affects membrane properties and membrane-dependent processes. Brain Communications, 2020, 2, . | 1.5 | 19 |
| 1332 | Disease-associated astrocytes in Alzheimer's disease and aging. Nature Neuroscience, 2020, 23, 701-706. | 7.1 | 525 |
| 1333 | Aβ deposition is associated with increases in soluble and phosphorylated tau that precede a positive Tau PET in Alzheimer's disease. Science Advances, 2020, 6, eaaz2387. | 4.7 | 202 |
| 1334 | Heterogeneous Disease Progression in a Mouse Model of Vascular Cognitive Impairment. International Journal of Molecular Sciences, 2020, 21, 2820. | 1.8 | 2 |
| 1335 | Hippocampal Deficits in Amyloid-β-Related Rodent Models of Alzheimer's Disease. Frontiers in Neuroscience, 2020, 14, 266. | 1.4 | 44 |
| 1336 | miR-16-5p is upregulated by amyloid β deposition in Alzheimer's disease models and induces neuronal cell apoptosis through direct targeting and suppression of BCL-2. Experimental Gerontology, 2020, 136, 110954. | 1.2 | 31 |
| 1337 | 2-Hydroxy-Docosahexaenoic Acid Is Converted Into Heneicosapentaenoic Acid via α-Oxidation: Implications for Alzheimer's Disease Therapy. Frontiers in Cell and Developmental Biology, 2020, 8, 164. | 1.8 | 6 |
| 1338 | Discovery of Chemicals to Either Clear or Indicate Amyloid Aggregates by Targeting Memoryâ€Impairing Antiâ€Parallel Aβ Dimers. Angewandte Chemie, 2020, 132, 11588-11597. | 1.6 | 3 |
| 1339 | Transcranial focused ultrasound, pulsed at 40ÂHz, activates microglia acutely and reduces Aβ load chronically, as demonstrated inÁvivo. Brain Stimulation, 2020, 13, 1014-1023. | 0.7 | 49 |
| 1340 | Shenqi Yizhi granules protect hippocampus of AD transgenic mice by modulating on multiple pathological processes. Journal of Ethnopharmacology, 2020, 263, 112869. | 2.0 | 9 |
| 1341 | A Multifunctional Chemical Agent as an Attenuator of Amyloid Burden and Neuroinflammation in Alzheimer's Disease. ACS Chemical Neuroscience, 2020, 11, 1471-1481. | 1.7 | 25 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1342 | A selective p38α/β MAPK inhibitor alleviates neuropathology and cognitive impairment, and modulates microglia function in 5XFAD mouse. Alzheimer's Research and Therapy, 2020, 12, 45. | 3.0 | 50 |
| 1343 | A role for α-Synuclein in axon growth and its implications in corticostriatal glutamatergic plasticity in Parkinson's disease. Molecular Neurodegeneration, 2020, 15, 24. | 4.4 | 18 |
| 1344 | Apolipoprotein E4 and meningeal lymphatics in Alzheimer disease: a conceptual framework. Molecular Psychiatry, 2021, 26, 1075-1097. | 4.1 | 42 |
| 1345 | Immune Suppression of Glia Maturation Factor Reverses Behavioral Impairment, Attenuates Amyloid Plaque Pathology and Neuroinflammation in an Alzheimer's Disease Mouse Model. Journal of NeuroImmune Pharmacology, 2021, 16, 363-375. | 2.1 | 3 |
| 1346 | Multiâ€angle development of therapeutic methods for Alzheimer's disease. British Journal of Pharmacology, 2021, 178, 770-783. | 2.7 | 7 |
| 1347 | Imidazoline ligand BU224 reverses cognitive deficits, reduces microgliosis and enhances synaptic connectivity in a mouse model of Alzheimer's disease. British Journal of Pharmacology, 2021, 178, 654-671. | 2.7 | 11 |
| 1348 | Disruption of metabolic, sleep, and sensorimotor functional outcomes in a female transgenic mouse model of Alzheimer's disease. Behavioural Brain Research, 2021, 398, 112983. | 1.2 | 2 |
| 1349 | Synaptic basis of Alzheimer's disease: Focus on synaptic amyloid beta, P-tau and mitochondria. Ageing Research Reviews, 2021, 65, 101208. | 5.0 | 160 |
| 1350 | Protein kinase C eta is activated in reactive astrocytes of an Alzheimer's disease mouse model: Evidence for its immunoregulatory function in primary astrocytes. Glia, 2021, 69, 697-714. | 2.5 | 5 |
| 1351 | lsoorientin, a GSK-3β inhibitor, rescues synaptic dysfunction, spatial memory deficits and attenuates pathological progression in APP/PS1 model mice. Behavioural Brain Research, 2021, 398, 112968. | 1.2 | 27 |
| 1352 | Pharmacological intervention in a transgenic mouse model improves Alzheimer's-associated pathological phenotype: Involvement of proteasome activation. Free Radical Biology and Medicine, 2021, 162, 88-103. | 1.3 | 11 |
| 1353 | Deficient astrocyte metabolism impairs glutamine synthesis and neurotransmitter homeostasis in a mouse model of Alzheimer's disease. Neurobiology of Disease, 2021, 148, 105198. | 2.1 | 52 |
| 1354 | Resveratrol confers neuroprotection against high-fat diet in a mouse model of Alzheimer's disease via modulation of proteolytic mechanisms. Journal of Nutritional Biochemistry, 2021, 89, 108569. | 1.9 | 28 |
| 1355 | Dysregulation of the orexin/hypocretin system is not limited to narcolepsy but has farâ€reaching implications for neurological disorders. European Journal of Neuroscience, 2021, 53, 1136-1154. | 1.2 | 16 |
| 1356 | Recognition and Removal of Amyloidâ€Ĵ² by a Heteromultivalent Macrocyclic Coassembly: A Potential Strategy for the Treatment of Alzheimer's Disease. Advanced Materials, 2021, 33, e2006483. | 11.1 | 39 |
| 1357 | Reactive or transgenic increase in microglial TYROBP reveals a TREM2â€independent TYROBP–APOE link in wildâ€type and Alzheimer'sâ€related mice. Alzheimer's and Dementia, 2021, 17, 149-163. | 0.4 | 30 |
| 1358 | Orally Administered Benzofuran Derivative Disaggregated AÎ ² Plaques and Oligomers in the Brain of 5XFAD Alzheimer Transgenic Mouse. ACS Chemical Neuroscience, 2021, 12, 99-108. | 1.7 | 5 |
| 1359 | Preventive Effects of Continuous Betaine Intake on Cognitive Impairment and Aberrant Gene Expression in Hippocampus of 3xTg Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 79, 639-652. | 1.2 | 9 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1360 | Progress in developing rodent models of age-related macular degeneration (AMD). Experimental Eye Research, 2021, 203, 108404. | 1.2 | 24 |
| 1361 | TDMQ20, a Specific Copper Chelator, Reduces Memory Impairments in Alzheimer's Disease Mouse Models. ACS Chemical Neuroscience, 2021, 12, 140-149. | 1.7 | 26 |
| 1362 | Regional differences in beta amyloid plaque deposition and variable response to midlife environmental enrichment in the cortex of <scp>APP</scp> / <scp>PS1</scp> mice. Journal of Comparative Neurology, 2021, 529, 1849-1862. | 0.9 | 4 |
| 1363 | Attenuation of the extracellular matrix restores microglial activity during the early stage of amyloidosis. Glia, 2021, 69, 182-200. | 2.5 | 12 |
| 1364 | Systems-based proteomics to resolve the biology of Alzheimer's disease beyond amyloid and tau. Neuropsychopharmacology, 2021, 46, 98-115. | 2.8 | 70 |
| 1365 | Does hearing loss lead to dementia? A review of the literature. Hearing Research, 2021, 402, 108038. | 0.9 | 37 |
| 1366 | Reduced social investigation and increased injurious behavior in transgenic 5xFAD mice. Journal of Neuroscience Research, 2021, 99, 209-222. | 1.3 | 7 |
| 1367 | Genetic Insights into Alzheimer's Disease. Annual Review of Pathology: Mechanisms of Disease, 2021, 16, 351-376. | 9.6 | 11 |
| 1368 | The protective effect of early dietary fat consumption on Alzheimer's disease–related pathology and cognitive function in mice. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12173. | 1.8 | 5 |
| 1369 | Melatonin ameliorates microvessel abnormalities in the cerebral cortex and hippocampus in a rat model of Alzheimer's disease. Neural Regeneration Research, 2021, 16, 757. | 1.6 | 14 |
| 1370 | Mesenchymal stem cell-derived extracellular vesicles ameliorate Alzheimer's disease-like phenotypes in a preclinical mouse model. Theranostics, 2021, 11, 8129-8142. | 4.6 | 88 |
| 1371 | Nanodelivery of oxiracetam enhances memory, functional recovery and induces neuroprotection following concussive head injury. Progress in Brain Research, 2021, 265, 139-230. | 0.9 | 9 |
| 1372 | Liraglutide Has Anti-Inflammatory and Anti-Amyloid Properties in Streptozotocin-Induced and 5xFAD Mouse Models of Alzheimer's Disease. International Journal of Molecular Sciences, 2021, 22, 860. | 1.8 | 32 |
| 1373 | Relevance of transgenic mouse models for Alzheimer's disease. Progress in Molecular Biology and Translational Science, 2021, 177, 1-48. | 0.9 | 13 |
| 1374 | Clusterin secreted from astrocyte promotes excitatory synaptic transmission and ameliorates Alzheimer's disease neuropathology. Molecular Neurodegeneration, 2021, 16, 5. | 4.4 | 44 |
| 1375 | Trisomy 21–induced dysregulation of microglial homeostasis in Alzheimer's brains is mediated by USP25. Science Advances, 2021, 7, . | 4.7 | 38 |
| 1376 | Engagement of TREM2 by a novel monoclonal antibody induces activation of microglia and improves cognitive function in Alzheimer's disease models. Journal of Neuroinflammation, 2021, 18, 19. | 3.1 | 51 |
| 1377 | Longitudinal evaluation of a novel BChE PET tracer as an early <i>in vivo</i> biomarker in the brain of a mouse model for Alzheimer disease. Theranostics, 2021, 11, 6542-6559. | 4.6 | 12 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1380 | Lysosome Function and Dysfunction in Hereditary Spastic Paraplegias. Brain Sciences, 2021, 11, 152. | 1.1 | 10 |
| 1381 | Crocetin promotes clearance of amyloid-β by inducing autophagy via the STK11/LKB1-mediated AMPK pathway. Autophagy, 2021, 17, 3813-3832. | 4.3 | 62 |
| 1382 | In vitro amplification of pathogenic tau conserves disease-specific bioactive characteristics. Acta Neuropathologica, 2021, 141, 193-215. | 3.9 | 30 |
| 1383 | Epigenetics in Drug Discovery: Achievements and Challenges. , 2021, , 57-75. | | 1 |
| 1384 | Sex and sex hormone differences in hippocampal neurogenesis and their relevance to Alzheimer's disease. , 2021, , 23-77. | | 3 |
| 1385 | Inhibitory Neural Network's Impairments at Hippocampal CA1 LTP in an Aged Transgenic Mouse Model of Alzheimer's Disease. International Journal of Molecular Sciences, 2021, 22, 698. | 1.8 | 10 |
| 1386 | Cholinergic neurodegeneration in Alzheimer disease mouse models. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2021, 182, 191-209. | 1.0 | 12 |
| 1387 | Spatial memory deficiency early in 6xTg Alzheimer's disease mouse model. Scientific Reports, 2021, 11, 1334. | 1.6 | 24 |
| 1388 | Does Impairment of Adult Neurogenesis Contribute to Pathophysiology of Alzheimer's Disease? A Still Open Question. Frontiers in Molecular Neuroscience, 2020, 13, 578211. | 1.4 | 23 |
| 1389 | High spatial-resolution imaging of label-free <i>in vivo</i> protein aggregates by VISTA. Analyst, The, 2021, 146, 4135-4145. | 1.7 | 11 |
| 1390 | <i>O</i> -GlcNAcylation ameliorates the pathological manifestations of Alzheimer's disease by inhibiting necroptosis. Science Advances, 2021, 7, . | 4.7 | 68 |
| 1391 | Increased astrocyte representation in the hippocampus of 5xFAD mice. Medicinski Podmladak, 2021, 72, 5-10. | 0.2 | 0 |
| 1392 | Sex differences in microglia as a risk factor for Alzheimer's disease. , 2021, , 79-104. | | 1 |
| 1393 | Natural genetic variation determines microglia heterogeneity in wild-derived mouse models of Alzheimer's disease. Cell Reports, 2021, 34, 108739. | 2.9 | 49 |
| 1395 | Upregulation of Vitamin C Transporter Functional Expression in 5xFAD Mouse Intestine. Nutrients, 2021, 13, 617. | 1.7 | 3 |
| 1396 | CERTL reduces C16 ceramide, amyloid-β levels, and inflammation in a model of Alzheimer's disease. Alzheimer's Research and Therapy, 2021, 13, 45. | 3.0 | 16 |
| 1397 | APOE immunotherapy reduces cerebral amyloid angiopathy and amyloid plaques while improving cerebrovascular function. Science Translational Medicine, 2021, 13, . | 5.8 | 76 |
| 1398 | PIP2 Improves Cerebral Blood Flow in a Mouse Model of Alzheimer's Disease. Function, 2021, 2, zqab010. | 1.1 | 40 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1399 | Longitudinal study of subâ€regional cerebral viscoelastic properties of 5XFAD Alzheimer's disease mice using multifrequency MR elastography. Magnetic Resonance in Medicine, 2021, 86, 405-414. | 1.9 | 11 |
| 1400 | Platycodon grandiflorum Root Protects against Aβ-Induced Cognitive Dysfunction and Pathology in Female Models of Alzheimer's Disease. Antioxidants, 2021, 10, 207. | 2.2 | 7 |
| 1403 | Cerebrovascular phenotypes in mouse models of Alzheimer's disease. Journal of Cerebral Blood Flow and Metabolism, 2021, 41, 0271678X2199246. | 2.4 | 26 |
| 1404 | Mapping of microvascular architecture in the brain of an Alzheimer's disease mouse model using MRI. NMR in Biomedicine, 2021, 34, e4481. | 1.6 | 7 |
| 1405 | Potential of Caffeine in Alzheimer's Disease—A Review of Experimental Studies. Nutrients, 2021, 13, 537. | 1.7 | 44 |
| 1406 | Therapeutic effects of non-saponin fraction with rich polysaccharide from Korean red ginseng on aging and Alzheimer's disease. Free Radical Biology and Medicine, 2021, 164, 233-248. | 1.3 | 29 |
| 1408 | Stem Cell Therapies in Alzheimer's Disease: Applications for Disease Modeling. Journal of Pharmacology and Experimental Therapeutics, 2021, 377, 207-217. | 1.3 | 22 |
| 1409 | Using stable isotope labeling to advance our understanding of Alzheimer's disease etiology and pathology. Journal of Neurochemistry, 2021, 159, 318-329. | 2.1 | 7 |
| 1410 | Aβ Accumulation in Vmo Contributes to Masticatory Dysfunction in 5XFAD Mice. Journal of Dental Research, 2021, 100, 002203452110002. | 2.5 | 2 |
| 1411 | Ibrutinib modulates Aβ/tau pathology, neuroinflammation, and cognitive function in mouse models of Alzheimer's disease. Aging Cell, 2021, 20, e13332. | 3.0 | 29 |
| 1412 | Pre-Clinical Neuroprotective Evidences and Plausible Mechanisms of Sulforaphane in Alzheimer's Disease. International Journal of Molecular Sciences, 2021, 22, 2929. | 1.8 | 31 |
| 1413 | Structure, gating and interactions of the voltage-dependent anion channel. European Biophysics Journal, 2021, 50, 159-172. | 1.2 | 28 |
| 1414 | Complex Photophysical Properties of K114 Make for a Versatile Fluorescent Probe for Amyloid Detection. ACS Chemical Neuroscience, 2021, 12, 1273-1280. | 1.7 | 9 |
| 1415 | Voluntary Wheel Running Did Not Alter Gene Expression in 5xfad Mice, but in Wild-Type Animals Exclusively after One-Day of Physical Activity. Cells, 2021, 10, 693. | 1.8 | 2 |
| 1416 | <i>DJ‑1</i> affects oxidative stress and pyroptosis in hippocampal neurons of Alzheimer's disease mouse model by regulating the Nrf2 pathway. Experimental and Therapeutic Medicine, 2021, 21, 557. | 0.8 | 14 |
| 1418 | Retinal hyperspectral imaging in the 5xFAD mouse model of Alzheimer's disease. Scientific Reports, 2021, 11, 6387. | 1.6 | 7 |
| 1419 | Capillary Inward-Rectifying K+ Crippled in a Mouse Model of Alzheimer's Disease: Phosphatidylinositol 4,5-Bisphosphate to the Rescue!. Function, 2021, 2, zqab017. | 1.1 | 0 |
| 1420 | A Skate Skin Hydrolysate Restores Cognitive Function in 5XFAD Alzheimer Disease Mice Model by Suppressing Amyloid-1² Accumulation via Upregulation of ERK-CREB. International Journal of Peptide Research and Therapeutics, 2021, 27, 1419-1428. | 0.9 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1421 | Therapeutic Potential of AAV1-Rheb(S16H) Transduction against Neurodegenerative Diseases. International Journal of Molecular Sciences, 2021, 22, 3064. | 1.8 | 1 |
| 1422 | UXT chaperone prevents proteotoxicity by acting as an autophagy adaptor for p62-dependent aggrephagy. Nature Communications, 2021, 12, 1955. | 5.8 | 9 |
| 1423 | The effect of electroconvulsive therapy on neuroinflammation, behavior and amyloid plaques in the 5xFAD mouse model of Alzheimer's disease. Scientific Reports, 2021, 11, 4910. | 1.6 | 5 |
| 1425 | Pharmacological ablation of astrocytes reduces Aβ degradation and synaptic connectivity in an ex vivo model of Alzheimer's disease. Journal of Neuroinflammation, 2021, 18, 73. | 3.1 | 25 |
| 1426 | A State of the Art of Antioxidant Properties of Curcuminoids in Neurodegenerative Diseases. International Journal of Molecular Sciences, 2021, 22, 3168. | 1.8 | 19 |
| 1427 | Accelerated longâ€ŧerm forgetting is a BACE1 inhibitorâ€reversible incipient cognitive phenotype in Alzheimer's disease model mice. Neuropsychopharmacology Reports, 2021, 41, 255-259. | 1.1 | 5 |
| 1428 | Maternal antibodies facilitate Amyloid-β clearance by activating Fc-receptor-Syk-mediated phagocytosis. Communications Biology, 2021, 4, 329. | 2.0 | 8 |
| 1429 | Early loss of cerebellar Purkinje cells in human and a transgenic mouse model of Alzheimer's disease. Neurological Research, 2021, 43, 570-581. | 0.6 | 9 |
| 1430 | Acitretin reverses early functional network degradation in a mouse model of familial Alzheimer's disease. Scientific Reports, 2021, 11, 6649. | 1.6 | 15 |
| 1431 | Human neural stem cell-derived extracellular vesicles mitigate hallmarks of Alzheimer's disease. Alzheimer's Research and Therapy, 2021, 13, 57. | 3.0 | 39 |
| 1432 | An Analysis of the Neurological and Molecular Alterations Underlying the Pathogenesis of Alzheimer's Disease. Cells, 2021, 10, 546. | 1.8 | 11 |
| 1433 | Rod pathway and cone pathway retinal dysfunction in the 5xFAD mouse model of Alzheimer's disease. Scientific Reports, 2021, 11, 4824. | 1.6 | 9 |
| 1434 | RyR2 calcium channels in the spotlight—l'm ready for my close up, Dr. Alzheimer!. Cell Calcium, 2021, 94, 102342. | 1.1 | 6 |
| 1435 | GDE2-RECK controls ADAM10 α-secretase–mediated cleavage of amyloid precursor protein. Science Translational Medicine, 2021, 13, . | 5.8 | 12 |
| 1436 | The Leukotriene Receptor Antagonist Montelukast Attenuates Neuroinflammation and Affects Cognition in Transgenic 5xFAD Mice. International Journal of Molecular Sciences, 2021, 22, 2782. | 1.8 | 15 |
| 1438 | Comparison of memory, affective behavior, and neuropathology in APPNLGF knock-in mice to 5xFAD and APP/PS1 mice. Behavioural Brain Research, 2021, 404, 113192. | 1.2 | 30 |
| 1439 | Impact of Gut Microbiome Manipulation in 5xFAD Mice on Alzheimer's Disease-Like Pathology. Microorganisms, 2021, 9, 815. | 1.6 | 24 |
| 1440 | Therapeutic B-cell depletion reverses progression of Alzheimer's disease. Nature Communications, 2021, 12, 2185. | 5.8 | 75 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1441 | Early intervention attenuates synaptic plasticity impairment and neuroinflammation in 5xFAD mice. Journal of Psychiatric Research, 2021, 136, 204-216. | 1.5 | 18 |
| 1442 | The Potential Role of Protein Kinase R as a Regulator of Age-Related Neurodegeneration. Frontiers in Aging Neuroscience, 2021, 13, 638208. | 1.7 | 20 |
| 1443 | Utilising Induced Pluripotent Stem Cells in Neurodegenerative Disease Research: Focus on Glia. International Journal of Molecular Sciences, 2021, 22, 4334. | 1.8 | 14 |
| 1444 | PLD3 is a neuronal lysosomal phospholipase D associated with β-amyloid plaques and cognitive function in Alzheimer's disease. PLoS Genetics, 2021, 17, e1009406. | 1.5 | 26 |
| 1445 | Alzheimer's pathology causes impaired inhibitory connections and reactivation of spatial codes during spatial navigation. Cell Reports, 2021, 35, 109008. | 2.9 | 31 |
| 1446 | The Neuroprotective Beta Amyloid Hexapeptide Core Reverses Deficits in Synaptic Plasticity in the 5xFAD APP/PS1 Mouse Model. Frontiers in Molecular Neuroscience, 2021, 14, 576038. | 1.4 | 6 |
| 1447 | Role of triggering receptor expressed on myeloid cells 2 (TREM2) in neurodegenerative dementias. European Journal of Neuroscience, 2021, 53, 3294-3310. | 1.2 | 10 |
| 1448 | Neuronal and Astrocytic Extracellular Vesicle Biomarkers in Blood Reflect Brain Pathology in Mouse Models of Alzheimer's Disease. Cells, 2021, 10, 993. | 1.8 | 37 |
| 1449 | A novel nutritional mixture, MBN, prevents memory impairment via inhibiting NLRP3 inflammasome formation in 5xFAD transgenic mice. Nutritional Neuroscience, 2021, , 1-8. | 1.5 | 2 |
| 1450 | Subtle genomic DNA damage induces intraneuronal production of amyloidâ€Î² (1â€42) by increasing βâ€secretase activity. FASEB Journal, 2021, 35, e21569. | 0.2 | 8 |
| 1452 | Phenotypic Differences between the Alzheimer's Disease-Related hAPP-J20 Model and Heterozygous <i>Zbtb20</i> Knock-Out Mice. ENeuro, 2021, 8, ENEURO.0089-21.2021. | 0.9 | 8 |
| 1453 | Epigenetic regulation in Alzheimer's disease: is it a potential therapeutic target?. Expert Opinion on Therapeutic Targets, 2021, 25, 283-298. | 1.5 | 14 |
| 1454 | Blocking microglial activation of reactive astrocytes is neuroprotective in models of Alzheimer's disease. Acta Neuropathologica Communications, 2021, 9, 78. | 2.4 | 82 |
| 1455 | White matter aging drives microglial diversity. Neuron, 2021, 109, 1100-1117.e10. | 3.8 | 208 |
| 1456 | TREM2, microglia, and Alzheimer's disease. Mechanisms of Ageing and Development, 2021, 195, 111438. | 2.2 | 74 |
| 1457 | In Vivo/Ex Vivo EPR Investigation of the Brain Redox Status and Blood-Brain Barrier Integrity in the 5xFAD Mouse Model of Alzheimer's Disease. Current Alzheimer Research, 2021, 18, 25-34. | 0.7 | 3 |
| 1458 | Near-Infrared-Active Copper Molybdenum Sulfide Nanocubes for Phonon-Mediated Clearance of Alzheimer's β-Amyloid Aggregates. ACS Applied Materials & Interfaces, 2021, 13, 18581-18593. | 4.0 | 19 |
| 1459 | Sodium butyrate ameliorates the impairment of synaptic plasticity by inhibiting the neuroinflammation in 5XFAD mice. Chemico-Biological Interactions, 2021, 341, 109452. | 1.7 | 71 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1460 | Neuronal loss and microgliosis are restricted to the core of AÎ ² deposits in mouse models of Alzheimer's disease. Aging Cell, 2021, 20, e13380. | 3.0 | 16 |
| 1461 | A Novel Heptapeptide, GPPGPAG Transfers to the Brain, and Ameliorates Memory Dysfunction and Dendritic Atrophy in Alzheimer's Disease Model Mice. Frontiers in Pharmacology, 2021, 12, 680652. | 1.6 | 3 |
| 1462 | Horse Placental Extract Enhances Neurogenesis in the Presence of Amyloid Î ² . Nutrients, 2021, 13, 1672. | 1.7 | 4 |
| 1463 | MMP9 modulation improves specific neurobehavioral deficits in a mouse model of Alzheimer's disease. BMC Neuroscience, 2021, 22, 39. | 0.8 | 25 |
| 1464 | Annexin A1 restores cerebrovascular integrity concomitant with reduced amyloid-Î ² and tau pathology. Brain, 2021, 144, 1526-1541. | 3.7 | 24 |
| 1466 | A Negative Energy Balance Is Associated with Metabolic Dysfunctions in the Hypothalamus of a Humanized Preclinical Model of Alzheimer's Disease, the 5XFAD Mouse. International Journal of Molecular Sciences, 2021, 22, 5365. | 1.8 | 15 |
| 1467 | The Relevance of Amyloid β-Calmodulin Complexation in Neurons and Brain Degeneration in Alzheimer's Disease. International Journal of Molecular Sciences, 2021, 22, 4976. | 1.8 | 13 |
| 1468 | Transcriptional signature in microglia associated with AÎ ² plaque phagocytosis. Nature Communications, 2021, 12, 3015. | 5.8 | 142 |
| 1469 | A regional and cellular analysis of the early intracellular and extracellular accumulation of AÎ ² in the brain of 5XFAD mice. Neuroscience Letters, 2021, 754, 135869. | 1.0 | 7 |
| 1470 | Age related weight loss in female 5xFAD mice from 3 to 12 months of age. Behavioural Brain Research, 2021, 406, 113214. | 1.2 | 19 |
| 1471 | Neuroprotective Effects of Tripeptides—Epigenetic Regulators in Mouse Model of Alzheimer's Disease. Pharmaceuticals, 2021, 14, 515. | 1.7 | 7 |
| 1472 | Recombinant Inbred Mice as Models for Experimental Precision Medicine and Biology. , 0, , . | | 2 |
| 1473 | Identification of key transcriptome biomarkers based on a vital gene module associated with pathological changes in Alzheimer's disease. Aging, 2021, 13, 14940-14967. | 1.4 | 19 |
| 1474 | Diseaseâ€modifying treatment with I ₂ imidazoline receptor ligand LSL60101 in an Alzheimer's disease mouse model: a comparative study with donepezil. British Journal of Pharmacology, 2021, 178, 3017-3033. | 2.7 | 16 |
| 1475 | Alzheimer's Disease Animal Models: Elucidation of Biomarkers and Therapeutic Approaches for Cognitive Impairment. International Journal of Molecular Sciences, 2021, 22, 5549. | 1.8 | 20 |
| 1476 | Neuronal Hyperexcitability in APPSWE/PS1dE9 Mouse Models of Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 81, 855-869. | 1.2 | 14 |
| 1478 | DEF8 and Autophagy-Associated Genes Are Altered in Mild Cognitive Impairment, Probable Alzheimer's Disease Patients, and a Transgenic Model of the Disease. Journal of Alzheimer's Disease, 2021, 82, S163-S178. | 1.2 | 6 |
| 1479 | Genetically and pharmacologically limiting RyR2 open time prevents neuronal hyperactivity of hippocampal CA1 neurons in brain slices of 5xFAD mice. Neuroscience Letters, 2021, 758, 136011. | 1.0 | 6 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1481 | miR-128 as a Regulator of Synaptic Properties in 5xFAD Mice Hippocampal Neurons. Journal of Molecular Neuroscience, 2021, 71, 2593-2607. | 1.1 | 7 |
| 1482 | RTP801/REDD1 contributes to neuroinflammation severity and memory impairments in Alzheimer's disease. Cell Death and Disease, 2021, 12, 616. | 2.7 | 19 |
| 1483 | Retinal Changes in Transgenic Mouse Models of Alzheimer's Disease. Current Alzheimer Research, 2021, 18, 89-102. | 0.7 | 5 |
| 1484 | APOE4 accelerates advanced-stage vascular and neurodegenerative disorder in old Alzheimer's mice via cyclophilin A independently of amyloid-β. Nature Aging, 2021, 1, 506-520. | 5.3 | 77 |
| 1485 | Selective Regional Loss of Cortical Synapses Lacking Presynaptic Mitochondria in the 5xFAD Mouse Model. Frontiers in Neuroanatomy, 2021, 15, 690168. | 0.9 | 8 |
| 1486 | HnRNP F and hnRNP H1 regulate mRNA stability of amyloid precursor protein. NeuroReport, 2021, 32, 824-832. | 0.6 | 5 |
| 1487 | GLP-1 improves the neuronal supportive ability of astrocytes in Alzheimer's disease by regulating mitochondrial dysfunction via the cAMP/PKA pathway. Biochemical Pharmacology, 2021, 188, 114578. | 2.0 | 26 |
| 1488 | In vivo multi-parametric manganese-enhanced MRI for detecting amyloid plaques in rodent models of Alzheimer's disease. Scientific Reports, 2021, 11, 12419. | 1.6 | 7 |
| 1489 | Microarray microRNA profiling of urinary exosomes in a 5XFAD mouse model of Alzheimer's disease. Animal Models and Experimental Medicine, 2021, 4, 233-242. | 1.3 | 10 |
| 1490 | Amyloid Beta-Mediated Changes in Synaptic Function and Spine Number of Neocortical Neurons Depend on NMDA Receptors. International Journal of Molecular Sciences, 2021, 22, 6298. | 1.8 | 5 |
| 1491 | CSF1R inhibition rescues tau pathology and neurodegeneration in an A/T/N model with combined AD pathologies, while preserving plaque associated microglia. Acta Neuropathologica Communications, 2021, 9, 108. | 2.4 | 22 |
| 1492 | Regulation of microglia population dynamics throughout development, health, and disease. Glia, 2021, 69, 2771-2797. | 2.5 | 29 |
| 1493 | Ultrasensitive Multiparameter Phenotyping of Rare Cells Using an Integrated Digitalâ€Molecularâ€Counting Microfluidic Well Plate. Small, 2021, 17, e2101743. | 5.2 | 4 |
| 1494 | Evaluation of the Therapeutic Effect of Lycoramine on Alzheimer's Disease in Mouse Model. Current Medicinal Chemistry, 2021, 28, 3449-3473. | 1.2 | 7 |
| 1495 | Quinacrine directly dissociates amyloid plaques in the brain of 5XFAD transgenic mouse model of Alzheimer's disease. Scientific Reports, 2021, 11, 12043. | 1.6 | 4 |
| 1496 | Activated microglia mitigate Aβ-associated tau seeding and spreading. Journal of Experimental Medicine, 2021, 218, . | 4.2 | 94 |
| 1497 | Subcommissural Organ-Spondin-Derived Peptide Restores Memory in a Mouse Model of Alzheimer's Disease. Frontiers in Neuroscience, 2021, 15, 651094. | 1.4 | 6 |
| 1498 | A multifaceted role of progranulin in regulating amyloid-beta dynamics and responses. Life Science Alliance, 2021, 4, e202000874. | 1.3 | 10 |

| # | Article | IF | Citations |
|------|---|------|-----------|
| 1499 | Repetitive transcranial magnetic stimulation increases the brain's drainage efficiency in a mouse model of Alzheimer's disease. Acta Neuropathologica Communications, 2021, 9, 102. | 2.4 | 38 |
| 1500 | Homocysteine fibrillar assemblies display cross-talk with Alzheimer's disease β-amyloid polypeptide. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3 | 29 |
| 1501 | Retinal Ganglion Cells Functional Changes in a Mouse Model of Alzheimer's Disease Are Linked with Neurotransmitter Alterations. Journal of Alzheimer's Disease, 2021, 82, S5-S18. | 1.2 | 6 |
| 1502 | Brain Acetyl-CoA Production and Phosphorylation of Cytoskeletal Proteins Are Targets of CYP46A1 Activity Modulation and Altered Sterol Flux. Neurotherapeutics, 2021, 18, 2040-2060. | 2.1 | 9 |
| 1503 | 1700 nm optical coherence microscopy enables minimally invasive, label-free, in vivo optical biopsy deep in the mouse brain. Light: Science and Applications, 2021, 10, 145. | 7.7 | 20 |
| 1504 | Comprehensive Evaluation of the 5XFAD Mouse Model for Preclinical Testing Applications: A MODEL-AD Study. Frontiers in Aging Neuroscience, 2021, 13, 713726. | 1.7 | 133 |
| 1505 | Reactive astrocytes: The nexus of pathological and clinical hallmarks of Alzheimer's disease. Ageing Research Reviews, 2021, 68, 101335. | 5.0 | 61 |
| 1507 | Decreased Glucose Metabolism and Glutamine Synthesis in the Retina of a Transgenic Mouse Model of Alzheimer's Disease. Cellular and Molecular Neurobiology, 2021, , 1. | 1.7 | 4 |
| 1508 | Role of TREM2 in Alzheimer's Disease: A Long Road Ahead. Molecular Neurobiology, 2021, 58, 5239-5252. | 1.9 | 15 |
| 1509 | Mannan oligosaccharide attenuates cognitive and behavioral disorders in the 5xFAD Alzheimer's disease mouse model via regulating the gut microbiota-brain axis. Brain, Behavior, and Immunity, 2021, 95, 330-343. | 2.0 | 83 |
| 1510 | A protective signal between the brain's supporting cells in Alzheimer's disease. Nature, 2021, 595, 651-652. | 13.7 | 5 |
| 1511 | Astrocytic interleukin-3 programs microglia and limits Alzheimer's disease. Nature, 2021, 595, 701-706. | 13.7 | 157 |
| 1512 | Antibody Protection against Long-Term Memory Loss Induced by Monomeric C-Reactive Protein in a Mouse Model of Dementia. Biomedicines, 2021, 9, 828. | 1.4 | 9 |
| 1513 | Plaque-associated human microglia accumulate lipid droplets in a chimeric model of Alzheimer's disease. Molecular Neurodegeneration, 2021, 16, 50. | 4.4 | 65 |
| 1514 | Alzheimer's disease-associated β-amyloid does not protect against herpes simplex virus 1 infection in the mouse brain. Journal of Biological Chemistry, 2021, 297, 100845. | 1.6 | 22 |
| 1515 | Genetic Depletion of Amylin/Calcitonin Receptors Improves Memory and Learning in Transgenic Alzheimer's Disease Mouse Models. Molecular Neurobiology, 2021, 58, 5369-5382. | 1.9 | 7 |
| 1516 | Brain-wide Cas9-mediated cleavage of a gene causing familial Alzheimer's disease alleviates amyloid-related pathologies in mice. Nature Biomedical Engineering, 2022, 6, 168-180. | 11.6 | 27 |
| 1517 | Brain and Retinal Abnormalities in the 5xFAD Mouse Model of Alzheimer's Disease at Early Stages. Frontiers in Neuroscience, 2021, 15, 681831. | 1.4 | 18 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1518 | Concurrent OCT and OCT angiography of retinal neurovascular degeneration in the 5XFAD Alzheimer's disease mice. Neurophotonics, 2021, 8, 035002. | 1.7 | 12 |
| | Alzheimerat ^{mis} disease mice. Neurophotomics, 2021, 8, 055002. | | |
| 1519 | Infusion of hESC derived Immunityâ€andâ€matrix regulatory cells improves cognitive ability in earlyâ€stage AD mice. Cell Proliferation, 2021, 54, e13085. | 2.4 | 10 |
| 1520 | FoxO3 deficiency in cortical astrocytes leads to impaired lipid metabolism and aggravated amyloid pathology. Aging Cell, 2021, 20, e13432. | 3.0 | 21 |
| 1521 | Amphiphilic Distyrylbenzene Derivatives as Potential Therapeutic and Imaging Agents for Soluble and Insoluble Amyloid I² Aggregates in Alzheimer's Disease. Journal of the American Chemical Society, 2021, 143, 10462-10476. | 6.6 | 51 |
| 1522 | The role of mTORC1 activation in seizure-induced exacerbation of Alzheimer's disease. Brain, 2022, 145, 324-339. | 3.7 | 15 |
| 1523 | Shotgun lipidomics of liver and brain tissue of Alzheimer's disease model mice treated with acitretin. Scientific Reports, 2021, 11, 15301. | 1.6 | 12 |
| 1524 | Elevated Expression of MiR-17 in Microglia of Alzheimer's Disease Patients Abrogates Autophagy-Mediated Amyloid-β Degradation. Frontiers in Immunology, 2021, 12, 705581. | 2.2 | 34 |
| 1525 | N-Truncated Aβ Starting at Position Four—Biochemical Features, Preclinical Models, and Potential as Drug Target in Alzheimer's Disease. Frontiers in Aging Neuroscience, 2021, 13, 710579. | 1.7 | 9 |
| 1526 | Regular Physical Exercise Modulates Iron Homeostasis in the 5xFAD Mouse Model of Alzheimer's Disease. International Journal of Molecular Sciences, 2021, 22, 8715. | 1.8 | 10 |
| 1527 | Challenges in LC–MS-based metabolomics for Alzheimer's disease early detection: targeted approaches versus untargeted approaches. Metabolomics, 2021, 17, 78. | 1.4 | 19 |
| 1528 | Therapeutic Effects of Aripiprazole in the 5xFAD Alzheimer's Disease Mouse Model. International Journal of Molecular Sciences, 2021, 22, 9374. | 1.8 | 7 |
| 1529 | Microarray Analysis Revealed Inflammatory Transcriptomic Changes after LSL60101 Treatment in 5XFAD Mice Model. Genes, 2021, 12, 1315. | 1.0 | 1 |
| 1530 | Molecular Effects of Pteryxin and Scopoletin in the 5xFAD Alzheimer's Disease Mouse Model. Current Medicinal Chemistry, 2022, 29, 2937-2950. | 1.2 | 7 |
| 1531 | The emerging possibility of the use of geniposide in the treatment of cerebral diseases: a review. Chinese Medicine, 2021, 16, 86. | 1.6 | 18 |
| 1532 | Induction of an effective anti-Amyloid-β humoral response in aged mice. Vaccine, 2021, 39, 4817-4829. | 1.7 | 7 |
| 1533 | Microglia as hackers of the matrix: sculpting synapses and the extracellular space. Cellular and Molecular Immunology, 2021, 18, 2472-2488. | 4.8 | 61 |
| 1534 | What is the gold standard model for Alzheimer's disease drug discovery and development?. Expert Opinion on Drug Discovery, 2021, 16, 1415-1440. | 2.5 | 9 |
| 1535 | Redox Properties of Small Molecules Essential for Multiple Reactivities with Pathological Factors in Alzheimer's Disease. Bulletin of the Korean Chemical Society, 2021, 42, 1272-1280. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1537 | Planar cell polarity signaling components are a direct target of β-amyloid–associated degeneration of glutamatergic synapses. Science Advances, 2021, 7, . | 4.7 | 14 |
| 1538 | Green Tea Suppresses Amyloid β Levels and Alleviates Cognitive Impairment by Inhibiting APP Cleavage and Preventing Neurotoxicity in 5XFAD Mice. Molecular Nutrition and Food Research, 2021, 65, e2100626. | 1.5 | 11 |
| 1539 | Limiting RyR2 open time prevents Alzheimer's diseaseâ€related deficits in the 3xTGâ€AD mouse model. Journal of Neuroscience Research, 2021, 99, 2906-2921. | 1.3 | 18 |
| 1540 | Deconstructing Alzheimer's Disease: How to Bridge the Gap between Experimental Models and the Human Pathology?. International Journal of Molecular Sciences, 2021, 22, 8769. | 1.8 | 12 |
| 1541 | Interaction of Exogenous Butyrylcholinesterase with Î ² -Amyloid Plaques in 5XFAD/Butyrylcholinesterase-Knockout Mouse Brain. Current Alzheimer Research, 2021, 18, 470-481. | 0.7 | 3 |
| 1542 | Exercise hormone irisin is a critical regulator of cognitive function. Nature Metabolism, 2021, 3, 1058-1070. | 5.1 | 134 |
| 1543 | Combined Neuroprotective Strategies Blocked Neurodegeneration and Improved Brain Function in Senescence-Accelerated Mice. Frontiers in Aging Neuroscience, 2021, 13, 681498. | 1.7 | 3 |
| 1544 | Hearing Loss in Neurological Disorders. Frontiers in Cell and Developmental Biology, 2021, 9, 716300. | 1.8 | 12 |
| 1545 | Administration of Bifidobacterium bifidum BGN4 and Bifidobacterium longum BORI Improves Cognitive and Memory Function in the Mouse Model of Alzheimer's Disease. Frontiers in Aging Neuroscience, 2021, 13, 709091. | 1.7 | 29 |
| 1546 | Upregulation of IL-1 Receptor Antagonist by Aspirin in Glial Cells via Peroxisome Proliferator-Activated Receptor-Alpha. Journal of Alzheimer's Disease Reports, 2021, 5, 647-661. | 1.2 | 6 |
| 1547 | Prediction and verification of the AD-FTLD common pathomechanism based on dynamic molecular network analysis. Communications Biology, 2021, 4, 961. | 2.0 | 2 |
| 1548 | <scp>DSCR1</scp> upregulation enhances dural meningeal lymphatic drainage to attenuate amyloid pathology of <scp>A</scp> lzheimer's disease. Journal of Pathology, 2021, 255, 296-310. | 2.1 | 14 |
| 1549 | Brain Somatic Mutation in Aging and Alzheimer's Disease. Annual Review of Genomics and Human Genetics, 2021, 22, 239-256. | 2.5 | 32 |
| 1550 | Hyperbaric oxygen therapy alleviates vascular dysfunction and amyloid burden in an Alzheimer's disease mouse model and in elderly patients. Aging, 2021, 13, 20935-20961. | 1.4 | 23 |
| 1552 | Tetrandrine ameliorated Alzheimer's disease through suppressing microglial inflammatory activation and neurotoxicity in the 5XFAD mouse. Phytomedicine, 2021, 90, 153627. | 2.3 | 15 |
| 1553 | Glypican 4 Regulates Aβ Internalization in Neural Stem Cells Partly via Low-Density Lipoprotein Receptor-Related Protein 1. Frontiers in Cellular Neuroscience, 2021, 15, 732429. | 1.8 | 4 |
| 1556 | Cyclopentanone Derivative Attenuates Memory Impairment by Inhibiting Amyloid Plaques Formation in the 5xFAD Mice. International Journal of Molecular Sciences, 2021, 22, 9559. | 1.8 | 5 |
| 1557 | Control of hippocampal prothrombin kringleâ€2 (pKrâ€2) expression reduces neurotoxic symptoms in five familial Alzheimer's disease mice. British Journal of Pharmacology, 2022, 179, 998-1016. | 2.7 | 8 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1558 | Neuronal TNFα , Not α‧yn, Underlies PDD ‣ike Disease Progression in IFNβâ€KO Mice. Annals of Neurology, 2021, 90, 789-807. | 2.8 | 1 |
| 1560 | Effects of microglial depletion and TREM2 deficiency on Aβ plaque burden and neuritic plaque tau pathology in 5XFAD mice. Acta Neuropathologica Communications, 2021, 9, 150. | 2.4 | 19 |
| 1561 | BAD-mediated neuronal apoptosis and neuroinflammation contribute to Alzheimer's disease pathology. IScience, 2021, 24, 102942. | 1.9 | 19 |
| 1563 | Pregabalin Treatment does not Affect Amyloid Pathology in 5XFAD Mice. Current Alzheimer Research, 2021, 18, 283-297. | 0.7 | 3 |
| 1564 | Microfluidic Platforms to Unravel Mysteries of Alzheimer's Disease: How Far Have We Come?. Life, 2021, 11, 1022. | 1.1 | 7 |
| 1565 | An immune response characterizes early Alzheimer's disease pathology and subjective cognitive impairment in hydrocephalus biopsies. Nature Communications, 2021, 12, 5659. | 5.8 | 6 |
| 1566 | Methyl-Beta-Cyclodextrin Restores KIR Channel Function in Brain Endothelium of Female Alzheimer's Disease Mice. Journal of Alzheimer's Disease Reports, 2021, 5, 693-703. | 1.2 | 6 |
| 1567 | Suggesting 7,8-dihydroxyflavone as a promising nutraceutical against CNS disorders. Neurochemistry International, 2021, 148, 105068. | 1.9 | 13 |
| 1568 | Proton Stimulation Targeting Plaque Magnetite Reduces Amyloid-β Plaque and Iron Redox Toxicity and Improves Memory in an Alzheimer's Disease Mouse Model. Journal of Alzheimer's Disease, 2021, 84, 377-392. | 1.2 | 4 |
| 1569 | Computational Interspecies Translation Between Alzheimer's Disease Mouse Models and Human Subjects Identifies Innate Immune Complement, TYROBP, and TAM Receptor Agonist Signatures, Distinct From Influences of Aging. Frontiers in Neuroscience, 2021, 15, 727784. | 1.4 | 4 |
| 1570 | Potentiation of amyloid beta phagocytosis and amelioration of synaptic dysfunction upon FAAH deletion in a mouse model of Alzheimer's disease. Journal of Neuroinflammation, 2021, 18, 223. | 3.1 | 11 |
| 1571 | Variability in sub-threshold signaling linked to Alzheimer's disease emerges with age and amyloid plaque deposition in mouse ventral CA1 pyramidal neurons. Neurobiology of Aging, 2021, 106, 207-222. | 1.5 | 5 |
| 1572 | Roles of microglia in Alzheimer's disease and impact of new findings on microglial heterogeneity as a target for therapeutic intervention. Biochemical Pharmacology, 2021, 192, 114754. | 2.0 | 24 |
| 1573 | Coeloglossum viride var. bracteatum extract improves cognitive deficits by restoring BDNF, FGF2 levels and suppressing RIP1/RIP3/MLKL-mediated neuroinflammation in a 5xFAD mouse model of Alzheimer's disease. Journal of Functional Foods, 2021, 85, 104612. | 1.6 | 11 |
| 1574 | Aging induces abnormal accumulation of AÎ ² in extracellular vesicle and/or intraluminal membrane vesicle-rich fractions in nonhuman primate brain. Neurobiology of Aging, 2021, 106, 268-281. | 1.5 | 11 |
| 1575 | Benzofuranyl-2-imidazoles as imidazoline I2 receptor ligands for Alzheimer's disease. European Journal of Medicinal Chemistry, 2021, 222, 113540. | 2.6 | 15 |
| 1577 | Vascular endothelial growth factor associated dissimilar cerebrovascular phenotypes in two different mouse models of Alzheimer's Disease. Neurobiology of Aging, 2021, 107, 96-108. | 1.5 | 8 |
| 1578 | Modulation of Neuroinflammation by Low-Dose Radiation Therapy in an Animal Model of Alzheimer's | 0.4 | 17 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1579 | Discovery of highly potent human glutaminyl cyclase (QC) inhibitors as anti-Alzheimer's agents by the combination of pharmacophore-based and structure-based design. European Journal of Medicinal Chemistry, 2021, 226, 113819. | 2.6 | 7 |
| 1580 | Design, synthesis, and evaluation of some novel biphenyl imidazole derivatives for the treatment of Alzheimer's disease. Journal of Molecular Structure, 2021, 1246, 131152. | 1.8 | 10 |
| 1581 | Coeloglossum viride var. bracteatum extract attenuates Aβ-induced toxicity by inhibiting RIP1–driven inflammation and necroptosis. Journal of Ethnopharmacology, 2022, 282, 114606. | 2.0 | 9 |
| 1582 | Oral Amylin Treatment Reduces the Pathological Cascade of Alzheimer's Disease in a Mouse Model. American Journal of Alzheimer's Disease and Other Dementias, 2021, 36, 153331752110128. | 0.9 | 3 |
| 1583 | Region-specific amyloid-β accumulation in the olfactory system influences olfactory sensory neuronal dysfunction in 5xFAD mice. Alzheimer's Research and Therapy, 2021, 13, 4. | 3.0 | 11 |
| 1584 | Microglial Hyperreactivity Evolved to Immunosuppression in the Hippocampus of a Mouse Model of Accelerated Aging and Alzheimer's Disease Traits. Frontiers in Aging Neuroscience, 2020, 12, 622360. | 1.7 | 9 |
| 1585 | Prior activation state shapes the microglia response to antihuman TREM2 in a mouse model of Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3 | 66 |
| 1586 | Cu, Fe, and Zn isotope ratios in murine Alzheimer's disease models suggest specific signatures of amyloidogenesis and tauopathy. Journal of Biological Chemistry, 2021, 296, 100292. | 1.6 | 24 |
| 1587 | Thioflavin-positive tau aggregates complicating quantification of amyloid plaques in the brain of 5XFAD transgenic mouse model. Scientific Reports, 2021, 11, 1617. | 1.6 | 22 |
| 1588 | Animal Models of Metabolic Disorders in the Study of Neurodegenerative Diseases: An Overview. Frontiers in Neuroscience, 2020, 14, 604150. | 1.4 | 31 |
| 1589 | N6-methyladenosine dynamics in neurodevelopment and aging, and its potential role in Alzheimer's disease. Genome Biology, 2021, 22, 17. | 3.8 | 131 |
| 1590 | Cyclin-Dependent Kinase 5 (Cdk5): Linking Synaptic Plasticity and Neurodegeneration. , 2008, , 261-282. | | 1 |
| 1591 | Cdk5 as a Drug Target for Alzheimer's Disease. , 2008, , 283-299. | | 2 |
| 1592 | Apoptosis in Neurodegenerative Diseases. , 2009, , 479-504. | | 1 |
| 1593 | Animal Models of Menopausal Metabolism. , 2013, , 395-406. | | 1 |
| 1594 | Intranasal Administration of Hsp70: Molecular and Therapeutic Consequences. Heat Shock Proteins, 2018, , 305-323. | 0.2 | 1 |
| 1595 | Astroglia in Alzheimer's Disease. Advances in Experimental Medicine and Biology, 2019, 1175, 273-324. | 0.8 | 59 |
| 1596 | Discovery and development of ASK1 inhibitors. Progress in Medicinal Chemistry, 2020, 59, 101-179. | 4.1 | 17 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1597 | Stress and Alzheimer's disease: A senescence link?. Neuroscience and Biobehavioral Reviews, 2020, 115, 285-298. | 2.9 | 29 |
| 1598 | Paeoniflorin exerts neuroprotective effects in a transgenic mouse model of Alzheimer's disease via activation of adenosine A1 receptor. Neuroscience Letters, 2020, 730, 135016. | 1.0 | 26 |
| 1599 | Recognition memory impairments and amyloid-beta deposition of the retrosplenial cortex at the early stage of 5XFAD mice. Physiology and Behavior, 2020, 222, 112891. | 1.0 | 13 |
| 1615 | Activation of CaMKIV by soluble amyloid-β _{1–42} impedes trafficking of axonal vesicles and impairs activity-dependent synaptogenesis. Science Signaling, 2017, 10, . | 1.6 | 30 |
| 1616 | Upregulation of BDNF and hippocampal functions by a hippocampal ligand of PPAR $\hat{1}\pm$. JCI Insight, 2020, 5, . | 2.3 | 26 |
| 1617 | New treatment modalities in Alzheimer's disease. World Journal of Clinical Cases, 2019, 7, 1764-1774. | 0.3 | 12 |
| 1618 | Supervised learning to quantify amyloidosis in whole brains of an Alzheimer's disease mouse model acquired with optical projection tomography. Biomedical Optics Express, 2019, 10, 3041. | 1.5 | 12 |
| 1619 | In vivo longitudinal visualization of the brain neuroinflammatory response at the cellular level in LysM-GFP mice induced by 3-nitropropionic acid. Biomedical Optics Express, 2020, 11, 4835. | 1.5 | 8 |
| 1620 | Widefield light sheet microscopy using an Airy beam combined with deep-learning super-resolution. OSA Continuum, 2020, 3, 1068. | 1.8 | 13 |
| 1621 | Phospho-eIF2α Level Is Important for Determining Abilities of BACE1 Reduction to Rescue Cholinergic Neurodegeneration and Memory Defects in 5XFAD Mice. PLoS ONE, 2010, 5, e12974. | 1.1 | 106 |
| 1622 | Lack of LDL Receptor Enhances Amyloid Deposition and Decreases Glial Response in an Alzheimer's Disease Mouse Model. PLoS ONE, 2011, 6, e21880. | 1.1 | 54 |
| 1623 | Abnormal Cognition, Sleep, EEG and Brain Metabolism in a Novel Knock-In Alzheimer Mouse, PLB1. PLoS ONE, 2011, 6, e27068. | 1.1 | 115 |
| 1624 | Involvement of Receptor Tyrosine Kinase Tyro3 in Amyloidogenic APP Processing and β-Amyloid Deposition in Alzheimer's Disease Models. PLoS ONE, 2012, 7, e39035. | 1.1 | 30 |
| 1625 | Proteolytically Inactive Insulin-Degrading Enzyme Inhibits Amyloid Formation Yielding Non-Neurotoxic Aβ Peptide Aggregates. PLoS ONE, 2013, 8, e59113. | 1.1 | 41 |
| 1626 | Deletion of the eIF2α Kinase GCN2 Fails to Rescue the Memory Decline Associated with Alzheimer's Disease. PLoS ONE, 2013, 8, e77335. | 1.1 | 49 |
| 1627 | Galantamine Slows Down Plaque Formation and Behavioral Decline in the 5XFAD Mouse Model of Alzheimer's Disease. PLoS ONE, 2014, 9, e89454. | 1.1 | 101 |
| 1628 | Phosphokinase Antibody Arrays on Dendron-Coated Surface. PLoS ONE, 2014, 9, e96456. | 1.1 | 5 |
| 1629 | Cross-Sectional Comparison of Small Animal [18F]-Florbetaben Amyloid-PET between Transgenic AD Mouse Models. PLoS ONE, 2015, 10, e0116678. | 1.1 | 45 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1630 | The Y-Box Binding Protein 1 Suppresses Alzheimer's Disease Progression in Two Animal Models. PLoS ONE, 2015, 10, e0138867. | 1.1 | 24 |
| 1631 | Telmisartan Modulates Clial Activation: In Vitro and In Vivo Studies. PLoS ONE, 2016, 11, e0155823. | 1.1 | 49 |
| 1632 | Axonal and myelinic pathology in 5xFAD Alzheimer's mouse spinal cord. PLoS ONE, 2017, 12, e0188218. | 1.1 | 42 |
| 1633 | Fluorescent indolizine derivative YI-13 detects amyloid-β monomers, dimers, and plaques in the brain of 5XFAD Alzheimer transgenic mouse model. PLoS ONE, 2020, 15, e0243041. | 1.1 | 7 |
| 1634 | Rodent Models of Amyloid-Beta Feature of Alzheimer's Disease: Development and Potential Treatment Implications. , 2020, 11, 1235. | | 30 |
| 1635 | Animal models of Alzheimer disease: historical pitfalls and a path forward. ALTEX: Alternatives To Animal Experimentation, 2014, 31, 279-302. | 0.9 | 95 |
| 1636 | The continuum between neurodegeneration, brain plasticity, and movement: a critical appraisal. Reviews in the Neurosciences, 2020, 31, 723-742. | 1.4 | 30 |
| 1637 | Inhibitory Parvalbumin Basket Cell Activity is Selectively Reduced during Hippocampal Sharp Wave Ripples in a Mouse Model of Familial Alzheimer's Disease. Journal of Neuroscience, 2020, 40, 5116-5136. | 1.7 | 47 |
| 1638 | Inactive variants of death receptor p75 ^{NTR} reduce Alzheimer's neuropathology by interfering with APP internalization. EMBO Journal, 2021, 40, e104450. | 3.5 | 11 |
| 1639 | Phosphoproteomics identifies microglial Siglecâ€F inflammatory response during neurodegeneration. Molecular Systems Biology, 2020, 16, e9819. | 3.2 | 20 |
| 1640 | N-Terminally Truncated Aß Peptide Variants in Alzheimer's Disease. , 0, , 107-122. | | 5 |
| 1641 | The neuronal cell cycle as a mechanism of pathogenesis in Alzheimer's disease. Aging, 2009, 1, 363-371. | 1.4 | 90 |
| 1642 | Beneficial effects of novel antagonists of GHRH in different models of Alzheimer's disease. Aging, 2012, 4, 755-767. | 1.4 | 36 |
| 1643 | Epigenetic mechanisms underlying cognitive impairment and Alzheimer disease hallmarks in 5XFAD mice. Aging, 2016, 8, 664-684. | 1.4 | 94 |
| 1644 | Tryptophan-related dipeptides in fermented dairy products suppress microglial activation and prevent cognitive decline. Aging, 2019, 11, 2949-2967. | 1.4 | 41 |
| 1645 | Pharmacological inhibition of G9a/GLP restores cognition and reduces oxidative stress, neuroinflammation and β-Amyloid plaques in an early-onset Alzheimer's disease mouse model. Aging, 2019, 11, 11591-11608. | 1.4 | 49 |
| 1646 | Intranasal delivery of 9-cis retinoic acid reduces beta-amyloid deposition via inhibiting astrocyte-mediated inflammation. Aging, 2020, 12, 5469-5478. | 1.4 | 9 |
| 1647 | Spatial learning and memory impairments are associated with increased neuronal activity in 5XFAD mouse as measured by manganese-enhanced magnetic resonance imaging. Oncotarget, 2016, 7, 57556-57570. | 0.8 | 26 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1648 | Dry age-related macular degeneration like pathology in aged 5XFAD mice: Ultrastructure and microarray analysis. Oncotarget, 2017, 8, 40006-40018. | 0.8 | 29 |
| 1649 | Alzheimerrs Disease-Associated -amyloid Is Rapidly Seeded by <i>herpesviridae</i> to Protect Against Brain Infection. SSRN Electronic Journal, 0, , . | 0.4 | 1 |
| 1650 | The Effects of Soluble A.β Oligomers on Neurodegeneration in Alzheimer's Disease. Current Pharmaceutical Design, 2014, 20, 2506-2519. | 0.9 | 30 |
| 1651 | Glutamate and Mitochondria: Two Prominent Players in the Oxidative Stress-Induced Neurodegeneration. Current Alzheimer Research, 2016, 13, 185-197. | 0.7 | 70 |
| 1652 | Amyloid β-induced Mesenteric Inflammation in an Alzheimer's Disease Transgenic Mouse Model. Current Alzheimer Research, 2020, 17, 52-59. | 0.7 | 3 |
| 1653 | Elevated Testosterone Level and Urine Scent Marking in Male 5xFAD Alzheimer Model Mice. Current Alzheimer Research, 2020, 17, 80-92. | 0.7 | 5 |
| 1654 | Healthy Gut, Healthy Brain: The Gut Microbiome in Neurodegenerative Disorders. Current Topics in Medicinal Chemistry, 2020, 20, 1142-1153. | 1.0 | 28 |
| 1655 | Noradrenergic Regulation of Clial Activation: Molecular Mechanisms and Therapeutic Implications. Current Neuropharmacology, 2014, 12, 342-352. | 1.4 | 43 |
| 1656 | Early Intraneuronal β-Amyloid Pathology: Do Transgenic Mice Represent Valid Model Systems?. The Open Aging Journal, 2008, 2, 7-12. | 0.0 | 2 |
| 1657 | Sex-regulated gene dosage effect of PPARα on synaptic plasticity. Life Science Alliance, 2019, 2, e201800262. | 1.3 | 16 |
| 1658 | An emerging role of dysfunctional axon-oligodendrocyte coupling in neurodegenerative diseases. Dialogues in Clinical Neuroscience, 2018, 20, 283-292. | 1.8 | 32 |
| 1659 | An emerging role of dysfunctional axon-oligodendrocyte coupling in neurodegenerative diseases. Dialogues in Clinical Neuroscience, 2018, 20, 283-292. | 1.8 | 28 |
| 1660 | Intracerebroventricular Infusion of Angiotensin-(1–7) Ameliorates Cognitive Impairment and Memory Dysfunction in a Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 53, 127-133. | 1.2 | 33 |
| 1661 | Evidence that Brain-Reactive Autoantibodies Contribute to Chronic Neuronal Internalization of Exogenous Amyloid-β1-42 and Key Cell Surface Proteins During Alzheimer's Disease Pathogenesis. Journal of Alzheimer's Disease, 2020, 74, 345-361. | 1.2 | 13 |
| 1662 | A Novel Neuroregenerative Approach Using ETB Receptor Agonist, IRL-1620, to Treat CNS Disorders. Physiological Research, 2018, 67, S95-S113. | 0.4 | 26 |
| 1663 | Peptide Interference with APP and Tau Association: Relevance to Alzheimer's Disease Amelioration. International Journal of Molecular Sciences, 2020, 21, 3270. | 1.8 | 6 |
| 1664 | Improved Bioavailability of Montelukast through a Novel Oral Mucoadhesive Film in Humans and Mice. Pharmaceutics, 2021, 13, 12. | 2.0 | 10 |
| 1665 | Resveratrol improves cognition and decreases amyloid plaque formation in Tg6799 mice. Molecular Medicine Reports, 2019, 19, 3783-3790. | 1.1 | 26 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1666 | Glutamate receptor delocalization in postsynaptic membrane and reduced hippocampal synaptic plasticity in the early stage of Alzheimer's disease. Neural Regeneration Research, 2019, 14, 1037. | 1.6 | 17 |
| 1667 | Amelioration of Alzheimer's disease pathology and cognitive deficits by immunomodulatory agents in animal models of Alzheimer's disease. Neural Regeneration Research, 2019, 14, 1158. | 1.6 | 27 |
| 1668 | Can mouse models mimic sporadic Alzheimer's disease?. Neural Regeneration Research, 2020, 15, 401. | 1.6 | 32 |
| 1669 | Profiling of Differential Expression of Genes in Mice Carrying Both Mutant Presenilin 1 and Amyloid Precursor Protein Transgenes with or without Knockout of I'2 Adrenergic Receptor Gene. Journal of Applied Bioinformatics & Computational Biology, 2018, 07, . | 0.2 | 1 |
| 1670 | Absence of Nitric Oxide Synthase 3 Increases Amyloid <i>β</i> -Protein Pathology in Tg-5xFAD Mice. Neuroscience and Medicine, 2013, 04, 84-91. | 0.2 | 6 |
| 1671 | MouseBytes, an open-access high-throughput pipeline and database for rodent touchscreen-based cognitive assessment. ELife, 2019, 8, . | 2.8 | 38 |
| 1672 | Cellular taxonomy and spatial organization of the murine ventral posterior hypothalamus. ELife, 2020, 9, . | 2.8 | 45 |
| 1673 | Blood lactate dynamics in awake and anaesthetized mice after intraperitoneal and subcutaneous injections of lactate—sex matters. PeerJ, 2020, 8, e8328. | 0.9 | 5 |
| 1674 | Anti-amyloidogenic indolizino[3,2- <i>c</i>]quinolines as imaging probes differentiating dense-core, diffuse, and coronal plaques of amyloid-l². RSC Medicinal Chemistry, 2021, 12, 1926-1934. | 1.7 | 2 |
| 1675 | Microglia in Neuroinflammation and Neurodegeneration: From Understanding to Therapy. Frontiers in Neuroscience, 2021, 15, 742065. | 1.4 | 171 |
| 1676 | Mechanism of Cellular Formation and In Vivo Seeding Effects of Hexameric β-Amyloid Assemblies. Molecular Neurobiology, 2021, 58, 6647-6669. | 1.9 | 8 |
| 1677 | HMGB1 signaling phosphorylates Ku70 and impairs DNA damage repair in Alzheimer's disease pathology. Communications Biology, 2021, 4, 1175. | 2.0 | 14 |
| 1678 | Lactobacillus plantarum PS128 prevents cognitive dysfunction in Alzheimer's disease mice by modulating propionic acid levels, glycogen synthase kinase 3 beta activity, and gliosis. BMC Complementary Medicine and Therapies, 2021, 21, 259. | 1.2 | 20 |
| 1679 | Systematic phenotyping and characterization of the 5xFAD mouse model of Alzheimer's disease. Scientific Data, 2021, 8, 270. | 2.4 | 138 |
| 1680 | Hippocampal disruptions of synaptic and astrocyte metabolism are primary events of early amyloid pathology in the 5xFAD mouse model of Alzheimer's disease. Cell Death and Disease, 2021, 12, 954. | 2.7 | 41 |
| 1681 | Threaded Structure of a Pathological Oblivion. Epilepsy Currents, 2021, 21, 153575972110421. | 0.4 | 0 |
| 1682 | Prolonged Volatile Anesthetic Exposure Exacerbates Cognitive Impairment and Neuropathology in the 5xFAD Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, , 1-12. | 1.2 | 2 |
| 1683 | Iron Responsive Element-Mediated Responses to Iron Dyshomeostasis in Alzheimer's Disease. Journal of Alzheimer's Disease. 2021. 84. 1597-1630. | 1.2 | 18 |

| # | Article | IF | CITATIONS |
|-------|---|-----|-----------|
| 1684 | The Non-receptor Tyrosine Kinase Pyk2 in Brain Function and Neurological and Psychiatric Diseases. Frontiers in Synaptic Neuroscience, 2021, 13, 749001. | 1.3 | 21 |
| 1685 | Microgliaâ€specific <scp>ApoE</scp> knockâ€out does not alter Alzheimer's disease plaque pathogenesis or gene expression. Glia, 2022, 70, 287-302. | 2.5 | 20 |
| 1686 | Commensal microbiota divergently affect myeloid subsets in the mammalian central nervous system during homeostasis and disease. EMBO Journal, 2021, 40, e108605. | 3.5 | 12 |
| 1687 | Positive and Negative Selective Allosteric Modulators of α5 GABAA Receptors: Effects on Emotionality, Motivation, and Motor Function in the 5xFAD Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 84, 1291-1302. | 1.2 | 3 |
| 1688 | The potential antiâ€amyloidogenic candidate, SPA1413, for Alzheimer's disease. British Journal of Pharmacology, 2021, , . | 2.7 | 4 |
| 1689 | Activation of and in. Neuromethods, 2022, , 11-38. | 0.2 | 0 |
| 1691 | Skeletal muscle atrophyâ€induced hemopexin accelerates onset of cognitive impairment in Alzheimer's disease. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 2199-2210. | 2.9 | 21 |
| 1692 | Activation of PLCβ1 enhances endocannabinoid mobilization to restore hippocampal spike-timing-dependent potentiation and contextual fear memory impaired by Alzheimer's amyloidosis. Alzheimer's Research and Therapy, 2021, 13, 165. | 3.0 | 2 |
| 1693 | Mechanistic Insight into the Design of Chemical Tools to Control Multiple Pathogenic Features in Alzheimer's Disease. Accounts of Chemical Research, 2021, 54, 3930-3940. | 7.6 | 33 |
| 1694 | Synaptic Mitochondria: An Early Target of Amyloid-β and Tau in Alzheimer's Disease. Journal of Alzheimer's Disease, 2021, 84, 1391-1414. | 1.2 | 26 |
| 1695 | Inefficient quality control of ribosome stalling during APP synthesis generates CAT-tailed species that precipitate hallmarks of Alzheimer's disease. Acta Neuropathologica Communications, 2021, 9, 169. | 2.4 | 28 |
| 1696 | Melatonin ameliorates cognitive deficits through improving mitophagy in a mouse model of Alzheimer's disease. Journal of Pineal Research, 2021, 71, e12774. | 3.4 | 72 |
| 1697 | Activation of PPARα enhances astroglial uptake and degradation of β-amyloid. Science Signaling, 2021, 14, eabg4747. | 1.6 | 33 |
| 1699 | Brothers in arms: proBDNF/BDNF and sAPPα/Aβ-signaling and their common interplay with ADAM10, TrkB, p75NTR, sortilin, and sorLA in the progression of Alzheimer's disease. Biological Chemistry, 2022, 403, 43-71. | 1.2 | 23 |
| 1700 | Assessment of neurodegeneration and neuronal loss in aged 5XFAD mice. STAR Protocols, 2021, 2, 100915. | 0.5 | 9 |
| 1701 | Heat Shock Proteins, Unfolded Protein Response Chaperones and Alzheimer's Disease. , 2008, , 25-50. | | 1 |
| 1702 | Drosophila Model of Alzheimer's Amyloidosis. , 2009, , 197-206. | | 0 |
| 1703_ | Cvclin-Dependent Kinase 5. , 2009. , 185-201. | | 0 – |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1704 | Diet, Abeta Oligomers and Defective Insulin and Neurotrophic Factor Signaling in Alzheimer's Disease. Research and Perspectives in Alzheimer's Disease, 2010, , 183-199. | 0.1 | 0 |
| 1705 | Validation of Dementia Models Employing Neuroimaging Techniques. Neuromethods, 2011, , 187-220. | 0.2 | 1 |
| 1706 | Epigenetic Mechanisms Regulating Memory Formation in Health and Disease. Research and Perspectives in Neurosciences, 2012, , 97-104. | 0.4 | 0 |
| 1707 | The AmyloidProtein and Alzheimer's Disease. Frontiers in Neuroscience, 2012, , 1-85. | 0.0 | 0 |
| 1708 | Amyloid- \hat{l}^2 Transmissibility. Research and Perspectives in Alzheimer's Disease, 2013, , 71-86. | 0.1 | 0 |
| 1709 | Animal Models of Alzheimer's Disease. Springer Protocols, 2014, , 527-540. | 0.1 | 0 |
| 1710 | Immunocytochemical Detection of Intraneuronal Aβ Peptides in Mouse Models of Alzheimer's Disease. Neuromethods, 2015, , 179-193. | 0.2 | 0 |
| 1711 | Reserpine Improves Working Memory. Journal of Behavioral and Brain Science, 2016, 06, 107-112. | 0.2 | 3 |
| 1712 | Epilepsy in Models of Alzheimer's Disease. , 2017, , 1021-1030. | | 0 |
| 1713 | Towards Opto-Magnetic Physiology: Concepts and Pitfalls of ofMRI. Neuromethods, 2018, , 257-276. | 0.2 | Ο |
| 1714 | Microtubule-associated protein 1B rescues memory decline in Alzheimer's disease model mice. , 0, , 001-006. | | 1 |
| 1715 | A Combinatorial Antihypertensive Drug (Reserpine and Hydrazine) Does Not Cause Severe Depression. Gerontology & Geriatrics Studies, 2018, 3, . | 0.1 | 0 |
| 1723 | Potential Protective Role of Thymoquinone on Experimentally-induced Alzheimer Rats. Journal of Pharmaceutical Research International, 0, , 1-18. | 1.0 | 5 |
| 1730 | Tart Cherry Extract and Omega Fatty Acids Reduce Behavioral Deficits, Gliosis, and Amyloid-Beta Deposition in the 5xFAD Mouse Model of Alzheimer's Disease. Brain Sciences, 2021, 11, 1423. | 1.1 | 4 |
| 1731 | Alzheimer's Disease, Sleep Disordered Breathing, and Microglia: Puzzling out a Common Link. Cells, 2021, 10, 2907. | 1.8 | 10 |
| 1732 | Effects of Sex, Age, and Apolipoprotein E Genotype on Brain Ceramides and Sphingosine-1-Phosphate in Alzheimer's Disease and Control Mice. Frontiers in Aging Neuroscience, 2021, 13, 765252. | 1.7 | 7 |
| 1733 | Potential of Ramalin and Its Derivatives for the Treatment of Alzheimer's Disease. Molecules, 2021, 26, 6445. | 1.7 | 2 |
| 1734 | The 5×FAD mouse model of Alzheimer's disease. , 2020, , 207-221. | | 3 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1735 | A novel paradigm for assessing olfactory working memory capacity in mice. Translational Psychiatry, 2020, 10, 431. | 2.4 | 4 |
| 1739 | Intracerebroventricular streptozotocin induces behavioral impairments and increases short-term C3 gene expression in the hippocampus of Wistar rats. Acta Neurobiologiae Experimentalis, 2020, 80, 160-169. | 0.4 | 1 |
| 1740 | Preparing Viable Hippocampal Slices from Adult Mice for the Study of Sharp Wave-ripples. Bio-protocol, 2020, 10, e3771. | 0.2 | 2 |
| 1741 | Synaptosomal bioenergetic defects in Alzheimer's disease. , 2020, , 473-490. | | Ο |
| 1742 | Animal Models in Neuro Ophthalmology. , 2020, , 401-426. | | 0 |
| 1743 | Alzheimer model 5xfad mice and applications to dementia. , 2020, , 833-847. | | 0 |
| 1746 | Novel imaging and related techniques for studies of diseases of the central nervous system: a review. Cell and Tissue Research, 2020, 380, 415-424. | 1.5 | 2 |
| 1748 | Intrinsic antiviral immunity drives neurodegeneration in Alzheimer disease. Journal of Clinical Investigation, 2020, 130, 1622-1624. | 3.9 | 3 |
| 1750 | Mindfulness intervention improves cognitive function in older adults by enhancing the level of miRNA-29c in neuron-derived extracellular vesicles. Scientific Reports, 2021, 11, 21848. | 1.6 | 7 |
| 1751 | Deletion of <i>Abi3</i> gene locus exacerbates neuropathological features of Alzheimer's disease in a mouse model of Al² amyloidosis. Science Advances, 2021, 7, eabe3954. | 4.7 | 26 |
| 1752 | Characterization of Alzheimer's Disease-Associated Excitatory Neurons via Single-Cell RNA Sequencing Analysis. Frontiers in Aging Neuroscience, 2021, 13, 742176. | 1.7 | 7 |
| 1753 | Patterns of cognitive decline and somatosensory processing in a mouse model of amyloid accumulation. Neurobiology of Pain (Cambridge, Mass), 2021, 10, 100076. | 1.0 | 1 |
| 1754 | Novel Multitarget Hydroxamic Acids with a Natural Origin CAP Group against Alzheimer's Disease: Synthesis, Docking and Biological Evaluation. Pharmaceutics, 2021, 13, 1893. | 2.0 | 10 |
| 1759 | The amyloid beta ion channel hypothesis of Alzheimer's disease. Neuropsychiatric Disease and Treatment, 2007, 3, 597-612. | 1.0 | 61 |
| 1761 | The role of tau kinases in Alzheimer's disease. Current Opinion in Drug Discovery & Development, 2010, 13, 595-603. | 1.9 | 89 |
| 1762 | Common micro RNAs (miRNAs) target complement factor H (CFH) regulation in Alzheimer's disease (AD) and in age-related macular degeneration (AMD). International Journal of Biochemistry and Molecular Biology, 2012, 3, 105-16. | 0.1 | 93 |
| 1763 | ER-stress in Alzheimer's disease: turning the scale?. American Journal of Neurodegenerative Disease, 2013, 2, 247-65. | 0.1 | 39 |
| 1764 | Octodon degus: a strong attractor for Alzheimer research. Basic and Clinical Neuroscience, 2013, 4, 91-6. | 0.3 | 16 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1766 | Neural stem/progenitor cells in Alzheimer's disease. Yale Journal of Biology and Medicine, 2016, 89, 23-35. | 0.2 | 47 |
| 1767 | Oral Triphenylmethane Food Dye Analog, Brilliant Blue G, Prevents Neuronal Loss in APPSwDI/NOS2-/- Mouse Model. Current Alzheimer Research, 2016, 13, 663-77. | 0.7 | 4 |
| 1768 | Is Beta-Amyloid Accumulation a Cause or Consequence of Alzheimer's Disease?. , 2016, 1, . | | 13 |
| 1769 | An emerging role of dysfunctional axon-oligodendrocyte coupling in neurodegenerative diseases. Dialogues in Clinical Neuroscience, 2018, 20, 283-292. | 1.8 | 15 |
| 1770 | Neurotropin reduces memory impairment and neuroinflammation via BDNF/NF-κB in a transgenic mouse model of Alzheimer's disease. American Journal of Translational Research (discontinued), 2019, 11, 1541-1554. | 0.0 | 17 |
| 1771 | Ginkgo biloba extract improves cognitive function and increases neurogenesis by reducing Aβ pathology in 5×FAD mice. American Journal of Translational Research (discontinued), 2021, 13, 1471-1482. | 0.0 | 1 |
| 1772 | Alterations in odor hedonics in the 5XFAD Alzheimer's disease mouse model and the influence of sex. Behavioral Neuroscience, 2020, 134, 407-416. | 0.6 | 0 |
| 1773 | 5,6,7,4'-Tetramethoxyflavanone attenuates NADPH oxidase 1/4 and promotes sirtuin-1 to inhibit cell stress, senescence and apoptosis in Aß25-35-mediated SK-N-SH dysfunction. EXCLI Journal, 2021, 20, 1346-1362. | 0.5 | 0 |
| 1774 | Mitochondriomics reveals the underlying neuroprotective mechanism of TrkB receptor agonist R13 in the 5×FAD mice. Neuropharmacology, 2022, 204, 108899. | 2.0 | 9 |
| 1775 | Osteoblastic Swedish mutant APP expedites brain deficits by inducing endoplasmic reticulum stress-driven senescence. Communications Biology, 2021, 4, 1326. | 2.0 | 4 |
| 1776 | Quantitative Brain Positron Emission Tomography in Female 5XFAD Alzheimer Mice: Pathological Features and Sex-Specific Alterations. Frontiers in Medicine, 2021, 8, 745064. | 1.2 | 9 |
| 1777 | Visualizing AÎ ² deposits in live young AD model mice with a simple red/near-infrared-fluorescent AlEgen. Science China Chemistry, 2022, 65, 339-352. | 4.2 | 12 |
| 1778 | An App knock-in rat model for Alzheimer's disease exhibiting Aβ and tau pathologies, neuronal death and cognitive impairments. Cell Research, 2022, 32, 157-175. | 5.7 | 53 |
| 1779 | Modulation of Long-Term Potentiation by Gamma Frequency Transcranial Alternating Current Stimulation in Transgenic Mouse Models of Alzheimer's Disease. Brain Sciences, 2021, 11, 1532. | 1.1 | 14 |
| 1780 | Positron Emission Tomography in Animal Models of Alzheimer's Disease Amyloidosis: Translational Implications. Pharmaceuticals, 2021, 14, 1179. | 1.7 | 13 |
| 1781 | Sex Differences in Behavior and Molecular Pathology in the 5XFAD Model. Journal of Alzheimer's Disease, 2022, 85, 755-778. | 1.2 | 27 |
| 1782 | An easy brain thickâ€sectionâ€clearing protocol to observe antigens in the brains of neurological disease mouse models by conventional epifluorescence and confocal laser scanning microscopy. Microscopy Research and Technique, 2021, , . | 1.2 | 0 |
| 1783 | Adiponectin Ameliorates Cognitive Behaviors and in vivo Synaptic Plasticity Impairments in 3xTg-AD Mice. Journal of Alzheimer's Disease, 2022, 85, 343-357. | 1.2 | 7 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1784 | Microglia contribute to the propagation of AÎ ² into unaffected brain tissue. Nature Neuroscience, 2022, 25, 20-25. | 7.1 | 89 |
| 1785 | Nr4a2 Transcription Factor in Hippocampal Synaptic Plasticity, Memory and Cognitive Dysfunction: A Perspective Review. Frontiers in Molecular Neuroscience, 2021, 14, 786226. | 1.4 | 12 |
| 1786 | Prostaglandin EP2 receptor antagonist ameliorates neuroinflammation in a two-hit mouse model of Alzheimer's disease. Journal of Neuroinflammation, 2021, 18, 273. | 3.1 | 2 |
| 1787 | Three decades of Cdk5. Journal of Biomedical Science, 2021, 28, 79. | 2.6 | 52 |
| 1788 | A brain proteomic signature of incipient Alzheimer's disease in young <i>APOE</i> ε4 carriers identifies novel drug targets. Science Advances, 2021, 7, eabi8178. | 4.7 | 23 |
| 1789 | Magnetic Resonance Imaging in Animal Models of Alzheimer's Disease Amyloidosis. International Journal of Molecular Sciences, 2021, 22, 12768. | 1.8 | 18 |
| 1790 | Discovery of a novel pseudo β-hairpin structure of N-truncated amyloid-β for use as a vaccine against Alzheimer's disease. Molecular Psychiatry, 2021, , . | 4.1 | 11 |
| 1791 | E2F4-Based Gene Therapy Mitigates the Phenotype of the Alzheimer's Disease Mouse Model 5xFAD. Neurotherapeutics, 2021, 18, 2484-2503. | 2.1 | 4 |
| 1793 | Searching for new drugs for theÂtreatment ofÂdementia-related psychosis. Postepy Psychiatrii I Neurologii, 2021, 30, 270-277. | 0.2 | 0 |
| 1795 | Identification of Immune Cells and Key Genes associated with Alzheimer's Disease. International Journal of Medical Sciences, 2022, 19, 112-125. | 1.1 | 19 |
| 1796 | The Therapeutic and Diagnostic Potential of Amyloid β Oligomers Selective Antibodies to Treat Alzheimer's Disease. Frontiers in Neuroscience, 2021, 15, 768646. | 1.4 | 10 |
| 1797 | Enhanced defense against ferroptosis ameliorates cognitive impairment and reduces neurodegeneration in 5xFAD mice. Free Radical Biology and Medicine, 2022, 180, 1-12. | 1.3 | 26 |
| 1798 | ICAM-1 protects neurons against Amyloid-β and improves cognitive behaviors in 5xFAD mice by inhibiting NF-κB. Brain, Behavior, and Immunity, 2022, 100, 194-210. | 2.0 | 6 |
| 1799 | Alterations in odor hedonics in the 5XFAD Alzheimer's disease mouse model and the influence of sex Behavioral Neuroscience, 2020, 134, 407-416. | 0.6 | 2 |
| 1800 | Remembering your A, B, C's: Alzheimer's disease and ABCA1. Acta Pharmaceutica Sinica B, 2022, 12, 995-1018. | 5.7 | 15 |
| 1801 | 2-(4-Hydroxyphenyl)benzothiazole dicarboxylate ester TACN chelators for ⁶⁴ Cu PET imaging in Alzheimer's disease. Dalton Transactions, 2022, 51, 1216-1224. | 1.6 | 8 |
| 1802 | The three sisters of fate: Genetics, pathophysiology and outcomes of animal models of neurodegenerative diseases. Neuroscience and Biobehavioral Reviews, 2022, 135, 104541. | 2.9 | 4 |
| 1803 | Can rapamycin slow down memory decline in Alzheimer's disease with seizures?. Brain, 2022, 145, 14-16. | 3.7 | 1 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1804 | Brain-derived neurotrophic factor in Alzheimer's disease and its pharmaceutical potential. Translational Neurodegeneration, 2022, 11, 4. | 3.6 | 117 |
| 1805 | Relationship between Cognitive Dysfunction and Age-Related Variability in Oxidative Markers in Isolated Mitochondria of Alzheimer's Disease Transgenic Mouse Brains. Biomedicines, 2022, 10, 281. | 1.4 | 16 |
| 1806 | Sodium–calcium exchanger isoform-3 targeted Withania somnifera (L.) Dunal therapeutic intervention ameliorates cognition in the 5xFAD mouse model of Alzheimer's disease. Scientific Reports, 2022, 12, 1537. | 1.6 | 4 |
| 1807 | Differences in Immune-Related Genes Underlie Temporal and Regional Pathological Progression in 3xTg-AD Mice. Cells, 2022, 11, 137. | 1.8 | 6 |
| 1808 | Murine roseolovirus does not accelerate amyloid-l² pathology and human roseoloviruses are not over-represented in Alzheimer disease brains. Molecular Neurodegeneration, 2022, 17, 10. | 4.4 | 9 |
| 1810 | Elevation of Phospholipase C-β1 Expression by Amyloid-β Facilitates Calcium Overload in Neuronal Cells. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 1811 | <scp>MAC2</scp> is a longâ€lasting marker of peripheral cell infiltrates into the mouse <scp>CNS</scp> after bone marrow transplantation and coronavirus infection. Glia, 2022, 70, 875-891. | 2.5 | 11 |
| 1812 | Increased RyR2 open probability induces neuronal hyperactivity and memory loss with or without Alzheimer's disease–causing gene mutations. Alzheimer's and Dementia, 2022, 18, 2088-2098. | 0.4 | 16 |
| 1813 | Blood-brain barrier leakage in Alzheimer's disease: From discovery to clinical relevance. , 2022, 234, 108119. | | 38 |
| 1814 | Total ginsenoside and Acorus tatarinowii volatile oil co-administration reverses learning memory deficits, reduces Al ² 42 and AChE levels, and downregulates the PI3K/Akt/mTOR/Beclin-1 autophagic pathway in APP/PS1 double transgenic mice. Pharmacological Research Modern Chinese Medicine, 2022, 2, 100043. | 0.5 | 2 |
| 1815 | Systematic Phenotyping and Characterization of the 3xTg-AD Mouse Model of Alzheimer's Disease. Frontiers in Neuroscience, 2021, 15, 785276. | 1.4 | 58 |
| 1816 | Microbial pathogens induce neurodegeneration in Alzheimer's disease mice: protection by microglial regulation. Journal of Neuroinflammation, 2022, 19, 5. | 3.1 | 10 |
| 1817 | Neuroimaging of Mouse Models of Alzheimer's Disease. Biomedicines, 2022, 10, 305. | 1.4 | 13 |
| 1818 | Disrupted neural correlates of anesthesia and sleep reveal early circuit dysfunctions in Alzheimer models. Cell Reports, 2022, 38, 110268. | 2.9 | 13 |
| 1819 | Amyloid-β oligomers in the nucleus accumbens decrease motivation via insertion of calcium-permeable AMPA receptors. Molecular Psychiatry, 2022, 27, 2146-2157. | 4.1 | 5 |
| 1820 | Oral nimodipine treatment has no effect on amyloid pathology or neuritic dystrophy in the 5XFAD mouse model of amyloidosis. PLoS ONE, 2022, 17, e0263332. | 1.1 | 7 |
| 1821 | Chemicalâ€Ðriven Outflow of Dissociated Amyloid Burden from Brain to Blood. Advanced Science, 2022, 9, e2104542. | 5.6 | 3 |
| 1822 | Distinct profiles of cellular senescence-associated gene expression in the aged, diseased or injured central nervous system. Neuroscience Letters, 2022, 772, 136480. | 1.0 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1823 | Subacute inhalation of ultrafine particulate matter triggers inflammation without altering amyloid beta load in 5xFAD mice. NeuroToxicology, 2022, 89, 55-66. | 1.4 | 6 |
| 1824 | Protective Role of Microglia on Neuronal Survival after Exposure to Amyloid Beta. Chonnam Medical Journal, 2022, 58, 13. | 0.5 | 0 |
| 1825 | The P522R protective variant of PLCG2 promotes the expression of antigen presentation genes by human microglia in an Alzheimer's disease mouse model. Alzheimer's and Dementia, 2022, 18, 1765-1778. | 0.4 | 19 |
| 1826 | Activation of melatonin receptor 1 by CRISPRâ€Cas9 activator ameliorates cognitive deficits in an Alzheimer's disease mouse model. Journal of Pineal Research, 2022, 72, . | 3.4 | 12 |
| 1828 | A Review of the Current Mammalian Models of Alzheimer's Disease and Challenges That Need to Be Overcome. International Journal of Molecular Sciences, 2021, 22, 13168. | 1.8 | 31 |
| 1829 | Impact of the Age of Cecal Material Transfer Donors on Alzheimer's Disease Pathology in 5xFAD Mice. Microorganisms, 2021, 9, 2548. | 1.6 | 12 |
| 1830 | A novel process driving Alzheimer's disease validated in a mouse model: Therapeutic potential. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2022, 8, e12274. | 1.8 | 8 |
| 1831 | Increased Expression of KIF11/Kinesin5 Offsets Alzheimer Aβ-Mediated Toxicity and Cognitive Dysfunction in Cell Culture, Mice, and Humans. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 1832 | Analysis of Expression of the Amyloid-Degrading Enzyme Neprilysin in Brain Structures of 5xFAD Transgenic Mice. Journal of Evolutionary Biochemistry and Physiology, 2022, 58, 193-203. | 0.2 | 1 |
| 1833 | Cell Therapy as a Way to Correct Impaired Neurogenesis in the Adult Brain in a Model of Alzheimer's Disease. Journal of Evolutionary Biochemistry and Physiology, 2022, 58, 117-137. | 0.2 | 1 |
| 1834 | Improving mouse models for the study of Alzheimer's disease. Current Topics in Developmental Biology, 2022, 148, 79-113. | 1.0 | 1 |
| 1835 | Acetylcholine deficiency disrupts extratelencephalic projection neurons in the prefrontal cortex in a mouse model of Alzheimer's disease. Nature Communications, 2022, 13, 998. | 5.8 | 28 |
| 1836 | Design and Experimental Evaluation of a Peptide Antagonist against Amyloid β(1–42) Interactions with Calmodulin and Calbindin-D28k. International Journal of Molecular Sciences, 2022, 23, 2289. | 1.8 | 4 |
| 1837 | Emerging Electroencephalographic Biomarkers to Improve Preclinical to Clinical Translation in Alzheimer's Disease. Frontiers in Aging Neuroscience, 2022, 14, 805063. | 1.7 | 2 |
| 1838 | Meridianins Rescue Cognitive Deficits, Spine Density and Neuroinflammation in the 5xFAD Model of Alzheimer's Disease. Frontiers in Pharmacology, 2022, 13, 791666. | 1.6 | 5 |
| 1839 | Alterations of Neuronal Lysosomes in Alzheimer's Disease and in APPxPS1-KI Mice. Journal of Alzheimer's Disease, 2022, 87, 273-284. | 1.2 | 2 |
| 1841 | Transcriptional response of murine microglia in Alzheimer's disease and inflammation. BMC Genomics, 2022, 23, 183. | 1.2 | 11 |
| 1842 | Role of N6-methyladenosine modification in pathogenesis of ischemic stroke. Expert Review of Molecular Diagnostics, 2022, 22, 295-303. | 1.5 | 24 |

| | | CITATION R | EPORT | |
|------|---|--------------------------|-------|-----------|
| # | Article | | IF | CITATIONS |
| 1844 | Research progress of the CXCR4 mechanism in Alzheimer's disease. , 2022, 8, 3-14. | | | 9 |
| 1845 | Goal discrimination in hippocampal nonplace cells when place information is ambiguous. Proc of the National Academy of Sciences of the United States of America, 2022, 119, e21073371 | eedings 19. | 3.3 | 4 |
| 1846 | miR-3189-targeted GLUT3 repression by HDAC2 knockdown inhibits glioblastoma tumorigene through regulating glucose metabolism and proliferation. Journal of Experimental and Clinical Cancer Research, 2022, 41, 87. | sis | 3.5 | 20 |
| 1847 | Rapid Biomarker Screening of Alzheimer's Disease by Interpretable Machine Learning and Graphene-Assisted Raman Spectroscopy. ACS Nano, 2022, 16, 6426-6436. | | 7.3 | 19 |
| 1848 | Evidence for Enhanced Efficacy of Passive Immunotherapy against Beta-Amyloid in CD33-Nega Mice. Biomolecules, 2022, 12, 399. | itive 5xFAD | 1.8 | 1 |
| 1849 | ATAD3A oligomerization promotes neuropathology and cognitive deficits in Alzheimer's d models. Nature Communications, 2022, 13, 1121. | isease | 5.8 | 24 |
| 1850 | Visuoâ€spatial learning and memory impairments in the 5xFAD mouse model of Alzheimer's d Effects of age, sex, albinism, and motor impairments. Genes, Brain and Behavior, 2022, 21, e1 | isease: 2794. | 1.1 | 21 |
| 1851 | USP25 inhibition ameliorates Alzheimer's pathology through the regulation of APP proces generation. Journal of Clinical Investigation, 2022, 132, . | sing and AÎ ² | 3.9 | 21 |
| 1852 | A Mutant Variant of E2F4 Triggers Multifactorial Therapeutic Effects in 5xFAD Mice. Molecular Neurobiology, 2022, 59, 3016-3039. | | 1.9 | 3 |
| 1853 | Effects of subchronic dietary exposure to the engineered nanomaterials SiO2 and CeO2 in C5 5xFAD Alzheimer model mice. Particle and Fibre Toxicology, 2022, 19, 23. | 7BL/6J and | 2.8 | 4 |
| 1854 | Microglial VPS35 deficiency impairs Al² phagocytosis and Al²-induced disease-associated micro enhances Al² associated pathology. Journal of Neuroinflammation, 2022, 19, 61. | oglia, and | 3.1 | 12 |
| 1855 | Extracellular Matrix Recycling as a Novel Plasticity Mechanism With a Potential Role in Disease Frontiers in Cellular Neuroscience, 2022, 16, 854897. | | 1.8 | 3 |
| 1857 | Role of chronic neuroinflammation in neuroplasticity and cognitive function: A hypothesis. Alzheimer's and Dementia, 2022, 18, 2327-2340. | | 0.4 | 51 |
| 1858 | Failure of Alzheimer's Mice Brain Resident Neural Precursor Cells in Supporting Microglia-N Amyloid β Clearance. Cells, 2022, 11, 876. | Nediated | 1.8 | 4 |
| 1859 | Amelioration of Experimental Autoimmune Encephalomyelitis in Alzheimer's Disease Mous Potential Role for Al². Cells, 2022, 11, 1004. | se Models: A | 1.8 | 1 |
| 1860 | PCSK9 acts as a key regulator of Aβ clearance across the blood–brain barrier. Cellular and M Life Sciences, 2022, 79, 212. | 10lecular | 2.4 | 16 |
| 1861 | Amyloid- \hat{I}^2 oligomers interact with NMDA receptors containing GluN2B subunits and metaboti glutamate receptor 1 in primary cortical neurons: Relevance to the synapse pathology of Alzhe disease. Neuroscience Research, 2022, , . | | 1.0 | 12 |
| 1862 | Oleuropein-Rich Olive Leaf Extract Attenuates Neuroinflammation in the Alzheimer's Disea Model. ACS Chemical Neuroscience, 2022, 13, 1002-1013. | ise Mouse | 1.7 | 14 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1863 | APOE Antibody Inhibits Aβâ€Associated Tau Seeding and Spreading in a Mouse Model. Annals of Neurology, 2022, 91, 847-852. | 2.8 | 11 |
| 1864 | The bidirectional lung brain-axis of amyloid-β pathology: ozone dysregulates the peri-plaque microenvironment. Brain, 2023, 146, 991-1005. | 3.7 | 17 |
| 1865 | Inhibition of colony stimulating factor-1 receptor (CSF-1R) as a potential therapeutic strategy for neurodegenerative diseases: opportunities and challenges. Cellular and Molecular Life Sciences, 2022, 79, 219. | 2.4 | 64 |
| 1866 | GPCR19 Regulates P2X7R-Mediated NLRP3 Inflammasomal Activation of Microglia by Amyloid β in a Mouse Model of Alzheimer's Disease. Frontiers in Immunology, 2022, 13, 766919. | 2.2 | 10 |
| 1867 | Altered pain sensitivity in 5×familial Alzheimer disease mice is associated with dendritic spine loss in anterior cingulate cortex pyramidal neurons. Pain, 2022, 163, 2138-2153. | 2.0 | 2 |
| 1868 | Age-related deficits in working memory in 5xFAD mice in the Hebb-Williams maze. Behavioural Brain Research, 2022, 424, 113806. | 1.2 | 7 |
| 1869 | Magnetic resonance elastography to study the effect of amyloid plaque accumulation in a mouse model. Journal of Neuroimaging, 2022, , . | 1.0 | 2 |
| 1870 | Temporal and spatially-controlled APP transgene expression using Cre-dependent alleles. DMM Disease Models and Mechanisms, 2022, , . | 1.2 | 4 |
| 1871 | TGR5 Agonist INT-777 Alleviates Inflammatory Neurodegeneration in Parkinson's Disease Mouse Model by Modulating Mitochondrial Dynamics in Microglia. Neuroscience, 2022, 490, 100-119. | 1.1 | 13 |
| 1872 | Fatty acids as biomodulators of Piezo1 mediated glial mechanosensitivity in Alzheimer's disease. Life Sciences, 2022, 297, 120470. | 2.0 | 9 |
| 1873 | Theranostic F-SLOH mitigates Alzheimer's disease pathology involving TFEB and ameliorates cognitive functions in Alzheimer's disease models. Redox Biology, 2022, 51, 102280. | 3.9 | 41 |
| 1874 | Metabotropic glutamate receptor 5 upregulation of Î ³ -aminobutyric acid transporter 3 expression ameliorates cognitive impairment after traumatic brain injury in mice. Brain Research Bulletin, 2022, 183, 104-115. | 1.4 | 6 |
| 1875 | The amyloid peptide β disrupts intercellular junctions and increases endothelial permeability in a NADPH oxidase 1-dependent manner. Redox Biology, 2022, 52, 102287. | 3.9 | 4 |
| 1876 | Primary Cilia Structure Is Prolonged in Enteric Neurons of 5xFAD Alzheimer's Disease Model Mice. International Journal of Molecular Sciences, 2021, 22, 13564. | 1.8 | 6 |
| 1877 | Effects of transcranial ultrasound stimulation pulsed at 40ÂHz on Aβ plaques and brain rhythms in 5×FAD mice. Translational Neurodegeneration, 2021, 10, 48. | 3.6 | 17 |
| 1878 | Tissue Plasminogen Activator in Central Nervous System Physiology and Pathology: From Synaptic Plasticity to Alzheimer's Disease. Seminars in Thrombosis and Hemostasis, 2022, 48, 288-300. | 1.5 | 5 |
| 1879 | Extracellular matrix remodeling through endocytosis and resurfacing of Tenascin-R. Nature Communications, 2021, 12, 7129. | 5.8 | 25 |
| 1880 | Saturation Transfer MRI for Detection of Metabolic and Microstructural Impairments Underlying Neurodegeneration in Alzheimer's Disease. Brain Sciences, 2022, 12, 53. | 1.1 | 3 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1881 | Telomerase reverse transcriptase preserves neuron survival and cognition in Alzheimer's disease models. Nature Aging, 2021, 1, 1162-1174. | 5.3 | 24 |
| 1882 | GlyCEST: Magnetic Resonance Imaging of Glycine—Distribution in the Normal Murine Brain and Alterations in 5xFAD Mice. Contrast Media and Molecular Imaging, 2021, 2021, 1-8. | 0.4 | 0 |
| 1883 | Aberrant role of pyruvate kinase M2 in the regulation of gamma-secretase and memory deficits in Alzheimer's disease. Cell Reports, 2021, 37, 110102. | 2.9 | 19 |
| 1884 | Identification of a Thyroid Hormone Derivative as a Pleiotropic Agent for the Treatment of Alzheimer's Disease. Pharmaceuticals, 2021, 14, 1330. | 1.7 | 6 |
| 1887 | Neuronal ROS-induced glial lipid droplet formation is altered by loss of Alzheimer's disease–associated genes. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3 | 59 |
| 1888 | Alzheimer's disease modification mediated by bone marrow-derived macrophages via a TREM2-independent pathway in mouse model of amyloidosis. Nature Aging, 2022, 2, 60-73. | 5.3 | 12 |
| 1889 | The Dynamics of β-Amyloid Proteoforms Accumulation in the Brain of a 5xFAD Mouse Model of Alzheimer's Disease. International Journal of Molecular Sciences, 2022, 23, 27. | 1.8 | 7 |
| 1890 | Long-term caffeine treatment of Alzheimer mouse models ameliorates behavioural deficits and neuron loss and promotes cellular and molecular markers of neurogenesis. Cellular and Molecular Life Sciences, 2022, 79, 1. | 2.4 | 19 |
| 1891 | Ketogenic diet ameliorates cognitive impairment and neuroinflammation in a mouse model of Alzheimer's disease. CNS Neuroscience and Therapeutics, 2022, 28, 580-592. | 1.9 | 39 |
| 1892 | The niacin receptor HCAR2 modulates microglial response and limits disease progression in a mouse model of Alzheimer's disease. Science Translational Medicine, 2022, 14, eabl7634. | 5.8 | 35 |
| 1895 | Experimental modelling of Alzheimer's disease for therapeutic screening. European Journal of Medicinal Chemistry Reports, 2022, , 100044. | 0.6 | 2 |
| 1896 | Donanemab detects a minor fraction of amyloid-β plaques in post-mortem brain tissue of patients with Alzheimer's disease and Down syndrome. Acta Neuropathologica, 2022, 143, 601-603. | 3.9 | 9 |
| 1897 | Analysis of modular gene co-expression networks reveals molecular pathways underlying Alzheimer's disease and progressive supranuclear palsy. PLoS ONE, 2022, 17, e0266405. | 1.1 | 3 |
| 1898 | Galantamine tethered hydrogel as a novel therapeutic target for streptozotocin-induced Alzheimer's disease in Wistar rats. Current Research in Pharmacology and Drug Discovery, 2022, 3, 100100. | 1.7 | 10 |
| 1899 | Light Microscopy Approach for Simultaneous Identification of Glial Cells and Amyloid Plaques. Cell and Tissue Biology, 2022, 16, 140-149. | 0.2 | 1 |
| 1900 | High-Resolution Digital Panorama of Multiple Structures in Whole Brain of Alzheimer's Disease Mice. Frontiers in Neuroscience, 2022, 16, 870520. | 1.4 | 6 |
| 1901 | Amyloid β, Tau, and α-Synuclein aggregates in the pathogenesis, prognosis, and therapeutics for neurodegenerative diseases. Progress in Neurobiology, 2022, 214, 102270. | 2.8 | 77 |
| 1902 | A Model of Discovery: The Role of Imaging Established and Emerging Non-mammalian Models in Neuroscience. Frontiers in Molecular Neuroscience, 2022, 15, 867010. | 1.4 | 3 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1903 | Concerted type I interferon signaling in microglia and neural cells promotes memory impairment associated with amyloid β plaques. Immunity, 2022, 55, 879-894.e6. | 6.6 | 64 |
| 1904 | Optical Nanosensor for Intracellular and Intracranial Detection of Amyloid-Beta. ACS Nano, 2022, 16, 7269-7283. | 7.3 | 14 |
| 1905 | Riluzole restores memory and brain energy metabolism in AβPP-PS1 mouse model of Alzheimer's disease. Biochemical and Biophysical Research Communications, 2022, 610, 140-146. | 1.0 | 2 |
| 1906 | miRNA sensing hydrogels capable of self-signal amplification for early diagnosis of Alzheimer's disease. Biosensors and Bioelectronics, 2022, 209, 114279. | 5.3 | 11 |
| 1968 | Elevation of phospholipase C-β1 expression by amyloid-β facilitates calcium overload in neuronal cells. Brain Research, 2022, 1788, 147924. | 1.1 | 6 |
| 1970 | Effects of chronic intranasal dantrolene on nasal mucosa morphology in mice European Review for Medical and Pharmacological Sciences, 2022, 26, 198-203. | 0.5 | 1 |
| 1971 | Involvement of cholesterol and β-amyloid in the initiation and progression of Alzheimer's disease. , 2022, , 715-745. | | 0 |
| 1972 | Adult hippocampal neurogenesis and its impairment in Alzheimer's disease. Zoological Research, 2022, 43, 481-496. | 0.9 | 16 |
| 1973 | Cannabinoid CB2 Receptors Modulate Microglia Function and Amyloid Dynamics in a Mouse Model of Alzheimer's Disease. Frontiers in Pharmacology, 2022, 13, . | 1.6 | 10 |
| 1974 | Loss of microglial EED impairs synapse density, learning, and memory. Molecular Psychiatry, 2022, 27, 2999-3009. | 4.1 | 16 |
| 1975 | Impact of Cerebral Amyloid Angiopathy in Two Transgenic Mouse Models of Cerebral β-Amyloidosis: A Neuropathological Study. International Journal of Molecular Sciences, 2022, 23, 4972. | 1.8 | 8 |
| 1976 | PET Imaging in Preclinical Anti-AÎ ² Drug Development. Pharmaceutical Research, 2022, 39, 1481-1496. | 1.7 | 7 |
| 1977 | Transgenic Mouse Models of Alzheimer's Disease: An Integrative Analysis. International Journal of Molecular Sciences, 2022, 23, 5404. | 1.8 | 36 |
| 1978 | Pathogenic tau recruits wild-type tau into brain inclusions and induces gut degeneration in transgenic SPAM mice. Communications Biology, 2022, 5, 446. | 2.0 | 4 |
| 1979 | Resilient Hippocampal Gamma Rhythmogenesis and Parvalbumin-Expressing Interneuron Function Before and After Plaque Burden in 5xFAD Alzheimer's Disease Model. Frontiers in Synaptic Neuroscience, 2022, 14, . | 1.3 | 5 |
| 1980 | Poloxamer-188 Exacerbates Brain Amyloidosis, Presynaptic Dystrophies, and Pathogenic Microglial Activation in 5XFAD Mice. Current Alzheimer Research, 2022, 19, 317-329. | 0.7 | 1 |
| 1981 | Small RNA Sequencing in the Tg4–42 Mouse Model Suggests the Involvement of snoRNAs in the Etiology of Alzheimer's Disease. Journal of Alzheimer's Disease, 2022, 87, 1671-1681. | 1.2 | 2 |
| 1982 | A Potential Strategy for Treatment of Neurodegenerative Disorders by Regulation of Adult Hippocampal Neurogenesis in Human Brain. Current Medicinal Chemistry, 2022, 29, . | 1.2 | 1 |

| | | CITATION RE | EPORT | |
|------|--|-----------------------------------|-------|-----------|
| # | Article | | IF | CITATIONS |
| 1983 | Olfactory Evaluation in Alzheimer's Disease Model Mice. Brain Sciences, 2022, 12, | 607. | 1.1 | 7 |
| 1984 | Promise of irisin to attenuate cognitive dysfunction in aging and Alzheimer's disea Reviews, 2022, 78, 101637. | se. Ageing Research | 5.0 | 16 |
| 1985 | Dietary administration of D-chiro-inositol attenuates sex-specific metabolic imbalances mouse model of Alzheimer's disease. Biomedicine and Pharmacotherapy, 2022, 15 | | 2.5 | 2 |
| 1986 | MST1 mediates neuronal loss and cognitive deficits: A novel therapeutic target for Alzl disease. Progress in Neurobiology, 2022, 214, 102280. | neimer's | 2.8 | 9 |
| 1987 | Altered protein expression of membrane transporters in isolated cerebral microvessels cortex of a rat Alzheimer's disease model. Neurobiology of Disease, 2022, 169, 10574 | | 2.1 | 14 |
| 1988 | Neuron-astrocyte transmitophagy is altered in Alzheimer's disease. Neurobiology of Dis 105753. | sease, 2022, 170, | 2.1 | 27 |
| 1989 | Cryptotanshinone Attenuates Amyloid-β42-induced Tau Phosphorylation by Regulating Pathway in HT22 Cells. Molecular Neurobiology, 2022, 59, 4488-4500. | g PI3K/Akt/GSK3î² | 1.9 | 3 |
| 1990 | PET Imaging in Animal Models of Alzheimer's Disease. Frontiers in Neuroscience, 2 | 022, 16, . | 1.4 | 4 |
| 1991 | FT-ICR Mass Spectrometry Imaging at Extreme Mass Resolving Power Using a Dynamic ICR Cell with 11‰ or 21‰ Detection. Analytical Chemistry, 2022, 94, 9316-9326. | ally Harmonized | 3.2 | 10 |
| 1993 | Mouse models of Alzheimer's disease for preclinical research. Neurochemistry Internat 158, 105361. | ional, 2022, | 1.9 | 9 |
| 1994 | Lysosomal Dysfunction in Down Syndrome and Alzheimer Mouse Models is Caused by V-Atpase Inhibition by Tyr ⁶⁸² Phosphorylated APP βCTF. SSRN 0, , . | Selective VElectronic Journal, | 0.4 | 0 |
| 1995 | Functional Deficits of 5×FAD Neural Stem Cells Are Ameliorated by Glutathione Pero 2022, 11, 1770. | kidase 4. Cells, | 1.8 | 2 |
| 1996 | Multiscale entropy analysis of retinal signals reveals reduced complexity in a mouse mo Alzheimer's disease. Scientific Reports, 2022, 12, . | odel of | 1.6 | 1 |
| 1997 | Label-free Super-resolution Imaging Enabled by Vibrational Imaging of Swelled Tissue a Journal of Visualized Experiments, 2022, , . | nd Analysis. | 0.2 | 1 |
| 1998 | Functional and Phenotypic Diversity of Microglia: Implication for Microglia-Based Thera Alzheimer's Disease. Frontiers in Aging Neuroscience, 0, 14, . | pies for | 1.7 | 15 |
| 1999 | A Signal Detection Analysis of Olfactory Learning in 12-Month-Old 5xFAD Mice. Journa Disease, 2022, , 1-8. | of Alzheimer's | 1.2 | 1 |
| 2000 | Development of a potential PET probe for HDAC6 imaging in Alzheimer's disease. Acta Sinica B, 2022, 12, 3891-3904. | Pharmaceutica | 5.7 | 11 |
| 2001 | PPARα Signaling: A Candidate Target in Psychiatric Disorder Management. Biomolecul | es, 2022, 12, 723. | 1.8 | 7 |

| # | Article | IF | CITATIONS |
|--------------|---|------------|-----------|
| 2002 | Novel Stilbene-Nitroxyl Hybrid Compounds Display Discrete Modulation of Amyloid Beta Toxicity and Structure. Frontiers in Chemistry, 2022, 10, . | 1.8 | 1 |
| 2003 | Low-Dose Anti-HIV Drug Efavirenz Mitigates Retinal Vascular Lesions in a Mouse Model of Alzheimer's Disease. Frontiers in Pharmacology, 0, 13, . | 1.6 | 6 |
| 2005 | Impact of IL-21-associated peripheral and brain crosstalk on the Alzheimer's disease neuropathology. Cellular and Molecular Life Sciences, 2022, 79, . | 2.4 | 11 |
| 2006 | Faulty autolysosome acidification in Alzheimer's disease mouse models induces autophagic build-up of Aβ in neurons, yielding senile plaques. Nature Neuroscience, 2022, 25, 688-701. | 7.1 | 254 |
| 2007 | 7,8-Dihydroxycoumarin Alleviates Synaptic Loss by Activated PI3K-Akt-CREB-BDNF Signaling in Alzheimer's Disease Model Mice. Journal of Agricultural and Food Chemistry, 2022, 70, 7130-7138. | 2.4 | 10 |
| 2008 | A monomeric polysaccharide from Polygonatum sibiricum improves cognitive functions in a model of Alzheimer's disease by reshaping the gut microbiota. International Journal of Biological Macromolecules, 2022, 213, 404-415. | 3.6 | 19 |
| 2011 | Microglial mTOR Activation Upregulates Trem2 and Enhances β-Amyloid Plaque Clearance in the <i>5XFAD</i> Alzheimer's Disease Model. Journal of Neuroscience, 2022, 42, 5294-5313. | 1.7 | 34 |
| 2012 | Biophysical Kv3 channel alterations dampen excitability of cortical PV interneurons and contribute to network hyperexcitability in early Alzheimer's. ELife, 0, 11, . | 2.8 | 14 |
| 2013 | TDP-43 drives synaptic and cognitive deterioration following traumatic brain injury. Acta Neuropathologica, 2022, 144, 187-210. | 3.9 | 20 |
| 2014 | Transcorneal electrical stimulation enhances cognitive functions in aged and 5XFAD mouse models. Annals of the New York Academy of Sciences, 2022, 1515, 249-265. | 1.8 | 8 |
| 2015 | Tracking the binding of multiâ€functional fluorescent tags for Alzheimer's disease using quantitative multiphoton microscopy. Journal of Biophotonics, 0, , . | 1.1 | 0 |
| 2016 | Neuronal Rubicon Represses Extracellular APP/Amyloid β Deposition in Alzheimer's Disease. Cells, 2022, 11, 1860. | 1.8 | 2 |
| 2017 | Longitudinal evaluation of neuroinflammation and oxidative stress in a mouse model of Alzheimer disease using positron emission tomography. Alzheimer's Research and Therapy, 2022, 14, . | 3.0 | 6 |
| | | | |
| 2018 | Absence of microglia promotes diverse pathologies and early lethality in Alzheimer's disease mice. Cell Reports, 2022, 39, 110961. | 2.9 | 48 |
| 2018 2019 | | 2.9 1.3 | 48 |
| | Reports, 2022, 39, 110961. Neuropathological and behavioral features of an APP/PS1/MAPT (6xTg) transgenic model of | | |
| 2019 | Reports, 2022, 39, 110961. Neuropathological and behavioral features of an APP/PS1/MAPT (6xTg) transgenic model of Alzheimer's disease. Molecular Brain, 2022, 15, . Mechanism of Neural Regeneration Induced by Natural Product LY01 in the 5—FAD Mouse Model of | 1.3 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2024 | Enhanced Anxiety and Olfactory Microglial Activation in Early-Stage Familial Alzheimer's Disease Mouse Model. Biology, 2022, 11, 938. | 1.3 | 6 |
| 2025 | Cyclic microchip assay for measurement of hundreds of functional proteins in single neurons. Nature Communications, 2022, 13, . | 5.8 | 6 |
| 2026 | Rodent Modeling of Alzheimer's Disease in Down Syndrome: In vivo and ex vivo Approaches. Frontiers in Neuroscience, 0, 16, . | 1.4 | 6 |
| 2027 | The dense-core plaques of Alzheimer's disease are granulomas. Journal of Experimental Medicine, 2022, 219, . | 4.2 | 15 |
| 2028 | The Periodontal Pathogen Fusobacterium nucleatum Exacerbates Alzheimer's Pathogenesis via Specific Pathways. Frontiers in Aging Neuroscience, 0, 14, . | 1.7 | 14 |
| 2029 | Loss of SST and PV positive interneurons in the ventral hippocampus results in anxiety-like behavior in 5xFAD mice. Neurobiology of Aging, 2022, 117, 165-178. | 1.5 | 8 |
| 2030 | Exploring the zinc-related transcriptional landscape in Alzheimer's disease. IBRO Neuroscience Reports, 2022, 13, 31-37. | 0.7 | 3 |
| 2031 | Prophylactic evaluation of verubecestat on disease―and symptomâ€modifying effects in 5XFAD mice. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2022, 8, . | 1.8 | 5 |
| 2032 | A shared disease-associated oligodendrocyte signature among multiple CNS pathologies. Nature Neuroscience, 2022, 25, 876-886. | 7.1 | 84 |
| 2033 | Phytochemical based Modulation of Endoplasmic Reticulum Stress in Alzheimer's Disease. Current Topics in Medicinal Chemistry, 2022, 22, 1880-1896. | 1.0 | 2 |
| 2034 | Imipramine and olanzapine block apoE4-catalyzed polymerization of Aβ and show evidence of improving Alzheimer's disease cognition. Alzheimer's Research and Therapy, 2022, 14, . | 3.0 | 7 |
| 2035 | Shati/Nat8l Overexpression Improves Cognitive Decline by Upregulating Neuronal Trophic Factor in Alzheimer's Disease Model Mice. Neurochemical Research, 2022, 47, 2805-2814. | 1.6 | 2 |
| 2036 | l2-Imidazoline Ligand CR4056 Improves Memory, Increases ApoE Expression and Reduces BBB Leakage in 5xFAD Mice. International Journal of Molecular Sciences, 2022, 23, 7320. | 1.8 | 6 |
| 2037 | Novel App knock-in mouse model shows key features of amyloid pathology and reveals profound metabolic dysregulation of microglia. Molecular Neurodegeneration, 2022, 17, . | 4.4 | 26 |
| 2038 | NMDA receptor antagonists reduce amyloid-β deposition by modulating calpain-1 signaling and autophagy, rescuing cognitive impairment in 5XFAD mice. Cellular and Molecular Life Sciences, 2022, 79, . | 2.4 | 13 |
| 2039 | Increased Acetylcholine Levels and Other Brain Effects in 5XFAD Mice after Treatment with 8,14-Dihydroxy Metabolite of Efavirenz. International Journal of Molecular Sciences, 2022, 23, 7669. | 1.8 | 3 |
| 2040 | Effects of α5 <scp> GABA _A </scp> receptor modulation on social interaction, memory, and neuroinflammation in a mouse model of Alzheimer's disease. CNS Neuroscience and Therapeutics, 0, , . | 1.9 | 4 |
| 2041 | An IL1RL1 genetic variant lowers soluble ST2 levels and the risk effects of APOE-ε4 in female patients with Alzheimer's disease. Nature Aging, 2022, 2, 616-634. | 5.3 | 11 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2043 | [124I]IBETA: A New Aβ Plaque Positron Emission Tomography Imaging Agent for Alzheimer's Disease. Molecules, 2022, 27, 4552. | 1.7 | 11 |
| 2044 | Reduced HGF/MET Signaling May Contribute to the Synaptic Pathology in an Alzheimer's Disease Mouse Model. Frontiers in Aging Neuroscience, 0, 14, . | 1.7 | 2 |
| 2045 | Functionalized Allopurinols Targeting Amyloid-Binding Alcohol Dehydrogenase Rescue AÎ ² -Induced Mitochondrial Dysfunction. ACS Chemical Neuroscience, 2022, 13, 2176-2190. | 1.7 | 8 |
| 2046 | An overview on microglial origin, distribution, and phenotype in Alzheimer's disease. Journal of Cellular Physiology, 0, , . | 2.0 | 3 |
| 2047 | Blood-based Al̂242 increases in the earliest pre-pathological stage before decreasing with progressive amyloid pathology in preclinical models and human subjects: opening new avenues for prevention. Acta Neuropathologica, 2022, 144, 489-508. | 3.9 | 6 |
| 2048 | When a trophic process turns toxic: Alzheimer's disease as an aberrant recapitulation of a developmental mechanism. International Journal of Biochemistry and Cell Biology, 2022, 149, 106260. | 1.2 | 8 |
| 2049 | Abeta-induced presynaptic release of UBC9 through extracellular vesicles involves SNAP23. Neuroscience Letters, 2022, 785, 136771. | 1.0 | 3 |
| 2050 | Loss of body weight in old 5xFAD mice and the alteration of gut microbiota composition. Experimental Gerontology, 2022, 166, 111885. | 1.2 | 3 |
| 2051 | Targeting gut microbiota to alleviate neuroinflammation in Alzheimer's disease. Advanced Drug Delivery Reviews, 2022, 188, 114418. | 6.6 | 16 |
| 2052 | Significance of native PLGA nanoparticles in the treatment of Alzheimer's disease pathology. Bioactive Materials, 2022, 17, 506-525. | 8.6 | 12 |
| 2053 | Diabetes and cognitive dysfunction. , 2023, , 185-201. | | 2 |
| 2054 | The effect of dietary fat consumption on Alzheimer's disease pathogenesis in mouse models. Translational Psychiatry, 2022, 12, . | 2.4 | 10 |
| 2055 | Targeted BACE-1 inhibition in microglia enhances amyloid clearance and improved cognitive performance. Science Advances, 2022, 8, . | 4.7 | 23 |
| 2056 | Seed-induced Aβ deposition alters neuronal function and impairs olfaction in a mouse model of Alzheimer's disease. Molecular Psychiatry, 2022, 27, 4274-4284. | 4.1 | 1 |
| 2057 | Cysteine string protein-alpha accumulates with early pre-synaptic dysfunction in Alzheimer's disease. Brain Communications, 0, , . | 1.5 | 3 |
| 2058 | Distribution and inter-regional relationship of amyloid-beta plaque deposition in a 5xFAD mouse model of Alzheimer's disease. Frontiers in Aging Neuroscience, 0, 14, . | 1.7 | 8 |
| 2059 | Adeno-associated virus (AAV) 9-mediated gene delivery of Nurr1 and Foxa2 ameliorates symptoms and pathologies of Alzheimer disease model mice by suppressing neuro-inflammation and glial pathology. Molecular Psychiatry, 0, , . | 4.1 | 7 |
| 2060 | The Role of Vitamin D in Alzheimer's Disease: A Transcriptional Regulator of Amyloidopathy and Gliopathy. Biomedicines, 2022, 10, 1824. | 1.4 | 15 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2061 | The Relationship between the Aberrant Long Non-Coding RNA-Mediated Competitive Endogenous RNA Network and Alzheimer's Disease Pathogenesis. International Journal of Molecular Sciences, 2022, 23, 8497. | 1.8 | 9 |
| 2062 | Amyloid Properties of the FXR1 Protein Are Conserved in Evolution of Vertebrates. International Journal of Molecular Sciences, 2022, 23, 7997. | 1.8 | 3 |
| 2064 | Age-dependent microstructure alterations in 5xFAD mice by high-resolution diffusion tensor imaging. Frontiers in Neuroscience, 0, 16, . | 1.4 | 2 |
| 2065 | Pharmacological activation of the C5a receptor leads to stimulation of the β-adrenergic receptor and alleviates cognitive impairment in a murine model of familial Alzheimer's disease. Frontiers in Immunology, 0, 13, . | 2.2 | 2 |
| 2066 | Augmenting neurogenesis rescues memory impairments in Alzheimer's disease by restoring the memory-storing neurons. Journal of Experimental Medicine, 2022, 219, . | 4.2 | 20 |
| 2067 | An Ultra-Low Dose of â^†9-Tetrahydrocannabinol Alleviates Alzheimer's Disease-Related Cognitive Impairments and Modulates TrkB Receptor Expression in a 5XFAD Mouse Model. International Journal of Molecular Sciences, 2022, 23, 9449. | 1.8 | 8 |
| 2068 | Age-dependent effects of gut microbiota metabolites on brain resident macrophages. Frontiers in Cellular Neuroscience, 0, 16, . | 1.8 | 7 |
| 2069 | Alterations in a cross-hemispheric circuit associates with novelty discrimination deficits in mouse models of neurodegeneration. Neuron, 2022, 110, 3091-3105.e9. | 3.8 | 6 |
| 2070 | Farnesyltransferase inhibitor LNK-754 attenuates axonal dystrophy and reduces amyloid pathology in mice. Molecular Neurodegeneration, 2022, 17, . | 4.4 | 5 |
| 2071 | Amyloid Pathology in the Central Auditory Pathway of 5XFAD Mice Appears First in Auditory Cortex. Journal of Alzheimer's Disease, 2022, 89, 1385-1402. | 1.2 | 3 |
| 2072 | Non-invasive In Vivo Brain Astrogenesis and Astrogliosis Quantification Using a Far-red E2-Crimson Transgenic Reporter Mouse. Molecular Neurobiology, 2022, 59, 6740-6753. | 1.9 | 1 |
| 2073 | Optical Redox Imaging of Ex Vivo Hippocampal Tissue Reveals Age-Dependent Alterations in the 5XFAD Mouse Model of Alzheimer's Disease. Metabolites, 2022, 12, 786. | 1.3 | 3 |
| 2074 | Morphofunctional Changes in the Brain Nervous Tissue of 5xFAD Transgenic Mice. Cell and Tissue Biology, 2022, 16, 380-391. | 0.2 | 0 |
| 2075 | Animal Models of Cognitive Deficits for Probiotic Treatment. Food Science of Animal Resources, 2022, 42, 981-995. | 1.7 | 1 |
| 2076 | <scp>5xFAD</scp> mice do not have myenteric amyloidosis, dysregulation of neuromuscular transmission or gastrointestinal dysmotility. Neurogastroenterology and Motility, 2022, 34, . | 1.6 | 3 |
| 2077 | Retinal Vascular Physiology Biomarkers in a 5XFAD Mouse Model of Alzheimer's Disease. Cells, 2022, 11, 2413. | 1.8 | 3 |
| 2078 | MEK1/2 inhibition rescues neurodegeneration by TFEB-mediated activation of autophagic lysosomal function in a model of Alzheimer's Disease. Molecular Psychiatry, 2022, 27, 4770-4780. | 4.1 | 19 |
| 2079 | Sleeve Gastrectomy Reduces Glycemia but Does Not Affect Cognitive Impairment in Lean 5xFAD Mice. Frontiers in Neuroscience, 0, 16, . | 1.4 | 0 |

| # | Article | IF | Citations |
|------|---|------|-----------|
| 2081 | Seed-induced Aβ deposits in the corpus callosum disrupt white matter integrity in a mouse model of Alzheimer's disease. Frontiers in Cellular Neuroscience, 0, 16, . | 1.8 | 1 |
| 2082 | All roads lead to heterogeneity: The complex involvement of astrocytes and microglia in the pathogenesis of Alzheimer's disease. Frontiers in Cellular Neuroscience, 0, 16, . | 1.8 | 10 |
| 2083 | Pinpointing the locus of GABAergic vulnerability in Alzheimer's disease. Seminars in Cell and Developmental Biology, 2023, 139, 35-54. | 2.3 | 7 |
| 2084 | Simultaneous imaging of redox states in dystrophic neurites and microglia at AÎ ² plaques indicate lysosome accumulation not microglia correlate with increased oxidative stress. Redox Biology, 2022, 56, 102448. | 3.9 | 4 |
| 2085 | The synaptic lipidome in health and disease. Biochimica Et Biophysica Acta - Biomembranes, 2022, 1864, 184033. | 1.4 | 3 |
| 2086 | Molecular Insights into the Role of ER Stress in Neurodegenerative Diseases. , 2022, , 219-249. | | 0 |
| 2087 | The role of Aβ in Alzheimer's Disease as an Evolutionary Outcome of Optimized Innate Immune Defense. journal of prevention of Alzheimer's disease, The, 0, , . | 1.5 | 0 |
| 2088 | Characterization of Apathy-Like Behaviors in the 5xFAD Mouse Model of Alzheimer's Disease. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 2089 | Neurodegenerative Changes in the Structural and Ultrastructural Organization in the Pyriform Cortex of 5xFAD Transgenic Mice. Journal of Evolutionary Biochemistry and Physiology, 2022, 58, 1225-1239. | 0.2 | 0 |
| 2090 | Kv1.3 K ⁺ Channel Physiology Assessed by Genetic and Pharmacological Modulation. Physiology, 2023, 38, 25-41. | 1.6 | 8 |
| 2091 | Revealing nanostructures in brain tissue via protein decrowding by iterative expansion microscopy. Nature Biomedical Engineering, 2022, 6, 1057-1073. | 11.6 | 26 |
| 2092 | Vitamin B12 Attenuates Changes in Phospholipid Levels Related to Oxidative Stress in SH-SY5Y Cells. Cells, 2022, 11, 2574. | 1.8 | 6 |
| 2093 | SPIN90 Deficiency Ameliorates Amyloid β Accumulation by Regulating APP Trafficking in AD Model Mice. International Journal of Molecular Sciences, 2022, 23, 10563. | 1.8 | 0 |
| 2094 | Dexmedetomidine exerts an anti-inflammatory effect via α2 adrenoceptors to alleviate cognitive dysfunction in 5xFAD mice. Frontiers in Aging Neuroscience, 0, 14, . | 1.7 | 4 |
| 2095 | Elevating microglia TREM2 reduces amyloid seeding and suppresses disease-associated microglia. Journal of Experimental Medicine, 2022, 219, . | 4.2 | 20 |
| 2096 | The Alzheimer's disease 5xFAD mouse model is best suited to investigate pretargeted imaging approaches beyond the blood-brain barrier. Frontiers in Nuclear Medicine, 0, 2, . | 0.7 | 1 |
| 2097 | Disrupted Maturation of Prefrontal Layer 5 Neuronal Circuits in an Alzheimer's Mouse Model of Amyloid Deposition. Neuroscience Bulletin, 2023, 39, 881-892. | 1.5 | 6 |
| 2098 | Dissection of the long-range projections of specific neurons at the synaptic level in the whole mouse brain. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 3.3 | 7 |

| | CITATION REF | CITATION REPORT | |
|------|--|-----------------|-----------|
| # | Article | IF | CITATIONS |
| 2102 | Contributions of sex and genotype to exploratory behavior differences in an aged humanized <i>APOE</i> mouse model of late-onset Alzheimer's disease. Learning and Memory, 2022, 29, 321-331. | 0.5 | 3 |
| 2103 | CX3CL1 Derived from Bone Marrow Mesenchymal Stem Cells Inhibits AÎ ² 1-42-Induced SH-SY5Y Cell Pathological Damage through TXNIP/NLRP3 Signaling Pathway. Computational and Mathematical Methods in Medicine, 2022, 2022, 1-12. | 0.7 | 2 |
| 2104 | Features of the Development and Analysis of Impairments to Social Behavior and Cognitive Functions in Animals with Experimental Alzheimer's Disease. Neuroscience and Behavioral Physiology, 0, , . | 0.2 | 0 |
| 2105 | Early impairment of cortical circuit plasticity and connectivity in the 5XFAD Alzheimer's disease mouse model. Translational Psychiatry, 2022, 12, . | 2.4 | 9 |
| 2106 | Fasting-mimicking diet cycles reduce neuroinflammation to attenuate cognitive decline in Alzheimer's models. Cell Reports, 2022, 40, 111417. | 2.9 | 15 |
| 2108 | Aβ plaques do not protect against <scp>HSV</scp> â€1 infection in a mouse model of familial Alzheimer's disease, and <scp>HSV</scp> â€1 does not induce Aβ pathology in a model of late onset Alzheimer's disease. Brain Pathology, 2023, 33, . | 2.1 | 6 |
| 2109 | The Helico Maze Detects Early Impairment of Reference Memory at Three Months of Age in the 5XFAD Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2022, 90, 251-262. | 1.2 | 1 |
| 2110 | Bibliometric review of 1992–2022 publications on acupuncture for cognitive impairment. Frontiers in Neurology, 0, 13, . | 1.1 | 4 |
| 2111 | Monoclonal antibodyâ€mediated immunosuppression enables longâ€term survival of transplanted human neural stem cells in mouse brain. Clinical and Translational Medicine, 2022, 12, . | 1.7 | 5 |
| 2113 | Temporal Pattern of Neuroinflammation Associated with a Low Glycemic Index Diet in the 5xFAD Mouse Model of Alzheimer's Disease. Molecular Neurobiology, 2022, 59, 7303-7322. | 1.9 | 2 |
| 2114 | Aβ-induced mitochondrial dysfunction in neural progenitors controls KDM5A to influence neuronal differentiation. Experimental and Molecular Medicine, 2022, 54, 1461-1471. | 3.2 | 6 |
| 2115 | Cognition-enhancing effect of YL-IPA08, a potent ligand for the translocator protein (18 kDa) in the 5 × FAD transgenic mouse model of Alzheimer's pathology. Journal of Psychopharmacology, 2022, 1176-1187. | 360 | 1 |
| 2116 | The CX3CL1 intracellular domain exhibits neuroprotection via insulin receptor/insulin-like growth factor receptor signaling. Journal of Biological Chemistry, 2022, 298, 102532. | 1.6 | 4 |
| 2117 | A tool for mapping microglial morphology, morphOMICs, reveals brain-region and sex-dependent phenotypes. Nature Neuroscience, 2022, 25, 1379-1393. | 7.1 | 22 |
| 2118 | Single Nucleus Transcriptome Data from Alzheimer's Disease Mouse Models Yield New Insight into Pathophysiology. Journal of Alzheimer's Disease, 2022, 90, 1233-1247. | 1.2 | 4 |
| 2119 | The novel estrogen receptor modulator STX attenuates Amyloid-β neurotoxicity in the 5XFAD mouse model of Alzheimer's disease. Neurobiology of Disease, 2022, 174, 105888. | 2.1 | 5 |
| 2121 | Targeting the cannabinoid system to counteract the deleterious effects of stress in Alzheimer's disease. Frontiers in Aging Neuroscience, 0, 14, . | 1.7 | 2 |
| 2124 | Increased KIF11/kinesin-5 expression offsets Alzheimer Aβ-mediated toxicity and cognitive dysfunction. IScience, 2022, 25, 105288. | 1.9 | 3 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 2125 | Amphiphilic stilbene derivatives attenuate the neurotoxicity of soluble Al² ₄₂ oligomers by controlling their interactions with cell membranes. Chemical Science, 2022, 13, 12818-12830. | 3.7 | 5 |
| 2126 | The emerging role of the microbiome in Alzheimer's disease. International Review of Neurobiology, 2022, , 101-139. | 0.9 | 8 |
| 2127 | Animal models of Alzheimer's disease: Applications, evaluation, and perspectives. Zoological Research, 2022, 43, 1026-1040. | 0.9 | 29 |
| 2129 | Microglial debris is cleared by astrocytes via C4b-facilitated phagocytosis and degraded via RUBICON-dependent noncanonical autophagy in mice. Nature Communications, 2022, 13, . | 5.8 | 28 |
| 2130 | E2F4DN Transgenic Mice: A Tool for the Evaluation of E2F4 as a Therapeutic Target in Neuropathology and Brain Aging. International Journal of Molecular Sciences, 2022, 23, 12093. | 1.8 | 1 |
| 2131 | Altering Brain Amyloidosis by Intra-Lingual and Extra-Nasal Exposure of Al ² Aggregates. Cells, 2022, 11, 3442. | 1.8 | 1 |
| 2132 | Baseline Electroencephalogram and Its Evolution after Activation of Dopaminergic System by Apomorphine in Middle-Aged 5XFAD Transgenic Mice, a Model of Alzheimer's Disease. Dynamics, 2022, 2, 356-366. | 0.5 | 1 |
| 2133 | Amyloid β, Lipid Metabolism, Basal Cholinergic System, and Therapeutics in Alzheimer's Disease. International Journal of Molecular Sciences, 2022, 23, 12092. | 1.8 | 7 |
| 2134 | Chronic TREM2 activation exacerbates Aβ-associated tau seeding and spreading. Journal of Experimental Medicine, 2023, 220, . | 4.2 | 43 |
| 2135 | Glial cell reactivity and oxidative stress prevention in Alzheimer's disease mice model by an optimized NMDA receptor antagonist. Scientific Reports, 2022, 12, . | 1.6 | 8 |
| 2136 | Age-Related Oxidative Redox and Metabolic Changes Precede Intraneuronal Amyloid-β Accumulation and Plaque Deposition in a Transgenic Alzheimer's Disease Mouse Model. Journal of Alzheimer's Disease, 2022, 90, 1501-1521. | 1.2 | 4 |
| 2137 | Suppression of Wnt/l²-Catenin Signaling Is Associated with Downregulation of Wnt1, PORCN, and Rspo2 in Alzheimer's Disease. Molecular Neurobiology, 0, , . | 1.9 | 4 |
| 2138 | Ovariectomy-induced hormone deprivation aggravates Aβ1-42 deposition in the basolateral amygdala and cholinergic fiber loss in the cortex but not cognitive behavioral symptoms in a triple transgenic mouse model of Alzheimer's disease. Frontiers in Endocrinology, 0, 13, . | 1.5 | 3 |
| 2139 | Characterization of microtubule-associated protein tau isoforms and Alzheimer's disease-like pathology in normal sheep (Ovis aries): relevance to their potential as a model of Alzheimer's disease. Cellular and Molecular Life Sciences, 2022, 79, . | 2.4 | 4 |
| 2140 | TREM2 drives microglia response to amyloid-β via SYK-dependent and -independent pathways. Cell, 2022, 185, 4153-4169.e19. | 13.5 | 92 |
| 2141 | The Hidden Role of Non-Canonical Amyloid β Isoforms in Alzheimer's Disease. Cells, 2022, 11, 3421. | 1.8 | 3 |
| 2142 | Gossypetin ameliorates 5xFAD spatial learning and memory through enhanced phagocytosis against Aβ. Alzheimer's Research and Therapy, 2022, 14, . | 3.0 | 3 |
| 2144 | Fats, Friends or Foes: Investigating the Role of Short- and Medium-Chain Fatty Acids in Alzheimer's Disease. Biomedicines, 2022, 10, 2778. | 1.4 | 4 |

| # | Article | IF | CITATIONS |
|------|--|----------------------|-----------|
| 2146 | Degradation of Bone Quality in a Transgenic Mouse Model of Alzheimer′s Disease. Journal of Bone and Mineral Research, 2020, 37, 2548-2565. | 3.1 | 10 |
| 2147 | The Neuroepigenetic Landscape of Vertebrate and Invertebrate Models of Neurodegenerative Diseases. Epigenetics Insights, 2022, 15, 251686572211358. | 0.6 | 3 |
| 2148 | The D-serine biosynthetic enzyme serine racemase is expressed by reactive astrocytes in the amygdala of human and a mouse model of Alzheimer's disease. Neuroscience Letters, 2023, 792, 136958. | 1.0 | 6 |
| 2149 | Manipulation of the diet–microbiota–brain axis in Alzheimer's disease. Frontiers in Neuroscience, 0, 16, . | 1.4 | 5 |
| 2150 | Branched-Chain Amino Acids Are Linked with Alzheimer's Disease-Related Pathology and Cognitive Deficits. Cells, 2022, 11, 3523. | 1.8 | 15 |
| 2151 | Protein Expression of Amino Acid Transporters Is Altered in Isolated Cerebral Microvessels of 5xFAD Mouse Model of Alzheimer's Disease. Molecular Neurobiology, 2023, 60, 732-748. | 1.9 | 7 |
| 2152 | Neural Stem Cells in the Treatment of Alzheimer's Disease: Current Status, Challenges, and Future Prospects. Journal of Alzheimer's Disease, 2023, 94, S173-S186. | 1.2 | 2 |
| 2153 | Cathepsin D: Analysis of its potential role as an amyloid beta degrading protease. Neurobiology of Disease, 2022, 175, 105919. | 2.1 | 6 |
| 2154 | Comprehensive analysis of dysregulated circular RNAs and construction of a ceRNA network involved in the pathology of Alzheimer's disease in a 5 × FAD mouse model. Frontiers in Aging Neuroscience | , 10 714, | 5 |
| 2155 | Dysregulation of sphingosine-1-phosphate (S1P) and S1P receptor 1 signaling in the 5xFAD mouse model of Alzheimer's disease. Brain Research, 2023, 1799, 148171. | 1.1 | 9 |
| 2156 | Intermittent fasting to slow down Alzheimer's disease. Nature Aging, 2022, 2, 982-983. | 5.3 | 0 |
| 2157 | Anti-inflammatory effects of 9-cis-retinoic acid on \hat{l}^2 -amyloid treated human microglial cells. European Journal of Inflammation, 2022, 20, 1721727X2211436. | 0.2 | 2 |
| 2158 | Degenerate mapping of environmental location presages deficits in object-location encoding and memory in the 5xFAD mouse model for Alzheimer's disease. Neurobiology of Disease, 2023, 176, 105939. | 2.1 | 4 |
| 2159 | Analysis of the time-dependent changes of phospholipids in the brain regions of a mouse model of Alzheimer's disease. Brain Research, 2023, 1800, 148197. | 1.1 | 0 |
| 2160 | Proteomic alterations in the cerebellum and hippocampus in an Alzheimer's disease mouse model: Alleviating effect of palmatine. Biomedicine and Pharmacotherapy, 2023, 158, 114111. | 2.5 | 9 |
| 2161 | Amyloid- \hat{l}^2 Clearance and its Evaluation by Auditory Stimulation in a Mouse Model of Alzheimer's Disease. , 2022, , . | | 0 |
| 2162 | Altered glial expression of the cannabinoid 1 receptor in the subiculum of a mouse model of Alzheimer's disease. Glia, 0, , . | 2.5 | 1 |
| 2163 | The STIM1/2-Regulated Calcium Homeostasis Is Impaired in Hippocampal Neurons of the 5xFAD Mouse Model of Alzheimer's Disease. International Journal of Molecular Sciences, 2022, 23, 14810. | 1.8 | 8 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2165 | Axonal Regeneration Mediated by a Novel Axonal Guidance Pair, Galectin-1 and Secernin-1. Molecular Neurobiology, 2023, 60, 1250-1266. | 1.9 | 2 |
| 2166 | Aryloxypropanolamine targets amyloid aggregates and reverses Alzheimer-like phenotypes in Alzheimer mouse models. Alzheimer's Research and Therapy, 2022, 14, . | 3.0 | 4 |
| 2167 | R-carvedilol, a potential new therapy for Alzheimer's disease. Frontiers in Pharmacology, 0, 13, . | 1.6 | 0 |
| 2168 | Development of Neuroprotective Agents for the Treatment of Alzheimer's Disease using Conjugates of Serotonin with Sesquiterpene Lactones. Current Medicinal Chemistry, 2024, 31, 529-551. | 1.2 | 2 |
| 2169 | Early diagnosis and treatment of Alzheimer's disease by targeting toxic soluble Aβ oligomers. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 3.3 | 18 |
| 2170 | Neuroprotective Epigenetic Changes Induced by Maternal Treatment with an Inhibitor of Soluble Epoxide Hydrolase Prevents Early Alzheimer′s Disease Neurodegeneration. International Journal of Molecular Sciences, 2022, 23, 15151. | 1.8 | 3 |
| 2171 | Preclinical Models for Alzheimer's Disease: Past, Present, and Future Approaches. ACS Omega, 2022, 7, 47504-47517. | 1.6 | 14 |
| 2173 | Mesoscopic Mapping of Visual Pathway in a Female 5XFAD Mouse Model of Alzheimer's Disease. Cells, 2022, 11, 3901. | 1.8 | 1 |
| 2174 | GABA Release from Astrocytes in Health and Disease. International Journal of Molecular Sciences, 2022, 23, 15859. | 1.8 | 15 |
| 2175 | Exosomal <scp>miR</scp> â€532â€5p induced by longâ€ŧerm exercise rescues blood–brain barrier function in <scp>5XFAD</scp> mice via downregulation of <i>EPHA4</i> . Aging Cell, 2023, 22, . | 3.0 | 10 |
| 2176 | No difference in cerebral perfusion between the wild-type and the 5XFAD mouse model of Alzheimer's disease. Scientific Reports, 2022, 12, . | 1.6 | 4 |
| 2177 | Neural manifold analysis of brain circuit dynamics in health and disease. Journal of Computational Neuroscience, 2023, 51, 1-21. | 0.6 | 10 |
| 2178 | Longitudinal Analysis of the Microbiome and Metabolome in the 5xfAD Mouse Model of Alzheimer's Disease. MBio, 2022, 13, . | 1.8 | 12 |
| 2179 | Novel Algorithm of Network Calcium Dynamics Analysis for Studying the Role of Astrocytes in Neuronal Activity in Alzheimer's Disease Models. International Journal of Molecular Sciences, 2022, 23, 15928. | 1.8 | 4 |
| 2180 | Amyloid Deposition and Dendritic Complexity of Corticocortical Projection Cells in Five Familial Alzheimer's Disease Mouse. Neuroscience, 2023, 512, 85-98. | 1.1 | 3 |
| 2181 | Streptozotocin mechanisms and its role in rodent models for Alzheimer's disease. Toxin Reviews, 2023, 42, 491-502. | 1.5 | 3 |
| 2182 | Dual-Specificity Protein Phosphatase 4 (DUSP4) Overexpression Improves Learning Behavior Selectively in Female 5xFAD Mice, and Reduces β-Amyloid Load in Males and Females. Cells, 2022, 11, 3880. | 1.8 | 6 |
| 2183 | Models of Neurodegenerative Diseases. Learning Materials in Biosciences, 2023, , 179-209. | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2184 | Divalent 2-(4-Hydroxyphenyl)benzothiazole Bifunctional Chelators for ⁶⁴ Cu Positron Emission Tomography Imaging in Alzheimer's Disease. Inorganic Chemistry, 2022, 61, 20326-20336. | 1.9 | 6 |
| 2185 | Indolylazine Derivative Induces Chaperone Expression in Aged Neural Cells and Prevents the Progression of Alzheimer's Disease. Molecules, 2022, 27, 8950. | 1.7 | 2 |
| 2186 | Grain-sized moxibustion inhibits the progression of Alzheimer disease in 5XFAD transgenic mice. Journal of Acupuncture and Tuina Science, 2022, 20, 419-432. | 0.1 | 0 |
| 2187 | Glial Gap Junction Pathology in the Spinal Cord of the 5xFAD Mouse Model of Early-Onset Alzheimer's Disease. International Journal of Molecular Sciences, 2022, 23, 15597. | 1.8 | 3 |
| 2188 | TREM2 dependent and independent functions of microglia in Alzheimer's disease. Molecular Neurodegeneration, 2022, 17, . | 4.4 | 25 |
| 2189 | The Impact of the Cellular Environment and Aging on Modeling Alzheimer's Disease in 3D Cell Culture Models. Advanced Science, 2023, 10, . | 5.6 | 9 |
| 2190 | Activation of innate immune cGAS-STING pathway contributes to Alzheimer's pathogenesis in 5×FAD mice. Nature Aging, 2023, 3, 202-212. | 5.3 | 32 |
| 2191 | Development of [124/125I]IAZA as a New Proteinopathy Imaging Agent for Alzheimer's Disease. Molecules, 2023, 28, 865. | 1.7 | 4 |
| 2192 | Role of the caspase-8/RIPK3 axis in Alzheimer's disease pathogenesis and Aβ-induced NLRP3 inflammasome activation. JCI Insight, 2023, 8, . | 2.3 | 12 |
| 2193 | Leveraging genetic diversity in mice to inform individual differences in brain microstructure and memory. Frontiers in Behavioral Neuroscience, 0, 16, . | 1.0 | 1 |
| 2194 | Age-related reduction in brain ACE-2 is not exacerbated by Alzheimer's disease pathology in mouse models of Alzheimer's disease. Aging Brain, 2023, 3, 100062. | 0.7 | 2 |
| 2195 | Early Mitochondrial Defects in the 5xFAD Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2023, , 1-16. | 1.2 | 1 |
| 2196 | A TREM2-activating antibody with a blood–brain barrier transport vehicle enhances microglial metabolism in Alzheimer's disease models. Nature Neuroscience, 0, , . | 7.1 | 18 |
| 2197 | Electroacupuncture Ameliorates Cognitive Impairment by Regulating γ-Amino Butyric Acidergic Interneurons in the Hippocampus of 5ÂFamilial Alzheimer's Disease Mice. Neuromodulation, 2023, , . | 0.4 | 4 |
| 2198 | Jacobâ€induced transcriptional inactivation of <scp>CREB</scp> promotes Aβâ€induced synapse loss in Alzheimer's disease. EMBO Journal, 2023, 42, . | 3.5 | 9 |
| 2199 | CYP46A1 activation by low-dose efavirenz enhances brain cholesterol metabolism in subjects with early Alzheimer's disease. Alzheimer's Research and Therapy, 2022, 14, . | 3.0 | 6 |
| 2200 | Enhanced delivery of a low dose of aducanumab via FUS in 5×FAD mice, an AD model. Translational Neurodegeneration, 2022, 11, . | 3.6 | 11 |
| 2201 | Targeting the overexpressed mitochondrial protein VDAC1 in a mouse model of Alzheimer's disease protects against mitochondrial dysfunction and mitigates brain pathology. Translational Neurodegeneration, 2022, 11, . | 3.6 | 18 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2202 | The role of <scp>FUT8</scp> â€catalyzed core fucosylation in Alzheimer's amyloidâ€Î² oligomerâ€induced activation of human microglia. Clia, 2023, 71, 1346-1359. | 2.5 | 5 |
| 2203 | Lipid mediators generated by the cytochrome P450—Epoxide hydrolase pathway. Advances in Pharmacology, 2023, , 327-373. | 1.2 | 2 |
| 2205 | Anti-malaria drug artesunate prevents development of amyloid-β pathology in mice by upregulating PICALM at the blood-brain barrier. Molecular Neurodegeneration, 2023, 18, . | 4.4 | 6 |
| 2206 | Comparison of Oleocanthal-Low EVOO and Oleocanthal against Amyloid-β and Related Pathology in a Mouse Model of Alzheimer's Disease. Molecules, 2023, 28, 1249. | 1.7 | 6 |
| 2207 | SorCS1 inhibits amyloid-β binding to neurexin and rescues amyloid-β–induced synaptic pathology. Life Science Alliance, 2023, 6, e202201681. | 1.3 | 5 |
| 2209 | Noncanonical regulation of imprinted gene lgf2 by amyloid-beta 1–42 in Alzheimer's disease. Scientific Reports, 2023, 13, . | 1.6 | 3 |
| 2210 | Adult neurogenesis in Alzheimer's disease. Hippocampus, 2023, 33, 307-321. | 0.9 | 12 |
| 2211 | Current State of Modeling Human Psychiatric Disorders Using Zebrafish. International Journal of Molecular Sciences, 2023, 24, 3187. | 1.8 | 5 |
| 2213 | Sex Differences between Neuronal Loss and the Early Onset of Amyloid Deposits and Behavioral Consequences in 5xFAD Transgenic Mouse as a Model for Alzheimer's Disease. Cells, 2023, 12, 780. | 1.8 | 8 |
| 2214 | Post-Translational Chemical Modification of Amyloid-Î ² Peptides by 4-Hydroxy-2-Nonenal. Journal of Alzheimer's Disease, 2023, 92, 499-511. | 1.2 | 0 |
| 2215 | L-type calcium channel antagonist isradipine age-dependently decreases plaque associated dystrophic neurites in 5XFAD mouse model. Neuropharmacology, 2023, 227, 109454. | 2.0 | 2 |
| 2216 | The hippocampus associated GABAergic neural network impairment in early-stage of Alzheimer's disease. Ageing Research Reviews, 2023, 86, 101865. | 5.0 | 7 |
| 2217 | Newer modalities in the management of Alzheimer's dementia along with the role of aducanumab and lecanemab in the treatment of its refractory cases. Disease-a-Month, 2023, 69, 101547. | 0.4 | 4 |
| 2218 | The effect of aquaporin-4 mis-localization on Aβ deposition in mice. Neurobiology of Disease, 2023, 181, 106100. | 2.1 | 9 |
| 2219 | Characterization of apathy-like behaviors in the 5xFAD mouse model of Alzheimer's disease. Neurobiology of Aging, 2023, 126, 113-122. | 1.5 | 4 |
| 2220 | Gamma sensory entrainment for cognitive improvement in neurodegenerative diseases: opportunities and challenges ahead. Frontiers in Integrative Neuroscience, 0, 17, . | 1.0 | 3 |
| 2222 | The application of alcian blue to identify astrocyte-associated amyloid plaques by using fluorescence and confocal microscopy. Journal of Neuroscience Methods, 2023, 387, 109797. | 1.3 | 0 |
| 2223 | lkzf1 as a novel regulator of microglial homeostasis in inflammation and neurodegeneration. Brain, Behavior, and Immunity, 2023, 109, 144-161. | 2.0 | 7 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2224 | Translationally controlled tumor protein restores impaired memory and altered synaptic protein expression in animal models of dementia. Biomedicine and Pharmacotherapy, 2023, 160, 114357. | 2.5 | 0 |
| 2225 | Rapamycin and Alzheimer disease: a hypothesis for the effective use of rapamycin for treatment of neurodegenerative disease. Autophagy, 2023, 19, 2386-2390. | 4.3 | 6 |
| 2227 | Three-dimensional mapping in multi-samples with large-scale imaging and multiplexed post staining. Communications Biology, 2023, 6, . | 2.0 | 0 |
| 2230 | Abnormal [¹⁸ F]NIFENE binding in transgenic 5xFAD mouse model of Alzheimer's disease: In vivo PET/CT imaging studies of α4β2* nicotinic acetylcholinergic receptors and in vitro correlations with Aβ plaques. Synapse, 2023, 77, . | 0.6 | 4 |
| 2231 | Design of a Coumarin-Based Fluorescent Probe for Efficient <i>In Vivo</i> Imaging of Amyloid-β Plaques. ACS Chemical Neuroscience, 2023, 14, 829-838. | 1.7 | 8 |
| 2232 | A Transgenic 5xFAD-M Line of Mice for Dendritic Spine Morphology Analysis in Alzheimer's Disease. Brain Sciences, 2023, 13, 307. | 1.1 | 0 |
| 2233 | A Cre-deleter specific for embryo-derived brain macrophages reveals distinct features of microglia and border macrophages. Immunity, 2023, 56, 1027-1045.e8. | 6.6 | 17 |
| 2234 | Chronic basal forebrain activation improves spatial memory, boosts neurotrophin receptor expression, and lowers BACE1 and Al²42 levels in the cerebral cortex in mice. Cerebral Cortex, 2023, 33, 7627-7641. | 1.6 | 2 |
| 2235 | <i> Cspg4 ^{high} </i> microglia contribute to microgliosis during neurodegeneration. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, . | 3.3 | 2 |
| 2236 | The Fault in Our Astrocytes - cause or casualties of proteinopathies of ALS/FTD and other neurodegenerative diseases?. Frontiers in Molecular Medicine, 0, 3, . | 0.6 | 0 |
| 2237 | Ingestion of Soybean Sprouts Containing a HASPIN Inhibitor Improves Condition in a Mouse Model of Alzheimer's Disease. Biology, 2023, 12, 320. | 1.3 | 1 |
| 2238 | Search Strategy Analysis of 5xFAD Alzheimer Mice in the Morris Water Maze Reveals Sex- and Age-Specific Spatial Navigation Deficits. Biomedicines, 2023, 11, 599. | 1.4 | 2 |
| 2239 | TREM2 splice isoforms generate soluble TREM2 species that disrupt long-term potentiation. Genome Medicine, 2023, 15, . | 3.6 | 6 |
| 2240 | The effect of Abi3 locus deletion on the progression of Alzheimer's disease-related pathologies. Frontiers in Immunology, 0, 14, . | 2.2 | 1 |
| 2241 | Aerial part of <scp><i>Houttuynia cordata</i></scp> reverses memory impairment by regulating amyloid beta accumulation and neuroinflammation in Alzheimer's disease model. Phytotherapy Research, 2023, 37, 2854-2863. | 2.8 | 2 |
| 2242 | Depletion of Paraoxonase 1 (Pon1) Dysregulates mTOR, Autophagy, and Accelerates Amyloid Beta Accumulation in Mice. Cells, 2023, 12, 746. | 1.8 | 9 |
| 2244 | Exogenous monocyte myeloid-derived suppressor cells ameliorate immune imbalance, neuroinflammation and cognitive impairment in 5xFAD mice infected with Porphyromonas gingivalis. Journal of Neuroinflammation, 2023, 20, . | 3.1 | 3 |
| 2245 | RyR2â€dependent modulation of neuronal hyperactivity: A potential therapeutic target for treating Alzheimer's disease. Journal of Physiology, 0, , . | 1.3 | 1 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2246 | APOE modulates microglial immunometabolism in response to age, amyloid pathology, and inflammatory challenge. Cell Reports, 2023, 42, 112196. | 2.9 | 26 |
| 2247 | Multiple Bioenergy-Linked OCT Biomarkers Suggest Greater-Than-Normal Rod Mitochondria Activity Early in Experimental Alzheimer's Disease. , 2023, 64, 12. | | 3 |
| 2248 | Increased \hat{I} ±-2,6 sialic acid on microglia in amyloid pathology is resistant to oseltamivir. GeroScience, 0, , . | 2.1 | 1 |
| 2249 | Neutrophils as a potential therapeutic target in Alzheimer's disease. Frontiers in Immunology, 0, 14, . | 2.2 | 6 |
| 2250 | Long-Term Administration of Vespa velutinaÂnigrithorax Venom Ameliorates Alzheimer's Phenotypes in 5xFAD Transgenic Mice. Toxins, 2023, 15, 203. | 1.5 | 1 |
| 2252 | Neurodegenerative Changes in the Brains of the 5xFAD Alzheimer's Disease Model Mice Investigated by High-Field and High-Resolution Magnetic Resonance Imaging and Multi-Nuclei Magnetic Resonance Spectroscopy. International Journal of Molecular Sciences, 2023, 24, 5073. | 1.8 | 1 |
| 2253 | <scp>MicroRNA</scp> â€128 suppresses tau phosphorylation and reduces amyloidâ€beta accumulation by inhibiting the expression of <scp>CSK3β</scp> , <scp>APPBP2</scp> , and <scp>mTOR</scp> in Alzheimer's disease. CNS Neuroscience and Therapeutics, 2023, 29, 1848-1864. | 1.9 | 7 |
| 2255 | N-acetylneuraminic acid links immune exhaustion and accelerated memory deficit in diet-induced obese Alzheimer's disease mouse model. Nature Communications, 2023, 14, . | 5.8 | 7 |
| 2256 | βâ€Glucan attenuates cognitive impairment of <scp>APP</scp> / <scp>PS1</scp> mice via regulating intestinal flora and its metabolites. CNS Neuroscience and Therapeutics, 2023, 29, 1690-1704. | 1.9 | 10 |
| 2257 | Striatal fibrinogen extravasation and vascular degeneration correlate with motor dysfunction in an aging mouse model of Alzheimer's disease. Frontiers in Aging Neuroscience, 0, 15, . | 1.7 | 0 |
| 2258 | Strategies for generating mouse model resources of human disease. Protein and Cell, 0, , . | 4.8 | 2 |
| 2259 | YB-1 Protein Prevents Age-Related Decline in Plasma Estradiol in Aging Female 5xFAD Transgenic Mice. Journal of Evolutionary Biochemistry and Physiology, 2023, 59, 232-243. | 0.2 | 1 |
| 2260 | Alzheimer's Disease: a Search for the Best Experimental Models to Decode Cellular and Molecular Mechanisms of Its Development. Journal of Evolutionary Biochemistry and Physiology, 2023, 59, 119-132. | 0.2 | 0 |
| 2261 | Attenuation of Alzheimer's brain pathology in 5XFAD mice by PTH1-34, a peptide of parathyroid hormone. Alzheimer's Research and Therapy, 2023, 15, . | 3.0 | 2 |
| 2262 | Soluble TNF mediates amyloid-independent, diet-induced alterations to immune and neuronal functions in an Alzheimer's disease mouse model. Frontiers in Cellular Neuroscience, 0, 17, . | 1.8 | 3 |
| 2263 | JNK Activation Correlates with Cognitive Impairment and Alteration of the Post-Synaptic Element in the 5xFAD AD Mouse Model. Cells, 2023, 12, 904. | 1.8 | 1 |
| 2264 | Integrin β3-Mediated Cell Senescence Associates with Gut Inflammation and Intestinal Degeneration in Models of Alzheimer's Disease. International Journal of Molecular Sciences, 2023, 24, 5697. | 1.8 | 3 |
| 2265 | Identification of immune cells infiltrating in hippocampus and key genes associated with Alzheimer's disease. BMC Medical Genomics, 2023, 16, . | 0.7 | 4 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 2269 | Loss of fatty acid degradation by astrocytic mitochondria triggers neuroinflammation and neurodegeneration. Nature Metabolism, 2023, 5, 445-465. | 5.1 | 33 |
| 2270 | Probing neural circuit mechanisms in Alzheimer's disease using novel technologies. Molecular Psychiatry, 2023, 28, 4407-4420. | 4.1 | 3 |
| 2271 | Inhibiting degradation of 2-arachidonoylglycerol as a therapeutic strategy for neurodegenerative diseases. , 2023, 244, 108394. | | 8 |
| 2272 | Astrocytic APOE4 removal confers cerebrovascular protection despite increased cerebral amyloid angiopathy. Molecular Neurodegeneration, 2023, 18, . | 4.4 | 7 |
| 2273 | The Beneficial Effect of Mitochondrial Transfer Therapy in 5XFAD Mice via Liver–Serum–Brain Response. Cells, 2023, 12, 1006. | 1.8 | 3 |
| 2274 | The presymptomatic treatment with <scp>3HFWC</scp> nanosubstance decreased plaque load in <scp>5XFAD</scp> mouse model of Alzheimer's disease. CNS Neuroscience and Therapeutics, 2024, 30, . | 1.9 | 2 |
| 2276 | APPswe/PS1dE9/Blg Transgenic Mouse Line for Modeling Cerebral Amyloid Angiopathy Associated with Alzheimer's Disease. Molecular Biology, 2023, 57, 74-82. | 0.4 | 2 |
| 2277 | Myelin in Alzheimer's disease: culprit or bystander?. Acta Neuropathologica Communications, 2023, 11, . | 2.4 | 10 |
| 2278 | The unfolded protein response transcription factor XBP1s ameliorates Alzheimer's disease by improving synaptic function and proteostasis. Molecular Therapy, 2023, 31, 2240-2256. | 3.7 | 13 |
| 2279 | Activation of hypothalamic-enhanced adult-born neurons restores cognitive and affective function in Alzheimer's disease. Cell Stem Cell, 2023, 30, 415-432.e6. | 5.2 | 23 |
| 2282 | Preclinical trials in Alzheimer's disease: Sample size and effect size for behavioural and neuropathological outcomes in 5xFAD mice. PLoS ONE, 2023, 18, e0281003. | 1.1 | 2 |
| 2283 | Differential and substrate-specific inhibition of Î ³ -secretase by the C-terminal region of ApoE2, ApoE3, and ApoE4. Neuron, 2023, 111, 1898-1913.e5. | 3.8 | 5 |
| 2284 | Recent Development in the Understanding of Molecular and Cellular Mechanisms Underlying the Etiopathogenesis of Alzheimer's Disease. International Journal of Molecular Sciences, 2023, 24, 7258. | 1.8 | 7 |
| 2285 | Accelerated long-term forgetting: A sensitive paradigm for detecting subtle cognitive impairment and evaluating BACE1 inhibitor efficacy in preclinical Alzheimer's disease. , 0, 2, . | | 1 |
| 2286 | Lateral mammillary body neurons in mouse brain are disproportionately vulnerable in Alzheimer's disease. Science Translational Medicine, 2023, 15, . | 5.8 | 1 |
| 2287 | Simultaneous Fe ²⁺ /Fe ³⁺ imaging shows Fe ³⁺ over Fe ²⁺ enrichment in Alzheimer's disease mouse brain. Science Advances, 2023, 9, . | 4.7 | 20 |
| 2288 | Brain Region-Specific Differences in Amyloid-β Plaque Composition in 5XFAD Mice. Life, 2023, 13, 1053. | 1.1 | 3 |
| 2289 | Diosgenin restores memory function via SPARC-driven axonal growth from the hippocampus to the PFC in Alzheimer's disease model mice. Molecular Psychiatry, 0, , . | 4.1 | 0 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 2341 | Amyloid β-based therapy for Alzheimer's disease: challenges, successes and future. Signal Transduction and Targeted Therapy, 2023, 8, . | 7.1 | 49 |
| 2387 | Experimental precision medicine: Mouse models to test precision medicine. , 2024, , 382-399. | | 0 |