Mesial Temporal Lobe Epilepsy: Pathogenesis, Induced

Toxicologic Pathology 35, 984-999 DOI: 10.1080/01926230701748305

Citation Report

#	Article	IF	CITATIONS
1	The role of trace elements in the pathogenesis and progress of pilocarpine-induced epileptic seizures. Journal of Biological Inorganic Chemistry, 2008, 13, 1267-1274.	2.6	31
2	Temporal Profile of Clinical Signs and Histopathologic Changes in an F-344 Rat Model of Kainic Acid–induced Mesial Temporal Lobe Epilepsy. Toxicologic Pathology, 2008, 36, 932-943.	1.8	32
3	Neuroimaging in Epilepsy: Diagnostic Strategies in Partial Epilepsy. Seminars in Neurology, 2008, 28, 523-532.	1.4	22
4	Kainic Acid-induced F-344 Rat model of Mesial Temporal Lobe Epilepsy: Gene Expression and Canonical Pathways. Toxicologic Pathology, 2009, 37, 776-789.	1.8	27
6	Synchronized gamma oscillations (30–50ÂHz) in the amygdalo-hippocampal network in relation with seizure propagation and severity. Neurobiology of Disease, 2009, 35, 209-218.	4.4	30
7	Pilocarpine vs. lithium–pilocarpine for induction of status epilepticus in mice: Development of spontaneous seizures, behavioral alterations and neuronal damage. European Journal of Pharmacology, 2009, 619, 15-24.	3.5	75
8	Complex timeâ€dependent alterations in the brain expression of different drug efflux transporter genes after status epilepticus. Epilepsia, 2009, 50, 887-897.	5.1	37
9	Dissociation of seizure traits in inbred strains of mice using the flurothyl kindling model of epileptogenesis. Experimental Neurology, 2009, 215, 60-68.	4.1	24
10	Difficulties in Treatment and Management of Epilepsy and Challenges in New Drug Development. Pharmaceuticals, 2010, 3, 2090-2110.	3.8	99
11	In vivo imaging of dopamine receptors in a model of temporal lobe epilepsy. Epilepsia, 2010, 51, 415-422.	5.1	43
12	Innate but not adaptive immune responses contribute to behavioral seizures following viral infection. Epilepsia, 2010, 51, 454-464.	5.1	102
13	Ghrelin attenuates kainic acid-induced neuronal cell death in the mouse hippocampus. Journal of Endocrinology, 2010, 205, 263-270.	2.6	100
14	The sleep–wake cycle in adult rats following pilocarpine-induced temporal lobe epilepsy. Epilepsy and Behavior, 2010, 17, 324-331.	1.7	26
15	An Experimental Study on Dynamic Morphological Changes and Expression Pattern of GFAP and Synapsin I in the Hippocampus of MTLE Models for Immature Rats. International Journal of Neuroscience, 2011, 121, 575-588.	1.6	8
16	Capsaicin prevents kainic acid-induced epileptogenesis in mice. Neurochemistry International, 2011, 58, 634-640.	3.8	49
17	Trimethyltin-induced hippocampal degeneration as a tool to investigate neurodegenerative processes. Neurochemistry International, 2011, 58, 729-738.	3.8	106
18	An early decrease in cell proliferation after pentylenetetrazole-induced seizures. Epilepsy and Behavior, 2011, 22, 433-441.	1.7	18
19	Sleep, epilepsy and translational research: What can we learn from the laboratory bench?. Progress in Neurobiology, 2011, 95, 396-405.	5.7	26

#	Article	IF	CITATIONS
20	Compensatory network alterations upon onset of epilepsy in synapsin triple knock-out mice. Neuroscience, 2011, 189, 108-122.	2.3	42
21	Neuroprotective actions of ghrelin and growth hormone secretagogues. Frontiers in Molecular Neuroscience, 2011, 4, 23.	2.9	48
22	Store-operated calcium entry modulates neuronal network activity in a model of chronic epilepsy. Experimental Neurology, 2011, 232, 185-194.	4.1	65
23	Prenatal choline deficiency does not enhance hippocampal vulnerability after kainic acid-induced seizures in adulthood. Brain Research, 2011, 1413, 84-97.	2.2	5
24	Ultrasonic neuromodulation by brain stimulation with transcranial ultrasound. Nature Protocols, 2011, 6, 1453-1470.	12.0	363
25	Water maze experience and prenatal choline supplementation differentially promote longâ€ŧerm hippocampal recovery from seizures in adulthood. Hippocampus, 2011, 21, 584-608.	1.9	35
26	Effect of prolonged status epilepticus as a result of intoxication on epileptogenesis in a UK canine population. Veterinary Record, 2011, 169, 361-361.	0.3	14
27	Special Neuropathology Problems. Toxicologic Pathology, 2011, 39, 170-171.	1.8	0
28	Animal Models in Neurology: Drawbacks and Opportunities. Current Pharmaceutical Design, 2012, 18, 4443-4452.	1.9	3
29	Anxiety-Like Behavior of Prenatally Stressed Rats Is Associated with a Selective Reduction of Glutamate Release in the Ventral Hippocampus. Journal of Neuroscience, 2012, 32, 17143-17154.	3.6	88
30	Cannabidiol exerts anti-convulsant effects in animal models of temporal lobe and partial seizures. Seizure: the Journal of the British Epilepsy Association, 2012, 21, 344-352.	2.0	205
31	Hippocampal tissue of patients with refractory temporal lobe epilepsy is associated with astrocyte activation, inflammation, and altered expression of channels and receptors. Neuroscience, 2012, 220, 237-246.	2.3	175
32	Adeno associated viral vector-mediated expression of somatostatin in rat hippocampus suppresses seizure development. Neuroscience Letters, 2012, 509, 87-91.	2.1	12
33	Generation and characterization of pilocarpine-sensitive C57BL/6 mice as a model of temporal lobe epilepsy. Behavioural Brain Research, 2012, 230, 182-191.	2.2	38
34	Progress of elemental anomalies of hippocampal formation in the pilocarpine model of temporal lobe epilepsy—an X-ray fluorescence microscopy study. Analytical and Bioanalytical Chemistry, 2012, 404, 3071-3080.	3.7	29
36	Runaway Dendrites: Blame the Older Siblings. Epilepsy Currents, 2012, 12, 222-224.	0.8	0
37	Understanding the basic mechanisms underlying seizures in mesial temporal lobe epilepsy and possible therapeutic targets: A review. Journal of Neuroscience Research, 2012, 90, 913-924.	2.9	57
38	Variations in elemental compositions of rat hippocampal formation between acute and latent phases of pilocarpine-induced epilepsy: an X-ray fluorescence microscopy study. Journal of Biological Inorganic Chemistry, 2012, 17, 731-739.	2.6	19

#	Article	IF	CITATIONS
39	Histamine 1 receptor knock out mice show age-dependent susceptibility to status epilepticus and consequent neuronal damage. Epilepsy Research, 2012, 100, 80-92.	1.6	13
40	Neuromodulatory role of endogenous interleukin-1β in acute seizures: Possible contribution of cyclooxygenase-2. Neurobiology of Disease, 2012, 45, 234-242.	4.4	25
41	Electrical, molecular and behavioral effects of interictal spiking in the rat. Neurobiology of Disease, 2012, 47, 92-101.	4.4	40
42	Synchrotron radiation Fourier-transform infrared and Raman microspectroscopy study showing an increased frequency of creatine inclusions in the rat hippocampal formation following pilocarpine-induced seizures. Analytical and Bioanalytical Chemistry, 2012, 402, 2267-2274.	3.7	20
43	The kainic acid model of temporal lobe epilepsy. Neuroscience and Biobehavioral Reviews, 2013, 37, 2887-2899.	6.1	420
44	Altered hippocampal myelinated fiber integrity in a lithium-pilocarpine model of temporal lobe epilepsy: A histopathological and stereological investigation. Brain Research, 2013, 1522, 76-87.	2.2	36
45	Current management and surgical outcomes of medically intractable epilepsy. Clinical Neurology and Neurosurgery, 2013, 115, 2411-2418.	1.4	90
46	Caspase 3 involves in neuroplasticity, microglial activation and neurogenesis in the mice hippocampus after intracerebral injection of kainic acid. Journal of Biomedical Science, 2013, 20, 90.	7.0	44
47	Experimental Models of Status Epilepticus and Neuronal Injury for Evaluation of Therapeutic Interventions. International Journal of Molecular Sciences, 2013, 14, 18284-18318.	4.1	193
48	Downâ€regulation of gephyrin and <scp>GABA_A</scp> receptor subunits during epileptogenesis in the <scp>CA</scp> 1 region of hippocampus. Epilepsia, 2013, 54, 616-624.	5.1	43
49	Fructose-1,6-diphosphate protects against epileptogenesis by modifying cation-chloride co-transporters in a model of amygdaloid-kindling temporal epilepticus. Brain Research, 2013, 1539, 87-94.	2.2	9
50	Coenzyme Q10 Ameliorates Neurodegeneration, Mossy Fiber Sprouting, and Oxidative Stress in Intrahippocampal Kainate Model of Temporal Lobe Epilepsy in Rat. Journal of Molecular Neuroscience, 2013, 49, 194-201.	2.3	36
51	Regenerative Medicine for Epilepsy: From Basic Research to Clinical Application. International Journal of Molecular Sciences, 2013, 14, 23390-23401.	4.1	8
52	Enhanced Synaptic Connectivity in the Dentate Gyrus during Epileptiform Activity: Network Simulation. Computational Intelligence and Neuroscience, 2013, 2013, 1-19.	1.7	4
53	Antiepileptogenic effect of curcumin on kainate-induced model of temporal lobe epilepsy. Pharmaceutical Biology, 2013, 51, 1572-1578.	2.9	58
54	Prostaglandin F2α FP receptor antagonist improves outcomes after experimental traumatic brain injury. Journal of Neuroinflammation, 2013, 10, 132.	7.2	45
55	Optogenetic Delay of Status Epilepticus Onset in an In Vivo Rodent Epilepsy Model. PLoS ONE, 2013, 8, e62013.	2.5	58
56	Pregabalin Attenuates Excitotoxicity in Diabetes. PLoS ONE, 2013, 8, e65154.	2.5	13

#	Article	IF	CITATIONS
57	The possible role of GABAA receptors and gephyrin in epileptogenesis. Frontiers in Cellular Neuroscience, 2013, 7, 113.	3.7	19
58	Are vesicular neurotransmitter transporters potential treatment targets for temporal lobe epilepsy?. Frontiers in Cellular Neuroscience, 2013, 7, 139.	3.7	51
59	Human Fetal Brain-Derived Neural Stem/Progenitor Cells Grafted into the Adult Epileptic Brain Restrain Seizures in Rat Models of Temporal Lobe Epilepsy. PLoS ONE, 2014, 9, e104092.	2.5	22
60	The vulnerability of calretinin-containing hippocampal interneurons to temporal lobe epilepsy. Frontiers in Neuroanatomy, 2014, 8, 100.	1.7	45
61	Differential regulation of collapsin response mediator protein 2 (CRMP2) phosphorylation by GSK3ß and CDK5 following traumatic brain injury. Frontiers in Cellular Neuroscience, 2014, 8, 135.	3.7	29
62	Changes in Hippocampal Volume are Correlated with Cell Loss but Not with Seizure Frequency in Two Chronic Models of Temporal Lobe Epilepsy. Frontiers in Neurology, 2014, 5, 111.	2.4	36
63	Rapid Eye Movement Sleep and Hippocampal Theta Oscillations Precede Seizure Onset in the Tetanus Toxin Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2014, 34, 1105-1114.	3.6	59
64	Cognitive impairment in temporal lobe epilepsy: Role of online and offline processing of single cell information. Hippocampus, 2014, 24, 1129-1145.	1.9	28
65	Childhood-onset nonprogressive chronic encephalitis. Epilepsy and Behavior, 2014, 31, 85-90.	1.7	2
66	Cardiac phenomena during kainic-acid induced epilepsy and lamotrigine antiepileptic therapy. Epilepsy Research, 2014, 108, 666-674.	1.6	15
67	MRI changes and complement activation correlate with epileptogenicity in a mouse model of temporal lobe epilepsy. Brain Structure and Function, 2014, 219, 683-706.	2.3	45
68	Serotonin 1A receptor inhibits the status epilepticus induced by lithium-pilocarpine in rats. Neuroscience Bulletin, 2014, 30, 401-408.	2.9	10
69	Dynamics of hippocampal acetylcholine release during lithiumâ€pilocarpineâ€induced status epilepticus in rats. Journal of Neurochemistry, 2014, 131, 42-52.	3.9	49
70	Neuroprotective Effect of Vitamin E in a KainateInduced Rat Model of Temporal Lobe Epilepsy. Neurophysiology, 2014, 46, 126-133.	0.3	0
71	Postnatal interleukin-1β enhances adulthood seizure susceptibility and neuronal cell death after prolonged experimental febrile seizures in infantile rats. Acta Neurologica Belgica, 2014, 114, 179-185.	1.1	15
72	Animal models of epilepsy: use and limitations. Neuropsychiatric Disease and Treatment, 2014, 10, 1693.	2.2	344
73	Seizures and Brain Regulatory Systems. Journal of Clinical Neurophysiology, 2015, 32, 188-193.	1.7	17
74	Postnatal interleukin-1β administration after experimental prolonged febrile seizures enhances epileptogenesis in adulthood. Metabolic Brain Disease, 2015, 30, 813-819.	2.9	8

#	Article	IF	CITATIONS
75	Oxidative stress in murine Theiler's virus-induced temporal lobe epilepsy. Experimental Neurology, 2015, 271, 329-334.	4.1	28
76	Disease Modification in Epilepsy: From Animal Models to Clinical Applications. Drugs, 2015, 75, 749-767.	10.9	35
77	Ultrastructural changes to rat hippocampus in pentylenetetrazol- and kainic acid-induced status epilepticus: A study using electron microscopy. Micron, 2015, 74, 22-29.	2.2	14
78	Rapid changes in expression of class I and IV histone deacetylases during epileptogenesis in mouse models of temporal lobe epilepsy. Experimental Neurology, 2015, 273, 92-104.	4.1	32
79	LSD1 Neurospecific Alternative Splicing Controls Neuronal Excitability in Mouse Models of Epilepsy. Cerebral Cortex, 2015, 25, 2729-2740.	2.9	51
80	Matrix Metalloproteinase 9 in Epilepsy: The Role of Neuroinflammation in Seizure Development. Mediators of Inflammation, 2016, 2016, 1-14.	3.0	62
81	Regulation of Physical Microglia–Neuron Interactions by Fractalkine Signaling after Status Epilepticus. ENeuro, 2016, 3, ENEURO.0209-16.2016.	1.9	86
82	Remarkable alterations of Nav1.6 in reactive astrogliosis during epileptogenesis. Scientific Reports, 2016, 6, 38108.	3.3	29
83	Human Brain Tissue as a Model for the Study of Epilepsy. Methods in Pharmacology and Toxicology, 2016, , 203-219.	0.2	0
84	Inhibition of sodium glucose cotransporters following status epilepticus induced by intrahippocampal pilocarpine affects neurodegeneration process in hippocampus. Epilepsy and Behavior, 2016, 61, 258-268.	1.7	17
85	Early childhood trauma and hippocampal volumes in patients with epileptic and psychogenic seizures. Epilepsy and Behavior, 2016, 64, 180-185.	1.7	23
86	Postictal alterations induced by intrahippocampal injection of pilocarpine in C57BL/6 mice. Epilepsy and Behavior, 2016, 64, 83-89.	1.7	19
87	Regulation of the cell surface expression of chloride transporters during epileptogenesis. Neuroscience Letters, 2016, 628, 213-218.	2.1	10
88	Extracellular levels of ATP and acetylcholine during lithium-pilocarpine induced status epilepticus in rats. Neuroscience Letters, 2016, 611, 69-73.	2.1	28
89	Detection of aberrant hippocampal mossy fiber connections: Ex vivo mesoscale diffusion <scp>MRI</scp> and microtractography with histological validation in a patient with uncontrolled temporal lobe epilepsy. Human Brain Mapping, 2016, 37, 780-795.	3.6	36
90	Xenograft of human umbilical mesenchymal stem cells from Wharton's jelly as a potential therapy for rat pilocarpine-induced epilepsy. Brain, Behavior, and Immunity, 2016, 54, 45-58.	4.1	31
91	Minocycline fails to exert antiepileptogenic effects in a rat status epilepticus model. European Journal of Pharmacology, 2016, 771, 29-39.	3.5	15
92	Relationship between seizure frequency and number of neuronal and non-neuronal cells in the hippocampus throughout the life of rats with epilepsy. Brain Research, 2016, 1634, 179-186.	2.2	34

#	Article	IF	CITATIONS
93	Pathophysiological Roles of Cyclooxygenases and Prostaglandins in the Central Nervous System. Molecular Neurobiology, 2016, 53, 4754-4771.	4.0	145
94	Animal models of temporal lobe epilepsy following systemic chemoconvulsant administration. Journal of Neuroscience Methods, 2016, 260, 45-52.	2.5	201
95	Microglia–Neuron Communication in Epilepsy. Glia, 2017, 65, 5-18.	4.9	204
96	A calpain inhibitor ameliorates seizure burden in an experimental model of temporal lobe epilepsy. Neurobiology of Disease, 2017, 102, 1-10.	4.4	19
97	Nonsteroidal anti-inflammatory drugs in clinical and experimental epilepsy. Epilepsy Research, 2017, 131, 15-27.	1.6	37
98	Altered MT1 and MT2 melatonin receptors expression in the hippocampus of pilocarpine-induced epileptic rats. Epilepsy and Behavior, 2017, 71, 23-34.	1.7	18
99	Directional spread of activity in synaptic networks of the human lateral amygdala. Neuroscience, 2017, 349, 330-340.	2.3	7
100	Susceptibility to hippocampal kindling seizures is increased in aging C57 black mice. IBRO Reports, 2017, 3, 33-44.	0.3	25
101	Prolonged seizure activity causes caspase dependent cleavage and dysfunction of G-protein activated inwardly rectifying potassium channels. Scientific Reports, 2017, 7, 12313.	3.3	16
102	High mobility group box 1 enhances hyperthermia-induced seizures and secondary epilepsy associated with prolonged hyperthermia-induced seizures in developing rats. Metabolic Brain Disease, 2017, 32, 2095-2104.	2.9	17
103	Metabolic correction by pyruvate halts acquired epilepsy in multiple rodent models. Neurobiology of Disease, 2017, 106, 244-254.	4.4	33
104	Seizing Control of KCC2: A New Therapeutic Target for Epilepsy. Trends in Neurosciences, 2017, 40, 555-571.	8.6	140
105	Behavioral changes in models of chemoconvulsant-induced epilepsy: A review. Neuroscience and Biobehavioral Reviews, 2017, 83, 373-380.	6.1	17
106	The Role of ERK1/2 Kinases in the Molecular Mechanisms of Regulation of Glutamatergic and GABAergic Neurons during the Development of Convulsive Seizures in Krushinskii–Molodkina Rats. Neuroscience and Behavioral Physiology, 2017, 47, 311-320.	0.4	1
107	Mechanisms of Excessive Extracellular Glutamate Accumulation in Temporal Lobe Epilepsy. Neurochemical Research, 2017, 42, 1724-1734.	3.3	54
108	Antagomirs Targeting MiroRNA-134 Attenuates Epilepsy in Rats through Regulation of Oxidative Stress, Mitochondrial Functions and Autophagy. Frontiers in Pharmacology, 2017, 8, 524.	3.5	22
109	Puzzling Out Synaptic Vesicle 2 Family Members Functions. Frontiers in Molecular Neuroscience, 2017, 10, 148.	2.9	85
110	Postinfectious Epilepsy. , 2017, , 683-696.		2

ARTICLE IF CITATIONS # Downregulation of KCNMB4 expression and changes in BK channel subtype in hippocampal granule 111 2.5 21 neurons following seizure activity. PLoS ONE, 2017, 12, e0188064. Hippocampal Expression of Connexin36 and Connexin43 during Epileptogenesis in Pilocarpine Model of Epilepsy. Iranian Biomedical Journal, 2017, 21, 167-173. The Pilocarpine Model of Temporal Lobe Epilepsy and EEG Monitoring Using Radiotelemetry System in 113 0.3 17 Mice. Journal of Visualized Experiments, 2018, , . Recombinant human erythropoietin protects against brain injury through blunting the mTORC1 114 pathway in the developing brains of rats with seizures. Life Sciences, 2018, 194, 15-25. Animal models of status epilepticus and temporal lobe epilepsy: a narrative review. Reviews in the 115 2.9 39 Neurosciences, 2018, 29, 757-770. GABAa excitation and synaptogenesis after Status Epilepticus – A computational study. Scientific 3.3 Reports, 2018, 8, 4193. Anticonvulsant effect of gentamicin on the seizures induced by kainic acid. Neurological Research, 117 1.3 3 2018, 40, 45-52. Recombinant Human Erythropoietin Protects Against Hippocampal Damage in Developing Rats with Seizures by Modulating Autophagy via the S6 Protein in a Time-Dependent Manner. Neurochemical Research, 2018, 43, 465-476. 118 3.3 14 Review: Animal models of acquired epilepsy: insights into mechanisms of human epileptogenesis. Neuropathology and Applied Neurobiology, 2018, 44, 112-129. 119 3.2 121 Electrical stimulation of the piriform cortex for the treatment of epilepsy: A review of the supporting 1.7 evidence. Epilepsy and Behavior, 2018, 88, 152-161. A companion to the preclinical common data elements for pharmacologic studies in animal models of seizures and epilepsy. A Report of the <scp>TASK</scp>3 Pharmacology Working Group of the 121 2.4 30 <scp>ILAE</scp>/<scp>AES</scp> Joint Translational Task Force. Epilepsia Open, 2018, 3, 53-68. Anatomical imaging of the piriform cortex in epilepsy. Experimental Neurology, 2019, 320, 113013. 4.1 Inhibition of Nwd1 activity attenuates neuronal hyperexcitability and GluN2B phosphorylation in the 123 6.1 25 hippocampus. EBioMedicine, 2019, 47, 470-483. Excitotoxicity, neuroinflammation and oxidant stress as molecular bases of epileptogenesis and epilepsy-derived neurodegeneration: The role of vitamin E. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 1098-1112. 124 3.8 Structural and functional asymmetry of medial temporal subregions in unilateral temporal lobe 125 49 3.6 epilepsy: A 7T MRI study. Human Brain Mapping, 2019, 40, 2390-2398. Perspective: Therapeutic Potential of Flavonoids as Alternative Medicines in Epilepsy. Advances in 6.4 28 Nutrition, 2019, 10, 778-790. Subchronic cerebrolysin treatment alleviates cognitive impairments and dendritic arborization 127 alterations of granular neurons in the hippocampal dentate gyrus of rats with temporal lobe epilepsy. 1.7 9 Epilepsy and Behavior, 2019, 97, 96-104. Transplanting GABAergic Neurons Differentiated from Neural Stem Cells into Hippocampus Inhibits Seizures and Epileptiform Discharges in Pilocarpine-Induced Temporal Lobe Epilepsy Model. World 1.3 Neurosurgery, 2019, 128, e1-e11.

#	Article	IF	Citations
129	Galangin Prevents Increased Susceptibility to Pentylenetetrazol-Stimulated Seizures by Prostaglandin E2. Neuroscience, 2019, 413, 154-168.	2.3	10
130	Hydrogen Alleviates Necroptosis and Cognitive Deficits in Lithium–Pilocarpine Model of Status Epilepticus. Cellular and Molecular Neurobiology, 2019, 39, 857-869.	3.3	18
131	Laser Interstitial Thermal Therapy. , 2019, , 153-176.		1
132	Myricetin attenuates the severity of seizures and neuroapoptosis in pentylenetetrazole kindled mice by regulating the of BDNFâ€ʿTrkB signaling pathway and modulating matrix metalloproteinase‑9 and GABAA. Experimental and Therapeutic Medicine, 2019, 17, 3083-3091.	1.8	21
133	Alterations in GABAA-Receptor Trafficking and Synaptic Dysfunction in Brain Disorders. Frontiers in Cellular Neuroscience, 2019, 13, 77.	3.7	59
134	Hyperthermiaâ€induced seizures followed by repetitive stress are associated with ageâ€dependent changes in specific aspects of the mouse stress system. Journal of Neuroendocrinology, 2019, 31, e12697.	2.6	4
135	Life and death in the hippocampus: What's bad?. Epilepsy and Behavior, 2021, 121, 106595.	1.7	19
136	Risk factors for drug-resistant epilepsy. Medicine (United States), 2019, 98, e16402.	1.0	81
137	High-frequency oscillations and focal seizures in epileptic rodents. Neurobiology of Disease, 2019, 124, 396-407.	4.4	25
138	Calpain activation and neuronal death during early epileptogenesis. Neurobiology of Disease, 2019, 124, 141-151.	4.4	11
139	Update on temporal lobeâ€dependent information processing, in health and disease. European Journal of Neuroscience, 2020, 51, 2159-2204.	2.6	15
140	Phosphoproteomic analysis reveals Akt isoform-specific regulation of cytoskeleton proteins in human temporal lobe epilepsy with hippocampal sclerosis. Neurochemistry International, 2020, 134, 104654.	3.8	7
141	Antiepileptic effects of electrical stimulation of the piriform cortex. Experimental Neurology, 2020, 325, 113070.	4.1	9
142	The Impact of the CX3CL1/CX3CR1 Axis in Neurological Disorders. Cells, 2020, 9, 2277.	4.1	98
143	Epileptogenesis-induced changes of hippocampal-piriform connectivity. Seizure: the Journal of the British Epilepsy Association, 2020, 81, 1-7.	2.0	4
144	Accurate detection of spontaneous seizures using a generalized linear model with external validation. Epilepsia, 2020, 61, 1906-1918.	5.1	4
146	Functional connectome contractions in temporal lobe epilepsy: Microstructural underpinnings and predictors of surgical outcome. Epilepsia, 2020, 61, 1221-1233.	5.1	65
147	Lysophosphatidic Acid Receptor 1 Specifically Labels Seizure-Induced Hippocampal Reactive Neural Stem Cells and Regulates Their Division. Frontiers in Neuroscience, 2020, 14, 811.	2.8	8

#	Article	IF	CITATIONS
148	Neurodegenerative pathways as targets for acquired epilepsy therapy development. Epilepsia Open, 2020, 5, 138-154.	2.4	33
149	Transcranial direct current stimulation alleviates seizure severity in kainic acid-induced status epilepticus rats. Experimental Neurology, 2020, 328, 113264.	4.1	10
150	The novel estrogen receptor GPER1 decreases epilepsy severity and susceptivity in the hippocampus after status epilepticus. Neuroscience Letters, 2020, 728, 134978.	2.1	11
151	Modulation of Glucose Availability and Effects of Hypo- and Hyperglycemia on Status Epilepticus: What We Do Not Know Yet?. Molecular Neurobiology, 2021, 58, 505-519.	4.0	7
152	Neuroproteomics in Epilepsy: What Do We Know so Far?. Frontiers in Molecular Neuroscience, 2020, 13, 604158.	2.9	19
153	Methods for the Induction of Status Epilepticus and Temporal Lobe Epilepsy in Rodents: The Kainic Acid Model and the Pilocarpine Model. Neuromethods, 2021, , 121-144.	0.3	1
154	The Kainic Acid Models of Temporal Lobe Epilepsy. ENeuro, 2021, 8, ENEURO.0337-20.2021.	1.9	86
155	Increased immunoreactivity of glutamate receptors, neuronal nuclear protein and glial fibrillary acidic protein in the hippocampus of epileptic rats with fast ripple activity. Experimental Brain Research, 2021, 239, 2015-2024.	1.5	1
156	Causal relationship of CA3 back-projection to the dentate gyrus and its role in CA1 fast ripple generation. BMC Neuroscience, 2021, 22, 37.	1.9	6
157	Altered Protein Profiles During Epileptogenesis in the Pilocarpine Mouse Model of Temporal Lobe Epilepsy. Frontiers in Neurology, 2021, 12, 654606.	2.4	9
158	Diurnal burden of spontaneous seizures in early epileptogenesis in the postâ€kainic acid rat model of epilepsy. Epilepsia Open, 2021, 6, 431-436.	2.4	9
159	Temporal Lobe Epilepsy: What do we understand about protein alterations?. Chemical Biology and Drug Design, 2021, 98, 377-394.	3.2	2
160	SGK1.1 limits brain damage after status epilepticus through M current-dependent and independent mechanisms. Neurobiology of Disease, 2021, 153, 105317.	4.4	4
161	Alive Animal Model for Epilepsy by Intradorsal Striatum Injection of Colchicine. International Journal of Epilepsy, 0, , .	0.5	0
162	Neurotensin receptor 2 is induced in astrocytes and brain endothelial cells in relation to neuroinflammation following pilocarpineâ€induced seizures in rats. Glia, 2021, 69, 2618-2643.	4.9	8
163	The Role or NMDA Receptors in Epileptogenesis. Neuroscience and Behavioral Physiology, 2021, 51, 793-806.	0.4	0
164	Innate Immunity to Spiral Ganglion Neuron Loss: A Neuroprotective Role of Fractalkine Signaling in Injured Cochlea. Frontiers in Cellular Neuroscience, 2021, 15, 694292.	3.7	6
165	Exercise-linked consequences on epilepsy. Epilepsy and Behavior, 2021, 121, 108079.	1.7	21

#	Article	IF	CITATIONS
166	Astrocyte Role in Temporal Lobe Epilepsy and Development of Mossy Fiber Sprouting. Frontiers in Cellular Neuroscience, 2021, 15, 725693.	3.7	14
167	Low prevalence of amyloid and tau pathology in drugâ€resistant temporal lobe epilepsy. Epilepsia, 2021, 62, 3058-3067.	5.1	8
168	Interweaving epilepsy and neurodegeneration: Vitamin E as a treatment approach. Biomedicine and Pharmacotherapy, 2021, 143, 112146.	5.6	21
169	Evaluation of the hippocampal immunoreactivity of the serotonin 5-HT1A, 5-HT2 and 5-HT7 receptors in a pilocarpine temporal lobe epilepsy rat model with fast ripples. NeuroReport, 2021, 32, 306-311.	1.2	3
170	Neuroprotective and anticonvulsant effects of sinomenine in kainate rat model of temporal lobe epilepsy: Involvement of oxidative stress, inflammation and pyroptosis. Journal of Chemical Neuroanatomy, 2020, 108, 101800.	2.1	38
171	Applications of global quantitative18F-FDG-PET analysis in temporal lobe epilepsy. Nuclear Medicine Communications, 2016, 37, 223-230.	1.1	19
172	Effects of preconditioning exercise on nitric oxide and antioxidants in hippocampus of epileptic seizure. Journal of Exercise Rehabilitation, 2019, 15, 757-762.	1.0	10
173	STE20/SPS1-Related Proline/Alanine-Rich Kinase Is Involved in Plasticity of GABA Signaling Function in a Mouse Model of Acquired Epilepsy. PLoS ONE, 2013, 8, e74614.	2.5	12
174	Evidence for Status Epilepticus and Pro-Inflammatory Changes after Intranasal Kainic Acid Administration in Mice. PLoS ONE, 2016, 11, e0150793.	2.5	16
175	Mycophenolate mofetil prevents the delayed T cell response after pilocarpine-induced status epilepticus in mice. PLoS ONE, 2017, 12, e0187330.	2.5	10
176	Preclinical evidence of ghrelin as a therapeutic target in epilepsy. Oncotarget, 2017, 8, 59929-59939.	1.8	15
177	GABAB Receptor Blockade Prevents Antiepileptic Action of Ghrelin in the Rat Hippocampus. Advanced Pharmaceutical Bulletin, 2013, 3, 353-8.	1.4	12
178	T2N as a new tool for robust electrophysiological modeling demonstrated for mature and adult-born dentate granule cells. ELife, 2017, 6, .	6.0	38
180	Knowledge atlas of post-traumatic epilepsy research: Based on citespace visualization analysis. Epilepsy Research, 2021, 178, 106790.	1.6	12
181	In vitro Oscillation Patterns Throughout the Hippocampal Formation in a Rodent Model of Epilepsy. Neuroscience, 2021, 479, 1-21.	2.3	6
182	Beneficial Effects of Selective Orexin-A Receptor Antagonist in 4-aminopyridine-induced Seizures in Male Rats. Advanced Biomedical Research, 2017, 6, 162.	0.5	5
184	Translating regenerative medicine techniques for the treatment of epilepsy. Brain Circulation, 2017, 3, 156.	1.8	1
187	Pathogenesis of epilepsy: challenges in animal models. Iranian Journal of Basic Medical Sciences, 2013, 16, 1119-32.	1.0	30

#	Article	IF	CITATIONS
188	The Anticonvulsant and Antioxidant Effects of Berberine in Kainate-induced Temporal Lobe Epilepsy in Rats. Basic and Clinical Neuroscience, 2014, 5, 124-30.	0.6	34
189	Scorpion ethanol extract and valproic acid effects on hippocampal glial fibrillary acidic protein expression in a rat model of chronic-kindling epilepsy induced by lithium chloride-pilocarpine. Neural Regeneration Research, 2012, 7, 426-33.	3.0	0
190	Lack of Chronic Histologic Lesions Supportive of Sublethal Spontaneous Seizures in FVB/N Mice. Comparative Medicine, 2016, 66, 105-11.	1.0	6
191	A functional hiPSC-cortical neuron differentiation and maturation model and its application to neurological disorders. Stem Cell Reports, 2022, 17, 96-109.	4.8	23
192	Animal Models of Epilepsy: A Phenotype-oriented Review. , 2022, 13, 215.		17
193	Loss of efferent projections of the hippocampal formation in the mouse intrahippocampal kainic acid model. Epilepsy Research, 2022, 180, 106863.	1.6	3
194	Functional Connectivity of the Brain Across Rodents and Humans. Frontiers in Neuroscience, 2022, 16, 816331.	2.8	22
197	Seizures in PPT1 Knock-In Mice Are Associated with Inflammatory Activation of Microglia. International Journal of Molecular Sciences, 2022, 23, 5586.	4.1	5
199	Considering the Role of Extracellular Matrix Molecules, in Particular Reelin, in Granule Cell Dispersion Related to Temporal Lobe Epilepsy. Frontiers in Cell and Developmental Biology, 0, 10, .	3.7	3
200	Structural network alterations in focal and generalized epilepsy assessed in a worldwide ENIGMA study follow axes of epilepsy risk gene expression. Nature Communications, 2022, 13, .	12.8	29
201	Reorganization of the Brain Extracellular Matrix in Hippocampal Sclerosis. International Journal of Molecular Sciences, 2022, 23, 8197.	4.1	4
202	Characterisation of NLRP3 pathway-related neuroinflammation in temporal lobe epilepsy. PLoS ONE, 2022, 17, e0271995.	2.5	7
203	Neuroprotective Effect of Exogenous Galectin-1 in Status Epilepticus. Molecular Neurobiology, 0, , .	4.0	0
204	Pre- and Post-Endurance Training Mitigates the Rat Pilocarpine-Induced Status Epilepticus and Epileptogenesis-Associated Deleterious Consequences. International Journal of Molecular Sciences, 2022, 23, 13188.	4.1	1
205	From kitchen to clinic: Pharmacotherapeutic potential of common spices in Indian cooking in age-related neurological disorders. Frontiers in Pharmacology, 0, 13, .	3.5	3
206	Riluzole and novel naphthalenyl substituted aminothiazole derivatives prevent acute neural excitotoxic injury in a rat model of temporal lobe epilepsy. Neuropharmacology, 2023, 224, 109349.	4.1	5
207	Attenuation of initial pilocarpineâ€induced electrographic seizures by methionine sulfoximine pretreatment tightly correlates with the reduction of extracellular taurine in the hippocampus. Epilepsia, 2023, 64, 1390-1402.	5.1	0
208	Disease-modifying effects of sodium selenate in a model of drug-resistant, temporal lobe epilepsy. ELife, 0, 12, .	6.0	9

#	Article	IF	CITATIONS
209	Epilepsy and Neurodegeneration. , 2023, , 1-15.		0
210	Inflachromene attenuates seizure severity in mouse epilepsy models via inhibiting HMGB1 translocation. Acta Pharmacologica Sinica, 0, , .	6.1	3
211	The Apelin/APJ system modulates seizure activity and endocytosis of the NMDA receptor GluN2B subunit. Neurochemistry International, 2023, 167, 105545.	3.8	0
212	Neuroprotective effects of coenzyme Q10 on neurological diseases: a review article. Frontiers in Neuroscience, 0, 17, .	2.8	4
213	Effects of attachment styles, childhood traumas, and alexithymia in Turkish patients with epilepsy and functional seizures. Epilepsy and Behavior, 2023, 148, 109458.	1.7	0
215	In the Rat Hippocampus, Pilocarpine-Induced Status Epilepticus Is Associated with Reactive Glia and Concomitant Increased Expression of CD31, PDGFRβ, and Collagen IV in Endothelial Cells and Pericytes of the Blood–Brain Barrier. International Journal of Molecular Sciences, 2024, 25, 1693.	4.1	0
216	Evaluation of Wnt/β-catenin signaling and its modulators in repeated dose lithium-pilocarpine rat model of status epilepticus: An acute phase study, European Journal of Pharmacology, 2024, 966, 176375	3.5	0

model of status epilepticus: An acute phase study. European Journal of Pharmacology, 2024, 966, 176375. 216