CITATION REPORT List of articles citing



DOI: 10.1017/s0033291707001134 Psychological Medicine, 2007, 37, 1693-702.

Source: https://exaly.com/paper-pdf/41348980/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
208	White matter hyperintensities in late life depression: a systematic review. 2008 , 79, 619-24		301
207	Differentiating early and late-onset depression with multichannel near-infrared spectroscopy. 2008 , 8, 79-87		11
206	Improving the prediction of treatment response in depression: integration of clinical, cognitive, psychophysiological, neuroimaging, and genetic measures. 2008 , 13, 1066-86; quiz 1087-8		125
205	Current world literature. 2008, 21, 651-9		
204	The role of executive functions in psychiatric disorders. 117-137		7
203	A comparison of neurocognitive impairment in younger and older adults with major depression. <i>Psychological Medicine</i> , 2009 , 39, 725-33	6.9	85
202	Cognitive behavioural therapy with older adults: enthusiasm without the evidence?. 2009 , 2, 75-82		4
201	A meta-analysis of depression severity and cognitive function. 2009 , 119, 1-8		578
200	Frontal Atrophy and Attention Deficits in Older Adults with a History of Elevated Depressive Symptoms. 2009 , 3, 358		8
199	Lexical and semantic fluency discrepancy scores in aMCI and early Alzheimer's disease. 2009 , 3, 79-92		44
198	What is the association between depression and Alzheimer's disease?. 2009 , 9, 1667-76		61
197	Validation of the Danish Addenbrooke's Cognitive Examination as a screening test in a memory clinic. 2009 , 27, 361-5		37
196	Non-essential symptoms of depression and cognitive impairment no dementia (CIND) in community-dwelling elders without dysphoria or anhedonia. 2010 , 22, 1344-52		9
195	Depression and cognitive function in maintenance hemodialysis patients. 2010 , 56, 704-12		91
194	Depression severity is correlated to the integrity of white matter fiber tracts in late-onset major depression. 2010 , 184, 38-48		77
193	Cognitive impairment in major depression. 2010 , 626, 83-6		287
192	The SeniorWISE study: improving everyday memory in older adults. 2010 , 24, 291-306		53

191 Psychopathological conditions in adults. 455-468

190	Old-age psychiatry. 2010 , 635-692		1
	Menopause-associated symptoms and cognitive performance: results from the study of women's		
189	health across the nation. 2010 , 171, 1214-24		104
188	Brazilian version of the Addenbrooke Cognitive Examination-revised in the diagnosis of mild Alzheimer disease. 2010 , 23, 8-13		43
187	Executive dysfunction and left frontal white matter hyperintensities are correlated with neuropsychiatric symptoms in stroke patients with confluent white matter hyperintensities. 2010 , 30, 254-60		16
186	The pattern and course of cognitive impairment in late-life depression. <i>Psychological Medicine</i> , 2010 , 40, 591-602	6.9	94
185	Cognitive impairment in schizophrenia and affective psychoses: implications for DSM-V criteria and beyond. 2010 , 36, 36-42		184
184	Localization of white-matter lesions and effect of vascular risk factors in late-onset major depression. <i>Psychological Medicine</i> , 2010 , 40, 1389-99	6.9	62
183	Differential benefits of memory training for minority older adults in the SeniorWISE study. 2010 , 50, 632-45		14
182	Objective cognitive performance associated with electroconvulsive therapy for depression: a systematic review and meta-analysis. 2010 , 68, 568-77		408
181	Neuroanatomical and neuropsychological features of elderly euthymic depressed patients with early- and late-onset. 2010 , 299, 19-23		41
180	[Cholinesterase inhibitors and depression in the elderly]. 2010 , 36, 77-81		3
179	A 35-year longitudinal assessment of cognition and midlife depression symptoms: the Vietnam Era Twin Study of Aging. 2011 , 19, 559-70		50
178	Physical activity and memory functions: an interventional study. 2011 , 32, 1304-19		322
177	Comparison of language impairment in late-onset depression and Alzheimer's disease. 2011 , 23, 62-8		12
176	The relationship of current depressive symptoms and past depression with cognitive impairment and instrumental activities of daily living in an elderly population: the Sydney Memory and Ageing Study. 2011 , 45, 1600-7		36
175	Cognitive impairment in the remitted state of unipolar depressive disorder: a systematic review. 2011 , 134, 20-31		276
174	Sleep disturbance relates to neuropsychological functioning in late-life depression. 2011 , 132, 139-45		60

173	Intact cognition in depressed elderly veterans providing adequate effort. 2011 , 26, 184-93		28
172	Subtype-selective nicotinic acetylcholine receptor agonists enhance the responsiveness to citalopram and reboxetine in the mouse forced swim test. 2011 , 25, 1347-56		29
171	Factors associated with cognitive decline in elderly diabetics. 2011 , 1, 1-9		19
170	Nicotine reverses anhedonic-like response and cognitive impairment in the rat chronic mild stress model of depression: comparison with sertraline. 2011 , 25, 1134-41		38
169	Regional cortical thickness and subcortical volume changes are associated with cognitive impairments in the drug-naive patients with late-onset depression. 2012 , 37, 838-49		72
168	Exploring the pattern and neural correlates of neuropsychological impairment in late-life depression. <i>Psychological Medicine</i> , 2012 , 42, 1195-202	6.9	66
167	Meta-analysis of volumetric abnormalities in cortico-striatal-pallidal-thalamic circuits in major depressive disorder. <i>Psychological Medicine</i> , 2012 , 42, 671-81	6.9	189
166	Suicidal behaviours in affective disorders: a deficit of cognitive inhibition?. 2012 , 57, 254-62		39
165	Sleep quality and 1-year incident cognitive impairment in community-dwelling older adults. 2012 , 35, 491-9		174
164	Does the Framingham Stroke Risk Profile predict white-matter changes in late-life depression?. 2012 , 24, 524-31		17
163	Quetiapine prevents oligodendrocyte and myelin loss and promotes maturation of oligodendrocyte progenitors in the hippocampus of global cerebral ischemia mice. 2012 , 123, 14-20		28
162	Relationship between neuropsychiatric symptoms and cognitive performance in de novo Parkinson's disease. 2012 , 24, E22-3		6
161	Association of microstructural white matter abnormalities with cognitive dysfunction in geriatric patients with major depression. 2012 , 203, 194-200		25
160	Cognitive functioning in euthymic recurrently depressed patients: relationship with future relapses and prior course of disease. 2012 , 141, 300-7		20
159	Vascular burden and cognitive functioning in depressed older adults. 2012, 20, 673-81		11
158	The neurobiology of depression in later-life: clinical, neuropsychological, neuroimaging and pathophysiological features. 2012 , 98, 99-143		188
157	Affective symptoms and cognitive functions in Parkinson's disease. 2012 , 317, 97-102		45
156	Screening for cognitive impairment in late onset depression in a Brazilian sample using the BBRC-Edu. 2012 , 6, 85-90		5

155	Neuroplasticity-based computerized cognitive remediation for geriatric depression. 2012, 27, 1239-47	25
154	Neuropathological substrates and structural changes in late-life depression: the impact of vascular burden. 2012 , 124, 453-64	24
153	Biomarkers in Mood Disorders Among the Elderly: Can They Contribute to Diagnosis and Prognosis?. 2012 , 1, 111-120	1
152	Meta-review of depressive subtyping models. 2012 , 139, 126-40	200
151	Reduced temporal mismatch negativity in late-life depression: an event-related potential index of cognitive deficit and functional disability?. 2012 , 138, 71-8	29
150	Deficit of cognitive inhibition in depressed elderly: a neurocognitive marker of suicidal risk. 2012 , 140, 193-9	74
149	Combined ∄ nicotinic acetylcholine receptor agonism and partial serotonin transporter inhibition produce antidepressant-like effects in the mouse forced swim and tail suspension tests: a comparison of SSR180711 and PNU-282987. 2012 , 100, 624-9	33
148	Correlations between Stroop task performance and white matter lesion measures in late-onset major depression. 2012 , 202, 142-9	17
147	Cognition as a therapeutic target in late-life depression: potential for nicotinic therapeutics. 2013 , 86, 1133-44	13
146	Vascular risk factors and depression in later life: a systematic review and meta-analysis. 2013 , 73, 406-13	111
145	A systematic review comparing clinical features in early age at onset and late age at onset late-life depression. 2013 , 150, 161-70	36
144	Abnormal functional connectivity of the default mode network in remitted late-onset depression. 2013 , 147, 277-87	53
143	The dynamics of word retrieval in major depression. 2013 , 47, 276-83	3
142	Neurocognitive impairments and quality of life in unemployed patients with remitted major depressive disorder. 2013 , 210, 913-8	27
141	State anxiety and cognitive functioning in older adults. 2013, 21, 915-24	23
140	Neuropsychological functioning in posttraumatic stress disorder following forced displacement in older adults and their offspring. 2013 , 210, 584-9	8
139	Neuropsychological predictors of dementia in late-life major depressive disorder. 2013 , 21, 297-306	35
138	The vascular depression hypothesis: mechanisms linking vascular disease with depression. 2013 , 18, 963-74	517

137	Cognitive impairment in euthymic major depressive disorder: a meta-analysis. <i>Psychological Medicine</i> , 2013 , 43, 2017-26	6.9	327
136	Organic bases of late-life depression: a critical update. 2013 , 120, 1109-25		16
135	The neuropsychological sequelae of delirium in elderly patients with hip fracture three months after hospital discharge. 2013 , 25, 1521-31		18
134	The overlap of symptomatic dimensions between frontotemporal dementia and several psychiatric disorders that appear in late adulthood. 2013 , 25, 159-67		50
133	Is depression really different in older people?. 2013 , 25, 1739-42		2
132	Major depressive disorder is associated with broad impairments on neuropsychological measures of executive function: a meta-analysis and review. 2013 , 139, 81-132		897
131	Discrimination of the cognitive profiles of MCI and depression using the KBNA. 2013, 40, 670-7		1
130	Sensitivity of cognitive tests in four cognitive domains in discriminating MDD patients from healthy controls: a meta-analysis. 2013 , 25, 1543-57		53
129	Subthreshold Depressive Symptoms have a Negative Impact on Cognitive Functioning in Middle-Aged and Older Males. 2013 , 4, 309		17
128	Neuropsychological functioning in late-life depression. 2013 , 4, 381		32
127	Imaging and neurobiological changes in late-life depression. 2014 , 75, 25-30		2
126	Association analysis of the catechol-O-methyltransferase /methylenetetrahydrofolate reductase genes and cognition in late-onset depression. 2014 , 68, 344-52		8
125	Structural brain changes in early-onset and late-onset depression: An update of volumetric MRI findings. 2014 , 24, 149-160		5
124	A computerized neuropsychological test battery designed for idiopathic normal pressure hydrocephalus. 2014 , 11, 22		13
123	Cognitive functioning and late-life depression. 2014 , 20, 461-7		67
122	Cognitive deficits in unipolar old-age depression: a population-based study. <i>Psychological Medicine</i> , 2014 , 44, 937-47	6.9	29
121	Handbook on the Neuropsychology of Traumatic Brain Injury. 2014,		6
120	Comparison of brain structural variables, neuropsychological factors, and treatment outcome in early-onset versus late-onset late-life depression. 2014 , 22, 1039-46		22

119	A longitudinal study on fatigue, depression, and their relation to neurocognition in multiple sclerosis. 2014 , 36, 410-7	21
118	Dpression du sujet g': lâ ffaire du griatre. 2014 , 14, 255-258	
117	Comparison of alterations in cerebral hemoglobin oxygenation in late life depression and Alzheimer's disease as assessed by near-infrared spectroscopy. 2014 , 10, 8	15
116	Motivational enhancement of cognitive control depends on depressive symptoms. 2014 , 14, 646-50	10
115	Neuroanatomy of Alzheimer's Disease and Late-Life Depression: A Coordinate-Based Meta-Analysis of MRI Studies. 2015 , 46, 963-70	25
114	Neuroticism in Remitted Major Depression: Elevated with Early Onset but Not Late Onset of Depression. 2015 , 48, 400-7	3
113	Effects of psychiatric history on cognitive performance in old-age depression. 2015, 6, 865	3
112	Mechanisms underlying neurocognitive dysfunctions in recurrent major depression. 2015 , 21, 1535-47	54
111	Depressive Symptoms Affect Working Memory in Healthy Older Adult Hispanics. 2015, 4,	3
110	Semantic memory impairment for biological and man-made objects in individuals with amnestic mild cognitive impairment or late-life depression. 2015 , 28, 108-16	12
109	Resilience and MRI correlates of cognitive impairment in community-dwelling elders. 2015, 207, 435-9	6
108	Altered functional connectivity networks of hippocampal subregions in remitted late-onset depression: a longitudinal resting-state study. 2015 , 31, 13-21	25
107	Comparison of Clock Test Deficits Between Elderly Patients With Early and Late Onset Depression. 2015 , 28, 231-8	1
106	Subthreshold depression is associated with impaired resting-state functional connectivity of the cognitive control network. 2015 , 5, e683	56
105	Cognitive impairment in remitted and non-remitted depressive patients: A follow-up comparison between first and recurrent episodes. 2015 , 25, 1991-8	25
104	Depressive symptoms increase fall risk in older people, independent of antidepressant use, and reduced executive and physical functioning. 2015 , 60, 190-5	68
103	Antidepressants are independently associated with gait deficits in single and dual task conditions. 2015 , 23, 189-99	15
102	Cognitive function after clinical remission in patients with melancholic and non-melancholic depression: a 6 month follow-up study. 2015 , 171, 85-92	38

101	Performance of low-educated elders with depression on Addenbrooke's Cognitive Examination-Revised (ace-r) test. 2016 , 10, 19-25	2
100	Cognitive Deficits as a Mediator of Poor Occupational Function in Remitted Major Depressive Disorder Patients. 2016 , 14, 1-16	86
99	The Effect of Aging in Inhibitory Control of Major Depressive Disorder Revealed by Event-Related Potentials. 2016 , 10, 116	8
98	The interrelationship between attentional and executive deficits in major depressive disorder. 2016 , 134, 73-82	20
97	Cognitive Risks in Developmental Psychopathology. 2016 , 1-74	15
96	Impact of Depressive Symptoms on Memory for Emotional Words in Mild Cognitive Impairment and Late-Life Depression. 2016 , 52, 451-62	13
95	Participant characteristics and observed support in conversations involving people with communication disorders. 2016 , 18, 439-49	4
94	Cognitive activity mediates the association between social activity and cognitive performance: A longitudinal study. 2016 , 31, 831-846	22
93	A meta-analysis of cognitive performance in melancholic versus non-melancholic unipolar depression. 2016 , 201, 15-24	35
92	Cognitive Dysfunction in Major Depressive Disorder: Assessment, Impact, and Management. 2016 , 14, 194-206	19
91	Anesthesia Management for Electroconvulsive Therapy. 2016,	2
90	Depressive Symptoms Negatively Impact Montreal Cognitive Assessment Performance: A Memory Clinic Experience. 2016 , 43, 513-7	20
89	Diagnosis and causal explanation in psychiatry. 2016 , 60, 15-24	14
88	Moving Beyond Mood: Is it Time to Recommend Cognitive Training for Depression in Older Adults?. 2016 , 365-394	
87	Analysis of the impact of a cognitive task on the posture of elderly subjects with depression compared with healthy elderly subjects. 2016 , 127, 3406-3411	13
86	Factors Influencing Clinical Correlates of Chronic Traumatic Encephalopathy (CTE): a Review. 2016 , 26, 340-363	48
85	[Late-onset depression : Pathophysiology, diagnostics and treatment]. 2016 , 87, 1017-29	2
84	A systematic review and meta-analysis of cross-sectional studies examining the relationship between mobility and cognition in healthy older adults. 2016 , 50, 164-174	89

(2018-2016)

Digit Symbol Substitution test and future clinical and subclinical disorders of cognition, mobility and mood in older adults. 2016 , 45, 688-95	41
[Cognition - the core of major depressive disorder]. 2016 , 42, 1S3-11	5
Altered functional interaction hub between affective network and cognitive control network in patients with major depressive disorder. 2016 , 298, 301-9	61
Cognitive performance in unipolar old-age depression: a longitudinal study. 2017 , 32, 675-684	7
Cortical Atrophy is Associated with Accelerated Cognitive Decline in Mild Cognitive Impairment with Subsyndromal Depression. 2017 , 25, 980-991	21
The impact and measurement of social dysfunction in late-life depression: an evaluation of current methods with a focus on wearable technology. 2017 , 32, 247-255	7
Relationship of Depression With Executive Functions and Visuospatial Memory in Elderly. 2017 , 85, 490-503	13
Prospective memory deficits in patients with depression: A meta-analysis. 2017 , 220, 79-85	28
Memory for emotional images differs according to the presence of depressive symptoms in individuals at risk for dementia. 2017 , 29, 673-685	4
Severity of Depression Impacts Imminent Conversion from Mild Cognitive Impairment to Alzheimer's Disease. 2017 , 59, 1439-1448	16
Disease severity and slower psychomotor speed in adults with sickle cell disease. 2017 , 1, 1790-1795	8
Empirical evidence for discrete neurocognitive subgroups in patients with non-psychotic major depressive disorder: clinical implications. <i>Psychological Medicine</i> , 2018 , 48, 2717-2729	20
Current sleep disturbance in older people with a lifetime history of depression is associated with increased connectivity in the Default Mode Network. 2018 , 229, 85-94	12
Cognitive Dimensions of Depression: Assessment, Neurobiology, and Treatment. 2018 , 151-160	1
Prevalence and factors associated with mild cognitive impairment among Chinese older adults with depression. 2018 , 18, 263-268	8
The relationship between depression and cognitive function in adults with cardiovascular risk: Evidence from a randomised attention-controlled trial. 2018 , 13, e0203343	6
Cognitive Impairment Along the Course of Depression: Non-Pharmacological Treatment Options. 2018 , 51, 295-305	18
Cognitive Functioning in Late-life Depression: A Critical Review of Sociodemographic, Neurobiological, and Treatment Correlates. 2018 , 5, 310-318	1
	Altered functional interaction hub between affective network and cognitive control network in patients with major depressive disorder. 2016, 298, 301-9 Cognitive performance in unipolar old-age depression: a longitudinal study. 2017, 32, 675-684 Cortical Atrophy is Associated with Accelerated Cognitive Decline in Mild Cognitive Impairment with Subsyndromal Depression. 2017, 25, 980-991 The impact and measurement of social dysfunction in late-life depression: an evaluation of current methods with a focus on wearable technology. 2017, 32, 247-255 Relationship of Depression With Executive Functions and Visuospatial Memory in Elderly. 2017, 85, 490-503 Prospective memory deficits in patients with depression: A meta-analysis. 2017, 220, 79-85 Memory for emotional images differs according to the presence of depressive symptoms in individuals at risk for dementia. 2017, 29, 673-685 Severity of Depression Impacts Imminent Conversion from Mild Cognitive Impairment to Alzheimer's Disease. 2017, 59, 1439-1448 Disease severity and slower psychomotor speed in adults with sickle cell disease. 2017, 1, 1790-1795 Empirical evidence for discrete neurocognitive subgroups in patients with non-psychotic major depressive disorder: clinical implications. Psychological Medicine, 2018, 48, 2717-2729 Current sleep disturbance in older people with a lifetime history of depression is associated with increased connectivity in the Default Mode Network. 2018, 229, 85-94 Cognitive Dimensions of Depression: Assessment, Neurobiology, and Treatment. 2018, 151-160 Prevalence and factors associated with mild cognitive impairment among Chinese older adults with depression. 2018, 18, 263-268 The relationship between depression and cognitive function in adults with cardiovascular risk: Evidence from a randomised attention-controlled trial. 2018, 13, e0203343 Cognitive Impairment Along the Course of Depression: Non-Pharmacological Treatment Options. 2018, 51, 295-305

65	Depressive Symptom Dimensions and Their Association with Hippocampal and Entorhinal Cortex Volumes in Community Dwelling Older Adults. 2018 , 10, 40	10
64	The lack of meaningful association between depression severity measures and neurocognitive performance. 2018 , 241, 164-172	14
63	Psychological theories of depressive relapse and recurrence: A systematic review and meta-analysis of prospective studies. 2019 , 74, 101773	10
62	Dysexecutive Syndromes. 2019 ,	2
61	Is Low Psychomotor Speed a Marker of Brain Vulnerability in Late Life? Digit Symbol Substitution Test in the Prediction of Alzheimer, Parkinson, Stroke, Disability, and Depression. 2019 , 47, 297-305	12
60	Prediction of future cognitive impairment among the community elderly: A machine-learning based approach. 2019 , 9, 3335	16
59	Vascular Depression and Cognition in Mexican Americans. 2019 , 47, 68-78	6
58	[Depressed, biased, forgetful: The interaction of emotional and cognitive dysfunctions in depression]. 2019 , 33, 123-130	9
57	Depression related cerebral pathology and its relationship with cognitive functioning: A systematic review. 2019 , 250, 410-418	29
56	Advances in the Neurobiology of Late-Life Depression. 2019 , 441-449	1
55	Age of Onset of Mental Disorders. 2019 ,	12
54	Investigating the relationship between age of onset of depressive disorder and cognitive function. 2019 , 34, 38-46	12
53	Mental health symptoms and verbal fluency in elderly people: Evidence from the Spanish longitudinal study of aging. 2019 , 23, 670-679	6
52	Late life depressive symptoms and cognitive function among older Mexican adults: the past and the present. 2020 , 24, 413-422	10
51	The Computerized General Neuropsychological INPH Test revealed improvement in idiopathic normal pressure hydrocephalus after shunt surgery. 2019 , 132, 733-740	3
50	Disrupted structural brain connectome underlying the cognitive deficits in remitted late-onset depression. 2020 , 14, 1600-1611	12
49	Reduced plasma Fetuin-A is a promising biomarker of depression in the elderly. 2020 , 270, 901-910	4
48	Predictors of cognitive remediation therapy improvement in (partially) remitted unipolar depression. 2020 , 264, 40-49	10

47	Association of trajectories of depressive symptoms with vascular risk, cognitive function and adverse brain outcomes: The Whitehall II MRI sub-study. 2020 , 131, 85-93	7
46	Frontal-executive and corticolimbic structural brain circuitry in older people with remitted depression, mild cognitive impairment, Alzheimer's dementia, and normal cognition. 2020 , 45, 1567-1578	5
45	Comparison of cognitive function between early- and late-onset late-life depression in remission. 2020 , 290, 113051	1
44	Cognitive symptoms domain in major depressive disorder-revisited. 2020 , 53, 102216	2
43	Abnormal Voxel-Wise Degree Centrality in Patients With Late-Life Depression: A Resting-State Functional Magnetic Resonance Imaging Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 1024	5
42	The therapeutic effect of treatment with RehaCom software on verbal performance in patients with multiple sclerosis. 2020 , 72, 93-97	4
41	Neurocognitive functioning after electroconvulsive therapy in late-life depression: A 4-year prospective study. 2021 , 143, 141-150	4
40	Distinct epigenetic signatures between adult-onset and late-onset depression. 2021 , 11, 2296	4
39	Mental Disorders, Cognitive Impairment and the Risk of Suicide in Older Adults. <i>Frontiers in Psychiatry</i> , 2021 , 12, 695286	2
38	Depressive symptoms may be associated with semantic memory decline in elderly adults. 2021 , 15, 350-356	О
37	Psychotherapy of Depression and Dysthymia. 2010 , 543-551	2
36	Executive Dysfunction in Depressive Disorders. 2019 , 241-259	1
35	The Age of Onset of Unipolar Depression. 2019 , 111-124	4
34	Diagnostik der Altersdepression. 2017 , 19-26	1
33	[Late life depression or prodromal Alzheimer's disease: Which tools for the differential diagnosis?]. 2018 , 44, 52-58	6
32	[Anxiety and depression in the elderly]. 2012, 58, 336-56	13
31	Depressive disorders in the elderly and dementia: An update. 2020 , 14, 1-6	6
30	Cerebral blood flow changes in remitted early- and late-onset depression patients. 2017 , 8, 76214-76222	23

29	[Depression or Alzheimer-type dementia?]. 2014 , 134, 525-8		1
28	Toward Prevention of Mild Cognitive Impairment in Older Adults With Depression: An Observational Study of Potentially Modifiable Risk Factors. 2018 , 80,		14
27	Cognitive Impairment in Late-Life Depression: A Comparative Study of Healthy Older People, Late-Life Depression, and Mild Alzheimer's Disease Using Multivariate Base Rates of Low Scores. 2021 , 12, 724731		2
26	Global cognitive dysfunction and the myloid neuropathology in late-life and treatment-resistant major depression. <i>Psychological Medicine</i> , 1-11	6.9	1
25	Cognitive dysfunction in elderly females with depressive symptoms. 2012 , 18, CR706-11		4
24	Neurobiological aetiology of mood disorders. 2012 , 658-665		
23	Dficits na memfia de trabalho em idosos com depress® maior: uma revis® sistemfica. 2013 , 29, 221-228		
22	Angst und Depression âlvon der Diagnose zur Psychotherapie bei chronischen Erkrankungen. 2013 , 61, 255-262		O
21	SPECT and PET in Late-Life Depression. 2014 , 185-208		
20	Assessment and Treatment of Older Adults with Traumatic Brain Injuries. 2014 , 331-343		
19	Depression âla risk factor for dementia?. 2,		
18	Clinical Characteristics of Elderly Depression Using MMPI-2-RF. 2015 , 20, 643-664		
17	Encyclopedia of Geropsychology. 2016 , 1-9		
16	Postprocedural Assessments and Considerations. 2016 , 99-124		
15	Encyclopedia of Geropsychology. 2017 , 655-663		
14	Clinical characteristics of cognitive deficits in major depressive disorder: a 6-month prospective study. 2020 , 47, 101-105		3
13	Neuropsychological Profile of Endogenous Depressions with Overvalued Ideas. 2020, 18, 63-71		
12	SPECT and PET in Late-Life Depression. 2021 , 209-244		

Biomarkers of cognitive impairment in late-life depression. **2020**, 81-85

10	DataSheet_1.pdf. 2020 ,		
9	Emotional Blunting, Cognitive Impairment, Bone Fractures, and Bleeding as Possible Side Effects of Long-Term Use of SSRIs 2019 , 16, 75-85		
8	The P300, loneliness, and depression in older adults <i>Biological Psychology</i> , 2022 , 171, 108339	3.2	1
7	White Matter Alterations in Depressive Disorder. Frontiers in Immunology, 2022, 13,	8.4	O
6	Mechanisms of Cognitive Impairment in Depression. May Probiotics Help?. <i>Frontiers in Psychiatry</i> , 13,	5	O
5	Heterogenous Subtypes of Late-Life Depression and Their Cognitive Patterns: A Latent Class Analysis. 13,		
4	Relationship between chronic obstructive pulmonary disease and cognition in an aging population. 2022 , 161, 111000		O
3	Relations between clinical characteristics and cognitive deficits among adult patients diagnosed with major depressive disorder. 1-13		O
2	Exploration of the Core Pathways and Potential Targets of Luteolin Treatment on Late-Onset Depression Based on Cerebrospinal Fluid Proteomics. 2023 , 24, 3485		O
1	Psychiatric rehabilitation and cognitive deficit for treatment-resistant depression. 2023,		0

1