

The Association of a SNP Upstream of INSIG2 with Body but Not All Cohorts

PLoS Genetics

3, e61

DOI: [10.1371/journal.pgen.0030061](https://doi.org/10.1371/journal.pgen.0030061)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Problems with Genome-Wide Association Studies. <i>Science</i> , 2007, 316, 1840-1842.	6.0	83
3	Genome-wide association studies: A new era in human genetics. <i>Current Cardiovascular Risk Reports</i> , 2007, 1, 271-272.	0.8	0
4	Assessing gene-environment interactions at the FTO and INSIG2 loci on obesity-related traits in the Diabetes Prevention Program. <i>Diabetologia</i> , 2008, 51, 2214-2223.	2.9	95
5	Genetics of metabolic syndrome. <i>Current Diabetes Reports</i> , 2008, 8, 141-148.	1.7	57
6	INSIG2 gene rs7566605 polymorphism is associated with severe obesity in Japanese. <i>Journal of Human Genetics</i> , 2008, 53, 857-862.	1.1	43
7	Association of a genetic polymorphism in ectonucleotide pyrophosphatase/phosphodiesterase 1 with hepatitis C virus infection and hepatitis C virus core antigen levels in subjects in a hyperendemic area of Japan. <i>Journal of Gastroenterology</i> , 2008, 43, 942-950.	2.3	1
8	INSIG2 gene polymorphism is associated with increased subcutaneous fat in women and poor response to resistance training in men. <i>BMC Medical Genetics</i> , 2008, 9, 117.	2.1	22
9	Obesity genes: so close and yet so far.... <i>Journal of Biology</i> , 2008, 7, 36.	2.7	12
10	Testing and Estimating Gene-Environment Interactions in Family-Based Association Studies. <i>Biometrics</i> , 2008, 64, 458-467.	0.8	36
11	The success of the genome-wide association approach: a brief story of a long struggle. <i>European Journal of Human Genetics</i> , 2008, 16, 554-564.	1.4	101
12	Potential association of INSIG2 rs7566605 polymorphism with body weight in a Chinese subpopulation. <i>European Journal of Human Genetics</i> , 2008, 16, 759-761.	1.4	11
13	Latent common genetic components of obesity traits. <i>International Journal of Obesity</i> , 2008, 32, 1799-1806.	1.6	5
14	Association of the FTO Gene With BMI. <i>Obesity</i> , 2008, 16, 902-904.	1.5	139
15	<i>INSIG2</i> Polymorphism Is Neither Associated With BMI Nor With Phenotypes of Lipoprotein Metabolism. <i>Obesity</i> , 2008, 16, 827-833.	1.5	33
16	Genome-wide Linkage Scan for the Metabolic Syndrome: The GENNID Study. <i>Obesity</i> , 2008, 16, 1596-1601.	1.5	48
17	Polymorphisms of the <i>FTO</i> Gene Are Associated With Variation in Energy Intake, but not Energy Expenditure. <i>Obesity</i> , 2008, 16, 1961-1965.	1.5	281
18	Gene-environment interaction and obesity. <i>Nutrition Reviews</i> , 2008, 66, 684-694.	2.6	218
19	Study Designs for Genome-Wide Association Studies. <i>Advances in Genetics</i> , 2008, 60, 465-504.	0.8	46

#	ARTICLE	IF	CITATIONS
20	On the Replication of Genetic Associations: Timing Can Be Everything!. American Journal of Human Genetics, 2008, 82, 849-858.	2.6	130
21	Genomics and genome-wide association studies: An integrative approach to expression QTL mapping. Genomics, 2008, 92, 129-133.	1.3	18
22	Association of the Common Genetic Variant Upstream of INSIG2 Gene with Obesity Related Phenotypes in Chinese Children and Adolescents. Biomedical and Environmental Sciences, 2008, 21, 528-536.	0.2	28
23	Genetics of type 2 diabetes mellitus and obesity—a review. Annals of Medicine, 2008, 40, 2-10.	1.5	26
24	Insulin-Induced Gene 2 Involvement in Human Adipocyte Metabolism and Body Weight Regulation. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 1995-2001.	1.8	40
25	Generating Linkage Disequilibrium Patterns in Data Simulations Using genomeSIMLA. , 2008, , 24-35.		31
26	Association of FTO With Obesity-Related Traits in the Cebu Longitudinal Health and Nutrition Survey (CLHNS) Cohort. Diabetes, 2008, 57, 1987-1991.	0.3	61
27	Targeted screening of cis-regulatory variation in human haplotypes. Genome Research, 2009, 19, 118-127.	2.4	78
28	Evaluating the Association of FAAH; Common Gene Variation with Childhood, Adult Severe Obesity and Type 2 Diabetes in the French Population. Obesity Facts, 2008, 1, 305-309.	1.6	20
29	Identification and Replication of a Novel Obesity Locus on Chromosome 1q24 in Isolated Populations of Cilento. Diabetes, 2008, 57, 783-790.	0.3	16
30	R125W coding variant in TBC1D1 confers risk for familial obesity and contributes to linkage on chromosome 4p14 in the French population. Human Molecular Genetics, 2008, 17, 1798-1802.	1.4	76
31	Polygenic Obesity in Humans. Obesity Facts, 2008, 1, 35-42.	1.6	62
32	Genome-wide association scans identified CTNBL1 as a novel gene for obesity. Human Molecular Genetics, 2008, 17, 1803-1813.	1.4	168
33	Metabolic and cardiovascular traits: an abundance of recently identified common genetic variants. Human Molecular Genetics, 2008, 17, R102-R108.	1.4	75
34	Uncovering the Genetic Determinants of Metabolic Syndrome. Journal of Nutrigenetics and Nutrigenomics, 2008, 1, 118-125.	1.8	12
35	Association of Morbid Obesity With FTO and INSIG2 Allelic Variants. Archives of Surgery, 2008, 143, 235.	2.3	40
36	New insights into the genetics of body weight. Current Opinion in Clinical Nutrition and Metabolic Care, 2008, 11, 378-384.	1.3	25
37	Polygenic Contribution to Obesity: Genome-Wide Strategies Reveal New Targets. , 2008, 36, 12-36.		33

#	ARTICLE	IF	CITATIONS
38	Progress in the genetics of common obesity: size matters. <i>Current Opinion in Lipidology</i> , 2008, 19, 113-121.	1.2	47
39	Non-Replication of Genome-Wide Based Associations between Common Variants in INSIG2 and PFKP and Obesity in Studies of 18,014 Danes. <i>PLoS ONE</i> , 2008, 3, e2872.	1.1	49
40	INSIG2 is Associated with Lower Gain in Weight-for-Length between Birth and Age 6 Months. <i>Clinical Medicine Pediatrics</i> , 2009, 3, CMPed.S2279.	0.1	2
41	Three at One Swoop!. <i>Obesity Facts</i> , 2009, 2, 3-8.	1.6	18
42	Meta-Analysis of the INSIG2 Association with Obesity Including 74,345 Individuals: Does Heterogeneity of Estimates Relate to Study Design?. <i>PLoS Genetics</i> , 2009, 5, e1000694.	1.5	62
43	Impact of Population Stratification on Family-Based Association Tests with Longitudinal Measurements. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2009, 8, 1-17.	0.2	3
44	Gene-environment interactions and obesity-Further aspects of genomewide association studies. <i>Nutrition</i> , 2009, 25, 998-1003.	1.1	87
45	Possible role for ENPP1 polymorphism in obesity but not for INSIG2 and PLIN variants. <i>Endocrine</i> , 2009, 36, 103-109.	1.1	10
47	Single nucleotide polymorphisms in obesity-related genes and all-cause and cause-specific mortality: a prospective cohort study. <i>BMC Medical Genetics</i> , 2009, 10, 103.	2.1	23
48	A tagging SNP in INSIG2 is associated with obesity-related phenotypes among Samoans. <i>BMC Medical Genetics</i> , 2009, 10, 143.	2.1	14
49	The INSIG2 rs7566605 genetic variant does not play a major role in obesity in a sample of 24,722 individuals from four cohorts. <i>BMC Medical Genetics</i> , 2009, 10, 56.	2.1	17
50	Association analyses of the INSIG2 polymorphism in the obesity and cholesterol levels of Korean populations. <i>BMC Medical Genetics</i> , 2009, 10, 96.	2.1	7
51	Recent progress in the genetics of common obesity. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 811-829.	1.1	123
52	Association between the insulin-induced gene 2 (INSIG2) and weight gain in a German sample of antipsychotic-treated schizophrenic patients: perturbation of SREBP-controlled lipogenesis in drug-related metabolic adverse effects?. <i>Molecular Psychiatry</i> , 2009, 14, 308-317.	4.1	96
53	Screening for replication of genome-wide SNP associations in sporadic ALS. <i>European Journal of Human Genetics</i> , 2009, 17, 213-218.	1.4	57
54	The genetic contribution to non-syndromic human obesity. <i>Nature Reviews Genetics</i> , 2009, 10, 431-442.	7.7	338
55	Genome-wide Association Study and Follow-up Analysis of Adiposity Traits in Hispanic Americans: The IRAS Family Study. <i>Obesity</i> , 2009, 17, 1932-1941.	1.5	44
56	The Role of Obesity-associated Loci Identified in Genome-wide Association Studies in the Determination of Pediatric BMI. <i>Obesity</i> , 2009, 17, 2254-2257.	1.5	159

#	ARTICLE	IF	CITATIONS
57	<i>INSIG2</i> SNPs Associated With Obesity and Glucose Homeostasis Traits in Hispanics: The IRAS Family Study. <i>Obesity</i> , 2009, 17, 1554-1562.	1.5	23
58	Upstream genetic variant near <i>INSIG2</i>, influences response to carnitine supplementation in bipolar patients with valproate-induced weight gain. <i>Acta Neuropsychiatrica</i> , 2009, 21, 133-140.	1.0	2
59	Genetic dissection of type 2 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2009, 297, 10-17.	1.6	121
60	Lack of Association Between a Common Polymorphism Near the <i>INSIG2</i> Gene and BMI, Myocardial Infarction, and Cardiovascular Risk Factors. <i>Obesity</i> , 2009, 17, 1390-1395.	1.5	12
61	The HapMap and Genome-Wide Association Studies in Diagnosis and Therapy. <i>Annual Review of Medicine</i> , 2009, 60, 443-456.	5.0	191
62	Using prior knowledge and genome-wide association to identify pathways involved in multiple sclerosis. <i>Genome Medicine</i> , 2009, 1, 65.	3.6	21
63	Genome-wide linkage screen for stature and body mass index in 3.032 families: evidence for sex- and population-specific genetic effects. <i>European Journal of Human Genetics</i> , 2009, 17, 258-266.	1.4	16
64	Absence of Association Between the <i>INSIG2</i> Gene Polymorphism (rs7566605) and Obesity in the European Youth Heart Study (EYHS). <i>Obesity</i> , 2009, 17, 1453-1457.	1.5	14
65	Environmental and Genetic Risk Factors in Obesity. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2009, 18, 83-94.	1.0	118
66	Genetic factors contributing to obesity and body weight can act through mechanisms affecting muscle weight, fat weight, or both. <i>Physiological Genomics</i> , 2009, 36, 114-126.	1.0	21
67	The single nucleotide polymorphism upstream of insulin-induced gene 2 (INSIG2) is associated with the prevalence of hypercholesterolaemia, but not with obesity, in Japanese American women. <i>British Journal of Nutrition</i> , 2009, 101, 322-327.	1.2	24
68	Genetics of fat tissue accumulation in pigs: a comparative approach. <i>Journal of Applied Genetics</i> , 2010, 51, 153-168.	1.0	88
70	From monogenic to polygenic obesity: recent advances. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 297-310.	2.8	187
71	Common INSIG2 polymorphisms are associated with age-related changes in body size and high-density lipoprotein cholesterol from young adulthood to middle age. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1084-1091.	1.5	15
72	Association of an INSIG2 obesity allele with cardiovascular phenotypes is gender and age dependent. <i>BMC Cardiovascular Disorders</i> , 2010, 10, 46.	0.7	1
73	Obesity and diabetes genetic variants associated with gestational weight gain. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 283.e1-283.e17.	0.7	39
74	Association study of polymorphisms in Insulin Induced Gene 2 (INSIG2) with antipsychotic-induced weight gain in European and African-American schizophrenia patients. <i>Human Psychopharmacology</i> , 2010, 25, 253-259.	0.7	30
75	Large effects on body mass index and insulin resistance of fat mass and obesity associated gene (FTO) variants in patients with polycystic ovary syndrome (PCOS). <i>BMC Medical Genetics</i> , 2010, 11, 12.	2.1	75

#	ARTICLE	IF	CITATIONS
76	An <i>INSIG2</i> Polymorphism Affects Glucose Homeostasis in Sardinian Obese Children and Adolescents. <i>Annals of Human Genetics</i> , 2010, 74, 381-386.	0.3	9
77	Fine Mapping of the Insulin-Induced Gene 2 Identifies a Variant Associated With LDL Cholesterol and Total Apolipoprotein B Levels. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 454-461.	5.1	7
78	Upstream transcription factor 1 influences plasma lipid and metabolic traits in mice. <i>Human Molecular Genetics</i> , 2010, 19, 597-608.	1.4	30
79	Genome-wide association studies for the identification of biomarkers in metabolic diseases. <i>Expert Opinion on Medical Diagnostics</i> , 2010, 4, 39-51.	1.6	8
80	Cutting the Fat. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 94, 197-212.	0.9	5
81	Two-Stage Testing Strategies for Genome-Wide Association Studies in Family-Based Designs. <i>Methods in Molecular Biology</i> , 2010, 620, 485-496.	0.4	5
82	The pursuit of genome-wide association studies: where are we now?. <i>Journal of Human Genetics</i> , 2010, 55, 195-206.	1.1	191
83	Life-Course Analysis of a Fat Mass and Obesity-Associated (FTO) Gene Variant and Body Mass Index in the Northern Finland Birth Cohort 1966 Using Structural Equation Modeling. <i>American Journal of Epidemiology</i> , 2010, 172, 653-665.	1.6	30
84	The Basics of Genetic Association Analysis. <i>Statistics in the Health Sciences</i> , 2011, , 99-124.	0.2	0
85	Genetics of Childhood Obesity. <i>Journal of Obesity</i> , 2011, 2011, 1-9.	1.1	49
86	Replication of genetic variants from genome-wide association studies with metabolic traits in an island population of the Adriatic coast of Croatia. <i>European Journal of Human Genetics</i> , 2011, 19, 341-346.	1.4	14
87	Influence of common variants in FTO and near INSIG2 and MC4R on growth curves for adiposity in African and European American youth. <i>European Journal of Epidemiology</i> , 2011, 26, 463-473.	2.5	39
88	Higher body mass index may induce asthma among adolescents with pre-asthmatic symptoms: a prospective cohort study. <i>BMC Public Health</i> , 2011, 11, 542.	1.2	55
89	Two Candidate Genes (<i>FTO</i> and <i>INSIG2</i>) for Fat Accumulation in Four Canids: Chromosome Mapping, Gene Polymorphisms and Association Studies of Body and Skin Weight of Red Foxes. <i>Cytogenetic and Genome Research</i> , 2011, 135, 25-32.	0.6	9
90	Functional Genomic Architecture of Predisposition to Voluntary Exercise in Mice: Expression QTL in the Brain. <i>Genetics</i> , 2012, 191, 643-654.	1.2	31
91	A General Statistical Framework for Multistage Designs. <i>Scandinavian Journal of Statistics</i> , 2012, 39, 131-152.	0.9	3
92	Analysis of the contribution of FTO, NPC1, ENPP1, NEGR1, GNPDA2 and MC4R genes to obesity in Mexican children. <i>BMC Medical Genetics</i> , 2013, 14, 21.	2.1	55
93	Challenges in reproducibility of genetic association studies: lessons learned from the obesity field. <i>International Journal of Obesity</i> , 2013, 37, 559-567.	1.6	55

#	ARTICLE	IF	CITATIONS
94	Genome-wide association study of body mass index in 23000 individuals with and without asthma. <i>Clinical and Experimental Allergy</i> , 2013, 43, 463-474.	1.4	68
95	Gene & Environment Interactions in Obesity: The State of the Evidence. <i>Human Heredity</i> , 2013, 75, 106-115.	0.4	29
96	The genetics of human obesity. <i>Annals of the New York Academy of Sciences</i> , 2013, 1281, 178-190.	1.8	150
97	INSIG2 variants, dietary patterns and metabolic risk in Samoa. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 101-107.	1.3	20
98	FTO and INSIG2 Genotyping Combined with Metabolic and Anthropometric Phenotyping of Morbidly Obese Patients. <i>Molecular Syndromology</i> , 2013, 4, 273-279.	0.3	4
99	Contribution of Common Genetic Variants to Obesity and Obesity-Related Traits in Mexican Children and Adults. <i>PLoS ONE</i> , 2013, 8, e70640.	1.1	90
100	Controversial association results for INSIG2 on body mass index may be explained by interactions with age and with MC4R. <i>European Journal of Human Genetics</i> , 2014, 22, 1217-1224.	1.4	8
101	Quantitative genomics of voluntary exercise in mice: transcriptional analysis and mapping of expression QTL in muscle. <i>Physiological Genomics</i> , 2014, 46, 593-601.	1.0	34
102	The Gene-Gene Interaction of INSIG-SCAP-SREBP Pathway on the Risk of Obesity in Chinese Children. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	17
103	Obesity: Interactions of Genome and Nutrients Intake. <i>Preventive Nutrition and Food Science</i> , 2015, 20, 1-7.	0.7	36
104	Association of INSIG2 Polymorphism with Overweight and LDL in Children. <i>PLoS ONE</i> , 2015, 10, e0116340.	1.1	16
105	Gender-Specific Effect of -102G>A Polymorphism in Insulin Induced Gene 2 on Obesity in Chinese Children. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-7.	0.6	1
107	Genetic variations in SEC16B, MC4R, MAP2K5 and KCTD15 were associated with childhood obesity and interacted with dietary behaviors in Chinese school-age population. <i>Gene</i> , 2015, 560, 149-155.	1.0	35
108	The Genetics of Pediatric Obesity. <i>Trends in Endocrinology and Metabolism</i> , 2015, 26, 711-721.	3.1	66
109	Genetics of Type 2 Diabetes. , 2015, , 1-21.		0
110	Expression of candidate genes associated with obesity in peripheral white blood cells of Mexican children. <i>Archives of Medical Science</i> , 2016, 5, 968-976.	0.4	10
111	<i>INSIG2</i> polymorphism and weight gain, dyslipidemia and serum adiponectin in Finnish patients with schizophrenia treated with clozapine. <i>Pharmacogenomics</i> , 2016, 17, 1987-1997.	0.6	7
112	A compendium of human genes regulating feeding behavior and body weight, its functional characterization and identification of GWAS genes involved in brain-specific PPI network. <i>BMC Genetics</i> , 2016, 17, 158.	2.7	15

#	ARTICLE	IF	CITATIONS
113	Defective regulation of POMC precedes hypothalamic inflammation in diet-induced obesity. Scientific Reports, 2016, 6, 29290.	1.6	54
114	Genetics of Type 2 Diabetes. , 2016, , 141-157.		0
116	The investigations of genetic determinants of the metabolic syndrome. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2018, 12, 783-789.	1.8	29
117	Genes and individual responsiveness to exercise-induced fat loss. , 2019, , 231-247.		3
118	Genetic Determinants of Childhood Obesity. Molecular Diagnosis and Therapy, 2020, 24, 653-663.	1.6	36
119	The Role of Secretory Activity Molecules of Visceral Adipocytes in Abdominal Obesity in the Development of Cardiovascular Disease: A Review. Biomolecules, 2020, 10, 374.	1.8	31
120	Genetische Aspekte der Adipositas. , 2008, , 265-270.		3
121	Genetic Predictors of Obesity. , 2008, , 437-460.		5
122	<i>ARG1</i> Is a Novel Bronchodilator Response Gene. American Journal of Respiratory and Critical Care Medicine, 2008, 178, 688-694.	2.5	121
123	The Common Genetic Variant of insig2 Gene rs7566605 Polymorphism Is Associated with Severe Obesity in North India. Iranian Biomedical Journal, 2017, 21, 261-269.	0.4	9
124	Genetic associations of the INSIG2 rs7566605 polymorphism with obesity-related metabolic traits in Malaysian Malays. Genetics and Molecular Research, 2014, 13, 4904-4910.	0.3	5
125	Polygenic Obesity. , 2010, , 65-73.		1
127	Genetics of Childhood Obesity. , 2014, , 71-91.		1
129	Mapping of Susceptibility Genes for Obesity, Type 2 Diabetes, and the Metabolic Syndrome in Human Populations. , 2015, , 181-245.		2
130	Genetics of Childhood Obesity. , 2016, , 137-150.		0
132	Strategies to identify causal common genetic variants and corresponding effector genes for paediatric obesity. Pediatric Obesity, 2022, 17, .	1.4	1
133	Genetics of Type 2 Diabetes. , 2024, , 1-17.		0
134	Genetics of Type 2 Diabetes. , 2023, , 145-161.		0