

CITATION REPORT

List of articles citing

Use of intensive case management to reduce time in hospital in people with severe mental illness: systematic review and meta-regression

DOI: 10.1136/bmj.39251.599259.55
BMJ, The, 2007, 335, 336.

Source: <https://exaly.com/paper-pdf/41425255/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
247	Assertive community treatment in psychiatry. <i>BMJ, The</i> , 2007 , 335, 311-2	5.9	18
246	Clinical case management of revolving door patients - a semi-randomized study. 2008 , 117, 449-54		19
245	The organization of psychiatric services. 2008 , 36, 388-390		10
244	Involuntary hospitalization in contemporary mental health care. Some (still) unanswered questions. 2008 , 17, 281-292		20
243	Pilot study of assertive community treatment methods to engage alcohol-dependent individuals. 2008 , 43, 451-5		14
242	What have we learnt from 40 years of research on Intensive Case Management?. 2008 , 17, 106-109		18
241	Developing mental health services in response to research evidence. 2008 , 17, 47-56		14
240	Case management or assertive community treatment. What is the difference?. 2008 , 17, 99-105		13
239	So what shall we do about assertive community treatment?. 2008 , 17, 110-114		14
238	The NHHRC final report: view from the hospital sector. 2009 , 191, 450-3		2
237	Can a Nurse Practitioner Serve in the Prescriber Role on an Assertive Community Treatment Team?. 2009 , 12, 205-224		3
236	Case management for people with psychiatric disabilities in rural Sweden; experiences from the implementation of a national policy. 2009 , 12, 495-508		12
235	Community treatment orders: how ethical without experimental evidence?. 2009 , 39, 1583-6		30
234	The impact of supported employment and working on clinical and social functioning: results of an international study of individual placement and support. 2009 , 35, 949-58		166
233	Individualization and quality improvement: two new scales to complement measurement of program fidelity. 2009 , 36, 349-57		17
232	[Community-based crisis home programme. Cost-efficient alternative to psychiatric hospitalization]. 2009 , 80, 818-26		1
231	Successful engagement: a mixed methods study of the approaches of assertive community treatment and community mental health teams in the REACT trial. 2009 , 44, 532-40		37

230	Hospital-based home care for people with severe mental illness in Taiwan: a substantive grounded theory. 2009 , 18, 2956-68		4
229	Innovations and Adaptations of Assertive Community Treatment. 2009 , 12, 185-190		2
228	Psychiatric service development and suicide. 2009 , 373, 99-100		10
227	Schizophrenia. 2009 , 374, 635-45		1558
226	Implementing evidence-based practices for people with schizophrenia. 2009 , 35, 704-13		85
225	End of the road for treatment-as-usual studies?. <i>British Journal of Psychiatry</i> , 2009 , 195, 5-6	5.4	50
224	Intensive Case Management for severe mental illness. 2009 ,		6
223	Randomised evaluation of assertive community treatment: 3-year outcomes. <i>British Journal of Psychiatry</i> , 2009 , 195, 81-2	5.4	61
222	Reducing 30-day inpatient psychiatric recidivism and associated costs through intensive case management. 2009 , 14, 96-105		10
221	Mental Health Social Work And The Bureau-Medicalisation Of Mental Health Care: Identity In A Changing World. 2010 , 24, 15-28		28
220	Intensive case management for severe mental illness. 2010 , CD007906		142
219	Public hospital bed crisis: too few or too misused?. 2010 , 34, 317-24		28
218	Early intervention in psychosis. <i>British Journal of Psychiatry</i> , 2010 , 197, 415; author reply 415-6	5.4	2
217	Five-year outcome of first-episode psychosis before and after the implementation of a modified assertive community treatment programme. 2010 , 45, 665-74		20
216	Is the implementation of assertive community treatment in a low-income country feasible? The experience of Tbilisi, Georgia. 2010 , 45, 779-83		8
215	Time-trends in the utilization of decentralized mental health services in Norway - A natural experiment: The VELO-project. 2010 , 4, 5		6
214	Meta-regression with partial information on summary trial or patient characteristics. 2010 , 29, 1312-24		10
213	The functions of hospital-based home care for people with severe mental illness in Taiwan. 2010 , 19, 368-79		4

212	Schizophrenia and related disorders. 2010 , 391-426	1
211	ACT Fidelity in Ontario: Measuring Adherence to the Model. 2010 , 29, 87-96	4
210	Assertive community treatment teams. <i>British Journal of Psychiatry</i> , 2010 , 196, 78; author reply 78-9	5.4 1
209	Do financial incentives increase treatment adherence in people with severe mental illness? A systematic review. 2010 , 19, 233-242	13
208	From Opinion-Based to Evidence-Based Social Work: The Swedish Case. 2010 , 20, 714-722	21
207	A national survey of assertive community treatment services in England. 2010 , 19, 500-8	4
206	The 2009 schizophrenia PORT psychosocial treatment recommendations and summary statements. 2010 , 36, 48-70	529
205	The rise and fall of assertive community treatment?. 2010 , 22, 130-7	56
204	Involuntary treatment in the community: role of community treatment orders. 2010 , 34, 441-446	13
203	Schizophrenia, "just the facts" 5. Treatment and prevention. Past, present, and future. 2010 , 122, 1-23	255
202	Determinants of length of stay for psychiatric inpatients: analysis of a national database covering the entire Korean elderly population. 2010 , 94, 120-8	27
201	Mental Health Care and Patients' Rights [Are these Two Fields Currently Compatible?. 2011 , 121-150	2
200	A randomised controlled trial of assertive outreach vs. treatment as usual for black people with severe mental illness. 2011 , 20, 83-9	14
199	[Case management for moderate-need patients and recovery: what can we learn from experimental and quasi-experimental studies?]. 2011 , 36, 13-34	4
198	Assertive community treatment in the Netherlands: outcome and model fidelity. 2011 , 56, 154-60	34
197	Measurement of fidelity of implementation of evidence-based practices: Case example of the IPS Fidelity Scale.. 2011 , 18, 126-141	75
196	Predictors of outcomes of assertive outreach teams: a 3-year follow-up study in North East England. 2011 , 46, 463-71	9
195	Lessons learned in developing community mental health care in Europe. 2011 , 10, 217-25	51

194	Effectiveness of continuity-of-care programs to reduce time in hospital in persons with schizophrenia. 2011 , 20, 65-72		16
193	Case management for people with long-term conditions: impact upon emergency admissions and associated length of stay. 2011 , 12, 223-36		6
192	Needs-oriented discharge planning for high utilisers of psychiatric services: multicentre randomised controlled trial. 2011 , 20, 181-92		26
191	A comparison of the implementation of assertive community treatment in Melbourne, Australia and London, England. 2011 , 20, 151-61		15
190	Transforming assertive community treatment into an integrated care system: the role of nursing and primary care partnerships. 2011 , 17, 64-71		27
189	Clinical outcome of assertive community treatment (ACT) in a rural area in Denmark: a case-control study with a 2-year follow-up. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 299-305	2.3	21
188	Continuity of care and risk of hospital readmission among dual diagnosis patients. 2012 , 5, 20-30		1
187	Where are the hypotheses when you need them?. <i>British Journal of Psychiatry</i> , 2012 , 201, 178-9	5.4	4
186	Beyond Community Treatment Orders. 2012 , 41, 62-81		6
185	Implementation of assertive community treatment in Australia: model fidelity, patient characteristics and staff experiences. 2012 , 48, 652-61		12
184	EPA guidance on the quality of mental health services. 2012 , 27, 87-113		31
183	Good practice in mental health care for socially marginalised groups in Europe: a qualitative study of expert views in 14 countries. 2012 , 12, 248		50
182	Case Management and Assertive Community Treatment. 2012 , 293-308		3
181	Importance of specialisation in psychiatric services: Commentary on [How did we let it come to this?]. 2012 , 36, 364-365		15
180	Author's response. 2012 , 36, 477-478		
179	Assertive outreach: mirror-image study with contemporaneous controls. 2012 , 36, 245-248		4
178	[Team-based community psychiatry: importance of context factors and transferability of evidence from studies]. 2012 , 83, 825-31		14
177	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. 2012 , 47, 1251-61		19

176	Assertive Community Treatment for alcohol dependence (ACTAD): study protocol for a randomised controlled trial. 2012 , 13, 19		8
175	Predicting outcome of assertive outreach across England. 2012 , 47, 313-22		15
174	Considering variables for the assignment of patients with schizophrenia to a case management programme. 2013 , 49, 831-40		4
173	The feasibility of cognitive adaptation training for outpatients with schizophrenia in integrated treatment. 2013 , 49, 630-5		7
172	What contributes to good patient outcomes in the home treatment of the severely mentally ill: study protocol of a multi-centre analysis. <i>BMC Psychiatry</i> , 2013 , 13, 283	4.2	5
171	Soins intensifs «domicile»: modèles internationaux et niveau de preuve. 2013 , 171, 524-530		1
170	Frequent emergency department use by individuals seeking mental healthcare: a systematic search and review. 2013 , 27, 171-8		38
169	Psychopathology, rehospitalization and quality of life among patients with schizophrenia under home care case management in Taiwan. 2013 , 112, 208-15		11
168	Measuring participation in an evidence-based practice: illness management and recovery group attendance. 2013 , 210, 684-9		12
167	Salford alcohol assertive outreach team: a new model for reducing alcohol-related admissions. 2013 , 4, 130-134		13
166	Integrated care in patients with schizophrenia: results of trials published between 2011 and 2013 focusing on effectiveness and efficiency. 2013 , 26, 384-408		43
165	Allostatic load as a tool for monitoring physiological dysregulations and comorbidities in patients with severe mental illnesses. 2013 , 21, 296-313		41
164	The balanced care model for global mental health. 2013 , 43, 849-63		80
163	Specialisation and marginalisation: how the assertive community treatment debate affects individuals with complex mental health needs. 2013 , 37, 345-348		21
162	Staying the course? Challenges in implementing evidence-based programs in community mental health services. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10752-69	4.6	9
161	Recent advances in understanding schizophrenia. 2014 , 6, 57		35
160	A systematic review of self-management health care models for individuals with serious mental illnesses. 2014 , 65, 1300-10		17
159	Ten year outcomes of participants in the REACT (Randomised Evaluation of Assertive Community Treatment in North London) study. <i>BMC Psychiatry</i> , 2014 , 14, 296	4.2	9

158	Going Global: A Model for Evaluating Empirically Supported Family-Based Interventions in New Contexts. 2014 , 37, 203-30		37
157	Realizing nursing: a multimodal biopsychopharmacosocial approach to psychiatric nursing. 2014 , 21, 564-71		13
156	Many miles made and a long way to go. 2014 , 23, 345-7		
155	Depicting current case management models. 2014 , 14, 133-146		8
154	Community psychiatry's achievements. 2014 , 23, 337-44		5
153	[Case management: moving forward]. 2014 , 24, 159-61		3
152	The effectiveness of assertive community treatment for elderly patients with severe mental illness: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 42	4.2	14
151	Determining engagement in services for high-need individuals with serious mental illness. 2014 , 41, 588-97		6
150	Using evidence-integrated e-learning to enhance case management continuing education for psychiatric nurses: a randomised controlled trial with follow-up. 2014 , 34, 1361-7		17
149	Effectiveness and efficiency of integrated mental health care programmes in Germany: study protocol of an observational controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 163	4.2	10
148	Strukturen und Prozesse für eine effektive vernetzte Versorgung in der Psychiatrie: ein Forschungsprojekt. 2014 , 22,		
147	Psychiatric inpatient care: where do we go from here?. 2015 , 24, 371-5		2
146	The critical ingredients of assertive community treatment. 2015 , 14, 240-2		50
145	Partnerships for Meaningful Community Living: Rehabilitation and Recovery-Informed Practices. 2015 , 1959-1982		9
144	New Targets for the Management of Schizophrenia. 2015 , 25, 407-428		2
143	Development and Evaluation of a Fidelity Instrument for PEARLS. 2014 , 2, 200		3
142	Implementation of the Crisis Resolution Team model in adult mental health settings: a systematic review. <i>BMC Psychiatry</i> , 2015 , 15, 74	4.2	76
141	Description and evaluation of a novel service for difficult to manage psychiatric in-patients. 2015 , 17, 69-78		

140	Non-consent bias in OCTET--Authors' reply. 2015 , 2, e33-4		1
139	Intensive case management for high-risk patients with first-episode psychosis: service model and outcomes. 2015 , 2, 29-37		25
138	S3 guideline on psychosocial therapies in severe mental illness: evidence and recommendations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 173-88	5.1	16
137	[Case management studies for individuals 65 years and older in Germany: Systematic review of the currently published state of research]. 2015 , 48, 529-38		5
136	Costs and outcome of assertive community treatment (ACT) in a rural area in Denmark: 4-year register-based follow-up. <i>Nordic Journal of Psychiatry</i> , 2015 , 69, 110-7	2.3	9
135	Clinical case management for patients with schizophrenia with high care needs. 2015 , 51, 165-70		2
134	Assessing treatment-as-usual provided to control groups in adherence trials: Exploring the use of an open-ended questionnaire for identifying behaviour change techniques. 2015 , 30, 897-910		15
133	How standard is standard care? Exploring control group outcomes in behaviour change interventions for young people with type 1 diabetes. 2015 , 30, 85-103		34
132	Effect of increased compulsion on readmission to hospital or disengagement from community services for patients with psychosis: follow-up of a cohort from the OCTET trial. 2015 , 2, 881-90		32
131	From deinstitutionalization to recovery-oriented assertive community treatment in Hong Kong: What we have achieved. 2015 , 228, 243-50		5
130	Evaluation of an integrated care program for schizophrenia: concept and study design. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 155-62	5.1	5
129	Regional Correlates of Psychiatric Inpatient Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	5
128	Structures and processes necessary for providing effective home treatment to severely mentally ill persons: a naturalistic study. <i>BMC Psychiatry</i> , 2016 , 16, 242	4.2	8
127	The Post-Discharge Network Coordination Programme: A Randomized Controlled Trial to Evaluate the Efficacy of an Intervention Aimed at Reducing Rehospitalizations and Improving Mental Health. 2016 , 7, 27		17
126	Mental health nurses' contributions to community mental health care: An Australian study. 2016 , 25, 426-33		21
125	A strengths-based case management service for people with serious mental illness in Israel: A randomized controlled trial. 2016 , 241, 182-9		12
124	Aufsuchende Hilfen. 2016 , 10, 239-254		3
123	Factors influencing patients' recovery and the efficacy of a psychosocial post-discharge intervention: post hoc analysis of a randomized controlled trial. 2016 , 51, 1667-1677		3

122	Variation between hospitals in inpatient admission practices for self-harm patients and its impact on repeat presentation. 2016 , 51, 1485-1493		8
121	The Use of the Addiction Severity Index Psychiatric Composite Scores to Predict Psychiatric Inpatient Admissions. 2016 , 27, 190-6		4
120	Comprehensive mental health and psychosocial support case management and indicative care pathways within humanitarian settings. 2016 , 14, 281-292		1
119	Hospitalization of high and low inpatient service users before and after enrollment into Assertive Community Treatment teams: a naturalistic observational study. 2016 , 10, 14		12
118	Examining the need profiles of patients with multiple emergency department visits for mental health reasons: a cross-sectional study. 2016 , 51, 777-86		18
117	Hospital utilization outcome of an assertive outreach model for schizophrenic patients - results of a quasi-experimental study. 2016 , 241, 249-55		2
116	ACT and Recovery: What We Know About Their Compatibility. 2016 , 43, 219-30		6
115	Predictors of Clinical Outcome of Assertive Community Treatment (ACT) in a Rural Area in Denmark: An Observational Study with a Two-Year Follow-Up. 2016 , 52, 908-913		2
114	Integrating Evidence-Based Community-Care Services to Improve Schizophrenia Outcomes: A Preliminary Trial. 2016 , 30, 102-8		4
113	Treatment Resistant and Resistant to Treatment? Evaluation of 40 Alcohol Dependent Patients Admitted for Involuntary Treatment. 2016 , 51, 291-5		4
112	Intensive case management for severe mental illness. 2017 , 1, CD007906		75
111	Two-stage integrated care versus antipsychotic medication alone on outcomes of schizophrenia: One-year randomized controlled trial and follow-up. 2017 , 254, 164-172		4
110	Splitting in-patient and out-patient responsibility does not improve patient care. <i>British Journal of Psychiatry</i> , 2017 , 210, 6-9	5-4	7
109	Frequent users of Mental Health Liaison Services within Emergency Departments. 2017 , 258, 194-199		2
108	The Case for a Federal Mental Health Transition Fund. 2017 , 62, 4-7		5
107	Regional supply of outreach service and length of stay in psychiatric hospital among patients with schizophrenia: National case mix data analysis in Japan. 2017 , 258, 295-298		7
106	Canadian Practice Guidelines for Comprehensive Community Treatment for Schizophrenia and Schizophrenia Spectrum Disorders. 2017 , 62, 662-672		14
105	Intensive Case Management for Addiction to promote engagement with care of people with severe mental and substance use disorders: an observational study. 2017 , 12, 26		6

104	Community mental health care after self-harm: A retrospective cohort study. 2017 , 51, 727-735		13
103	Risk Factors for Post-stroke Depression: A Meta-analysis. 2017 , 9, 218		102
102	Does one size really fit all? The effectiveness of a non-diagnosis-specific integrated mental health care program in Germany in a prospective, parallel-group controlled multi-centre trial. <i>BMC Psychiatry</i> , 2017 , 17, 283	4.2	8
101	The effect of youth assertive community treatment: a systematic PRISMA review. <i>BMC Psychiatry</i> , 2017 , 17, 284	4.2	14
100	Implementing Case Management in Portuguese Mental Health Services: Conceptual Background. 2017 , 35, 19-29		1
99	Psychotic Symptoms and Attitudes toward Medication Mediate the Effect of Insight on Personal-Social Functions in Patients with Schizophrenia: One-Year Randomized Controlled Trial and Follow-Up. 2018 , 51, 167-176		2
98	Implementing Illness Management and Recovery Within Assertive Community Treatment: A Pilot Trial of Feasibility and Effectiveness. 2018 , 69, 562-571		9
97	Unplanned admissions to inpatient psychiatric treatment and services received prior to admission. 2018 , 122, 359-366		3
96	The replacement of assertive outreach services by reinforcing local community teams: a four-year observational study. 2018 , 27, 4-9		10
95	When should governments increase the supply of psychiatric beds?. 2018 , 23, 796-800		30
94	Working atmosphere, job satisfaction and individual characteristics of community mental health professionals in integrated care. 2018 , 26, 176-181		7
93	The replacement of assertive outreach services by reinforcing local community teams: a replication study reporting comparative outcomes and patient reported experience. 2018 , 27, 157-163		5
92	Intensive Case Management for Severe Mental Illness. 2018 , 39, 195-197		1
91	Effectiveness and cost-effectiveness of an integrated care program for schizophrenia: an analysis of routine data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 611-619	5.1	1
90	Personal recovery within positive psychiatry. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 420-430	2.3	24
89	Rural Assertive Community Treatment and Telepsychiatry. <i>Journal of Psychiatric Practice</i> , 2018 , 24, 269-273		6
88	A patient perspective on recurrent or prolonged contact with psychiatric inpatient care for affective disorder. 2018 , 12, 29		0
87	A National Survey of Assertive Outreach Treatment Services for People Who Frequently Attend Hospital due to Alcohol-Related Reasons in England. 2018 , 53, 277-281		3

86	The Impact of Repeated Assessments by Patients and Professionals: A 4-Year Follow-Up of a Population With Schizophrenia. 2019 , 25, 189-199			1
85	Model fidelity and team members' experiences of assertive community treatment in Norway: a sequential mixed-methods study. 2019 , 13, 65			8
84	Psychiatry does need more randomised controlled trials. <i>British Journal of Psychiatry</i> , 2019 , 214, 52	5.4		1
83	Transition Experiences Following Psychiatric Hospitalization: A systematic Review of the Literature. 2019 , 55, 1255-1274			10
82	Assertive community treatment versus standard treatment for severely mentally ill patients in Denmark: a quasi-experimental trial. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 149-158	2.3		5
81	Evaluation of Flexible and Integrative Psychiatric Treatment Models in Germany-A Mixed-Method Patient and Staff-Oriented Exploratory Study. 2018 , 9, 785			8
80	Optimization of Antipsychotic and Benzodiazepine Drugs in Patients with Severe Mental Disorders in an Intensive Case Management Program. 2019 , 55, 819-824			
79	The Policy Ecology of Behavioral Health Homes: Case Study of Maryland's Medicaid Health Home Program. 2020 , 47, 60-72			7
78	Assessing the Fidelity of Evidence-Based Practices: History and Current Status of a Standardized Measurement Methodology. 2020 , 47, 874-884			31
77	Assertive Community Programs for Patients with Severe Mental Disorders: Are Benefits Sustained After Discharge?. 2020 , 56, 559-567			1
76	Treating schizophrenia: the quality of evidence behind treatment recommendations and how it can improve. 2020 , 25, 138-142			5
75	Understanding Barriers to and Facilitators of Case Management in Primary Care: A Systematic Review and Thematic Synthesis. 2020 , 18, 355-363			3
74	Augmenting Evidence-Based Care With a Texting Mobile Interventionist: A Pilot Randomized Controlled Trial. 2020 , 71, 1218-1224			12
73	Changes in German Mental Health Care by Implementing a Global Treatment Budget-A Mixed-Method Process Evaluation Study. 2020 , 11, 426			9
72	Investigating the critical elements and psychosocial outcomes of Youth Flexible Assertive Community Treatment: a study protocol for an observational prospective cohort study. 2020 , 10, e035146			2
71	Individual factors associated with recidivism among mental health court program clients. 2021 , 74, 101651			0
70	Spatial inequities of mental health nurses in rural and remote Australia. 2021 , 30, 167-176			2
69	Outcomes of Assertive Community Treatment for Adolescents with Complex Mental Health Problems Who are Difficult to Engage. 2021 , 30, 502-516			1

68	Improving Care for Deinstitutionalized People With Mental Disorders: Experiences of the Use of Knowledge Translation Tools. 2021 , 12, 575108	0
67	Psychiatric Crisis Care and the More is Less Paradox. 2021 , 57, 1230-1236	2
66	School Counselors in Israel as Case Managers in Critical Events: a Qualitative Study. 2021 , 43, 243-264	
65	Transitioning to community-based mental healthcare: reform experiences of five countries. 1-3	1
64	[Evidence on the effects of crisis resolution teams, home treatment and assertive outreach for people with mental disorders in Germany, Austria and Switzerland - a systematic review]. 2021 , 1	1
63	Evaluation of disparities in impact of mental health intensive case management on 6-month symptoms, functioning, and quality of life between black and white veterans diagnosed with schizophrenia. 2021 ,	0
62	Team Structures in Community Mental Health. 2010 , 385-396	1
61	Complex interventions in mental health services research. 131-144	1
60	Organizational implementation strategies for change. 240-253	3
59	Modern Community Care Strategies for Schizophrenia Care: Impacts on Outcome. 2010 , 417-427	1
58	Psychosocial Rehabilitation and Psychotherapy Approaches. 2014 , 275-312	1
57	Versorgungsstrukturen in der Psychiatrie. 2016 , 1-35	0
56	Diffusionshindernisse bei der Einführung des Gesamtbudgets in der Psychiatrie als innovativen Ansatz für kommunale psychiatrische Versorgung. 2020 , 291-320	2
55	Versorgungsstrukturen in der Psychiatrie. 2017 , 1285-1319	0
54	Non-Pharmacological Strategies to Enhance Adherence and Continuity of Care in Schizophrenia. 2014 , 99-137	3
53	[Effectiveness of hometreatment in light of clinical elements, chances, and limitations]. 2014 , 42, 27-37	11
52	[Hometreatment- an effective alternative to inpatient treatment in child and adolescent psychiatry?]. 2015 , 43, 411-21; quiz 422-3	6
51	Critical Components in Implementing Evidence-based Practice: A Multiple Case Study of Individual Placement and Support for People with Psychiatric Disabilities. 2018 , 52, 790-808	7

50	The effect of brief case management on emergency department use of frequent users in mental health: Findings of a randomized controlled trial. 2017 , 12, e0182157		15
49	Mental Health Community Case Management and Its Effect on Healthcare Expenditures. <i>Psychiatric Annals</i> , 2010 , 40, 415-419	0.5	6
48	Frequent Utilizers of Emergency Departments: Characteristics and Intervention Opportunities. <i>Psychiatric Annals</i> , 2018 , 48, 42-50	0.5	3
47	Evaluation of a Rural-Based Community Aged Intensive Recovery Program for Older Adults With Severe Mental Illness. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2015 , 53, 17-21	1.1	4
46	Efficacy of Case Management for the Community Dwelling Schizophrenia Patients : A 36-Month Prospective Follow-Up Study. <i>Journal of Korean Neuropsychiatric Association</i> , 2015 , 54, 578	0.4	2
45	Complex Interventions and Interorganisational Relationships: Examining Core Implementation Components of Assertive Community Treatment. <i>International Journal of Integrated Care</i> , 2018 , 18, 11	2	4
44	Coordination in networks for improved mental health service. <i>International Journal of Integrated Care</i> , 2010 , 10,	2	18
43	Evaluation of an Assertive Management and Integrated Care Service for Frequent Emergency Department Attenders with Substance Use Disorders: The Impact Project: Evaluating an assertive management service for frequent ED attenders with substance use disorders. <i>International Journal of Integrated Care</i> , 2020 , 20, 4	2	1
42	Organizational approaches to collaboration in vocational rehabilitation-an international literature review. <i>International Journal of Integrated Care</i> , 2011 , 11, e137	2	33
41	Authors' reply. <i>British Journal of Psychiatry</i> , 2010 , 196, 78-79	5.4	
40	Treatment Models for Comorbid Psychiatric and Addictive Disorders. 541-555		
39	Psychosoziale Therapien. 2011 , 1051-1064		
38	Versorgungsstrukturen in der Psychiatrie. 2011 , 1143-1175		
37	Mental Health Services for Patients with Schizophrenia. 625-643		
36	Development, Organization, and Evaluation of Services. 151-165		
35	Disease Management. 2012 , 437-457		
34	Models of care in schizophrenia. 2012 , 225-236		
33	Models of care in schizophrenia. 2012 , 225-236		

32	Therapie Psychischer Erkrankungen - Pages 1-91. 2014 , 1-91		
31	Disease Management. 2015 , 613-632		1
30	Psychosoziale Therapien. 2015 , 1-12		
29	Therapie Psychischer Erkrankungen - Pages e1-e96. 2015 , e1-e96		
28	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation. 2015 , 203-223		
27	Case Management: A New Approach. <i>Psychiatric Annals</i> , 2015 , 45, 134-138	0.5	1
26	18. Mental Disorders. 2016 ,		
25	Psychosoziale Therapien. 2017 , 1193-1204		
24	Literaturverzeichnis zu Voderholzer/Hohagen (Hrsg.): Therapie psychischer Erkrankungen, 13. Auflage. 2017 , 1-111		
23	Primary care consultation liaison and the rate of psychiatric hospitalizations: a countrywide study in Chile. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2018 , 42, e138	4.1	2
22	Flexible assertive community treatment : suivi intensif dans la communaut�2018, 180-186		
21	Factors That Promote Remission in Individuals with Schizophrenia. <i>Open Journal of Nursing</i> , 2019 , 09, 935-950	0.3	
20	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation. 2019 , 169-183.e3		
19	Literaturverzeichnis zu Voderholzer/Hohagen (Hrsg.): Therapie psychischer Erkrankungen, 14. Auflage. 2019 , 1-119		
18	The Effect of Case Management for Schizophrenia Clients in China. <i>Journal of Behavioral and Brain Science</i> , 2020 , 10, 297-310	0.3	
17	Community-Based Mental Health Care in Britain. <i>Consortium Psychiatricum</i> , 2020 , 1, 14-20	0.8	
16	Psychosocial and Pharmacological Approaches for Improving Treatment Adherence and Outcomes in People With Severe Schizophrenia: A 10-Year Follow-up. <i>Journal of Psychiatric Practice</i> , 2021 , 27, 417-426	1.3	0
15	The foundations of the working alliance in assertive community treatment teams. <i>BMC Psychiatry</i> , 2021 , 21, 559	4.2	

14	Association between case management and longitudinal decrease in negative symptoms in patients with first episode psychosis: A 2-year follow-up.. <i>Microbial Biotechnology</i> , 2022 ,	3.3	0
13	Negative symptoms in first episode schizophrenia: treatment response across the 2-year follow-up of the "Parma Early Psychosis" program.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	0
12	Models of Care of Schizophrenia in the Community-An International Perspective.. <i>Current Psychiatry Reports</i> , 2022 , 24, 195	9.1	1
11	Longitudinal persistence of negative symptoms in young individuals with first episode schizophrenia: a 24-month multi-modal program follow-up.. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-9	2.3	0
10	The Greek Hybrid Version of the Assertive Community Treatment Model: A Perspective View between Challenges and Limitations. <i>Psych</i> , 2021 , 3, 792-799	0.8	1
9	Table_1.docx. 2020 ,		
8	The Cost-Effectiveness Analysis of an Integrated Mental Health Care Programme in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6814	4.6	
7	Effectiveness of More Personalized, Case-Managed, and Multicomponent Treatment for Patients with Severe Schizophrenia Compared to the Standard Treatment: A Ten-Year Follow-Up. <i>Journal of Personalized Medicine</i> , 2022 , 12, 1101	3.6	2
6	Trends in Involuntary Psychiatric Hospitalization in British Columbia: Descriptive Analysis of Population-Based Linked Administrative Data from 2008 to 2018. 070674372211284		0
5	The design and process of a family and community-based intervention for relapse prevention in people living with schizophrenia in Iran. 002076402211244		0
4	Case Management and Assertive Community Treatment. 2022 , 351-368		0
3	The structure of social support: a multilevel analysis of the personal networks of people with severe mental disorders. 2022 , 22,		0
2	Wohnungslosigkeit und Gesundheit. 2023 , 1-27		1
1	Approach to schizophrenia.		0