

CITATION REPORT

List of articles citing

Review: Peroxisome proliferator-activated receptor gamma and adipose tissue--understanding obesity-related changes in regulation of lipid and glucose metabolism

DOI: 10.1210/jc.2006-1268

Journal of Clinical Endocrinology and Metabolism, 2007, 92, 386-95.

Source: <https://exaly.com/paper-pdf/41496989/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
396	Mechanisms of obesity-associated insulin resistance: many choices on the menu. 2007 , 21, 1443-55		500
395	Insulin resistance and postprandial hyperglycemia the bad companions in natural history of diabetes: effects on health of vascular tree. 2007 , 3, 268-73		13
394	Changes in adiponectin and inflammatory genes in response to hormonal imbalances in female mice and exacerbation of depot selective visceral adiposity by high-fat diet: implications for insulin resistance. <i>Endocrinology</i> , 2007 , 148, 5667-79	4.8	12
393	Dietary lipids in early development: relevance to obesity, immune and inflammatory disorders. 2007 , 14, 359-64		39
392	Bibliography. Current world literature. Obesity and nutrition. 2007 , 14, 421-6		
391	The role of the Pro12Ala polymorphism in peroxisome proliferator-activated receptor gamma in diabetes risk. 2007 , 10, 410-4		33
390	Role of adipose tissue in the development of vascular complications in type 2 diabetes mellitus. 2007 , 78, S14-S22		12
389	Pioglitazone added to conventional lipid-lowering treatment in familial combined hyperlipidaemia improves parameters of metabolic control: relation to liver, muscle and regional body fat content. 2007 , 195, e181-90		19
388	Anti-obesity effects of ginsenoside Rh2 are associated with the activation of AMPK signaling pathway in 3T3-L1 adipocyte. 2007 , 364, 1002-8		142
387	Abnormal lipid and glucose metabolism in obesity: implications for nonalcoholic fatty liver disease. 2007 , 132, 2191-207		242
386	Adipose tissue macrophages. 2007 , 112, 61-7		232
385	Effects of glitazones in the treatment of diabetes and/or hyperlipidaemia: glycaemic control and plasma lipid levels. 2007 , 21 Suppl 2, 15-8		6
384	The benefits of tight glycaemic control in type 2 diabetes mellitus. 2007 , 8 Suppl 7, S19-29		16
383	Modulation of LPS-induced pulmonary neutrophil infiltration and cytokine production by the selective PPARbeta/delta ligand GW0742. 2008 , 57, 314-21		34
382	Rosiglitazone modulates insulin-induced plasma membrane area changes in single 3T3-L1 adipocytes. 2008 , 223, 141-9		2
381	Effect of ARB on expression of CD68 and MCP-1 in adipose tissue of rats on long-term high fat diet. 2008 , 28, 257-60		3
380	Telmisartan but not valsartan inhibits TGF-beta-mediated accumulation of extracellular matrix via activation of PPARgamma. 2008 , 28, 543-8		14

379	Angiotensin receptor blockers in the treatment of NASH/NAFLD: could they be a first-class option?. 2008 , 25, 1141-74	44
378	Relationship between two sequence variations in the gene for peroxisome proliferator-activated receptor-gamma and plasma homocysteine concentration. Health in men study. 2008 , 123, 35-40	10
377	Mécanismes de l'action antidiabétique des thiazolidinediones. 2008 , 22, 84-87	
376	Trypanosoma cruzi infection of cultured adipocytes results in an inflammatory phenotype. 2008 , 16, 1992-7	55
375	Thiazolidinediones: effects on insulin resistance and the cardiovascular system. 2008 , 153, 636-45	101
374	Beneficial effects of rosiglitazone on novel cardiovascular risk factors in patients with Type 2 diabetes mellitus. 2008 , 25, 333-40	26
373	Effect of obesity and insulin sensitivity on adiponectin isoform distribution. 2008 , 38, 827-34	60
372	Neuroinflammation: implications for the pathogenesis and molecular diagnosis of Alzheimer's disease. 2008 , 39, 1-16	270
371	Rev-erb alpha gives a time cue to metabolism. 2008 , 582, 19-25	77
370	Small-interference RNA-mediated knock-down of aldehyde oxidase 1 in 3T3-L1 cells impairs adipogenesis and adiponectin release. 2008 , 582, 2965-72	52
369	Adiponectin and peroxisome proliferator-activated receptor gamma expression in subcutaneous and omental adipose tissue in children. 2008 , 97, 630-5	10
368	Cardiometabolic abnormalities in the polycystic ovary syndrome: pharmacotherapeutic insights. 2008 , 119, 223-41	32
367	Metabolic recovery of adipose tissue is associated with improvement in insulin resistance in a model of experimental diabetes. 2008 , 198, 51-60	16
366	The PPARgamma coding region and its role in visceral obesity. 2008 , 371, 177-9	10
365	Identification of adropin as a secreted factor linking dietary macronutrient intake with energy homeostasis and lipid metabolism. 2008 , 8, 468-81	248
364	Fat and beyond: the diverse biology of PPARgamma. 2008 , 77, 289-312	1484
363	Identification of novel PPARgamma target genes by integrated analysis of ChIP-on-chip and microarray expression data during adipocyte differentiation. 2008 , 372, 362-6	42
362	Does it matter how blood pressure is lowered in patients with metabolic risk factors?. 2008 , 2, S23-9	7

361	The metabolic syndrome--from insulin resistance to obesity and diabetes. 2008 , 37, 559-79, vii	59
360	The Garden Pharmacy: Pomegranate, Old and New. 2008 , 14, 57-63	2
359	Design, synthesis, and structure-activity relationships of novel insulin receptor tyrosine kinase activators. 2008 , 51, 6173-87	13
358	Role of PPAR- α polymorphisms in bodyweight regulation. 2008 , 3, 31-41	4
357	NGF gene expression and secretion by canine adipocytes in primary culture: upregulation by the inflammatory mediators LPS and TNF α . 2008 , 40, 861-8	24
356	Hypolipidaemic effects of fenofibrate and fasting in the herbivorous grass carp (<i>Ctenopharyngodon idella</i>) fed a high-fat diet. 2008 , 100, 1200-12	31
355	Glycerolipid metabolism and signaling in health and disease. 2008 , 29, 647-76	175
354	Effect of telmisartan, angiotensin II receptor antagonist, on metabolic profile in fructose-induced hypertensive, hyperinsulinemic, hyperlipidemic rats. 2008 , 31, 135-40	20
353	Pharmacogenomics of cardiovascular pharmacology: development of an informatics system for analysis of DNA microarray data with a focus on lipid metabolism. 2008 , 107, 1-7	6
352	Bibliography. Current world literature. Genetics and molecular biology. 2008 , 19, 168-200	
351	The influence of thiazolidinediones on adipogenesis in vitro and in vivo: potential modifiers of intramuscular adipose tissue deposition in meat animals. 2008 , 86, E236-43	33
350	PPAR γ mRNA expression is reduced in peripheral blood mononuclear cells after fat overload in patients with metabolic syndrome. 2008 , 138, 903-7	21
349	Polygenic contribution to obesity: genome-wide strategies reveal new targets. 2008 , 36, 12-36	26
348	Bibliography. Current world literature. Molecular genetics. 2008 , 23, 269-82	
347	Relationships among ET-1, PPAR γ , oxidative stress and endothelial dysfunction in diabetic animals. 2008 , 44, 41-55	42
346	Role of peroxisome proliferator-activated receptor gamma and its ligands in the treatment of hematological malignancies. <i>PPAR Research</i> , 2008 , 2008, 834612	4-3 19
345	Effects of visceral fat accumulation in obesity and type 2 diabetes. 2009 , 2, 111-118	
344	Glimepiride-pioglitazone Hydrochloride in the Treatment of Type 2 Diabetes. 2009 , 1, CMT.S2016	

343	The aporphine alkaloid boldine induces adiponectin expression and regulation in 3T3-L1 cells. 2009 , 12, 1074-83		13
342	AT2 receptor deficiency attenuates adipocyte differentiation and decreases adipocyte number in atherosclerotic mice. 2009 , 22, 784-91		37
341	Adipose tissue collagen VI in obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 5155-625.6		218
340	Repressive effect of the phytoestrogen genistein on estradiol-induced uterine leiomyoma cell proliferation. 2009 , 25, 403-9		10
339	Thiazolidinedione-induced fluid retention is independent of collecting duct alphaENaC activity. 2009 , 20, 721-9		70
338	A saturated fatty acid-rich diet induces an obesity-linked proinflammatory gene expression profile in adipose tissue of subjects at risk of metabolic syndrome. 2009 , 90, 1656-64		206
337	Role of renin-angiotensin system in adipose tissue dysfunction. 2009 , 32, 425-7		28
336	Adiponectin translation is increased by the PPARgamma agonists pioglitazone and omega-3 fatty acids. 2009 , 296, E480-9		106
335	HIV-1 infection and the PPAR-dependent control of adipose tissue physiology. <i>PPAR Research</i> , 2009 , 2009, 607902	4-3	12
334	ERS Meeting Report. Metabolic aspects of obstructive sleep apnoea syndrome. 2009 , 18, 113-24		26
333	Pioglitazone: more than just an insulin sensitizer. 2009 , 49, 1427-30		6
332	PPARgamma2 nuclear receptor controls multiple regulatory pathways of osteoblast differentiation from marrow mesenchymal stem cells. 2009 , 106, 232-46		137
331	Changes in lipid distribution during aging and its modulation by calorie restriction. 2009 , 31, 127-42		16
330	Effect of high-fat diet feeding on leptin receptor expression in white adipose tissue in rats: depot- and sex-related differential response. 2009 , 4, 151-6		25
329	Effects of visceral fat accumulation in obesity and type 2 diabetes. 2009 , 2, 111-118		1
328	Phenotype-genotype interactions on renal function in type 2 diabetes: an analysis using structural equation modelling. 2009 , 52, 1543-53		20
327	Proteomic characterization of thiazolidinedione regulation of obese adipose secretome in Zucker obese rats. 2009 , 3, 1099-111		17
326	The Pro 12 Ala PPAR gamma gene polymorphism: possible modifier of the activity and severity of thyroid-associated orbitopathy (TAO). 2009 , 70, 464-8		9

325	PPARgamma2 protects against obesity by means of a mechanism that mediates insulin resistance. 2009 , 39, 972-9	18
324	Diminished upregulation of visceral adipose heme oxygenase-1 correlates with waist-to-hip ratio and insulin resistance. 2009 , 33, 1257-64	46
323	Update on therapeutic strategies to increase adiponectin function and secretion in metabolic syndrome. 2009 , 11, 445-54	22
322	Curcumin suppresses expression of low-density lipoprotein (LDL) receptor, leading to the inhibition of LDL-induced activation of hepatic stellate cells. 2009 , 157, 1354-67	69
321	Evaluation of synthetic sphingolipid analogs as ligands for peroxisome proliferator-activated receptors. 2009 , 19, 1643-6	12
320	Relation of adipose tissue to metabolic flexibility. 2009 , 83, 32-43	34
319	PPARgamma-independent antitumor effects of thiazolidinediones. 2009 , 276, 119-24	86
318	Curcumin eliminates leptin's effects on hepatic stellate cell activation via interrupting leptin signaling. <i>Endocrinology</i> , 2009 , 150, 3011-20	4.8 69
317	Insulin Resistance. 2009 ,	
316	Effects of prepartum 2,4-thiazolidinedione on metabolism and performance in transition dairy cows. 2009 , 92, 3623-33	26
315	The effects of adiponectin on interleukin-6 and MCP-1 secretion in lipopolysaccharide-treated 3T3-L1 adipocytes: role of the NF-kappaB pathway. 2009 , 24, 847-51	40
314	Adipose tissue as a target of HIV-1 antiretroviral drugs. Potential consequences on metabolic regulations. 2010 , 16, 3352-60	33
313	HIV protease inhibitors activate the adipocyte renin angiotensin system. 2010 , 15, 363-75	48
312	CD40L induces inflammation and adipogenesis in adipose cells--a potential link between metabolic and cardiovascular disease. 2010 , 103, 788-96	52
311	Mechanisms by which thiazolidinediones induce anti-cancer effects in cancers in digestive organs. 2010 , 45, 1097-102	47
310	SIRT1 transcription is decreased in visceral adipose tissue of morbidly obese patients with severe hepatic steatosis. 2010 , 20, 633-9	75
309	The study of ginsenoside on PPARgamma expression of mononuclear macrophage in type 2 diabetes. 2010 , 37, 2975-9	42
308	Methionine restriction effects on mitochondrial biogenesis and aerobic capacity in white adipose tissue, liver, and skeletal muscle of F344 rats. 2010 , 59, 1000-11	85

307	Telmisartan ameliorates hyperglycemia and metabolic profile in nonobese Cohen-Rosenthal diabetic hypertensive rats via peroxisome proliferator activator receptor-gamma activation. 2010 , 59, 1200-9		27
306	Berberine regulates peroxisome proliferator-activated receptors and positive transcription elongation factor b expression in diabetic adipocytes. 2010 , 649, 390-7		39
305	Obesity and diabetes genetic variants associated with gestational weight gain. 2010 , 203, 283.e1-17		34
304	Different effects of pioglitazone and rosiglitazone on lipid metabolism in mouse cultured liver explants. 2010 , 26, 297-305		14
303	Gene expression profiling of 3T3-L1 adipocytes exposed to phloretin. 2010 , 21, 645-52		19
302	Linkage analysis of obesity phenotypes in pre- and post-menopausal women from a United States mid-western population. 2010 , 11, 156		6
301	Irbesartan treatment up-regulates hepatic expression of PPARalpha and its target genes in obese Koletsky (fa(k)/fa(k)) rats: a link to amelioration of hypertriglyceridaemia. 2010 , 160, 1796-807		22
300	Relation of the expression of transcriptional factor TFAP2B to that of adipokines in subcutaneous and omental adipose tissues. 2010 , 18, 1277-82		11
299	Anti-diabetic drugs inhibit obesity-linked phosphorylation of PPARgamma by Cdk5. 2010 , 466, 451-6		654
298	Pioglitazone decreases plasma angiotensin II concentration in type 2 diabetes. 2010 , 17, 651-7		7
297	Peroxisome proliferator-activated receptor-alpha control of lipid and glucose metabolism in human white adipocytes. <i>Endocrinology</i> , 2010 , 151, 123-33	4.8	79
296	The PPARgamma Pro12Ala variant is associated with insulin sensitivity in Russian normoglycaemic and type 2 diabetic subjects. 2010 , 7, 56-62		19
295	Subcutaneous abdominal adipose tissue is associated with the metabolic syndrome in Asian Indians independent of intra-abdominal and total body fat. 2010 , 96, 579-83		62
294	Coordinate Transcriptomic and Metabolomic Effects of the Insulin Sensitizer Rosiglitazone on Fundamental Metabolic Pathways in Liver, Soleus Muscle, and Adipose Tissue in Diabetic db/db Mice. <i>PPAR Research</i> , 2010 , 2010,	4.3	6
293	Homocysteine and Hypertension in Diabetes: Does PPARgamma Have a Regulatory Role?. <i>PPAR Research</i> , 2010 , 2010, 806538	4.3	35
292	Diabetes in Women. 2010 ,		1
291	Oral Hypoglycemic Drugs: Pathophysiological Basis of Their Mechanism of Action Oral Hypoglycemic Drugs: Pathophysiological Basis of Their Mechanism of Action. 2010 , 3, 3005-3020		67
290	FXR activation reverses insulin resistance and lipid abnormalities and protects against liver steatosis in Zucker (fa/fa) obese rats. 2010 , 51, 771-84		296

289	Opposite action of peroxisome proliferator-activated receptor-gamma in regulating renal inflammation: functional switch by its ligand. 2010 , 285, 29981-8		24
288	Bioinformatic analysis of gene sets regulated by ligand-activated and dominant-negative peroxisome proliferator-activated receptor gamma in mouse aorta. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 518-25	9.4	24
287	Pioglitazone and mechanisms of CV protection. 2010 , 103, 213-28		18
286	Lpin1 in human visceral and subcutaneous adipose tissue: similar levels but different associations with lipogenic and lipolytic genes. 2010 , 299, E308-17		5
285	Gene Expression Changes Induced by PPAR Gamma Agonists in Animal and Human Liver. <i>PPAR Research</i> , 2010 , 2010, 325183	4.3	85
284	Anticancer Role of PPARgamma Agonists in Hematological Malignancies Found in the Vasculature, Marrow, and Eyes. <i>PPAR Research</i> , 2010 , 2010, 814609	4.3	88
283	Identification of the lipid droplet targeting domain of the Cidea protein. 2010 , 51, 3455-62		32
282	Effects of lactokinins from fermented acid goat whey on lipid content and adipogenesis of immortalised human adipocytes. 2010 , 20, 642-645		3
281	Peroxisome proliferator-activated receptor-gamma (PPARgamma) modulates hypothalamic Trh regulation in vivo. 2010 , 317, 44-52		20
280	Chlorophyll a, an active anti-proliferative compound of <i>Ludwigia octovalvis</i> , activates the CD95 (APO-1/CD95) system and AMPK pathway in 3T3-L1 cells. 2010 , 48, 716-21		19
279	Energy restriction as an antitumor target of thiazolidinediones. 2010 , 285, 9780-9791		54
278	PPARgamma agonists inhibit TGF-beta-PKA signaling in glomerulosclerosis. 2010 , 31, 43-50		16
277	Inhibitory effect of curcumin on uterine leiomyoma cell proliferation. 2011 , 27, 512-7		22
276	Oxidative stress as pathogenesis of cardiovascular risk associated with metabolic syndrome. 2011 , 15, 1911-26		125
275	Multiple sclerosis is not a disease of the immune system. 2011 , 86, 287-321		43
274	The metabolic syndrome--from insulin resistance to obesity and diabetes. 2011 , 95, 855-73		78
273	Forkhead transcription factor Foxa1 is a novel target gene of C/EBP β and suppresses the early phase of adipogenesis. <i>Gene</i> , 2011 , 473, 150-6	3.8	11
272	Irbesartan increased PPAR α activity in vivo in white adipose tissue of atherosclerotic mice and improved adipose tissue dysfunction. 2011 , 406, 123-6		20

271	PPAR α activation induces acute PAI-1 gene expression in the liver but not in adipose tissues of diabetic model mice. 2011 , 128, e81-5	4
270	Pharmacological therapy for non-alcoholic steatohepatitis: How efficient are thiazolidinediones?. 2011 , 41, 687-95	10
269	Type 2 diabetes across generations: from pathophysiology to prevention and management. 2011 , 378, 169-81	614
268	Heart Failure as a Consequence of Diabetic Cardiomyopathy. 2011 , 408-418	2
267	Pioglitazone treatment decreases follicular fluid levels of tumor necrosis factor- α and interleukin-6 in patients with polycystic ovary syndrome. 2011 , 38, 98-102	10
266	Activation of peroxisome proliferator-activated receptor gamma by rosiglitazone increases sirt6 expression and ameliorates hepatic steatosis in rats. <i>PLoS ONE</i> , 2011 , 6, e17057	3-7 61
265	Advances in the treatment of type 2 diabetes mellitus. 2011 , 18, 117-52	112
264	Thiazolidinediones and type 2 diabetes: from cellular targets to cardiovascular benefit. 2011 , 12, 1498-512	12
263	Comparison of metabolic profile and adiponectin level with pioglitazone versus voglibose in patients with type-2 diabetes mellitus associated with metabolic syndrome. 2011 , 58, 425-32	12
262	Azilsartan treatment improves insulin sensitivity in obese spontaneously hypertensive Koletsky rats. 2011 , 13, 1123-9	34
261	Adipose tissue dysfunction and hypertriglyceridemia: mechanisms and management. 2011 , 12, 829-40	50
260	Regulation of glucose metabolism and the skeleton. 2011 , 75, 147-55	42
259	D2 Thr92Ala and PPAR α Pro12Ala polymorphisms interact in the modulation of insulin resistance in type 2 diabetic patients. 2011 , 19, 825-32	29
258	Control of nuclear receptor activities in metabolism by post-translational modifications. 2011 , 585, 1640-50	46
257	Very low density lipoprotein receptor promotes adipocyte differentiation and mediates the proadipogenic effect of peroxisome proliferator-activated receptor gamma agonists. 2011 , 82, 1950-62	15
256	Oleanane-type triterpene saponins from the bark of <i>Aralia elata</i> and their NF- κ B inhibition and PPAR activation signal pathway. 2011 , 21, 6143-7	36
255	World congress on insulin resistance, diabetes, and cardiovascular disease: Part 1. 2011 , 34, e115-120	9
254	Glitazones for human nonalcoholic steatohepatitis. 2011 , 4, 325-34	8

253	The pluripotential effects of hypolipidemic treatment for polycystic ovary syndrome (PCOS): dyslipidemia, cardiovascular risk factors and beyond. 2011 , 17, 908-21		8
252	Does low testosterone affect adaptive properties of adipose tissue in obese men?. 2011 , 117, 18-22		12
251	The Role of PPAR α in the Transcriptional Control by Agonists and Antagonists. <i>PPAR Research</i> , 2012 , 2012, 362361	4-3	20
250	Insulin therapy and cancer-specific mortality in patients with colorectal cancer and diabetes. 2012 , 30, 1729-30; author reply 1730-2		1
249	Very long-chain-fatty acids enhance adipogenesis through coregulation of Elovl3 and PPAR α in 3T3-L1 cells. 2012 , 302, E1461-71		37
248	Effect of 2,4-thiazolidinedione on limousin cattle growth and on muscle and adipose tissue metabolism. <i>PPAR Research</i> , 2012 , 2012, 891841	4-3	11
247	Mesenchymal stem cells in infantile hemangioma reside in the perivascular region. 2012 , 15, 5-12		18
246	Reply to S.A. Kesikli et al. 2012 , 30, 1730-1732		
245	Oxidative stress in atherosclerosis development: the central role of LDL and oxidative burst. 2012 , 12, 351-60		128
244	Effect of substituting saturated with monounsaturated fatty acids on serum visfatin levels and insulin resistance in overweight women: a randomized cross-over clinical trial. 2012 , 63, 772-81		9
243	Genetic variation in peroxisome proliferator-activated receptor gamma, soy, and mammographic density in Singapore Chinese women. 2012 , 21, 635-44		14
242	Telmisartan exerts renoprotective actions via peroxisome proliferator-activated receptor- γ /hepatocyte growth factor pathway independent of angiotensin II type 1 receptor blockade. 2012 , 59, 308-16		41
241	Prostaglandins as PPAR α Modulators in Adipogenesis. <i>PPAR Research</i> , 2012 , 2012, 527607	4-3	30
240	Changes in gene expression profile in human subcutaneous adipose tissue during significant weight loss. 2012 , 5, 440-51		22
239	Arachidonate Cascade in the Intensive Insulin Therapy for Critically Ill Patients with Sepsis: Roles of Prostaglandins on Hyperglycemia-Impaired Immunity. 2012 , 9, 557-567		
238	Methodologies for investigating natural medicines for the treatment of nonalcoholic fatty liver disease (NAFLD). 2012 , 13, 278-91		22
237	Three-in-one agonists for PPAR- α , PPAR- β and PPAR- γ from traditional Chinese medicine. 2012 , 30, 662-83		41
236	Metabolic effects of benzylidene thiazolidinedione derivatives in high-fat fed mice. 2012 , 21, 2408-2414		4

235	Angiotensin-(1-7) Mas-receptor deficiency decreases peroxisome proliferator-activated receptor gamma expression in adipocytes. 2012 , 33, 174-7	34
234	PPAR- δ as a therapeutic target in cardiovascular disease: evidence and uncertainty. 2012 , 53, 1738-54	46
233	Control of metabolism by nutrient-regulated nuclear receptors acting in the brain. 2012 , 130, 126-37	126
232	Early induction of a brown-like phenotype by rosiglitazone in the epicardial adipose tissue of fatty Zucker rats. 2012 , 94, 1660-7	35
231	Adipose tissue inflammation and cancer cachexia: possible role of nuclear transcription factors. 2012 , 57, 9-16	62
230	The roots of <i>Atractylodes japonica</i> Koidzumi promote adipogenic differentiation via activation of the insulin signaling pathway in 3T3-L1 cells. 2012 , 12, 154	17
229	Prevention mechanisms of glucose intolerance and obesity by cacao liquor procyanidin extract in high-fat diet-fed C57BL/6 mice. 2012 , 527, 95-104	93
228	Salinomycin, a polyether ionophoric antibiotic, inhibits adipogenesis. 2012 , 428, 487-93	9
227	Pyrrolidinediones reduce the toxicity of thiazolidinediones and modify their anti-diabetic and anti-cancer properties. 2012 , 697, 13-23	25
226	Therapeutic effects of angiotensin II type 1 receptor blocker, irbesartan, on non-alcoholic steatohepatitis using FLS-ob/ob male mice. 2012 , 30, 107-13	33
225	Inhibition of nuclear transcription factor- β and activation of peroxisome proliferator-activated receptors in HepG2 cells by cucurbitane-type triterpene glycosides from <i>Momordica charantia</i> . 2012 , 15, 369-77	19
224	Methyl cinnamate inhibits adipocyte differentiation via activation of the CaMKK2-AMPK pathway in 3T3-L1 preadipocytes. 2012 , 60, 955-63	39
223	Functional changes in adipose tissue in a randomised controlled trial of physical activity. 2012 , 11, 80	12
222	Targeting adipose tissue. 2012 , 4, 43	21
221	Obesity-related hepatocellular carcinoma: roles of risk factors altered in obesity. 2012 , 17, 2356-70	21
220	Vascular smooth muscle cell alterations triggered by mice adipocytes: role of high-fat diet. 2012 , 19, 1128-41	6
219	Genetic variation in the peroxisome proliferator activated receptor-gamma gene is associated with histologically advanced NAFLD. 2012 , 57, 952-7	35
218	Going out of the brain: non-nervous system physiological and pathological functions of Cdk5. 2012 , 24, 44-52	66

217	Targeting orphan nuclear receptors for treatment of metabolic diseases and autoimmunity. 2012 , 19, 51-9		86
216	Bioactive constituents and anti-proliferative properties of supercritical carbon dioxide <i>Salvia miltiorrhiza</i> extract in 3T3-L1 adipocytes. 2012 , 47, 216-224		6
215	Low-fat dairy, but not whole-/high-fat dairy, consumption is related with higher serum adiponectin levels in apparently healthy adults. 2013 , 52, 771-8		9
214	Pioglitazone counteracts the tumor necrosis factor- α inhibition of follicle-stimulating hormone-induced follicular development and estradiol production in an in vitro mouse preantral follicle culture system. 2013 , 6, 69		9
213	Angiotensin-(1-7): beyond the cardio-renal actions. 2013 , 124, 443-56		156
212	Regulation of MSR-1 and CD36 in macrophages by LOX-1 mediated through PPAR- α 2013 , 431, 496-500		21
211	Resveratrol induced cell cycle arrest and apoptosis via activating the Bax-mediated mitochondrial and AMPK signaling pathways in 3T3-L1 adipocytes. 2013 , 59, 501-13		16
210	Adverse neuro-immune-endocrine interactions in patients with active tuberculosis. 2013 , 53, 77-85		18
209	Therapeutic approach in the improvement of endothelial dysfunction: the current state of the art. 2013 , 2013, 252158		40
208	Improvement of liquid fructose-induced adipose tissue insulin resistance by ginger treatment in rats is associated with suppression of adipose macrophage-related proinflammatory cytokines. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 590376	2,3	18
207	Treatment effects on measures of body composition in the TODAY clinical trial. 2013 , 36, 1742-8		20
206	Chronic low-grade inflammation. 2013 , 105-120		3
205	PPAR- α a possible drug target for complicated pregnancies. 2013 , 168, 1074-85		24
204	High-fat diet feeding induces sex-dependent changes in inflammatory and insulin sensitivity profiles of rat adipose tissue. 2013 , 31, 504-10		25
203	Fam57b (family with sequence similarity 57, member B), a novel peroxisome proliferator-activated receptor α target gene that regulates adipogenesis through ceramide synthesis. 2013 , 288, 4522-37		21
202	Glucose utilization, lipid metabolism and BMP-Smad signaling pathway of porcine intramuscular preadipocytes compared with subcutaneous preadipocytes. 2013 , 31, 981-96		35
201	STAT6 promotes bi-directional modulation of PKM2 in liver and adipose inflammatory cells in rosiglitazone-treated mice. <i>Scientific Reports</i> , 2013 , 3, 2350	4-9	13
200	Association of PPAR- α gene variant Pro12Ala polymorphism with hypertension and obesity in the aboriginal Qatari population known for being consanguineous. 2013 , 6, 103-11		12

199	CMHX008, a novel peroxisome proliferator-activated receptor β partial agonist, enhances insulin sensitivity in vitro and in vivo. <i>PLoS ONE</i> , 2014 , 9, e102102	3.7	12
198	EB PUFA rich camelina oil by-products improve the systemic metabolism and spleen cell functions in fattening pigs. <i>PLoS ONE</i> , 2014 , 9, e110186	3.7	22
197	Long-term effects of evodiamine on expressions of lipogenesis and lipolysis genes in mouse adipose and liver tissues. 2014 , 13, 1038-46		9
196	Interaction of genetic risk factors confers increased risk for metabolic syndrome: the role of peroxisome proliferator-activated receptor α 2014 , 18, 32-40		7
195	In Silico Identification of Potent PPAR- α Agonists from Traditional Chinese Medicine: A Bioactivity Prediction, Virtual Screening, and Molecular Dynamics Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 192452	2.3	10
194	Troglitazone and β -Troglitazone enhance adiponectin expression in monocytes/macrophages through the AMP-activated protein kinase pathway. 2014 , 2014, 726068		4
193	Antidiabetic effect of <i>Sida cordata</i> in alloxan induced diabetic rats. 2014 , 2014, 671294		27
192	Serum adiposity-induced biomarkers in obese and lean children with recently diagnosed autoimmune type 1 diabetes. 2014 , 15, 543-9		33
191	Time-restricted feeding is a preventative and therapeutic intervention against diverse nutritional challenges. 2014 , 20, 991-1005		480
190	Daidzein regulates proinflammatory adipokines thereby improving obesity-related inflammation through PPAR α <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 718-26	5.9	42
189	Causal inference in longitudinal comparative effectiveness studies with repeated measures of a continuous intermediate variable. 2014 , 33, 3509-27		11
188	Ciglitazone enhances ovarian cancer cell death via inhibition of glucose transporter-1. 2014 , 743, 17-23		12
187	Gender differences in non-glycemic responses to improved insulin sensitivity by pioglitazone treatment in patients with type 2 diabetes. 2014 , 51, 185-92		10
186	Mitochondrial-related proteomic changes during obesity and fasting in mice are greater in the liver than skeletal muscles. 2014 , 14, 245-59		19
185	Meta-review of protein network regulating obesity between validated obesity candidate genes in the white adipose tissue of high-fat diet-induced obese C57BL/6J mice. <i>Critical Reviews in Food Science and Nutrition</i> , 2014 , 54, 910-23	11.5	13
184	Retinoic acid regulates several genes in bile acid and lipid metabolism via upregulation of small heterodimer partner in hepatocytes. <i>Gene</i> , 2014 , 550, 165-70	3.8	19
183	Administration of pioglitazone alone or with alogliptin delays diabetes onset in UCD-T2DM rats. 2014 , 221, 133-44		8
182	Activity-guided isolation of NF- κ B inhibitors and PPAR α agonists from the root bark of <i>Lycium chinense</i> Miller. 2014 , 152, 470-7		49

181	Metabolic dysfunction in diabetic cardiomyopathy. 2014 , 19, 35-48		75
180	Epigenetic effects of human breast milk. <i>Nutrients</i> , 2014 , 6, 1711-24	6.7	103
179	Obesity and diabetes: the link between adipose tissue dysfunction and glucose homeostasis. 2015 , 28, 121-132		50
178	Homeodomain interacting protein kinase 2 is downregulated through the peroxisome proliferator-activated receptor gamma signaling pathway in an insulin-resistant population. 2015 , 6, 594-6		
177	Increased peroxisome proliferator-activated receptor α expression levels in visceral adipose tissue, and serum CCL2 and interleukin-6 levels during visceral adipose tissue accumulation. <i>Molecular Medicine Reports</i> , 2015 , 11, 515-20	2.9	1
176	Obesogens beyond Vertebrates: Lipid Perturbation by Tributyltin in the Crustacean <i>Daphnia magna</i> . 2015 , 123, 813-9		68
175	The associations between serum adiponectin, leptin, C-reactive protein, insulin, and serum long-chain omega-3 fatty acids in Labrador Retrievers. 2015 , 6, 103-110		2
174	PPAR α agonist-induced fluid retention depends on ENaC expression in connecting tubules. 2015 , 129, 68-74		12
173	Promoting effect of triterpenoid compound from <i>Agrimonia pilosa</i> Ledeb on preadipocytes differentiation via up-regulation of PPAR α expression. 2015 , 11, 219-25		7
172	Intravenous injection of microvesicle-delivery miR-130b alleviates high-fat diet-induced obesity in C57BL/6 mice through translational repression of PPAR- α 2015 , 22, 86		21
171	PPAR α and IL-6 - 174G>C gene variants in Croatian patients with ischemic stroke. <i>Gene</i> , 2015 , 560, 200-4	3.8	8
170	Endothelial PPAR- α protects against vascular thrombosis by downregulating P-selectin expression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 838-44	9.4	26
169	Identification of a proliferator-activated receptor- α antagonist for the treatment of type 2 diabetes mellitus. 2015 , 9, 446-450		3
168	Fisetin Suppresses Lipid Accumulation in Mouse Adipocytic 3T3-L1 Cells by Repressing GLUT4-Mediated Glucose Uptake through Inhibition of mTOR-C/EBP β Signaling. 2015 , 63, 4979-87		16
167	Consumption of polyphenol-rich peach and plum juice prevents risk factors for obesity-related metabolic disorders and cardiovascular disease in Zucker rats. 2015 , 26, 633-41		47
166	Pharmacotherapy for Nonalcoholic Fatty Liver Disease. 2015 , 35, 338-48		21
165	Pioglitazone in adult rats reverses immediate postnatal overfeeding-induced metabolic, hormonal, and inflammatory alterations. 2015 , 50, 608-19		3
164	Effect of fish and krill oil supplementation on glucose tolerance in rabbits with experimentally induced obesity. 2015 , 54, 1055-67		19

163	Peroxisome Proliferator-Activated Receptor- α Gene Expression and Its Association with Oxidative Stress in Patients with Metabolic Syndrome. 2016 , 52, 201-6		10
162	Inflammatory Mechanisms Associated with Skeletal Muscle Sequelae after Stroke: Role of Physical Exercise. 2016 , 2016, 3957958		19
161	Epigenetic modifications in adipose tissue - relation to obesity and diabetes. 2016 , 12, 1293-1301		15
160	Glucose intolerance after chronic stress is related with downregulated PPAR- α in adipose tissue. 2016 , 15, 114		17
159	Commonalities in the Association between PPARG and Vitamin D Related with Obesity and Carcinogenesis. <i>PPAR Research</i> , 2016 , 2016, 2308249	4-3	32
158	Vitronectin-Based, Biomimetic Encapsulating Hydrogel Scaffolds Support Adipogenesis of Adipose Stem Cells. 2016 , 22, 597-609		20
157	Gene expression in a rarely studied intraabdominal adipose depot, the round ligament, in severely obese women: A pilot study. 2016 , 5, 27-34		3
156	Emerging drugs for the treatment of angina pectoris. 2016 , 21, 365-376		9
155	Inhibition of M1 macrophage activation in adipose tissue by berberine improves insulin resistance. <i>Life Sciences</i> , 2016 , 166, 82-91	6.8	28
154	Effect of the Capsicoside G-rich Fraction from Pepper (<i>Capsicum annum</i> L.) Seeds on High-fat Diet-induced Obesity in Mice. 2016 , 30, 1848-1855		17
153	Combination of Vildagliptin and Pioglitazone in Experimental Type 2 Diabetes in Male Rats. 2016 , 77, 300-9		12
152	Mechanisms of Action of Compounds That Enhance Storage Lipid Accumulation in <i>Daphnia magna</i> . <i>Environmental Science & Technology</i> , 2016 , 50, 13565-13573	10.3	17
151	15-Lipoxygenase metabolites of α -linolenic acid, [13-(S)-HPOTrE and 13-(S)-HOTrE], mediate anti-inflammatory effects by inactivating NLRP3 inflammasome. <i>Scientific Reports</i> , 2016 , 6, 31649	4.9	61
150	The role of expression imbalance between adipose synthesis and storage mediated by PPAR- γ /FSP27 in the formation of insulin resistance in catch up growth. 2016 , 15, 173		2
149	Alcoholic and Non-Alcoholic Fatty Liver Disease. 2016 ,		3
148	Differential effect of Se on insulin resistance: regulation of adipogenesis and lipolysis. 2016 , 415, 89-102		11
147	HMG2 promotes adipogenesis by activating C/EBP α -mediated expression of PPAR- α 2016 , 472, 617-23		34
146	Current and Emerging Therapies for Nonalcoholic Fatty Liver Disease. 2016 , 313-337		

145	Compounds altering fat storage in <i>Daphnia magna</i> . 2016 , 545-546, 127-36	45
144	Peritumoral adipose tissue as a source of inflammatory and angiogenic factors in colorectal cancer. 2016 , 31, 365-75	17
143	Anti-obesity and anti-diabetic effects of flavonoid derivative (Fla-CN) via microRNA in high fat diet induced obesity mice. 2016 , 82, 52-63	21
142	Gene expression profiling of the peripheral blood mononuclear cells of offspring of one type 2 diabetic parent. 2016 , 36, 407-419	6
141	The effects of PPAR β on the regulation of the TOMM40-APOE-C1 genes cluster. 2017 , 1863, 810-816	19
140	Apolipoprotein A2 -265 T>C polymorphism interacts with dietary fatty acids intake to modulate inflammation in type 2 diabetes mellitus patients. 2017 , 37, 86-91	10
139	Comparative microarray analyses of mono(2-ethylhexyl)phthalate impacts on fat cell bioenergetics and adipokine network. 2017 , 33, 511-526	15
138	PPARs in the central nervous system: roles in neurodegeneration and neuroinflammation. 2017 , 92, 2046-2069	48
137	Anti-inflammatory and antioxidant effects of polyphenols extracted from <i>Antirhea borbonica</i> medicinal plant on adipocytes exposed to <i>Porphyromonas gingivalis</i> and <i>Escherichia coli</i> lipopolysaccharides. 2017 , 119, 303-312	33
136	Tumor grade related expression of neuroglobin is negatively regulated by PPAR α and confers antioxidant activity in glioma progression. 2017 , 12, 682-689	12
135	Targeting the Immune System with Pharmacotherapy in Schizophrenia. 2017 , 4, 139-151	7
134	Fatty Acid Oxidation in Zebrafish Adipose Tissue Is Promoted by 1 α ,25(OH) $_2$ D. 2017 , 19, 1444-1455	48
133	Regional Differences Between Perisynovial and Infrapatellar Adipose Tissue Depots and Their Response to Class II and Class III Obesity in Patients With Osteoarthritis. 2017 , 69, 1396-1406	29
132	Potential mechanisms of hypothalamic renin-angiotensin system activation by leptin and DOCA-salt for the control of resting metabolism. 2017 , 49, 722-732	15
131	Multiple molecular targets in the liver, adipose tissue and skeletal muscle in ginger-elicited amelioration of nonalcoholic fatty liver disease. 2017 , 36, 43-51	4
130	Fruit vinegars attenuate cardiac injury via anti-inflammatory and anti-adiposity actions in high-fat diet-induced obese rats. 2017 , 55, 43-52	21
129	Sirtuins 1-7 expression in human adipose-derived stem cells from subcutaneous and visceral fat depots: influence of obesity and hypoxia. 2017 , 57, 455-463	14
128	Structure and Function of Bone Marrow Adipocytes. 2017 , 8, 315-349	15

127	Epigenetic Matters: The Link between Early Nutrition, Microbiome, and Long-term Health Development. 2017 , 5, 178	94
126	Low Circulating TRAIL Levels Are Associated with Increase of Resistin and Lipocalin-2/ngal Adipokines in Postmenopausal Women. 2017 , 2017, 5356020	6
125	Peroxisome Proliferator-Activated Receptor Gamma (PPAR γ) as a Target for Concurrent Management of Diabetes and Obesity-Related Cancer. 2017 , 23, 3677-3688	26
124	Implications of publicly available genomic data resources in searching for therapeutic targets of obesity and type 2 diabetes. 2018 , 50, 1-13	2
123	Hypothalamic peroxisome proliferator-activated receptor gamma regulates ghrelin production and food intake. 2018 , 69, 39-45	3
122	Daily cycle in hepatic lipid metabolism in obese mice, <i>Neotomodon alstoni</i> : Sex differences. 2018 , 35, 643-657	5
121	Glycine enhances expression of adiponectin and IL-10 in 3T3-L1 adipocytes without affecting adipogenesis and lipolysis. 2018 , 50, 629-640	11
120	A20 deubiquitinase controls PGC-1 α expression in the adipose tissue. 2018 , 17, 90	4
119	Nonalcoholic Fatty Liver Disease as a Nexus of Metabolic and Hepatic Diseases. 2018 , 27, 22-41	298
118	Macrophage polarization and meta-inflammation. 2018 , 191, 29-44	128
117	Differentially expressed genes in PPAR δ deficient MSCs. 2018 , 471, 97-104	5
116	Thiazolidinedione drugs in the treatment of type 2 diabetes mellitus: past, present and future. 2018 , 48, 52-108	46
115	Heart failure and diabetes: metabolic alterations and therapeutic interventions: a state-of-the-art review from the Translational Research Committee of the Heart Failure Association-European Society of Cardiology. 2018 , 39, 4243-4254	113
114	Herzinsuffizienz bei Diabetes. 2018 , 14, 384-392	
113	Allocation of glycerolipids and glycerophospholipids from adults to eggs in <i>Daphnia magna</i> : Perturbations by compounds that enhance lipid droplet accumulation. 2018 , 242, 1702-1710	16
112	Screening for PPAR Non-Agonist Ligands Followed by Characterization of a Hit, AM-879, with Additional No-Adipogenic and cdk5-Mediated Phosphorylation Inhibition Properties. 2018 , 9, 11	13
111	Crosstalk Between Peroxisome Proliferator-Activated Receptor Gamma and the Canonical WNT/ β Catenin Pathway in Chronic Inflammation and Oxidative Stress During Carcinogenesis. 2018 , 9, 745	134
110	The role of orexin in controlling the activity of the adipo-pancreatic axis. 2018 , 238, R95-R108	9

109	as a Potential Treatment Agent for Type 2 Diabetes Mellitus and the Underlying Mechanisms: A Review. 2019 , 10, 805		14
108	p-Syneprine exhibits anti-adipogenic activity by activating the Akt/GSK3 β signaling pathway in 3T3-L1 adipocytes. 2019 , 43, e13033		10
107	Lifestyle and Food Habits Impact on Chronic Diseases: Roles of PPARs. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	6
106	Withaferin A inhibits adipogenesis in 3T3-F442A cell line, improves insulin sensitivity and promotes weight loss in high fat diet-induced obese mice. <i>PLoS ONE</i> , 2019 , 14, e0218792	3.7	14
105	Adropin regulates cardiac energy metabolism and improves cardiac function and efficiency. 2019 , 98, 37-48		23
104	Changes in Visceral and Subcutaneous Fat in Youth With Type 2 Diabetes in the TODAY Study. 2019 , 42, 1549-1559		5
103	Encapsulated Mulberry Fruit Extract Alleviates Changes in an Animal Model of Menopause with Metabolic Syndrome. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 5360560	6.7	3
102	The Suv420h histone methyltransferases regulate PPAR α and energy expenditure in response to environmental stimuli. 2019 , 5, eaav1472		7
101	Endothelial PPAR α s Crucial for Averting Age-Related Vascular Dysfunction by Stalling Oxidative Stress and ROCK. 2019 , 36, 583-601		19
100	The Type 2 Diabetes Susceptibility PROX1 Gene Variants Are Associated with Postprandial Plasma Metabolites Profile in Non-Diabetic Men. <i>Nutrients</i> , 2019 , 11,	6.7	9
99	Connecting MetaInflammation and Neuroinflammation Through the PTN-MK-RPTP α Axis: Relevance in Therapeutic Development. 2019 , 10, 377		26
98	Immune-endocrine interactions related to a high risk of infections in chronic metabolic diseases: The role of PPAR gamma. 2019 , 854, 272-281		9
97	Metformin: A Candidate Drug to Control the Epidemic of Diabetes and Obesity by Way of Gut Microbiome Modification. 2019 , 401-408		2
96	Predicting and understanding the response to short-term intensive insulin therapy in people with early type 2 diabetes. <i>Molecular Metabolism</i> , 2019 , 20, 63-78	8.8	19
95	Lifestyle genomics and the metabolic syndrome: A review of genetic variants that influence response to diet and exercise interventions. <i>Critical Reviews in Food Science and Nutrition</i> , 2019 , 59, 2028-2039	11.5	18
94	Altered gut microbiota and endocannabinoid system tone in vitamin D deficiency-mediated chronic pain. <i>Brain, Behavior, and Immunity</i> , 2020 , 85, 128-141	16.6	48
93	Intermittent fasting from dawn to sunset for 30 consecutive days is associated with anticancer proteomic signature and upregulates key regulatory proteins of glucose and lipid metabolism, circadian clock, DNA repair, cytoskeleton remodeling, immune system and cognitive function in healthy subjects. <i>Journal of Proteomics</i> , 2020 , 217, 103645	3.9	23
92	GQ-130, a novel analogue of thiazolidinedione, improves obesity-induced metabolic alterations in rats: Evidence for the involvement of PPAR α pathway. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2020 , 47, 798-808	3	1

91	Role of LXR alpha in regulating expression of glucose transporter 4 in adipocytes - Investigation on improvement of health of diabetic patients. <i>Journal of Infection and Public Health</i> , 2020 , 13, 244-252	7.4	2
90	Sex Differences in Genomic Drivers of Adipose Distribution and Related Cardiometabolic Disorders: Opportunities for Precision Medicine. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020 , 40, 45-60	9.4	20
89	Dim Light at Night Disturbs Molecular Pathways of Lipid Metabolism. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	11
88	The PPAR Pocket: Renewed Opportunities for Drug Development. <i>PPAR Research</i> , 2020 , 2020, 9657380	4.3	5
87	Hypoglycemic Activity of Val. Extract via Modulation of GLUT4 and PPAR- α mRNA Expression in 3T3-L1 Adipocytes. <i>Journal of Experimental Pharmacology</i> , 2020 , 12, 363-369	3	7
86	Hip preservation surgery and the acetabular fossa. <i>Bone and Joint Research</i> , 2020 , 9, 857-869	4.2	3
85	Diabetic cardiomyopathy.. <i>Revista Clínica Española</i> , 2022 , 222, 100-111	0.5	0
84	A Review of Adropin as the Medium of Dialogue between Energy Regulation and Immune Regulation. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 3947806	6.7	7
83	Cardiovascular Safety and Benefits of Noninsulin Antihyperglycemic Drugs for the Treatment of Type 2 Diabetes Mellitus-Part 1. <i>Cardiology in Review</i> , 2020 , 28, 177-189	3.2	3
82	Genetic Background of Hypertension in Connective Tissue Diseases. <i>Journal of Immunology Research</i> , 2020 , 2020, 7509608	4.5	1
81	Senoinflammation: A major mediator underlying age-related metabolic dysregulation. <i>Experimental Gerontology</i> , 2020 , 134, 110891	4.5	8
80	Environmental Obesogens and Their Impact on Susceptibility to Obesity: New Mechanisms and Chemicals. <i>Endocrinology</i> , 2020 , 161,	4.8	46
79	Diabetic cardiomyopathy. <i>Revista Clínica Española</i> , 2020 ,	0.7	3
78	Lipoatrophy-Associated Insulin Resistance and Hepatic Steatosis are Attenuated by Intake of Diet Rich in Omega 3 Fatty Acids. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900833	5.9	4
77	PPM1A Controls Diabetic Gene Programming through Directly Dephosphorylating PPAR α at Ser273. <i>Cells</i> , 2020 , 9,	7.9	7
76	TXN, a Xanthohumol Derivative, Attenuates High-Fat Diet Induced Hepatic Steatosis by Antagonizing PPAR α		
75	-Derived Xanthenes Protected Joints from Degradation in Male Rats with Collagen-Induced Arthritis by Regulating PPAR- β Signaling. <i>Journal of Inflammation Research</i> , 2021 , 14, 395-411	4.8	7
74	Genome-wide discovery of genetic loci that uncouple excess adiposity from its comorbidities. <i>Nature Metabolism</i> , 2021 , 3, 228-243	14.6	16

73	Herbal Medicine in Uterine Fibroid.		0
72	Inhibition of Type-2 Diabetes Mellitus Development by Sophocarpine through Targeting PPAR γ -Regulated Gene Expression. <i>Doklady Biochemistry and Biophysics</i> , 2021 , 497, 137-143	0.8	
71	Enhanced lipogenesis through Ppar α helps cavefish adapt to food scarcity.		0
70	Adiponectin Synthesis, Secretion and Extravasation from Circulation to Interstitial Space. <i>Physiology</i> , 2021 , 36, 134-149	9.8	6
69	Tetrahydroxanthohumol, a xanthohumol derivative, attenuates high-fat diet-induced hepatic steatosis by antagonizing PPAR α . <i>Life</i> , 2021 , 10,	8.9	1
68	Elevated S-adenosylhomocysteine induces adipocyte dysfunction to promote alcohol-associated liver steatosis. <i>Scientific Reports</i> , 2021 , 11, 14693	4.9	2
67	Cyclopentenone Prostaglandins: Biologically Active Lipid Mediators Targeting Inflammation. <i>Frontiers in Physiology</i> , 2021 , 12, 640374	4.6	3
66	Adipogenic activity of chemicals used in plastic consumer products.		1
65	Change in Blood and Benign Breast Biomarkers in Women Undergoing a Weight-Loss Intervention Randomized to High-Dose Ω 3 Fatty Acids versus Placebo. <i>Cancer Prevention Research</i> , 2021 , 14, 893-904	3.2	1
64	Differential and shared effects of eicosapentaenoic acid and docosahexaenoic acid on serum metabolome in subjects with chronic inflammation. <i>Scientific Reports</i> , 2021 , 11, 16324	4.9	1
63	Effects of two potential probiotic Lactobacillus bacteria on adipogenesis in vitro. <i>Life Sciences</i> , 2021 , 278, 119538	6.8	3
62	An Update of Anthraquinone Derivatives Emodin, Diacerein, and Catenarin in Diabetes. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021 , 2021, 3313419	2.3	0
61	Regulation of cholesterol biosynthesis and lipid metabolism: A microRNA management perspective. <i>Steroids</i> , 2021 , 173, 108878	2.8	4
60	Overview of Acquired and Genetic Lipodystrophies. 385-402		1
59	PPAR β Pro12Ala Polymorphism Influences the Relationship between Dietary Fat Intake, Adiposity and Lipid Profile in Patients with Type 2 Diabetes. <i>International Journal for Vitamin and Nutrition Research</i> , 2018 , 88, 263-269	1.7	3
58	Macrophage PPAR gamma is required for normal skeletal muscle and hepatic insulin sensitivity and full antidiabetic effects of thiazolidinediones. <i>Journal of Clinical Investigation</i> , 2007 , 117, 1658-69	15.9	380
57	De-novo identification of PPAR γ /RXR binding sites and direct targets during adipogenesis. <i>PLoS ONE</i> , 2009 , 4, e4907	3.7	93
56	Synergistic suppression of early phase of adipogenesis by microsomal PGE synthase-1 (PTGES1)-produced PGE2 and aldo-keto reductase 1B3-produced PGF2 α . <i>PLoS ONE</i> , 2012 , 7, e44698	3.7	21

55	Genetic polymorphisms of the main transcription factors for adiponectin gene promoter in regulation of adiponectin levels: association analysis in three European cohorts. <i>PLoS ONE</i> , 2012 , 7, e52497	3.7	6
54	Mesenchymal stem cells from the domestic ungulates: trends and outliers. <i>International Journal of Veterinary Science and Research</i> , 023-031	0.3	1
53	An inhibitory role of progerin in the gene induction network of adipocyte differentiation from iPS cells. <i>Aging</i> , 2013 , 5, 288-303	5.6	34
52	Cell death and restoration of TRAIL-sensitivity by ciglitazone in resistant cervical cancer cells. <i>Oncotarget</i> , 2017 , 8, 107744-107762	3.3	6
51	The renin angiotensin system and the metabolic syndrome. <i>Open Hypertension Journal</i> , 2010 , 3, 1-13	0.8	11
50	MicroRNA Regulated Macrophage Activation in Obesity. <i>Journal of Translational Internal Medicine</i> , 2019 , 7, 46-52	3	9
49	Antiadipogenic Effects of Mixtures of and Extracts on 3T3-L1 Preadipocytes and High-Fat Diet-Induced Mice. <i>Molecules</i> , 2020 , 25,	4.8	5
48	Pro12Ala polymorphism of the peroxisome proliferator-activated receptor α in patients with fatty liver diseases. <i>World Journal of Gastroenterology</i> , 2010 , 16, 5830-7	5.6	30
47	Non-alcoholic fatty liver disease: what has changed in the treatment since the beginning?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 14219-29	5.6	29
46	Anti-Inflammatory and PPAR Transactivational Effects of Oleanane-Type Triterpenoid Saponins from the Roots of <i>Pulsatilla koreana</i> . <i>Biomolecules and Therapeutics</i> , 2014 , 22, 334-40	4.2	11
45	NF- κ B Inhibition and PPAR Activation by Phenolic Compounds from <i>Hypericum perforatum</i> L. Adventitious Root. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 1407-1413	1.2	9
44	Moderating effect of ppar- β on the association of c-reactive protein and ischemic stroke in patients younger than 60. <i>Gene</i> , 2022 , 809, 146029	3.8	1
43	The Role of Short-Chain Fatty Acids in Mediating Very Low-Calorie Ketogenic Diet-Infant Gut Microbiota Relationships and Its Therapeutic Potential in Obesity. <i>Nutrients</i> , 2021 , 13,	6.7	3
42	Insulin Sensitivity and Visceral Adiposity: Effects of Rimonabant. 2008 , 95-102		
41	Reproduktive Funktionen und Endokrinium im Netzwerk des Zentralnervensystems und der großen Stoffwechselorgane. 2009 , 117-132		
40	The Genetic Basis of Diabetes. 2009 , 377-413		
39	Dietary Fatty Acids as Modulators of Adipose Inflammation. <i>Oxidative Stress and Disease</i> , 2009 , 189-204		
38	Peroxisome Proliferator-Activated Receptor- α A Key Regulator of Adipose Tissue Formation, Remodeling, and Metabolism. 441-458		

37	Hormonelle Regulation und Integration des Stoffwechsels von Säugetieren. <i>Springer-Lehrbuch</i> , 2011 , 1187-1246	0.4	
36	Therapeutic Strategies for Metabolic Syndrome and Lifestyle-Related Disease. 2013 , 325-364		
35	Fat and Bone. 2015 , 319-333		
34	Enfoque terapéutico de la diabetes mellitus tipo 2 en adultos. Meta allende una meta glucémica. <i>Medicina UPB</i> , 2018 , 37, 36-46	0.1	0
33	Nutrigenomics Approaches to Control Metabolic Diseases and Challenges to Personalized Nutritional Intervention. 2020 , 287-332		
32	[Role of leptin and nuclear receptor PPAR α in PCOS pathogenesis]. <i>Problemy Endokrinologii</i> , 2020 , 66, 74-80	0	0
31	Pilot study and bioinformatics analysis of differentially expressed genes in adipose tissues of rats with excess dietary intake. <i>Molecular Medicine Reports</i> , 2020 , 21, 2063-2072	2.9	0
30	Insulin Resistance and the Pathogenesis of Cardiovascular Disease. 2008 , 179-205		
29	Adiposity is The Enemy: Body Composition and Insulin Sensitivity. 2008 , 125-147		
28	Androgen-dependent tissue factor pathway inhibitor regulating protein: a review of its peripheral actions and association with cardiometabolic diseases. <i>Journal of Molecular Medicine</i> , 2021 , 1	5.5	0
27	Interspecies Differences in Activation of Peroxisome Proliferator-Activated Receptor β by Pharmaceutical and Environmental Chemicals. <i>Environmental Science & Technology</i> , 2021 ,	10.3	2
26	Leukotriene C synthase is a novel PPAR α target gene, and leukotriene C and D activate adipogenesis through cysteinyl LT1 receptors in adipocytes.. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021 , 1869, 119203	4.9	1
25	EMERGENCE OF BENZOTHAZOLE AND ITS DERIVATIVES AS A POTENTIAL ANTIDIABETIC PROBE. <i>Indian Drugs</i> , 2020 , 57, 7-18	0.2	2
24	An in-silico study to investigate the role of β -cryptoxanthin on obesity. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	1
23	Adipogenic Activity of Chemicals Used in Plastic Consumer Products.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	3
22	DNA Microarray-Based Global Gene Expression Profiling in Human Amniotic Epithelial Cells Predicts the Potential of Microalgae-Derived Squalene for the Nervous System and Metabolic Health.. <i>Biomedicines</i> , 2021 , 10,	4.8	1
21	WITHDRAWN: An in-silico study to investigate the role of β -cryptoxanthin on obesity. <i>Journal of the Indian Chemical Society</i> , 2022 , 100406		
20	Role of diabetologists in the management of nonalcoholic fatty liver disease: Primary prevention and screening/management of fibrosis and cirrhosis.. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2022 , 16, 102446	8.9	0

19	Enhanced lipogenesis through Ppar α helps cavefish adapt to food scarcity.. <i>Current Biology</i> , 2022 ,	6.3	3
18	Association of miR-34a and miR-143 levels with PPAR α gene expression in adipose tissues of non-diabetic adults.. <i>Journal of Physiological Anthropology</i> , 2022 , 41, 13	2.5	1
17	Presentation_1.PDF. 2018 ,		
16	Ketone body 3-hydroxybutyrate enhances adipocyte function. <i>Scientific Reports</i> , 2022 , 12,	4.9	
15	Pine nut oil supplementation alleviates the obesogenic effects in high-fat diet induced obese rats: A comparative study between epididymal and retroperitoneal adipose tissue.. 2022 ,		
14	The lipidomic profile of the tumoral periprostatic adipose tissue reveals alterations in tumor cell β metabolic crosstalk. 2022 , 20,		1
13	Gasdermin D Deficiency Does Not Protect Mice from High-Fat Diet-Induced Glucose Intolerance and Adipose Tissue Inflammation. 2022 , 2022, 1-16		0
12	Increased Secreted Frizzled-Related Protein 5 mRNA Expression in the Adipose Tissue of Women with Nonalcoholic Fatty Liver Disease Associated with Obesity. 2022 , 23, 9871		0
11	Benefits of Valsartan and Amlodipine in Lipolysis through PU.1 Inhibition in Fructose-Induced Adiposity. 2022 , 14, 3759		0
10	PPAR- α gene expression in pericoronary adipose tissue: A focus on obesity. 2022 ,		0
9	Mulberry (<i>Morus alba</i> L.) Leaf Extract and 1-Deoxynojirimycin Improve Skeletal Muscle Insulin Resistance via the Activation of IRS-1/PI3K/Akt Pathway in db/db Mice. 2022 , 12, 1630		1
8	Identification of Selective PPAR- α Modulators by Combining Pharmacophore Modeling, Molecular Docking, and Adipogenesis Assay.		0
7	MicroRNAs as Mediators of Adipose Thermogenesis and Potential Therapeutic Targets for Obesity. 2022 , 11, 1657		1
6	Physical Activity and Nutritional Pattern Related to Maturation and Development. 2022 , 14, 16958		0
5	Adipose tissue macrophages and their role in obesity-associated insulin resistance: An overview of the complex dynamics at play.		0
4	Fermented Foods in the Management of Obesity: Mechanisms of Action and Future Challenges. 2023 , 24, 2665		0
3	Catechins prevent obesity-induced kidney damage by modulating PPAR α /CD36 pathway and gut-kidney axis in rats. 2023 , 316, 121437		0
2	<i>Convolvulus pluricaulis</i> Choisy β Extraction, Chemical Characterization and Evaluation of the Potential Effects on Glycaemic Balance in a 3T3-L1 Adipocyte Cell Model. 2023 , 15, 1727		0

- 1 In vitro, in vivo, and in silico analysis of synbiotics as preventive interventions for lipid metabolism in ethanol-induced adipose tissue injury. **2023**, 22,

○