

CITATION REPORT

List of articles citing

Increased waking salivary cortisol levels in young people at familial risk of depression

DOI: 10.1176/ajp.2007.164.4.617

American Journal of Psychiatry, 2007, 164, 617-21.

Source: <https://exaly.com/paper-pdf/41527136/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
162	Neurobiologie und Borderline-Persönlichkeitsstörung. 2007 , 8, 342-346		2
161	Impaired emotional categorisation in young people at increased familial risk of depression. 2007 , 45, 2975-80		43
160	Current awareness in human psychopharmacology. 2008 , 23, 71-78		
159	Emanuel Miller Lecture: early onset depressions--meanings, mechanisms and processes. 2008 , 49, 1239-56		31
158	Frontolimbic serotonin 2A receptor binding in healthy subjects is associated with personality risk factors for affective disorder. 2008 , 63, 569-76		177
157	Salivary cortisol in unaffected twins discordant for affective disorder. 2008 , 161, 292-301		28
156	The neural correlates of verbal encoding and retrieval in monozygotic twins at low or high risk for depression and anxiety. 2008 , 79, 80-90		19
155	L'ECT peut-elle être utilisée chez les patients souffrant d'une dépression avec dépression ? Au sujet de trois cas suivis sur un an. 2008 , 8, 42-48		
154	'It's not over when it's over': persistent neurobiological abnormalities in recovered depressed patients. 2008 , 38, 307-13		102
153	Bibliography. Current world literature. Child and adolescent psychiatry. 2008 , 21, 422-31		
152	Affective modulation of anterior cingulate cortex in young people at increased familial risk of depression. 2008 , 192, 356-61		42
151	Memory impairment in young women at increased risk of depression: influence of cortisol and 5-HTT genotype. 2009 , 39, 757-62		31
150	Vulnerability to depression: what is the role of stress genes in gene x environment interaction?. 2009 , 39, 1407-11		44
149	Serotonin transporter genotype, morning cortisol and subsequent depression in adolescents. 2009 , 195, 39-45		78
148	Risk markers for depression in adolescents: sleep and HPA measures. <i>Neuropsychopharmacology</i> , 2009 , 34, 1936-45	8.7	63
147	Major depressive disorder and hypothalamic-pituitary-adrenal axis activity: results from a large cohort study. 2009 , 66, 617-26		554
146	Persistence of abnormal cortisol levels in elderly persons after recovery from major depression. <i>Journal of Psychiatric Research</i> , 2009 , 43, 777-83	5.2	39

145	Serotonin transporter polymorphism predicts waking cortisol in young girls. <i>Psychoneuroendocrinology</i> , 2009 , 34, 681-6	5	49
144	Hypothalamic-pituitary-adrenal axis dysregulation in depressed children and adolescents: a meta-analysis. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1272-83	5	307
143	The effect of anaerobic exercise on salivary cortisol, testosterone and immunoglobulin (A) in boys aged 15-16 years. 2009 , 107, 455-61		28
142	Family-based association of FKBP5 in bipolar disorder. 2009 , 14, 261-8		126
141	High cortisol awakening response is associated with an impairment of the effect of bright light therapy. 2009 , 120, 196-202		12
140	Marital Conflict in the Context of Parental Depressive Symptoms: Implications for the Development of Children's Adjustment Problems. 2009 , 18, 536-555		20
139	Increased waking salivary cortisol and depression risk in preschoolers: the role of maternal history of melancholic depression and early child temperament. 2009 , 50, 1495-503		56
138	Subjective Sleep Quality and hormonal modulation in long-term yoga practitioners. 2009 , 81, 164-8		49
137	Deployment-related severe fatigue with depressive symptoms is associated with increased glucocorticoid binding to peripheral blood mononuclear cells. <i>Brain, Behavior, and Immunity</i> , 2009 , 23, 1132-9	16.6	20
136	Daytime cortisol secretion in 6-month-old twins: genetic and environmental contributions as a function of early familial adversity. 2009 , 65, 409-16		45
135	The development of children of postnatally depressed mothers: Evidence from the Cambridge longitudinal study. 2009 , 23, 185-199		24
134	Gender as a determinant of responses to a self-screening questionnaire on anxiety and depression by patients with coronary artery disease. 2009 , 6, 479-87		8
133	Parental history of depression or anxiety and the cortisol awakening response. 2010 , 197, 180-5		67
132	Polymorphisms in BDNF (Val66Met) and 5-HTTLPR, morning cortisol and subsequent depression in at-risk adolescents. 2010 , 197, 365-71		52
131	The cortisol awakening response in patients remitted from depression. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1199-204	5.2	21
130	Prospective prediction of major depressive disorder from cortisol awakening responses in adolescence. <i>Psychoneuroendocrinology</i> , 2010 , 35, 921-31	5	227
129	Salivary cortisol in depressed patients versus control persons: a systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2010 , 35, 1275-86	5	200
128	Disturbances in early parenting of depressed mothers and cortisol secretion in offspring: a preliminary study. <i>Journal of Affective Disorders</i> , 2010 , 122, 218-23	6.6	72

127	Prenatal alcohol exposure: fetal programming and later life vulnerability to stress, depression and anxiety disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 791-807	9	236
126	Prodromal symptoms and atypical affectivity as predictors of major depression in juveniles: implications for prevention. 2010 , 51, 472-96		76
125	High cortisol levels in the offspring of parents with bipolar disorder during two weeks of daily sampling. 2010 , 12, 77-86		46
124	Not fade away: the HPA axis and depression. 2010 , 40, 1-4		146
123	Familial risk for mood disorder and the personality risk factor, neuroticism, interact in their association with frontolimbic serotonin 2A receptor binding. <i>Neuropsychopharmacology</i> , 2010 , 35, 1129-37	8.7	39
122	Interaction of FKBP5 with childhood adversity on risk for post-traumatic stress disorder. <i>Neuropsychopharmacology</i> , 2010 , 35, 1684-92	8.7	262
121	Intérêt de lâélectroconvulsivothérapie (ECT) chez les sujets âgés souffrant dâune pathologie dñmentielle : une revue de la littfature. 2010 , 10, 204-214		
120	Effects of Postnatal Depression on MotherâInfant Interactions and Child Development. 2010 , 192-220		51
119	Subgenual prefrontal cortex activity predicts individual differences in hypothalamic-pituitary-adrenal activity across different contexts. 2010 , 67, 175-81		50
118	Cortisol awakening response and hippocampal volume: vulnerability for major depressive disorder?. 2010 , 68, 847-53		62
117	Variations in 5-HTTLPR: relation to familiar risk of affective disorder, life events, neuroticism and cortisol. 2010 , 34, 86-91		13
116	The hippocampus, neurotrophic factors and depression: possible implications for the pharmacotherapy of depression. 2011 , 25, 913-31		168
115	Changes in salivary cortisol levels as a prognostic predictor in children with anorexia nervosa. <i>International Journal of Psychophysiology</i> , 2011 , 82, 196-201	2.9	17
114	A cognitive neuropsychological model of antidepressant drug action. 2011 , 35, 1586-92		90
113	HPA axis alterations in mental disorders: impact on memory and its relevance for therapeutic interventions. 2011 , 17, 714-22		71
112	Escitalopram and neuroendocrine response in healthy first-degree relatives to depressed patients--a randomized placebo-controlled trial. 2011 , 6, e21224		12
111	Psychological traits and the cortisol awakening response: results from the Netherlands Study of Depression and Anxiety. <i>Psychoneuroendocrinology</i> , 2011 , 36, 240-8	5	73
110	Elevated daytime cortisol levels: a biomarker of subsequent major affective disorder?. <i>Journal of Affective Disorders</i> , 2011 , 132, 265-9	6.6	58


109	In search of HPA axis dysregulation in child and adolescent depression. 2011 , 14, 135-60		130
108	Profile of mood states and stress-related biochemical indices in long-term yoga practitioners. 2011 , 5, 6		42
107	Childhood adversity and allostatic overload of the hypothalamic-pituitary-adrenal axis: a vulnerability model for depressive disorders. 2011 , 23, 1017-37		63
106	Sensitivity to stress among the offspring of parents with bipolar disorder: a study of daytime cortisol levels. 2011 , 41, 2447-57		39
105	Elevated cortical glutamate in young people at increased familial risk of depression. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 255-9	5.8	24
104	Salivary cortisol responsivity to an intravenous catheter insertion in children with attention-deficit/hyperactivity disorder. 2011 , 36, 902-10		16
103	Effects of early-life adversity on white matter diffusivity changes in patients at risk for major depression. 2012 , 37, 37-45		68
102	Neurobiological markers of familial risk for depression. 2013 , 14, 181-206		13
101	Affective and physiological responses to stress in girls at elevated risk for depression. 2012 , 24, 661-75		28
100	Stress and the prodromal phase of psychosis. 2012 , 18, 527-33		32
99	Lower cortisol levels predict recurrence in remitted patients with recurrent depression: a 5.5 year prospective study. 2012 , 200, 281-7		47
98	The effect of escitalopram versus placebo on perceived stress and salivary cortisol in healthy first-degree relatives of patients with depression-A randomised trial. 2012 , 200, 354-60		14
97	Associations of childhood trauma with hypothalamic-pituitary-adrenal function in borderline personality disorder and major depression. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1659-68	5	72
96	The diurnal salivary cortisol pattern of adolescents from families with single, ill and healthy parents. 2012 , 72, 288-92		7
95	Functional anomalies in healthy individuals with a first degree family history of major depressive disorder. 2012 , 2, 1		35
94	Using attentional bias modification as a cognitive vaccine against depression. 2012 , 72, 572-9		126
93	Cortisol responses in children and adults with attention deficit hyperactivity disorder (ADHD): a possible marker of inhibition deficits. 2012 , 4, 63-75		22
92	Longitudinal hypothalamic-pituitary-adrenal axis trait and state effects in recurrent depression. <i>Psychoneuroendocrinology</i> , 2012 , 37, 892-902	5	76

91	Salivary cortisol profiles in patients remitted from recurrent depression: one-year follow-up of a mindfulness-based cognitive therapy trial. <i>Journal of Psychiatric Research</i> , 2012 , 46, 80-6	5.2	33
90	Behavioral Neurobiology of Depression and Its Treatment. 2013 ,		3
89	Rumination and impaired cortisol recovery following a social stressor in adolescent depression. 2013 , 41, 1015-26		56
88	Prefrontal serotonin transporter availability is positively associated with the cortisol awakening response. 2013 , 23, 285-94		22
87	Major depression in young girls is related to altered cortisol awakening response. 2013 , 22, 379-84		21
86	Maternal psychopathology and early child temperament predict young children's salivary cortisol 3 years later. 2013 , 41, 531-42		25
85	Saliva cortisol and male depressive syndrome in a community study. The Sudurnesjamenn study. 2013 , 67, 145-52		4
84	Cortisol response to social stress in parentally bereaved youth. 2013 , 73, 379-87		34
83	Cortisol secretion in depressed, and at-risk adults. <i>Psychoneuroendocrinology</i> , 2013 , 38, 927-40	5	76
82	Cardiovascular and metabolic risk profile in young people at familial risk of depression. 2013 , 203, 18-23		27
81	Cortisol and depression: three questions for psychiatry. 2013 , 43, 449-69		186
80	Molecular and genetic basis of depression. 2014 , 93, 879-92		18
79	Coping with having a depressed mother: the role of stress and coping in hypothalamic-pituitary-adrenal axis dysfunction in girls at familial risk for major depression. 2014 , 26, 1401-9		18
78	Prenatal risk factors for depression: a critical review of the evidence and potential mechanisms. <i>Journal of Developmental Origins of Health and Disease</i> , 2014 , 5, 339-50	2.4	17
77	Relationship of the FKBP5 C/T polymorphism with dysfunctional attitudes predisposing to depression. 2014 , 55, 1422-5		8
76	Effect of 12 weeks of yoga training on the somatization, psychological symptoms, and stress-related biomarkers of healthy women. 2014 , 8, 1		35
75	The Therapeutic Use of Ayahuasca. 2014 ,		30
74	Understanding Familial Risk for Depression: A 25-Year Perspective. 2014 , 9, 94-108		62

73	Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2014 , 50, 62-71	5	37
72	HPA axis response to social stress is attenuated in schizophrenia but normal in depression: evidence from a meta-analysis of existing studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 47, 359-68	9	77
71	[Evaluation of a pilot health promotion and stress management program for Pharmacy and Biochemistry students and professionals]. 2014 , 29, 165-71		3
70	Cortisol awakening response and subsequent depression: prospective longitudinal study. 2014 , 204, 137-43		39
69	High correlation between salivary cortisol awakening response and the psychometric profiles of healthy children. 2014 , 8, 9		12
68	The cortisol awakening response and major depression: examining the evidence. 2015 , 11, 1181-9		98
67	. 2015 ,		12
66	Prebiotic intake reduces the waking cortisol response and alters emotional bias in healthy volunteers. 2015 , 232, 1793-801		287
65	Ovarian hormone fluctuation, neurosteroids, and HPA axis dysregulation in perimenopausal depression: a novel heuristic model. <i>American Journal of Psychiatry</i> , 2015 , 172, 227-36	11.9	109
64	Maternal postnatal depression predicts altered offspring biological stress reactivity in adulthood. <i>Psychoneuroendocrinology</i> , 2015 , 52, 251-60	5	36
63	Concordance of mother-daughter diurnal cortisol production: Understanding the intergenerational transmission of risk for depression. 2015 , 108, 98-104		50
62	Neural Correlates of the Cortisol Awakening Response in Humans. <i>Neuropsychopharmacology</i> , 2015 , 40, 2278-85	8.7	35
61	Post awakening salivary cortisol secretion and trait well-being: The importance of sample timing accuracy. <i>Psychoneuroendocrinology</i> , 2015 , 58, 141-51	5	4
60	Postnatal Depression, Motherâ€”Infant Interactions, and Child Development. 2015 , 139-164		12
59	Modulation of Gut Microbiota-Brain Axis by Probiotics, Prebiotics, and Diet. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 7885-95	5.7	147
58	Hypothalamic-pituitary-adrenal axis dysfunction and illness progression in bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	49
57	Hypothalamic-pituitary-adrenal axis activity in older persons with and without a depressive disorder. <i>Psychoneuroendocrinology</i> , 2015 , 51, 341-50	5	39
56	Early Life Adversity and Risk for Depression. 2016 , 29-77		3

55	Is there Progress? An Overview of Selecting Biomarker Candidates for Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2016 , 7, 72	5	38
54	Hair cortisol concentrations in relation to ill-being and well-being in healthy young and old females. <i>International Journal of Psychophysiology</i> , 2016 , 102, 12-17	2.9	1
53	Childhood trauma and HPA axis functionality in offspring of bipolar parents. <i>Psychoneuroendocrinology</i> , 2016 , 74, 316-323	5	23
52	Psychobiotics and the Manipulation of Bacteria-Gut-Brain Signals. <i>Trends in Neurosciences</i> , 2016 , 39, 763-783	13.1	446
51	Association of suicidal ideation with poor sleep quality among Ethiopian adults. <i>Sleep and Breathing</i> , 2016 , 20, 1319-1326	3.1	19
50	Repeated salivary daytime cortisol and onset of mood episodes in offspring of bipolar parents. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 12	5.4	5
49	Brain serotonin 4 receptor binding is associated with the cortisol awakening response. <i>Psychoneuroendocrinology</i> , 2016 , 67, 124-32	5	11
48	Tryptophan supplementation modulates social behavior: A review. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 64, 346-58	9	16
47	Blunted HPA Axis Activity in Suicide Attempters Compared to those at High Risk for Suicidal Behavior. <i>Neuropsychopharmacology</i> , 2016 , 41, 1447-56	8.7	78
46	Replication of rs300774, a genetic biomarker near ACP1, associated with suicide attempts in patients with schizophrenia: Relation to brain cholesterol biosynthesis. <i>Journal of Psychiatric Research</i> , 2017 , 94, 54-61	5.2	12
45	Cortisol response patterns in depressed women and their healthy daughters at risk: Comparison with healthy women and their daughters. <i>Journal of Psychiatric Research</i> , 2017 , 85, 66-74	5.2	6
44	The Cortisol Awakening Response and Depressive Symptomatology: The Moderating Role of Sleep and Gender. <i>Stress and Health</i> , 2017 , 33, 199-210	3.7	4
43	CORTISOL LEVELS AND SUICIDE IN BIPOLAR I DISORDER. <i>Acta Endocrinologica</i> , 2017 , 13, 188-194	0.9	2
42	Probiotic, Prebiotic, and Brain Development. <i>Nutrients</i> , 2017 , 9,	6.7	41
41	Parental history of depression and higher basal salivary cortisol in unaffected child and adolescent offspring. <i>Journal of Affective Disorders</i> , 2018 , 234, 207-213	6.6	3
40	Exploring the effect of chronotype on hippocampal volume and shape: A combined approach. <i>Chronobiology International</i> , 2018 , 35, 1027-1033	3.6	9
39	Biological alterations affecting risk of adult psychopathology following childhood trauma: A review of sex differences. <i>Clinical Psychology Review</i> , 2018 , 66, 69-79	10.8	30
38	Comparing the effect of listening to music during hemodialysis and at bedtime on sleep quality of hemodialysis patients: A randomized clinical trial. <i>European Journal of Integrative Medicine</i> , 2018 , 17, 86-91	1.7	7

37	Salivary serotonin does not correlate with central serotonin turnover in adult phenylketonuria (PKU) patients. <i>Molecular Genetics and Metabolism Reports</i> , 2018 , 15, 100-105	1.8	3
36	Classroom social experiences in early elementary school relate to diurnal cortisol levels. <i>Psychoneuroendocrinology</i> , 2018 , 87, 1-8	5	14
35	The neuroscience of depressive disorders: A brief review of the past and some considerations about the future. <i>Brain and Neuroscience Advances</i> , 2018 , 2, 2398212818799269	4	22
34	Endocrine Modulation in Long-Term Karate Practitioners. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 1074801	2.3	3
33	Cortisol Rhythm in Preschoolers: Relations with Maternal Depression and Child Temperament. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2018 , 40, 386-401	2	2
32	Bullying victimization and depressive symptoms in adolescence: The moderating role of parent-child conflicts among boys and girls. <i>Journal of Adolescence</i> , 2018 , 68, 152-158	3.4	6
31	Prebiotics: A Functional Food in Health and Disease. 2018 , 507-523		14
30	Cortisol levels and cognitive profile in major depression: A comparison of currently and previously depressed patients. <i>Psychoneuroendocrinology</i> , 2019 , 99, 57-65	5	14
29	Estradiol Fluctuation, Sensitivity to Stress, and Depressive Symptoms in the Menopause Transition: A Pilot Study. <i>Frontiers in Psychology</i> , 2019 , 10, 1319	3.4	8
28	Early trauma moderates the link between familial risk for depression and post-stress DHEA/cortisol ratios in adolescents. <i>Psychoneuroendocrinology</i> , 2019 , 110, 104424	5	1
27	Assessment of hormonal parameters and psychological well-being in healthy subjects after a Taoist qigong program: An exploratory study. <i>Scandinavian Journal of Psychology</i> , 2019 , 60, 43-49	2.2	2
26	Positive memory specificity is associated with reduced vulnerability to depression. <i>Nature Human Behaviour</i> , 2019 , 3, 265-273	12.8	23
25	Steroid secretion in healthy aging. <i>Psychoneuroendocrinology</i> , 2019 , 105, 64-78	5	31
24	Neuroactive compounds in foods: Occurrence, mechanism and potential health effects. <i>Food Research International</i> , 2020 , 128, 108744	7	72
23	Attachment impacts cortisol awakening response in chronically depressed individuals. <i>Psychoneuroendocrinology</i> , 2020 , 120, 104778	5	2
22	Cardiometabolic disease risk among siblings of patients with major depressive disorder. <i>Journal of Developmental Origins of Health and Disease</i> , 2021 , 12, 530-535	2.4	0
21	The role of probiotics in combination therapy of depressive disorders. <i>Russian Open Medical Journal</i> , 2021 , 10,	1.6	1
20	Associations of saliva cortisol and hair cortisol with generalized anxiety, social anxiety, and major depressive disorder: An epidemiological cohort study in adolescents and young adults. <i>Psychoneuroendocrinology</i> , 2021 , 126, 105167	5	4

19	 2021, 26, 152-159		
18	Where Do We Stand in the Quest for Neuropsychiatric Biomarkers and Endophenotypes and What Next?. 2009 , 3-21		21
17	Can the Cortisol to DHEA Molar Ratio be Used as a Peripheral Biomarker for Schizophrenia and Mood Disorders?. 2009 , 27-45		3
16	Molecular Imaging of Depressive Disorders. 2014 , 93-172		6
15	The Schizophrenia Construct After 100 Years of Challenges. 2011 , 1-44		3
14	[Stress-related risk factors for depression in girls]. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , 2014 , 42, 157-66	1.8	2
13	The cortisol:C-reactive protein ratio and negative affect reactivity in depressed adults. <i>Health Psychology</i> , 2017 , 36, 852-862	5	12
12	Cortisol Awakening Response as a Prospective Risk Factor for Depressive Symptoms in Women After Treatment for Breast Cancer. <i>Psychosomatic Medicine</i> , 2017 , 79, 763-769	3.7	13
11	Relationship between Parafunctional Habits and Salivary Biomarkers. <i>Frontiers in Dentistry</i> , 2019 , 16, 465-472	0.5	1
10	Molecular Imaging of Depressive Disorders. 2021 , 85-207		0
9	Salivary Bioscience in Clinical Psychology and Psychiatry. 2020 , 471-501		
8	Neuroendocrine and autonomic stress systems activity in young adults raised by mothers with mental health and substance abuse problems: A prospective cohort study. <i>Developmental Psychobiology</i> , 2021 , 63, e22213		3
7	Basal and reactive cortisol: A systematic literature review of offspring of parents with depressive and bipolar disorders.. <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 104528	9	0
6	Use of Prebiotics for Addressing Gut Dysbiosis and Achieving Healthy GutâBrain Axis. 2022 , 207-239		
5	Prebiotics as food supplements. 2018 , 52, 14-17		
4	The role of inflammatory markers and cortisol in the association between early social cognition abilities and later internalising or externalising problems: Evidence from a U.K. birth cohort. <i>Brain, Behavior, and Immunity</i> , 2022 ,	16.6	0
3	The cortisol awakening response at admission to hospital predicts depression severity after discharge in major depressive disorder patientsâA replication study. 16,		0
2	Salivary Biomarkers Analysis and Neurobehavioral Assessment in Nurses Working Rotation Shifts: A Pilot Study. 2023 , 20, 5376		0

- 1 Rising Burden of Cardiovascular Disease Risk Factors and Acute Cardiac Events in Young Adults with Comorbid Depression: A Comparison Nationwide US Cohorts Hospitalized 10-years Apart. **2023**, 101755

o