

Sonication of Removed Hip and Knee Prostheses for Disinfection

New England Journal of Medicine

357, 654-663

DOI: [10.1056/nejmoa061588](https://doi.org/10.1056/nejmoa061588)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Ultrasound " Now Also for Microbiologists?. New England Journal of Medicine, 2007, 357, 705-706.	13.9	6
2	Infections Associated with Long-Term Prosthetic Devices. Infectious Disease Clinics of North America, 2007, 21, 785-819.	1.9	51
3	Incorporation of chitosan in acrylic bone cement: Effect on antibiotic release, bacterial biofilm formation and mechanical properties. Journal of Materials Science: Materials in Medicine, 2008, 19, 1609-1615.	1.7	22
6	Diagnosis and treatment of implant-associated septic arthritis and osteomyelitis. Current Infectious Disease Reports, 2008, 10, 394-403.	1.3	206
7	Propionibacterium spp. in prosthetic joint infections: a diagnostic challenge. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 1039-1046.	1.3	102
8	Impact of oleic acid (<i>cis</i> -9-octadecenoic acid) on bacterial viability and biofilm production in <i>Staphylococcus aureus</i> . FEMS Microbiology Letters, 2008, 287, 149-155.	0.7	79
9	<i>Staphylococcus lugdunensis</i> " Not the Average Coagulase-Negative <i>Staphylococcus</i> Species. Clinical Microbiology Newsletter, 2008, 30, 55-62.	0.4	9
13	Prosthetic joint infections: microbiology, diagnosis, management and prevention. International Journal of Antimicrobial Agents, 2008, 32, 287-293.	1.1	112
15	Infections associ�es aux implants orthop�diques. Antibiotiques, 2008, 10, 3-15.	0.1	6
17	Distribution, Organization, and Ecology of Bacteria in Chronic Wounds. Journal of Clinical Microbiology, 2008, 46, 2717-2722.	1.8	453
18	From Clinical Microbiology to Infection Pathogenesis: How Daring To Be Different Works for <i>Staphylococcus lugdunensis</i> . Clinical Microbiology Reviews, 2008, 21, 111-133.	5.7	284
19	Evaluation of Conventional Microbiological Procedures and Molecular Genetic Techniques for Diagnosis of Infections in Patients with Implanted Orthopedic Devices. Journal of Clinical Microbiology, 2008, 46, 824-825.	1.8	37
20	Evaluation of Quantitative Analysis of Cultures from Sonicated Retrieved Orthopedic Implants in Diagnosis of Orthopedic Infection. Journal of Clinical Microbiology, 2008, 46, 488-492.	1.8	142
21	Snapshots for January 2008. Infectious Diseases in Clinical Practice, 2008, 16, 6-8.	0.1	0
23	Rationale for one stage exchange of infected hip replacement using uncemented implants and antibiotic impregnated bone graft. International Journal of Medical Sciences, 2009, 6, 247-252.	1.1	78
25	Pilot Study of Association of Bacteria on Breast Implants with Capsular Contracture. Journal of Clinical Microbiology, 2009, 47, 1333-1337.	1.8	131
26	Incubation Alone Is Adequate as a Culturing Technique for Cardiac Rhythm Management Devices. Journal of Clinical Microbiology, 2009, 47, 4168-4170.	1.8	12
27	Simultaneous Intraoperative Detection of Methicillin-Resistant <i>Staphylococcus</i> and Pan-Bacterial Infection During Revision Surgery. Journal of Bone and Joint Surgery - Series A, 2009, 91, 2896-2902.	1.4	28

#	ARTICLE	IF	CITATIONS
29	<i>Gardnerella vaginalis</i> Acute Hip Arthritis in a Renal Transplant Recipient. Journal of Clinical Microbiology, 2009, 47, 264-265.	1.8	21
30	Microbiologic Diagnosis of Prosthetic Shoulder Infection by Use of Implant Sonication. Journal of Clinical Microbiology, 2009, 47, 1878-1884.	1.8	383
31	Titanium particles modulate expression of Toll-like receptor proteins. Journal of Biomedical Materials Research - Part A, 2010, 92A, 1528-1537.	2.1	32
32	Properties of antibiotic-loaded acrylic bone cements for use in cemented arthroplasties: A state-of-the-art review. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2009, 89B, 558-574.	1.6	88
33	Neutrophils in frozen section and type of microorganism isolated at the time of resection arthroplasty for the treatment of infection. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 591-595.	1.3	39
34	Prognostic value of suction drain tip culture in determining joint infection in primary and non-infected revision total hip arthroplasty: a prospective comparative study and review of the literature. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 1645-1649.	1.3	25
35	Improved Detection of Biofilm-formative Bacteria by Vortexing and Sonication: A Pilot Study. Clinical Orthopaedics and Related Research, 2009, 467, 1360-1364.	0.7	101
36	Staged Revision for Knee Arthroplasty Infection: What Is the Role of Serologic Tests Before Reimplantation?. Clinical Orthopaedics and Related Research, 2009, 467, 1699-1705.	0.7	156
37	Topographic Features Retained after Antibiotic Modification of Ti Alloy Surfaces: Retention of Topography with Attachment of Antibiotics. Clinical Orthopaedics and Related Research, 2009, 467, 1678-1687.	0.7	18
39	Italian Guidelines for the Diagnosis and Infectious Disease Management of Osteomyelitis and Prosthetic Joint Infections in Adults. Infection, 2009, 37, 478-496.	2.3	71
43	Sonication of Removed Breast Implants for Improved Detection of Subclinical Infection. Aesthetic Plastic Surgery, 2009, 33, 404-408.	0.5	89
44	Evolving concepts in biofilm infections. Cellular Microbiology, 2009, 11, 1034-1043.	1.1	1,197
45	Increased Expression of Toll-like Receptors in Aseptic Loose Periprosthetic Tissues and Septic Synovial Membranes Around Total Hip Implants. Journal of Rheumatology, 2009, 36, 598-608.	1.0	59
46	Species of Propionibacterium and Propionibacterium acnes phylotypes associated with orthopedic implants. Diagnostic Microbiology and Infectious Disease, 2009, 64, 138-145.	0.8	84
47	Corynebacterium bovis shoulder prosthetic joint infection: the first reported case. Diagnostic Microbiology and Infectious Disease, 2009, 64, 213-215.	0.8	27
49	Unicompartmental Knee Arthroplasty to Total Knee Arthroplasty Conversion: Assuring a Primary Outcome. Orthopedics, 2009, 32, .	0.5	31
50	Sonication is superior to scraping for retrieval of bacteria in biofilm on titanium and steel surfaces in vitro. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 245-250.	1.2	173
52	Coagulase-Negative Staphylococcal Infections. Infectious Disease Clinics of North America, 2009, 23, 73-98.	1.9	338

#	ARTICLE	IF	CITATIONS
53	In Vitro Effect of Ultrasound on Bacteria and Suggested Protocol for Sonication and Diagnosis of Prosthetic Infections. <i>Journal of Clinical Microbiology</i> , 2009, 47, 2496-2501.	1.8	147
54	Infection Associated with Prosthetic Joints. <i>New England Journal of Medicine</i> , 2009, 361, 787-794.	13.9	722
55	Revision Total Knee Arthroplasty: The Preoperative Evaluation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 64-64.	1.4	16
57	A Biofilm Approach to Detect Bacteria on Removed Spinal Implants. <i>Spine</i> , 2010, 35, 1218-1224.	1.0	133
59	Septic arthritis due to <i>Staphylococcus lugdunensis</i> in a native joint. <i>Rheumatology International</i> , 2010, 30, 1231-1233.	1.5	12
60	The microbiology of chronic osteomyelitis: Prevalence of resistance to common empirical anti-microbial regimens. <i>Journal of Infection</i> , 2010, 60, 338-343.	1.7	112
61	Use of 18F-FDG-PET in the diagnosis of endoprosthetic loosening of knee and hip implants. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 1231-1238.	1.3	32
62	Molecular detection of transcriptionally active bacteria from failed prosthetic hip joints removed during revision arthroplasty. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2010, 29, 823-834.	1.3	13
63	Validity of Frozen Sections for Analysis of Periprosthetic Loosening Membranes. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 762-768.	0.7	70
64	Blood Culture Flasks for Culturing Synovial Fluid in Prosthetic Joint Infections. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 2238-2243.	0.7	176
65	Synovial Fluid Biomarkers for Periprosthetic Infection. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 2017-2023.	0.7	162
66	Revision Total Knee Arthroplasty Infection: Incidence and Predictors. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 2052-2059.	0.7	198
67	Prior Use of Antimicrobial Therapy is a Risk Factor for Culture-negative Prosthetic Joint Infection. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 2039-2045.	0.7	167
68	Profile of toll-like receptor-positive cells in septic and aseptic loosening of total hip arthroplasty implants. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 94A, 84-92.	2.1	38
69	Toll-like receptors and aseptic loosening of hip endoprosthesis—a potential to respond against danger signals?. <i>Journal of Orthopaedic Research</i> , 2010, 28, 184-190.	1.2	49
70	Prosthetic joint infection: Recent developments in diagnosis and management. <i>Journal of Infection</i> , 2010, 61, 443-448.	1.7	97
71	Biofilm formation on bone grafts and bone graft substitutes: Comparison of different materials by a standard in vitro test and microcalorimetry. <i>Acta Biomaterialia</i> , 2010, 6, 3791-3797.	4.1	61
72	Improved detection methods for infected hip joint prostheses. <i>Apmis</i> , 2010, 118, 815-823.	0.9	10

#	ARTICLE	IF	CITATIONS
73	C-Reactive Protein, Erythrocyte Sedimentation Rate and Orthopedic Implant Infection. PLoS ONE, 2010, 5, e9358.	1.1	170
74	Evaluation of the HB&L system for the culture of prosthetic and osteoarticular origin samples. Microbiologia Medica, 2010, 25, .	0.3	1
75	Decreased Susceptibility to Teicoplanin and Vancomycin in Coagulase-Negative Staphylococci Isolated from Orthopedic-Device-Associated Infections. Journal of Clinical Microbiology, 2010, 48, 1428-1431.	1.8	47
76	<i>Escherichia coli</i> Variants in Periprosthetic Joint Infection: Diagnostic Challenges with Sessile Bacteria and Sonication. Journal of Clinical Microbiology, 2010, 48, 1720-1725.	1.8	75
77	The diagnosis and management of prosthetic joint infections. Journal of Antimicrobial Chemotherapy, 2010, 65, iii45-iii54.	1.3	104
78	Bacterial Pathogen-associated Molecular Patterns Stimulate Biological Activity of Orthopaedic Wear Particles by Activating Cognate Toll-like Receptors. Journal of Biological Chemistry, 2010, 285, 32378-32384.	1.6	93
79	Improved Diagnosis of Periprosthetic Joint Infection by Multiplex PCR of Sonication Fluid from Removed Implants. Journal of Clinical Microbiology, 2010, 48, 1208-1214.	1.8	309
80	Pacemaker Lead Endocarditis Due to Multidrug-Resistant <i>Corynebacterium striatum</i> Detected with Sonication of the Device. Journal of Clinical Microbiology, 2010, 48, 4669-4671.	1.8	34
81	Bacterial Colonization and Infection of Electrophysiological Cardiac Devices Detected With Sonication and Swab Culture. Circulation, 2010, 121, 1691-1697.	1.6	119
83	Current Concepts Regarding the Effect of Wound Microbial Ecology and Biofilms on Wound Healing. Surgical Clinics of North America, 2010, 90, 1147-1160.	0.5	73
84	Osteomyelitis. Disease-a-Month, 2010, 56, 6-31.	0.4	57
86	Preventing surgical site infections. Expert Review of Anti-Infective Therapy, 2010, 8, 657-670.	2.0	90
87	Incidence of low-grade infection in aseptic loosening of total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 667-673.	1.2	83
88	Biofilm development by clinical isolates of <i>Staphylococcus</i> spp. from retrieved orthopedic prostheses. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 674-679.	1.2	54
89	Prosthetic joint infection: diagnosis and management. Expert Review of Anti-Infective Therapy, 2011, 9, 787-802.	2.0	59
90	Vancomycin Bonded to Bone Grafts Prevents Bacterial Colonization. Antimicrobial Agents and Chemotherapy, 2011, 55, 487-494.	1.4	35
91	Diagnosis of Periprosthetic Joint Infection: The Utility of a Simple Yet Unappreciated Enzyme. Journal of Bone and Joint Surgery - Series A, 2011, 93, 2242-2248.	1.4	233
92	Surgical Site Infections. Infectious Disease Clinics of North America, 2011, 25, 135-153.	1.9	139

#	ARTICLE	IF	CITATIONS
94	Re: Late swelling after bilateral breast augmentationâ€“sonication for detection of subclinical infection. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2011, 64, 1113-1114.	0.5	0
95	Use of facial proportions in pinnaplasty assessment. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2011, 64, 1110-1113.	0.5	6
96	Treatment of prosthetic osteoarticular infections. <i>Expert Opinion on Pharmacotherapy</i> , 2011, 12, 899-912.	0.9	32
97	Prevention and Management of Prosthetic Joint Infection in Older Adults. <i>Drugs and Aging</i> , 2011, 28, 13-26.	1.3	7
98	A new animal model for implant-related infected non-unions after intramedullary fixation of the tibia in rats with fluorescent in situ hybridization of bacteria in bone infection. <i>Bone</i> , 2011, 48, 1146-1153.	1.4	40
99	The Role of Bacterial Biofilms in Infections of Catheters and Shunts. , 2011, , 91-109.		5
100	Implant sonication for the diagnosis of prosthetic elbow infection. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, 1275-1281.	1.2	63
101	Relationship between the degree of osteolysis and cultures obtained by sonication of the prostheses in patients with aseptic loosening of a hip or knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2011, 131, 1357-1361.	1.3	27
102	An In Vitro and In Vivo Study on the Intensity of Adhesion and Colonization by <i>Staphylococcus epidermidis</i> and <i>Pseudomonas aeruginosa</i> on Originally Synthesized Biomaterials With Different Chemical Composition and Modified Surfaces and Their Effect on Expression of TNF- α , β -Defensin 2 and IL-10 in Tissues. <i>Medicina (Lithuania)</i> , 2011, 47, 80.	0.8	5
103	Diagnosis and Management of Infected Total Knee Arthroplasty. <i>The Open Orthopaedics Journal</i> , 2011, 5, 86-91.	0.1	61
104	Challenges in Periprosthetic Knee-Joint Infection. <i>International Journal of Artificial Organs</i> , 2011, 34, 947-956.	0.7	47
105	Surgical Site Infection. <i>Hanyang Medical Reviews</i> , 2011, 31, 159.	0.4	1
106	Molecular Diagnostics in Periprosthetic Joint Infection. <i>International Journal of Artificial Organs</i> , 2011, 34, 847-855.	0.7	23
107	Diagnostic accuracy of combined ^{99m}Tc -sulesomab and ^{99m}Tc -nanocolloid bone marrow imaging in detecting prosthetic joint infection. <i>Nuclear Medicine Communications</i> , 2011, 32, 834-839.	0.5	44
108	Use of F-18 Fluoride PET to Differentiate Septic From Aseptic Loosening in Total Hip Arthroplasty Patients. <i>Clinical Nuclear Medicine</i> , 2011, 36, e156-e161.	0.7	44
109	Prosthetic joint infection: challenges of diagnosis and treatment. <i>ANZ Journal of Surgery</i> , 2011, 81, 32-39.	0.3	59
110	Characteristics and outcome of 27 elbow periprosthetic joint infections: results from a 14-year cohort study of 358 elbow prostheses. <i>Clinical Microbiology and Infection</i> , 2011, 17, 432-438.	2.8	67
111	Diagnosis of prosthetic joint infection by beadmill processing of a periprosthetic specimen. <i>Clinical Microbiology and Infection</i> , 2011, 17, 447-450.	2.8	81

#	ARTICLE	IF	CITATIONS
112	Microbiological diagnosis of prosthetic joint infections: a prospective evaluation of four bacterial culture media in the routine laboratory. <i>Clinical Microbiology and Infection</i> , 2011, 17, 1528-1530.	2.8	61
113	Sonication of Explanted Cardiac Rhythm Management Devices for the Diagnosis of Pocket Infections and Asymptomatic Bacterial Colonization. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 143-149.	0.5	49
114	New methods for the detection of orthopedic and other biofilm infections. <i>FEMS Immunology and Medical Microbiology</i> , 2011, 61, 133-140.	2.7	137
115	Characterization of a mixed MRSA/MRSE biofilm in an explanted total ankle arthroplasty. <i>FEMS Immunology and Medical Microbiology</i> , 2011, 62, 66-74.	2.7	96
116	Group B streptococcus in prosthetic hip and knee joint-associated infections. <i>Journal of Hospital Infection</i> , 2011, 79, 64-69.	1.4	54
117	Bone graft substitutes in active or suspected infection. Contra-indicated or not?. <i>Injury</i> , 2011, 42, S82-S86.	0.7	56
118	Laboratory Diagnosis of Prosthetic Joint Infection, Part II. <i>Clinical Microbiology Newsletter</i> , 2011, 33, 63-70.	0.4	10
119	Laboratory Contamination Affecting Orthopedic Surgical Management. <i>Journal of Arthroplasty</i> , 2011, 26, 1570.e5-1570.e7.	1.5	5
120	Molecular Markers for Diagnosis of Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2011, 26, 99-103.e1.	1.5	114
121	New Definition for Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2011, 26, 1136-1138.	1.5	269
122	Mechanical effects, antimicrobial efficacy and cytotoxicity of usnic acid as a biofilm prophylaxis in PMMA. <i>Journal of Materials Science: Materials in Medicine</i> , 2011, 22, 2773-2780.	1.7	17
123	Improved detection of microbial ureteral stent colonisation by sonication. <i>World Journal of Urology</i> , 2011, 29, 133-138.	1.2	41
124	Poor performance of microbiological sampling in the prediction of recurrent arthroplasty infection. <i>International Orthopaedics</i> , 2011, 35, 647-654.	0.9	30
125	The Mark Coventry Award: Diagnosis of Early Postoperative TKA Infection Using Synovial Fluid Analysis. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 34-40.	0.7	220
126	Aseptic Loosening of Total Hip Arthroplasty: Infection Always Should be Ruled Out. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1401-1405.	0.7	59
127	Definition of Periprosthetic Joint Infection: Is There a Consensus?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 3022-3030.	0.7	135
128	New Definition for Periprosthetic Joint Infection: From the Workgroup of the Musculoskeletal Infection Society. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 2992-2994.	0.7	1,516
129	Sonication cultures of explanted components as an additional test to routinely conducted microbiological diagnostics improve pathogen detection. <i>Journal of Orthopaedic Research</i> , 2011, 29, 617-622.	1.2	126

#	ARTICLE	IF	CITATIONS
130	Orthopaedic biofilm infections. <i>Current Orthopaedic Practice</i> , 2011, 22, 558-563.	0.1	133
131	Direct Detection of Staphylococcus Osteoarticular Infections by Use of Xpert MRSA/SA SSTI Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2011, 49, 4225-4230.	1.8	55
132	A Comment on Marschall et al. <i>Clinical Infectious Diseases</i> , 2011, 53, 748-748.	2.9	1
133	Implant-Associated Infection. , 2011, , 69-90.		12
134	Optimization of Periprosthetic Culture for Diagnosis of Propionibacterium acnes Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2011, 49, 2490-2495.	1.8	282
135	Tethered Antibiotics. , 2011, , 281-294.		2
136	Reply to Babouee et al. <i>Clinical Infectious Diseases</i> , 2011, 53, 748-749.	2.9	0
137	Bone Grafting and One-Stage Revision of THR - Biological Reconstruction and Effective Antimicrobial Treatment Using Antibiotic Impregnated Allograft Bone. <i>HIP International</i> , 2012, 22, 62-68.	0.9	21
138	Diagnosis of Periprosthetic Joint Infections. <i>HIP International</i> , 2012, 22, 9-14.	0.9	18
139	Successful Identification of Pathogens by Polymerase Chain Reaction (PCR)-Based Electron Spray Ionization Time-of-Flight Mass Spectrometry (ESI-TOF-MS) in Culture-Negative Periprosthetic Joint Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 2247-2254.	1.4	129
140	The Diagnostic Protocol for Evaluation of Periprosthetic Joint Infection. <i>HIP International</i> , 2012, 22, 25-35.	0.9	7
141	Microbiology and Pathogenesis of Cardiovascular Implantable Electronic Device Infections. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 433-441.	2.1	63
142	Prosthetic Joint Infection Diagnosis Using Broad-Range PCR of Biofilms Dislodged from Knee and Hip Arthroplasty Surfaces Using Sonication. <i>Journal of Clinical Microbiology</i> , 2012, 50, 3501-3508.	1.8	206
143	Diagnosis and management of prosthetic joint infection. <i>Current Opinion in Infectious Diseases</i> , 2012, 25, 670-676.	1.3	41
144	The relationship between microbiology results in the second of a two-stage exchange procedure using cement spacers and the outcome after revision total joint replacement for infection. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 249-253.	3.4	73
145	Low risk despite high endemicity of methicillin-resistant Staphylococcus aureus infections following elective total joint arthroplasty: A 12-year experience. <i>Annals of Medicine</i> , 2012, 44, 360-368.	1.5	21
146	Management of Periprosthetic Joint Infection: The Current Knowledge. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, e104.	1.4	232
148	Identification and treatment of infected total hip arthroplasty. <i>Expert Review of Anti-Infective Therapy</i> , 2012, 10, 509-518.	2.0	17

#	ARTICLE	IF	CITATIONS
149	Corynebacterium Prosthetic Joint Infection. Journal of Clinical Microbiology, 2012, 50, 1518-1523.	1.8	67
150	Role of Universal 16S rRNA Gene PCR and Sequencing in Diagnosis of Prosthetic Joint Infection. Journal of Clinical Microbiology, 2012, 50, 583-589.	1.8	145
151	Utility of Intraoperative Frozen Section Histopathology in the Diagnosis of Periprosthetic Joint Infection. Journal of Bone and Joint Surgery - Series A, 2012, 94, 1700-1711.	1.4	135
152	Inhibition of Staphylococcus epidermidis Biofilm by Trimethylsilane Plasma Coating. Antimicrobial Agents and Chemotherapy, 2012, 56, 5923-5937.	1.4	69
153	Role of Rifampin against Propionibacterium acnes Biofilm <i>In Vitro</i> and in an Experimental Foreign-Body Infection Model. Antimicrobial Agents and Chemotherapy, 2012, 56, 1885-1891.	1.4	164
154	From Koch's Postulates to Biofilm Theory. The Lesson of Bill Costerton. International Journal of Artificial Organs, 2012, 35, 695-699.	0.7	21
155	Epidemiology and New Developments in the Diagnosis of Prosthetic Joint Infection. International Journal of Artificial Organs, 2012, 35, 923-934.	0.7	219
156	Diversity of Patients Microflora on Orthopaedic and Dental Implants. International Journal of Artificial Organs, 2012, 35, 727-734.	0.7	11
157	Comparison of the Antimicrobial Effect of Chlorhexidine and Saline for Irrigating a Contaminated Open Fracture Model. Journal of Orthopaedic Trauma, 2012, 26, 728-732.	0.7	86
158	Novel Approaches to the Diagnosis, Prevention, and Treatment of Medical Device-Associated Infections. Infectious Disease Clinics of North America, 2012, 26, 173-186.	1.9	78
159	Management and Prevention of Prosthetic Joint Infection. Infectious Disease Clinics of North America, 2012, 26, 29-39.	1.9	38
160	The Role of the Pathologist in Diagnosing Periprosthetic Infection. Surgical Pathology Clinics, 2012, 5, 67-77.	0.7	6
162	Comparison of Methods for Evaluation of the Bactericidal Activity of Copper-Sputtered Surfaces against Methicillin-Resistant Staphylococcus aureus. Applied and Environmental Microbiology, 2012, 78, 8176-8182.	1.4	45
163	Optimizing culture methods for diagnosis of prosthetic joint infections: a summary of modifications and improvements reported since 1995. Journal of Medical Microbiology, 2012, 61, 309-316.	0.7	97
164	Treatment strategies for periprosthetic infections after primary elbow arthroplasty. Journal of Shoulder and Elbow Surgery, 2012, 21, 992-1000.	1.2	45
165	Clinical and microbiological characterization of Staphylococcus lugdunensis isolates obtained from clinical specimens in a hospital in China. BMC Microbiology, 2012, 12, 168.	1.3	14
166	Sepsis Syndrome, Bloodstream Infections, and Device-Related Infections. Medical Clinics of North America, 2012, 96, 1203-1223.	1.1	26
167	Sampling and detection of skin Propionibacterium acnes: Current status. Anaerobe, 2012, 18, 479-483.	1.0	45

#	ARTICLE	IF	CITATIONS
168	Antimicrobial susceptibility and biofilm formation of <i>Staphylococcus epidermidis</i> small colony variants associated with prosthetic joint infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2012, 74, 224-229.	0.8	32
169	Multiplex PCR of sonication fluid accurately differentiates between prosthetic joint infection and aseptic failure. <i>Journal of Infection</i> , 2012, 65, 541-548.	1.7	155
170	A comprehensive microbiological evaluation of fifty-four patients undergoing revision surgery due to prosthetic joint loosening. <i>Journal of Medical Microbiology</i> , 2012, 61, 572-581.	0.7	58
171	Prosthetic Joint Infections. <i>Current Infectious Disease Reports</i> , 2012, 14, 551-557.	1.3	27
172	Does Dithiothreitol Improve Bacterial Detection from Infected Prostheses? A Pilot Study. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 2915-2925.	0.7	47
173	PCR-hybridization after sonication improves diagnosis of implant-related infection. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 299-304.	1.2	78
174	Fungal biodeterioration of historical library materials stored in Compactus movable shelves. <i>International Biodeterioration and Biodegradation</i> , 2012, 75, 83-88.	1.9	58
175	Failed Metal-on-Metal: Full of Puss, is it Infected?. <i>Seminars in Arthroplasty</i> , 2012, 23, 279-282.	0.3	0
176	A comparative 18F-FDG PET/CT imaging of experimental <i>Staphylococcus aureus</i> osteomyelitis and <i>Staphylococcus epidermidis</i> foreign-body-associated infection in the rabbit tibia. <i>EJNMMI Research</i> , 2012, 2, 41.	1.1	28
177	Persistence of bacteria like <i>Pseudomonas aeruginosa</i> in non-healing venous ulcers. <i>European Journal of Dermatology</i> , 2012, 22, 751-757.	0.3	17
178	Differential Bacterial Load on Components of Total Knee Prosthesis in Patients with Prosthetic Joint Infection. <i>International Journal of Artificial Organs</i> , 2012, 35, 735-741.	0.7	18
179	<i>Staphylococcus</i> Infection Associated with Arthroplasty. , 0, , .		1
180	Infections in Hip and Knee Arthroplasty: Challenges to and Chances for the Microbiological Laboratory. , 2012, , .		0
181	Diagnosis of Periprosthetic Joint Infections in Clinical Practice. <i>International Journal of Artificial Organs</i> , 2012, 35, 913-922.	0.7	25
182	Bacterial adherence to separated modular components in joint prosthesis: A clinical study. <i>Journal of Orthopaedic Research</i> , 2012, 30, 1634-1639.	1.2	55
183	<i>In vitro</i> assessment of <i>Staphylococcus epidermidis</i> and <i>Staphylococcus aureus</i> adhesion on TiO ₂ nanotubes on Ti-6Al-4V alloy. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 1696-1705.	2.1	64
184	Percutaneous interface biopsy in dry-aspiration cases of chronic periprosthetic joint infections: A technique for preoperative isolation of the infecting organism. <i>International Orthopaedics</i> , 2012, 36, 1281-1286.	0.9	27
185	Preparation of gentamicin-loaded electrospun coating on titanium implants and a study of their properties <i>in vitro</i> . <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 897-903.	1.3	38

#	ARTICLE	IF	CITATIONS
186	Revision Total Knee Arthroplasty: Infection Should Be Ruled Out in All Cases. <i>Journal of Arthroplasty</i> , 2012, 27, 1239-1243.e2.	1.5	39
187	Bacterial diversity in suspected prosthetic joint infections: an exploratory study using 16S rRNA gene analysis. <i>FEMS Immunology and Medical Microbiology</i> , 2012, 65, 291-304.	2.7	35
188	Towards diagnostic guidelines for biofilm-associated infections. <i>FEMS Immunology and Medical Microbiology</i> , 2012, 65, 127-145.	2.7	288
189	An increased incidence of <i>Propionibacterium acnes</i> biofilms in acne vulgaris: a case-control study. <i>British Journal of Dermatology</i> , 2012, 167, 50-58.	1.4	185
190	IRAK4 in macrophages around septic and aseptically loosened hip implants. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 261-268.	2.1	19
191	Mark B. Coventry Award: Synovial C-reactive Protein: A Prospective Evaluation of a Molecular Marker for Periprosthetic Knee Joint Infection. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 54-60.	0.7	90
192	Characteristics and outcome of 16 periprosthetic shoulder joint infections. <i>Infection</i> , 2013, 41, 613-620.	2.3	92
193	Sonication of antibiotic-loaded cement spacers in a two-stage revision protocol for infected joint arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 193.	0.8	63
194	Prosthesis Failure Within 2 Years of Implantation Is Highly Predictive of Infection. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3672-3678.	0.7	93
195	Diagnosis of Periprosthetic Joint Infection: The Threshold for Serological Markers. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3186-3195.	0.7	106
196	Swab Cultures Are Not As Effective As Tissue Cultures for Diagnosis of Periprosthetic Joint Infection. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3196-3203.	0.7	144
197	Material and Biofilm Load of K Wires in Toe Surgery: Titanium versus Stainless Steel. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2312-2317.	0.7	28
198	Accurate and early diagnosis of orthopedic device-related infection by microbial heat production and sonication. <i>Journal of Orthopaedic Research</i> , 2013, 31, 1700-1703.	1.2	48
199	Identification of silent prosthetic joint infection: preliminary report of a prospective controlled study. <i>International Orthopaedics</i> , 2013, 37, 2037-2043.	0.9	35
200	Evaluation of sonicate fluid cultures in comparison to histological analysis of the periprosthetic membrane for the detection of periprosthetic joint infection. <i>International Orthopaedics</i> , 2013, 37, 931-936.	0.9	64
201	Microbial biofilm formation and catheter-associated bacteriuria in patients with suprapubic catheterisation. <i>World Journal of Urology</i> , 2013, 31, 565-571.	1.2	39
202	Comparison of the roll-plate and sonication techniques in the diagnosis of microbial ureteral stent colonisation: results of the first prospective randomised study. <i>World Journal of Urology</i> , 2013, 31, 579-584.	1.2	13
204	Comparison of molecular and culture method in diagnosis of prosthetic joint infection. <i>FEMS Microbiology Letters</i> , 2013, 343, 42-48.	0.7	47

#	ARTICLE	IF	CITATIONS
205	Spinal infections with and without hardware: the viewpoint of an infectious disease specialist. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 21-28.	0.6	6
206	Bone and joint infection. <i>Medicine</i> , 2013, 41, 719-722.	0.2	7
207	Macrophagesâ€”Key cells in the response to wear debris from joint replacements. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101, 3033-3045.	2.1	204
208	The response of macrophages to titanium particles is determined by macrophage polarization. <i>Acta Biomaterialia</i> , 2013, 9, 9229-9240.	4.1	118
210	A systematic review of the evidence for single stage and two stage revision of infected knee replacement. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 222.	0.8	107
212	Prosthetic infection: improvement of diagnostic procedures using 16S ribosomal deoxyribonucleic acid polymerase chain reaction. <i>International Orthopaedics</i> , 2013, 37, 2515-2521.	0.9	19
213	Improvement in the detection rate of PJI in total hip arthroplasty through multiple sonicate fluid cultures. <i>Journal of Orthopaedic Research</i> , 2013, 31, 2021-2024.	1.2	28
214	Diagnosis and Management of Prosthetic Joint Infection. , 2013, , 261-269.		0
215	Multiple Cultures and Extended Incubation for Hip and Knee Arthroplasty Revision: Impact on Clinical Care. <i>Journal of Arthroplasty</i> , 2013, 28, 59-65.	1.5	19
216	Recurrent Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2013, 28, 1486-1489.	1.5	101
217	Factors influencing the cost of prosthetic joint infection treatment. <i>Journal of Hospital Infection</i> , 2013, 85, 213-219.	1.4	33
218	Impact of sintering temperature on the phase composition and antibacterial properties of silver-doped hydroxyapatite. <i>Pure and Applied Chemistry</i> , 2013, 85, 453-462.	0.9	14
219	The role of bacterial biofilms in chronic infections. <i>Apmis</i> , 2013, 121, 1-58.	0.9	821
220	Controversies in Total Ankle Replacement. <i>Clinics in Podiatric Medicine and Surgery</i> , 2013, 30, 21-34.	0.2	6
221	Perioperative Management of Patients with Rheumatic Disease. , 2013, , .		2
222	High bacterial load in negative pressure wound therapy (<sc>NPWT</sc>) foams used in the treatment of chronic wounds. <i>Wound Repair and Regeneration</i> , 2013, 21, 677-681.	1.5	56
223	Wear particles promote endotoxin tolerance in macrophages by inducing interleukinâ€”1 receptorâ€”associated kinaseâ€”M expression. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 733-739.	2.1	16
224	The Use of Erythromycin and Colistin-Loaded Cement in Total Knee Arthroplasty Does Not Reduce the Incidence of Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 769-774.	1.4	79

#	ARTICLE	IF	CITATIONS
227	Prolonged incubation time does not increase sensitivity for the diagnosis of implant-related infection using samples prepared by sonication of the implants. <i>Bone and Joint Journal</i> , 2013, 95-B, 1001-1006.	1.9	35
228	Detection of <i>Pantoea agglomerans</i> in hip prosthetic infection by sonication of the removed prosthesis: The first reported case. <i>Technology and Health Care</i> , 2013, 21, 613-618.	0.5	9
229	Microbial Biofilms and Breast Tissue Expanders. <i>BioMed Research International</i> , 2013, 2013, 1-6.	0.9	16
230	Use of Universal 16S rRNA Gene PCR as a Diagnostic Tool for Venous Access Port-Related Bloodstream Infections. <i>Journal of Clinical Microbiology</i> , 2013, 51, 799-804.	1.8	33
231	Diagnosis of periprosthetic joint infection. <i>Current Orthopaedic Practice</i> , 2013, 24, 92-97.	0.1	0
232	Reply to "Anaerobic Thioglycolate Broth Culture for Recovery of <i>Propionibacterium acnes</i> from Shoulder Tissue and Fluid Specimens". <i>Journal of Clinical Microbiology</i> , 2013, 51, 733-733.	1.8	4
233	Sonication versus Vortexing of Implants for Diagnosis of Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2013, 51, 591-594.	1.8	92
234	Wear and corrosion in the loosening of total joint replacements (TJR). , 2013, , 74-110.		3
235	HINTEGRA Revision Arthroplasty for Failed Total Ankle Prostheses. <i>JBJS Essential Surgical Techniques</i> , 2013, 3, e12.	0.3	7
236	International Symposium on Biomedical Engineering and Medical Physics, 10-12 October, 2012, Riga, Latvia. <i>IFMBE Proceedings</i> , 2013, , .	0.2	2
237	Argyria following the use of silver-coated megaprotheses. <i>Bone and Joint Journal</i> , 2013, 95-B, 988-992.	1.9	68
238	Activities of Fosfomycin, Tigecycline, Colistin, and Gentamicin against Extended-Spectrum- β -Lactamase-Producing <i>Escherichia coli</i> in a Foreign-Body Infection Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1421-1427.	1.4	108
239	A Case of Q Fever Prosthetic Joint Infection and Description of an Assay for Detection of <i>Coxiella burnetii</i> . <i>Journal of Clinical Microbiology</i> , 2013, 51, 66-69.	1.8	25
240	<i>Propionibacterium acnes</i> : An Underestimated Pathogen in Implant-Associated Infections. <i>BioMed Research International</i> , 2013, 2013, 1-10.	0.9	215
241	Periprosthetic Joint Infections. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2013, 2013, 1-7.	0.6	55
242	AE-Manual der Endoprothetik. , 2013, , .		2
243	Diagnosis and Management of Prosthetic Joint Infection: Clinical Practice Guidelines by the Infectious Diseases Society of America. <i>Clinical Infectious Diseases</i> , 2013, 56, e1-e25.	2.9	1,593
244	Use of dithiothreitol to improve the diagnosis of prosthetic joint infections. <i>Journal of Orthopaedic Research</i> , 2013, 31, 1694-1699.	1.2	69

#	ARTICLE	IF	CITATIONS
245	Bacterial biofilms and capsular contracture in patients with breast implants. <i>British Journal of Surgery</i> , 2013, 100, 768-774.	0.1	201
246	Sonication of Explanted Cardiac Implants Improves Microbial Detection in Cardiac Device Infections. <i>Journal of Clinical Microbiology</i> , 2013, 51, 496-502.	1.8	38
247	Rapid Molecular Microbiologic Diagnosis of Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2280-2287.	1.8	159
248	Preoperative Aspiration Culture for Preoperative Diagnosis of Infection in Total Hip or Knee Arthroplasty. <i>Journal of Clinical Microbiology</i> , 2013, 51, 3830-3834.	1.8	76
249	Diagnosis of Periprosthetic Infection After Shoulder Arthroplasty. <i>JBJS Reviews</i> , 2013, 1, .	0.8	24
250	Mineral Influence on Microbial Survival During Carbon Sequestration. <i>Geomicrobiology Journal</i> , 2013, 30, 578-592.	1.0	14
251	Allograft-Prosthetic Composite Reconstruction for Massive Bone Loss Including Catastrophic Failure in Total Elbow Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 1117-1124.	1.4	66
252	Advances in the diagnosis of periprosthetic joint infection. <i>Expert Opinion on Medical Diagnostics</i> , 2013, 7, 257-263.	1.6	9
253	Implant sonication increases the diagnostic accuracy of infection in patients with delayed, but not early, orthopaedic implant failure. <i>Bone and Joint Journal</i> , 2013, 95-B, 244-249.	1.9	84
254	Anti-Glucosaminidase IgG in Sera as a Biomarker of Host Immunity Against <i>Staphylococcus aureus</i> in Orthopaedic Surgery Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, e171.	1.4	27
255	Activity of N-acetyl-L-cysteine against Biofilm of <i>Staphylococcus Aureus</i> and <i>Pseudomonas Aeruginosa</i> on Orthopedic Prosthetic Materials. <i>International Journal of Artificial Organs</i> , 2013, 36, 39-46.	0.7	39
256	Review Article: Joint Aspiration for Diagnosis of Periprosthetic Infection. <i>Journal of Orthopaedic Surgery</i> , 2013, 21, 236-240.	0.4	28
257	The Diagnosis of Periprosthetic Infection. <i>The Open Orthopaedics Journal</i> , 2013, 7, 178-183.	0.1	22
258	Mannitol Enhances Antibiotic Sensitivity of Persister Bacteria in <i>Pseudomonas aeruginosa</i> Biofilms. <i>PLoS ONE</i> , 2013, 8, e84220.	1.1	139
259	Influence of 16S Ribosomal RNA Gene Polymerase Chain Reaction and Sequencing on Antibiotic Management of Bone and Joint Infections. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , 2013, 24, 85-88.	0.7	8
260	Periprosthetic Joint Infections: Clinical and Bench Research. <i>Scientific World Journal</i> , The, 2013, 2013, 1-17.	0.8	24
261	Sonication: A Valuable Technique for Diagnosis and Treatment of Periprosthetic Joint Infections. <i>Scientific World Journal</i> , The, 2013, 2013, 1-5.	0.8	34
262	Small colony variant-producing <i>S aureus</i> prosthesis joint infection highlighted by sonication and treated with prolonged high doses of daptomycin. <i>BMJ Case Reports</i> , 2013, 2013, bcr2013008637-bcr2013008637.	0.2	7

#	ARTICLE	IF	CITATIONS
263	Management of Prosthetic Infection According to Organism. , 2013, , .		1
264	Role of Bacterial Biofilms in Patients After Reconstructive and Aesthetic Breast Implant Surgery. Journal of Long-Term Effects of Medical Implants, 2014, 24, 131-138.	0.2	18
265	Actinomycosis: etiology, clinical features, diagnosis, treatment, and management. Infection and Drug Resistance, 2014, 7, 183.	1.1	444
266	Evaluation of White Cell Count and Differential in Synovial Fluid for Diagnosing Infections after Total Hip or Knee Arthroplasty. PLoS ONE, 2014, 9, e84751.	1.1	45
267	A Modified Chronic Infection Model for Testing Treatment of Staphylococcus aureus Biofilms on Implants. PLoS ONE, 2014, 9, e103688.	1.1	30
268	Effect of Plasma Processing and Organosilane Modifications of Polyethylene on Aeromonas hydrophila Biofilm Formation. BioMed Research International, 2014, 2014, 1-8.	0.9	13
269	Electrospun vancomycin-loaded coating on titanium implants for the prevention of implant-associated infections. International Journal of Nanomedicine, 2014, 9, 3027.	3.3	59
270	Detection of Bacteria Bearing Resistant Biofilm Forms, by Using the Universal and Specific PCR is Still Unhelpful in the Diagnosis of Periprosthetic Joint Infections. Frontiers in Medicine, 2014, 1, 30.	1.2	16
272	Daptomycin-Associated Eosinophilic Pneumonia in Two Patients with Prosthetic Joint Infection. Surgical Infections, 2014, 15, 834-837.	0.7	12
273	Improved Diagnosis of Infection Associated with Osteosynthesis by Use of Sonication of Fracture Fixation Implants. Journal of Clinical Microbiology, 2014, 52, 4176-4182.	1.8	73
274	Prosthesis infection: diagnosis after total joint arthroplasty with three-phase bone scintigraphy. Annals of Nuclear Medicine, 2014, 28, 994-1003.	1.2	39
275	Antibacterial Properties of Magnesium <i>In Vitro</i> and in an <i>In Vivo</i> Model of Implant-Associated Methicillin-Resistant Staphylococcus aureus Infection. Antimicrobial Agents and Chemotherapy, 2014, 58, 7586-7591.	1.4	95
276	Diagnostics in prosthetic joint infections. Journal of Antimicrobial Chemotherapy, 2014, 69, i11-i19.	1.3	20
277	Conventional and molecular diagnostic strategies for prosthetic joint infections. Expert Review of Molecular Diagnostics, 2014, 14, 83-96.	1.5	24
278	Is Synovial C-reactive Protein a Useful Marker for Periprosthetic Joint Infection?. Clinical Orthopaedics and Related Research, 2014, 472, 3997-4003.	0.7	90
279	Do Genetic Susceptibility, Toll-like Receptors, and Pathogen-associated Molecular Patterns Modulate the Effects of Wear?. Clinical Orthopaedics and Related Research, 2014, 472, 3709-3717.	0.7	28
280	Sensitivities, Specificities, and Predictive Values of Microbiological Culture Techniques for the Diagnosis of Prosthetic Joint Infection. BioMed Research International, 2014, 2014, 1-5.	0.9	17
281	Efficacy of a novel PCR- and microarray-based method in diagnosis of a prosthetic joint infection. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 165-170.	1.2	41

#	ARTICLE	IF	CITATIONS
283	Diagnosis of Periprosthetic Infection: Novel Developments. Journal of Knee Surgery, 2014, 27, 259-266.	0.9	34
284	Current and Future Trends in the Diagnosis of Periprosthetic Hip Infection. Orthopedic Clinics of North America, 2014, 45, 287-293.	0.5	8
285	Prevention of Late PJI. Journal of Orthopaedic Research, 2014, 32, S158-71.	1.2	4
286	Diagnosis and Management of Periprosthetic Shoulder Infections. Journal of Bone and Joint Surgery - Series A, 2014, 96, 956-965.	1.4	83
287	Revised histopathological consensus classification of joint implant related pathology. Pathology Research and Practice, 2014, 210, 779-786.	1.0	239
288	Diagnosis of Periprosthetic Joint Infection. Journal of Orthopaedic Research, 2014, 32, S98-107.	1.2	64
289	Development of an ultrasound-sensitive antimicrobial platform for reducing infection after spinal stabilization surgery. , 2014, , .		0
290	Algorithm for the evaluation of the painful total shoulder arthroplasty: Searching for sepsis. Seminars in Arthroplasty, 2014, 25, 295-304.	0.3	1
291	Necrotizing Fasciitis After Breast Augmentation. American Journal of Clinical Pathology, 2014, 142, 269-272.	0.4	11
292	Optimal Culture Incubation Time in Orthopedic Device-Associated Infections: a Retrospective Analysis of Prolonged 14-Day Incubation. Journal of Clinical Microbiology, 2014, 52, 61-66.	1.8	62
293	Desulfovibrio legallii Prosthetic Shoulder Joint Infection and Review of Antimicrobial Susceptibility and Clinical Characteristics of Desulfovibrio Infections. Journal of Clinical Microbiology, 2014, 52, 3105-3110.	1.8	13
294	Can We Trust Intraoperative Culture Results in Nonunions?. Journal of Orthopaedic Trauma, 2014, 28, 384-390.	0.7	81
295	Diagnosis of Periprosthetic Joint Infection: An Algorithmic Approach to Patients. , 2014, , 65-77.		0
296	Current antibiotic management of prosthetic joint infections in Italy: the "Udine strategy"™. Journal of Antimicrobial Chemotherapy, 2014, 69, i41-i45.	1.3	21
297	Evaluation of Implant Sonication as a Diagnostic Tool in Implant-associated Infections. Journal of Applied Biomaterials and Functional Materials, 2014, 12, 135-140.	0.7	16
298	Low sensitivity of periprosthetic tissue PCR for prosthetic knee infection diagnosis. Diagnostic Microbiology and Infectious Disease, 2014, 79, 448-453.	0.8	68
299	Advantages of sonication fluid culture for the diagnosis of prosthetic joint infection. Journal of Infection, 2014, 69, 35-41.	1.7	108
300	Complex prosthetic joint infections due to carbapenemase-producing Klebsiella pneumoniae: a unique challenge in the era of untreatable infections. International Journal of Infectious Diseases, 2014, 25, 73-78.	1.5	54

#	ARTICLE	IF	CITATIONS
301	Development of Luminescent pH Sensor Films for Monitoring Bacterial Growth Through Tissue. <i>Advanced Healthcare Materials</i> , 2014, 3, 197-204.	3.9	48
303	Comparison of bacterial results from conventional cultures of the periprosthetic membrane and the synovial or pseudocapsule during hip revision arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 577-583.	1.3	4
304	Periprosthetic joint infectionâ€™effect on quality of life. <i>International Orthopaedics</i> , 2014, 38, 1077-1081.	0.9	78
305	Periprosthetic Joint Infection of the Hip and Knee. , 2014, , .		3
306	Prosthetic Joint Infection. <i>Clinical Microbiology Reviews</i> , 2014, 27, 302-345.	5.7	1,284
307	Evaluation of the physical and antimicrobial properties of silver doped hydroxyapatite depending on the preparation method. <i>Journal of Materials Science: Materials in Medicine</i> , 2014, 25, 435-444.	1.7	21
308	Propionibacterium acnes, an emerging pathogen: From acne to implant-infections, from phylotype to resistance. <i>MÃ©decine Et Maladies Infectieuses</i> , 2014, 44, 241-250.	5.1	163
309	Diagnosis of Prosthetic Joint Infection by Use of PCR-Electrospray Ionization Mass Spectrometry. <i>Journal of Clinical Microbiology</i> , 2014, 52, 642-649.	1.8	54
310	Detection of Prosthetic Joint Infection by Use of PCR-Electrospray Ionization Mass Spectrometry Applied to Synovial Fluid. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2202-2205.	1.8	32
311	Clinical Characteristics of Infections in Humans Due to Staphylococcus epidermidis. <i>Methods in Molecular Biology</i> , 2014, 1106, 1-16.	0.4	35
312	Clinical Characteristics and Outcomes of Prosthetic Joint Infection Caused by Small Colony Variant Staphylococci. <i>MBio</i> , 2014, 5, e01910-14.	1.8	93
313	Culture-Negative Periprosthetic Joint Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 430-436.	1.4	164
314	If Specimen Collection and Processing Guidelines Fall, Does Anyone Hear Them? Pre-Analytical Conundrums in Clinical Microbiology. <i>Clinical Microbiology Newsletter</i> , 2014, 36, 105-114.	0.4	4
315	Campylobacter Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2014, 52, 1771-1774.	1.8	8
316	Biofilms in periprosthetic orthopedic infections. <i>Future Microbiology</i> , 2014, 9, 987-1007.	1.0	267
317	Tolerability and efficacy of long-term treatment with daptomycin, ceftazidime and colistin in a patient with a polymicrobial, multidrug-resistant prosthetic joint reinfection: a case report. <i>Journal of Medical Case Reports</i> , 2014, 8, 186.	0.4	14
318	⁶⁸ Ga-DOTA-Siglec-9 PET/CT imaging of peri-implant tissue responses and staphylococcal infections. <i>EJNMMI Research</i> , 2014, 4, 45.	1.1	21
319	Evaluation of 16S rRNA Gene PCR Sensitivity and Specificity for Diagnosis of Prosthetic Joint Infection: a Prospective Multicenter Cross-Sectional Study. <i>Journal of Clinical Microbiology</i> , 2014, 52, 3583-3589.	1.8	154

#	ARTICLE	IF	CITATIONS
320	Emerging Technologies for the Clinical Microbiology Laboratory. <i>Clinical Microbiology Reviews</i> , 2014, 27, 783-822.	5.7	236
321	Coagulase-Negative Staphylococci. <i>Clinical Microbiology Reviews</i> , 2014, 27, 870-926.	5.7	1,135
322	Utility of percutaneous joint aspiration and synovial biopsy in identifying culture-positive infected hip arthroplasty. <i>Skeletal Radiology</i> , 2014, 43, 165-168.	1.2	30
323	Bacterial adherence to different components of total hip prosthesis in patients with prosthetic joint infection. <i>International Orthopaedics</i> , 2014, 38, 1597-1602.	0.9	43
324	Meta-Analysis of Sonication Fluid Samples from Prosthetic Components for Diagnosis of Infection after Total Joint Arthroplasty. <i>Journal of Clinical Microbiology</i> , 2014, 52, 1730-1736.	1.8	88
325	Sonication for Diagnosis of Catheter-Related Infection Is Not Better Than Traditional Roll-Plate Culture: A Prospective Cohort Study With 975 Central Venous Catheters. <i>Clinical Infectious Diseases</i> , 2014, 59, 541-544.	2.9	26
326	Sonication of Antibiotic Spacers Predicts Failure during Two-stage Revision for Prosthetic Knee and Hip Infections. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 2208-2214.	0.7	86
327	CORR Insights®: Sonication of Antibiotic Spacers Predicts Failure during Two-stage Revision for Prosthetic Knee and Hip Infections. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 2215-2216.	0.7	4
328	Evidence of MRSE on a gentamicin and vancomycin impregnated polymethyl-methacrylate (PMMA) bone cement spacer after two-stage exchange arthroplasty due to periprosthetic joint infection of the knee. <i>BMC Infectious Diseases</i> , 2014, 14, 144.	1.3	44
329	Biofilms and persistent wound infections in United States military trauma patients: a case-control analysis. <i>BMC Infectious Diseases</i> , 2014, 14, 190.	1.3	79
330	Use of an automated blood culture system (BD BACTEC [®] , [®]) for diagnosis of prosthetic joint infections: easy and fast. <i>BMC Infectious Diseases</i> , 2014, 14, 233.	1.3	103
331	<i>Propionibacterium acnes</i> : from Commensal to Opportunistic Biofilm-Associated Implant Pathogen. <i>Clinical Microbiology Reviews</i> , 2014, 27, 419-440.	5.7	471
332	Characterization of <i>Staphylococcus epidermidis</i> and <i>Staphylococcus warneri</i> small-colony variants associated with prosthetic-joint infections. <i>Journal of Medical Microbiology</i> , 2014, 63, 176-185.	0.7	36
333	Perioperative Care of the Orthopedic Patient. , 2014, , .		2
334	Peritoneal dialysis infections: An opportunity for improvement. <i>American Journal of Infection Control</i> , 2014, 42, 1016-1018.	1.1	6
335	Diagnosis of Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2014, 29, 77-83.	1.5	193
336	Prevention of Late PJI. <i>Journal of Arthroplasty</i> , 2014, 29, 119-128.	1.5	18
337	Sonication of catheter tips for improved detection of microorganisms on external ventricular drains and ventriculo-peritoneal shunts. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 578-582.	0.8	33

#	ARTICLE	IF	CITATIONS
338	Incidence of infection in orthopedic surgeries: Do we actually know it?. American Journal of Infection Control, 2014, 42, 461-462.	1.1	2
340	Prevention of infection in external fixator pin sites. Acta Biomaterialia, 2014, 10, 595-603.	4.1	81
341	Pulse Lavage is Inadequate at Removal of Biofilm from the Surface of Total Knee Arthroplasty Materials. Journal of Arthroplasty, 2014, 29, 1128-1132.	1.5	60
342	Use of 18F-Fluorodeoxyglucose Positron Emission Tomography-Computed Tomography and Sonication for Detection of Infection After Peripheral Stent Fracture. Circulation, 2014, 129, 2437-2439.	1.6	5
343	Clinical and microbiological findings in prosthetic joint replacement due to aseptic loosening. Journal of Infection, 2014, 69, 235-243.	1.7	38
344	Optimization of an automatic counting system for the quantification of <i>Staphylococcus epidermidis</i> cells in biofilms. Journal of Basic Microbiology, 2014, 54, 750-757.	1.8	46
345	Treatment of acute periprosthetic infections with prosthesis retention: Review of current concepts. World Journal of Orthopedics, 2014, 5, 667.	0.8	92
346	The Ever-Changing Role of Biofilms in Plastic Surgery. Plastic and Reconstructive Surgery, 2014, 133, 865e-872e.	0.7	28
353	Limitations of Gram staining for the diagnosis of infections following total hip or knee arthroplasty. Experimental and Therapeutic Medicine, 2015, 9, 1857-1864.	0.8	18
354	Microbiological characteristics and patterns of resistance in prosthetic joint infections in a referral hospital. Cirug�a Y Cirujanos (English Edition), 2015, 83, 371-377.	0.0	3
355	Arctic microbial and next-generation sequencing approach for bacteria in snow and frost flowers: selected identification, abundance and freezing nucleation. Atmospheric Chemistry and Physics, 2015, 15, 6183-6204.	1.9	38
356	Quantifying the natural history of biofilm formation in vivo during the establishment of chronic implant-associated <i>Staphylococcus aureus</i> osteomyelitis in mice to identify critical pathogen and host factors. Journal of Orthopaedic Research, 2015, 33, 1311-1319.	1.2	147
358	Patient-Adapted Treatment for Prosthetic Hip Joint Infection. HIP International, 2015, 25, 316-322.	0.9	14
359	Are atrophic long-bone nonunions associated with low-grade infections?. Therapeutics and Clinical Risk Management, 2015, 11, 1843.	0.9	34
360	Management of Periprosthetic Hip Joint Infection. Hip and Pelvis, 2015, 27, 63-71.	0.6	18
361	Evaluation of the Enterococcus faecalis Biofilm-Associated Virulence Factors <i>AhrC</i> and <i>Eep</i> in Rat Foreign Body Osteomyelitis and In Vitro Biofilm-Associated Antimicrobial Resistance. PLoS ONE, 2015, 10, e0130187.	1.1	40
362	Diversity of Bacterial Biofilm Communities on Sprinklers from Dairy Farm Cooling Systems in Israel. PLoS ONE, 2015, 10, e0139111.	1.1	14
363	Occult Infection in Aseptic Joint Loosening and the Diagnostic Role of Implant Sonication. BioMed Research International, 2015, 2015, 1-8.	0.9	34

#	ARTICLE	IF	CITATIONS
365	Staphylococcus epidermidis and Other Coagulase-Negative Staphylococci. , 2015, , 2272-2282.e5.		15
366	A Diagnostic Serum Antibody Test for Patients With Staphylococcus aureus Osteomyelitis. Clinical Orthopaedics and Related Research, 2015, 473, 2735-2749.	0.7	47
367	Periprosthetic joint infection in total hip arthroplasty: prevention and management. British Journal of Hospital Medicine (London, England: 2005), 2015, 76, 12-17.	0.2	9
368	Staphylococcus aureus Infections: Epidemiology, Pathophysiology, Clinical Manifestations, and Management. Clinical Microbiology Reviews, 2015, 28, 603-661.	5.7	3,304
369	How accurate are orthopedic surgeons in diagnosing periprosthetic joint infection after total knee arthroplasty?: A multicenter study. Knee, 2015, 22, 180-185.	0.8	35
370	Bacterial contamination of open fractures " pathogens, antibiotic resistances and therapeutic regimes in four hospitals of the trauma network Cologne, Germany. Injury, 2015, 46, S104-S108.	0.7	26
371	Detection of Polyclonality among Clinical Isolates from Prosthetic Joint Infections. Journal of Clinical Microbiology, 2015, 53, 3766-3772.	1.8	4
372	Antibiofilm Activity of Low-Amperage Continuous and Intermittent Direct Electrical Current. Antimicrobial Agents and Chemotherapy, 2015, 59, 4610-4615.	1.4	32
373	Potential for the enhanced detection, identification, and subsequent treatment of periprosthetic joint infection using MALDI-TOF MS analysis of sonicate fluid. Journal of Hospital Infection, 2015, 90, 272-273.	1.4	0
375	Matrix-assisted laser desorption ionization time of flight mass spectrometry and diagnostic testing for prosthetic joint infection in the clinical microbiology laboratory. Diagnostic Microbiology and Infectious Disease, 2015, 81, 163-168.	0.8	35
376	Superantigens in Staphylococcus aureus isolated from prosthetic joint infection. Diagnostic Microbiology and Infectious Disease, 2015, 81, 201-207.	0.8	7
377	Immunoproteomic Identification of In Vivo-Produced Propionibacterium acnes Proteins in a Rabbit Biofilm Infection Model. Vaccine Journal, 2015, 22, 467-476.	3.2	23
378	Premature Therapeutic Antimicrobial Treatments Can Compromise the Diagnosis of Late Periprosthetic Joint Infection. Clinical Orthopaedics and Related Research, 2015, 473, 2244-2249.	0.7	71
379	The "true" incidence of surgically treated deep prosthetic joint infection after 32,896 primary total hip arthroplasties. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 326-334.	1.2	125
381	An update on surgical and antimicrobial therapy for acute periprosthetic joint infection: new challenges for the present and the future. Expert Review of Anti-Infective Therapy, 2015, 13, 249-265.	2.0	26
382	Diagnosis and treatment of implant-associated infections. , 2015, , 83-99.		2
383	Do Serologic and Synovial Tests Help Diagnose Infection in Revision Hip Arthroplasty With Metal-on-metal Bearings or Corrosion?. Clinical Orthopaedics and Related Research, 2015, 473, 498-505.	0.7	79
384	Wear Particles Impair Antimicrobial Activity Via Suppression of Reactive Oxygen Species Generation and ERK1/2 Phosphorylation in Activated Macrophages. Inflammation, 2015, 38, 1289-1296.	1.7	13

#	ARTICLE	IF	CITATIONS
385	Sonication of Explanted Prosthesis Combined with Incubation in BD Bactec Bottles for Pathogen-Based Diagnosis of Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2015, 53, 777-781.	1.8	79
386	ESCMID— guideline for the diagnosis and treatment of biofilm infections 2014. <i>Clinical Microbiology and Infection</i> , 2015, 21, S1-S25.	2.8	558
387	Identification of the same species in at least two intra-operative samples for prosthetic joint infection diagnostics yields the best results with broad-range polymerase chain reaction. <i>International Orthopaedics</i> , 2015, 39, 975-979.	0.9	11
388	Is Xpert MRSA/SA SSTI real-time PCR a reliable tool for fast detection of methicillin-resistant coagulase-negative staphylococci in periprosthetic joint infections?. <i>Diagnostic Microbiology and Infectious Disease</i> , 2015, 83, 59-62.	0.8	15
390	The impact of PCR in the management of prosthetic joint infections. <i>Expert Review of Molecular Diagnostics</i> , 2015, 15, 957-964.	1.5	11
391	Conventional Diagnostic Challenges in Periprosthetic Joint Infection. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2015, 23, S18-S25.	1.1	31
392	Total Knee Arthroplasty. , 2015, , .		4
393	Sonication in Orthopedics for the Diagnosis of Implant-Associated Infections. <i>Key Engineering Materials</i> , 2015, 638, 191-196.	0.4	0
394	Novel Strategies for the Diagnosis of Posttraumatic Infections in Orthopaedic Trauma Patients. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2015, 23, 443-451.	1.1	13
395	Usefulness of Sonication of Cardiovascular Implantable Electronic Devices to Enhance Microbial Detection. <i>American Journal of Cardiology</i> , 2015, 115, 912-917.	0.7	29
396	Novel Developments in the Prevention, Diagnosis, and Treatment of Periprosthetic Joint Infections. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2015, 23, S32-S43.	1.1	40
400	Does intraoperative tissue sample enrichment help or hinder the identification of microorganisms in prosthetic joint infection?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 731-736.	0.6	4
401	Improved Diagnosis of Orthopedic Implant-Associated Infection by Inoculation of Sonication Fluid into Blood Culture Bottles. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1622-1627.	1.8	122
402	Current Failure Mechanisms After Knee Arthroplasty Have Changed: Polyethylene Wear Is Less Common in Revision Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 715-720.	1.4	236
403	Intraoperative Purulence Is Not Reliable for Diagnosing Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2015, 30, 1403-1406.	1.5	28
404	Circulating Biomarkers for Discrimination Between Aseptic Joint Failure, Low-Grade Infection, and High-Grade Septic Failure. <i>Clinical Infectious Diseases</i> , 2015, 61, 332-341.	2.9	83
405	Local Bismuth Thiols Potentiate Antibiotics and Reduce Infection in a Contaminated Open Fracture Model. <i>Journal of Orthopaedic Trauma</i> , 2015, 29, e73-e78.	0.7	8
407	Diagnosis of prosthetic joint infections using UMD-Universal Kit and the automated multiplex-PCR Unyvero i60 ITIA® cartridge system: a pilot study. <i>Infection</i> , 2015, 43, 551-560.	2.3	60

#	ARTICLE	IF	CITATIONS
408	Anaerobic prosthetic joint infection. <i>Anaerobe</i> , 2015, 36, 1-8.	1.0	66
409	Diagnostic potential of inflammatory markers in septic arthritis and periprosthetic joint infections: a clinical study with 719 patients. <i>Infectious Diseases</i> , 2015, 47, 399-409.	1.4	27
410	Should White Blood Cell Scan be Replaced by 18F-FDG PET-CT in the Diagnosis of Prosthetic Vascular Graft Infection?. <i>Annals of Vascular Surgery</i> , 2015, 29, 1321.e1-1321.e4.	0.4	2
411	Sonication assisted microbiological diagnosis of implant-related infection caused by <i>Prevotella disiens</i> and <i>Staphylococcus epidermidis</i> in a patient with cranioplasty. <i>BMC Research Notes</i> , 2015, 8, 307.	0.6	10
413	Diagnostic and Treatment Considerations for Prosthetic Joint Infections: Sonication and New Gram-Positive Agents. <i>Current Treatment Options in Infectious Diseases</i> , 2015, 7, 335-341.	0.8	1
414	Histologic, Molecular, and Clinical Evaluation of Explanted Breast Prostheses, Capsules, and Acellular Dermal Matrices for Bacteria. <i>Aesthetic Surgery Journal</i> , 2015, 35, 653-668.	0.9	30
415	2015 Infectious Diseases Society of America (IDSA) Clinical Practice Guidelines for the Diagnosis and Treatment of Native Vertebral Osteomyelitis in Adults. <i>Clinical Infectious Diseases</i> , 2015, 61, e26-e46.	2.9	683
416	Periprosthetic Joint Infection: Modern Aspects of Prevention, Diagnosis, and Treatment. <i>Journal of Knee Surgery</i> , 2015, 28, 105-112.	0.9	21
417	26 Postoperative diagnosis and outcome in patients with revision arthroplasty for aseptic loosening. <i>BMC Infectious Diseases</i> , 2015, 15, 232.	1.3	44
419	Prosthetic joint infections in the elderly. <i>Infection</i> , 2015, 43, 629-637.	2.3	19
420	Microbial diagnosis of infection and colonization of cardiac implantable electronic devices by use of sonication. <i>International Journal of Infectious Diseases</i> , 2015, 38, 54-59.	1.5	19
421	Applications of Local Antibiotics in Orthopedic Trauma. <i>Orthopedic Clinics of North America</i> , 2015, 46, 495-510.	0.5	42
422	Improved identification of polymicrobial infection in total knee arthroplasty through sonicate fluid cultures. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 1453-1457.	1.3	47
423	Role of Sonication in the Microbiological Diagnosis of Implant-Associated Infections: Beyond the Orthopedic Prosthesis. <i>Advances in Experimental Medicine and Biology</i> , 2015, 897, 85-102.	0.8	28
425	Diagnosis and Management of Periprosthetic Elbow Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1962-1971.	1.4	39
426	Microbial Composition and Antibiotic Resistance of Biofilms Recovered from Endotracheal Tubes of Mechanically Ventilated Patients. <i>Advances in Experimental Medicine and Biology</i> , 2015, 830, 137-155.	0.8	48
427	Preoperative and intraoperative infection workup in apparently aseptic revision shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , 2015, 24, 491-500.	1.2	46
428	First Experience of a Multicenter External Quality Assessment of Molecular 16S rRNA Gene Detection in Bone and Joint Infections. <i>Journal of Clinical Microbiology</i> , 2015, 53, 419-424.	1.8	14

#	ARTICLE	IF	CITATIONS
429	Infection of Cardiovascular Implantable Electronic Devices: Detection with Sonication, Swab Cultures, and Blood Cultures. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 247-253.	0.5	17
430	Factors related to outcome of early and delayed prosthetic joint infections. <i>Journal of Infection</i> , 2015, 70, 30-36.	1.7	34
431	Clinical characteristics, microbiology, and outcomes of prosthetic joint infection in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2015, 48, 198-204.	1.5	28
432	Surveillance of prosthetic joint infections: international overview and new insights for hospital databases. <i>Journal of Hospital Infection</i> , 2015, 89, 90-98.	1.4	34
433	Nonutility of Catheter Tip Cultures for the Diagnosis of Central Line-Associated Bloodstream Infection. <i>Clinical Infectious Diseases</i> , 2015, 60, 492-493.	2.9	16
434	Biofilm-based Healthcare-associated Infections. <i>Advances in Experimental Medicine and Biology</i> , 2015, , .	0.8	11
435	The role of microbial biofilms in prosthetic joint infections. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 147-158.	1.2	305
436	Treating periprosthetic joint infections as biofilms: key diagnosis and management strategies. <i>Diagnostic Microbiology and Infectious Disease</i> , 2015, 81, 192-200.	0.8	73
437	Biomimetic approaches in bone tissue engineering: Integrating biological and physicochemical strategies. <i>Advanced Drug Delivery Reviews</i> , 2015, 84, 1-29.	6.6	382
438	Collection, Transport, and Processing of Clinical Specimens for Anaerobic Culture. , 2016, , 4.2.1-4.2.8.		0
439	Will Regulatory and Financial Considerations Dampen Innovation in the Clinical Microbiology Laboratory?. <i>MBio</i> , 2016, 7, e02178-15.	1.8	0
440	<i>Pseudomonas oryzihabitans</i> Infected Total Hip Arthroplasty. <i>Journal of Bone and Joint Infection</i> , 2016, 1, 54-58.	0.6	11
441	Bacterial Infection and Implant Loosening in Hip and Knee Arthroplasty: Evaluation of 209 Cases. <i>Materials</i> , 2016, 9, 871.	1.3	24
442	Predictors of <i>Staphylococcus aureus</i> Colonization and Results after Decolonization. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2016, 2016, 1-8.	0.6	16
443	Direct Electrical Current Reduces Bacterial and Yeast Biofilm Formation. <i>International Journal of Bacteriology</i> , 2016, 2016, 1-6.	1.0	15
444	Flow Chamber System for the Statistical Evaluation of Bacterial Colonization on Materials. <i>Materials</i> , 2016, 9, 770.	1.3	10
445	Obtaining High Quality DNA from Diverse Clinical Samples. <i>Current Protocols in Microbiology</i> , 2016, 40, 1E.9.1-1E.9.9.	6.5	1
446	Epidemiology and Resistance Patterns of Bacterial and Fungal Colonization of Biliary Plastic Stents: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0155479.	1.1	38

#	ARTICLE	IF	CITATIONS
447	Detection of Biofilm in Wounds as an Early Indicator for Risk for Tissue Infection and Wound Chronicity. <i>Annals of Plastic Surgery</i> , 2016, 76, 127-131.	0.5	30
448	Deep infection after hip arthroplasty. <i>Bone and Joint Journal</i> , 2016, 98-B, 27-30.	1.9	28
450	Management of Acute Hematogenous Infection Following Total Knee Arthroplasty: <scp>A</scp> Case Series of 11 Patients. <i>Orthopaedic Surgery</i> , 2016, 8, 475-482.	0.7	14
451	Prosthetic Device Infections. <i>Microbiology Spectrum</i> , 2016, 4, .	1.2	3
452	First Case of <i>Trichoderma longibrachiatum</i> CIED (Cardiac Implantable Electronic Device)-Associated Endocarditis in a Non-immunocompromised Host: Biofilm Removal and Diagnostic Problems in the Light of the Current Literature. <i>Mycopathologia</i> , 2016, 181, 297-303.	1.3	21
453	Diagnostic des infections ostéo-articulaires. <i>Revue Francophone Des Laboratoires</i> , 2016, 2016, 47-53.	0.0	1
454	Sonication of Abdominal Drains: Clinical Implications of Quantitative Cultures for the Diagnosis of Surgical Site Infection. <i>Surgical Infections</i> , 2016, 17, 459-464.	0.7	8
455	Comparison of microbial DNA enrichment tools for metagenomic whole genome sequencing. <i>Journal of Microbiological Methods</i> , 2016, 127, 141-145.	0.7	141
456	<i>Propionibacterium acnes</i> biofilm – A sanctuary for <i>Staphylococcus aureus</i> ?. <i>Anaerobe</i> , 2016, 40, 63-67.	1.0	35
457	Treatment With Dithiothreitol Improves Bacterial Recovery From Tissue Samples in Osteoarticular and Joint Infections. <i>Journal of Arthroplasty</i> , 2016, 31, 2867-2870.	1.5	39
458	Compressive spinal epidural mass caused by <i>Propionibacterium acnes</i> . <i>Spine Journal</i> , 2016, 16, e347-e351.	0.6	0
459	Diagnosis of Periprosthetic Joint Infection Following Hip and Knee Arthroplasty. <i>Orthopedic Clinics of North America</i> , 2016, 47, 505-515.	0.5	101
460	Diagnostic performance of swab PCR as an alternative to tissue culture methods for diagnosing infections associated with fracture fixation devices. <i>Injury</i> , 2016, 47, 1421-1426.	0.7	22
461	Drug treatments for prosthetic joint infections in the era of multidrug resistance. <i>Expert Opinion on Pharmacotherapy</i> , 2016, 17, 1233-1246.	0.9	21
462	<i>Propionibacterium</i> prosthetic joint infection: experience from a retrospective database analysis. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2016, 26, 429-434.	0.6	26
464	Periprosthetic Joint Infection After Hip and Knee Arthroplasty: A Review for Emergency Care Providers. <i>Annals of Emergency Medicine</i> , 2016, 68, 324-334.	0.3	15
465	Unyvero i60 implant and tissue infection (ITI) multiplex PCR system in diagnosing periprosthetic joint infection. <i>Journal of Microbiological Methods</i> , 2016, 121, 27-32.	0.7	48
466	Antimicrobial-Loaded Bone Cement Does Not Negatively Influence Sonicate Fluid Culture Positivity for Diagnosis of Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1656-1659.	1.8	5

#	ARTICLE	IF	CITATIONS
467	Detection of bacteria with molecular methods in prosthetic joint infection: sonication fluid better than periprosthetic tissue. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 339-345.	1.2	50
468	Use of a provincial surveillance system to characterize postoperative surgical site infections after primary hip and knee arthroplasty in Alberta, Canada. <i>American Journal of Infection Control</i> , 2016, 44, 1310-1314.	1.1	18
469	Use of an experimental model to evaluate infection resistance of meshes in abdominal wall surgery. <i>Journal of Surgical Research</i> , 2016, 206, 435-441.	0.8	3
470	<i>Robinsoniella peoriensis</i> , originally isolated from swine manure, and early periprosthetic hip infection: Case report and review of the literature. <i>Anaerobe</i> , 2016, 42, 33-36.	1.0	14
471	Preoperative antibiotic prophylaxis in prosthetic joint infections: not a concern for intraoperative cultures. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 86, 442-445.	0.8	36
473	Developing a Clinically Representative Model of Periprosthetic Joint Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1666-1676.	1.4	26
474	Quantifying implant-associated biofilms: Comparison of microscopic, microbiologic and biochemical methods. <i>Journal of Microbiological Methods</i> , 2016, 130, 61-68.	0.7	72
477	Shoulder periprosthetic joint infection caused by <i>Propionibacterium acnes</i> . <i>Obere Extremitat</i> , 2016, 11, 96-100.	0.4	5
478	Microbial investigation of biofilms recovered from endotracheal tubes using sonication in intensive care unit pediatric patients. <i>Brazilian Journal of Infectious Diseases</i> , 2016, 20, 468-475.	0.3	21
479	Comparative evaluation of MicroDTTect device and flocced swabs in the diagnosis of prosthetic and orthopaedic infections. <i>Injury</i> , 2016, 47, S17-S21.	0.7	12
480	Biodegradable Mg-Cu alloy implants with antibacterial activity for the treatment of osteomyelitis: InÁvitro and inÁvivo evaluations. <i>Biomaterials</i> , 2016, 106, 250-263.	5.7	194
482	16S rRNA analysis provides evidence of biofilms on all components of three infected periprosthetic knees including permanent braided suture. <i>Pathogens and Disease</i> , 2016, 74, ftw083.	0.8	21
483	Isothermal Microcalorimetry for the Investigation of Clinical Samples: Past and Present. , 2016, , 363-380.		1
484	Optimal Length of Cultivation Time for Isolation of <i>Propionibacterium acnes</i> in Suspected Bone and Joint Infections Is More than 7 Days. <i>Journal of Clinical Microbiology</i> , 2016, 54, 3043-3049.	1.8	90
485	Occult shunt infectionsâ€”think of biofilms. <i>Acta Neurochirurgica</i> , 2016, 158, 2325-2325.	0.9	0
486	Biofilms in ventilator-associated pneumonia. <i>Future Microbiology</i> , 2016, 11, 1599-1610.	1.0	37
487	Microbiological Diagnosis of Implant-Related Infections: Scientific Evidence and Cost/Benefit Analysis of Routine Antibiofilm Processing. <i>Advances in Experimental Medicine and Biology</i> , 2016, 971, 51-67.	0.8	8
488	Reduced ability to detect surface-related biofilm bacteria after antibiotic exposure under in vitro conditions. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 644-650.	1.2	14

#	ARTICLE	IF	CITATIONS
489	Surgical Site Infections. <i>Infectious Disease Clinics of North America</i> , 2016, 30, 909-929.	1.9	44
490	Mechanisms of Bacterial Colonization of Implants and Host Response. <i>Advances in Experimental Medicine and Biology</i> , 2016, 971, 15-27.	0.8	11
491	Editorial. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 321-323.	1.2	1
492	Successful treatment of periprosthetic joint infection caused by <i>Granulicatella para-adiacens</i> with prosthesis retention: a case report. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 156.	0.8	3
494	Role of Sonication for Detection of Infection in Explanted Orthopaedic Trauma Implants. <i>Journal of Orthopaedic Trauma</i> , 2016, 30, e175-e180.	0.7	13
496	Comparison of cultures and 16S rRNA sequencing for identification of bacteria in two-stage revision arthroplasties: preliminary report. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 138.	0.8	22
499	Culture-Negative Infection After Operative Fixation of Fractures. <i>Journal of Orthopaedic Trauma</i> , 2016, 30, 538-544.	0.7	38
500	Bacterial colonization of VEPTR implants under repeated expansions in children with severe early onset spinal deformities. <i>European Spine Journal</i> , 2016, 25, 549-556.	1.0	18
501	Comparison of bacterial growth in sonication fluid cultures with periprosthetic membranes and with cultures of biopsies for diagnosing periprosthetic joint infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 84, 112-115.	0.8	24
502	Evaluation of a Genus- and Group-Specific Rapid PCR Assay Panel on Synovial Fluid for Diagnosis of Prosthetic Knee Infection. <i>Journal of Clinical Microbiology</i> , 2016, 54, 120-126.	1.8	34
504	Multiplex Antibody Detection for Noninvasive Genus-Level Diagnosis of Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1065-1073.	1.8	30
505	A comprehensive review of the diagnosis and management of prosthetic joint infections in the absence of positive cultures. <i>Journal of Infection and Public Health</i> , 2016, 9, 545-556.	1.9	41
506	Validation of a treatment algorithm for orthopaedic implant-related infections with device-retention results from a prospective observational cohort study. <i>Clinical Microbiology and Infection</i> , 2016, 22, 457.e1-457.e9.	2.8	66
507	Diagnosis of spacer-associated infection using quantitative cultures from sonicated antibiotics-loaded spacers: implications for the clinical outcome. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 207-213.	1.3	28
508	Improved Diagnosis of Prosthetic Joint Infection by Culturing Periprosthetic Tissue Specimens in Blood Culture Bottles. <i>MBio</i> , 2016, 7, e01776-15.	1.8	122
509	Concentration of Sonication Fluid through Centrifugation Is Superior to Membrane Filtration for Microbial Diagnosis of Orthopedic Implant-Associated Infection. <i>Journal of Clinical Microbiology</i> , 2016, 54, 788-790.	1.8	13
510	The Relationship of Bacterial Biofilms and Capsular Contracture in Breast Implants. <i>Aesthetic Surgery Journal</i> , 2016, 36, 297-309.	0.9	129
511	MALDI-TOF MS performance compared to direct examination, culture, and 16S rDNA PCR for the rapid diagnosis of bone and joint infections. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 857-866.	1.3	15

#	ARTICLE	IF	CITATIONS
512	The Painful Total Knee Arthroplasty. <i>Orthopedic Clinics of North America</i> , 2016, 47, 317-326.	0.5	26
513	How Many Samples and How Many Culture Media To Diagnose a Prosthetic Joint Infection: a Clinical and Microbiological Prospective Multicenter Study. <i>Journal of Clinical Microbiology</i> , 2016, 54, 385-391.	1.8	83
514	Diagnosis of Periprosthetic Infection. <i>Orthopedic Clinics of North America</i> , 2016, 47, 1-9.	0.5	40
515	Validation of Synovial Aspiration in Girdlestone Hips for Detection of Infection Persistence in Patients Undergoing 2-Stage Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 684-687.	1.5	29
516	Effectiveness of current disinfection procedures against biofilm on contaminated GI endoscopes. <i>Gastrointestinal Endoscopy</i> , 2016, 83, 944-953.	0.5	44
517	Management of acute periprosthetic joint infection of the knee – Algorithms for the on call surgeon. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2017, 15, 83-92.	0.8	12
518	Qualitative α -defensin test (Synovasure) for the diagnosis of periprosthetic infection in revision total joint arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 66-72.	1.9	118
519	Outcome of Total Hip and Total Knee Revision Arthroplasty With Minor Infection Criteria: A Retrospective Matched-Pair Analysis. <i>Journal of Arthroplasty</i> , 2017, 32, 1266-1271.	1.5	20
520	Evaluation of a commercial multiplex PCR (Unyvero i60 \AA) designed for the diagnosis of bone and joint infections using prosthetic-joint sonication. <i>Enfermedades Infecciosas Y MicrobiologÃa ClÃnica</i> , 2017, 35, 236-242.	0.3	26
521	Infection after fracture osteosynthesis – Part I. <i>Journal of Orthopaedic Surgery</i> , 2017, 25, 230949901769271.	0.4	27
522	A new multiplex real-time polymerase chain reaction assay for the diagnosis of periprosthetic joint infection. <i>Modern Rheumatology</i> , 2017, 27, 1072-1078.	0.9	11
523	Improving the accuracy of synovial fluid analysis in the diagnosis of prosthetic joint infection with simple and inexpensive biomarkers. <i>Bone and Joint Journal</i> , 2017, 99-B, 351-357.	1.9	67
524	Diagnosis of periprosthetic joint infection using alpha-defensin test or multiplex-PCR: ideal diagnostic test still not found. <i>International Orthopaedics</i> , 2017, 41, 1307-1313.	0.9	59
525	Animal models for percutaneous-device-related infections: a review. <i>International Journal of Antimicrobial Agents</i> , 2017, 49, 659-667.	1.1	6
526	Prosthetic joint and implant contamination caused by <i>Ralstonia pickettii</i> : a report of three cases. <i>Sicot-j</i> , 2017, 3, 32.	0.8	3
527	Orthopaedic Infection: Prevention and Diagnosis. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2017, 25, S4-S6.	1.1	20
528	Microbiology and Antimicrobial Challenges of Prosthetic Joint Infection. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2017, 25, S17-S19.	1.1	17
529	Biofilms in orthopedic infections: a review of laboratory methods. <i>Apmis</i> , 2017, 125, 418-428.	0.9	33

#	ARTICLE	IF	CITATIONS
530	Microbiological diagnosis of device-related biofilm infections. <i>Apmis</i> , 2017, 125, 289-303.	0.9	36
531	Molecular Diagnosis of Orthopedic-Device-Related Infection Directly from Sonication Fluid by Metagenomic Sequencing. <i>Journal of Clinical Microbiology</i> , 2017, 55, 2334-2347.	1.8	174
532	Quantification of Peri-Implant Bacterial Load and in Vivo Biofilm Formation in an Innovative, Clinically Representative Mouse Model of Periprosthetic Joint Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, e25.	1.4	60
533	A short artificial antimicrobial peptide shows potential to prevent or treat bone infections. <i>Scientific Reports</i> , 2017, 7, 1506.	1.6	28
534	Evaluation of a commercial multiplex PCR (Unyvero i60 Â®) designed for the diagnosis of bone and joint infections using prosthetic-joint sonication. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2017, 35, 236-242.	0.2	0
535	High failure rates in treatment of streptococcal periprosthetic joint infection. <i>Bone and Joint Journal</i> , 2017, 99-B, 653-659.	1.9	68
536	What's New in the Diagnosis and Treatment of Orthopedic Prostheses-Related Infections. <i>Current Treatment Options in Infectious Diseases</i> , 2017, 9, 142-154.	0.8	2
537	Management of infections associated with neurosurgical implanted devices. <i>Expert Review of Anti-Infective Therapy</i> , 2017, 15, 241-255.	2.0	44
538	Diagnosis of Prosthetic Joint Infection. <i>Infectious Disease Clinics of North America</i> , 2017, 31, 219-235.	1.9	40
539	CORR Insights: Sonication of Arthroplasty Implants Improves Accuracy of Periprosthetic Joint Infection Cultures. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 1837-1839.	0.7	5
541	Clindamycin-rifampin combination therapy for staphylococcal periprosthetic joint infections: a retrospective observational study. <i>BMC Infectious Diseases</i> , 2017, 17, 321.	1.3	30
542	Disclosing Agents for the Intraoperative Identification of Biofilms on Orthopedic Implants. <i>Journal of Arthroplasty</i> , 2017, 32, 2501-2504.	1.5	19
543	Identification of Asymptomatic Prosthetic Joint Infection: Microbiologic and Operative Treatment Outcomes. <i>Surgical Infections</i> , 2017, 18, 582-587.	0.7	11
544	How To Diagnose and Treat Infection in Total Ankle Arthroplasty. <i>Foot and Ankle Clinics</i> , 2017, 22, 405-423.	0.5	34
545	Detection of Biofilms in Biopsies from Chronic Rhinosinusitis Patients: In Vitro Biofilm Forming Ability and Antimicrobial Susceptibility Testing in Biofilm Mode of Growth of Isolated Bacteria. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1057, 1-27.	0.8	20
546	Impact of Contaminating DNA in Whole-Genome Amplification Kits Used for Metagenomic Shotgun Sequencing for Infection Diagnosis. <i>Journal of Clinical Microbiology</i> , 2017, 55, 1789-1801.	1.8	95
547	Sonication of Arthroplasty Implants Improves Accuracy of Periprosthetic Joint Infection Cultures. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 1827-1836.	0.7	98
548	Low sensitivity of implant sonication when screening for infection in revision surgery. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 294-299.	1.2	40

#	ARTICLE	IF	CITATIONS
549	Periprosthetic joint infection by <i>Propionibacterium acnes</i> : Clinical differences between monomicrobial versus polymicrobial infection. <i>Anaerobe</i> , 2017, 44, 143-149.	1.0	22
550	C-reactive protein may misdiagnose prosthetic joint infections, particularly chronic and low-grade infections. <i>International Orthopaedics</i> , 2017, 41, 1315-1319.	0.9	110
551	Prosthetic joint infection development of an evidence-based diagnostic algorithm. <i>European Journal of Medical Research</i> , 2017, 22, 8.	0.9	26
552	Diagnostic accuracy of alpha-defensin in periprosthetic joint infection: a systematic review and meta-analysis. <i>International Orthopaedics</i> , 2017, 41, 2447-2455.	0.9	35
555	Implants for Joint Replacement of the Hip and Knee. , 2017, , 119-196.		5
556	Synergistic antibiotic activity against planktonic and biofilm-embedded <i>Streptococcus agalactiae</i> , <i>Streptococcus pyogenes</i> and <i>Streptococcus oralis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 3085-3092.	1.3	50
559	Non-contact Tomographic Imaging and Nanocomposite Thin Films for Monitoring Human-prosthesis Interfaces. <i>Procedia Engineering</i> , 2017, 188, 110-118.	1.2	3
560	Novel Diagnostics in Revision Arthroplasty: Implant Sonication and Multiplex Polymerase Chain Reaction. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	10
561	A rabbit model of implant-related osteomyelitis inoculated with biofilm after open femoral fracture. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 4995-5001.	0.8	8
562	Reduced culture time and improved isolation rate through culture of sonicate fluid in blood culture bottles. <i>Technology and Health Care</i> , 2017, 25, 635-640.	0.5	13
563	<i>Cutibacterium</i> (formerly <i>Propionibacterium</i>) <i>acnes</i> infections associated with implantable devices. <i>Expert Review of Anti-Infective Therapy</i> , 2017, 15, 1083-1094.	2.0	29
566	The Effect of Preoperative Antimicrobial Prophylaxis on Intraoperative Culture Results in Patients with a Suspected or Confirmed Prosthetic Joint Infection: a Systematic Review. <i>Journal of Clinical Microbiology</i> , 2017, 55, 2765-2774.	1.8	50
567	Osteomyelitis: Recent advances in pathophysiology and therapeutic strategies. <i>Journal of Orthopaedics</i> , 2017, 14, 45-52.	0.6	146
568	Understanding the role of <i>Propionibacterium acnes</i> in <i>acne vulgaris</i> : The critical importance of skin sampling methodologies. <i>Clinics in Dermatology</i> , 2017, 35, 118-129.	0.8	56
569	Optimal Periprosthetic Tissue Specimen Number for Diagnosis of Prosthetic Joint Infection. <i>Journal of Clinical Microbiology</i> , 2017, 55, 234-243.	1.8	78
570	Sonication culture improves microbiological diagnosis of modular megaprotheses. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1383-1387.	1.2	12
571	Use of MALDI-TOF mass spectrometry after liquid enrichment (<i>BD Bactec</i> , [®]) for rapid diagnosis of bone and joint infections. <i>Research in Microbiology</i> , 2017, 168, 122-129.	1.0	12
572	Infections of Prosthetic Joints and Related Problems. , 2017, , 399-404.e2.		1

#	ARTICLE	IF	CITATIONS
573	The application of sonication in diagnosis of periprosthetic joint infection. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 1-9.	1.3	45
574	A positive bacterial culture during re-implantation is associated with a poor outcome in two-stage exchange arthroplasty for deep infection. <i>Bone and Joint Journal</i> , 2017, 99-B, 1490-1495.	1.9	53
575	Biosafety and Antibacterial Ability of Graphene and Graphene Oxide In Vitro and In Vivo. <i>Nanoscale Research Letters</i> , 2017, 12, 564.	3.1	88
576	Bacterial recovery using sonication versus swabbing of titanium and stainless steel implants inoculated with <i>Staphylococcus pseudintermedius</i> or <i>Pseudomonas aeruginosa</i> . <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2017, 30, 346-350.	0.2	3
577	Pathogen-directed antibiotic therapy. , 2017, , 231-255.		0
578	Effect of Sonication on the Elution of Antibiotics from Polymethyl Methacrylate (PMMA). <i>Journal of Bone and Joint Infection</i> , 2017, 2, 208-212.	0.6	19
579	Diagnostic Value of Endotracheal Aspirates Sonication on Ventilator-Associated Pneumonia Microbiologic Diagnosis. <i>Microorganisms</i> , 2017, 5, 62.	1.6	6
580	Pathogenic Mechanisms and Host Interactions in <i>Staphylococcus epidermidis</i> Device-Related Infection. <i>Frontiers in Microbiology</i> , 2017, 8, 1401.	1.5	149
581	Biofilms on orthopedic implants: novel strategies for detection and prevention. <i>Minerva Orthopedics</i> , 2017, 68, .	0.1	1
582	4.20 Tethered Antibiotics â††. , 2017, , 360-380.		1
583	What can we learn from sonication results of breast implants?. <i>PLoS ONE</i> , 2017, 12, e0182267.	1.1	14
584	A multilayered electrospun graft as vascular access for hemodialysis. <i>PLoS ONE</i> , 2017, 12, e0185916.	1.1	33
585	Microbiological Diagnosis of Prosthetic Joint Infections. , 2017, , 141-152.		2
586	Accuracy of different diagnostic tests for early, delayed and late prosthetic joint infection. <i>BMC Infectious Diseases</i> , 2017, 17, 592.	1.3	63
587	The Etiology of Pyogenic Vertebral Osteomyelitis and Evaluation of Biopsy Specimen Cultures in Hospitalized Patients. , 2017, 06, .		0
588	Infection in total knee arthroplasty. , 2017, , 133-156.		0
589	Influence of Sonication on Bacterial Regrowth from Antibiotic Loaded PMMA Scaffolds - An In-vitro Study. <i>Journal of Bone and Joint Infection</i> , 2017, 2, 213-217.	0.6	2
590	Diagnosis Of Persistent Infection In Prosthetic Two-Stage Exchange: PCR analysis of Sonication fluid From Bone Cement Spacers. <i>Journal of Bone and Joint Infection</i> , 2017, 2, 218-223.	0.6	14

#	ARTICLE	IF	CITATIONS
591	Case Report - Infection of Total Knee Arthroplasty Treated with One-Stage Surgery and Linezolid. <i>Journal of Bone and Joint Infection</i> , 2017, 2, 163-166.	0.6	1
592	A Review of the Literature on Culture-Negative Periprosthetic Joint Infection: Epidemiology, Diagnosis and Treatment. <i>Knee Surgery and Related Research</i> , 2017, 29, 155-164.	1.8	93
593	Bacterial Arthritis. , 2017, , 1876-1890.		3
594	Management of the Infected Total Knee Arthroplasty. , 2018, , 179-206.		1
595	Value of PCR in sonication fluid for the diagnosis of orthopedic hardware-associated infections: Has the molecular era arrived?. <i>Injury</i> , 2018, 49, 806-811.	0.7	37
596	Combination of conventional culture, vial culture, and broad-range PCR of sonication fluid for the diagnosis of prosthetic joint infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 92, 13-18.	0.8	20
597	Pedicle screw loosening is correlated to chronic subclinical deep implant infection: a retrospective database analysis. <i>European Spine Journal</i> , 2018, 27, 2529-2535.	1.0	53
598	Disseminated Infection of <i>Encephalitozoon cuniculi</i> Associated With Osteolysis of Hip Periprosthetic Tissue. <i>Clinical Infectious Diseases</i> , 2018, 67, 1228-1234.	2.9	14
599	Comparison of Diagnostic Accuracy of Periprosthetic Tissue Culture in Blood Culture Bottles to That of Prosthesis Sonication Fluid Culture for Diagnosis of Prosthetic Joint Infection (PJI) by Use of Bayesian Latent Class Modeling and IDSA PJI Criteria for Classification. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	62
600	Identification of Prosthetic Joint Infection Pathogens Using a Shotgun Metagenomics Approach. <i>Clinical Infectious Diseases</i> , 2018, 67, 1333-1338.	2.9	194
601	Comparison of culture and broad-range polymerase chain reaction methods for diagnosing periprosthetic joint infection: analysis of joint fluid, periprosthetic tissue, and sonicated fluid. <i>International Orthopaedics</i> , 2018, 42, 2035-2040.	0.9	42
602	Sonication of orthopaedic implants: A valuable technique for diagnosis of prosthetic joint infections. <i>Journal of Microbiological Methods</i> , 2018, 146, 51-54.	0.7	29
603	Periprosthetic joint infection caused by anaerobes. Retrospective analysis reveals no need for prolonged cultivation time if sensitive supplemented growth media are used. <i>Anaerobe</i> , 2018, 50, 12-18.	1.0	22
604	Usefulness of sonication for diagnosing infection in explanted orthopaedic implants. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 433-438.	0.9	12
605	Differential Contributions of Specimen Types, Culturing, and 16S rRNA Sequencing in Diagnosis of Prosthetic Joint Infections. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	22
606	Plasma Activation of a Breast Implant Shell in Conjunction With Antibacterial Irrigants Enhances Antibacterial Activity. <i>Aesthetic Surgery Journal</i> , 2018, 38, 1188-1196.	0.9	18
607	Antibiotic-loaded cement spacers “ lessons learned from the past 20 years. <i>Expert Review of Medical Devices</i> , 2018, 15, 231-245.	1.4	23
608	Prosthetic Joint Infection: Guidelines and Recommendations Update. , 2018, , 247-256.		0

#	ARTICLE	IF	CITATIONS
609	Is Treatment With Dithiothreitol More Effective Than Sonication for the Diagnosis of Prosthetic Joint Infection?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 137-145.	0.7	44
610	Evaluation of the use of sonication of retrieved implants for the diagnosis of prosthetic joint infection in a routine setting. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 715-722.	1.3	22
611	Cutibacterium acnes prosthetic joint infection: Diagnosis and treatment. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, S19-S24.	0.9	94
612	Intraoperative Cultures for the Suspected Total Knee Arthroplasty Infection. , 2018, , 105-116.		0
613	Sonication of Removed Implants in the Infected Total Knee Arthroplasty. , 2018, , 117-121.		1
614	Clinical Diagnosis of the Infected Total Knee Arthroplasty. , 2018, , 55-60.		0
615	Contribution of sonicate-fluid cultures and broad-range PCR to microbiological diagnosis in vascular graft infections. <i>Infectious Diseases</i> , 2018, 50, 429-435.	1.4	11
617	Recent Progress in Polymer Research to Tackle Infections and Antimicrobial Resistance. <i>Biomacromolecules</i> , 2018, 19, 1888-1917.	2.6	211
618	Results of cement spacer sonication in the second stage of two-stage treatment of shoulder arthroplasty infection. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 58.	0.9	17
619	Cost-benefit analysis of antibiofilm microbiological techniques for peri-prosthetic joint infection diagnosis. <i>BMC Infectious Diseases</i> , 2018, 18, 154.	1.3	17
620	Alpha Defensin Lateral Flow Test for Diagnosis of Periprosthetic Joint Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 742-750.	1.4	144
621	What Is the Role of Diagnostic and Therapeutic Sonication in Periprosthetic Joint Infections?. <i>Journal of Arthroplasty</i> , 2018, 33, 2575-2581.	1.5	10
622	Two-stage revision for periprosthetic joint infection of the hip: Culture-negative versus culture-positive infection. <i>Journal of Orthopaedics</i> , 2018, 15, 391-395.	0.6	8
623	Higher sensitivity of swab polymerase chain reaction compared with tissue cultures for diagnosing periprosthetic joint infection. <i>Journal of Orthopaedic Surgery</i> , 2018, 26, 230949901876529.	0.4	5
624	Infection after fracture fixation: Current surgical and microbiological concepts. <i>Injury</i> , 2018, 49, 511-522.	0.7	336
625	Diagnóstico microbiológico de las infecciones relacionadas con la formación de biopelículas. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2018, 36, 375-381.	0.3	20
626	Superiority of the sonication method against conventional periprosthetic tissue cultures for diagnosis of prosthetic joint infections. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 51-57.	0.6	28
627	Synovial fluid multiplex PCR is superior to culture for detection of low-virulent pathogens causing periprosthetic joint infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 90, 115-119.	0.8	95

#	ARTICLE	IF	CITATIONS
628	Evaluation of stainless steel surgical instruments subjected to multiple use/processing. <i>Infection, Disease and Health</i> , 2018, 23, 3-9.	0.5	25
629	Performance of implant sonication culture for the diagnosis of periprosthetic shoulder infection. <i>Journal of Shoulder and Elbow Surgery</i> , 2018, 27, 211-216.	1.2	47
630	Prosthetic Joint Infections. , 2018, , .		0
631	Microbiological Concepts of the Infected Total Knee Arthroplasty. , 2018, , 11-17.		1
632	Prosthetic Joint Infection: Diagnosis Update. , 2018, , 55-135.		0
633	Detection of Bacteria Colonizing Titanium Spinal Implants in Children. <i>Surgical Infections</i> , 2018, 19, 71-77.	0.7	15
634	Synovial aspiration and serological testing in two-stage revision arthroplasty for prosthetic joint infection: evaluation before reconstruction with a mean follow-up of twenty-seven months. <i>International Orthopaedics</i> , 2018, 42, 265-271.	0.9	33
636	A Real Pain: Diagnostic Quandaries and Septic Arthritis. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	23
637	Multidrug-Resistant Organisms in the Setting of Periprosthetic Joint Infection—Diagnosis, Prevention, and Treatment. <i>Journal of Arthroplasty</i> , 2018, 33, 185-194.	1.5	42
638	Added value of 18F-FDG PET/CT in diagnosing infected hip prosthesis. <i>Acta Radiologica</i> , 2018, 59, 569-576.	0.5	18
639	Safety of Temporary Use of Recycled Autoclaved Femoral Components in Infected Total Knee Arthroplasty: Confirming Sterility Using a Sonication Method. <i>Clinics in Orthopedic Surgery</i> , 2018, 10, 427.	0.8	12
640	Culture-Negative Periprosthetic Joint Infection. <i>JBJS Open Access</i> , 2018, 3, e0060.	0.8	183
641	Prosthetic Joint Infection: A Major Threat to Successful Total Joint Arthroplasty. <i>Indian Journal of Medical Microbiology</i> , 2018, 36, 475-487.	0.3	10
642	Microbial biofilm: a “sticky” problem. <i>Microbiologia Medica</i> , 2018, 33, .	0.3	3
643	Are Sonication Cultures of Antibiotic Cement Spacers Useful During Second-stage Reimplantation Surgery for Prosthetic Joint Infection?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 1986-1992.	0.7	9
644	Diagnostic Methods for Prosthetic Joint Infection in Korea. <i>Infection and Chemotherapy</i> , 2018, 50, 199.	1.0	21
645	Antibiotic sensitivities of coagulase-negative staphylococci and <i>Staphylococcus aureus</i> in hip and knee periprosthetic joint infections: does this differ if patients meet the International Consensus Meeting Criteria?. <i>Infection and Drug Resistance</i> , 2018, Volume 11, 539-546.	1.1	15
646	Increased Pathogen Identification in Vascular Graft Infections by the Combined Use of Tissue Cultures and 16S rRNA Gene Polymerase Chain Reaction. <i>Frontiers in Medicine</i> , 2018, 5, 169.	1.2	10

#	ARTICLE	IF	CITATIONS
647	Improving the Diagnosis of Orthopedic Implant-Associated Infections: Optimizing the Use of Tools Already in the Box. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	12
648	Evaluating the microbial pattern of periprosthetic joint infections of the hip and knee. <i>Journal of Medical Microbiology</i> , 2018, 67, 1608-1613.	0.7	71
649	Usefulness of Culturing the Periprosthetic Membrane or Neosynovium for the Diagnosis of Infection During Hip and Knee Revision Arthroplasty. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2018, 26, e442-e447.	1.1	2
650	Chitosan-based sleeves loaded with silver and chlorhexidine in a percutaneous rabbit tibia model with a repeated bacterial challenge. <i>Acta Biomaterialia</i> , 2018, 82, 102-110.	4.1	6
651	Intérêt de la sonication des explants en orthopédie dans le diagnostic des infections de matériel. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2018, 104, 304-309.	0.0	0
652	Significant increase of pathogen detection rate by dry arthroscopic biopsies at suspected low-grade infection following total knee arthroplasty: a prospective observational study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1583-1590.	1.3	12
653	Understanding Biofilms and Novel Approaches to the Diagnosis, Prevention, and Treatment of Medical Device-Associated Infections. <i>Infectious Disease Clinics of North America</i> , 2018, 32, 915-929.	1.9	61
654	Management of Periprosthetic Joint Infection. <i>Hip and Pelvis</i> , 2018, 30, 138-146.	0.6	225
655	Sonication versus Tissue Sampling for Diagnosis of Prosthetic Joint and Other Orthopedic Device-Related Infections. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	94
656	Comparison of Genus Specific PCR and Culture with or without Sonication for Microbiological Diagnosis of Vascular Graft Infection. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 562-571.	0.8	17
657	Accuracy of Tissue and Sonication Fluid Sampling for the Diagnosis of Fracture-Related Infection: A Systematic Review and Critical Appraisal. <i>Journal of Bone and Joint Infection</i> , 2018, 3, 173-181.	0.6	35
658	Sonication of heart valves detects more bacteria in infective endocarditis. <i>Scientific Reports</i> , 2018, 8, 12967.	1.6	13
659	A Guide to Utilization of the Microbiology Laboratory for Diagnosis of Infectious Diseases: 2018 Update by the Infectious Diseases Society of America and the American Society for Microbiology. <i>Clinical Infectious Diseases</i> , 2018, 67, 813-816.	2.9	225
660	Identifying Common Pathogens in Periprosthetic Joint Infection and Testing Drug Resistance Rate for Different Antibiotics: A Prospective, Single Center Study in Beijing. <i>Orthopaedic Surgery</i> , 2018, 10, 235-240.	0.7	29
661	Arthroplasty implant registries over the past five decades: Development, current, and future impact. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2319-2330.	1.2	60
662	Prosthetic Joint Infections: an Update. <i>Current Infectious Disease Reports</i> , 2018, 20, 15.	1.3	38
663	Microbiological diagnosis of biofilm-related infections. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2018, 36, 375-381.	0.2	3
664	Infections After Cranial Neurosurgery: Prospective Cohort of 103 Episodes Treated According to a Standardized Algorithm. <i>World Neurosurgery</i> , 2018, 116, e491-e499.	0.7	10

#	ARTICLE	IF	CITATIONS
665	Daptomycin-loaded biodegradable thermosensitive hydrogels enhance drug stability and foster bactericidal activity against <i>Staphylococcus aureus</i> . <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2018, 130, 260-271.	2.0	34
667	A Guide to Utilization of the Microbiology Laboratory for Diagnosis of Infectious Diseases: 2018 Update by the Infectious Diseases Society of America and the American Society for Microbiology. <i>Clinical Infectious Diseases</i> , 2018, 67, e1-e94.	2.9	345
668	Diagnostic parameters in periprosthetic infections: the current state of the literature. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 1573-1580.	0.6	6
669	Immunomimetic Designer Cells Protect Mice from MRSA Infection. <i>Cell</i> , 2018, 174, 259-270.e11.	13.5	54
670	Diagnosis of Persistent Infection in Prosthetic Two-Stage Exchange: Evaluation of the Effect of Sonication on Antibiotic Release from Bone Cement Spacers. <i>Journal of Bone and Joint Infection</i> , 2018, 3, 37-42.	0.6	11
671	Impact of MSSA screening on rates of surgical site infection following lumbar spine surgery. <i>European Spine Journal</i> , 2018, 27, 2457-2462.	1.0	6
672	Is the Enzyme-linked Immunosorbent Assay More Accurate Than the Lateral Flow Alpha Defensin Test for Diagnosing Periprosthetic Joint Infection?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 1645-1654.	0.7	36
673	Meta-analysis of sonication prosthetic fluid PCR for diagnosing periprosthetic joint infection. <i>PLoS ONE</i> , 2018, 13, e0196418.	1.1	26
674	Low-grade infection due to annular closure device. <i>Acta Neurochirurgica</i> , 2018, 160, 1867-1867.	0.9	4
675	Letter to the editor of <i>Acta Neurochirurgica</i> : Endplate changes after lumbar discectomy with and without implantation of an annular closure device. <i>Acta Neurochirurgica</i> , 2018, 160, 1609-1609.	0.9	1
676	Fracture resistant, antibiofilm adherent, self-assembled PMMA/ZnO nanoformulations for biomedical applications: physico-chemical and biological perspectives of nano reinforcement. <i>Nanotechnology</i> , 2018, 29, 305704.	1.3	18
677	Do Culture-Negative Periprosthetic Joint Infections Have a Worse Outcome Than Culture-Positive Periprosthetic Joint Infections? A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2018, 2018, 1-12.	0.9	29
678	Tests for predicting reimplantation success of two-stage revision for periprosthetic joint infection: A systematic review and meta-analysis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 1115-1123.	0.9	22
679	Orthopedic implant-associated infections caused by <i>Cutibacterium</i> spp. – A remaining diagnostic challenge. <i>PLoS ONE</i> , 2018, 13, e0202639.	1.1	60
680	Small-colony variant of <i>Staphylococcus lugdunensis</i> in prosthetic joint infection. <i>Arthroplasty Today</i> , 2018, 4, 257-260.	0.8	12
681	Retrospective analysis of culture-negative versus culture-positive postoperative spinal infections. <i>Medicine (United States)</i> , 2018, 97, e10643.	0.4	7
682	Vancomycin-Loaded Polymethylmethacrylate Spacers Fail to Eradicate Periprosthetic Joint Infection in a Clinically Representative Mouse Model. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, e76.	1.4	28
683	Unexpected <i>Listeria monocytogenes</i> detection with a dithiothreitol-based device during an aseptic hip revision. <i>Future Microbiology</i> , 2018, 13, 1295-1299.	1.0	1

#	ARTICLE	IF	CITATIONS
684	Osteomielite cr�nica p�s-operat�ria nos ossos longos – O que sabemos e como conduzir esse problema. Revista Brasileira De Ortopedia, 2019, 54, 627-635.	0.2	3
685	Prosthetic joint infection caused by <i>Candida lusitanae</i> : report of a unique case. Acta Clinica Belgica, 2019, 74, 286-291.	0.5	5
686	Periprosthetic joint infection: current concepts and outlook. EFORT Open Reviews, 2019, 4, 482-494.	1.8	338
687	Diagnostic Arthroscopy for Detection of Periprosthetic Infection in Painful Shoulder Arthroplasty. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 2571-2577.	1.3	25
688	Release of different amphotericin B formulations from PMMA bone cements and their activity against Candida biofilm. Colloids and Surfaces B: Biointerfaces, 2019, 183, 110406.	2.5	12
689	Disseminated Coccidioidomycosis to the Spine – Case Series and Review of Literature. Brain Sciences, 2019, 9, 160.	1.1	13
690	The difference between native septic arthritis and prosthetic joint infections: A review of literature. Journal of Orthopaedic Surgery, 2019, 27, 230949901986046.	0.4	20
691	What Strategies Can Be Implemented to Help Isolate the Causative Organism in Patients With Infection of the Foot and Ankle?. Foot and Ankle International, 2019, 40, 33S-38S.	1.1	0
692	Diagnosis of peripheral bone and prosthetic joint infections: overview on the consensus documents by the EANM, EBJIS, and ESR (with ESCMID endorsement). European Radiology, 2019, 29, 6425-6438.	2.3	36
693	Do Culture Negative Periprosthetic Joint Infections Remain Culture-Negative?. Journal of Arthroplasty, 2019, 34, 2757-2762.	1.5	16
694	The World Association against Infection in Orthopaedics and Trauma (WAIOT) procedures for Microbiological Sampling and Processing for Periprosthetic Joint Infections (PJIs) and other Implant-Related Infections. Journal of Clinical Medicine, 2019, 8, 933.	1.0	35
695	Thermogenic Characterization and Antifungal Susceptibility of Candida auris by Microcalorimetry. Journal of Fungi (Basel, Switzerland), 2019, 5, 103.	1.5	8
696	Rapid analysis of bacterial composition in prosthetic joint infection by 16S rRNA metagenomic sequencing. Bone and Joint Research, 2019, 8, 367-377.	1.3	35
697	Sonication Improves Pathogen Detection in Ventriculoperitoneal Shunt-Associated Infections. Neurosurgery, 2019, 85, 516-523.	0.6	11
698	Sonication to improve the yield in culture-negative peri-prosthetic joint infection. Egyptian Journal of Basic and Applied Sciences, 2019, 6, 46-53.	0.2	2
699	Propidium monoazide – polymerase chain reaction for detection of residual periprosthetic joint infection in two-stage revision. Molecular Biology Reports, 2019, 46, 6463-6470.	1.0	10
700	Consensus document for the diagnosis of prosthetic joint infections: a joint paper by the EANM, EBJIS, and ESR (with ESCMID endorsement). European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 971-988.	3.3	136
701	Sonication of removed implants improves microbiological diagnosis of postoperative spinal infections. European Spine Journal, 2019, 28, 768-774.	1.0	28

#	ARTICLE	IF	CITATIONS
702	Retrieval, sample processing, and analyses of bone-anchored implants. , 2019, , 447-466.		0
703	Performance of synovial fluid D-lactate for the diagnosis of periprosthetic joint infection: A prospective observational study. <i>Journal of Infection</i> , 2019, 79, 123-129.	1.7	27
704	Culture of periprosthetic tissue in blood culture bottles for diagnosing periprosthetic joint infection. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 299.	0.8	15
705	BioTimer assay as complementary method to vortex-sonication-vortex technique for the microbiological diagnosis of implant associated infections. <i>Scientific Reports</i> , 2019, 9, 7534.	1.6	6
706	High frequency of low-virulent microorganisms detected by sonication of pedicle screws: a potential cause for implant failure. <i>Journal of Neurosurgery: Spine</i> , 2019, 31, 424-429.	0.9	41
707	Clinically Asymptomatic Patients Show a High Bacterial Colonization Rate of Osteosynthetic Implants Around the Knee but Not the Hip. <i>Journal of Arthroplasty</i> , 2019, 34, 1761-1766.	1.5	8
708	Unexpected positive cultures in presumed aseptic revision spine surgery using sonication. <i>Bone and Joint Journal</i> , 2019, 101-B, 621-624.	1.9	23
709	Dental assessment prior to orthopedic surgery: A systematic review. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 761-772.	0.9	17
710	Predictors of Bloodstream Infection in Patients Presenting With Cardiovascular Implantable Electronic Device Pocket Infection. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz084.	0.4	5
711	In vitro antimicrobial activity against <i>Abiotrophia defectiva</i> and <i>Granulicatella elegans</i> biofilms. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 2261-2268.	1.3	10
712	High cure rate of periprosthetic hip joint infection with multidisciplinary team approach using standardized two-stage exchange. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 78.	0.9	41
713	An implanted pH sensor read using radiography. <i>Analyst, The</i> , 2019, 144, 2984-2993.	1.7	18
714	Diagnosis of periprosthetic joint bacterial infections by culture of sonication fluid from infected implants. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901983241.	0.4	2
715	Next-Generation Sequencing vs Culture-Based Methods for Diagnosing Periprosthetic Joint Infection After Total Knee Arthroplasty: A Cost-Effectiveness Analysis. <i>Journal of Arthroplasty</i> , 2019, 34, 1333-1341.	1.5	38
716	Studying Biofilm and Clinical Issues in Orthopedics. <i>Frontiers in Microbiology</i> , 2019, 10, 359.	1.5	12
717	Diagnosis of bone and joint infections. <i>Orthopaedics and Trauma</i> , 2019, 33, 144-152.	0.2	11
718	Management of Chronically Infected Total Knee Arthroplasty With Severe Bone Loss Using Static Spacers With Intramedullary Rods. <i>Journal of Arthroplasty</i> , 2019, 34, 1462-1469.	1.5	24
719	Sonication of Extracted Implants Improves Microbial Detection in Patients With Orthopedic Implant-Associated Infections. <i>Journal of Arthroplasty</i> , 2019, 34, 1189-1196.	1.5	10

#	ARTICLE	IF	CITATIONS
720	What is the optimal protocol to decontaminate a dropped custom polyethylene component?. <i>Knee</i> , 2019, 26, 444-450.	0.8	1
721	Labeled white blood cell/bone marrow single-photon emission computed tomography with computed tomography fails in diagnosing chronic periprosthetic shoulder joint infection. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, 1040-1048.	1.2	19
722	Determination of Tobramycin and Vancomycin Exposure Required to Eradicate Biofilms on Muscle and Bone Tissue In Vitro. <i>Journal of Bone and Joint Infection</i> , 2019, 4, 1-9.	0.6	19
723	Isothermal Microcalorimetry Detects the Presence of Persister Cells in a <i>Staphylococcus aureus</i> Biofilm After Vancomycin Treatment. <i>Frontiers in Microbiology</i> , 2019, 10, 332.	1.5	26
724	Metagenomic next-generation sequencing contribution in identifying prosthetic joint infection due to <i>Parvimonas micra</i> : a case report. <i>Journal of Bone and Joint Infection</i> , 2019, 4, 50-55.	0.6	56
725	Is Gram staining still useful in prosthetic joint infections?. <i>Journal of Bone and Joint Infection</i> , 2019, 4, 56-59.	0.6	8
726	Culture-negative periprosthetic joint infections. <i>EFORT Open Reviews</i> , 2019, 4, 585-594.	1.8	57
728	The Right Time to Safely Re-Evaluate Empirical Antimicrobial Treatment of Hip or Knee Prosthetic Joint Infections. <i>Journal of Clinical Medicine</i> , 2019, 8, 2113.	1.0	8
731	Risk factors, diagnosis and management of prosthetic joint infection after total hip arthroplasty. <i>Expert Review of Medical Devices</i> , 2019, 16, 1063-1070.	1.4	20
733	Enterococcal periprosthetic joint infection: clinical and microbiological findings from an 8-year retrospective cohort study. <i>BMC Infectious Diseases</i> , 2019, 19, 1083.	1.3	28
734	Sonication of retrieved implants improves sensitivity in the diagnosis of periprosthetic joint infection. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 623.	0.8	22
735	Value of mNGS in sonication fluid for the diagnosis of periprosthetic joint infection. <i>Arthroplasty</i> , 2019, 1, 9.	0.9	31
736	Infection Protocols for Implants. <i>Clinics in Podiatric Medicine and Surgery</i> , 2019, 36, 627-649.	0.2	5
737	72 revision surgeries for aseptic failure after hip or knee arthroplasty: a prospective study with an extended diagnostic algorithm. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 600.	0.8	4
738	A Single Positive Tissue Culture Increases the Risk of Rerevision of Clinically Aseptic THA: A National Register Study. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1372-1381.	0.7	17
739	bbFISH-ing in the sonication fluid. <i>Medicine (United States)</i> , 2019, 98, e16501.	0.4	7
740	The Leukocyte Esterase Test for Periprosthetic Joint Infection Is Not Affected by Prior Antibiotic Administration. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 739-744.	1.4	17
741	Diagnosis and Management of Periprosthetic Joint Infection After Shoulder Arthroplasty. <i>JBJS Reviews</i> , 2019, 7, e3-e3.	0.8	28

#	ARTICLE	IF	CITATIONS
742	Benefits of Polymerase Chain Reaction Combined With Culture for the Diagnosis of Bone and Joint Infections: A Prospective Test Performance Study. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz511.	0.4	18
743	Is sonication of antibiotic-loaded cement spacers useful in two-stage revision of prosthetic joint infection?. <i>Journal of Microbiological Methods</i> , 2019, 156, 81-84.	0.7	10
744	Biofilms in Chronic Wounds: Pathogenesis and Diagnosis. <i>Trends in Biotechnology</i> , 2019, 37, 505-517.	4.9	252
745	Effective Graft Preservation by Following a Standard Protocol for the Treatment of Knee Joint Infection after Anterior Cruciate Ligament Reconstruction. <i>Journal of Knee Surgery</i> , 2019, 32, 1111-1120.	0.9	7
746	Prevalence and quantification of contamination of knitted cotton outer gloves during hip and knee arthroplasty surgery. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 451-459.	1.3	5
747	Outcome of short versus long interval in two-stage exchange for periprosthetic joint infection: a prospective cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 295-303.	1.3	39
748	Antibacterial effect and wound healing ability of silver nanoparticles incorporation into chitosan-based nanofibrous membranes. <i>Materials Science and Engineering C</i> , 2019, 98, 1053-1063.	3.8	65
749	New diagnostic tools for prosthetic joint infection. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, S23-S30.	0.9	28
750	Bone Flap Necrosis Due to Low-Grade Infection with <i>Propionibacterium acnes</i> . <i>World Neurosurgery</i> , 2019, 124, 1-3.	0.7	3
751	Microbiology of polymicrobial prosthetic joint infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019, 94, 255-259.	0.8	88
752	Periprosthetic Infection: Major Cause of Early Failure of Primary and Revision Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2019, 32, 941-946.	0.9	18
753	Hip and Knee Section, Diagnosis, Algorithm: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019, 34, S339-S350.	1.5	66
754	Hip and Knee Section, Diagnosis, Definitions: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019, 34, S329-S337.	1.5	61
755	Hip and Knee Section, Diagnosis, Pathogen Isolation, Culture: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019, 34, S361-S367.	1.5	21
756	General Assembly, Diagnosis, Pathogen Isolation - Culture Matters: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019, 34, S197-S206.	1.5	37
757	General Assembly, Diagnosis, Pathogen Isolation: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019, 34, S207-S214.	1.5	8
758	General Assembly, Treatment, Antimicrobials: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019, 34, S225-S237.	1.5	15
759	Comparison of different human tissue processing methods for maximization of bacterial recovery. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 149-155.	1.3	9

#	ARTICLE	IF	CITATIONS
760	Foot and ankle infections: Debridement, early fixation and rifampicin provide earlier recovery of function and quality of life. <i>Foot and Ankle Surgery</i> , 2019, 25, 13-18.	0.8	3
761	Time-dependent differences in management and microbiology of orthopaedic internal fixation-associated infections: an observational prospective study with 229 patients. <i>Clinical Microbiology and Infection</i> , 2019, 25, 76-81.	2.8	54
762	Improved diagnostic accuracy with the classification tree method for diagnosing low-grade periprosthetic joint infections by quantitative measurement of synovial fluid alpha-defensin and C-reactive protein. <i>International Orthopaedics</i> , 2020, 44, 31-38.	0.9	14
763	Correlation between hemolytic profile and phylotype of <i>Cutibacterium acnes</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 1993-390-398.	0.7	5
764	Unexpected positive intraoperative cultures (UPIC) in revision Hip and knee arthroplasty- A review of the literature. <i>Journal of Orthopaedics</i> , 2020, 17, 1-6.	0.6	23
765	Elbow Arthroplasty. , 2020, , .		1
766	Biofilm Producing <i>Staphylococcus epidermidis</i> (RP62A Strain) Inhibits Osseous Integration Without Osteolysis and Histopathology in a Murine Septic Implant Model. <i>Journal of Orthopaedic Research</i> , 2020, 38, 852-860.	1.2	17
767	Twenty common errors in the diagnosis and treatment of periprosthetic joint infection. <i>International Orthopaedics</i> , 2020, 44, 3-14.	0.9	71
768	The role of implant sonication in the diagnosis of periprosthetic shoulder infection. <i>Journal of Shoulder and Elbow Surgery</i> , 2020, 29, e222-e228.	1.2	23
769	Use of Focused Ultrasound (Sonication) for the Diagnosis of Infections in Neurosurgical Operations: A Systematic Review and Meta-Analysis. <i>World Neurosurgery</i> , 2020, 136, 364-373.e2.	0.7	3
770	CT-guided discitis-osteomyelitis biopsies with negative microbiology: how many days should we wait before repeating the biopsy?. <i>Skeletal Radiology</i> , 2020, 49, 619-623.	1.2	9
771	Diagnosing Fracture-Related Infection: Current Concepts and Recommendations. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, 8-17.	0.7	179
772	The evolution from the two stage to the one stage procedure for biofilm based periprosthetic joint infections (PJI). <i>Biofilm</i> , 2020, 2, 100033.	1.5	11
773	Pathogenic Detection by Metagenomic Next-Generation Sequencing in Osteoarticular Infections. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 471.	1.8	36
774	Non-culture-based Methods to Aide in the Diagnosis of Implant-associated Infection After Fracture Surgery. <i>Techniques in Orthopaedics</i> , 2020, 35, 91-99.	0.1	3
776	Spinal Surgery Site Infection Leading to Implant Loosening Is Influenced by the Number of Prior Operations. <i>Global Spine Journal</i> , 2020, , 219256822095726.	1.2	5
777	Gastrocnemius Muscle Flaps for Soft Tissue Coverage in Periprosthetic Knee Joint Infection. <i>Journal of Arthroplasty</i> , 2020, 35, 3730-3736.	1.5	11
779	Highly variable effect of sonication to dislodge biofilm-embedded <i>Staphylococcus epidermidis</i> directly quantified by epifluorescence microscopy: an in vitro model study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 522.	0.9	3

#	ARTICLE	IF	CITATIONS
780	Precision Medicine in the Diagnosis and Management of Orthopedic Biofilm Infections. <i>Frontiers in Medicine</i> , 2020, 7, 580671.	1.2	7
781	Diagnosis of Periprosthetic Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1366-1375.	1.4	21
782	Spinal implant-associated infections: a prospective multicentre cohort study. <i>International Journal of Antimicrobial Agents</i> , 2020, 56, 106116.	1.1	15
783	Higher accuracy of genotypic identification compared to phenotyping in the diagnosis of coagulase-negative staphylococcus infection in orthopedic surgery. <i>Infectious Diseases</i> , 2020, 52, 883-890.	1.4	2
784	Listeria spondylodiscitis: an uncommon etiology of a common condition; a case report. <i>BMC Infectious Diseases</i> , 2020, 20, 559.	1.3	6
785	Reactive Arthritis Provoked by <i>Campylobacter jejuni</i> Enterocolitis Mimicking Prosthetic Joint Infection. <i>JBJS Case Connector</i> , 2020, 10, e20.00043-e20.00043.	0.1	3
787	Metagenomic next-generation sequencing of synovial fluid demonstrates high accuracy in prosthetic joint infection diagnostics. <i>Bone and Joint Research</i> , 2020, 9, 440-449.	1.3	53
788	The Performance of a Dithiothreitol-Based Diagnostic System in Diagnosing Periprosthetic Joint Infection Compared to Sonication Fluid Cultures and Tissue Biopsies. <i>Zeitschrift Fur Orthopadie Und Unfallchirurgie</i> , 2020, 159, 447-453.	0.4	4
789	Ultrasound frequency of sonication applied in microbiological diagnostics has a major impact on viability of bacteria causing PJI. <i>International Journal of Infectious Diseases</i> , 2020, 100, 158-163.	1.5	14
790	Periprosthetic Infection After Reverse Shoulder Arthroplasty: a Review. <i>Current Reviews in Musculoskeletal Medicine</i> , 2020, 13, 757-768.	1.3	27
791	Gout After Total Knee Arthroplasty. <i>Arthroplasty Today</i> , 2020, 6, 278-282.	0.8	5
792	Prosthetic joint infection. A relevant public health issue. <i>Journal of Infection and Public Health</i> , 2020, 13, 1888-1891.	1.9	31
793	Rare Occurrence of Acute Hematogenous Periprosthetic Joint Infection Due to <i>Fusobacterium Nucleatum</i> in the Background of a Dental Procedure: A Case Report. <i>Orthopaedic Surgery</i> , 2020, 12, 2026-2030.	0.7	4
794	Outcome of spinal implant-associated infections treated with or without biofilm-active antibiotics: results from a 10-year cohort study. <i>Infection</i> , 2020, 48, 559-568.	2.3	23
795	Comparison of Three Commercial Tools for Metagenomic Shotgun Sequencing Analysis. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	1.8	9
796	A rare case of inflammation after total hip arthroplasty due to a malpositioned prosthesis. <i>Medicine (United States)</i> , 2020, 99, e20468.	0.4	2
797	A comparative study of heterogeneous antibiotic resistance of microbial populations in conventional periprosthetic tissue cultures and sonication fluid cultures of orthopaedics explanted prostheses. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 1307-1318.	0.6	7
798	The global state of clinical research and trends in periprosthetic joint infection: A bibliometric analysis. <i>International Journal of Infectious Diseases</i> , 2020, 96, 696-709.	1.5	30

#	ARTICLE	IF	CITATIONS
799	Culture-negative periprosthetic joint infection: prevalence, aetiology, evaluation, recommendations, and treatment. <i>International Orthopaedics</i> , 2020, 44, 1255-1261.	0.9	51
800	The Importance Of Multi-site Intra-operative Tissue Sampling In The Diagnosis Of Hip And Knee Periprosthetic Joint Infection - Results From A Single Centre Study. <i>Journal of Bone and Joint Infection</i> , 2020, 5, 151-159.	0.6	9
801	Implant Sonication versus Tissue Culture for the Diagnosis of Spinal Implant Infection. <i>Spine</i> , 2020, 45, E525-E532.	1.0	12
802	Thermogenic diagnosis of periprosthetic joint infection by microcalorimetry of synovial fluid. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 345.	0.8	10
803	Comments on "Characterizing the Microbiome of the Contracted Breast Capsule Using Next Generation Sequencing". <i>Aesthetic Surgery Journal</i> , 2020, 40, NP585-NP586.	0.9	1
804	Low-Grade Infection and Implant Failure Following Spinal Instrumentation: A Prospective Comparative Study. <i>Neurosurgery</i> , 2020, 87, 964-970.	0.6	13
805	Photoactivated Gold Nanorod Hydrogel Composite Containing d-Amino Acids for the Complete Eradication of Bacterial Biofilms on Metal Alloy Implant Materials. <i>ACS Applied Nano Materials</i> , 2020, 3, 5862-5873.	2.4	16
806	Synovial Fluid d-Lactate: A Novel Pathogen-Specific Biomarker for the Diagnosis of Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2020, 35, 2223-2229.e2.	1.5	21
807	Sonication in shoulder surgery: is it necessary?. <i>International Orthopaedics</i> , 2020, 44, 1755-1759.	0.9	5
808	Flash Sterilization and Component Reimplantation Is a Viable Option for Articulating Antibiotic Spacers in Periprosthetic Knee Infections. <i>Journal of Knee Surgery</i> , 2020, 34, 1092-1097.	0.9	2
809	The etiology of revision total hip arthroplasty: current trends in a retrospective survey of 3450 cases. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1265-1273.	1.3	19
810	Multidisciplinary Diagnostic Algorithm for Evaluation of Patients Presenting with a Prosthetic Problem in the Hip or Knee: A Prospective Study. <i>Diagnostics</i> , 2020, 10, 98.	1.3	5
811	New developments and future challenges in prevention, diagnosis, and treatment of prosthetic joint infection. <i>Journal of Orthopaedic Research</i> , 2020, 38, 1423-1435.	1.2	19
812	Biofilms in Periprosthetic Joint Infections: A Review of Diagnostic Modalities, Current Treatments, and Future Directions. <i>Journal of Knee Surgery</i> , 2020, 33, 119-131.	0.9	43
813	Establishment of an in vivo rat model for chronic musculoskeletal implant infection. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 23.	0.9	5
814	Epidemiology and microbiology of prosthetic joint infections: a nine-year, single-center experience in Pavia, Northern Italy. <i>Musculoskeletal Surgery</i> , 2020, 105, 195-200.	0.7	8
815	Characterization of native knee microorganisms using next-generation sequencing in patients undergoing primary total knee arthroplasty. <i>Knee</i> , 2020, 27, 1113-1119.	0.8	15
816	Is There an Optimal Cutoff for Aspiration Fluid Volume in the Diagnosis of Periprosthetic Joint Infection?. <i>Journal of Arthroplasty</i> , 2020, 35, 2217-2222.	1.5	5

#	ARTICLE	IF	CITATIONS
817	Usefulness of sonication procedure in mesh infection diagnosis associated with hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2020, 24, 845-847.	0.9	0
818	Disinfection of contaminated metal implants with an Er:YAG laser. <i>Journal of Orthopaedic Research</i> , 2020, 38, 2464-2473.	1.2	4
819	Value of multiplex PCR for detection of antimicrobial resistance in samples retrieved from patients with orthopaedic infections. <i>BMC Microbiology</i> , 2020, 20, 88.	1.3	7
820	Improved pre-operative diagnostic accuracy for low-grade prosthetic joint infections using second-generation multiplex Polymerase chain reaction on joint fluid aspirate. <i>International Orthopaedics</i> , 2020, 44, 1629-1637.	0.9	20
821	Can metagenomic next-generation sequencing identify the pathogens responsible for culture-negative prosthetic joint infection?. <i>BMC Infectious Diseases</i> , 2020, 20, 253.	1.3	33
822	Comparison of sonication with chemical biofilm dislodgement methods using chelating and reducing agents: Implications for the microbiological diagnosis of implant associated infection. <i>PLoS ONE</i> , 2020, 15, e0231389.	1.1	11
823	Preoperative synovial fluid culture poorly predicts the pathogen causing periprosthetic joint infection. <i>Infection</i> , 2021, 49, 427-436.	2.3	29
825	Comparison of bacterial maxillary sinus cultures between odontogenic sinusitis and chronic rhinosinusitis. <i>International Forum of Allergy and Rhinology</i> , 2021, 11, 40-47.	1.5	20
826	Outcome of Debridement, Antibiotics, and Implant Retention With Modular Component Exchange in Acute Culture-Negative Periprosthetic Joint Infections. <i>Journal of Arthroplasty</i> , 2021, 36, 1087-1093.	1.5	11
827	Occult infection in pseudarthrosis revision after spinal fusion. <i>Spine Journal</i> , 2021, 21, 370-376.	0.6	12
828	Facing multidrug-resistant pathogens in periprosthetic joint infections with self-administered outpatient parenteral antimicrobial therapy: A prospective cohort study. <i>Journal of Orthopaedic Research</i> , 2021, 39, 320-332.	1.2	5
829	Noninvasive diagnostic of periprosthetic joint infection by urinary peptide markers: A preliminary study. <i>Journal of Orthopaedic Research</i> , 2021, 39, 339-347.	1.2	6
830	White Blood Cell Count Is the Most Reliable Test for the Diagnosis of Septic Arthritis After Anterior Cruciate Ligament Reconstruction: An Observational Study of 38 Patients. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1522-1530.e2.	1.3	7
831	Influential literatures in periprosthetic infection following joint arthroplasty: A bibliometric review. <i>Journal of Orthopaedics, Trauma and Rehabilitation</i> , 2021, 28, 221049172110097.	0.1	1
832	Diagnosing prosthetic joint infection: traditional and contemporary techniques. <i>Annals of Joint</i> , 0, 6, 46-46.	1.0	1
833	Direct detection of microorganisms in sonicated orthopedic devices after in vitro biofilm production and different processing conditions. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 1113-1120.	0.6	6
834	The EBJS definition of periprosthetic joint infection. <i>Bone and Joint Journal</i> , 2021, 103-B, 18-25.	1.9	271
835	Microbiological analysis of cement spacers in two-stage revision arthroplasty for periprosthetic shoulder infection. <i>Obere Extremitat</i> , 2021, 16, 59-67.	0.4	2

#	ARTICLE	IF	CITATIONS
836	Biological causes of prosthetic joint failure. , 2021, , 299-371.		1
837	Biofilm formation in periprosthetic joint infections. <i>Annals of Joint</i> , 2021, 6, 43-43.	1.0	16
838	Impact of 16S rDNA sequencing on clinical treatment decisions: a single center retrospective study. <i>BMC Infectious Diseases</i> , 2021, 21, 190.	1.3	5
839	Evaluation and interpretation of prosthetic joint infection diagnostic investigations. <i>International Orthopaedics</i> , 2021, 45, 847-855.	0.9	12
840	Microbial yield from infectious tissues pretreated by various methods: an invitro study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 209.	0.8	1
841	Effects of different tissue specimen pretreatment methods on microbial culture results in the diagnosis of periprosthetic joint infection. <i>Bone and Joint Research</i> , 2021, 10, 96-104.	1.3	18
842	Preoperative contrast-enhanced ultrasound (CEUS) of long bone nonunions reliably predicts microbiology of tissue culture samples but not of implant-sonication. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, , 102862.	0.9	2
843	The yield of sonication fluid culture for presumed aseptic loosening of orthopedic devices: a meta-analysis. <i>Annals of Palliative Medicine</i> , 2021, 10, 1792-1808.	0.5	4
844	An update about molecular biology techniques to detect orthopaedic implant-related infections. <i>EFORT Open Reviews</i> , 2021, 6, 93-100.	1.8	21
845	One-stage revision is as effective as two-stage revision for chronic culture-negative periprosthetic joint infection after total hip and knee arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 515-521.	1.9	43
848	Invited reply to the letter to the editor by McNally et al., 2021. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 256.	0.8	0
851	Does preoperative antibiotic prophylaxis affect sonicationâ€based diagnosis in implantâ€associated infection?. <i>Journal of Orthopaedic Research</i> , 2021, 39, 2646-2652.	1.2	7
852	The importance of appropriate diagnostics in prosthetic joint infection: letter to the editor of <i>BMC musculoskeletal disorders</i> . <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 255.	0.8	0
853	Sampling challenges in diagnosis of chronic bacterial infections. <i>Journal of Medical Microbiology</i> , 2021, 70, .	0.7	8
854	Experience With the Use of the MicroDTTect Device for the Diagnosis of Low-Grade Chronic Prosthetic Joint Infections in a Routine Setting. <i>Frontiers in Medicine</i> , 2021, 8, 565555.	1.2	5
856	Microbiological pattern of prosthetic hip and knee infections: a high-volume, single-centre experience in China. <i>Journal of Medical Microbiology</i> , 2021, 70, .	0.7	11
857	Comparison of bacterial culture results of preoperative synovial fluid and intraoperative specimens in patients with joint infection. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 562-567.	0.8	4
858	The utility of dithiothreitol treatment of periprosthetic tissues and explanted implants in the diagnosis of prosthetic joint infection. <i>Indian Journal of Medical Microbiology</i> , 2021, 39, 179-183.	0.3	2

#	ARTICLE	IF	CITATIONS
859	Microbiological diagnosis of polymicrobial periprosthetic joint infection revealed superiority of investigated tissue samples compared to sonicate fluid generated from the implant surface. <i>International Journal of Infectious Diseases</i> , 2021, 106, 302-307.	1.5	5
860	The value of conventional radiographs for diagnosing internal fixation-associated infection. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 411.	0.8	2
862	Sonication in the diagnosis of fracture-related infections (FRI) – a retrospective study on 230 retrieved implants. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 310.	0.9	4
863	A Janus-Faced Bacterium: Host-Beneficial and -Detrimental Roles of <i>Cutibacterium acnes</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 673845.	1.5	37
864	Establishment of a localized acute implant-associated <i>Staphylococcus aureus</i> bone infection model in sheep. <i>Pathogens and Disease</i> , 2021, 79, .	0.8	5
865	Sonication fluid culture of antibiotic-loaded bone cement spacer has high accuracy to confirm eradication of infection before reimplantation of new prostheses. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 377.	0.9	0
866	Optimal microbiological sampling for the diagnosis of osteoarticular infection. <i>EFORT Open Reviews</i> , 2021, 6, 390-398.	1.8	10
867	<i>Cutibacterium acnes</i> in shoulder surgery: a scoping review of strategies for prevention, diagnosis, and treatment. <i>Journal of Shoulder and Elbow Surgery</i> , 2021, 30, 1410-1422.	1.2	27
868	Synovial fluid \pm defensin has comparable accuracy to synovial fluid white blood cell count and polymorphonuclear percentage for periprosthetic joint infection diagnosis. <i>Bone and Joint Journal</i> , 2021, 103-B, 1119-1126.	1.9	19
869	Anatase or rutile TiO ₂ nanolayer formation on Ti substrates by laser radiation: Mechanical, photocatalytic and antibacterial properties. <i>Optics and Laser Technology</i> , 2021, 138, 106898.	2.2	20
870	Targeted Swabbing of Implant-Associated Biofilm Formation – A Staining-Guided Sampling Approach for Optimizing Routine Microbiological Diagnostics. <i>Diagnostics</i> , 2021, 11, 1038.	1.3	1
871	Multimechanistic Monoclonal Antibody Combination Targeting Key <i>Staphylococcus aureus</i> Virulence Determinants in a Rabbit Model of Prosthetic Joint Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, e0183220.	1.4	8
872	IRAK-4 in macrophages contributes to inflammatory osteolysis of wear particles around loosened hip implants. <i>Innate Immunity</i> , 2021, 27, 175342592110187.	1.1	1
873	<i>Staphylococcus epidermidis</i> small colony variants, clinically significant quiescent threats for patients with prosthetic joint infection. <i>Microbes and Infection</i> , 2021, 23, 104854.	1.0	8
874	Unexpected low-grade infections in revision hip arthroplasty for aseptic loosening. <i>Bone and Joint Journal</i> , 2021, 103-B, 1070-1077.	1.9	17
875	Microbiology of hip and knee periprosthetic joint infections: a database study. <i>Clinical Microbiology and Infection</i> , 2022, 28, 255-259.	2.8	36
876	Occurrence of Rare Pathogens at the Site of Periprosthetic Hip and Knee Joint Infections: A Retrospective, Single-Center Study. <i>Antibiotics</i> , 2021, 10, 882.	1.5	5
877	<i>Pseudomonas aeruginosa</i> in Bronchiectasis. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2021, 42, 587-594.	0.8	7

#	ARTICLE	IF	CITATIONS
878	The impact of sonication cultures when the diagnosis of prosthetic joint infection is inconclusive. PLoS ONE, 2021, 16, e0252322.	1.1	6
879	Evaluation of Staphylococcus aureus and Candida albicans biofilms adherence to PEEK and titanium-alloy prosthetic spine devices. European Journal of Orthopaedic Surgery and Traumatology, 2022, 32, 981-989.	0.6	7
880	The road to success of coagulase-negative staphylococci: clinical significance of small colony variants and their pathogenic role in persistent infections. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 2249-2270.	1.3	17
882	Clinical utility of sonication for diagnosing infection and colonization of cardiovascular implantable electronic devices. Medical Microbiology and Immunology, 2021, 210, 245-250.	2.6	3
883	A global transcriptomic analysis of Staphylococcus aureus biofilm formation across diverse clonal lineages. Microbial Genomics, 2021, 7, .	1.0	15
884	Pre-processing tissue specimens with a tissue homogenizer: clinical and microbiological evaluation. BMC Microbiology, 2021, 21, 202.	1.3	4
885	Delayed neutrophil recruitment allows nascent Staphylococcus aureus biofilm formation and immune evasion. Biomaterials, 2021, 275, 120775.	5.7	24
886	Sonication improves microbiologic diagnosis of periprosthetic elbow infection. Journal of Shoulder and Elbow Surgery, 2021, 30, 1741-1749.	1.2	3
887	Single-stage total hip arthroplasty after failed fixation of proximal femoral fractures: an increased risk for periprosthetic joint infections?. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 2911-2917.	1.3	8
889	High Frequency of Low-Virulent Microorganisms Detected by Sonication of Implanted Pulse Generators: So What?. Stereotactic and Functional Neurosurgery, 2022, 100, 8-13.	0.8	4
890	Prognosis of unexpected positive intraoperative cultures in arthroplasty revision: A large multicenter cohort. Journal of Infection, 2021, 83, 542-549.	1.7	6
892	Is implant sonication useful when screening for infection in conversion of prior hip fracture fixation to total hip arthroplasty?. Journal of International Medical Research, 2021, 49, 030006052110281.	0.4	2
893	Targeted next generation sequencing for elbow periprosthetic joint infection diagnosis. Diagnostic Microbiology and Infectious Disease, 2021, 101, 115448.	0.8	17
895	Aseptic and septic prosthetic joint loosening: Impact of biomaterial wear on immune cell function, inflammation, and infection. Biomaterials, 2021, 278, 121127.	5.7	67
896	Diagnostic algorithm in septic total knee arthroplasty failure – What is evidence-based?. Journal of Orthopaedics, 2021, 23, 208-215.	0.6	2
897	Think Twice before Prescribing Antibiotics for That Swollen Knee: The Influence of Antibiotics on the Diagnosis of Periprosthetic Joint Infection. Antibiotics, 2021, 10, 114.	1.5	16
898	Infection of expanded polytetrafluoroethylene and Dacron-coated stents with Staphylococcus epidermidis: an experimental study in pigs. Jornal Vascular Brasileiro, 2021, 20, e20200157.	0.1	0
899	OUP accepted manuscript. Clinical Chemistry, 2021, 68, 10-15.	1.5	1

#	ARTICLE	IF	CITATIONS
900	PrÄoperative Planung. , 2021, , 105-129.		0
901	Microbiological Diagnosis of Prosthetic Joint Infection. , 2012, , 165-179.		2
902	Biomaterial-Associated Infection: A Perspective from the Clinic. , 2013, , 3-24.		15
903	Role of Biofilms in Breast Implant Associated Infections and Capsular Contracture. Advances in Experimental Medicine and Biology, 2015, 831, 53-67.	0.8	13
904	Culture-Negative Infections in Orthopedic Surgery. Springer Series on Biofilms, 2012, , 17-27.	0.0	4
905	Infections in Orthopaedics and Fractures. , 2014, , 331-363.		1
906	Performance of automated multiplex PCR using sonication fluid for diagnosis of periprosthetic joint infection: a prospective cohort. Infection, 2017, 45, 877-884.	2.3	51
907	Infections of Nonvalvular Cardiovascular Devices. , 2010, , 1127-1142.		6
908	Infections with Prostheses in Bones and Joints. , 2010, , 1469-1474.		7
909	Staphylococcus epidermidis and Other Coagulase-Negative Staphylococci. , 2010, , 2579-2589.		7
910	Orthopedic Implantâ€Associated Infections. , 2015, , 1328-1340.e3.		9
911	Sonicate fluid inoculated into blood culture bottles does not improve diagnosis of periprosthetic joint infection caused by anaerobes. A retrospective analysis. Anaerobe, 2020, 62, 102152.	1.0	8
912	Preliminary assessment of nanopore-based metagenomic sequencing for the diagnosis of prosthetic joint infection. International Journal of Infectious Diseases, 2020, 97, 54-59.	1.5	24
913	Fluorescence In Situ Hybridization and Polymerase Chain Reaction to Detect Infections in Patients With Left Ventricular Assist Devices. ASAIO Journal, 2021, 67, 536-545.	0.9	9
914	Prosthetic joint infections present diverse and unique microbial communities using combined whole-genome shotgun sequencing and culturing methods. Journal of Medical Microbiology, 2019, 68, 1507-1516.	0.7	14
919	Specimen Collection, Transport, and Processing: Bacteriology. , 0, , 270-315.		35
920	Propionibacterium , Lactobacillus , Actinomyces , and Other Non-Spore-Forming Anaerobic Gram-Positive Rods. , 0, , 920-939.		5
921	Biographical Feature: Robin Patel, M.D.(C.M.), D(ABMM), F(AAM), FIDSA, FACP. Journal of Clinical Microbiology, 2020, 58, .	1.8	3

#	ARTICLE	IF	CITATIONS
922	Multimodal imaging guides surgical management in a preclinical spinal implant infection model. JCI Insight, 2019, 4, .	2.3	19
923	Does Use of Lidocaine Affect Culture of Synovial Fluid Obtained to Diagnose Periprosthetic Joint Infection (PJI)? An In Vitro Study. Medical Science Monitor, 2018, 24, 448-452.	0.5	8
924	Should single- or two-stage revision surgery be used for the management of an infected total knee replacement? A critical review of the literature. OA Orthopaedics, 2013, 1, .	0.1	6
925	Biliary Endoprosthesis: A Prospective Analysis of Bacterial Colonization and Risk Factors for Sludge Formation. PLoS ONE, 2014, 9, e110112.	1.1	30
926	The Suspected Infected Prosthetic Joint: Clinical Acumen and Added Value of Laboratory Investigations. PLoS ONE, 2015, 10, e0131609.	1.1	7
927	Rapid Isolation of Staphylococcus aureus Pathogens from Infected Clinical Samples Using Magnetic Beads Coated with Fc-Mannose Binding Lectin. PLoS ONE, 2016, 11, e0156287.	1.1	30
928	The effect of storage delay and storage temperature on orthopaedic surgical samples contaminated by Staphylococcus Epidermidis. PLoS ONE, 2018, 13, e0192048.	1.1	5
929	<i>Propionibacterium acnes</i> Infection in Disc Material and Different Antibiotic Susceptibility in Patients With Lumbar Disc Herniation. International Journal of Spine Surgery, 2019, 13, 146-152.	0.7	12
930	BACTERIAL BIOFILM CELLS QUANTIFICATION TECHNIQUES: WHERE IS CONSENSUS IN OVER TWO DECADES?. Journal of Microbiology, Biotechnology and Food Sciences, 2017, 7, 168-173.	0.4	2
931	Periprosthetic infection: diagnostic and treatment. Part 1 (literature review). Ortopediia, Trumatologii, I Protezirovani, 2016, .	0.0	1
932	Innate Immune Reactions in Septic and Aseptic Osteolysis around Hip Implants. Journal of Long-Term Effects of Medical Implants, 2014, 24, 283-296.	0.2	50
933	Sonication of Intramedullary Nails: Clinically-Related Infection and Contamination. The Open Orthopaedics Journal, 2012, 6, 255-260.	0.1	24
934	Bacterial and Hematological Findings in Infected Total Hip Arthroplasties in Norway Assessment of 278 Revisions Due to Infection in the Norwegian Arthroplasty Register. The Open Orthopaedics Journal, 2015, 9, 445-449.	0.1	9
935	Management of Resistant, Atypical and Culture-negative Periprosthetic Joint Infections after Hip and Knee Arthroplasty. The Open Orthopaedics Journal, 2016, 10, 615-632.	0.1	37
936	Advancements in Diagnosing Periprosthetic Joint Infections after Total Hip and Knee Arthroplasty. The Open Orthopaedics Journal, 2016, 10, 654-661.	0.1	56
937	CLASSIFICATION AND ALGORITHM FOR DIAGNOSIS AND TREATMENT OF HIP PROSTHETIC JOINT INFECTION. Trumatologii I Ortopediia Rossi, 2016, 22, 33-45.	0.1	31
938	Prospective Analysis of a Sterile, Semi-automated Tissue Biopsy Homogenization Method in the Diagnosis of Prosthetic Joint Infections. In Vivo, 2018, 31, 937-942.	0.6	6
939	Biofilm formation by staphylococci on fresh, fresh-frozen and processed human and bovine bone grafts. , 2013, 25, 159-166.		16

#	ARTICLE	IF	CITATIONS
940	Challenges in linking preclinical anti-microbial research strategies with clinical outcomes for device-associated infections. , 2014, 28, 112-128.		51
941	Missed low-grade infection in suspected aseptic loosening has no consequences for the survival of total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 678-83.	1.2	16
942	Two-stage revision of implant-associated infections after total hip and knee arthroplasty. GMS Krankenhaushygiene InterdisziplinÄr, 2011, 6, Doc17.	0.3	15
943	Sonication as a Diagnostic Approach Used to Investigate the Infectious Etiology of Prosthetic Hip Joint Loosening. Polish Journal of Microbiology, 2014, 63, 299-306.	0.6	10
944	Investigation of the actual causes of hip joint implant loosening classified as aseptic â€“ analysis of microbiological culture results and levels of inflammatory markers. Polish Journal of Microbiology, 2015, 64, 129-135.	0.6	4
945	Analysis of Synovial Fluid in Culture-Negative Samples of Suspicious Periprosthetic Infections. Orthopedics, 2010, 33, 725.	0.5	12
946	Sonication Improves the Diagnosis of Megaprosthetic Infections. Orthopedics, 2019, 42, 28-32.	0.5	10
947	<i>Cutibacterium acnes</i> Infection in Orthopedics: Microbiology, Clinical Findings, Diagnostic Strategies, and Management. Orthopedics, 2020, 43, 52-61.	0.5	9
948	A paradigm for the evaluation and management of spinal coccidioidomycosis. , 2015, 6, 107.		15
949	Management of Infected Orthopedic Joint Implants: Pertinent Information for Family Medicine Physicians. Family Medicine & Medical Science Research, 2014, 03, .	0.1	1
950	Culture Negative Prosthetic Joint Infectionâ€“A Description of Current Treatment and Outcomes. Clinical Microbiology (Los Angeles, Calif), 2012, 02, .	0.2	2
951	The Diagnosis, Treatment and Management of Prosthetic Joint Infections. Journal of Clinical and Analytical Medicine, 2013, 4, .	0.2	1
952	What other biologic and mechanical factors might contribute to osteolysis?. Journal of the American Academy of Orthopaedic Surgeons, The, 2008, 16, S56-S62.	1.1	45
953	Diagnosis of Periprosthetic Joint Infections of the Hip and Knee. Journal of the American Academy of Orthopaedic Surgeons, The, 2010, 18, 760-770.	1.1	234
954	Infection in Primary Hip and Knee Arthroplasty. , 0, , .		1
955	Sonication Leads to Clinically Relevant Changes in Treatment of Periprosthetic Hip or Knee Joint Infection. Journal of Bone and Joint Infection, 2020, 5, 128-132.	0.6	14
956	Phenotypic and Genotypic Detection of Biofilm Formation in Staphylococcus epidermidis Isolates from Retrieved Orthopaedic Implants and Prostheses. British Microbiology Research Journal, 2015, 9, 1-10.	0.2	3
958	Implant Microbial Colonization Detected by Sonication as a Cause for Spinal Device Failure. Spine, 2021, 46, 1485-1494.	1.0	3

#	ARTICLE	IF	CITATIONS
959	Role of bacterial colonisation of vancomycin-gentamicin spacers in two-stage arthroplasty revision surgery: the usefulness of spacer sonication. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 1661-1669.	0.6	1
960	Long-term outcome of two-stage revision surgery after hip and knee prosthetic joint infections: an observational study. <i>Journal of Bone and Joint Infection</i> , 2021, 6, 379-387.	0.6	5
961	Diagnosis of orthopaedic-implant-associated infections caused by slow-growing Gram-positive anaerobic bacteria – a clinical perspective. <i>Journal of Bone and Joint Infection</i> , 2021, 6, 367-378.	0.6	8
962	Fremdkörper-assoziierte Infektionen. , 2008, , 923-941.		0
963	Current Concepts of Orthopedic Implants and Prosthetic Joint Infections. , 2009, , 299-326.		1
964	Prosthetic Joint Infections in Elderly Patients. , 2009, , 307-325.		0
965	Antibiotic Strategies in Septic Arthroplasties. , 2009, , 91-96.		0
966	Traitement des prothèses totales de hanche infectées. , 2009, , 74-93.		1
968	Infections of prosthetic joints and related problems. , 2010, , 457-463.		0
969	Bone and joint infections. , 2010, , 659-666.		1
970	Septische Knieendoprothesenlockerung. , 2011, , 227-253.		0
971	Biomaterial-Host Interactions in Aseptic and Septic Conditions. , 2012, , 119-131.		0
973	Molecular Diagnosis of Prosthetic Joint Infection. , 2012, , 193-211.		1
974	Traitement des prothèses totales de hanche infectées. , 2012, , 98-117.		0
975	Treatment of Orthopedic Infections: Addressing the Biofilm Issue. <i>Springer Series on Biofilms</i> , 2012, , 111-127.	0.0	0
976	The Definition of Prosthetic Joint Infections (PJI). , 2012, , 23-30.		0
977	The Problem of Culture-Negative Infections. <i>Springer Series on Biofilms</i> , 2012, , 1-15.	0.0	1
978	Synovial Fluid Cytology. , 2012, , 151-158.		0

#	ARTICLE	IF	CITATIONS
980	Komplikationen und Management. , 2013, , 191-215.		0
981	Bacterial Arthritis. , 2013, , 1801-1814.		0
982	PMMA Cement as a Drug Carrier. , 2013, , 127-163.		0
983	Development of Poly(Vinyl Alcohol) Cryo-Systems with Medicines and Their Comparative Study of Antimicrobial Activity and Cytotoxicity. IFMBE Proceedings, 2013, , 113-118.	0.2	0
984	Periprosthetic Infection Following Total Knee Arthroplasty. , 0, , .		2
985	Editorial. The Open Orthopaedics Journal, 2013, 7, 177-177.	0.1	0
987	Postoperative Management of Periprosthetic Joint Infection. , 2014, , 237-247.		0
989	Periprosthetic Infection. , 2014, , 2511-2525.		0
990	The Stiff Knee in Adults. , 2014, , 3295-3317.		0
991	EXPERIMENTAL AND CLINICAL STUDY OF PHENOTYPIC FEATURES OF S. EPIDERMIDIS STRAINS AND THEIR ROLE IN THE EMERGENCE AND DEVELOPMENT OF IMPLANT-ASSOCIATED INFECTION AFTER ORTHOPAEDIC SURGERY. <i>Travmatologi i Ortopedi Rossii</i> , 2014, 20, 68-77.	0.1	2
992	Staphylococcal prosthetic joint infection. , 2014, , 227-238.		0
993	Postoperative Komplikationen. , 2015, , 285-371.		0
994	33 The Diagnostic Value of Biopsy and Joint Aspiration in Periprosthetic Joint Infection. , 2015, , 407-415.		0
996	The Diagnosis of Prosthetic Joint Infection. , 2015, , 197-207.		0
997	60 Treatment of Infected Total Knee Replacement: Concept, Surgical Options and Antibiotic Therapy. , 2015, , 715-727.		0
998	Isolation of the biofilm producing bacteria from osteomyelitis patients at Hospital Tengku Ampuan Afzan (HTAA), Kuantan. <i>Malaysian Journal of Microbiology</i> , 2015, , .	0.1	0
999	Environmental Sampling and Cultures. , 0, , 13.3.1.1-13.3.7.6.		0
1000	Infektionsschutz und spezielle Hygienemaßnahmen in klinischen Disziplinen. , 2016, , 337-549.		0

#	ARTICLE	IF	CITATIONS
1002	Infections of the Hip Joint: One-Stage Approach Without Cement. , 2016, , 153-167.		0
1003	Successful Treatment of <i>Campylobacter fetus</i> Hip Joint infection with the association Amoxicillin-Clindamycin. <i>Journal of Clinical Case Studies</i> , 2016, 1, .	0.1	0
1004	Deviceassoziierte und nosokomiale Infektionen mit fach¼bergreifender Bedeutung. , 2016, , 285-336.		0
1005	Late Infections: Algorithm Approach. , 2016, , 189-200.		0
1006	Prosthetic Device Infections. , 0, , 709-733.		0
1007	Highlights of Antimicrobial Use in Osteomyelitis as Biofilms Disease Prototype in Venezuela. <i>Journal of Microbiology & Experimentation</i> , 2016, 3, .	0.1	0
1008	Schulterinfekt. , 2017, , 753-760.		0
1009	Clinical Implications ofÂInterkingdom Fungal and Bacterial Biofilms. , 2017, , 33-68.		0
1010	Introduction to Prosthetic Joint Infection. , 2018, , 1-4.		0
1012	MÃ©thodes modernes de diagnostic de l'infection en prÃ©sence d'une prothÃ©se ostÃ©o-articulaire. , 2018, , 33-43.		0
1013	Armazenar tubos de silicone antes do empacotamento impede a esterilizaÃ§Ã£o?. <i>ACTA Paulista De Enfermagem</i> , 2018, 31, 518-524.	0.1	1
1014	Diagnosis of Deep Infection After Elbow Arthroplasty. , 2018, , 937-941.		1
1015	Arthrites septiques. , 2018, , 279-288.		0
1016	Detection of biofilm-associated implant pathogens in cardiac device infections: High sensitivity of sonication fluid culture even in the presence of antimicrobials. <i>Journal of Global Infectious Diseases</i> , 2018, 10, 74.	0.2	5
1017	PROSTHETIC INFECTION TREATMENT BY USING ANTIBIOTIC CEMENT SPACER WITH CUSTOM MOLD: 05 CASES REPORT. <i>Journal of Medicine and Pharmacy</i> , 2019, , 30-43.	0.0	0
1018	Lessons Learned from An Implant-Related Infection with <i>Bacillus Spp</i> of the Proximal Femur: A Rare and Insidious Complication After Internal Fixation of Closed Fractures. <i>Biomedical Journal of Scientific & Technical Research</i> , 2019, 19, .	0.0	1
1019	Adhesion and Colonisation of Microorganisms on Porous TiO ₂ and TiO ₂ -Silver Biomaterials. <i>Proceedings of the Latvian Academy of Sciences</i> , 2019, 73, 325-331.	0.0	0
1020	Infection Management in Total Elbow Replacement: Do Effective Guidelines Exist?. , 2020, , 147-161.		0

#	ARTICLE	IF	CITATIONS
1021	Orthopedics & Traumatology, 2019,		
1023	Treatment of Periprosthetic Infection with Silver-Doped Implants Based on Two-Dimensionally Ordered Linear Chain Carbon. <i>Travmatologič I Ortopedič Rossii</i> , 2019, 25, 98-108.	0.1	7
1024	Usefulness of Sonication in Implant-Related Infection. <i>Journal of the Korean Fracture Society</i> , 2020, 33, 81.	0.1	1
1026	Differential Diagnosis of Reactive and Infectious Arthritis after Anterior Cruciate Ligament Reconstruction. <i>Visnyk Ortopedii Travmatologii Protezuvannia</i> , 2020, , 39-48.	0.1	1
1027	Challenges in the Microbiological Diagnosis of Implant-Associated Infections: A Summary of the Current Knowledge. <i>Frontiers in Microbiology</i> , 2021, 12, 750460.	1.5	18
1028	The limitations of mono- and combination antibiotic therapies on immature biofilms in a murine model of implant-associated osteomyelitis. <i>Journal of Orthopaedic Research</i> , 2021, 39, 449-457.	1.2	12
1030	Infection and Perioperative Orthopedic Care. , 2020, , 327-341.		1
1031	Periprosthetic Joint Infection. , 2020, , 57-74.		0
1032	Increased Detection of Polymicrobial Infections by Sonication and Significance of Prosthesis Design and Fixation Technique in Cases of Low-Grade PJI, a Retrospective Study. <i>Open Journal of Orthopedics</i> , 2020, 10, 269-288.	0.0	0
1033	Prosthetic joint infection in culture-negative and alpha-defensin-positive patients versus culture-positive and alpha-defensin-negative patients: a retrospective cohort study of the differences in clinical characteristics and outcomes. <i>Current Orthopaedic Practice</i> , 2021, 32, 58-63.	0.1	0
1034	The In Vitro Efficacy of Doxycycline over Vancomycin and Penicillin in the Elimination of <i>Cutibacterium Acnes</i> Biofilm. , 2020, STP1630, 53-64.		0
1036	The Zeitgeist of Challenging the Evidence. A Perspective on the International Consensus Meeting on Periprosthetic Joint Infection. <i>Archives of Bone and Joint Surgery</i> , 2017, 5, 32-38.	0.1	5
1037	Prosthetic hip joint infection caused by <i>Campylobacter fetus</i> : A case report and literature review. <i>Revista Espanola De Quimioterapia</i> , 2018, 31, 53-57.	0.5	3
1038	Implant sonication versus intraoperative tissue sample cultures for Periprosthetic Joint Infection (PJI) of Shoulder Arthroplasty. <i>Acta Biomedica</i> , 2021, 92, e2021009.	0.2	1
1039	Infektionen des Knochens. , 2015, , 1-13.		0
1040	Laboratory Diagnosis of Periprosthetic Joint Infections. , 2022, , 61-84.		3
1041	Prospective Activity of PLG0206, an Engineered Antimicrobial Peptide, on Chronic Periprosthetic Joint Infection Total Knee Arthroplasty Components <i>Ex Vivo</i> : The Knee Explant Analysis (KnEA) Study. <i>Microbiology Spectrum</i> , 2021, 9, e0187921.	1.2	3
1043	Current and novel diagnostics for orthopedic implant biofilm infections: a review. <i>Apmis</i> , 2022, 130, 59-81.	0.9	17

#	ARTICLE	IF	CITATIONS
1044	The role of biofilm formation in the pathogenesis and antimicrobial susceptibility of <i>Cutibacterium acnes</i> . <i>Biofilm</i> , 2022, 4, 100063.	1.5	31
1045	Coagulase-Negative Staphylococcal Infections. , 2020, , .		0
1046	Usefulness of a Multiplex <scp>PCR</scp> Assay for the Diagnosis of Prosthetic Joint Infections in the Routine Setting. <i>Orthopaedic Surgery</i> , 2022, 14, 383-388.	0.7	7
1047	Diagnosis and Treatment of Culture-Negative Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2022, 37, 1488-1493.	1.5	27
1049	Sonication of explants enhances the diagnostic accuracy of synovial fluid and tissue cultures and can help determine the appropriate antibiotic therapy for prosthetic joint infections. <i>International Orthopaedics</i> , 2022, 46, 415-422.	0.9	3
1050	Inoculation of sonicate fluid into blood culture bottles improves microbial detection in patients with orthopedic bone and soft tissue infections of the upper and lower extremities. <i>Journal of Orthopaedic Science</i> , 2021, , .	0.5	1
1051	Preoperative Planning. , 2022, , 125-150.		0
1052	Megaprotheses for the revision of infected hip arthroplasties with severe bone loss. <i>BMC Surgery</i> , 2022, 22, 68.	0.6	5
1053	Patterns and Predictors of Outpatient Antibiotic Dispensation Following Total Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	0
1055	Recent Antibiotic Treatment Impacts Serum and Synovial Laboratory Values in Early Periprosthetic Joint Infection Workup. <i>Journal of Arthroplasty</i> , 2022, 37, S286-S290.	1.5	3
1056	Is sonication superior to dithiothreitol in diagnosis of periprosthetic joint infections? A meta-analysis. <i>International Orthopaedics</i> , 2022, 46, 1215-1224.	0.9	6
1057	Orthopaedic Implant-Associated Staphylococcal Infections: A Critical Reappraisal of Unmet Clinical Needs Associated with the Implementation of the Best Antibiotic Choice. <i>Antibiotics</i> , 2022, 11, 406.	1.5	12
1058	Clinical Metagenomic Sequencing for Species Identification and Antimicrobial Resistance Prediction in Orthopedic Device Infection. <i>Journal of Clinical Microbiology</i> , 2022, 60, e0215621.	1.8	18
1060	Enhancing Diagnostics in Orthopedic Infections. <i>Journal of Clinical Microbiology</i> , 2022, , e0219621.	1.8	13
1061	Prosthetic joint infection diagnosis applying the three-level European Bone and Joint Infection Society (EBJIS) approach. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2022, 41, 771-778.	1.3	3
1062	Delayed normalization of C-Reactive protein and erythrocyte sedimentation rate was not associated with inferior clinical outcomes after total knee arthroplasty. <i>Journal of Orthopaedic Science</i> , 2022, , .	0.5	1
1063	Fast and Sensitive Multiplex Real-Time Quantitative PCR to Detect <i>Cutibacterium</i> Periprosthetic Joint Infections. <i>Journal of Molecular Diagnostics</i> , 2022, 24, 666-673.	1.2	3
1064	Diagnosing Periprosthetic Joint Infection: a Scoping Review. <i>Current Reviews in Musculoskeletal Medicine</i> , 2022, 15, 219-229.	1.3	9

#	ARTICLE	IF	CITATIONS
1065	Human transcriptomic response to periprosthetic joint infection. <i>Gene</i> , 2022, 825, 146400.	1.0	9
1066	Clinical evaluation of dithiothreitol in comparison with sonication for biofilm dislodgement in the microbiological diagnosis of periprosthetic joint infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2022, 103, 115679.	0.8	5
1067	Transcriptomic analysis of <i>Streptococcus agalactiae</i> periprosthetic joint infection. <i>MicrobiologyOpen</i> , 2021, 10, e1256.	1.2	3
1069	A protocol for periprosthetic joint infections from the Northern Infection Network for Joint Arthroplasty (NINJA) in the Netherlands. <i>Arthroplasty</i> , 2022, 4, 19.	0.9	4
1070	Increased rate of enteric bacteria as cause of periprosthetic joint infections in patients with liver cirrhosis. <i>BMC Infectious Diseases</i> , 2022, 22, 389.	1.3	3
1078	Bacterial Identification and Visualization of Bacterial Biofilms Adjacent to Fracture Sites After Internal Fixation. <i>Genetic Testing and Molecular Biomarkers</i> , 2022, 26, 70-80.	0.3	3
1080	Application of Natamycin and Farnesol as Biocontrol Agents of Multi-Species Biofilms on Industrial Surfaces in Apple Juice. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1081	Molecular Pathogenesis and Clinical Impact of Biofilms in Surgery. , 0, , .		0
1082	Microbiological Advantages of Open Incisional Biopsies for the Diagnosis of Suspected Periprosthetic Joint Infections. <i>Journal of Clinical Medicine</i> , 2022, 11, 2730.	1.0	1
1085	Tissue sampling is non-inferior in comparison to sonication in orthopedic revision surgery. <i>Archives of Orthopaedic and Trauma Surgery</i> , 0, , .	1.3	3
1086	Adhesion of <i>Staphylococcus Aureus</i> on Various Biomaterial Surfaces. <i>Lecture Notes in Networks and Systems</i> , 2023, , 139-147.	0.5	0
1087	Comparative Phenotypic and Genomic Features of Staphylococci from Sonication Fluid of Orthopedic Implant-Associated Infections with Poor Outcome. <i>Microorganisms</i> , 2022, 10, 1149.	1.6	3
1089	Microbiological diagnosis of prosthetic joint infection: Is there a need for standardization?. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2022, 40, 287-288.	0.2	2
1090	The State of Microbiology Diagnostic of Prosthetic Joint Infection in Europe: An In-Depth Survey Among Clinical Microbiologists. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	7
1091	Sonication of revised hip and knee prostheses detects occult infections, improves clinical outcomes and prevents re - revisions. A case series study. <i>Infection Prevention in Practice</i> , 2022, 4, 100232.	0.6	2
1093	Factors associated with late microbiological documentation of prosthetic joint infection. <i>Future Microbiology</i> , 2022, 17, 1115-1124.	1.0	1
1094	What is the best technic to dislodge <i>Staphylococcus epidermidis</i> biofilm on medical implants?. <i>BMC Microbiology</i> , 2022, 22, .	1.3	3
1095	Sonication versus the conventional method for evaluation of the dental microbiome: a prospective pilot study. <i>BMC Oral Health</i> , 2022, 22, .	0.8	2

#	ARTICLE	IF	CITATIONS
1096	Targeted Versus Shotgun Metagenomic Sequencing-based Detection of Microorganisms in Sonicate Fluid for Periprosthetic Joint Infection Diagnosis. <i>Clinical Infectious Diseases</i> , 2023, 76, e1456-e1462.	2.9	21
1097	A postoperative brain abscess due to <i>Propionibacterium acnes</i> in an immunocompetent adult with incidental discovery. <i>Annals of Medicine and Surgery</i> , 2022, 81, .	0.5	0
1098	Clinical relevance of occult infections in spinal pseudarthrosis revision. <i>North American Spine Society Journal (NASSJ)</i> , 2022, 12, 100172.	0.3	1
1099	Application of natamycin and farnesol as bioprotection agents to inhibit biofilm formation of yeasts and foodborne bacterial pathogens in apple juice processing lines. <i>Food Microbiology</i> , 2023, 109, 104123.	2.1	3
1100	A 92 protein inflammation panel performed on sonicate fluid differentiates periprosthetic joint infection from non-infectious causes of arthroplasty failure. <i>Scientific Reports</i> , 2022, 12, .	1.6	7
1101	A review of current practices in periprosthetic joint infection debridement and revision arthroplasty. <i>Arthroplasty</i> , 2022, 4, .	0.9	5
1102	The diagnostic potential of MicroDTTect compared to conventional culture of tissue samples in orthopedic infections. <i>LO SCALPELLO-OTODI Educational</i> , 2022, 36, 111-115.	0.1	3
1103	Reliable Diagnostic Tests and Thresholds for Preoperative Diagnosis of Non-inflammatory Arthritis Periprosthetic Joint Infection: A Meta-analysis and Systematic Review. <i>Orthopaedic Surgery</i> , 2022, 14, 2822-2836.	0.7	8
1104	Biofilm-Associated Infections in Chronic Wounds and Their Management. <i>Advances in Experimental Medicine and Biology</i> , 2022, , 55-75.	0.8	2
1105	The Influence of Patterned Surface Features on the Accumulation of Bovine Synovial Fluid-Induced Aggregates of <i>Staphylococcus aureus</i> . <i>Applied and Environmental Microbiology</i> , 2022, 88, .	1.4	4
1107	<i>Cutibacterium acnes</i> Infections in Shoulder Arthroplasty, a Need for New Guidelines: a Scoping Review. <i>SN Comprehensive Clinical Medicine</i> , 2022, 4, .	0.3	0
1108	What is the concordance rate of preoperative synovial fluid aspiration and intraoperative biopsy in detecting periprosthetic joint infection of the shoulder?. <i>Journal of Shoulder and Elbow Surgery</i> , 2023, 32, 492-499.	1.2	5
1109	Complications related to the access site after transaxillary implantation of a microaxial left ventricular assist device. <i>Journal of Heart and Lung Transplantation</i> , 2023, 42, 679-687.	0.3	4
1110	Strategies to Mitigate and Treat Orthopaedic Device-Associated Infections. <i>Antibiotics</i> , 2022, 11, 1822.	1.5	9
1111	Different concentrations of vancomycin with gentamicin loaded PMMA to inhibit biofilm formation of <i>Staphylococcus aureus</i> and their implications. <i>Journal of Orthopaedic Science</i> , 2024, 29, 334-340.	0.5	0
1112	Knieendoprothetik: Periprothetische Infektion. <i>Springer Reference Medizin</i> , 2023, , 1-31.	0.0	0
1113	Biofilms—What Should the Orthopedic Surgeon know?. <i>Indian Journal of Orthopaedics</i> , 2023, 57, 44-51.	0.5	4
1114	D-lactate is a promising biomarker for the diagnosis of periprosthetic joint infection. <i>Frontiers in Surgery</i> , 0, 9, .	0.6	2

#	ARTICLE	IF	CITATIONS
1115	Comparison of the BioFire Joint Infection Panel to 16S Ribosomal RNA Gene-Based Targeted Metagenomic Sequencing for Testing Synovial Fluid from Patients with Knee Arthroplasty Failure. <i>Journal of Clinical Microbiology</i> , 2022, 60, .	1.8	14
1116	Effective Biofilm Eradication on Orthopedic Implants with Methylene Blue Based Antimicrobial Photodynamic Therapy In Vitro. <i>Antibiotics</i> , 2023, 12, 118.	1.5	0
1118	Physical Approaches to Prevent and Treat Bacterial Biofilm. <i>Antibiotics</i> , 2023, 12, 54.	1.5	4
1119	Endotracheal tube biofilm in critically ill patients during the COVID-19 pandemic : description of an underestimated microbiological compartment. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
1120	Sonicate Fluid Cellularity Predicted by Transcriptomic Deconvolution Differentiates Infectious from Non-Infectious Arthroplasty Failure. <i>Journal of Bone and Joint Surgery - Series A</i> , 2023, 105, 63-73.	1.4	4
1121	Antimicrobial effect of methylene blue in microbiologic culture to diagnose periprosthetic joint infection: an in vitro study. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, .	0.9	2
1123	Diagnosis and treatment of periprosthetic infection after hip replacement (a review). <i>Vestnik Medicinskogo Instituta REAVIZ ReabilitaciÄ, VraÅl ZdorovĚie</i> , 2023, 12, 86-102.	0.1	0
1125	2022 SPILF - Clinical Practice guidelines for the diagnosis and treatment of disco-vertebral infection in adults. <i>Infectious Diseases Now</i> , 2023, 53, 104647.	0.7	6
1126	Periprosthetic Joint Infection. <i>New England Journal of Medicine</i> , 2023, 388, 251-262.	13.9	56
1127	Biomarkers of periprosthetic joint infection. , 2023, , 167-203.		0
1128	Profiling the Immune Response to Periprosthetic Joint Infection and Non-Infectious Arthroplasty Failure. <i>Antibiotics</i> , 2023, 12, 296.	1.5	3
1129	Infections of Tumor Prostheses: An Updated Review on Risk Factors, Microbiology, Diagnosis, and Treatment Strategies. <i>Biology</i> , 2023, 12, 314.	1.3	1
1130	Advances in the Microbiological Diagnosis of Prosthetic Joint Infections. <i>Diagnostics</i> , 2023, 13, 809.	1.3	6
1131	The Challenge of Periprosthetic Joint Infection Diagnosis: From Current Methods to Emerging Biomarkers. <i>International Journal of Molecular Sciences</i> , 2023, 24, 4320.	1.8	3
1132	Sonication of Vascular Grafts and Endografts to Diagnose Vascular Graft Infection: a Head-To-Head Comparison with Conventional Culture and Its Clinical Impact. <i>Microbiology Spectrum</i> , 2023, 11, .	1.2	2
1133	Direct Prosthetic Joint Infection Diagnosis from Sonication Fluid Inoculated in Blood Culture Bottles by Direct MALDI-TOF Mass Spectrometry. <i>Diagnostics</i> , 2023, 13, 942.	1.3	2
1136	Diagnostic accuracy of sonication fluid cultures from prosthetic components in periprosthetic joint infection: an updated diagnostic meta-analysis. <i>Journal of Orthopaedic Surgery and Research</i> , 2023, 18, .	0.9	5
1137	A prospective study to identify preoperative serum parameters for spinal implant infection detected by sonication fluid culture. <i>European Spine Journal</i> , 0, , .	1.0	0

#	ARTICLE	IF	CITATIONS
1138	Mass spectrometry-based proteomic profiling of sonicate fluid differentiates <i>Staphylococcus aureus</i> periprosthetic joint infection from non-infectious failure: A pilot study. <i>Proteomics - Clinical Applications</i> , 2023, 17, .	0.8	0
1139	SPILF update on bacterial arthritis in adults and children. <i>Infectious Diseases Now</i> , 2023, , 104694.	0.7	1
1140	Sonication in Patients With Spinal Cord Stimulation: A New Approach for Infection Diagnostics. <i>Neuromodulation</i> , 2023, , .	0.4	0
1141	Recommendations on diagnosis and antimicrobial treatment of infections after anterior cruciate ligament reconstruction (ACL-R) endorsed by ESSKA and EBJIS. <i>Journal of Infection</i> , 2023, 86, 543-551.	1.7	2
1142	Intraoperative Direct Sonication of Implants and Soft Tissue for the Diagnosis of Periprosthetic Joint Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2023, 105, 855-864.	1.4	1
1150	Knieendoprothetik: Periprothetische Infektion. , 2023, , 275-305.		0
1152	Méthodes modernes de diagnostic de l'infection en présence d'une prothèse ostéo-articulaire. , 2023, , 227-237.		0
1153	Infections de prothèses articulaires À Propionibacterium acnes: diagnostic et traitement. , 2023, , 239-248.		0
1190	Méthodes modernes de diagnostic de l'infection sur prothèse de genou. , 2023, , 273-280.		0
1194	Infections de prothèses articulaires À Propionibacterium acnes: diagnostic et traitement. , 2017, , 31-40.		0
1197	Komplikationen der Hüftendoprothetik: Diagnostik der Infektionen. <i>Springer Reference Medizin</i> , 2023, , 1-8.	0.0	0