

CITATION REPORT

List of articles citing

Self-reported dietary supplement use is confirmed by biological markers in the Norwegian Mother and Child Cohort Study (MoBa)

DOI: 10.1159/000103275

Annals of Nutrition and Metabolism, 2007, 51, 146-54.

Source: <https://exaly.com/paper-pdf/41709817/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
77	Methodological challenges when monitoring the diet of pregnant women in a large study: experiences from the Norwegian Mother and Child Cohort Study (MoBa). <i>Maternal and Child Nutrition</i> , 2008 , 4, 14-27	3.4	182
76	Dietary supplements contribute substantially to the total nutrient intake in pregnant Norwegian women. <i>Annals of Nutrition and Metabolism</i> , 2008 , 52, 272-80	4.5	77
75	Nutrient and food group intakes of women with and without bulimia nervosa and binge eating disorder during pregnancy. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1346-55	7	45
74	Periconception folic acid supplementation, fetal growth and the risks of low birth weight and preterm birth: the Generation R Study. <i>British Journal of Nutrition</i> , 2009 , 102, 777-85	3.6	142
73	Vitamin D supplementation and reduced risk of preeclampsia in nulliparous women. <i>Epidemiology</i> , 2009 , 20, 720-6	3.1	190
72	Dietary screening tool identifies nutritional risk in older adults. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 177-83	7	77
71	A dietary pattern characterized by high intake of vegetables, fruits, and vegetable oils is associated with reduced risk of preeclampsia in nulliparous pregnant Norwegian women. <i>Journal of Nutrition</i> , 2009 , 139, 1162-8	4.1	148
70	Nesting sub-studies and randomised controlled trials within birth cohort studies. <i>Paediatric and Perinatal Epidemiology</i> , 2009 , 23 Suppl 1, 63-72	2.7	4
69	Dietary assessment methods for micronutrient intake in pregnant women: a systematic review. <i>British Journal of Nutrition</i> , 2009 , 102 Suppl 1, S64-86	3.6	33
68	Folic acid supplements in pregnancy and early childhood respiratory health. <i>Archives of Disease in Childhood</i> , 2009 , 94, 180-4	2.2	205
67	Validation of the folate food frequency questionnaire in vegetarians. <i>International Journal of Food Sciences and Nutrition</i> , 2009 , 60 Suppl 5, 88-95	3.7	4
66	Validation of the folate food frequency questionnaire with serum and erythrocyte folate and plasma homocysteine. <i>International Journal of Food Sciences and Nutrition</i> , 2009 , 60 Suppl 5, 10-8	3.7	11
65	Maternal folic acid supplement use in early pregnancy and child behavioural problems: The Generation R Study. <i>British Journal of Nutrition</i> , 2010 , 103, 445-52	3.6	96
64	Validity of food frequency questionnaire estimated intakes of folate and other B vitamins in a region without folic acid fortification. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 905-13	5.2	57
63	Infant birth size is not associated with maternal intake and status of folate during the second trimester in Norwegian pregnant women. <i>Journal of Nutrition</i> , 2010 , 140, 572-9	4.1	50
62	Exploration of biomarkers for total fish intake in pregnant Norwegian women. <i>Public Health Nutrition</i> , 2010 , 13, 54-62	3.3	66
61	Effect of dietary factors in pregnancy on risk of pregnancy complications: results from the Norwegian Mother and Child Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1970S-1974S	7	35

60	Salmon diet in patients with active ulcerative colitis reduced the simple clinical colitis activity index and increased the anti-inflammatory fatty acid index—a pilot study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011 , 71, 68-73	2	30
59	The biological relevance of direct antioxidant effects of polyphenols for cardiovascular health in humans is not established. <i>Journal of Nutrition</i> , 2011 , 141, 989S-1009S	4.1	272
58	Estimating the impact of mandatory folic acid fortification on the folic acid intake of Australian women of childbearing age. <i>Australian and New Zealand Journal of Public Health</i> , 2011 , 35, 442-50	2.3	7
57	A short food frequency questionnaire to assess intake of seafood and n-3 supplements: validation with biomarkers. <i>Nutrition Journal</i> , 2011 , 10, 127	4.3	49
56	Folic acid supplements modify the adverse effects of maternal smoking on fetal growth and neonatal complications. <i>Journal of Nutrition</i> , 2011 , 141, 2172-9	4.1	24
55	Folic acid supplements in pregnancy and severe language delay in children. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 1566-73	27.4	179
54	Iodine intake in human nutrition: a systematic literature review. <i>Food and Nutrition Research</i> , 2012 , 56,	3.1	36
53	Maternal seafood consumption and infant birth weight, length and head circumference in the Norwegian Mother and Child Cohort Study. <i>British Journal of Nutrition</i> , 2012 , 107, 436-44	3.6	60
52	Fish liver and seagull eggs, vitamin D-rich foods with a shadow: results from the Norwegian Fish and Game Study. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 388-98	5.9	14
51	Sources and determinants of vitamin D intake in Danish pregnant women. <i>Nutrients</i> , 2012 , 4, 259-72	6.7	22
50	Maternal periconceptional folic acid intake and risk of autism spectrum disorders and developmental delay in the CHARGE (Childhood Autism Risks from Genetics and Environment) case-control study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 80-9	7	255
49	Reproducibility and validity of a food frequency questionnaire among pregnant women in a Mediterranean area. <i>Nutrition Journal</i> , 2013 , 12, 26	4.3	164
48	Folic acid supplementation, dietary folate intake during pregnancy and risk for spontaneous preterm delivery: a prospective observational cohort study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 160 ^{3.2}		11
47	Vitamin D intake in mid-pregnancy and child allergic disease - a prospective study in 44,825 Danish mother-child pairs. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 199	3.2	45
46	Essential and toxic element concentrations in blood and urine and their associations with diet: results from a Norwegian population study including high-consumers of seafood and game. <i>Science of the Total Environment</i> , 2013 , 463-464, 836-44	10.2	72
45	Use of dietary supplements in pregnant women in relation to sociodemographic factors - a report from The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>Public Health Nutrition</i> , 2013 , 16, 1390-402	3.3	34
44	Risk of suboptimal iodine intake in pregnant Norwegian women. <i>Nutrients</i> , 2013 , 5, 424-40	6.7	67
43	Greek pregnant women demonstrate inadequate micronutrient intake despite supplement use. <i>Journal of Dietary Supplements</i> , 2014 , 11, 155-65	2.3	9

42	Folic acid supplementation, dietary folate intake during pregnancy and risk for spontaneous preterm delivery: a prospective observational cohort study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 375 ³⁻²		27
41	Biomarkers of fish oil omega-3 polyunsaturated fatty acids intake in humans. <i>Nutrition in Clinical Practice</i> , 2014 , 29, 63-72	3.6	26
40	Association between maternal iron supplementation during pregnancy and risk of celiac disease in children. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 624-31.e1-2	6.9	17
39	High consumption of farmed salmon does not disrupt the steady state of persistent organic pollutants (POP) in human plasma and adipose tissue. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 1229-50	3.2	6
38	Plasma carotenoid levels as biomarkers of dietary carotenoid consumption: A systematic review of the validation studies. <i>Journal of Nutrition & Intermediary Metabolism</i> , 2015 , 2, 15-64	2.8	30
37	Organic Food Consumption during Pregnancy and Hypospadias and Cryptorchidism at Birth: The Norwegian Mother and Child Cohort Study (MoBa). <i>Environmental Health Perspectives</i> , 2016 , 124, 357-64 ⁸⁻⁴		29
36	Validation of a food-frequency questionnaire for assessing vitamin intake of Japanese women in early and late pregnancy with and without nausea and vomiting. <i>Journal of Nutritional Science</i> , 2016 , 5, e27	2.7	5
35	Validity and reliability of a brief self-reported questionnaire assessing fruit and vegetable consumption among pregnant women. <i>BMC Public Health</i> , 2016 , 16, 982	4.1	8
34	Prenatal methylmercury exposure and language delay at three years of age in the Norwegian Mother and Child Cohort Study. <i>Environment International</i> , 2016 , 92-93, 63-9	12.9	23
33	Maternal intake of seafood and supplementary long chain n-3 poly-unsaturated fatty acids and preterm delivery. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 41	3.2	20
32	Maternal use of dietary supplements during pregnancy is not associated with coeliac disease in the offspring: The Environmental Determinants of Diabetes in the Young (TEDDY) study. <i>British Journal of Nutrition</i> , 2017 , 117, 466-472	3.6	11
31	Maternal micronutrient consumption periconceptionally and during pregnancy: a prospective cohort study. <i>Public Health Nutrition</i> , 2017 , 20, 294-304	3.3	10
30	Fetal and Maternal Genetic Variants Influencing Neonatal Vitamin D Status. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4072-4079	5.6	11
29	Low Calcium Intake in Midpregnancy Is Associated with Hypertension Development within 10 Years after Pregnancy: The Norwegian Mother and Child Cohort Study. <i>Journal of Nutrition</i> , 2017 , 147, 1757-1763 ⁴⁻¹		9
28	Maternal Iodine Intake and Offspring Attention-Deficit/Hyperactivity Disorder: Results from a Large Prospective Cohort Study. <i>Nutrients</i> , 2017 , 9,	6.7	49
27	Maternal and neonatal vitamin D status, genotype and childhood celiac disease. <i>PLoS ONE</i> , 2017 , 12, e0179080	3.7	16
26	Effects of cod intake in pregnancy on iodine nutrition and infant development: study protocol for Mommy's Food - a randomized controlled trial. <i>BMC Nutrition</i> , 2018 , 4, 7	2.5	9
25	Vitamin A and D intake in pregnancy, infant supplementation, and asthma development: the Norwegian Mother and Child Cohort. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 789-798	7	15

24	Information bias of social gradients in sickness absence: a comparison of self-report data in the Norwegian Mother and Child Cohort Study (MoBa) and data in national registries. <i>BMC Public Health</i> , 2018 , 18, 1275	4.1	2
23	Status of Retinoids and Carotenoids and Associations with Clinical Outcomes in Maternal-Infant Pairs in Nigeria. <i>Nutrients</i> , 2018 , 10,	6.7	7
22	Dietary Flavonoids in the Prevention of T2D: An Overview. <i>Nutrients</i> , 2018 , 10,	6.7	49
21	Iodine Intake is Associated with Thyroid Function in Mild to Moderately Iodine Deficient Pregnant Women. <i>Thyroid</i> , 2018 , 28, 1359-1371	6.2	35
20	Prenatal iron exposure and childhood type 1 diabetes. <i>Scientific Reports</i> , 2018 , 8, 9067	4.9	11
19	Design, development, and evaluation of the Maternal Outcomes and Nutrition Tool (MONT). <i>Maternal and Child Nutrition</i> , 2019 , 15, e12634	3.4	2
18	Language delay and poorer school performance in children of mothers with inadequate iodine intake in pregnancy: results from follow-up at 8 years in the Norwegian Mother and Child Cohort Study. <i>European Journal of Nutrition</i> , 2019 , 58, 3047-3058	5.2	20
17	Associations between maternal dietary patterns and infant birth weight, small and large for gestational age in the Norwegian Mother and Child Cohort Study. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1270-1282	5.2	23
16	Maternal dietary selenium intake is associated with increased gestational length and decreased risk of preterm delivery. <i>British Journal of Nutrition</i> , 2020 , 123, 209-219	3.6	9
15	Urinary biomarkers of dietary intake: a review. <i>Nutrition Reviews</i> , 2020 , 78, 364-381	6.4	10
14	Determinants of placental iodine concentrations in a mild-to-moderate iodine-deficient population: an ENVIRONAGE cohort study. <i>Journal of Translational Medicine</i> , 2020 , 18, 426	8.5	3
13	Maternal caffeine intake during pregnancy and child neurodevelopment up to eight years of age-Results from the Norwegian Mother, Father and Child Cohort Study. <i>European Journal of Nutrition</i> , 2021 , 60, 791-805	5.2	7
12	Old Question Revisited: Are High-Protein Diets Safe in Pregnancy?. <i>Nutrients</i> , 2021 , 13,	6.7	1
11	Maternal Dietary Selenium Intake during Pregnancy and Neonatal Outcomes in the Norwegian Mother, Father, and Child Cohort Study. <i>Nutrients</i> , 2021 , 13,	6.7	0
10	Association between maternal iron supplementation and newborn birth weight: a quantile regression analysis. <i>Italian Journal of Pediatrics</i> , 2021 , 47, 133	3.2	1
9	Pregnancy exposure to common-detected organophosphate esters and phthalates and maternal thyroid function. <i>Science of the Total Environment</i> , 2021 , 782, 146709	10.2	5
8	Intakes of Fish and Long-chain n-3 Polyunsaturated Fatty Acid Supplements During Pregnancy and Subsequent Risk of Type 2 Diabetes in a Large Prospective Cohort Study of Norwegian Women. <i>Diabetes Care</i> , 2021 ,	14.6	1
7	Maternal vitamin D intake and BMI during pregnancy in relation to child's growth and weight status from birth to 8 years: a large national cohort study. <i>BMJ Open</i> , 2021 , 11, e048980	3	0

6	The Iodine Content of Foods and Diets: Norwegian Perspectives. 2009 , 345-352		5
5	Associations between urine phthalate metabolites and thyroid function in pregnant women and the influence of iodine status. <i>Environment International</i> , 2020 , 137, 105509	12.9	24
4	Test-retest reliability and validity of a web-based food-frequency questionnaire for adolescents aged 13-14 to be used in the Norwegian Mother and Child Cohort Study (MoBa). <i>Food and Nutrition Research</i> , 2014 , 58,	3.1	15
3	Maternal intake of folate during pregnancy and risk of cerebral palsy in the MOBAND-CP cohort. <i>American Journal of Clinical Nutrition</i> , 2021 ,	7	
2	Omega-3 fatty acid supplement use and oxidative stress levels in pregnancy. <i>PLoS ONE</i> , 2020 , 15, e0240244	3.7	3
1	Mild-to-moderate iodine deficiency and symptoms of emotional distress and depression in pregnancy and six months postpartum [Results from a large pregnancy cohort. 2022 , 318, 347-356		0