Physical performance and school physical education in overweight Spanish children

DOI: 10.1159/000105459
Annals of Nutrition and Metabolism, 2007, 51, 288-96.

#	Paper	IF	Citations
46	Health-related fitness in adolescents: underweight, and not only overweight, as an influencing factor. The AVENA study. *Scandinavian Journal of Medicine and Science in Sports*, **2010**, 20, 418-27	4.6	112
45	Percentile values for muscular strength field tests in children aged 6 to 17 years: influence of weight status. *Journal of Strength and Conditioning Research*, **2009**, 23, 2295-310	3.2	84
44	Relationship between motor skill and body mass index in 5- to 10-year-old children. *Adapted Physical Activity Quarterly*, **2009**, 26, 21-37	1.7	133
43	The Association of Weight Status with Physical Fitness among Chinese Children. *International Journal of Pediatrics (United Kingdom)*, **2010**, 2010, 515414	2.1	33
42	Percentile values for running sprint field tests in children ages 6-17 years: influence of weight status. *Research Quarterly for Exercise and Sport*, **2010**, 81, 143-51	1.9	16
41	The secular trend for grip strength in Canada and the United States. *Journal of Sports Sciences*, **2011**, 29, 599-606	3.6	19
40	Obesity and motor coordination ability in Taiwanese children with and without developmental coordination disorder. *Research in Developmental Disabilities*, **2011**, 32, 801-7	2.7	34
39	Somatotype is More Interactive with Strength than Fat Mass and Physical Activity in Peripubertal Children. *Journal of Human Kinetics*, **2011**, 29A, 83-91	2.6	5
38	Obesity: the new childhood disability?. *Obesity Reviews*, **2011**, 12, 26-36	10.6	71
37	Physical fitness in rural and urban children and adolescents from Spain. *Journal of Science and Medicine in Sport*, **2011**, 14, 417-23	4.4	50
36	Gross motor coordination in relation to weight status and age in 5- to 12-year-old boys and girls: a cross-sectional study. *Pediatric Obesity*, **2011**, 6, e556-64		117
35	Strength in Young Italian Students: Results from Eurofit Test and Comparison Among European Data. *Polish Journal of Sport and Tourism*, **2012**, 19, 13-15	0.4	5
34	Swiss children consuming breakfast regularly have better motor functional skills and are less overweight than breakfast skippers. *Journal of the American College of Nutrition*, **2012**, 31, 87-93	3.5	16
33	A comparative study of performance in simple and choice reaction time tasks between obese and healthy-weight children. *Research in Developmental Disabilities*, **2013**, 34, 2635-41	2.7	25
32	Percentile values for flexibility tests in youths aged 6 to 17 years: Influence of weight status. *European Journal of Sport Science*, **2013**, 13, 139-148	3.9	14
31	Cooper and Shuttle Run Test in Young Students: Results and Correlations. *Sport Science Review*, **2013**, 22, 217-228		4
30	Excess of weight, but not underweight, is associated with poor physical fitness in children and adolescents from Castilla-La Mancha, Spain. *European Journal of Pediatrics*, **2014**, 173, 727-35	4.1	23

29	Top 10 research questions related to musculoskeletal physical fitness testing in children and adolescents. *Research Quarterly for Exercise and Sport*, **2014**, 85, 174-87	1.9	14
28	Associations between cycling skill, general motor competence and body mass index in 9-year-old children. *Ergonomics*, **2015**, 58, 160-71	2.9	14
27	Asociaci□n entre condici□n f□sica y adiposidad en escolares de Monter□a, Colombia / Associations Between Physical Fitness and Adiposity Among School-Age Children from Monteria, Colombia. *Revista Internacional De Medicina Y Ciencias De La Actividad Fisica Y Del Deporte*, **2016**, 62, 277-296	0.5	0
26	[Physical fitness levels in French adolescents: The BOUGE program]. *Revue D□Epidemiologie Et De Sante Publique*, **2016**, 64, 219-28	0.6	0
25	Factors associated with motor performance among overweight and nonoverweight Tyrolean primary school children. *Wiener Klinische Wochenschrift*, **2016**, 128, 14-9	2.3	7
24	Two years of school-based intervention program could improve the physical fitness among Ecuadorian adolescents at health risk: subgroups analysis from a cluster-randomized trial. *BMC Pediatrics*, **2016**, 16, 51	2.6	8
23	Clinical outcome measures for monitoring physical function in pediatric obesity: An integrative review. *Obesity*, **2016**, 24, 993-1017	8	4
22	Physical Fitness Reference Standards in French Youth: The BOUGE Program. *Journal of Strength and Conditioning Research*, **2017**, 31, 1709-1718	3.2	12
21	Association Between Body Mass Index and Motor Competence in Santal Children of Purulia District, India. *Journal of Motor Behavior*, **2017**, 49, 349-354	1.4	3
20	Development of physical fitness in Austrian primary school children : A´longitudinal study among overweight and non-overweight children over 2.5´years. *Wiener Klinische Wochenschrift*, **2018**, 130, 321-327	2.3	4
19	Reference values of vertical jumping performances and anthropometric characteristics in trained adolescents. *Science and Sports*, **2018**, 33, e59-e74	0.8	2
18	Kinematic analysis of the standing long jump in children 6- to 12-years-old. *Measurement in Physical Education and Exercise Science*, **2018**, 22, 70-78	1.9	3
17	Physical Activity Practice, Sleeping Habits and Academic Achievement. **2018**,		1
16	Physical fitness for sedentary students: a common trend from six European countries. *Journal of Sports Medicine and Physical Fitness*, **2019**, 59, 1389-1396	1.4	11
15	Factors Associated with Physical Fitness among Overweight and Non-Overweight Austrian Secondary School Students. *International Journal of Environmental Research and Public Health*, **2019** , 16,	4.6	3
14	Long-term effect of migration background on the development of physical fitness among primary school children. *Scandinavian Journal of Medicine and Science in Sports*, **2019**, 29, 124-131	4.6	4
13	The reciprocal relationship between body mass index categories and physical fitness: A 4-year prospective cohort study of 20 000 Chinese children. *Pediatric Obesity*, **2020**, 15, e12646	4.6	0
12	The Federated Practice of Soccer Influences Hamstring Flexibility in Healthy Adolescents: Role of Age and Weight Status. *Sports*, **2020**, 8,	3	

11	Anthropometric and fitness normative values for young karatekas. *Biology of Sport*, **2021**, 38, 351-357	4.3	1
10	Fitness differences according to BMI categories: a new point of view. *Journal of Sports Medicine and Physical Fitness*, **2019**, 59, 298-303	1.4	15
9	Body composition and fitness in elite Spanish children tennis players. *Journal of Human Sport and Exercise*, **2010**, 5, 250-264	1.5	4
8	Relations of weight status and physical fitness of children in Slovenia. *Zdravstveno Varstvo*, **2014**, 53, 11-16	1.3	
7	Capacidad aer□bica y su relaci□n con par□metros de la condici□n f□sica saludable en escolares. *Revista Facultad De Ciencias De La Salud UDES*, **2015**, 2, 90		
6	Assessment of the Relationship between Body Mass Index and Gross Motor Development in Children. *Iranian Journal of Child Neurology*, **2017**, 11, 7-14	0.6	
5	Association of modifiable factors with the development of physical fitness of Austrian primary school children: A 4-year longitudinal study.. *Journal of Sports Sciences*, **2022**, 1-8	3.6	1
4	Potential Energy as an Alternative for Assessing Lower Limb Peak Power in Children: A Bayesian Hierarchical Analysis. *International Journal of Environmental Research and Public Health*, **2022**, 19, 6300	4.6	
3	cuidado de la salud en escolares como prevenci□n de enfermedades. **2022**, 9, 1-11		0
2	Age- and Sex-Specific Physical Fitness Reference and Association with Body Mass Index in Hong Kong Chinese Schoolchildren. **2022**, 19, 15346		1
1	Health-Related Physical Fitness is Associated with Total and Central Body Fat in Children Aged 6 to 10 Years. **2022**, 22, S117-S123		0