## CITATION REPORT List of articles citing

Molecular cloning of a brain-specific, developmentally regulated neuregulin 1 (NRG1) isoform and identification of a functional promoter variant associated with schizophrenia

DOI: 10.1074/jbc.m702953200 Journal of Biological Chemistry, 2007, 282, 24343-51.

Source: https://exaly.com/paper-pdf/41732488/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
120	Gene expression in the etiology of schizophrenia. 2008, 34, 412-8		37
119	Schizophrenia drug says goodbye to dopamine. <b>2007</b> , 13, 1018-9		37
118	Neuregulin 1 in neural development, synaptic plasticity and schizophrenia. <b>2008</b> , 9, 437-52		770
117	The effects of a neuregulin 1 variant on white matter density and integrity. <i>Molecular Psychiatry</i> , <b>2008</b> , 13, 1054-9	15.1	170
116	Neuregulin-1 haplotype HAP(ICE) is associated with lower hippocampal volumes in schizophrenic patients and in non-affected family members. <b>2008</b> , 43, 1-6		38
115	The functional consequences of alternative promoter use in mammalian genomes. 2008, 24, 167-77		264
114	Mechanisms of neuregulin action. <b>2008</b> , 289, 74-84; discussion 84-93		46
113	Developing New Drugs for Schizophrenia: From Animals to the Clinic. <b>2008</b> , 199-261		11
112	Developmental disruptions in neural connectivity in the pathophysiology of schizophrenia. <b>2008</b> , 20, 1297-327		114
111	Alteration of BACE1-dependent NRG1/ErbB4 signaling and schizophrenia-like phenotypes in BACE1-null mice. <b>2008</b> , 105, 5585-90		245
110	The group II metabotropic glutamate receptor 3 (mGluR3, mGlu3, GRM3): expression, function and involvement in schizophrenia. <b>2008</b> , 22, 308-22		136
109	Analysis of a promoter polymorphism in the SMDF neuregulin 1 isoform in Schizophrenia. <b>2009</b> , 59, 205	-12	5
108	Genetic animal models for schizophrenia: advantages and limitations of genetic manipulation in drosophila, zebrafish, rodents, and primates. <b>2009</b> , 179, 3-6		6
107	Altered growth factor signaling pathways as the basis of aberrant stem cell maturation in schizophrenia. <b>2009</b> , 121, 115-22		52
106	A polymorphism of the neuregulin 1 gene (SNP8NRG243177/rs6994992) affects reactivity to expressed emotion in schizophrenia. <b>2009</b> , 150B, 418-20		31
105	A 5Tpromoter region SNP in NRG1 is associated with schizophrenia risk and type III isoform expression. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 741-3	15.1	35
104	Chromosome 8p as a potential hub for developmental neuropsychiatric disorders: implications for schizophrenia, autism and cancer. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 563-89	15.1	170

## (2010-2009)

103	The effects of alpha-secretase ADAM10 on the proteolysis of neuregulin-1. <b>2009</b> , 276, 1568-80	27
102	Survey of schizophrenia and bipolar disorder candidate genes using chromatin immunoprecipitation and tiled microarrays (ChIP-chip). <b>2009</b> , 23, 341-52	14
101	Fine mapping on chromosome 10q22-q23 implicates Neuregulin 3 in schizophrenia. <b>2009</b> , 84, 21-34	78
100	Genes for psychosis and creativity: a promoter polymorphism of the neuregulin 1 gene is related to creativity in people with high intellectual achievement. <b>2009</b> , 20, 1070-3	97
99	Associative learning and the genetics of schizophrenia. <b>2009</b> , 32, 359-65	26
98	A neuregulin 1 variant is associated with increased lateral ventricle volume in patients with first-episode schizophrenia. <b>2009</b> , 65, 535-40	47
97	Genetic risk for white matter abnormalities in bipolar disorder. <b>2009</b> , 21, 387-93	20
96	WRN mutations in Werner syndrome patients: genomic rearrangements, unusual intronic mutations and ethnic-specific alterations. <b>2010</b> , 128, 103-11	76
95	Measurement and comparison of serum neuregulin 1 immunoreactivity in control subjects and patients with schizophrenia: an influence of its genetic polymorphism. <b>2010</b> , 117, 887-95	43
94	Molecular and cellular characterization of Neuregulin-1 type IV isoforms. <b>2010</b> , 113, 1163-76	17
93	Rethinking schizophrenia. <b>2010</b> , 468, 187-93	1163
92	Cytokine hypothesis of schizophrenia pathogenesis: evidence from human studies and animal models. <b>2010</b> , 64, 217-30	160
91	The fibroblast-derived paracrine factor neuregulin-1 has a novel role in regulating the constitutive color and melanocyte function in human skin. <b>2010</b> , 123, 3102-11	82
90	Common genetic variation in Neuregulin 3 (NRG3) influences risk for schizophrenia and impacts NRG3 expression in human brain. <b>2010</b> , 107, 15619-24	106
89	In silico analysis of neuregulin 1 evolution in vertebrates. <b>2010</b> , 30, 267-75	2
88	Neuregulin-1 modulates the differentiation of neural stem cells in vitro through an interaction with the Swi/Snf complex. <b>2010</b> , 43, 72-80	9
87	The neuregulin signaling pathway and schizophrenia: from genes to synapses and neural circuits. <b>2010</b> , 83, 122-31	127
86	Additive effect of NRG1 and DISC1 genes on lateral ventricle enlargement in first episode	37

85	Genetic neuropathology of schizophrenia: new approaches to an old question and new uses for postmortem human brains. <b>2011</b> , 69, 140-5	72
84	Neurodevelopmental Origins of Schizophrenia. <b>2011</b> , 393-412	16
83	Sex-specific neuroendocrine and behavioral phenotypes in hypomorphic Type II Neuregulin 1 rats. <b>2011</b> , 224, 223-32	20
82	White matter neuron alterations in schizophrenia and related disorders. <b>2011</b> , 29, 325-34	61
81	Schizophrenia susceptibility pathway neuregulin 1-ErbB4 suppresses Src upregulation of NMDA receptors. <b>2011</b> , 17, 470-8	126
80	Neuregulin 3 (NRG3) as a susceptibility gene in a schizophrenia subtype with florid delusions and relatively spared cognition. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 860-6	60
79	Disruption of the neuregulin 1 gene in the rat alters HPA axis activity and behavioral responses to environmental stimuli. <b>2011</b> , 104, 205-14	34
78	Linkage and association on 8p21.2-p21.1 in schizophrenia. <b>2011</b> , 156, 188-97	23
77	A phenotype-based genetic association study reveals the contribution of neuregulin1 gene variants to age of onset and positive symptom severity in schizophrenia. <b>2011</b> , 156B, 340-5	11
76	Dysfunctional gene splicing as a potential contributor to neuropsychiatric disorders. <b>2011</b> , 156B, 382-92	42
75	The bromodomain-containing gene BRD2 is regulated at transcription, splicing, and translation levels. <b>2011</b> , 112, 2784-93	19
74	Neuroplasticity signaling pathways linked to the pathophysiology of schizophrenia. <b>2011</b> , 35, 848-70	123
73	Specific regulation of NRG1 isoform expression by neuronal activity. <b>2011</b> , 31, 8491-501	111
72	Transgenic overexpression of the type I isoform of neuregulin 1 affects working memory and hippocampal oscillations but not long-term potentiation. <b>2012</b> , 22, 1520-9	59
71	Transcriptomic analysis of postmortem brain identifies dysregulated splicing events in novel candidate genes for schizophrenia. <b>2012</b> , 142, 188-99	20
70	Analysis of association between common SNPs in ErbB4 and bipolar affective disorder, major depressive disorder and schizophrenia in the Han Chinese population. <b>2012</b> , 36, 17-21	12
69	Animal models of schizophrenia emphasizing construct validity. <b>2012</b> , 105, 411-44	10
68	A structure-function mechanism for schizophrenia. <b>2012</b> , 3, 108	8

67	Schizophrenia. 80-106	
66	Neuregulin 1-ErbB4-PI3K signaling in schizophrenia and phosphoinositide 3-kinase-p110Inhibition as a potential therapeutic strategy. <b>2012</b> , 109, 12165-70	106
65	Association between Polymorphism of the Neuregulin Gene (NRG1) and Cognitive Functions in Schizophrenia Patients and Healthy Subjects. <b>2013</b> , 43, 70-75	
64	Association study of neuregulin-1 gene polymorphisms in a North Indian schizophrenia sample. <b>2013</b> , 144, 24-30	28
63	Schizophrenia: susceptibility genes and oligodendroglial and myelin related abnormalities. <b>2014</b> , 8, 5	67
62	Schizophrenia-risk variant rs6994992 in the neuregulin-1 gene on brain developmental trajectories in typically developing children. <i>Translational Psychiatry</i> , <b>2014</b> , 4, e392	9
61	Signalling between microvascular endothelium and cardiomyocytes through neuregulin. <b>2014</b> , 102, 194-204	53
60	NRG1/ErbB4 and the PI3K/AKT pathway: Novel therapeutic options for schizophrenia. <b>2014</b> , 160, e10-e11	1
59	Prenatal expression patterns of genes associated with neuropsychiatric disorders. 2014, 171, 758-67	76
58	Common variants in psychiatric risk genes predict brain structure at birth. <b>2014</b> , 24, 1230-46	100
57	Molecular evolution in the CREB1 signal pathway and a rare haplotype in CREB1 with genetic predisposition to schizophrenia. <b>2014</b> , 57, 84-9	10
56	Cognitive outcome and gamma noise power unrelated to neuregulin 1 and 3 variation in schizophrenia. <b>2014</b> , 13, 18	5
55	Effects of schizophrenia risk variation in the NRG1 gene on NRG1-IV splicing during fetal and early postnatal human neocortical development. <b>2014</b> , 171, 979-89	21
54	Pathological aggression. 86-96	
53	Schizophrenia. 189-207	1
52	The Neurobiology of Schizophrenia. <b>2015</b> , 303-319	
51	Alternative mRNA transcription, processing, and translation: insights from RNA sequencing. <b>2015</b> , 31, 128-39	190
50	Glia-related genes and their contribution to schizophrenia. <b>2015</b> , 69, 448-61	22

49	Two functional promoter polymorphisms of neuregulin 1 gene are associated with progressive forms of multiple sclerosis. <b>2015</b> , 351, 154-159	7
48	Non-HER2 signaling pathways activated in resistance to anti-HER2 therapy in breast cancer. <b>2015</b> , 153, 493-505	21
47	Neuregulin 1 protects against ischemic brain injury via ErbB4 receptors by increasing GABAergic transmission. <b>2015</b> , 307, 151-9	22
46	Recent genetic findings in schizophrenia and their therapeutic relevance. <b>2015</b> , 29, 85-96	124
45	Effects of NRG1 genotypes on orbitofrontal sulcogyral patterns in Japanese patients diagnosed with schizophrenia. <b>2016</b> , 70, 261-8	7
44	Towards understanding pre-mRNA splicing mechanisms and the role of SR proteins. <b>2016</b> , 587, 107-19	36
43	Behavioral, Neurophysiological, and Synaptic Impairment in a Transgenic Neuregulin1 (NRG1-IV) Murine Schizophrenia Model. <b>2016</b> , 36, 4859-75	38
42	Neurological dysfunctions associated with altered BACE1-dependent Neuregulin-1 signaling. <b>2016</b> , 136, 234-49	36
41	Neuregulin-1 and schizophrenia in the genome-wide association study era. <b>2016</b> , 68, 387-409	50
40	Alternative intronic promoters in development and disease. <b>2017</b> , 254, 1201-1206	10
39	Structural Similarities between Neuregulin 1-3 Isoforms Determine Their Subcellular Distribution and Signaling Mode in Central Neurons. <b>2017</b> , 37, 5232-5249	23
38	A functional neuregulin-1 gene variant and stressful life events: Effect on drug use in a longitudinal population-representative cohort study. <b>2017</b> , 31, 54-61	8
37	Association of Established Thyroid-stimulating Hormone and Free Thyroxine Genetic Variants with Hashimoto Thyroiditis. <b>2017</b> , 46, 625-638	4
36	Temporal, Diagnostic, and Tissue-Specific Regulation of NRG3 Isoform Expression in Human Brain Development and Affective Disorders. <b>2017</b> , 174, 256-265	27
35	Specific Activation of the Alternative Cardiac Promoter of by the Mineralocorticoid Receptor. <b>2018</b> , 122, e49-e61	12
34	A Novel Ultrasensitive In Situ Hybridization Approach to Detect Short Sequences and Splice Variants with Cellular Resolution. <b>2018</b> , 55, 6169-6181	36
33	Integrative proteomic analysis reveals potential high-frequency alternative open reading frame-encoded peptides in human colorectal cancer. <b>2018</b> , 215, 182-189	3
32	Selective Activation of Alternative Core Promoters by Wnt-Responsive Enhancers. 2018, 9,	Ο

31	Developmental and genetic regulation of the human cortex transcriptome illuminate schizophrenia pathogenesis. <b>2018</b> , 21, 1117-1125		176
30	The Association Between Schizophrenia Risk Variants and Creativity in Healthy Han Chinese Subjects. <b>2019</b> , 10, 2218		3
29	Therapeutic efficacy of neuregulin 1-expressing human adipose-derived mesenchymal stem cells for ischemic stroke. <i>PLoS ONE</i> , <b>2019</b> , 14, e0222587	3.7	10
28	Genes and power athlete status. <b>2019</b> , 41-72		7
27	Neuregulin-1/ErbB network: An emerging modulator of nervous system injury and repair. <b>2019</b> , 180, 101643		38
26	Association between schizophrenia risk allele dosage of rs6994992 and whole-brain structural and functional characteristics. <b>2019</b> , 294, 110956		3
25	Evidence that alternative transcriptional initiation is largely nonadaptive. 2019, 17, e3000197		24
24	Genome-Wide Identification of a Novel Autophagy-Related Signature for Colorectal Cancer. <b>2019</b> , 17, 1559325819894179		13
23	Temporal Dynamics of the Neuregulin-ErbB Network in the Murine Prefrontal Cortex across the Lifespan. <b>2020</b> , 30, 3325-3339		O
22	On the Modulatory Roles of Neuregulins/ErbB Signaling on Synaptic Plasticity. <b>2019</b> , 21,		17
21	NRG3 contributes to cognitive deficits in chronic patients with schizophrenia. <b>2020</b> , 215, 134-139		12
20	NRG1 fusion-driven tumors: biology, detection, and the therapeutic role of afatinib and other ErbB-targeting agents. <i>Annals of Oncology</i> , <b>2020</b> , 31, 1693-1703	10.3	30
19	Pharmacological postconditioning: a molecular aspect in ischemic injury. <i>Journal of Pharmacy and Pharmacology</i> , <b>2020</b> , 72, 1513-1527	4.8	14
18	Nedd4l downregulation of NRG1 in the mPFC induces depression-like behaviour in CSDS mice. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 249	8.6	2
17	Neuregulin 3 rs10748842 polymorphism contributes to the effect of body mass index on cognitive impairment in patients with schizophrenia. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 62	8.6	9
16	High-resolution analysis of cell-state transitions in yeast suggests widespread transcriptional tuning by alternative starts. <i>Genome Biology</i> , <b>2021</b> , 22, 34	18.3	9
15	An alternative splicing hypothesis for neuropathology of schizophrenia: evidence from studies on historical candidate genes and multi-omics data. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	6
14	Contributions of Glutamate and GABA Systems to the Neurobiology and Treatment of Schizophrenia. 433-461		5

13	Impaired Neurogenesis as a Risk Factor for Schizophrenia and Related Mental Diseases. <b>2011</b> , 109-131		2
12	Developmental and genetic regulation of the human cortex transcriptome in schizophrenia.		7
11	Neuregulin-1 regulates cell adhesion via an ErbB2/phosphoinositide-3 kinase/Akt-dependent pathway: potential implications for schizophrenia and cancer. <i>PLoS ONE</i> , <b>2007</b> , 2, e1369	3.7	50
10	Neuregulin in Health and Disease. <b>2018</b> , 4,		7
9	Molecular Genetics of Schizophrenia: Focus on Symptom Dimensions. <b>2009</b> , 95-124		3
8	Animal Models of Schizophrenia. 462-481		
7	The neurobiology of schizophrenia. <b>2012</b> , 561-568		
6	Integrating Imaging and Genetic Research. <b>2012</b> , 239-252		
5	Selective activation of alternative MYC core promoters by Wnt-responsive enhancers.		
4	Single cell transcriptomic profiling of human brain organoids reveals developmental timing- and cell-type-specific vulnerabilities induced by NRXN1 CNVs in schizophrenia.		
3	Investigation on substrate specificity and catalytic activity of serine protease neuropsin. 2022, 19, n/a		О
2	Effects of psychosis-associated genetic markers on brain volumetry: a systematic review of replicated findings and an independent validation. 1-16		O
1	Correlation of rs35753505 polymorphism in Neuregulin 1 gene with psychopathology and intelligence of people with schizophrenia. <b>2023</b> , 867, 147285		0