

CITATION REPORT

List of articles citing

The precuneus and consciousness

DOI: 10.1017/s1092852900021295
CNS Spectrums, 2007, 12, 545-52.

Source: <https://exaly.com/paper-pdf/41754304/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
267	Brain mechanisms of impaired consciousness in epilepsy. 209-220		1
266	Differences in saccade-evoked brain activation patterns with eyes open or eyes closed in complete darkness. 2008 , 186, 419-30		17
265	Activiteit in het brein als men gevraagd wordt niets te doen. 2008 , 12, 86-91		2
264	Parietal contributions to recollection: electrophysiological evidence from aging and patients with parietal lesions. 2008 , 46, 1800-12		95
263	Behavioral correlates of posteromedial parietal cortex hypometabolism in a family with idiopathic basal ganglia calcifications. 2008 , 266, 190-1		2
262	Neurological basis of poor insight in psychosis: a voxel-based MRI study. 2008 , 103, 40-51		79
261	Measuring the level and content of consciousness during epileptic seizures: the Ictal Consciousness Inventory. <i>Epilepsy and Behavior</i> , 2008 , 13, 184-8	3.2	46
260	Practical Joking and Cingulate Cortex: A Standardized Low-Resolution Electromagnetic Tomography (sLORETA) Investigation of Practical Joking in the Cerebral Volume. 2008 , 11, 51-63		4
259	Chapter 3.7 The role of the precuneus in episodic memory. 2008 , 363-377		3
258	Can machines think? Interaction and perspective taking with robots investigated via fMRI. <i>PLoS ONE</i> , 2008 , 3, e2597	3.7	209
257	Consciousness as Recursive, Spatiotemporal Self-Location. 2008 ,		
256	Causal hierarchy within the thalamo-cortical network in spike and wave discharges. <i>PLoS ONE</i> , 2009 , 4, e6475	3.7	116
255	Dopamine transporters in striatum correlate with deactivation in the default mode network during visuospatial attention. <i>PLoS ONE</i> , 2009 , 4, e6102	3.7	114
254	Higher cortical modulation of pain perception in the human brain: Psychological determinant. 2009 , 25, 267-76		7
253	Temporal sequence of hemispheric network activation during semantic processing: a functional network connectivity analysis. 2009 , 70, 238-46		25
252	The brain under self-control: modulation of inhibitory and monitoring cortical networks during hypnotic paralysis. 2009 , 62, 862-75		137
251	School sport--a neurophysiological approach. 2009 , 467, 131-4		34

250	Brain mechanisms of altered conscious states during epileptic seizures. 2009 , 5, 267-76		81
249	Precuneus shares intrinsic functional architecture in humans and monkeys. 2009 , 106, 20069-74		714
248	Effects of methylphenidate on cerebral glucose metabolism in patients with impaired consciousness after acquired brain injury. 2009 , 32, 335-9		20
247	Present and future of simultaneous EEG-fMRI. 2010 , 23, 309-16		45
246	Effects of body image therapy on the activation of the extrastriate body area in anorexia nervosa: an fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 114-8	2.9	40
245	Trait impulsivity in female patients with borderline personality disorder and matched controls. 2010 , 22, 139-49		20
244	Occipital and parietal lobes. 33-58		
243	Brain activation in complex partial seizures during switching from a the goal-directed task to a resting state: comparison of fMRI maps to the default mode network. 2010 , 2010, 5685-8		1
242	Default network connectivity reflects the level of consciousness in non-communicative brain-damaged patients. 2010 , 133, 161-71		574
241	Neural response to working memory load varies by dopamine transporter genotype in children. <i>NeuroImage</i> , 2010 , 53, 970-7	7.9	38
240	Association between functional connectivity hubs and brain networks. 2011 , 21, 2003-13		298
239	Non-parametric model selection for subject-specific topological organization of resting-state functional connectivity. <i>NeuroImage</i> , 2011 , 56, 1453-62	7.9	7
238	Brain correlates of hypnotic paralysis-a resting-state fMRI study. <i>NeuroImage</i> , 2011 , 56, 2173-82	7.9	42
237	A meta-analysis of diffusion tensor imaging studies of the corpus callosum in schizophrenia. 2011 , 129, 149-55		73
236	Influence of anesthesia on cerebral blood flow, cerebral metabolic rate, and brain functional connectivity. 2011 , 24, 474-9		34
235	Unawareness of deficits in Alzheimer's disease: role of the cingulate cortex. 2011 , 134, 1061-76		101
234	Understanding grapheme personification: a social synaesthesia?. 2011 , 5, 255-82		25
233	Cerebral blood flow abnormalities in patients with neurally mediated syncope. 2011 , 258, 366-72		6

232	Implicit memory for object locations depends on reactivation of encoding-related brain regions. 2011 , 32, 32-50		7
231	Reaction time, memory strength, and fMRI activity during memory retrieval: Hippocampus and default network are differentially responsive during recollection and familiarity judgments. 2011 , 2, 19-23		14
230	Self-rating scales assessing subjective well-being and distress correlate with rCBF in PTSD-sensitive regions. 2011 , 41, 2549-61		34
229	A voxel-based analysis of FDG-PET in traumatic brain injury: regional metabolism and relationship between the thalamus and cortical areas. 2011 , 28, 1707-17		46
228	Anosognosia: patients' distress and self-awareness of deficits in Alzheimer's disease. 2012 , 27, 339-45		35
227	The neural underpinnings of prosody in autism. 2012 , 18, 600-17		38
226	Acupuncture-induced pain relief and the human brain's default mode network - an extended view of central effects of acupuncture analgesia. 2012 , 19, 197-201		27
225	The default mode network and recurrent depression: a neurobiological model of cognitive risk factors. 2012 , 22, 229-51		200
224	Visual object processing as a function of stimulus energy, retinal eccentricity and Gestalt configuration: a high-density electrical mapping study. 2012 , 221, 1-11		11
223	Curious monkeys have increased gray matter density in the precuneus. 2012 , 518, 172-5		5
222	Evidence of a dissociation pattern in resting-state default mode network connectivity in first-episode, treatment-naive major depression patients. 2012 , 71, 611-7		460
221	Synchronization between the anterior and posterior cortex determines consciousness level in patients with traumatic brain injury (TBI). 2012 , 1476, 22-30		31
220	Functional connectivity mapping of the human precuneus by resting state fMRI. <i>NeuroImage</i> , 2012 , 59, 3548-62	7.9	368
219	Reduced connectivity in the self-processing network of schizophrenia patients with poor insight. <i>PLoS ONE</i> , 2012 , 7, e42707	3.7	41
218	Cognitive and neural aspects of information processing in major depressive disorder: an integrative perspective. <i>Frontiers in Psychology</i> , 2012 , 3, 489	3.4	121
217	Neuroanatomic correlates of psychogenic nonepileptic seizures: a cortical thickness and VBM study. 2012 , 53, 377-85		105
216	Cortical source of blink-related delta oscillations and their correlation with levels of consciousness. 2013 , 34, 2178-89		25
215	Neuroimaging of Consciousness. 2013 ,		4

214	Semantic versus perceptual interactions in neural processing of speech-in-noise. <i>NeuroImage</i> , 2013 , 79, 52-61	7.9	35
213	Aberrant limbic and salience network resting-state functional connectivity in panic disorder without comorbidity. 2013 , 145, 29-35		71
212	Brain dead yet mind alive: a positron emission tomography case study of brain metabolism in Cotard's syndrome. 2013 , 49, 1997-9		20
211	Oxytocin effects on complex brain networks are moderated by experiences of maternal love withdrawal. 2013 , 23, 1288-95		74
210	Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. 2013 , 23, 186-95		98
209	A large scale (N=102) functional neuroimaging study of response inhibition in a Go/NoGo task. 2013 , 256, 529-36		74
208	Slow-wave activity saturation and thalamocortical isolation during propofol anesthesia in humans. 2013 , 5, 208ra148		119
207	The value of spontaneous EEG oscillations in distinguishing patients in vegetative and minimally conscious states. 2013 , 62, 81-99		22
206	Towards an integrative theory of consciousness: part 1 (neurobiological and cognitive models). 2013 , 11, 100-50		25
205	Default mode, dorsal attention and auditory resting state networks exhibit differential functional connectivity in tinnitus and hearing loss. <i>PLoS ONE</i> , 2013 , 8, e76488	3.7	126
204	Identify changes of brain regional homogeneity in bipolar disorder and unipolar depression using resting-state FMRI. <i>PLoS ONE</i> , 2013 , 8, e79999	3.7	91
203	Identifying individuals with antisocial personality disorder using resting-state FMRI. <i>PLoS ONE</i> , 2013 , 8, e60652	3.7	56
202	Retrieval, monitoring, and control processes: a 7 tesla FMRI approach to memory accuracy. 2013 , 7, 24		15
201	Neural networks underlying affective states in a multimodal virtual environment: contributions to boredom. 2013 , 7, 820		22
200	Neuroimaging of Epilepsy: EEG-fMRI in the Presurgical Evaluation of Focal Epilepsy. 2013 ,		
199	Altered baseline brain activity in children with bipolar disorder during mania state: a resting-state study. 2014 , 10, 317-23		19
198	Functional reorganization of the default mode network across chronic pain conditions. <i>PLoS ONE</i> , 2014 , 9, e106133	3.7	287
197	Obsessive-compulsive disorder patients with washing symptoms show a specific brain network when confronted with aggressive, sexual, and disgusting stimuli. 2014 , 16, 83-96		10

196	A brain-wide association study of DISC1 genetic variants reveals a relationship with the structure and functional connectivity of the precuneus in schizophrenia. 2014 , 35, 5414-30		17
195	Who am I? How do I look? Neural differences in self-identity in anorexia nervosa. 2014 , 9, 12-21		34
194	LORETA Neurofeedback in the Precuneus: Operant Conditioning in Basic Mechanisms of Self-Regulation. 2014 , 45, 238-248		7
193	Roman Catholic beliefs produce characteristic neural responses to moral dilemmas. 2014 , 9, 240-9		11
192	The structural and functional connectivity of the posterior cingulate cortex: comparison between deterministic and probabilistic tractography for the investigation of structure-function relationships. <i>NeuroImage</i> , 2014 , 102 Pt 1, 118-27	7.9	121
191	The eye of the self: precuneus volume and visual perspective during autobiographical memory retrieval. 2014 , 219, 959-68		104
190	Recalling happy memories in remitted depression: a neuroimaging investigation of the repair of sad mood. 2014 , 14, 818-26		22
189	Cerebral mechanisms of general anesthesia. 2014 , 33, 72-82		39
188	The quantitative measurement of consciousness during epileptic seizures. <i>Epilepsy and Behavior</i> , 2014 , 30, 2-5	3.2	12
187	Functional neuroanatomy of disorders of consciousness. <i>Epilepsy and Behavior</i> , 2014 , 30, 28-32	3.2	63
186	The functional neuroanatomy of spontaneous retrieval and strategic monitoring of delayed intentions. 2014 , 52, 37-50		44
185	A large scale (N=102) functional neuroimaging study of error processing in a Go/NoGo task. 2014 , 268, 127-38		21
184	Neural activity associated with semantic versus phonological anomia treatments in aphasia. 2014 , 129, 47-57		32
183	Resting-state networks and dissociation in psychogenic non-epileptic seizures. 2014 , 54, 126-33		75
182	Increased precuneus connectivity during propofol sedation. 2014 , 561, 18-23		17
181	Connectivity-based parcellation of the human posteromedial cortex. 2014 , 24, 719-27		52
180	The alterations in inter-hemispheric functional coordination of patients with panic disorder: the findings in the posterior sub-network of default mode network. 2014 , 166, 279-84		20
179	Functional MRI reveals different response inhibition between adults and children with ADHD. 2015 , 29, 874-81		40

178	Einfluss einer Behandlung der lateralen Ventrikel auf die Hirnaktivität Eine Pilotstudie. 2015 , 16, 13-18		
177	Abnormal resting-state functional connectivity of the nucleus accumbens in multi-year abstinent heroin addicts. 2015 , 93, 1693-702		19
176	Insight into the precuneus: a novel seizure semiology in a child with epilepsy arising from the right posterior precuneus. 2015 , 17, 321-7		10
175	An fMRI investigation of the effects of attempted naming on word retrieval in aphasia. 2015 , 9, 291		5
174	Neurobiology of Sleep Disturbances in PTSD Patients and Traumatized Controls: MRI and SPECT Findings. <i>Frontiers in Psychiatry</i> , 2015 , 6, 134	5	29
173	Future Dementia Severity is Almost Entirely Explained by the Latent Variable β Intercept and Slope. 2016 , 49, 521-9		15
172	Flexible Coding of Task Rules in Frontoparietal Cortex: An Adaptive System for Flexible Cognitive Control. 2015 , 27, 1895-911		41
171	Abnormal regional homogeneity in young adult suicide attempters with no diagnosable psychiatric disorder: a resting state functional magnetic imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 95-102	2.9	38
170	Neural correlates of consciousness: what we know and what we have to learn!. 2015 , 36, 505-13		30
169	Submillisecond unmasked subliminal visual stimuli evoke electrical brain responses. 2015 , 36, 1470-83		6
168	Can transcranial direct current stimulation be useful in differentiating unresponsive wakefulness syndrome from minimally conscious state patients?. 2015 , 33, 159-76		34
167	Right anterior insula connectivity is important for cue-induced craving in nicotine-dependent smokers. 2015 , 20, 407-14		45
166	Imperceptible somatosensory stimulation alters sensorimotor background rhythm and connectivity. 2015 , 35, 5917-25		35
165	A review of structural and functional brain networks: small world and atlas. 2015 , 2, 45-52		41
164	Examining gray matter structures associated with individual differences in global life satisfaction in a large sample of young adults. 2015 , 10, 952-60		42
163	Atypical spatiotemporal signatures of working memory brain processes in autism. 2015 , 5, e617		26
162	Static and dynamic characteristics of cerebral blood flow during the resting state in schizophrenia. 2015 , 41, 163-70		61
161	Brain activity and perceived exertion during cycling exercise: an fMRI study. 2015 , 49, 556-60		50

160	Evolution of functional connectivity of brain networks and their dynamic interaction in temporal lobe epilepsy. 2015 , 5, 35-44		56
159	Brain network informed subject community detection in early-onset schizophrenia. 2014 , 4, 5549		40
158	Mild Cognitive Impairment Is Not "Mild" at All in Altered Activation of Episodic Memory Brain Networks: Evidence from ALE Meta-Analysis. <i>Frontiers in Aging Neuroscience</i> , 2016 , 8, 260	5:3	8
157	Distinct Changes in Functional Connectivity in Posteromedial Cortex Subregions during the Progress of Alzheimer's Disease. 2016 , 10, 41		18
156	Long-term cognitive impairment of breast cancer patients after chemotherapy: A functional MRI study. 2016 , 85, 1053-7		32
155	Reduced cortical thickness and increased surface area in antisocial personality disorder. 2016 , 337, 143-152		16
154	Neural activation during imitation with or without performance feedback: An fMRI study. 2016 , 629, 202-207		5
153	Association between striatal dopamine D2/D3 receptors and brain activation during visual attention: effects of sleep deprivation. 2016 , 6, e828		12
152	Cooperation in mind: Motor imagery of joint and single actions is represented in different brain areas. 2016 , 109, 19-25		54
151	Functional alterations of fronto-limbic circuit and default mode network systems in first-episode, drug-naïve patients with major depressive disorder: A meta-analysis of resting-state fMRI data. 2016 , 206, 280-286		76
150	Consciousness and cortical responsiveness: a within-state study during non-rapid eye movement sleep. 2016 , 6, 30932		34
149	Same Intervention-Different Reorganization: The Impact of Lesion Location on Training-Facilitated Somatosensory Recovery After Stroke. 2016 , 30, 988-1000		14
148	Neuronal Food Reward Activity in Patients With Type 2 Diabetes With Improved Glycemic Control After Bariatric Surgery. 2016 , 39, 1311-7		21
147	Bottom-up Visual Integration in the Medial Parietal Lobe. 2016 , 26, 943-949		12
146	Neuropsychiatric Symptoms of Epilepsy. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2016 ,		9
145	Changes in functional connectivity dynamics associated with vigilance network in taxi drivers. <i>NeuroImage</i> , 2016 , 124, 367-378	7:9	50
144	Involvement of Subcortical Brain Structures During Olfactory Stimulation in Multiple Chemical Sensitivity. 2016 , 29, 243-52		25
143	On characterizing population commonalities and subject variations in brain networks. 2017 , 38, 215-229		3

142	Atypical developmental trajectory of local spontaneous brain activity in autism spectrum disorder. 2017, 7, 39822		16
141	Neurological evidence for the role of construal level in future-directed thought. 2017, 12, 937-947		16
140	Multisensory coding in the multiple-demand regions: vibrotactile task information is coded in frontoparietal cortex. 2017, 118, 703-716		7
139	Disrupted topological organization of structural networks revealed by probabilistic diffusion tractography in Tourette syndrome children. 2017, 38, 3988-4008		19
138	Neural substrates underlying balanced time perspective: A combined voxel-based morphometry and resting-state functional connectivity study. 2017, 332, 237-242		14
137	The role of the right hemisphere in the recovery of stroke-related aphasia: A systematic review. 2017, 44, 68-90		14
136	Mind-wandering and alterations to default mode network connectivity when listening to naturalistic versus artificial sounds. 2017, 7, 45273		30
135	Brain mechanisms for loss of awareness of thought and movement. 2017, 12, 793-801		15
134	Neuronal Connectivity, General Anesthesia, and the Elderly. 2017, 7, 333-339		1
133	Frequency-specific alteration of functional connectivity density in antipsychotic-naive adolescents with early-onset schizophrenia. 2017, 95, 68-75		25
132	Connectivity of precuneus to the default mode and dorsal attention networks: A possible invariant marker of long-term tinnitus. <i>NeuroImage: Clinical</i> , 2017, 16, 196-204	5-3	65
131	Structural Alterations in Chronic Capsular versus Pontine Stroke. 2017, 285, 214-222		20
130	Neural Correlates of Normal and Impaired Consciousness. 2017, 345-359		
129	Ventral Striatum Functional Connectivity during Rewards and Losses and Symptomatology in Depressed Patients. 2017, 123, 62-73		28
128	The Physics of the Mind and Brain Disorders. 2017,		8
127	Identify changes of brain regional homogeneity in early and later adult onset patients with first-episode depression using resting-state fMRI. <i>PLoS ONE</i> , 2017, 12, e0184712	3-7	14
126	Altered intrinsic functional brain architecture in female patients with bulimia nervosa. 2017, 42, 414-423		11
125	Altered DMN functional connectivity and regional homogeneity in partial epilepsy patients: a seventy cases study. 2017, 8, 81475-81484		5

124	Subliminal (latent) processing of pain and its evolution to conscious awareness. 2018 , 88, 1-15		13
123	NeuroCave: A web-based immersive visualization platform for exploring connectome datasets. 2018 , 2, 344-361		10
122	Occipital and Parietal Lobes. 33-55		0
121	Differential electrophysiological correlates of panic disorder in non-pulsatile tinnitus. 2018 , 109, 57-62		3
120	Sensorimotor network alterations in children and youth with prenatal alcohol exposure. 2018 , 39, 2258-2268		12
119	Precuneus-related regional and network functional deficits in social anxiety disorder: A resting-state functional MRI study. 2018 , 82, 22-29		26
118	Using Positron Emission Tomography in Revealing the Mystery of General Anesthesia: Study Design Challenges and Opportunities. 2018 , 603, 279-303		3
117	Selective functional dysconnectivity of the dorsal-anterior subregion of the precuneus in drug-naive major depressive disorder. 2018 , 225, 676-683		16
116	The influence of early life stress on the integration of emotion and working memory. 2018 , 339, 179-185		0
115	Altered regional and integrated resting-state brain activity in general social anxiety disorder patients before and after group cognitive behavior therapy. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 272, 30-37	2.9	12
114	Functional magnetic resonance imaging: cerebral function alterations in subthreshold and suprathreshold spinal cord stimulation. 2018 , 11, 2517-2526		13
113	Connecting Openness and the Resting-State Brain Network: A Discover-Validate Approach. 2018 , 12, 762		2
112	Motion and Emotion. 2018 ,		4
111	Adaptive coding in the human brain: Distinct object features are encoded by overlapping voxels in frontoparietal cortex. 2018 , 108, 25-34		12
110	Tinnitus distress is associated with enhanced resting-state functional connectivity within the default mode network. 2018 , 14, 1919-1927		17
109	5-Methoxy-N,N-dimethyltryptamine: An Ego-Dissolving Endogenous Neurochemical Catalyst of Creativity. 2019 , 61, 170-216		4
108	Disrupted Intraregional Brain Activity and Functional Connectivity in Unilateral Acute Tinnitus Patients With Hearing Loss. 2019 , 13, 1010		12
107	Unresolved-disorganized attachment adjusted for a general psychopathology factor associated with atypical amygdala resting-state functional connectivity. 2019 , 10, 1583525		7

106	The Neural Correlates of Consciousness and Attention: Two Sister Processes of the Brain. 2019 , 13, 1169		24
105	Altered Functional Connectivity of Amygdala with the Fronto-Limbic-Striatal Circuit in Temporal Lobe Lesion as a Proposed Mechanism for Poststroke Depression. 2019 , 98, 303-310		5
104	Cortical Thickness Links Impulsive Personality Traits and Risky Behavior. 2019 , 9,		10
103	Nondual awareness: Consciousness-as-such as non-representational reflexivity. 2019 , 244, 273-298		24
102	Multi-scale analysis of schizophrenia risk genes, brain structure, and clinical symptoms reveals integrative clues for subtyping schizophrenia patients. 2019 , 11, 678-687		1
101	Identifying Resting-State Multifrequency Biomarkers via Tree-Guided Group Sparse Learning for Schizophrenia Classification. 2019 , 23, 342-350		20
100	Biomarker Identification Through Integrating fMRI and Epigenetics. 2020 , 67, 1186-1196		5
99	Neural correlates of rumination in major depressive disorder: A brain network analysis. <i>NeuroImage: Clinical</i> , 2020 , 25, 102142	5.3	30
98	Effects of High-Definition Transcranial Direct-Current Stimulation on Resting-State Functional Connectivity in Patients With Disorders of Consciousness. 2020 , 14, 560586		5
97	Aberrant dorsal attention network homogeneity in patients with right temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2020 , 111, 107278	3.2	2
96	Longitudinal changes of amplitude of low-frequency fluctuations in MDD patients: A 6-month follow-up resting-state functional magnetic resonance imaging study. 2020 , 276, 411-417		3
95	The role of the MTG in negative emotional processing in young adults with autistic-like traits: A fMRI task study. 2020 , 276, 890-897		3
94	Non-classical behavior of the default mode network regions during an information processing task. 2020 , 225, 2553-2562		5
93	Personal familiarity of music and its cerebral effect on subsequent speech processing. 2020 , 10, 14854		3
92	Default mode network activity in bipolar disorder. 2020 , 29, e166		12
91	A multimodal imaging study of brain structural correlates of schizotypy dimensions using the MSS. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 302, 111104	2.9	10
90	Imagination in Aesthetic Experience. 2020 , 578-592		2
89	Functional connectivity of the Precuneus reflects effectiveness of visual restitution training in chronic hemianopia. <i>NeuroImage: Clinical</i> , 2020 , 27, 102292	5.3	4

88	Brain Structural-Functional Connectivity Relationship Underlying the Information Processing Speed. 2020 , 10, 143-154		4
87	Brain Functional Differences in Drug-Naive Major Depression with Anxiety Patients of Different Traditional Chinese Medicine Syndrome Patterns: A Resting-State fMRI Study. 2020 , 2020, 7504917		1
86	Impact of early life adversities on human brain functioning: A coordinate-based meta-analysis. 2020 , 113, 62-76		20
85	Children with developmental coordination disorder show altered functional connectivity compared to peers. <i>NeuroImage: Clinical</i> , 2020 , 27, 102309	5-3	10
84	Neuroimaging and Psychometric Assessment of Mild Cognitive Impairment After Traumatic Brain Injury. <i>Frontiers in Psychology</i> , 2020 , 11, 1423	3-4	12
83	Childhood Maltreatment Experience Influences Neural Response to Psychosocial Stress in Adults: An fMRI Study. <i>Frontiers in Psychology</i> , 2019 , 10, 2961	3-4	14
82	Altered Default Mode Network Dynamics in Civil Aviation Pilots. 2019 , 13, 1406		2
81	The Insular Subregions Topological Characteristics of Patients With Bipolar Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 253	5	3
80	Signature of consciousness in brain-wide synchronization patterns of monkey and human fMRI signals. <i>NeuroImage</i> , 2021 , 226, 117470	7-9	14
79	The pathophysiology of functional movement disorders. 2021 , 120, 387-400		11
78	The Role of Frontoparietal Cortex across the Functional Stages of Visual Search. 2021 , 33, 63-76		1
77	A simultaneous [C]raclopride positron emission tomography and functional magnetic resonance imaging investigation of striatal dopamine binding in autism. 2021 , 11, 33		11
76	Brain reactivity using fMRI to insomnia stimuli in insomnia patients with discrepancy between subjective and objective sleep. 2021 , 11, 1592		1
75	Gray matter abnormalities follow non-random patterns of co-alteration in autism: Meta-connectomic evidence. <i>NeuroImage: Clinical</i> , 2021 , 30, 102583	5-3	5
74	Cotard syndrome in anti-NMDAR encephalitis: two patients and insights from molecular imaging. 2021 , 27, 64-71		2
73	The Prisoner's Dilemma paradigm provides a neurobiological framework for the social decision cascade. <i>PLoS ONE</i> , 2021 , 16, e0248006	3-7	3
72	Neural Correlates of Reactivation and Vividness Reveal Separable Contributions to Objective and Subjective Measures of Episodic Memory.		
71	The Brain Alteration of Seafarer Revealed by Activated Functional Connectivity Mode in fMRI Data Analysis. 2021 , 15, 656638		2

70	Analyzing the Loss and the Recovery of Consciousness: Functional Connectivity Patterns and Changes in Heart Rate Variability During Propofol-Induced Anesthesia. 2021 , 15, 652080		2
69	Disrupted Regional Homogeneity in Major Depressive Disorder With Gastrointestinal Symptoms at Rest. <i>Frontiers in Psychiatry</i> , 2021 , 12, 636820	5	3
68	Abnormal prediction error processing in schizophrenia and depression. 2021 , 42, 3547-3560		6
67	Functional Connectivity in Parkinson's Disease Patients with Mild Cognitive Impairment. <i>International Journal of General Medicine</i> , 2021 , 14, 2623-2630	2.3	0
66	Structural Features of the Human Connectome That Facilitate the Switching of Brain Dynamics via Noradrenergic Neuromodulation. <i>Frontiers in Computational Neuroscience</i> , 2021 , 15, 687075	3.5	0
65	Neuropsychology of posteromedial parietal cortex and conversion factors from Mild Cognitive Impairment to Alzheimer's disease: systematic search and state-of-the-art review. <i>Aging Clinical and Experimental Research</i> , 2021 , 1	4.8	1
64	Altered Patterns of Amplitude of Low-Frequency Fluctuations and Fractional Amplitude of Low-Frequency Fluctuations Between Amnesic and Vascular Mild Cognitive Impairment: An ALE-Based Comparative Meta-Analysis. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 711023	5.3	1
63	High-Density EEG in a Charles Bonnet Syndrome Patient during and without Visual Hallucinations: A Case-Report Study. <i>Cells</i> , 2021 , 10,	7.9	2
62	Anatomy and white-matter connections of the precuneus. <i>Brain Imaging and Behavior</i> , 2021 , 1	4.1	2
61	The Neural Correlates of Access Consciousness and Phenomenal Consciousness Seem to Coincide and Would Correspond to a Memory Center, an Activation Center and Eight Parallel Convergence Centers. <i>Frontiers in Psychology</i> , 2021 , 12, 749610	3.4	0
60	The kappa opioid receptor and the sleep of reason: Cortico-subcortical imbalance following salvinorin-A. <i>International Journal of Neuropsychopharmacology</i> , 2021 ,	5.8	0
59	Disturbance of functional and effective connectivity of the salience network involved in attention deficits in right temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2021 , 124, 108308	3.2	0
58	Disrupted brain connectivity in children treated with therapeutic hypothermia for neonatal encephalopathy. <i>NeuroImage: Clinical</i> , 2021 , 30, 102582	5.3	5
57	Consciousness and Neuroscience. 2013 , 3-21		2
56	Functional Brain Imaging and Consciousness. 2013 , 37-48		2
55	Generalized Tonic-Clonic Seizures. 2013 , 81-97		3
54	Residual Brain Processing in the Vegetative State. <i>Journal of Psychophysiology</i> , 2009 , 23, 18-26	1	15
53	Functional Connectivity Patterns Underlying the Experience of Auditory Verbal Hallucinations in Patients with Schizophrenia.		1

52	Different Patterns of Functional Connectivity Alterations Within the Default-Mode Network and Sensorimotor Network in Basal Ganglia and Pontine Stroke. <i>Medical Science Monitor</i> , 2019 , 25, 9585-9593 ^{3.2}	10
51	EEG Theta Dynamics within Frontal and Parietal Cortices for Error Processing during Reaching Movements in a Prism Adaptation Study Altering Visuo-Motor Predictive Planning. <i>PLoS ONE</i> , 2016 , 11, e0150265	3.7 26
50	Fear Network Model in Panic Disorder: The Past and the Future. <i>Psychiatry Investigation</i> , 2019 , 16, 16-26 ^{3.1}	37
49	Disruptions in Physical Substrates of Vision Following Traumatic Brain Injury. 2010 , 281-305	
48	The Effects of Exercise on Brain Cortical Function and Its Implication on Mental Health and Mood. 2012 , 485-497	
47	Anesthesia. 2013 , 183-203	
46	Der Moderne Mensch. 2014 , 197-233	
45	Consciousness. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2016 , 163-176	0
44	Functional Connectivity Changes of Primary Somatosensory Cortex in Response to the Acupuncture in Bell's Palsy Patients. <i>International Journal of Complementary & Alternative Medicine</i> , 2017 , 5,	0.5
43	Ictal (and Postictal) Psychiatric Disorders. 2018 , 141-150	
42	How an Advanced Neurocognitive Human Trait for Religious Capacity Fails to Form. <i>Studia Humana</i> , 2019 , 8, 49-66	0.2
41	Different Whole-Brain Functional Connectivity Correlates of Reactive-Proactive Aggression and Callous-Unemotional Traits in Disruptive Children and Adolescents.	
40	Emergence of consciousness and complexity amidst diffuse delta rhythms: the paradox of Angelman syndrome.	
39	Functional Connectivity of the Precuneus Reflects Effectiveness of Visual Restitution Training in Chronic Hemianopia.	
38	Conscience et anesthésie. <i>Anesthésie & Réanimation</i> , 2020 , 6, 327-336	0.1
37	A Simultaneous [¹¹ C]Raclopride Positron Emission Tomography and Functional Magnetic Resonance Imaging Investigation of Striatal Dopamine Binding in Autism.	
36	Abnormal Fractional Amplitude of Low-Frequency Fluctuation Changes in Patients with Monocular Blindness: A Functional Magnetic Resonance Imaging (MRI) Study. <i>Medical Science Monitor</i> , 2020 , 26, e926224	3.2 3
35	The Interstitial Pathways as the Substrate of Consciousness: A New Synthesis. <i>Entropy</i> , 2021 , 23,	2.8 1

34	Default(y) Mode Network: Important regions of DMN do not survive alterations in flip angles.		
33	Structural Connectivity in Children Treated with Therapeutic Hypothermia for Neonatal Encephalopathy.		
32	Sensory processing sensitivity and axonal microarchitecture: Identifying brain structural characteristics for behavior.		
31	Stronger Mentalizing Network Connectivity in Expectant Fathers Predicts Postpartum Father-Infant Bonding and Parenting Behavior.. <i>Social Neuroscience</i> , 2022 ,	2	1
30	Disrupted Control Architecture of Brain Network in Disorder of Consciousness.. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2022 , PP,	4.8	0
29	Spindle-Shaped Neurons in the Human Posteromedial (Precuneus) Cortex.. <i>Frontiers in Synaptic Neuroscience</i> , 2021 , 13, 769228	3.5	1
28	Functional brain imaging in bipolar disorder. 2022 , 60-80		
27	Abnormal Default Mode Network Homogeneity in Major Depressive Disorder With Gastrointestinal Symptoms at Rest.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 804621	5.3	0
26	Transcriptome profiling of the dorsomedial prefrontal cortex in suicide victims.		0
25	Neural Reactivation and Judgements of Vividness Reveal Separable Contributions to Mnemonic Representation.. <i>NeuroImage</i> , 2022 , 119205	7.9	
24	Image_1.JPEG. 2019 ,		
23	Image_2.JPEG. 2019 ,		
22	Table_1.DOCX. 2019 ,		
21	Table_2.DOCX. 2019 ,		
20	Table_1.DOCX. 2020 ,		
19	Table_1.docx. 2020 ,		
18	DataSheet_1.docx. 2020 ,		
17	DataSheet_2.docx. 2020 ,		

16 A review of imaging genetics in Alzheimer's disease.. *Journal of Clinical Neuroscience*, **2022**, 100, 155-163 2.2

15 Brain Activity in Different Brain Areas of Patients With Dry Eye During the Female Climacteric Period According to Voxel-Based Morphometry. *Frontiers in Neurology*, 13, 4-1

14 Correlation Between the Functional Connectivity of Basal Forebrain Subregions and Vigilance Dysfunction in Temporal Lobe Epilepsy With and Without Focal to Bilateral Tonic-Clonic Seizure. *Frontiers in Psychiatry*, **2022**, 13, 5

13 Default mode network components and its relationship with anomalous self-experiences in schizophrenia: A rs-fMRI exploratory study. *Psychiatry Research - Neuroimaging*, **2022**, 324, 111495 2.9 ○

12 Neuro-anatomie morphologique et fonctionnelle. **2021**, e1-e168

11 Transcriptome Profiling of the Dorsomedial Prefrontal Cortex in Suicide Victims. *International Journal of Molecular Sciences*, **2022**, 23, 7067 6.3 ○

10 Children with strabismus and amblyopia presented abnormal spontaneous brain activities measured through fractional amplitude of low-frequency fluctuation (FALFF). 13,

9 Neural Activity Associated with Symptoms Change in Depressed Adolescents following Self-Processing Neurofeedback. **2022**, 12, 1128 ○

8 Scalar on network regression via boosting. **2022**, 16, ○

7 Sensory processing sensitivity and axonal microarchitecture: identifying brain structural characteristics for behavior. ○

6 Disrupted topological properties of the structural brain network in patients with cerebellar infarction on different sides are associated with cognitive impairment. 13, ○

5 Within- and across-network alterations in the default network and in visual network patients with somatic symptom disorder. **2022**, 327, 111563 ○

4 Gender differences in brain response to infant emotional faces. **2022**, 23, ○

3 The Western origins of mindfulness therapy in ancient Rome. ○

2 Individuals with higher trait self-esteem prefer to use reappraisal, but not suppression: Evidence from functional connectivity analyses. ○

1 Management of Intraventricular Meningiomas. **2023**, ○