

Does Antibiotic Elution From PMMA Beads Deteriorate

Clinical Orthopaedics and Related Research

462, 195-199

DOI: [10.1097/blo.0b013e318074bb1d](https://doi.org/10.1097/blo.0b013e318074bb1d)

Citation Report

#	ARTICLE	IF	CITATIONS
1	An evaluation of the shelf life of ceftriaxoneâ€“polymethylmethacrylate antibiotic beads. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2009, 19, 571-575.	0.6	3
2	The Role of Polymethylmethacrylate Antibioticâ€“loaded Cement in Addition to Debridement for the Treatment of Soft Tissue and Osseous Infections of the Foot and Ankle. <i>Journal of Foot and Ankle Surgery</i> , 2010, 49, 55-62.	0.5	38
3	Evaluation of in vitro serial antibiotic elution from meropenem-impregnated polymethylmethacrylate beads after ethylene oxide gas and autoclave sterilization. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2011, 24, 39-44.	0.2	12
4	Vacuum-Mixing Significantly Changes Antibiotic Elution Characteristics of Commercially Available Antibiotic-Impregnated Bone Cements. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 2049-2056.	1.4	75
5	Use of Sterile Pre-Fabricated Antibiotic Beads in the Combat Hospital Setting. <i>Military Medicine</i> , 2013, 178, 330-333.	0.4	5
6	Antibiotic-laden PMMA bead chains for the prevention of infection in compound fractures: current state of the art. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 969-974.	0.6	11
7	Challenges in definitive fracture management of blast injuries. <i>Current Reviews in Musculoskeletal Medicine</i> , 2015, 8, 290-297.	1.3	6
8	Pre-packing of cost effective antibiotic cement beads for the treatment of traumatic osteomyelitis in the developing world â€“ an in-vitro study based in Cambodia. <i>Injury</i> , 2016, 47, 805-810.	0.7	5
9	An Effective Negative Pressure Wound Therapyâ€“Compatible Local Antibiotic Delivery Device. <i>Journal of Orthopaedic Trauma</i> , 2017, 31, 631-635.	0.7	11
10	In Vitro Study Evaluating the Antimicrobial Activity of Vancomycin-Impregnated Cement Stored at Room Temperature in Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Journal of Korean Foot and Ankle Society</i> , 2018, 22, 38.	0.0	1
11	Effects of Sterilization Techniques on Bioactivity of Polymethyl Methacrylate Antibiotic Beads Containing Vancomycin and Tobramycin. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, e109-e113.	0.7	2
12	Antibiotic Beads: Tips and Tricks Learned at a Busy County Hospital. <i>Orthopedics</i> , 2008, 31, 450-452.	0.5	0