CITATION REPORT List of articles citing

Limited cone-beam CT and intraoral radiography for the diagnosis of periapical pathology

DOI: 10.1016/j.tripleo.2006.01.001 Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2007, 103, 114-9.

Source: https://exaly.com/paper-pdf/41966724/citation-report.pdf

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
333	A comparative study of cone-beam computed tomography and conventional panoramic radiography in assessing the topographic relationship between the mandibular canal and impacted third molars. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 103, 253	-9	188
332	The use of cone beam computed tomography in the management of external cervical resorption lesions. <i>International Endodontic Journal</i> , 2007 , 40, 730-7	5.4	85
331	The potential applications of cone beam computed tomography in the management of endodontic problems. <i>International Endodontic Journal</i> , 2007 , 40, 818-30	5.4	396
330	Cone-beam computed tomography in assessment of periodontal ligament space: in vitro study on artificial tooth model. <i>Clinical Oral Investigations</i> , 2008 , 12, 233-9	4.2	26
329	Accuracy of cone beam computed tomography and panoramic and periapical radiography for detection of apical periodontitis. 2008 , 34, 273-9		363
328	Comparison of periapical radiography and limited cone-beam tomography in posterior maxillary teeth referred for apical surgery. 2008 , 34, 557-62		232
327	A new periapical index based on cone beam computed tomography. 2008 , 34, 1325-1331		190
326	Detection of periapical lesion development by conventional radiography or computed tomography. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2008, 106, e56-61		47
325	Effective dosages for recording Veraviewepocs dental panoramic images: analog film, digital, and panoramic scout for CBCT. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008 , 106, 571-7		31
324	Cone-beam CT diagnostic applications: caries, periodontal bone assessment, and endodontic applications. 2008 , 52, 825-41, vii		176
323	The evolution and application of dental maxillofacial imaging modalities. 2008 , 52, 689-705, v		83
322	Dosimetry of the cone beam computed tomography Veraviewepocs 3D compared with the 3D Accuitomo in different fields of view. 2008 , 37, 268-73		111
321	Management of ectopic maxillary canines: variations among orthodontists. 2008, 78, 852-9		14
320	Cone-beam imaging in dentistry. 2008 , 95, 628-37		83
319	Use of cone beam computed tomography in endodontics. 2009 , 2009, 634567		170
318	Accuracy and precision of linear measurements in cone beam computed tomography Accuitomo tomograms obtained with different reconstruction techniques. 2009 , 38, 379-86		48
317	Periapical radiography and cone beam computed tomography for assessment of the periapical bone defect 1 week and 12 months after root-end resection. 2009 , 38, 531-6		62

(2009-2009)

316	Detectability of chemically induced periapical lesions by limited cone beam computed tomography, intra-oral digital and conventional film radiography. 2009 , 38, 458-64		45
315	New dimensions in endodontic imaging: part 1. Conventional and alternative radiographic systems. <i>International Endodontic Journal</i> , 2009 , 42, 447-62	5.4	235
314	New dimensions in endodontic imaging: Part 2. Cone beam computed tomography. <i>International Endodontic Journal</i> , 2009 , 42, 463-75	5.4	252
313	Detection of periapical bone defects in human jaws using cone beam computed tomography and intraoral radiography. <i>International Endodontic Journal</i> , 2009 , 42, 507-15	5.4	163
312	Void detection in root fillings using intraoral analogue, intraoral digital and cone beam CT images. <i>International Endodontic Journal</i> , 2009 , 42, 675-85	5.4	37
311	Limitations of previously published systematic reviews evaluating the outcome of endodontic treatment. <i>International Endodontic Journal</i> , 2009 , 42, 656-66	5.4	129
310	Effectiveness of limited cone-beam computed tomography in the detection of horizontal root fracture. 2009 , 25, 256-61		65
309	Comparison of intraoral radiography and limited cone beam computed tomography for the assessment of root-fractured permanent teeth. 2009 , 25, 571-577		72
308	Diagnostic accuracy of cone-beam CT in the assessment of mandibular invasion of lower gingival carcinoma: comparison with conventional panoramic radiography. 2009 , 72, 75-81		40
307	Clinical use of navigation based on cone-beam computer tomography in maxillofacial surgery. 2009 , 47, 450-4		23
306	Interpretation of chemically created periapical lesions using 2 different dental cone-beam computerized tomography units, an intraoral digital sensor, and conventional film. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 107, 426-32		52
305	Use of cone-beam volumetric tomography in the diagnosis of root fractures. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 108, 270-7		117
304	Cone-beam computerized tomographic, radiographic, and histologic evaluation of periapical repair in dogs' post-endodontic treatment. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 108, 796-805		65
303	Cone-beam computerized tomography (CBCT) imaging of the oral and maxillofacial region: a systematic review of the literature. 2009 , 38, 609-25		513
302	Outcome of root canal treatment in dogs determined by periapical radiography and cone-beam computed tomography scans. 2009 , 35, 723-6		54
301	Accuracy of periapical radiography and cone-beam computed tomography scans in diagnosing apical periodontitis using histopathological findings as a gold standard. 2009 , 35, 1009-12		214
300	Evaluation of correspondence of dental Computed Tomography imaging to anatomic observation of external root resorption. 2009 , 35, 1594-7		18
299	Method to evaluate inflammatory root resorption by using cone beam computed tomography. 2009 , 35, 1491-7		110

298	Conebeam CT of the head and neck, part 2: clinical applications. 2009 , 30, 1285-92	231
297	[A new modality for dentomaxillofacial imaging: cone beam CT]. 2009, 90, 604-17	9
296	Four curious cases of cone-beam computed tomography. 2010 , 137, S136-40	2
295	Study of dental caries and periapical lesions in a mediaeval population of the southwest France: differences in visual and radiographic inspections. 2010 , 61, 359-72	17
294	Cone beam imaging: is this the ultimate imaging modality?. 2010 , 21, 1201-8	50
293	Identification of independent middle mesial canal in mandibular first molar using cone-beam computed tomography imaging. 2010 , 36, 542-5	57
292	Maxillary first molar with seven root canals diagnosed with cone-beam computed tomography scanning: a case report. 2010 , 36, 915-21	83
291	Efficacy of cone-beam computed tomography as a modality to accurately identify the presence of second mesiobuccal canals in maxillary first and second molars: a pilot study. 2010 , 36, 867-70	127
2 90	Advanced techniques for detecting lesions in bone. 2010 , 54, 215-35	19
289	Use of computerized tomography for diagnosis and follow-up after endodontic surgery: clinical case report with 8 years of follow-up. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010 , 109, 629-33	7
288	Maxillary second molar with 5 roots and 5 canals evaluated using cone beam computerized tomography: a case report. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010 , 109, e162-5	34
287	Prevalence of mucosal abnormalities of the maxillary sinus and their relationship to dental disease in panoramic radiography: results from the Health 2000 Health Examination Survey. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010 , 109, e80-7	116
286	Evaluation of root and canal systems of mandibular first molars in Taiwanese individuals using cone-beam computed tomography. 2010 , 109, 303-8	52
285	Problem-Solving Techniques in Making Radiographic Images. 2011 , 22-41	
284	WITHDRAWN: Endodontic Epidemiologic Investigations and Clinical Outcome Studies with Cone-Beam Computed Tomography. 2011 ,	4
283	Evaluation of subjective image quality in relation to diagnostic task for cone beam computed tomography with different fields of view. 2011 , 80, 483-8	77
282	Comparison of periapical radiography and limited cone-beam computed tomography in mandibular molars for analysis of anatomical landmarks before apical surgery. 2011 , 37, 151-7	128
281	Dental magnetic resonance imaging: making the invisible visible. 2011 , 37, 745-52	116

280	Precision of endodontic working length measurements: a pilot investigation comparing cone-beam computed tomography scanning with standard measurement techniques. 2011 , 37, 1046-51		47	
279	Expansive nasopalatine duct cysts with nasal involvement mimicking apical lesions of endodontic origin: a report of two cases. 2011 , 37, 1320-6		26	
278	Evaluation of odontogenic maxillary sinusitis using cone-beam computed tomography: three case reports. 2011 , 37, 1465-9		40	•
277	Resolution of maxillary sinus mucositis after endodontic treatment of maxillary teeth with apical periodontitis: a cone-beam computed tomography pilot study. 2011 , 37, 1504-11		44	
276	Apical surgery: A review of current techniques and outcome. 2011 , 23, 9-15		48	
275	Prevalence of apical periodontitis relative to endodontic treatment in an adult Dutch population: a repeated cross-sectional study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 111, 523-8		63	
274	Use of cone-beam computed tomography in endodontics Joint Position Statement of the American Association of Endodontists and the American Academy of Oral and Maxillofacial Radiology. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 111, 234-7		128	•
273	The influence of cone-beam computed tomography and periapical radiographic evaluation on the assessment of periapical bone destruction in dog's teeth. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 112, 272-9		26	
272	Cone-Beam Computed Tomography and Navigation. 2011 , 405-415			
271	Mesiobuccal root canal anatomy of Korean maxillary first and second molars by cone-beam computed tomography. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 111, 785-91		81	
270	Periapical bone defects of root filled teeth with persistent lesions evaluated by cone-beam computed tomography. <i>International Endodontic Journal</i> , 2011 , 44, 245-52	5.4	31	
269	Use of CBCT to identify the morphology of maxillary permanent molar teeth in a Chinese subpopulation. <i>International Endodontic Journal</i> , 2011 , 44, 162-9	5.4	126	
268	Managing severe curvature of radix entomolaris: three-dimensional analysis with cone beam computed tomography. <i>International Endodontic Journal</i> , 2011 , 44, 876-85	5.4	24	
267	Use of cone-beam computed tomography to evaluate root and canal morphology of mandibular molars in Chinese individuals. <i>International Endodontic Journal</i> , 2011 , 44, 990-9	5.4	123	
266	Diagnostic yield of conventional radiographic and cone-beam computed tomographic images in patients with atypical odontalgia. <i>International Endodontic Journal</i> , 2011 , 44, 1092-101	5.4	27	
265	Diagnostic accuracy of limited-volume cone-beam computed tomography in the detection of periapical bone loss: 360° scans versus 180° scans. <i>International Endodontic Journal</i> , 2011 , 44, 1118-27	5.4	50	
264	Radiographs and CBCTtime for a reassessment?. International Endodontic Journal, 2011, 44, 887-8	5.4	10	
263	Characteristics and dimensions of the Schneiderian membrane: a radiographic analysis using cone beam computed tomography in patients referred for dental implant surgery in the posterior maxilla 2011 22 1446-53		107	

262	Detection of vertical root fracture using cone beam computed tomography: report of two cases. 2011 , 27, 484-8		15
261	Cone beam computed tomography and SimPlant materialize dental software versus direct measurement of the width and height of the posterior mandible: an anatomic study. 2011 , 69, 1923-9		17
260	Effect of guided tissue regeneration on the outcome of surgical endodontic treatment of through-and-through lesions: a retrospective study at 4-year follow-up. 2011 , 15, 153-9		23
259	Bude radiologique et macroscopique des laions phapicales corrles aux laions dentaires dans une population mពីiបale du sud de la France (Vilarnau, xii eliv e siale). 2011 , 23, 176-188		
258	Cross-sectional evaluation of the periapical status as related to quality of root canal fillings and coronal restorations in a rural adult male population of Turkey. <i>BMC Oral Health</i> , 2011 , 11, 20	3.7	15
257	A suggested technique for the application of the cone beam computed tomography periapical index. 2011 , 40, 506-12		16
256	Maxillary incisor root resorption induced by ectopic canines. 2011 , 81, 800-6		24
255	Radiological diagnosis of periapical bone tissue lesions in endodontics: a systematic review. <i>International Endodontic Journal</i> , 2012 , 45, 783-801	5.4	69
254	A biometric study of C-shaped root canal systems in mandibular second molars using cone-beam computed tomography. <i>International Endodontic Journal</i> , 2012 , 45, 807-14	5.4	24
253	Comparison of cone beam CT device and field of view for the detection of simulated periapical bone lesions. 2012 , 41, 548-52		21
252	Morphological features of the maxillary incisors roots and relationship with neighbouring anatomical structures: possible implications in endodontic surgery. 2012 , 41, 616-23		9
251	Endodontic application of cone-beam computed tomography in South Korea. 2012 , 38, 153-7		12
250	Characteristics and dimensions of the Schneiderian membrane and apical bone in maxillary molars referred for apical surgery: a comparative radiographic analysis using limited cone beam computed tomography. 2012 , 38, 51-7		67
249	Does a combination of two radiographs increase accuracy in detecting acid-induced periapical lesions and does it approach the accuracy of cone-beam computed tomography scanning?. 2012 , 38, 131-6		27
248	Accuracy of cone-beam computed tomography and periapical radiography in detecting small periapical lesions. 2012 , 38, 965-70		76
247	Endodontic working length measurement with preexisting cone-beam computed tomography scanning: a prospective, controlled clinical study. 2012 , 38, 884-8		40
246	Treatment of a perforating inflammatory external root resorption with mineral trioxide aggregate and histologic examination after extraction. 2012 , 38, 1007-11		6
245	Occurrence of maxillary sinus abnormalities detected by cone beam CT in asymptomatic patients. <i>BMC Oral Health</i> , 2012 , 12, 30	3.7	81

(2013-2012)

244	Evaluating the periapical status of teeth with irreversible pulpitis by using cone-beam computed tomography scanning and periapical radiographs. 2012 , 38, 1588-91		76
243	Volumetric difference evaluation of registered three-dimensional pre-operative and post-operative CT dental data. 2012 , 41, 328-39		14
242	Cone-beam computed tomographic evidence of the association between periodontal bone loss and mucosal thickening of the maxillary sinus. 2012 , 83, 557-64		73
241	Cone beam computed tomography and other imaging techniques in the determination of periapical healing. 2012 , 26, 57-75		10
240	Different representations of vertical root fractures detected by cone-beam volumetric tomography: a case series report. 2012 , 38, 1435-42		25
239	The association between complete absence of post-treatment periapical lesion and quality of root canal filling. <i>Clinical Oral Investigations</i> , 2012 , 16, 1619-26	4.2	33
238	Effect of root canal filling materials on dimensions of cone-beam computed tomography images. 2012 , 20, 260-7		29
237	Cone beam computed tomography in endodontics. 2012 , 23, 179-91		84
236	Correlation of cone beam computed tomography (CBCT) findings in the maxillary sinus with dental diagnoses: a retrospective cross-sectional study. <i>Clinical Oral Investigations</i> , 2012 , 16, 1023-9	4.2	51
235	Diagnostic value of 2D and 3D imaging in odontogenic maxillary sinusitis: a review of literature. 2012 , 39, 294-300		41
234	Incidental findings from cone beam computed tomography of the maxillofacial region: a descriptive retrospective study. 2012 , 23, 1261-8		72
233	Guidelines for dental radiography immediately after a dento-alveolar trauma, a systematic literature review. 2012 , 28, 193-9		17
232	The detection of periapical pathosis using periapical radiography and cone beam computed tomography - part 1: pre-operative status. <i>International Endodontic Journal</i> , 2012 , 45, 702-10	5.4	96
231	The detection of periapical pathosis using digital periapical radiography and cone beam computed tomography - part 2: a 1-year post-treatment follow-up. <i>International Endodontic Journal</i> , 2012 , 45, 711	-2 ⁵ 3 ⁴	118
230	Application of cone beam volumetric tomography in endodontics. 2012 , 57 Suppl 1, 72-81		33
229	Agreement between periapical radiographs and cone-beam computed tomography for assessment of periapical status of root filled molar teeth. <i>International Endodontic Journal</i> , 2013 , 46, 889-95	5.4	43
228	An ex vivo comparison of digital radiography and cone-beam and micro computed tomography in the detection of the number of canals in the mesiobuccal roots of maxillary molars. 2013 , 39, 901-5		73
227	Area and 3-dimensional volumetric changes of periapical lesions after root canal treatments. 2013 , 39, 1245-9		31

226	Influence of voxel size on the diagnostic ability of cone-beam computed tomography to evaluate simulated root perforations. 2013 , 29, 151-159		7
225	Digital method for quantification of circumferential periodontal bone level using cone beam CT. <i>Clinical Oral Investigations</i> , 2013 , 17, 389-96	4.2	33
224	Comparison of cone-beam and conventional multislice computed tomography for image-guided dental implant planning. <i>Clinical Oral Investigations</i> , 2013 , 17, 317-24	4.2	30
223	Three-dimensional analysis of root canal curvature and direction of maxillary lateral incisors by using cone-beam computed tomography. 2013 , 39, 1124-9		16
222	Four rooted maxillary second molar confirmed with cone beam computer tomography 🖪 case report. 2013 , 27, 38-44		
221	Pixel intensity and fractal dimension of periapical lesions visually indiscernible in radiographs. 2013 , 39, 16-9		11
220	Endodontics Using Cone Beam Computed Tomography. 2013 , 211-247		
219	Periapical abscess of the maxillary teeth and its fistulizations: Multi-detector CT studyAvailable online 14 December 2012View all notesPeer review under responsibility of Alexandria University Faculty of Medicine. View all notesPresentation: Poster presentation in scientific exhibit of 44th		1
218	Retrospective evaluation of perforation repairs in 6 private practices. 2013 , 39, 1346-58		23
217	Discuss the impact technological advances in equipment and materials have made on the delivery and outcome of endodontic treatment. 2013 , 39, 92-7		6
216	Periapical lucency around the tooth: radiologic evaluation and differential diagnosis. 2013 , 33, E15-32		30
215	Prevalence of apical periodontitis detected in cone beam CT images of a Brazilian subpopulation. 2013 , 42, 80179163		20
214	Analisi della morfologia radicolare e canalare di molari superiori ed inferiori in una popolazione Caucasica: studio in vivo alla CBCT. 2013 , 27, 13-20		5
213	Comparative diagnostic yield of cone beam CT reconstruction using various software programs on the detection of vertical root fractures. 2013 , 42, 20120459		28
212	Evaluate root and canal morphology of primary mandibular second molars in Chinese individuals by using cone-beam computed tomography. 2013 , 112, 390-5		14
211	Intraoperative endodontic applications of cone-beam computed tomography. 2013, 39, 548-57		53
210	Association between periapical lesions and maxillary sinus mucosal thickening: a retrospective cone-beam computed tomographic study. 2013 , 39, 853-7		66
209	Detection of vertical root fractures by cone-beam computerized tomography in endodontically treated teeth with fiber-resin and titanium posts: an in vitro study. 2013 , 115, e49-57		19

208	A preliminary study to determine the diagnostic reference level using dose-area product for limited-area cone beam CT. 2013 , 42, 20120097	11
207	In-depth morphological study of mesiobuccal root canal systems in maxillary first molars: review. 2013 , 38, 2-10	17
206	Intracanal Medication in Root Canal Disinfection. 2014 , 247-276	1
205	Differential diagnosis of vertical root fractures using reconstructed three-dimensional models of bone defects. 2014 , 43, 20140256	10
204	Modifications in Canal Anatomy of Curved Canals of Mandibular First Molars by two Glide Path Instruments using CBCT. 2014 , 8, ZC13-7	2
203	Flexible x-ray imaging detector based on direct conversion in amorphous selenium. 2014 , 32, 041507	18
202	Trabecular bone histomorphometric measurements and contrast-to-noise ratio in CBCT. 2014 , 43, 20140196	18
201	Radiographs and Diagnostic Tests. 2014 , 49-69	
200	Use of cone-beam computed tomography to evaluate root canal morphology and locate root canal orifices of maxillary second premolars in a Chinese subpopulation. 2014 , 40, 630-4	31
199	An evaluation of the periapical status of teeth with necrotic pulps using periapical radiography and cone-beam computed tomography. <i>International Endodontic Journal</i> , 2014 , 47, 387-96	40
198	The use of cone beam computed tomography to predetermine root canal lengths in molar teeth: a comparison between two-dimensional and three-dimensional measurements. <i>Clinical Oral Investigations</i> , 2014 , 18, 1129-1133	9
197	Use of cone-beam computed tomography in diagnosis of an otherwise undetected periapical lesion in an anomalous tooth. 2014 , 30, 111-114	2
196	Applications of piezoelectric surgery in endodontic surgery: a literature review. 2014 , 40, 325-32	35
195	A comparative investigation of cone-beam computed tomography and periapical radiography in the diagnosis of a healthy periapex. 2014 , 40, 360-5	63
194	The effect of cone beam CT (CBCT) on therapeutic decision-making in endodontics. 2014 , 43, 20130137	43
193	Accuracy of cone-beam computed tomography and periapical radiography in apical periodontitis diagnosis. 2014 , 40, 2057-60	24
192	Detection and measurement of artificial periapical lesions by cone-beam computed tomography. International Endodontic Journal, 2014 , 47, 332-8 5-4	53
191	Idiopathic bilateral antral exostoses: A rare case in maxillary sinus. 2014 , 5, 624-7	1

190	The importance of cone-beam computed tomography in the management of endodontic problems: a review of the literature. 2014 , 40, 1895-901	88
189	3-D-Diagnostik (DVT/CT) in der Zahnheilkunde. 2014 , 111, 80-85	1
188	Cone-beam computed tomographic scans in comparison with periapical radiographs for root canal length measurement: an in situ study. 2014 , 40, 1206-9	17
187	A rare root canal configuration of bilateral maxillary first molar with 7 root canals diagnosed using cone-beam computed tomographic scanning: a case report. 2014 , 40, 296-301	27
186	Comparison of endodontic diagnosis and treatment planning decisions using cone-beam volumetric tomography versus periapical radiography. 2014 , 40, 910-6	68
185	Clinical utility of dental cone-beam computed tomography: current perspectives. 2014 , 6, 29-43	29
184	Recent advances in imaging technologies in dentistry. 2014 , 6, 794-807	116
183	Diagnostic Applications of Cone-Beam CT for Periodontal Diseases. 2014 , 2014, 865079	27
182	Modern Endodontic Planning Part 1: Assessing Complexity and Predicting Success. <i>Dental Update</i> , 2015 , 42, 599-600, 602-4, 606-8 passim	4
181	Periapical repair following endodontic surgery: two- and three-dimensional imaging evaluation methods. 2015 , 26, 69-74	5
180	CBCT-based evaluation of integrity of cortical sinus close to periapical lesions. 2015 , 29,	6
179	Perforating internal root resorption repaired with mineral trioxide aggregate caused complete resolution of odontogenic sinus mucositis: a case report. 2015 , 41, 274-8	16
178	Endodontic Radiology. 2015 , 161-177	
177	Assessment of the nonoperated root after apical surgery of the other root in mandibular molars: a 5-year follow-up study. 2015 , 41, 442-6	5
176	Cone beam computed tomography and periapical lesions: a systematic review analysing studies on diagnostic efficacy by a hierarchical model. <i>International Endodontic Journal</i> , 2015 , 48, 815-28	59
175	Comparison between Radiographic (2-dimensional and 3-dimensional) and Histologic Findings of Periapical Lesions Treated with Apical Surgery. 2015 , 41, 804-11	33
174	Endodontic applications of cone beam computed tomography: case series and literature review. 2015 , 29, 38-50	9
173	The detection of periapical pathoses in root filled teeth using single and parallax periapical radiographs versus cone beam computed tomography - a clinical study. <i>International Endodontic</i> 5.4 <i>Journal</i> , 2015 , 48, 582-92	37

172	3D dento-maxillary osteolytic lesion and active contour segmentation pilot study in CBCT: semi-automatic vs manual methods. 2015 , 44, 20150079		32
171	The impact of cone beam computed tomography on the choice of endodontic diagnosis. International Endodontic Journal, 2015, 48, 564-72	5.4	32
170	Root canal filling materials spread pattern mimicking root fractures in dental CBCT images. 2015 , 120, 521-7		16
169	Cone beam computed tomography in Endodontics - a review. <i>International Endodontic Journal</i> , 2015 , 48, 3-15	5.4	205
168	Two- and tridimensional analysis of periapical repair after endodontic surgery. <i>Clinical Oral Investigations</i> , 2015 , 19, 17-25	4.2	26
167	Comparative assessment of periapical radiography and CBCT imaging for radiodiagnostics in the posterior maxilla. 2015 , 103, 97-104		31
166	Detection of Second Mesiobuccal Canals in Maxillary First Molars Using a New Angle of Cone Beam Computed Tomography. 2016 , 13, e31155		10
165	CBCT-Aided Microscopic and Ultrasonic Treatment for Upper or Middle Thirds Calcified Root Canals. 2016 , 2016, 4793146		12
164	The Impact of Cone Beam Computed Tomography in Nonsurgical and Surgical Treatment Planning. 2016 , 33-51		
163	Surgical Treatment Utilizing Cone Beam Computed Tomography. 2016 , 113-130		
163 162	Surgical Treatment Utilizing Cone Beam Computed Tomography. 2016, 113-130 The detection of simulated periapical lesions in human dry mandibles with cone-beam computed tomography: a dose reduction study. International Endodontic Journal, 2016, 49, 1095-1104	5.4	11
	The detection of simulated periapical lesions in human dry mandibles with cone-beam computed	5.4	11 36
162	The detection of simulated periapical lesions in human dry mandibles with cone-beam computed tomography: a dose reduction study. <i>International Endodontic Journal</i> , 2016 , 49, 1095-1104 Ability of Cone-beam Computed Tomography to Detect Periapical Lesions That Were Not Detected	5.4	
162 161	The detection of simulated periapical lesions in human dry mandibles with cone-beam computed tomography: a dose reduction study. <i>International Endodontic Journal</i> , 2016 , 49, 1095-1104 Ability of Cone-beam Computed Tomography to Detect Periapical Lesions That Were Not Detected by Periapical Radiography: A Retrospective Assessment According to Tooth Group. 2016 , 42, 1186-90 Sharpening based image enhancement algorithms in reducing the disagreement of medical images	5.4	
162 161 160	The detection of simulated periapical lesions in human dry mandibles with cone-beam computed tomography: a dose reduction study. <i>International Endodontic Journal</i> , 2016 , 49, 1095-1104 Ability of Cone-beam Computed Tomography to Detect Periapical Lesions That Were Not Detected by Periapical Radiography: A Retrospective Assessment According to Tooth Group. 2016 , 42, 1186-90 Sharpening based image enhancement algorithms in reducing the disagreement of medical images subjective evaluation. 2016 ,	5.4	36
162 161 160	The detection of simulated periapical lesions in human dry mandibles with cone-beam computed tomography: a dose reduction study. <i>International Endodontic Journal</i> , 2016 , 49, 1095-1104 Ability of Cone-beam Computed Tomography to Detect Periapical Lesions That Were Not Detected by Periapical Radiography: A Retrospective Assessment According to Tooth Group. 2016 , 42, 1186-90 Sharpening based image enhancement algorithms in reducing the disagreement of medical images subjective evaluation. 2016 , Association between maxillary sinus pathologies and healthy teeth. 2016 , 82, 33-8 Computed tomography (CT) in the selection of treatment for root-filled maxillary molars with	5.4	36 14
162 161 160 159	The detection of simulated periapical lesions in human dry mandibles with cone-beam computed tomography: a dose reduction study. <i>International Endodontic Journal</i> , 2016 , 49, 1095-1104 Ability of Cone-beam Computed Tomography to Detect Periapical Lesions That Were Not Detected by Periapical Radiography: A Retrospective Assessment According to Tooth Group. 2016 , 42, 1186-90 Sharpening based image enhancement algorithms in reducing the disagreement of medical images subjective evaluation. 2016 , Association between maxillary sinus pathologies and healthy teeth. 2016 , 82, 33-8 Computed tomography (CT) in the selection of treatment for root-filled maxillary molars with apical periodontitis. 2016 , 45, 20150391 Association of Radiographically Diagnosed Apical Periodontitis and Cardiovascular Disease: A	5.4	36 14 1

154	Assessment of treatment failure in endodontic therapy. 2016 , 43, 753-8		17
153	Evaluation of the Root Canal Morphology of Molars by Using Cone-beam Computed Tomography in a Brazilian Population: Part I. 2016 , 42, 1604-1607		19
152	The detection of periapical pathoses using digital periapical radiography and cone beam computed tomography in endodontically retreated teeth - part 2: a 1 year post-treatment follow-up. International Endodontic Journal, 2016, 49, 623-35	: ₋₄	37
151	Benign Jaw Lesions. 2016 , 60, 125-41		16
150	Diagnostic accuracy of periapical radiography and cone beam computed tomography in detecting apical periodontitis using histopathological findings as a reference standard. <i>International Endodontic Journal</i> , 2017 , 50, 417-426	: ₋₄	54
149	Accuracy of single and parallax film and digital periapical radiographs in diagnosing apical periodontitis - a cadaver study. <i>International Endodontic Journal</i> , 2017 , 50, 427-436	-4	20
148	Characteristics of teeth referred to a public dental specialist clinic in endodontics. <i>International Endodontic Journal</i> , 2017 , 50, 629-635	-4	7
147	Prognosis of Healing in Treated Teeth with Endodontic Infections. 2017 , 341-384		1
146	Diagnosis, Epidemiology, and Global Impact of Endodontic Infections. 2017 , 11-24		
145	A Comparison of 2- and 3-dimensional Healing Assessment after Endodontic Surgery Using Cone-beam Computed Tomographic Volumes or Periapical Radiographs. 2017 , 43, 1072-1079		32
144	A Survey of Cone-beam Computed Tomographic Use among Endodontic Practitioners in the United States. 2017 , 43, 699-704		37
143	Interpretation of Periapical Lesions Using Cone Beam Computed Tomography. 2017, 307-328		
142	Odontogenic sinusitis: a comprehensive review. 2017 , 75, 623-633		32
141	Accuracy of Orthopantomography for Apical Periodontitis without Endodontic Treatment. 2017 , 43, 1640-1646		23
140	Do periapical and periodontal pathologies affect Schneiderian membrane appearance? Systematic review of studies using cone-beam computed tomography. <i>Clinical Oral Investigations</i> , 2017 , 21, 1611-164	r ð	18
139	Influences of Schneiderian membrane conditions on the early outcomes of osteotome sinus floor elevation technique: a prospective cohort study in the healing period. 2017 , 28, 1074-1081		6
138	The Relationship between Dental Follicle Width and Maxillary Impacted Canines' Descriptive and Resorptive Features Using Cone-Beam Computed Tomography. 2017 , 2017, 2938691		1
137	Usefulness of Cone Beam Computed Tomography for the Diagnosis and Treatment of Oral and Maxillofacial Pathology. 2017 ,		

136	Prevalence of apical periodontitis and quality of root canal treatment in an adult Saudi population. 2017 , 38, 413-421	12
135	Association between demographic and radiographic characteristics of the schneiderian membrane and periapical and periodontal diseases using cone-beam computed tomography scanning: A retrospective study. 2017 , 11, 170-176	7
134	Prevalence and Size of Periapical Radiolucencies Using Cone-beam Computed Tomography in Teeth without Apparent Intraoral Radiographic Lesions: A New Periapical Index with a Clinical Recommendation. 2018 , 44, 389-394	21
133	Accuracy of Cone-beam Computed Tomographic Image Interpretation by Endodontists and Endodontic Residents. 2018 , 44, 571-575	8
132	Periapical Surgery Case III:. 2018 , 164-171	
131	Endodontic Applications of CBCT. 2018 , 871-922	
130	Image-Guided Surgical Navigation. 2018 , 1037-1055	1
129	Cone-beam CT in paediatric dentistry: DIMITRA project position statement. 2018 , 48, 308-316	99
128	Effect of periodontal therapy on maxillary sinus mucous membrane thickening in chronic periodontitis: A split-mouth study. 2018 , 12, 166-173	4
127	Cone-beam computed tomography in the assessment of periapical lesions in endodontically treated teeth. 2018 , 12, 136-143	15
126	Development of a New Cone-Beam Computed Tomography Software for Endodontic Diagnosis. 2018 , 29, 517-529	27
125	Hallmark of success: top 50 classics in oral and maxillofacial cone-beam computed tomography. 2018 , 83, e11-e18	8
124	The Risk Factors that Can Increase Possibility of Mandibular Canal Wall Damage in Adult: A Cone-Beam Computed Tomography (CBCT) Study in a Chinese Population. 2018 , 24, 26-36	9
123	Accuracy of linear measurements on CBCT images related to presurgical implant treatment planning: A systematic review. 2018 , 29 Suppl 16, 393-415	58
122	Endodontics Program Directors', Residents', and Endodontists' Considerations About CBCT-Related Graduate Education. 2018 , 82, 989-999	7
121	Clinician-centered Outcomes Assessment of Retreatment and Endodontic Microsurgery Using Cone-beam Computed Tomographic Volumetric Analysis. 2018 , 44, 1251-1256	14
120	Is Panoramic Radiography an Accurate Imaging Technique for the Detection of Endodontically Treated Asymptomatic Apical Periodontitis?. 2018 , 44, 1500-1508	25
119	Management of a permanent maxillary first molar with unusual crown and root anatomy: a case report. 2018 , 43, e35	О

118	Comparative evaluation of three obturation techniques in primary incisors using digital intra-oral receptor and C.B.C.T-an in vitro study. <i>Clinical Oral Investigations</i> , 2019 , 23, 689-696	4.2	4
117	Comparison of cone-beam computed tomography and panoramic radiography in the evaluation of maxillary sinus pathology related to maxillary posterior teeth: Do apical lesions increase the risk of maxillary sinus pathology?. 2019 , 49, 115-122		7
116	Computerized Tomography for Craniomaxillofacial Dental Implantology. 2019, 219-229		
115	Use of Texture Feature Maps for the Refinement of Information Derived from Digital Intraoral Radiographs of Lytic and Sclerotic Lesions. 2019 , 9, 2968		4
114	Digital Technology in Endodontics. 2019 , 229-247		2
113	Analysis of association between periodontal disease and thickness of maxillary sinus mucosa using cone beam computed tomography - A retrospective study. 2019 , 31, 228-235		2
112	An Averaged Intensity Difference Detection Algorithm for Identification of Human Gingival Sulcus in Optical Coherence Tomography Images. 2019 , 7, 73076-73084		6
111	Cone Beam Computed Tomography in Oral and Maxillofacial Surgery: An Evidence-Based Review. 2019 , 7,		28
110	Comparison of Two-Dimensional and Three-Dimensional Radiographs Using Clinically Relevant Parameters. 2019 , 7,		4
109	Cone beam computed tomography in Endodontics - a review of the literature. <i>International Endodontic Journal</i> , 2019 , 52, 1138-1152	5.4	52
109		5.4	5 ²
	Endodontic Journal, 2019 , 52, 1138-1152	5.4	
108	Radiology of Apical Periodontitis. 2019, 179-210	5.4	1
108	Radiology of Apical Periodontitis. 2019 , 179-210 The Use of Cone Beam Computer Tomography (CBCT) in Endodontics. 2019 , 6, 377-384	5.4	1
108 107 106	Radiology of Apical Periodontitis. 2019, 179-210 The Use of Cone Beam Computer Tomography (CBCT) in Endodontics. 2019, 6, 377-384 What are the risk factors for maxillary sinus pathologies? A CBCT study. 2020, 36, 80-84 Electronic processing of digital panoramic radiography for the detection of apical periodontitis.	5.4	1 1 5
108 107 106	Radiology of Apical Periodontitis. 2019, 179-210 The Use of Cone Beam Computer Tomography (CBCT) in Endodontics. 2019, 6, 377-384 What are the risk factors for maxillary sinus pathologies? A CBCT study. 2020, 36, 80-84 Electronic processing of digital panoramic radiography for the detection of apical periodontitis. 2020, 125, 145-154	5.4	1 1 5
108 107 106 105	Radiology of Apical Periodontitis. 2019, 179-210 The Use of Cone Beam Computer Tomography (CBCT) in Endodontics. 2019, 6, 377-384 What are the risk factors for maxillary sinus pathologies? A CBCT study. 2020, 36, 80-84 Electronic processing of digital panoramic radiography for the detection of apical periodontitis. 2020, 125, 145-154 Recent Advances in Cone-beam CT in Oral Medicine. 2020, 16, 553-564 Accuracy of Presurgical Limited Field of View Cone-beam Computed Tomography in Predicting	5.4	1 1 5 1 0

100	Association between the dimensions of the maxillary sinus membrane and molar periodontal status: A retrospective CBCT study. 2020 , 91, 1429-1435		3
99	Applications of CBCT in Endodontics. 2020,		
98	Nasopalatine canal and periapical radiolucency fusion following dentoalveolar trauma: A CBCT-based case-control study. 2020 , 36, 438-445		
97	Clinical Factors Associated with Apical Periodontitis Visible on Cone-beam Computed Tomography but Missed with Periapical Radiographs: A Retrospective Clinical Study. 2020 , 46, 832-838		4
96	Odontogenic maxillary sinusitis: A comprehensive review. 2021 , 16, 474-481		11
95	Revisiting Orstavik's PAI score to produce a reliable and reproducible assessment of the outcomes of endodontic treatments in routine practice. 2021 , 25, 291-298		O
94	Root canal length measurement of molar teeth using conebeam computed tomography (CBCT): comparison of two dimensional versus three-dimensional methods. 2021 , 55, 94-98		
93	Endodontic disease detection: digital periapical radiography versus cone-beam computed tomography-a systematic review. 2021 , 8, 041205		O
92	Three-dimensional Pattern of Inflammatory Periapical Lesion Extension in the Premolar's Region: An Application of K-means Clustering. 2021 , 17, 1151-1158		О
91	Peri-Implant Bone Loss Measurement Using a Region-Based Convolutional Neural Network on Dental Periapical Radiographs. 2021 , 10,		12
91			5
	Dental Periapical Radiographs. 2021 , 10,		
90	Dental Periapical Radiographs. 2021, 10, Cone-Beam Computed Tomography in EndodonticsBtate of the Art. 2021, 8, 9-22	1.9	5
90 89	Dental Periapical Radiographs. 2021, 10, Cone-Beam Computed Tomography in EndodonticsBtate of the Art. 2021, 8, 9-22 A Novel Volume-based Cone-beam Computed Tomographic Periapical Index. 2021, 47, 1308-1313 CBCT-based assessment of the anatomic relationship between maxillary sinus and upper teeth.	1.9	5
90 89 88	Dental Periapical Radiographs. 2021, 10, Cone-Beam Computed Tomography in EndodonticsBtate of the Art. 2021, 8, 9-22 A Novel Volume-based Cone-beam Computed Tomographic Periapical Index. 2021, 47, 1308-1313 CBCT-based assessment of the anatomic relationship between maxillary sinus and upper teeth. Clinical and Experimental Dental Research, 2021, 7, 1197-1204	1.9	5
90 89 88 87	Dental Periapical Radiographs. 2021, 10, Cone-Beam Computed Tomography in EndodonticsBtate of the Art. 2021, 8, 9-22 A Novel Volume-based Cone-beam Computed Tomographic Periapical Index. 2021, 47, 1308-1313 CBCT-based assessment of the anatomic relationship between maxillary sinus and upper teeth. Clinical and Experimental Dental Research, 2021, 7, 1197-1204 Endodontic Evaluation. 2021, 295-312 Comparative analysis of the accuracy of periapical radiography and cone-beam computed tomography for diagnosing complex endodontic pathoses using a gold standard reference - A		2
90 89 88 87 86	Dental Periapical Radiographs. 2021, 10, Cone-Beam Computed Tomography in EndodonticsBtate of the Art. 2021, 8, 9-22 A Novel Volume-based Cone-beam Computed Tomographic Periapical Index. 2021, 47, 1308-1313 CBCT-based assessment of the anatomic relationship between maxillary sinus and upper teeth. Clinical and Experimental Dental Research, 2021, 7, 1197-1204 Endodontic Evaluation. 2021, 295-312 Comparative analysis of the accuracy of periapical radiography and cone-beam computed tomography for diagnosing complex endodontic pathoses using a gold standard reference - A prospective clinical study. International Endodontic Journal, 2021, 54, 1448-1461 Effects of Endodontic Infections on the Maxillary Sinus: A Case Series of Treatment Outcome. 2021,		5 2 2

82	Outcome of Periapical Surgery in Molars: A Retrospective Analysis of 424 Teeth. 2021 , 47, 1703-1714		O
81	Comparison of the diagnostic efficacy of 2D radiography and cone beam computed tomography in persistent apical periodontal disease: A PRISMA-DTA systematic review and meta-analysis. 2021 , 132, e153-e168		1
80	Prevalence of Lateral Radiolucency, Apical Root Resorption and Periapical Lesions in Portuguese Patients: A CBCT Cross-Sectional Study with a Worldwide Overview. 2021 , 6, 56-71		2
79	Cone-beam computed tomography cinematic rendering: clinical, teaching and research applications. 2021 , 35, e024		6
78	Diagnosis. 2011 , 2-39		13
77	Endodontic Records and Legal Responsibilities. 2011 , 389-450		2
76	Periradicular Surgery. 2011 , 720-776		15
75	Digital Technology in Endodontic Practice. 2011 , 969-1006		1
74	Diagnosis. 2010 , 17-33		1
73	Classification of impacted mandibular third molars using cone beam computed tomography based on neurological risks: N.R.C 2017 , 23, 131-138		2
72	Outcome of endodontic treatment - the elephant in the room. <i>International Endodontic Journal</i> , 2020 , 53, 291-297	5.4	5
71	Applications of cone beam computed tomography in endodontics. 2020 , 5,		6
70	Is Cone-Beam Computed Tomography an Essential Diagnostic Tool for Endodontic Practice?. 2018 , 9,		1
69	Recent Trends in 3D Printing of Dental Models. 2019 , 217-237		1
68	The Use of Three-Dimensional Reconstructions in the Diagnosis of Impacted Teeth. 2010 , 171-183		1
67	Analysis of C-shaped canal systems in mandibular second molars using surgical operating microscope and cone beam computed tomography: A clinical approach. 2014 , 17, 238-43		4
66	Cone beam-computed topographic evaluation of a central incisor with an open apex and a failed root canal treatment using one-step apexification with Biodentine (IA) case report. 2014 , 17, 285-9		10
65	Computed tomography: Will the slices reveal the truth. 2016 , 6, S85-92		4

(2020-2019)

64	Evaluation of Odontogenic Maxillary Sinusitis with Cone Beam Computed Tomography: A Retrospective Study with Review of Literature. 2019 , 9, 194-204	8
63	Evaluation of the Root and Canal Morphology of Maxillary First and Second Molar using Cone Beam Computed Tomography: A Retrospective Study. 2017 , 8, 134-138	1
62	Single vs Two-session Root Canal Treatment: A Preliminary Randomized Clinical Study using Cone Beam Computed Tomography. 2016 , 17, 515-521	5
61	Digital Orthopantomography vs Cone Beam Computed Tomography Part 1: Detection of Periapical Lesions. 2019 , 20, 593-597	4
60	Digital Orthopantomography vs Cone Beam Computed Tomography Part 2: A CBCT Analysis of Factors Influencing the Prevalence of Periapical Lesions. 2019 , 20, 664-669	4
59	Comparison of Selected Anatomical and Treatment-related Diagnostic Parameters Estimated by Cone-Beam Computed Tomography and Digital Periapical Radiography in Teeth with Apical Periodontitis. 2020 , 11, e4	2
58	A cone-beam computed tomography study of the prevalence and location of the second mesiobuccal root canal in maxillary molars. 2020 , 45, e46	2
57	Dentale digitale Volumentomographie (DVT) und Navigation. 2011 , 409-416	
56	Moderne beeldvorming: (de opmars van) cone beam computerized tomography. 2011 , 1-13	
55	Lateral radiographic technique: an alternative approach for anterior teeth. 2013, 14, 43-6	
55 54	Lateral radiographic technique: an alternative approach for anterior teeth. 2013 , 14, 43-6 Spiral computed tomographic evaluation and endodontic management of a maxillary canine with two canals. 2013 , 16, 272-6	2
	Spiral computed tomographic evaluation and endodontic management of a maxillary canine with	2
54	Spiral computed tomographic evaluation and endodontic management of a maxillary canine with two canals. 2013 , 16, 272-6	2
54 53	Spiral computed tomographic evaluation and endodontic management of a maxillary canine with two canals. 2013, 16, 272-6 DVT lTechnik und Navigation. 2015, 1-10 Evaluaci de lesiones periapicales de origen endoditico mediante tomografii computada Cone	2
54 53 52	Spiral computed tomographic evaluation and endodontic management of a maxillary canine with two canals. 2013, 16, 272-6 DVT [Technik und Navigation. 2015, 1-10 Evaluacifi de lesiones periapicales de origen endodfitico mediante tomograffi computada Cone Beam. 2015, 16, 5-11 Assessment of Healing of a Large Radicular Cyst using Cone Beam Computed Tomography: Two	2
54 53 52 51	Spiral computed tomographic evaluation and endodontic management of a maxillary canine with two canals. 2013, 16, 272-6 DVT [Technik und Navigation. 2015, 1-10] Evaluacifi de lesiones periapicales de origen endodfitico mediante tomograffi computada Cone Beam. 2015, 16, 5-11 Assessment of Healing of a Large Radicular Cyst using Cone Beam Computed Tomography: Two Years Follow-up. 2016, 7, 47-50 Descriptive study of apical periodontitis detected in Cone Beam Computed Tomography scans.	2
54 53 52 51 50	Spiral computed tomographic evaluation and endodontic management of a maxillary canine with two canals. 2013, 16, 272-6 DVT [Technik und Navigation. 2015, 1-10] Evaluacifi de lesiones periapicales de origen endodfitico mediante tomograffi computada Cone Beam. 2015, 16, 5-11 Assessment of Healing of a Large Radicular Cyst using Cone Beam Computed Tomography: Two Years Follow-up. 2016, 7, 47-50 Descriptive study of apical periodontitis detected in Cone Beam Computed Tomography scans. 2016, 64, 30-36 Dosimetry of Three Cone Beam Computerized Tomography Scanners at Different Fields of View in	

46	Two-dimensional Periapical, Panoramic Radiography Versus Three-dimensional Cone-beam Computed Tomography in the Detection of Periapical Lesion After Endodontic Treatment: A Systematic Review. 2020 , 12, e7736	6	
45	A randomized controlled trial of endodontic treatment using ultrasonic irrigation and laser activated irrigation to evaluate healing in chronic apical periodontitis. 2020 , 12, e821-e829	3	
44	Recent Trends in 3D Printing of Dental Models. 2020 , 424-444		
43	The Role of Modern Technologies for Dentin Preservation in Root Canal Treatment. 2021 , 1-32		
42	Knowledge and Attitude of Dentists and Dental Students Towards Cone-Beam Computed Tomography. 2020 , 5, 26-30		
41	Cone Beam CT use in the pre-prosthetic evaluation of endodontically treated of the rear maxilla. 2012 , 5, 42-6	11	
40	Detection of Procedural Errors with Stainless Steel and NiTi Instruments by Undergraduate Students Using Conventional Radiograph and Cone Beam Computed Tomography. <i>Iranian Endodontic Journal</i> , 2013 , 8, 160-5	14	ļ
39	Cone-beam computed tomography evaluation of maxillary first and second molars in Iranian population: a morphological study. <i>Iranian Endodontic Journal</i> , 2014 , 9, 190-4	36	5
38	The applications of cone-beam computed tomography in endodontics: a review of literature. <i>Iranian Endodontic Journal</i> , 2015 , 10, 16-25	27	7
37	Accuracy of Cone-beam Computed Tomography and Periapical Radiography in Endodontically Treated Teeth Evaluation: A Five-Year Retrospective Study. 2015 , 7, 15-9	3	
36	Detection of Procedural Errors during Root Canal Instrumentation using Cone Beam Computed Tomography. 2015 , 7, 28-32		
35	Accuracy of Cone Beam Computed Tomography, Photostimulable Phosphor Plate Digital Radiography and Conventional Radiography for Detection of Artificial Cancellous Bone Defects. 2015 , 12, 797-806		
34	Second Mesiobuccal Root Canal of Maxillary First Molars in a Brazilian Population in High-Resolution Cone-Beam Computed Tomography. <i>Iranian Endodontic Journal</i> , 2018 , 13, 71-77	5	
33	Partial Necrosis Consequence of the Infection Spreading from an Adjacent Apical Periodontitis: A Case Report. <i>Iranian Endodontic Journal</i> , 2018 , 13, 420-423	2	
32	Endodontic Management of Maxillary Second Molar with Vertucci Type VI Root Canal Morphology Diagnosed Using Cone-beam Computed Tomography. <i>Contemporary Clinical Dentistry</i> , 2018 , 9, 494-497) 1	
31	Does residual bone thickness apical to periodontal defect play a major role in maxillary sinus mucous membrane thickness?: A cone-beam computed tomography-assisted retrospective study. o.8 Dental Research Journal, 2019 , 16, 251-256	3 1	
30	A Comparative Study to Evaluate Periapical Pathology Using Mid Field of View CBCT and Direct Digital Radiography. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2021 , 10, 3659-3664		
29	Pulpotomy for treatment of complicated crown fractures in permanent teeth: A systematic review International Endodontic Journal, 2022, 5-4	. 2	

28	Cone beam computed tomography (CBCT) in paediatric dentistry. Dental Update, 2022, 49, 153-158	0.3	О
27	Endodontic pulp revitalization in traumatized necrotic immature permanent incisors: Early failures and long-term outcomes - a longitudinal cohort study <i>International Endodontic Journal</i> , 2022 ,	5.4	2
26	Three-dimensional quantification of the relationship between the upper first molar and maxillary sinus <i>Clinical and Experimental Dental Research</i> , 2022 ,	1.9	1
25	Prevalence of apical periodontitis in a Chinese subpopulation detected in cone beam CT images. 2021 ,		
24	Endodontische Mikrochirurgie Ewo stehen wir heute?. Zahnmedizin Up2date, 2021 , 15, 437-455	0	
23	Endodontic management of maxillary second molar with vertucci Type VI root canal morphology diagnosed using cone-beam computed tomography. 2018 , 9, 494		O
22	Is the quality of root canal filling obtained by cone-beam computed tomography associated with periapical lesions? A systematic review and meta-analysis. <i>Clinical Oral Investigations</i> ,	4.2	1
21	A perspective on the diagnosis of cracked tooth: imaging modalities evolve to AI-based analysis. <i>BioMedical Engineering OnLine</i> , 2022 , 21,	4.1	2
20	The outcome of endodontic treatment using an enhanced infection protocol in specialist practice. <i>British Dental Journal</i> , 2022 , 232, 805-811	1.2	
19	Variations of root and canal morphology of mandibular second molars in Chinese individuals: a cone-beam computed tomography study. <i>BMC Oral Health</i> , 2022 , 22,	3.7	O
18	Akdeniz fiiversitesi DilHekimlillFakltesilhe balluran hastalarda konik fillbilgisayarll tomografi istem nedenlerinin incelenmesi. <i>Akdeniz Medical Journal</i> ,		
17	Reliability and accuracy of dental MRI for measuring root canal length of incisors and canines: a clinical pilot study. 2022 , 12,		
16	Automatic Detection of Periapical Osteolytic Lesions on CBCT Using Deep CNNs. 2022,		O
15	Assessing minipig compact jawbone quality at the microscale. 2022 , 134, 105405		
14	Analysis of root morphology and internal anatomy of 400 maxillary first premolars using cone-beam computed tomography in an Indian Dravidian subpopulation: An ex vivo study. 2022 , 25, 48	7	O
13	Influence of Voxel Size on Evaluation of Trabecular Bone Microstructure on Human Mandibles: A CBCT study		O
12	Present status and future directions: Imaging techniques for the detection of periapical lesions.		О
11	The Use of Cone-Beam Computed Tomography in Endodontics. 2022 , 719-733		Ο

10	Prevalence and Quality of Endodontic Treatment in Patients with Cardiovascular Disease and Associated Risk Factors. 2022 , 11, 6046	0
9	Diagnosis of cracked tooth: Clinical status and research progress. 2022 , 58, 357-364	O
8	Establishment of Diagnostic Reference Levels in Cone Beam Computed Tomography Scans in the United Arab Emirates. 2022 , 8, 2939-2945	0
7	Importance of Cone-Beam CT in Endodontics. 2017 , 5, 52-58	O
6	Developments and Performance of Artificial Intelligence Models Designed for Application in Endodontics: A Systematic Review. 2023 , 13, 414	O
5	Volumetric Assessment of Apical Periodontitis Using Cone-Beam Computed Tomography A Systematic Review. 2023 , 20, 2940	O
4	Automatic segmentation of inferior alveolar canal with ambiguity classification in panoramic images using deep learning. 2023 , 9, e13694	0
3	Cone Beam Computed Tomography and Radiographs for Endodontics: A Pictorial Illustration of the AAE-AAOMR Position Statement. 2021 , 49, 311-324	O
2	Histological Evaluation of Root Canals by Performing a New Cleaning Protocol R UAlin Endodontic Surgery. 2023 , 11, 78	0
1	The Application of Mixed Reality in Root Canal Treatment. 2023 , 13, 4078	O