Anisotropic wetting on tunable micro-wrinkled surface

Soft Matter

3, 1163

DOI: 10.1039/b705112c

Citation Report

#	Article	IF	Citations
1	Characterizing Polymer Brushes via Surface Wrinkling. Chemistry of Materials, 2007, 19, 6555-6560.	3.2	77
2	Wetting and Roughness. Annual Review of Materials Research, 2008, 38, 71-99.	4.3	2,183
3	Anisotropic Wetting Behavior Arising from Superhydrophobic Surfaces: Parallel Grooved Structure. Journal of Physical Chemistry B, 2008, 112, 7234-7243.	1.2	105
4	Wetting and Dewetting of Complex Surface Geometries. Annual Review of Materials Research, 2008, 38, 101-121.	4.3	167
5	Strongly Anisotropic Wetting on One-Dimensional Nanopatterned Surfaces. Nano Letters, 2008, 8, 2819-2824.	4.5	184
6	Large-Scale Regioselective Formation of Well-Defined Stable Wrinkles of Multilayered Films via Embossing. Chemistry of Materials, 2008, 20, 7052-7059.	3.2	36
7	Drops on Microstructured Surfaces Coated with Hydrophilic Polymers:â€‰ Wenzel's Model and Beyond. Langmuir, 2008, 24, 1959-1964.	1.6	59
8	A Lithography-Free Pathway for Chemical Microstructuring of Macromolecules from Aqueous Solution Based on Wrinkling. Langmuir, 2008, 24, 12748-12753.	1.6	98
9	Patterning Fluid and Elastomeric Surfaces Using Short-Wavelength UV Radiation and Photogenerated Reactive Oxygen Species. Annual Review of Physical Chemistry, 2008, 59, 411-432.	4.8	11
10	Anisotropic Drop Morphologies on Corrugated Surfaces. Langmuir, 2008, 24, 7299-7308.	1.6	147
11	Polarized Optical Absorption Spectroscopy, NEXAFS, and GIXRD Measurements of Chain Alignment in Polyfluorene Thin Films. Macromolecules, 2008, 41, 6463-6472.	2.2	12
12	Modifying the anti-wetting property of butterfly wings and water strider legs by atomic layer deposition coating: surface materials versus geometry. Nanotechnology, 2008, 19, 355708.	1.3	55
13	A surface embossing technique to create micro-grooves on an aluminum fin stock for drainage enhancement. Journal of Micromechanics and Microengineering, 2009, 19, 035026.	1.5	39
14	Extensive Leakage Current Reduction in Polymer Dielectric Thin Film by Metal Nanoparticles Incorporation for Organic Thin Film Transistor. Japanese Journal of Applied Physics, 2009, 48, 04C171.	0.8	0
15	Fabrics with Tunable Oleophobicity. Advanced Materials, 2009, 21, 2190-2195.	11.1	351
16	Diffusionâ€Controlled, Selfâ€Organized Growth of Symmetric Wrinkling Patterns. Advanced Materials, 2009, 21, 1358-1362.	11.1	176
17	Microstructured Surfaces for Directional Wetting. Advanced Materials, 2009, 21, 4835-4838.	11.1	91
18	Controlled wrinkling as a novel method for the fabrication of patterned surfaces. Mikrochimica Acta, 2009, 165, 249-263.	2.5	201

#	Article	IF	Citations
19	Nanoscale Wetting on Groove-Patterned Surfaces. Langmuir, 2009, 25, 5045-5053.	1.6	101
20	Imbibition through an array of triangular posts. Journal of Physics Condensed Matter, 2009, 21, 464125.	0.7	34
21	Modeling the Corrugation of the Three-Phase Contact Line Perpendicular to a Chemically Striped Substrate. Langmuir, 2009, 25, 8357-8361.	1.6	13
22	Anisotropy of Water Droplets on Single Rectangular Posts. Langmuir, 2009, 25, 5619-5625.	1.6	43
23	Scaling of anisotropic droplet shapes on chemically stripe-patterned surfaces. Physical Review E, 2009, 79, 041601.	0.8	81
24	Mechanically switchable wetting on wrinkled elastomers with dual-scale roughness. Soft Matter, 2009, 5, 1011.	1.2	161
25	Tunable Open-Channel Microfluidics on Soft Poly(dimethylsiloxane) (PDMS) Substrates with Sinusoidal Grooves. Langmuir, 2009, 25, 12794-12799.	1.6	147
26	Quantifying Residual Stress in Nanoscale Thin Polymer Films via Surface Wrinkling. ACS Nano, 2009, 3, 844-852.	7.3	160
27	Shaping liquid on a micrometre scale using microwrinkles as deformable open channel capillaries. Soft Matter, 2009, 5, 4658.	1.2	95
28	Unidirectional wetting and spreading on stooped polymer nanohairs. Soft Matter, 2009, 5, 4131.	1.2	99
29	Influence of spatial heterogeneities on spreading dynamics. Journal of Physics: Conference Series, 2010, 216, 012017.	0.3	1
30	Tailoring Anisotropic Wetting Properties on Submicrometer-Scale Periodic Grooved Surfaces. Langmuir, 2010, 26, 2700-2706.	1.6	79
31	Harnessing Surface Wrinkle Patterns in Soft Matter. Advanced Functional Materials, 2010, 20, 2550-2564.	7.8	533
32	Encoding Localized Strain History Through Wrinkle Based Structural Colors. Advanced Materials, 2010, 22, 4390-4394.	11.1	116
33	Dynamic display of biomolecular patterns throughÂanÂelastic creasing instability of stimuli-responsive hydrogels. Nature Materials, 2010, 9, 159-164.	13.3	241
34	Uni-directional liquid spreading on asymmetric nanostructured surfaces. Nature Materials, 2010, 9, 413-417.	13.3	473
35	Fracture-induced formation of parallel silicone strips. Journal of Materials Research, 2010, 25, 803-809.	1.2	8
36	Droplets Atop a Wrinkled Substrate. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2010, 224, 2459-2467.	1.1	7

#	Article	IF	Citations
37	A simple strategy to realize biomimetic surfaces with controlled anisotropic wetting. Applied Physics Letters, 2010, 96, .	1.5	49
38	Two-Dimensional Droplet Spreading over Random Topographical Substrates. Physical Review Letters, 2010, 104, 084501.	2.9	91
39	Pericyte actomyosin-mediated contraction at the cellâ€“material interface can modulate the microvascular niche. Journal of Physics Condensed Matter, 2010, 22, 194115.	0.7	54
40	Microtextured Surfaces with Gradient Wetting Properties. Langmuir, 2010, 26, 18349-18356.	1.6	22
41	Fully Reversible Transition from Wenzel to Cassieâˆ’Baxter States on Corrugated Superhydrophobic Surfaces. Langmuir, 2010, 26, 3335-3341.	1.6	102
42	One-Step Preparation of Regular Micropearl Arrays for Two-Direction Controllable Anisotropic Wetting. Langmuir, 2010, 26, 12012-12016.	1.6	73
43	Recent developments in bio-inspired special wettability. Chemical Society Reviews, 2010, 39, 3240.	18.7	922
44	Orientational ordering of buckling-induced microwrinkles on soft substrates. Soft Matter, 2010, 6, 5729.	1.2	25
45	Bio-inspired slanted polymer nanohairs for anisotropic wetting and directional dry adhesion. Soft Matter, 2010, 6, 1849.	1.2	103
46	Nanoparticle assembly by confinement in wrinkles: experiment and simulations. Soft Matter, 2010, 6, 5860.	1.2	49
47	Robust anisotropic polymer meshes prepared by stretching and photo-crosslinking of poly(1,2-butadiene) honeycomb films. Physical Chemistry Chemical Physics, 2011, 13, 4877-4880.	1.3	17
48	Controlled mechanical fracture for fabricating microchannels with various size gradients. Lab on A Chip, 2011, 11, 717-722.	3.1	27
49	Functional biointerface materials inspired from nature. Chemical Society Reviews, 2011, 40, 2909.	18.7	248
50	Ratchetlike Slip Angle Anisotropy on Printed Superhydrophobic Surfaces. Langmuir, 2011, 27, 9902-9909.	1.6	33
51	Suspension of Water Droplets on Individual Pillars. Langmuir, 2011, 27, 4742-4748.	1.6	48
52	Pattern-Dependent Tunable Adhesion of Superhydrophobic MnO₂ Nanostructured Film. Langmuir, 2011, 27, 3224-3228.	1.6	62
53	Anisotropic Wetting on Checkerboard-Patterned Surfaces. Langmuir, 2011, 27, 9630-9637.	1.6	6
54	Directional Mobility and Adhesion of Water Drops on Patterned Superhydrophobic Surfaces. Journal of Adhesion Science and Technology, 2011, 25, 627-642.	1.4	20

#	Article	IF	Citations
55	A new method for evaluating the most stable contact angle using tilting plate experiments. Soft Matter, 2011, 7, 10457.	1.2	50
56	Directional electromechanical properties of PEDOT/PSS films containing aligned electrospun nanofibers. Polymer Journal, 2011, 43, 849-854.	1.3	21
57	Contact lines over random topographical substrates. Part 1. Statics. Journal of Fluid Mechanics, 2011, 672, 358-383.	1.4	28
58	Contact lines over random topographical substrates. Part 2. Dynamics. Journal of Fluid Mechanics, 2011, 672, 384-410.	1.4	35
59	Engineering biomimetic superhydrophobic surfaces of electrospun nanomaterials. Nano Today, 2011, 6, 510-530.	6.2	417
60	Dynamic contact angle beating from drops impacting onto solid surfaces exhibiting anisotropic wetting. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2011, 386, 36-44.	2.3	20
61	Threeâ€Level Biomimetic Riceâ€Leaf Surfaces with Controllable Anisotropic Sliding. Advanced Functional Materials, 2011, 21, 2927-2932.	7.8	251
62	Thermodynamic Underpinnings of Cell Alignment on Controlled Topographies. Advanced Materials, 2011, 23, 421-425.	11.1	36
63	Surface Wrinkling: A Versatile Platform for Measuring Thinâ€Film Properties. Advanced Materials, 2011, 23, 349-368.	11.1	487
64	Nanostructures and Functional Materials Fabricated by Interferometric Lithography. Advanced Materials, 2011, 23, 147-179.	11.1	198
65	Guided orientation of cardiomyocytes on electrospun aligned nanofibers for cardiac tissue engineering. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2011, 98B, 379-386.	1.6	241
66	Slip-stick wetting and large contact angle hysteresis on wrinkled surfaces. Journal of Colloid and Interface Science, 2011, 354, 825-831.	5.0	27
67	Metastable droplets on shallow-grooved hydrophobic surfaces. Physical Review E, 2011, 83, 041607.	0.8	24
68	Reversible switching between isotropic and anisotropic wetting by one-direction curvature tuning on flexible superhydrophobic surfaces. Applied Physics Letters, 2011, 98, .	1.5	22
69	Unidirectional self-patterning of CaF2 nanorod arrays using capillary pressure. Journal of Materials Research, 2011, 26, 223-229.	1.2	1
70	The reflectivity, wettability and scratch durability of microsurface features molded in the injection molding process using a dynamic tool tempering system. Journal of Micromechanics and Microengineering, 2011, 21, 025024.	1.5	4
71	Superhydrophobic Surfaces: Beyond Lotus Effect. Biological and Medical Physics Series, 2012, , 331-378.	0.3	4
72	Anisotropic wrinkle formation on shape memory polymer substrates. Journal of Applied Physics, 2012, 112, 124319.	1.1	36

#	Article	IF	Citations
73	Reversible Electrowetting on Dual-Scale-Patterned Corrugated Microstructured Surfaces. Journal of Microelectromechanical Systems, 2012, 21, 1261-1271.	1.7	9
74	WRINKLING ATOP SHAPE MEMORY MATERIALS. Surface Review and Letters, 2012, 19, 1250010.	0.5	10
75	Switchable electrowetting of droplets on dual-scale structured surfaces. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2012, 30, .	0.6	2
76	Well-Ordered Wrinkling Patterns on Chemically Oxidized Poly(dimethylsiloxane) Surfaces. Macromolecules, 2012, 45, 7128-7134.	2.2	50
77	Tunable Wetting of Polymer Surfaces. Langmuir, 2012, 28, 14808-14814.	1.6	44
78	Adhesion of soft viscoelastic adhesives on periodic rough surfaces. Soft Matter, 2012, 8, 5350.	1.2	44
79	Anisotropic wetting and superhydrophobicity on holographically featured 3D nanostructured surfaces. Soft Matter, 2012, 8, 4567.	1.2	39
80	A facile route to mechanically durable responsive surfaces with reversible wettability switching. New Journal of Chemistry, 2012, 36, 1280.	1.4	13
81	A one-step screening process for optimal alignment of (soft) colloidal particles. Nanoscale, 2012, 4, 7338.	2.8	28
82	Directional shedding-off of water on natural/bio-mimetic taper-ratchet array surfaces. Soft Matter, 2012, 8, 1770-1775.	1.2	62
83	Leaf surface structures enable the endemic Namib desert grass Stipagrostis sabulicola to irrigate itself with fog water. Journal of the Royal Society Interface, 2012, 9, 1965-1974.	1.5	158
84	Strelitzia reginae Leaf as a Natural Template for Anisotropic Wetting and Superhydrophobicity. Langmuir, 2012, 28, 5312-5317.	1.6	74
85	Direction-dependent adhesion of water strider's legs for water-walking. Solid State Sciences, 2012, 14, 1146-1151.	1.5	14
86	Tuning Kinetics to Control Droplet Shapes on Chemically Striped Patterned Surfaces. Langmuir, 2012, 28, 13137-13142.	1.6	28
87	Oxidative Surface Treatment of Silicone Rubber. Advances in Silicon Science, 2012, , 299-318.	0.6	6
89	Wrinkles with a well-ordered checkerboard pattern, created using dip-coating of poly(methyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	1.2	29
90	Anisotropic wetting of copper alloys induced by one-step laser micro-patterning. Applied Surface Science, 2012, 263, 416-422.	3.1	36
91	Bioinspiration. Biological and Medical Physics Series, 2012, , .	0.3	19

#	Article	IF	Citations
92	Effect of Confinement on Stiffness and Fracture of Thin Amorphous Polymer Films. ACS Macro Letters, 2012, 1, 122-126.	2.3	65
93	Simulating Anisotropic Droplet Shapes on Chemically Striped Patterned Surfaces. Langmuir, 2012, 28, 499-505.	1.6	85
94	Anisotropic Wetting of Microstructured Surfaces as a Function of Surface Chemistry. ACS Applied Materials & Interfaces, 2012, 4, 123-130.	4.0	81
95	Wrinkling instabilities in polymer films and their applications. Polymer International, 2012, 61, 1041-1047.	1.6	140
96	Biomimetic 3D self-assembling biomicroconstructs by spontaneous deformation of thin polymer films. Journal of Materials Chemistry, 2012, 22, 19366.	6.7	60
97	Surface initiated polymerization from integrated poly(dimethylsiloxane) enables crackâ€free large area wrinkle formation. Polymers for Advanced Technologies, 2012, 23, 1240-1245.	1.6	7
99	Local Switching of Chemical Patterns through Lightâ€Triggered Unfolding of Creased Hydrogel Surfaces. Angewandte Chemie - International Edition, 2012, 51, 7146-7149.	7.2	77
100	Biomimetic fabrication and characterization of an artificial rice leaf surface with anisotropic wetting. Science Bulletin, 2012, 57, 2631-2634.	1.7	34
101	Microwrinkles: Shape-tunability and applications. Journal of Colloid and Interface Science, 2012, 368, 1-8.	5.0	58
102	Preparation of superhydrophobic Fe2O3 nanorod films with the tunable water adhesion. Journal of Colloid and Interface Science, 2012, 376, 245-249.	5.0	17
103	Stimulus-responsive shape memory materials: A review. Materials & Design, 2012, 33, 577-640.	5.1	866
104	Stability of a thin elastic film close to a rigid plate. Journal of the Mechanics and Physics of Solids, 2012, 60, 904-920.	2.3	6
105	Directional Transport of Polymer Sheet and a Microsphere by a Rationally Aligned Nanowire Array. Advanced Materials, 2012, 24, 817-821.	11.1	21
106	Anisotropic Wetting Surfaces with Oneâ€Dimesional and Directional Structures: Fabrication Approaches, Wetting Properties and Potential Applications. Advanced Materials, 2012, 24, 1287-1302.	11.1	277
107	Surface Effects in Solid Mechanics. Advanced Structured Materials, 2013, , .	0.3	14
108	Mathematical Modeling of Phenomena Caused by Surface Stresses in Solids. Advanced Structured Materials, 2013, , 135-153.	0.3	8
109	Effect of the surface condition of silicas with grafted monofunctional polyfluoroalkylsilanes on the adsorption of polar molecules. Russian Journal of Physical Chemistry A, 2013, 87, 1367-1373.	0.1	2
110	Feeling Small: Exploring the Tactile Perception Limits. Scientific Reports, 2013, 3, 2617.	1.6	205

#	Article	IF	Citations
111	Superhydrophobic Surfaces from Hierarchically Structured Wrinkled Polymers. ACS Applied Materials & Interfaces, 2013, 5, 11066-11073.	4.0	126
112	Topography-guided spreading and drying of 6,13-bis(triisopropylsilylethynyl)-pentacene solution on a polymer insulator for the field-effect mobility enhancement. Applied Physics Letters, 2013, 102, .	1.5	8
113	Wrinkle meets MEMS: Tunable grating and hydrophobic surface. , 2013, , .		2
114	Mechanical stretch for tunable wetting from topological PDMS film. Soft Matter, 2013, 9, 4236.	1.2	36
115	Surface wrinkling by chemical modification of poly(dimethylsiloxane)-based networks during sputtering. Soft Matter, 2013, 9, 7797.	1.2	32
116	In vitro wrinkle formation via shape memory dynamically aligns adherent cells. Soft Matter, 2013, 9, 4705.	1.2	59
117	The three-phase contact line shape and eccentricity effect of anisotropic wetting on hydrophobic surfaces. Soft Matter, 2013, 9, 527-535.	1.2	18
118	Single-composition three-dimensionally morphing hydrogels. Soft Matter, 2013, 9, 588-596.	1.2	27
119	Wetting behaviour of femtosecond laser textured Tiâ€“6Alâ€“4V surfaces. Applied Surface Science, 2013, 265, 688-696.	3.1	187
120	Bioinspired self-cleaning surfaces with superhydrophobicity, superoleophobicity, and superhydrophilicity. RSC Advances, 2013, 3, 671-690.	1.7	702
121	Design of Ordered Wrinkled Patterns with Dynamically Tuned Properties. Physics Procedia, 2013, 46, 40-45.	1.2	4
122	Biomimetics in thin film design â€“ Wrinkling and fracture of pulsed laser deposited films in comparison to human skin. Surface and Coatings Technology, 2013, 215, 192-198.	2.2	23
123	Anisotropic wettability of laser micro-grooved SiC surfaces. Applied Surface Science, 2013, 284, 930-935.	3.1	54
124	Evaporationâ€Induced Selfâ€Alignment and Transfer of Semiconductor Nanowires by Wrinkled Elastomeric Templates. Advanced Materials, 2013, 25, 2162-2166.	11.1	59
125	Rational Design of Mechanoâ€Responsive Optical Materials by Fine Tuning the Evolution of Strainâ€Dependent Wrinkling Patterns. Advanced Optical Materials, 2013, 1, 381-388.	3.6	115
126	Controlling Liquid Spreading Using Microfabricated Undercut Edges. Advanced Materials, 2013, 25, 2275-2278.	11.1	40
127	And Yet it Moves! Microfluidics Without Channels and Troughs. Advanced Functional Materials, 2013, 23, 5543-5549.	7.8	22
128	Tunable Wrinkle and Crease Surface Morphologies from Photoinitiated Polymerization of Furfuryl Alcohol. Langmuir, 2013, 29, 15083-15089.	1.6	8

#	Article	IF	Citations
129	Stimuli-Responsive Topological Change of Microstructured Surfaces and the Resultant Variations of Wetting Properties. ACS Applied Materials & Interfaces, 2013, 5, 7485-7491.	4.0	38
130	Unidirectional Control of Anisotropic Wetting through Surface Modification of PDMS Microstructures. Langmuir, 2013, 29, 12331-12336.	1.6	17
131	Effects of microtopographic patterns on platelet adhesion and activation on titanium oxide surfaces. Journal of Biomedical Materials Research - Part A, 2013, 101A, 622-632.	2.1	36
132	Tunable Anisotropic Wettability of Rice Leafâ€Like Wavy Surfaces. Advanced Functional Materials, 2013, 23, 547-553.	7.8	167
133	Anisotropic sliding of multipleâ€level biomimetic riceâ€leaf surfaces on aluminium substrates. Micro and Nano Letters, 2013, 8, 801-804.	0.6	21
134	Combined influence of substrate relief and mechanical compression on topographical evolution of surface wrinkling. , 2013, , .		0
135	Spreading and Dewetting of Single Bottleâ€Brush Macromolecules on Nanofacetted SrTiO₃ Substrate as Induced by Different Vapours. Macromolecular Chemistry and Physics, 2013, 214, 761-775.	1.1	1
137	Fabrication of Functional Wrinkled Interfaces from Polymer Blends: Role of the Surface Functionality on the Bacterial Adhesion. Polymers, 2014, 6, 2845-2861.	2.0	14
138	Multifunctional POSSâ€Based Nanoâ€Photoâ€Initiator for Overcoming the Oxygen Inhibition of Photoâ€Polymerization and for Creating Selfâ€Wrinkled Patterns. Advanced Materials Interfaces, 2014, 1, 1400385.	1.9	26
139	Controllable underwater anisotropic oil-wetting. Applied Physics Letters, 2014, 105, .	1.5	21
140	Tailoring Anisotropic Wettability Using Micro-pillar Geometry. Colloids and Interface Science Communications, 2014, 2, 19-23.	2.0	11
141	Vibration-induced Wenzel-Cassie wetting transition on microstructured hydrophobic surfaces. Applied Physics Letters, 2014, 104, .	1.5	28
142	Grooved Organogel Surfaces towards Anisotropic Sliding of Water Droplets. Advanced Materials, 2014, 26, 3131-3135.	11.1	113
143	Switch isotropic/anisotropic wettability via dual-scale rods. AIP Advances, 2014, 4, 107103.	0.6	1
144	Ruga-formation instabilities of a graded stiffness boundary layer in a neo-Hookean solid. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2014, 470, 20140218.	1.0	24
145	Directed Water Shedding on Highâ€Aspectâ€Ratio Shape Memory Polymer Micropillar Arrays. Advanced Materials, 2014, 26, 1283-1288.	11.1	142
146	Archimedean spiral wrinkles on a film-substrate system induced by torsion. Applied Physics Letters, 2014, 104, 031910.	1.5	16
147	Contact angle hysteresis on superhydrophobic stripes. Journal of Chemical Physics, 2014, 141, 074710.	1.2	38

#	Article	IF	Citations
149	Facile fabrication of uniaxial nanopatterns on shape memory polymer substrates using a complete bottom-up approach. , 2014, , .		0
150	Filefishâ€Inspired Surface Design for Anisotropic Underwater Oleophobicity. Advanced Functional Materials, 2014, 24, 809-816.	7.8	220
151	Guiding the orientation of smooth muscle cells on random and aligned polyurethane/collagen nanofibers. Journal of Biomaterials Applications, 2014, 29, 364-377.	1.2	47
152	Selfâ€assembled Dynamic 3D Fingerprints in Liquidâ€Crystal Coatings Towards Controllable Friction and Adhesion. Angewandte Chemie - International Edition, 2014, 53, 4542-4546.	7.2	139
153	Reconfigurable Topography for Rapid Solution Processing of Transparent Conductors. Advanced Materials, 2014, 26, 706-711.	11.1	29
154	Surface Textured Polymer Fibers for Microfluidics. Advanced Functional Materials, 2014, 24, 4569-4576.	7.8	45
155	Universal spreading of water drops on complex surfaces. Soft Matter, 2014, 10, 2641.	1.2	44
156	Ridge Localizations and Networks in Thin Films Compressed by the Incremental Release of a Large Equiâ€biaxial Preâ€stretch in the Substrate. Advanced Materials, 2014, 26, 4061-4067.	11.1	47
157	Shape-responsive liquid crystal elastomer bilayers. Soft Matter, 2014, 10, 1411-1415.	1.2	89
158	Versatile Approach for the Fabrication of Functional Wrinkled Polymer Surfaces. Langmuir, 2014, 30, 13244-13254.	1.6	10
159	The role of substrate pre-stretch in post-wrinkling bifurcations. Soft Matter, 2014, 10, 6520.	1.2	46
160	The debate on the dependence of apparent contact angles on drop contact area or three-phase contact line: A review. Surface Science Reports, 2014, 69, 325-365.	3.8	238
161	Wavefront kinetics of plasma oxidation of polydimethylsiloxane: limits for sub-Î¼m wrinkling. Soft Matter, 2014, 10, 1155.	1.2	74
162	Reinforced shape-tunable microwrinkles formed on a porous-film-embedded elastomer surface. Soft Matter, 2014, 10, 7165-7169.	1.2	5
163	Robust and transparent membrane of crystalline silicone via a melt-drawing technique. Journal of Materials Chemistry C, 2014, 2, 373-381.	2.7	10
164	Stimuli-responsive buckling mechanics of polymer films. Journal of Polymer Science, Part B: Polymer Physics, 2014, 52, 1441-1461.	2.4	98
165	Biaxially Mechanical Tuning of 2-D Reversible and Irreversible Surface Topologies through Simultaneous and Sequential Wrinkling. ACS Applied Materials & Interfaces, 2014, 6, 2850-2857.	4.0	27
166	Wrinkling membranes with compliant boundaries. Soft Matter, 2014, 10, 1963-1968.	1.2	13

#	Article	IF	Citations
168	Dynamically programmable surface micro-wrinkles on PDMS-SMA composite. Smart Materials and Structures, 2014, 23, 115007.	1.8	7
169	Plasma-Assisted Interface Engineering of Boron Nitride Nanostructure Films. ACS Nano, 2014, 8, 10631-10639.	7.3	127
170	Asymmetric Wettability of Nanostructures Directs Leidenfrost Droplets. ACS Nano, 2014, 8, 860-867.	7.3	72
171	Relating pore shape to the non-linear response of periodic elastomeric structures. Journal of the Mechanics and Physics of Solids, 2014, 64, 351-366.	2.3	101
172	Controlling the Orientation of Nanowrinkles and Nanofolds by Patterning Strain in a Thin Skin Layer on a Polymer Substrate. Angewandte Chemie - International Edition, 2014, 53, 8117-8121.	7.2	41
173	A simple way to achieve superhydrophobicity, controllable water adhesion, anisotropic sliding, and anisotropic wetting based on femtosecond-laser-induced line-patterned surfaces. Journal of Materials Chemistry A, 2014, 2, 5499-5507.	5.2	172
174	Length scale of Leidenfrost ratchet switches droplet directionality. Nanoscale, 2014, 6, 9293-9299.	2.8	35
176	Bio-inspired responsive polymer pillar arrays. MRS Communications, 2015, 5, 97-114.	0.8	29
177	Mechanics of wrinkle/ridge transitions in thin film/substrate systems. Journal of the Mechanics and Physics of Solids, 2015, 81, 22-40.	2.3	68
178	Hierarchical wrinkle structuring on inside wall of closed micro channel. , 2015, , .		1
179	Reversible tuning of the wettability on a silver mesodendritic surface by the formation and disruption of lipid-like bilayers. Applied Surface Science, 2015, 329, 150-157.	3.1	3
180	Fog collecting biomimetic surfaces: Influence of microstructure and wettability. Bioinspiration and Biomimetics, 2015, 10, 016004.	1.5	76
181	Reversibly texturing active surfaces with spatial and temporal control. Journal of Intelligent Material Systems and Structures, 2015, 26, 328-339.	1.4	4
182	Anisotropic wetting properties on various shape of parallel grooved microstructure. Journal of Colloid and Interface Science, 2015, 453, 142-150.	5.0	33
183	Functional map of biological and biomimetic materials with hierarchical surface structures. RSC Advances, 2015, 5, 66901-66926.	1.7	43
184	Effective formation of hierarchical wavy shapes using weak photopolymerization and gradual thermal curing process. Materials Letters, 2015, 141, 47-54.	1.3	11
185	Real-Time Control of Uni-Directional Liquid Spreading on a Half-Cone Nanoshell Array. Scientific Reports, 2014, 4, 6751.	1.6	13
186	Low-cost replication of self-organized sub-micron structures into polymer films. EXPRESS Polymer Letters, 2015, 9, 95-104.	1.1	3

#	Article	IF	Citations
187	Scalable Transfer of Suspended Two-Dimensional Single Crystals. Nano Letters, 2015, 15, 5089-5097.	4.5	38
188	Surface Wrinkling Patterns of Filmâ€"Substrate Systems With a Structured Interface. Journal of Applied Mechanics, Transactions ASME, 2015, 82, .	1.1	27
189	Mechanical Strain Induced Tunable Anisotropic Wetting on Buckled PDMS Silver Nanorods Arrays. ACS Applied Materials & Interfaces, 2015, 7, 8419-8426.	4.0	50
190	Controlling Flow Behavior of Water in Microfluidics with a Chemically Patterned Anisotropic Wetting Surface. Langmuir, 2015, 31, 4032-4039.	1.6	65
191	Tunable Formation of Ordered Wrinkles in Metal Films with Controlled Thickness Gradients Deposited on Soft Elastic Substrates. ACS Applied Materials & Interfaces, 2015, 7, 5160-5167.	4.0	69
192	Femtosecond laser controlled wettability of solid surfaces. Soft Matter, 2015, 11, 8897-8906.	1.2	125
193	Photoresponsive Surface Wrinkle Morphologies in Liquid Crystalline Polymer Films. Macromolecules, 2015, 48, 6378-6384.	2.2	64
194	Coalescence of water films on carbon-based substrates: the role of the interfacial properties and anisotropic surface topography. Physical Chemistry Chemical Physics, 2015, 17, 11284-11291.	1.3	8
195	Programming Tilting Angles in Shape Memory Polymer Janus Pillar Arrays with Unidirectional Wetting against the Tilting Direction. Langmuir, 2015, 31, 9523-9526.	1.6	27
196	Mechanical strain induced wetting transitions between anisotropic and isotropic on polydimethylsiloxane (PDMS) films patterned by optical discs. Applied Surface Science, 2015, 356, 102-109.	3.1	16
197	Wrinkled interfaces: Taking advantage of surface instabilities to pattern polymer surfaces. Progress in Polymer Science, 2015, 42, 1-41.	11.8	270
199	Recent Advances in Unconventional Lithography for Challenging 3D Hierarchical Structures and Their Applications. Journal of Nanomaterials, 2016, 2016, 1-17.	1.5	16
200	Controllable anisotropic wetting characteristics on silicon patterned by slit-based spatial focusing of femtosecond laser. Optics Express, 2016, 24, 25732.	1.7	8
201	Out-of-plane stretching for simultaneous generation of different morphological wrinkles on a soft matter. Applied Physics A: Materials Science and Processing, 2016, 122, 1.	1.1	1
202	Spontaneous wettability patterning via creasing instability. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 8087-8092.	3.3	19
203	The holistic method of the surface structure characterization. , 2016, , .		2
204	Water transport control on a patterned superhydrophobic surface via laser direct writing. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2016, 34, .	0.9	13
205	Wetting theory for small droplets on textured solid surfaces. Scientific Reports, 2016, 6, 37813.	1.6	72

#	Article	IF	Citations
206	The Primary Bilayer Ruga-Phase Diagram II: Irreversibility in Ruga Evolution. Journal of Applied Mechanics, Transactions ASME, 2016, 83, .	1.1	14
208	Beyond wrinkles: Multimodal surface instabilities for multifunctional patterning. MRS Bulletin, 2016, 41, 115-122.	1.7	111
209	Effects of tensionâ€"compression asymmetry on the surface wrinkling of filmâ€"substrate systems. Journal of the Mechanics and Physics of Solids, 2016, 94, 88-104.	2.3	57
210	Morphology-Patterned Anisotropic Wetting Surface for Fluid Control and Gasâ€"Liquid Separation in Microfluidics. ACS Applied Materials & Interfaces, 2016, 8, 13094-13103.	4.0	37
211	Thin film wrinkling by strain mismatch on 3D surfaces. Extreme Mechanics Letters, 2016, 8, 107-113.	2.0	9
212	Tunable wettability of Si through surface energy engineering by nanopatterning. RSC Advances, 2016, 6, 48550-48557.	1.7	13
213	Self-Cleaning and Superhydrophobic Surfaces. , 2016, , 1-43.		0
214	Elastic instabilities of a ferroelastomer beam for soft reconfigurable electronics. Extreme Mechanics Letters, 2016, 9, 282-290.	2.0	32
215	Uniâ€Directional Transportation on Peristomeâ€Mimetic Surfaces for Completely Wetting Liquids. Angewandte Chemie, 2016, 128, 15212-15216.	1.6	5
216	Controlling film topography to form highly hydrophobic waterborne coatings. Soft Matter, 2016, 12, 7005-7011.	1.2	9
217	Droplet spreading characteristics observed during 3D printing of aligned fiber-reinforced soft composites. Additive Manufacturing, 2016, 12, 121-131.	1.7	12
218	Wetting Phenomena on (Gradient) Wrinkle Substrates. Langmuir, 2016, 32, 8882-8888.	1.6	31
219	High-Aspect-Ratio Ridge Structures Induced by Plastic Deformation as a Novel Microfabrication Technique. ACS Applied Materials & Interfaces, 2016, 8, 24230-24237.	4.0	28
220	Uniâ€Directional Transportation on Peristomeâ€Mimetic Surfaces for Completely Wetting Liquids. Angewandte Chemie - International Edition, 2016, 55, 14988-14992.	7.2	134
221	Anisotropic Sliding of Water Droplets on the Superhydrophobic Surfaces with Anisotropic Grooveâ€Like Micro/Nano Structures. Advanced Materials Interfaces, 2016, 3, 1600641.	1.9	52
222	Wrinkles on a textile-embedded elastomer surface with highly variable friction. Soft Matter, 2016, 12, 6176-6183.	1.2	35
223	Transfer printing enabled soft composite films for tunable surface topography. Extreme Mechanics Letters, 2016, 7, 145-153.	2.0	4
224	Creating Hierarchical Topographies on Fibrous Platforms Using Femtosecond Laser Ablation for Directing Myoblasts Behavior. ACS Applied Materials & Interfaces, 2016, 8, 3407-3417.	4.0	42

#	Article	IF	Citations
225	Effect of substrate reflecting conditions on the curing of UV curable resin layers on aluminum and the formation of surface wavy structures. Materials Letters, 2016, 164, 23-27.	1.3	7
226	Wetting behaviour of laser textured Ti₃SiC₂ surface with micro-grooved structures. Materials Science and Technology, 2016, 32, 805-812.	0.8	6
227	Water repellent/wetting characteristics of various bio-inspired morphologies and fluid drag reduction testing research. Micron, 2016, 82, 9-16.	1.1	10
228	Electrically-tunable surface deformation of a soft elastomer. Soft Matter, 2016, 12, 3137-3141.	1.2	21
229	Directional imbibition on a chemically patterned silicon micropillar array. Soft Matter, 2016, 12, 1100-1106.	1.2	7
230	UV Direct Laser Interference Patterning of polyurethane substrates as tool for tuning its surface wettability. Applied Surface Science, 2016, 374, 222-228.	3.1	22
231	An elastic microporous material with tunable optical property. Materials Letters, 2016, 164, 376-379.	1.3	10
232	Rolling wrinkles on elastic substrates. Extreme Mechanics Letters, 2016, 6, 23-30.	2.0	7
233	Unidirectional Wetting of Liquids on â€œJanusâ€•Nanostructure Arrays under Various Media. Langmuir, 2017, 33, 2177-2184.	1.6	8
234	Bio-inspired hierarchically structured polymer fibers for anisotropic non-wetting surfaces. RSC Advances, 2017, 7, 15553-15560.	1.7	21
235	Fog Collection on Polyethylene Terephthalate (PET) Fibers: Influence of Cross Section and Surface Structure. Langmuir, 2017, 33, 5555-5564.	1.6	38
236	Anisotropic Wetting of Water on Patterned Asymmetric Nanostructure Arrays. Advanced Materials Interfaces, 2017, 4, 1700034.	1.9	16
237	Stress-induced surface instabilities and defects in thin films sputter deposited on compliant substrates. Soft Matter, 2017, 13, 4035-4046.	1.2	12
238	Crackâ€Free, Soft Wrinkles Enable Switchable Anisotropic Wetting. Angewandte Chemie, 2017, 129, 6623-6627.	1.6	11
239	Superoleophobic surfaces. Chemical Society Reviews, 2017, 46, 4168-4217.	18.7	613
240	Bio-inspired hierarchical micro- and nano-wrinkles obtained via mechanically directed self-assembly on shape-memory polymers. Soft Matter, 2017, 13, 4328-4334.	1.2	41
241	Crackâ€Free, Soft Wrinkles Enable Switchable Anisotropic Wetting. Angewandte Chemie - International Edition, 2017, 56, 6523-6527.	7.2	61
242	Post-wrinkle bifurcations in elastic bilayers with modest contrast in modulus. Extreme Mechanics Letters, 2017, 11, 30-36.	2.0	28

#	Article	IF	Citations
243	Micro arch-bridge structured surface fabricated by kirigami-on-elastomer approach for liquid-dependent iso/anisotropic wetting. Applied Physics Letters, 2017, 110, .	1.5	2
244	Wetting and electrowetting on corrugated substrates. Physics of Fluids, 2017, 29, .	1.6	33
245	Dynamic pattern of wrinkles in a dielectric elastomer. Soft Matter, 2017, 13, 2942-2951.	1.2	31
246	Smart design of wettability-patterned gradients on substrate-independent coated surfaces to control unidirectional spreading of droplets. Soft Matter, 2017, 13, 2995-3002.	1.2	70
247	Stretching-induced wrinkling in plasticâ€“rubber composites. Soft Matter, 2017, 13, 776-787.	1.2	17
248	Controlling self-patterning of acrylate films by photopolymerization. Polymer Chemistry, 2017, 8, 1129-1137.	1.9	17
249	Light-Modulated Surface Micropatterns with Multifunctional Surface Properties on Photodegradable Polymer Films. ACS Applied Materials & Interfaces, 2017, 9, 37402-37410.	4.0	14
250	Fault-Tolerant Electro-Responsive Surfaces for Dynamic Micropattern Molds and Tunable Optics. Scientific Reports, 2017, 7, 12481.	1.6	6
251	Wrinkling-to-delamination transition in thin polymer films on compliant substrates. Soft Matter, 2017, 13, 7930-7937.	1.2	37
252	Double-grooved nanofibre surfaces with enhanced anisotropic hydrophobicity. Nanoscale, 2017, 9, 16214-16222.	2.8	30
253	Fabrication of anisotropic PTFE superhydrophobic surfaces using laser microprocessing and their self-cleaning and anti-icing behavior. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 535, 8-15.	2.3	68
254	Transition of surfaceâ€“interface creasing in bilayer hydrogels. Soft Matter, 2017, 13, 6011-6020.	1.2	15
255	Surface Modification of Anisotropic Dielectric Elastomer Actuators with Uni- and Bi-axially Wrinkled Carbon Electrodes for Wettability Control. Scientific Reports, 2017, 7, 6091.	1.6	26
256	Self-similar Hierarchical Wrinkles as a Potential Multifunctional Smart Window with Simultaneously Tunable Transparency, Structural Color, and Droplet Transport. ACS Applied Materials & Interfaces, 2017, 9, 26510-26517.	4.0	85
257	Autonomous Control of Fluids in a Wide Surface Tension Range in Microfluidics. Langmuir, 2017, 33, 7248-7255.	1.6	6
258	Tuning the wrinkling patterns of an interfacial/coating layer via a regulation interphase. International Journal of Solids and Structures, 2017, 104-105, 92-102.	1.3	18
259	Anisotropy in the hydrophobic and oleophilic characteristics of patterned surfaces. Applied Physics Letters, 2017, 111, .	1.5	5
260	Response of Dermal Fibroblasts to Biochemical and Physical Cues in Aligned Polycaprolactone/Silk Fibroin Nanofiber Scaffolds for Application in Tendon Tissue Engineering. Nanomaterials, 2017, 7, 219.	1.9	49

#	Article	IF	Citations
261	Patterning of Wrinkled Polymer Surfaces by Single-Step Electron Irradiation. Langmuir, 2018, 34, 5290-5296.	1.6	8
262	Progress toward reversible electrowetting on geometrically patterned superhydrophobic surfaces. Current Opinion in Colloid and Interface Science, 2018, 36, 70-77.	3.4	31
263	Small degree of anisotropic wetting on self-similar hierarchical wrinkled surfaces. Soft Matter, 2018, 14, 1517-1529.	1.2	31
264	Anisotropic Electrowetting on Wrinkled Surfaces: Enhanced Wetting and Dependency on Initial Wetting State. Langmuir, 2018, 34, 1844-1854.	1.6	16
265	The effect of the orientation and the height of periodic sub-micrometric texturing on dropwise condensation. Journal of Colloid and Interface Science, 2018, 526, 184-193.	5.0	7
266	Mechanoresponsive Tuning of Anisotropic Wetting on Hierarchically Structured Patterns. Langmuir, 2018, 34, 4732-4738.	1.6	9
267	A Review of Femtosecondâ€Laserâ€Induced Underwater Superoleophobic Surfaces. Advanced Materials Interfaces, 2018, 5, 1701370.	1.9	95
268	Photo-controlled patterned wrinkling of liquid crystalline polymer films on compliant substrates. International Journal of Solids and Structures, 2018, 132-133, 264-277.	1.3	27
269	Superhydrophobic Shape Memory Polymer Arrays with Switchable Isotropic/Anisotropic Wetting. Advanced Functional Materials, 2018, 28, 1705002.	7.8	166
270	The effect of surface anisotropy on contact angles and the characterization of elliptical cap droplets. Science China Technological Sciences, 2018, 61, 309-316.	2.0	15
271	Formation of high aspect ratio wrinkles and ridges on elastic bilayers with small thickness contrast. Soft Matter, 2018, 14, 8545-8551.	1.2	24
272	Introduction of Stimuli-Responsive Wetting/Dewetting Smart Surfaces and Interfaces. Biologically-inspired Systems, 2018, , 1-33.	0.4	0
273	Liquids on Shape-Tunable Wrinkles. Biologically-inspired Systems, 2018, , 133-168.	0.4	0
274	A machine of superlatives. Nature Physics, 2018, 14, 1151-1153.	6.5	0
275	The mechanics of slender structures. Nature Physics, 2018, 14, 1150-1151.	6.5	11
276	Numerical analysis of anisotropic wetting of chemically striped surfaces. RSC Advances, 2018, 8, 31735-31744.	1.7	11
277	Ring Wrinkle Patterns with Continuously Changing Wavelength Produced Using a Controlled-Gradient Light Field. Materials, 2018, 11, 1571.	1.3	6
278	Direction dependent dynamic wetting of semi-hemispherical end micro-groove textured Ti-6Al-4V surface. Surface and Coatings Technology, 2018, 356, 138-149.	2.2	11

#	Article	IF	Citations
279	Liquid crystal polymers with motile surfaces. Soft Matter, 2018, 14, 4898-4912.	1.2	24
280	The Flexible Conical Lamella: A Bioâ€Inspired Open System for the Controllable Liquid Manipulation. Advanced Functional Materials, 2018, 28, 1800187.	7.8	16
281	Influence of graphene thickness and grain boundaries on MoS₂ wrinkle nanostructures. Physical Chemistry Chemical Physics, 2018, 20, 17000-17008.	1.3	9
282	Effects of Stiff Film Pattern Geometry on Surface Buckling Instabilities of Elastic Bilayers. ACS Applied Materials & Interfaces, 2018, 10, 23406-23413.	4.0	20
283	Femtosecond laser impact on calcium phosphate bioceramics assessed by micro-Raman spectroscopy and osteoblastic behaviour. Journal of the European Ceramic Society, 2018, 38, 5545-5553.	2.8	8
284	Innovative evolution of buckling structures for flexible electronics. Composite Structures, 2018, 204, 487-499.	3.1	15
286	Surface Instability of Bilayer Hydrogel Subjected to Both Compression and Solvent Absorption. Polymers, 2018, 10, 624.	2.0	5
287	Pool boiling heat transfer enhancement with segmented finned microchannels structured surface. International Journal of Heat and Mass Transfer, 2018, 127, 39-50.	2.5	89
288	Fabrication and anisotropic wettability of titanium-coated microgrooves. Journal of Applied Physics, 2018, 123, .	1.1	18
289	A three-dimensional model for analyzing the anisotropic wetting behavior of striped surfaces. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 552, 67-74.	2.3	15
290	Shape Evolution of Droplets Growing on Linear Microgrooves. Langmuir, 2018, 34, 10498-10511.	1.6	8
291	Control of droplet movement on a plate with micro-wrinkle by difference of wettability. Experiments in Fluids, 2019, 60, 1.	1.1	3
292	Assessment and Interpretation of Surface Wettability Based on Sessile Droplet Contact Angle Measurement: Challenges and Opportunities. Advanced Materials Interfaces, 2019, 6, 1900839.	1.9	95
293	Oxyfluorination-Controlled Variations in the Wettability of Polymer Film Surfaces. Colloid Journal, 2019, 81, 146-157.	0.5	15
294	Mechanically tunable single-component soft polydimethylsiloxane (PDMS)-based robust and sticky superhydrophobic surfaces. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	1.1	14
295	Ellipsoidal droplet formation on anisotropic superhydrophobic copper surface. Surface Topography: Metrology and Properties, 2019, 7, 035001.	0.9	9
296	Programmable unidirectional liquid transport on peristome-mimetic surfaces under liquid environments. Journal of Materials Chemistry A, 2019, 7, 18244-18248.	5.2	22
297	Freeâ€Standing Buckleâ€Delaminated 2D Organic Nanosheets with Enhanced Mechanical Properties and Multifunctionality. Advanced Materials Interfaces, 2019, 6, 1900561.	1.9	9

#	Article	IF	Citations
298	Dynamics of wrinkling in ultrathin elastic sheets. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 20875-20880.	3.3	29
299	The effects of surface morphological mechanics on liquid crystal alignment characteristics using photo-activators. Molecular Crystals and Liquid Crystals, 2019, 685, 47-54.	0.4	1
300	A Super Anisotropic Wetting Microstructure Based on Combination of Sharp Edge and Sharp Corner. Journal of Microelectromechanical Systems, 2019, 28, 1055-1059.	1.7	0
301	A Novel SESC Microstructure to Realize Various Spontaneously Liquid Spreading Properties. , 2019, , .		0
302	Time-Dependent Anisotropic Wetting Behavior of Deterministic Structures of Different Strut Widths on Ti6Al4V. Metals, 2019, 9, 938.	1.0	9
303	Modeling and Measurement on the Sliding Behavior of Microgrooved Surfaces. Langmuir, 2019, 35, 14133-14140.	1.6	7
304	The influence of plasma treatment on the elasticity of the in situ oxidized gradient layer in PDMS: towards crack-free wrinkling. Soft Matter, 2019, 15, 65-72.	1.2	37
305	Polymer Spreading on Unidirectionally Nanotextured Substrates Using Molecular Dynamics. Langmuir, 2019, 35, 8784-8789.	1.6	0
306	Computational finite element model for surface wrinkling of shells on soft substrates. Communications in Nonlinear Science and Numerical Simulation, 2019, 78, 104863.	1.7	4
307	Microstructured hybrid scaffolds for aligning neonatal rat ventricular myocytes. Materials Science and Engineering C, 2019, 103, 109783.	3.8	2
308	Tunable surface wrinkling on shape memory polymers with application in smart micromirror. Applied Physics Letters, 2019, 114, 193701.	1.5	14
309	Anisotropic Sliding of Underwater Bubbles On Microgrooved Slippery Surfaces by One-Step Femtosecond Laser Scanning. ACS Applied Materials & Interfaces, 2019, 11, 20574-20580.	4.0	43
310	Tunable, Ultrasensitive, and Flexible Pressure Sensors Based on Wrinkled Microstructures for Electronic Skins. ACS Applied Materials & Interfaces, 2019, 11, 21218-21226.	4.0	151
311	Experimental characterization and modeling of critical heat flux with subcooled foaming solution. International Journal of Thermal Sciences, 2019, 141, 199-210.	2.6	13
312	Measuring Liquid Drop Properties on Nanoscale 1D Patterned Photoresist Structures. Scientific Reports, 2019, 9, 5723.	1.6	8
313	Microfluidics Assisted Fabrication of Three-Tier Hierarchical Microparticles for Constructing Bioinspired Surfaces. ACS Nano, 2019, 13, 3638-3648.	7.3	37
314	Biomimetic Selfâ€Cleaning Anisotropic Solid Slippery Surface with Excellent Stability and Restoration. ChemPhysChem, 2019, 20, 946-952.	1.0	17
315	Microarrays with a pillared patterned double-layer graphene substrate: A molecular dynamics simulation approach. Applied Surface Science, 2019, 479, 1068-1088.	3.1	4

#	Article	IF	Citations
316	Introduction to Surface Instabilities and Wrinkle Formation. , 2019, , 3-18.		1
317	Wrapping Liquids, Solids, and Gases in Thin Sheets. Annual Review of Condensed Matter Physics, 2019, 10, 431-450.	5.2	35
318	Spontaneous wrinkle emergence in nascent eumelanin thin films. Soft Matter, 2019, 15, 9261-9270.	1.2	9
319	Smart Materials by Nanoscale Magnetic Assembly. Advanced Functional Materials, 2020, 30, 1903467.	7.8	88
320	Endothelialized microrods for minimally invasive in situ neovascularization. Biofabrication, 2020, 12, 015011.	3.7	7
321	Advanced functional surfaces through controlled damage and instabilities. Materials Horizons, 2020, 7, 366-396.	6.4	20
322	A comparison of computational models for wrinkling of pressurized shell-core systems. International Journal of Non-Linear Mechanics, 2020, 127, 103611.	1.4	3
323	Smart Surfaces with Tunable Wettability. , 2020, , .		1
324	Characterization of intermediate wetting states on micro-grooves by water droplet contact line. Journal of Industrial and Engineering Chemistry, 2020, 91, 69-78.	2.9	13
325	Enhancing Hydrophobicity of Polymer Thin Film-Coated Surface by Wrinkling Method. Macromolecular Research, 2020, 28, 1104-1110.	1.0	7
326	Preclinical In Vitro Assessment of Submicron-Scale Laser Surface Texturing on Ti6Al4V. Materials, 2020, 13, 5342.	1.3	10
327	Buckling transitions and soft-phase invasion of two-component icosahedral shells. Physical Review E, 2020, 102, 062104.	0.8	4
328	Electro-responsive surfaces with controllable wrinkling patterns for switchable light reflectionâ€“diffusionâ€“grating devices. Materials Today, 2020, 41, 51-61.	8.3	10
329	Articulated surface wrinkling of a patterned film with periodic stiffness distribution on a compliant substrate. International Journal of Solids and Structures, 2020, 200-201, 132-144.	1.3	2
330	Harnessing Dynamic Wrinkling Surfaces for Smart Displays. Nano Letters, 2020, 20, 4129-4135.	4.5	42
331	Surface modification of poly(tetrafluoroethylene) and poly(ethylene terephthalate) films via environmental crazing. Polymer International, 2020, 69, 627-634.	1.6	4
332	Tunable hierarchical wrinkling: From models to applications. Journal of Applied Physics, 2020, 127, .	1.1	46
333	Emergent Surface Topography Enabled by Concurrent Crystallization and Polymerization. Macromolecules, 2020, 53, 2388-2395.	2.2	6

#	Article	IF	Citations
334	Delaminationâ€Free Functional Graphene Surface by Multiscale, Conformal Wrinkling. Advanced Functional Materials, 2020, 30, 2003273.	7.8	29
335	Micro-/nanostructures meet anisotropic wetting: from preparation methods to applications. Materials Horizons, 2020, 7, 2566-2595.	6.4	58
336	Natural Architectures for Tissue Engineering and Regenerative Medicine. Journal of Functional Biomaterials, 2020, 11, 47.	1.8	10
337	Largeâ€Range, Reversible Directional Spreading of Droplet on a Doubleâ€Gradient Wrinkled Surface Adjusted Under Mechanical Strain. Advanced Materials Interfaces, 2020, 7, 1901980.	1.9	7
339	Anisotropic performance of a superhydrophobic polyvinyl difluoride membrane with corrugated pattern in direct contact membrane distillation. Desalination, 2020, 481, 114363.	4.0	26
340	Application of a Laser Cutter to Pattern Wrinkles on Polymer Films. ACS Applied Polymer Materials, 2020, 2, 1848-1855.	2.0	5
341	Multiple wrinkling mode transitions in axially compressed cylindrical shell-substrate in dynamics. Thin-Walled Structures, 2020, 150, 106700.	2.7	10
342	Molecular dynamics study of anisotropic behaviours of water droplet on textured surfaces with various energies. Molecular Physics, 2021, 119, e1785028.	0.8	12
343	Role of anisotropic pinning and liquid properties during partial rebound of droplets on unidirectionally structured hydrophobic surfaces. Chemical Engineering Science, 2021, 230, 116197.	1.9	8
344	Biaxially Morphing Droplet Shape by an Active Surface. Advanced Materials Interfaces, 2021, 8, 2001199.	1.9	9
345	Ordered surface crack patterns in situ formed under confinement on fluidic microchannel boundaries in polydimethylsiloxane. Lab on A Chip, 2021, 21, 668-673.	3.1	2
346	Soft imprint lithography for liquid crystal alignment using a wrinkled UVO-treated PDMS transferring method. Journal of Molecular Liquids, 2021, 323, 115150.	2.3	4
347	Understanding and Controlling Hexagonal Patterns of Wrinkles in Neo-Hookean Elastic Bilayer Structures. International Journal of Applied Mechanics, 2021, 13, 2150024.	1.3	1
348	Mechanically-enhanced fibre topography via electrospinning on a poly(Îµ-caprolactone) film for tendon tissue-engineering application. Materials Technology, 0, , 1-9.	1.5	4
349	Dynamic manipulation of droplets using mechanically tunable microtextured chemical gradients. Nature Communications, 2021, 12, 3114.	5.8	29
350	Harnessing Wrinkling Patterns Using Shape Memory Polymer Microparticles. ACS Applied Materials & Interfaces, 2021, 13, 23074-23080.	4.0	19
351	Structure design and property of multiple-basis-element (MBE) alloys flexible films. Nano Research, 2022, 15, 4837-4844.	5.8	4
352	Metastable wetting model of electrospun mats with wrinkled fibers. Applied Surface Science, 2021, 551, 149147.	3.1	2

#	Article	IF	Citations
353	Transition of nano-ripple to nano-hillock pattern on ion bombarded Si with an enhanced hydrophobicity. Surfaces and Interfaces, 2021, 25, 101242.	1.5	3
354	Simple Approach to Fabricate an Anisotropic Wetting Surface with High Adhesive Force toward Droplet Transfer. ACS Applied Polymer Materials, 2021, 3, 4470-4477.	2.0	1
355	Thermoresponsive microwrinkled hydrogel surfaces with modulated chemical composition. Polymer, 2021, 231, 124109.	1.8	5
356	Mechanically Switchable Wetting Petal Effect in Self-Patterned Nanocolumnar Films on Poly(dimethylsiloxane). Nanomaterials, 2021, 11, 2566.	1.9	2
357	Laser-Induced fluorinated graphene for superhydrophobic surfaces with anisotropic wetting and switchable adhesion. Applied Surface Science, 2022, 574, 151339.	3.1	17
358	Advance on flexible pressure sensors based on metal and carbonaceous nanomaterial. Nano Energy, 2021, 87, 106181.	8.2	86
359	Dynamic contact line lithography: Template-less complex Meso-patterning with polystyrene and poly(methyl methacrylate). Journal of Colloid and Interface Science, 2021, 601, 156-166.	5.0	1
360	Geometrical effect, optimal design and controlled fabrication of bio-inspired micro/nanotextures for superhydrophobic surfaces. Materials Research Express, 2017, 4, 092001.	0.8	11
361	Lubricated wrinkles: Imposed constraints affect the dynamics of wrinkle coarsening. Physical Review Fluids, 2017, 2, .	1.0	18
362	Nanotopographic Substrates of Poly (Methyl Methacrylate) Do Not Strongly Influence the Osteogenic Phenotype of Mesenchymal Stem Cells In Vitro. PLoS ONE, 2014, 9, e90719.	1.1	21
363	The polymer compositesâ€™ morphological structure simulation. Nanosystems: Physics, Chemistry, Mathematics, 2017, , 137-145.	0.2	4
365	Influences of micro-groove size on surface anisotropic wetting behaviors. Wuli Xuebao/Acta Physica Sinica, 2020, 69, 034702.	0.2	2
366	Reconfigurable Micro- and Nano-Structured Camouflage Surfaces Inspired by Cephalopods. ACS Nano, 2021, 15, 17299-17309.	7.3	21
367	The validity of triple contact line theory from hydrophilic to superhydrophobic surfaces. Journal Physics D: Applied Physics, 2022, 55, 055305.	1.3	7
368	Wrinkling atop Shape Memory Polymers. , 2011, , 275-306.		0
369	Nonconventional Methods for Patterning Polymer Surfaces. , 2015, , 1-21.		0
370	Anisotropic wetting characteristics of droplet on micro-grooved surface. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 633, 127850.	2.3	6
371	Wrinkleâ€Assisted Capillary Bridging for the Directed Assembly of Singleâ€Level DNA Nanowire Arrays. Advanced Materials Interfaces, 2022, 9, .	1.9	3

#	Article	IF	Citations
372	Surface defects on wrinkled PDMS induce droplet anisotropy. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, 639, 128317.	2.3	6
373	Oscillatory motion of viscoelastic drops on slippery lubricated surfaces. Communications Physics, 2022, 5, .	2.0	6
374	The effect of laser surface textures on the corrosion resistance of epoxy coated steel exposed to aggressive environments for offshore applications. Surface and Coatings Technology, 2022, 437, 128371.	2.2	14
375	Droplet motion on chemically heterogeneous substrates with mass transfer. I. Two-dimensional dynamics. Physical Review Fluids, 2021, 6, .	1.0	3
376	Programmable Droplet Transport Using Mechanically Adaptive Chemical Gradients with Anisotropic Microtopography. Advanced Intelligent Systems, 2022, 4, .	3.3	5
377	Light-Induced Surface Wrinkling on Azo-Based Composite Films. Coatings, 2022, 12, 608.	1.2	1
378	Droplet Spreading Induced Wrinkling and Its Use for Measuring the Elastic Modulus of Polymeric Thin Films. Macromolecules, 2022, 55, 3877-3885.	2.2	4
379	Compositionally Homogeneous Soft Wrinkles on Elastomeric Substrates: Novel Fabrication Method, Water Collection from Fog, and Triboelectric Charge Generation. Macromolecular Materials and Engineering, 0, , 2200247.	1.7	3
380	A one-step, tunable method of selective reactive sputter deposition as a wrinkling approach for silver/polydimethylsiloxane for electrically conductive pliable surfaces. Microsystems and Nanoengineering, 2022, 8, .	3.4	3
382	Plastic ridge formation in a compressed thin amorphous film. Physical Review Materials, 2022, 6, .	0.9	1
383	Wettability and droplet energetics on micro-scale wavy and V-grooved surfaces. Results in Engineering, 2022, 16, 100791.	2.2	2
384	Nature-inspired reentrant surfaces. Progress in Materials Science, 2023, 133, 101064.	16.0	17
385	Smart Polymer Surfaces with Complex Wrinkled Patterns: Reversible, Non-Planar, Gradient, and Hierarchical Structures. Polymers, 2023, 15, 612.	2.0	5
386	Bioâ€Inspired Instabilityâ€Induced Hierarchical Patterns Having Tunable Anisotropic Wetting Properties. Advanced Materials Interfaces, 2023, 10, .	1.9	1
387	Ultrasensitive Ionic Liquid Polymer Composites with a Convex and Wrinkled Microstructure and Their Application as Wearable Pressure Sensors. ACS Applied Materials & Interfaces, 2023, 15, 13625-13636.	4.0	9
388	Characterization of Intermediate Wetting States and Anisotropic Sliding on Micro-directional Grooved Surfaces. Precision Manufacturing, 2023, , 1-23.	0.1	0
389	Characterization of Intermediate Wetting States and Anisotropic Sliding on Micro-directional Grooved Surfaces. Precision Manufacturing, 2023, , 1-23.	0.1	0
393	Characterization of Intermediate Wetting States and Anisotropic Sliding on Micro-directional Grooved Surfaces. Precision Manufacturing, 2023, , 413-435.	0.1	0

#	Article	IF	Citations