

CITATION REPORT

List of articles citing

Anisotropic wetting on tunable micro-wrinkled surfaces

DOI: 10.1039/b705112c
Soft Matter, 2007, 3, 1163-1169.

Source: <https://exaly.com/paper-pdf/41994384/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
384	Characterizing Polymer Brushes via Surface Wrinkling. 2007 , 19, 6555-6560		71
383	Wetting and Roughness. 2008 , 38, 71-99		1841
382	Anisotropic wetting behavior arising from superhydrophobic surfaces: parallel grooved structure. 2008 , 112, 7234-43		96
381	Wetting and Dewetting of Complex Surface Geometries. 2008 , 38, 101-121		149
380	Strongly anisotropic wetting on one-dimensional nanopatterned surfaces. <i>Nano Letters</i> , 2008 , 8, 2819-24	11.5	171
379	Large-Scale Regioselective Formation of Well-Defined Stable Wrinkles of Multilayered Films via Embossing. 2008 , 20, 7052-7059		34
378	Drops on microstructured surfaces coated with hydrophilic polymers: Wenzel's model and beyond. <i>Langmuir</i> , 2008 , 24, 1959-64	4	53
377	A lithography-free pathway for chemical microstructuring of macromolecules from aqueous solution based on wrinkling. <i>Langmuir</i> , 2008 , 24, 12748-53	4	93
376	Patterning fluid and elastomeric surfaces using short-wavelength UV radiation and photogenerated reactive oxygen species. 2008 , 59, 411-32		10
375	Anisotropic drop morphologies on corrugated surfaces. <i>Langmuir</i> , 2008 , 24, 7299-308	4	137
374	Polarized Optical Absorption Spectroscopy, NEXAFS, and GIXRD Measurements of Chain Alignment in Polyfluorene Thin Films. <i>Macromolecules</i> , 2008 , 41, 6463-6472	5.5	12
373	Modifying the anti-wetting property of butterfly wings and water strider legs by atomic layer deposition coating: surface materials versus geometry. 2008 , 19, 355708		48
372	A surface embossing technique to create micro-grooves on an aluminum fin stock for drainage enhancement. 2009 , 19, 035026		38
371	Extensive Leakage Current Reduction in Polymer Dielectric Thin Film by Metal Nanoparticles Incorporation for Organic Thin Film Transistor. 2009 , 48, 04C171		
370	Fabrics with Tunable Oleophobicity. 2009 , 21, 2190-2195		327
369	Diffusion-Controlled, Self-Organized Growth of Symmetric Wrinkling Patterns. 2009 , 21, 1358-1362		150
368	Microstructured surfaces for directional wetting. 2009 , 21, 4835-8		80

367	Controlled wrinkling as a novel method for the fabrication of patterned surfaces. 2009 , 165, 249-263		179
366	Nanoscale wetting on groove-patterned surfaces. <i>Langmuir</i> , 2009 , 25, 5045-53	4	96
365	Imbibition through an array of triangular posts. 2009 , 21, 464125		30
364	Modeling the corrugation of the three-phase contact line perpendicular to a chemically striped substrate. <i>Langmuir</i> , 2009 , 25, 8357-61	4	13
363	Anisotropy of water droplets on single rectangular posts. <i>Langmuir</i> , 2009 , 25, 5619-25	4	42
362	Scaling of anisotropic droplet shapes on chemically stripe-patterned surfaces. <i>Physical Review E</i> , 2009 , 79, 041601	2.4	67
361	Mechanically switchable wetting on wrinkled elastomers with dual-scale roughness. <i>Soft Matter</i> , 2009 , 5, 1011	3.6	148
360	Tunable open-channel microfluidics on soft poly(dimethylsiloxane) (PDMS) substrates with sinusoidal grooves. <i>Langmuir</i> , 2009 , 25, 12794-9	4	139
359	Quantifying residual stress in nanoscale thin polymer films via surface wrinkling. <i>ACS Nano</i> , 2009 , 3, 844-527	5.7	139
358	Shaping liquid on a micrometre scale using microwrinkles as deformable open channel capillaries. <i>Soft Matter</i> , 2009 , 5, 4658	3.6	91
357	Unidirectional wetting and spreading on stooped polymer nanohairs. <i>Soft Matter</i> , 2009 , 5, 4131	3.6	93
356	Influence of spatial heterogeneities on spreading dynamics. 2010 , 216, 012017		
355	Tailoring anisotropic wetting properties on submicrometer-scale periodic grooved surfaces. <i>Langmuir</i> , 2010 , 26, 2700-6	4	75
354	Harnessing Surface Wrinkle Patterns in Soft Matter. <i>Advanced Functional Materials</i> , 2010 , 20, 2550-2564	15.6	450
353	Encoding localized strain history through wrinkle based structural colors. 2010 , 22, 4390-4		100
352	Dynamic display of biomolecular patterns through an elastic creasing instability of stimuli-responsive hydrogels. 2010 , 9, 159-64		220
351	Uni-directional liquid spreading on asymmetric nanostructured surfaces. 2010 , 9, 413-7		413
350	Fracture-induced formation of parallel silicone strips. 2010 , 25, 803-809		8

349	Droplets Atop a Wrinkled Substrate. 2010 , 224, 2459-2467		6
348	A simple strategy to realize biomimetic surfaces with controlled anisotropic wetting. <i>Applied Physics Letters</i> , 2010 , 96, 053704	3-4	44
347	Two-dimensional droplet spreading over random topographical substrates. 2010 , 104, 084501		87
346	Pericyte actomyosin-mediated contraction at the cell-material interface can modulate the microvascular niche. 2010 , 22, 194115		45
345	Microtextured surfaces with gradient wetting properties. <i>Langmuir</i> , 2010 , 26, 18349-56	4	20
344	Fully reversible transition from Wenzel to Cassie-Baxter states on corrugated superhydrophobic surfaces. <i>Langmuir</i> , 2010 , 26, 3335-41	4	90
343	One-step preparation of regular micropearl arrays for two-direction controllable anisotropic wetting. <i>Langmuir</i> , 2010 , 26, 12012-6	4	68
342	Recent developments in bio-inspired special wettability. 2010 , 39, 3240-55		823
341	Orientalional ordering of buckling-induced microwrinkles on soft substrates. <i>Soft Matter</i> , 2010 , 6, 5729	3.6	24
340	Bio-inspired slanted polymer nanohairs for anisotropic wetting and directional dry adhesion. <i>Soft Matter</i> , 2010 , 6, 1849	3.6	95
339	Nanoparticle assembly by confinement in wrinkles: experiment and simulations. <i>Soft Matter</i> , 2010 , 6, 5860	3.6	43
338	Robust anisotropic polymer meshes prepared by stretching and photo-crosslinking of poly(1,2-butadiene) honeycomb films. 2011 , 13, 4877-80		16
337	Controlled mechanical fracture for fabricating microchannels with various size gradients. <i>Lab on A Chip</i> , 2011 , 11, 717-22	7.2	25
336	Functional biointerface materials inspired from nature. 2011 , 40, 2909-21		228
335	Ratchetlike slip angle anisotropy on printed superhydrophobic surfaces. <i>Langmuir</i> , 2011 , 27, 9902-9	4	26
334	Suspension of water droplets on individual pillars. <i>Langmuir</i> , 2011 , 27, 4742-8	4	44
333	Pattern-dependent tunable adhesion of superhydrophobic MnO ₂ nanostructured film. <i>Langmuir</i> , 2011 , 27, 3224-8	4	59
332	Anisotropic wetting on checkerboard-patterned surfaces. <i>Langmuir</i> , 2011 , 27, 9630-7	4	6

331	Directional Mobility and Adhesion of Water Drops on Patterned Superhydrophobic Surfaces. 2011 , 25, 627-642		20
330	A new method for evaluating the most stable contact angle using tilting plate experiments. <i>Soft Matter</i> , 2011 , 7, 10457	3.6	40
329	Directional electromechanical properties of PEDOT/PSS films containing aligned electrospun nanofibers. 2011 , 43, 849-854		16
328	Contact lines over random topographical substrates. Part 1. Statics. 2011 , 672, 358-383		23
327	Contact lines over random topographical substrates. Part 2. Dynamics. 2011 , 672, 384-410		31
326	Engineering biomimetic superhydrophobic surfaces of electrospun nanomaterials. 2011 , 6, 510-530		366
325	Dynamic contact angle beating from drops impacting onto solid surfaces exhibiting anisotropic wetting. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011 , 386, 36-44	5.1	20
324	Three-Level Biomimetic Rice-Leaf Surfaces with Controllable Anisotropic Sliding. <i>Advanced Functional Materials</i> , 2011 , 21, 2927-2932	15.6	208
323	Thermodynamic underpinnings of cell alignment on controlled topographies. 2011 , 23, 421-5		32
322	Surface wrinkling: a versatile platform for measuring thin-film properties. 2011 , 23, 349-68		390
321	Nanostructures and functional materials fabricated by interferometric lithography. 2011 , 23, 147-79		181
320	Guided orientation of cardiomyocytes on electrospun aligned nanofibers for cardiac tissue engineering. 2011 , 98, 379-86		209
319	Slip-stick wetting and large contact angle hysteresis on wrinkled surfaces. <i>Journal of Colloid and Interface Science</i> , 2011 , 354, 825-31	9.3	27
318	Metastable droplets on shallow-grooved hydrophobic surfaces. <i>Physical Review E</i> , 2011 , 83, 041607	2.4	24
317	Reversible switching between isotropic and anisotropic wetting by one-direction curvature tuning on flexible superhydrophobic surfaces. <i>Applied Physics Letters</i> , 2011 , 98, 081902	3.4	20
316	Unidirectional self-patterning of CaF ₂ nanorod arrays using capillary pressure. 2011 , 26, 223-229		1
315	The reflectivity, wettability and scratch durability of microsurface features molded in the injection molding process using a dynamic tool tempering system. 2011 , 21, 025024		3
314	Superhydrophobic Surfaces: Beyond Lotus Effect. 2012 , 331-378		3

313	Anisotropic wrinkle formation on shape memory polymer substrates. <i>Journal of Applied Physics</i> , 2012 , 112, 124319	2.5	31
312	Reversible Electrowetting on Dual-Scale-Patterned Corrugated Microstructured Surfaces. 2012 , 21, 1261-12718		
311	WRINKLING ATOP SHAPE MEMORY MATERIALS. 2012 , 19, 1250010		8
310	Switchable electrowetting of droplets on dual-scale structured surfaces. 2012 , 30, 06F801		2
309	Well-Ordered Wrinkling Patterns on Chemically Oxidized Poly(dimethylsiloxane) Surfaces. <i>Macromolecules</i> , 2012 , 45, 7128-7134	5.5	45
308	Tunable wetting of polymer surfaces. <i>Langmuir</i> , 2012 , 28, 14808-14	4	39
307	Adhesion of soft viscoelastic adhesives on periodic rough surfaces. <i>Soft Matter</i> , 2012 , 8, 5350	3.6	41
306	Anisotropic wetting and superhydrophobicity on holographically featured 3D nanostructured surfaces. <i>Soft Matter</i> , 2012 , 8, 4567	3.6	36
305	A facile route to mechanically durable responsive surfaces with reversible wettability switching. 2012 , 36, 1280		12
304	A one-step screening process for optimal alignment of (soft) colloidal particles. 2012 , 4, 7338-45		27
303	Directional shedding-off of water on natural/bio-mimetic taper-ratchet array surfaces. <i>Soft Matter</i> , 2012 , 8, 1770-1775	3.6	50
302	Leaf surface structures enable the endemic Namib desert grass <i>Stipagrostis sabulicola</i> to irrigate itself with fog water. 2012 , 9, 1965-74		125
301	<i>Strelitzia reginae</i> leaf as a natural template for anisotropic wetting and superhydrophobicity. <i>Langmuir</i> , 2012 , 28, 5312-7	4	70
300	Direction-dependent adhesion of water strider legs for water-walking. 2012 , 14, 1146-1151		10
299	Tuning kinetics to control droplet shapes on chemically striped patterned surfaces. <i>Langmuir</i> , 2012 , 28, 13137-42	4	26
298	Oxidative Surface Treatment of Silicone Rubber. 2012 , 299-318		4
297	Surfaces with Extreme Wettability Ranges for Biomedical Applications. 2012 , 237-257		1
296	Wrinkles with a well-ordered checkerboard pattern, created using dip-coating of poly(methyl methacrylate) on a UVBzone-treated poly(dimethylsiloxane) substrate. <i>Soft Matter</i> , 2012 , 8, 1563-1569	3.6	27

295	Anisotropic wetting of copper alloys induced by one-step laser micro-patterning. <i>Applied Surface Science</i> , 2012 , 263, 416-422	6.7	32
294	Bioinspiration. 2012 ,		15
293	Effect of Confinement on Stiffness and Fracture of Thin Amorphous Polymer Films.. 2012 , 1, 122-126		51
292	Simulating anisotropic droplet shapes on chemically striped patterned surfaces. <i>Langmuir</i> , 2012 , 28, 499-505	4.5	73
291	Anisotropic wetting of microstructured surfaces as a function of surface chemistry. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 123-30	9.5	71
290	Wrinkling instabilities in polymer films and their applications. <i>Polymer International</i> , 2012 , 61, 1041-1047	3.3	118
289	Biomimetic 3D self-assembling biomicroconstructs by spontaneous deformation of thin polymer films. 2012 , 22, 19366		56
288	Surface initiated polymerization from integrated poly(dimethylsiloxane) enables crack-free large area wrinkle formation. 2012 , 23, 1240-1245		6
287	Local Switching of Chemical Patterns through Light-Triggered Unfolding of Creased Hydrogel Surfaces. 2012 , 124, 7258-7261		27
286	Local switching of chemical patterns through light-triggered unfolding of creased hydrogel surfaces. 2012 , 51, 7146-9		72
285	Biomimetic fabrication and characterization of an artificial rice leaf surface with anisotropic wetting. 2012 , 57, 2631-2634		28
284	Microwrinkles: shape-tunability and applications. <i>Journal of Colloid and Interface Science</i> , 2012 , 368, 1-8	9.3	51
283	Preparation of superhydrophobic Fe ₂ O ₃ nanorod films with the tunable water adhesion. <i>Journal of Colloid and Interface Science</i> , 2012 , 376, 245-9	9.3	16
282	Stimulus-responsive shape memory materials: A review. 2012 , 33, 577-640		709
281	Stability of a thin elastic film close to a rigid plate. 2012 , 60, 904-920		6
280	Directional transport of polymer sheet and a microsphere by a rationally aligned nanowire array. 2012 , 24, 817-21		21
279	Anisotropic wetting surfaces with one-dimensional and directional structures: fabrication approaches, wetting properties and potential applications. 2012 , 24, 1287-302		230
278	Surface Effects in Solid Mechanics. 2013 ,		9

277	Mathematical Modeling of Phenomena Caused by Surface Stresses in Solids. 2013 , 135-153		7
276	Effect of the surface condition of silicas with grafted monofunctional polyfluoroalkylsilanes on the adsorption of polar molecules. 2013 , 87, 1367-1373		2
275	Feeling small: exploring the tactile perception limits. <i>Scientific Reports</i> , 2013 , 3, 2617	4.9	158
274	Superhydrophobic surfaces from hierarchically structured wrinkled polymers. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 11066-73	9.5	102
273	Topography-guided spreading and drying of 6,13-bis(triisopropylsilylethynyl)-pentacene solution on a polymer insulator for the field-effect mobility enhancement. <i>Applied Physics Letters</i> , 2013 , 102, 193307	3.4	8
272	Wrinkle meets MEMS: Tunable grating and hydrophobic surface. 2013 ,		1
271	Mechanical stretch for tunable wetting from topological PDMS film. <i>Soft Matter</i> , 2013 , 9, 4236	3.6	31
270	Surface wrinkling by chemical modification of poly(dimethylsiloxane)-based networks during sputtering. <i>Soft Matter</i> , 2013 , 9, 7797	3.6	30
269	In vitro wrinkle formation via shape memory dynamically aligns adherent cells. <i>Soft Matter</i> , 2013 , 9, 4705	3.6	49
268	The three-phase contact line shape and eccentricity effect of anisotropic wetting on hydrophobic surfaces. <i>Soft Matter</i> , 2013 , 9, 527-535	3.6	15
267	Single-composition three-dimensionally morphing hydrogels. <i>Soft Matter</i> , 2013 , 9, 588-596	3.6	26
266	Wetting behaviour of femtosecond laser textured Ti ₆ Al ₄ V surfaces. <i>Applied Surface Science</i> , 2013 , 265, 688-696	6.7	128
265	Bioinspired self-cleaning surfaces with superhydrophobicity, superoleophobicity, and superhydrophilicity. 2013 , 3, 671-690		573
264	Design of Ordered Wrinkled Patterns with Dynamically Tuned Properties. 2013 , 46, 40-45		4
263	Biomimetics in thin film design [Wrinkling and fracture of pulsed laser deposited films in comparison to human skin. <i>Surface and Coatings Technology</i> , 2013 , 215, 192-198	4.4	21
262	Anisotropic wettability of laser micro-grooved SiC surfaces. <i>Applied Surface Science</i> , 2013 , 284, 930-935	6.7	42
261	Evaporation-induced self-alignment and transfer of semiconductor nanowires by wrinkled elastomeric templates. 2013 , 25, 2162-6		57
260	Rational Design of Mechano-Responsive Optical Materials by Fine Tuning the Evolution of Strain-Dependent Wrinkling Patterns. 2013 , 1, 381-388		103

259	Controlling liquid spreading using microfabricated undercut edges. 2013 , 25, 2275-8, 2274		32
258	And Yet it Moves! Microfluidics Without Channels and Troughs. <i>Advanced Functional Materials</i> , 2013 , 23, 5543-5549	15.6	20
257	Tunable wrinkle and crease surface morphologies from photoinitiated polymerization of furfuryl alcohol. <i>Langmuir</i> , 2013 , 29, 15083-9	4	8
256	Stimuli-responsive topological change of microstructured surfaces and the resultant variations of wetting properties. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 7485-91	9.5	32
255	Unidirectional control of anisotropic wetting through surface modification of PDMS microstructures. <i>Langmuir</i> , 2013 , 29, 12331-6	4	11
254	Effects of microtopographic patterns on platelet adhesion and activation on titanium oxide surfaces. 2013 , 101, 622-32		33
253	Tunable Anisotropic Wettability of Rice Leaf-Like Wavy Surfaces. <i>Advanced Functional Materials</i> , 2013 , 23, 547-553	15.6	134
252	Anisotropic sliding of multiple-level biomimetic rice-leaf surfaces on aluminium substrates. 2013 , 8, 801-804		17
251	Combined influence of substrate relief and mechanical compression on topographical evolution of surface wrinkling. 2013 ,		
250	Spreading and Dewetting of Single Bottle-Brush Macromolecules on Nanofaceted SrTiO ₃ Substrate as Induced by Different Vapours. 2013 , 214, 761-775		1
249	. 2014 ,		
248	Fabrication of Functional Wrinkled Interfaces from Polymer Blends: Role of the Surface Functionality on the Bacterial Adhesion. 2014 , 6, 2845-2861		11
247	Multifunctional POSS-Based Nano-Photo-Initiator for Overcoming the Oxygen Inhibition of Photo-Polymerization and for Creating Self-Wrinkled Patterns. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1400385	4.6	25
246	Controllable underwater anisotropic oil-wetting. <i>Applied Physics Letters</i> , 2014 , 105, 071608	3.4	18
245	Tailoring Anisotropic Wettability Using Micro-pillar Geometry. 2014 , 2, 19-23		9
244	Vibration-induced Wenzel-Cassie wetting transition on microstructured hydrophobic surfaces. <i>Applied Physics Letters</i> , 2014 , 104, 181601	3.4	21
243	Grooved organogel surfaces towards anisotropic sliding of water droplets. 2014 , 26, 3131-5		102
242	Switch isotropic/anisotropic wettability via dual-scale rods. 2014 , 4, 107103		1

241	Ruga-formation instabilities of a graded stiffness boundary layer in a neo-Hookean solid. 2014 , 470, 20140218	23
240	Directed water shedding on high-aspect-ratio shape memory polymer micropillar arrays. 2014 , 26, 1283-8	117
239	Archimedean spiral wrinkles on a film-substrate system induced by torsion. <i>Applied Physics Letters</i> , 2014 , 104, 031910	3.4 15
238	Contact angle hysteresis on superhydrophobic stripes. 2014 , 141, 074710	33
237	Controlling the Orientation of Nanowrinkles and Nanofolds by Patterning Strain in a Thin Skin Layer on a Polymer Substrate. 2014 , 126, 8255-8259	15
236	Filefish-Inspired Surface Design for Anisotropic Underwater Oleophobicity. <i>Advanced Functional Materials</i> , 2014 , 24, 809-816	15.6 191
235	Guiding the orientation of smooth muscle cells on random and aligned polyurethane/collagen nanofibers. 2014 , 29, 364-77	44
234	Self-assembled dynamic 3D fingerprints in liquid-crystal coatings towards controllable friction and adhesion. 2014 , 53, 4542-6	119
233	Reconfigurable topography for rapid solution processing of transparent conductors. 2014 , 26, 706-11	23
232	Surface Textured Polymer Fibers for Microfluidics. <i>Advanced Functional Materials</i> , 2014 , 24, 4569-4576	15.6 39
231	Universal spreading of water drops on complex surfaces. <i>Soft Matter</i> , 2014 , 10, 2641-8	3.6 35
230	Ridge localizations and networks in thin films compressed by the incremental release of a large equi-biaxial pre-stretch in the substrate. 2014 , 26, 4061-7	40
229	Shape-responsive liquid crystal elastomer bilayers. <i>Soft Matter</i> , 2014 , 10, 1411-5	3.6 75
228	Versatile approach for the fabrication of functional wrinkled polymer surfaces. <i>Langmuir</i> , 2014 , 30, 13244-54	4 9
227	The role of substrate pre-stretch in post-wrinkling bifurcations. <i>Soft Matter</i> , 2014 , 10, 6520-9	3.6 43
226	The debate on the dependence of apparent contact angles on drop contact area or three-phase contact line: A review. 2014 , 69, 325-365	166
225	Wavefront kinetics of plasma oxidation of polydimethylsiloxane: limits for sub- μm wrinkling. <i>Soft Matter</i> , 2014 , 10, 1155-66	3.6 60
224	Reinforced shape-tunable microwrinkles formed on a porous-film-embedded elastomer surface. <i>Soft Matter</i> , 2014 , 10, 7165-9	3.6 5

223	Robust and transparent membrane of crystalline silicone via a melt-drawing technique. 2014 , 2, 373-381		9
222	Stimuli-responsive buckling mechanics of polymer films. 2014 , 52, 1441-1461		86
221	Biaxially mechanical tuning of 2-D reversible and irreversible surface topologies through simultaneous and sequential wrinkling. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 2850-7	9.5	23
220	Wrinkling membranes with compliant boundaries. <i>Soft Matter</i> , 2014 , 10, 1963-8	3.6	12
219	Fabrication of Synthetic Super Non-Wetting Surfaces. 2014 , 61-108		1
218	Dynamically programmable surface micro-wrinkles on PDMS-SMA composite. 2014 , 23, 115007		6
217	Plasma-assisted interface engineering of boron nitride nanostructure films. <i>ACS Nano</i> , 2014 , 8, 10631-9	16.7	99
216	Asymmetric wettability of nanostructures directs leidenfrost droplets. <i>ACS Nano</i> , 2014 , 8, 860-7	16.7	53
215	Relating pore shape to the non-linear response of periodic elastomeric structures. 2014 , 64, 351-366		73
214	Controlling the orientation of nanowrinkles and nanofolds by patterning strain in a thin skin layer on a polymer substrate. 2014 , 53, 8117-21		34
213	A simple way to achieve superhydrophobicity, controllable water adhesion, anisotropic sliding, and anisotropic wetting based on femtosecond-laser-induced line-patterned surfaces. 2014 , 2, 5499-5507		140
212	Length scale of Leidenfrost ratchet switches droplet directionality. 2014 , 6, 9293-9		30
211	Self-assembled Dynamic 3D Fingerprints in Liquid-Crystal Coatings Towards Controllable Friction and Adhesion. 2014 , 126, 4630-4634		38
210	Bio-inspired responsive polymer pillar arrays. 2015 , 5, 97-114		28
209	Mechanics of wrinkle/ridge transitions in thin film/substrate systems. 2015 , 81, 22-40		57
208	Hierarchical wrinkle structuring on inside wall of closed micro channel. 2015 ,		1
207	Reversible tuning of the wettability on a silver mesodendritic surface by the formation and disruption of lipid-like bilayers. <i>Applied Surface Science</i> , 2015 , 329, 150-157	6.7	3
206	Fog collecting biomimetic surfaces: Influence of microstructure and wettability. 2015 , 10, 016004		59

205	Reversibly texturing active surfaces with spatial and temporal control. 2015 , 26, 328-339		4
204	Anisotropic wetting properties on various shape of parallel grooved microstructure. <i>Journal of Colloid and Interface Science</i> , 2015 , 453, 142-150	9.3	19
203	Functional map of biological and biomimetic materials with hierarchical surface structures. 2015 , 5, 66901-66926		26
202	Effective formation of hierarchical wavy shapes using weak photopolymerization and gradual thermal curing process. 2015 , 141, 47-54		9
201	Real-time control of uni-directional liquid spreading on a half-cone nanoshell array. <i>Scientific Reports</i> , 2014 , 4, 6751	4.9	10
200	Low-cost replication of self-organized sub-micron structures into polymer films. 2015 , 9, 95-104		3
199	Scalable Transfer of Suspended Two-Dimensional Single Crystals. <i>Nano Letters</i> , 2015 , 15, 5089-97	11.5	33
198	Surface Wrinkling Patterns of Film-Substrate Systems With a Structured Interface. 2015 , 82,		26
197	Mechanical Strain Induced Tunable Anisotropic Wetting on Buckled PDMS Silver Nanorods Arrays. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8419-26	9.5	41
196	Controlling flow behavior of water in microfluidics with a chemically patterned anisotropic wetting surface. <i>Langmuir</i> , 2015 , 31, 4032-9	4	55
195	Tunable formation of ordered wrinkles in metal films with controlled thickness gradients deposited on soft elastic substrates. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 5160-7	9.5	58
194	Femtosecond laser controlled wettability of solid surfaces. <i>Soft Matter</i> , 2015 , 11, 8897-906	3.6	94
193	Photoresponsive Surface Wrinkle Morphologies in Liquid Crystalline Polymer Films. <i>Macromolecules</i> , 2015 , 48, 6378-6384	5.5	56
192	Coalescence of water films on carbon-based substrates: the role of the interfacial properties and anisotropic surface topography. 2015 , 17, 11284-91		7
191	Programming Tilting Angles in Shape Memory Polymer Janus Pillar Arrays with Unidirectional Wetting against the Tilting Direction. <i>Langmuir</i> , 2015 , 31, 9523-6	4	26
190	Mechanical strain induced wetting transitions between anisotropic and isotropic on polydimethylsiloxane (PDMS) films patterned by optical discs. <i>Applied Surface Science</i> , 2015 , 356, 102-109	6.7	11
189	Wrinkled interfaces: Taking advantage of surface instabilities to pattern polymer surfaces. 2015 , 42, 1-41		209
188	. 2016 ,		46

187	Recent Advances in Unconventional Lithography for Challenging 3D Hierarchical Structures and Their Applications. 2016 , 2016, 1-17		13
186	Controllable anisotropic wetting characteristics on silicon patterned by slit-based spatial focusing of femtosecond laser. 2016 , 24, 25732-25741		7
185	Out-of-plane stretching for simultaneous generation of different morphological wrinkles on a soft matter. 2016 , 122, 1		1
184	Spontaneous wettability patterning via creasing instability. 2016 , 113, 8087-92		12
183	The holistic method of the surface structure characterization. 2016 ,		2
182	Water transport control on a patterned superhydrophobic surface via laser direct writing. 2016 , 34, 061103		11
181	Wetting theory for small droplets on textured solid surfaces. <i>Scientific Reports</i> , 2016 , 6, 37813	4.9	53
180	The Primary Bilayer Ruga-Phase Diagram II: Irreversibility in Ruga Evolution. 2016 , 83,		11
179	Capillary Filaments. 2016 , 57-89		
178	Beyond wrinkles: Multimodal surface instabilities for multifunctional patterning. 2016 , 41, 115-122		92
177	Effects of tension-compression asymmetry on the surface wrinkling of film-substrate systems. 2016 , 94, 88-104		44
176	Morphology-Patterned Anisotropic Wetting Surface for Fluid Control and Gas-Liquid Separation in Microfluidics. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 13094-103	9.5	29
175	Thin film wrinkling by strain mismatch on 3D surfaces. 2016 , 8, 107-113		5
174	Tunable wettability of Si through surface energy engineering by nanopatterning. 2016 , 6, 48550-48557		12
173	Self-Cleaning and Superhydrophobic Surfaces. 2016 , 1-43		
172	Elastic instabilities of a ferroelastomer beam for soft reconfigurable electronics. 2016 , 9, 282-290		17
171	Uni-Directional Transportation on Peristome-Mimetic Surfaces for Completely Wetting Liquids. 2016 , 128, 15212-15216		4
170	Controlling film topography to form highly hydrophobic waterborne coatings. <i>Soft Matter</i> , 2016 , 12, 7005-11	3.6	9

169	Droplet spreading characteristics observed during 3D printing of aligned fiber-reinforced soft composites. 2016 , 12, 121-131		8
168	Wetting Phenomena on (Gradient) Wrinkle Substrates. <i>Langmuir</i> , 2016 , 32, 8882-8	4	26
167	High-Aspect-Ratio Ridge Structures Induced by Plastic Deformation as a Novel Microfabrication Technique. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 24230-7	9.5	19
166	Uni-Directional Transportation on Peristome-Mimetic Surfaces for Completely Wetting Liquids. 2016 , 55, 14988-14992		101
165	Anisotropic Sliding of Water Droplets on the Superhydrophobic Surfaces with Anisotropic Groove-Like Micro/Nano Structures. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600641	4.6	36
164	Wrinkles on a textile-embedded elastomer surface with highly variable friction. <i>Soft Matter</i> , 2016 , 12, 6176-83	3.6	27
163	Transfer printing enabled soft composite films for tunable surface topography. 2016 , 7, 145-153		4
162	Creating Hierarchical Topographies on Fibrous Platforms Using Femtosecond Laser Ablation for Directing Myoblasts Behavior. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 3407-17	9.5	38
161	Effect of substrate reflecting conditions on the curing of UV curable resin layers on aluminum and the formation of surface wavy structures. 2016 , 164, 23-27		6
160	Wetting behaviour of laser textured Ti3SiC2 surface with micro-grooved structures. 2016 , 1-8		3
159	Water repellent/wetting characteristics of various bio-inspired morphologies and fluid drag reduction testing research. 2016 , 82, 9-16		8
158	Electrically-tunable surface deformation of a soft elastomer. <i>Soft Matter</i> , 2016 , 12, 3137-41	3.6	18
157	Directional imbibition on a chemically patterned silicon micropillar array. <i>Soft Matter</i> , 2016 , 12, 1100-6	3.6	6
156	UV Direct Laser Interference Patterning of polyurethane substrates as tool for tuning its surface wettability. <i>Applied Surface Science</i> , 2016 , 374, 222-228	6.7	18
155	An elastic microporous material with tunable optical property. 2016 , 164, 376-379		7
154	Rolling wrinkles on elastic substrates. 2016 , 6, 23-30		6
153	Unidirectional Wetting of Liquids on "Janus" Nanostructure Arrays under Various Media. <i>Langmuir</i> , 2017 , 33, 2177-2184	4	7
152	Bio-inspired hierarchically structured polymer fibers for anisotropic non-wetting surfaces. 2017 , 7, 15553-15560		5

151	Fog Collection on Polyethylene Terephthalate (PET) Fibers: Influence of Cross Section and Surface Structure. <i>Langmuir</i> , 2017 , 33, 5555-5564	4	33
150	Anisotropic Wetting of Water on Patterned Asymmetric Nanostructure Arrays. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700034	4.6	12
149	Stress-induced surface instabilities and defects in thin films sputter deposited on compliant substrates. <i>Soft Matter</i> , 2017 , 13, 4035-4046	3.6	10
148	Crack-Free, Soft Wrinkles Enable Switchable Anisotropic Wetting. 2017 , 129, 6623-6627		3
147	Superoleophobic surfaces. 2017 , 46, 4168-4217		435
146	Bio-inspired hierarchical micro- and nano-wrinkles obtained via mechanically directed self-assembly on shape-memory polymers. <i>Soft Matter</i> , 2017 , 13, 4328-4334	3.6	33
145	Crack-Free, Soft Wrinkles Enable Switchable Anisotropic Wetting. 2017 , 56, 6523-6527		46
144	Post-wrinkle bifurcations in elastic bilayers with modest contrast in modulus. 2017 , 11, 30-36		23
143	Micro arch-bridge structured surface fabricated by kirigami-on-elastomer approach for liquid-dependent iso/anisotropic wetting. <i>Applied Physics Letters</i> , 2017 , 110, 161602	3.4	2
142	Wetting and electrowetting on corrugated substrates. 2017 , 29, 067101		25
141	Dynamic pattern of wrinkles in a dielectric elastomer. <i>Soft Matter</i> , 2017 , 13, 2942-2951	3.6	25
140	Smart design of wettability-patterned gradients on substrate-independent coated surfaces to control unidirectional spreading of droplets. <i>Soft Matter</i> , 2017 , 13, 2995-3002	3.6	54
139	Stretching-induced wrinkling in plastic-rubber composites. <i>Soft Matter</i> , 2017 , 13, 776-787	3.6	12
138	Controlling self-patterning of acrylate films by photopolymerization. 2017 , 8, 1129-1137		10
137	Light-Modulated Surface Micropatterns with Multifunctional Surface Properties on Photodegradable Polymer Films. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 37402-37410	9.5	11
136	Fault-Tolerant Electro-Responsive Surfaces for Dynamic Micropattern Molds and Tunable Optics. <i>Scientific Reports</i> , 2017 , 7, 12481	4.9	3
135	Wrinkling-to-delamination transition in thin polymer films on compliant substrates. <i>Soft Matter</i> , 2017 , 13, 7930-7937	3.6	30
134	Double-grooved nanofibre surfaces with enhanced anisotropic hydrophobicity. 2017 , 9, 16214-16222		27

133	Fabrication of anisotropic PTFE superhydrophobic surfaces using laser microprocessing and their self-cleaning and anti-icing behavior. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 535, 8-15	5.1	50
132	Transition of surface-interface creasing in bilayer hydrogels. <i>Soft Matter</i> , 2017 , 13, 6011-6020	3.6	10
131	Surface Modification of Anisotropic Dielectric Elastomer Actuators with Uni- and Bi-axially Wrinkled Carbon Electrodes for Wettability Control. <i>Scientific Reports</i> , 2017 , 7, 6091	4.9	15
130	Self-similar Hierarchical Wrinkles as a Potential Multifunctional Smart Window with Simultaneously Tunable Transparency, Structural Color, and Droplet Transport. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 26510-26517	9.5	66
129	Autonomous Control of Fluids in a Wide Surface Tension Range in Microfluidics. <i>Langmuir</i> , 2017 , 33, 7248-7255	4	6
128	Tuning the wrinkling patterns of an interfacial/coating layer via a regulation interphase. <i>International Journal of Solids and Structures</i> , 2017 , 104-105, 92-102	3.1	14
127	Anisotropy in the hydrophobic and oleophilic characteristics of patterned surfaces. <i>Applied Physics Letters</i> , 2017 , 111, 261603	3.4	4
126	Response of Dermal Fibroblasts to Biochemical and Physical Cues in Aligned Polycaprolactone/Silk Fibroin Nanofiber Scaffolds for Application in Tendon Tissue Engineering. <i>Nanomaterials</i> , 2017 , 7,	5.4	34
125	Patterning of Wrinkled Polymer Surfaces by Single-Step Electron Irradiation. <i>Langmuir</i> , 2018 , 34, 5290-5296	5	6
124	Progress toward reversible electrowetting on geometrically patterned superhydrophobic surfaces. 2018 , 36, 70-77		25
123	Small degree of anisotropic wetting on self-similar hierarchical wrinkled surfaces. <i>Soft Matter</i> , 2018 , 14, 1517-1529	3.6	26
122	Anisotropic Electrowetting on Wrinkled Surfaces: Enhanced Wetting and Dependency on Initial Wetting State. <i>Langmuir</i> , 2018 , 34, 1844-1854	4	13
121	The effect of the orientation and the height of periodic sub-micrometric texturing on dropwise condensation. <i>Journal of Colloid and Interface Science</i> , 2018 , 526, 184-193	9.3	4
120	Mechanoresponsive Tuning of Anisotropic Wetting on Hierarchically Structured Patterns. <i>Langmuir</i> , 2018 , 34, 4732-4738	4	9
119	A Review of Femtosecond-Laser-Induced Underwater Superoleophobic Surfaces. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701370	4.6	68
118	Photo-controlled patterned wrinkling of liquid crystalline polymer films on compliant substrates. <i>International Journal of Solids and Structures</i> , 2018 , 132-133, 264-277	3.1	21
117	Superhydrophobic Shape Memory Polymer Arrays with Switchable Isotropic/Anisotropic Wetting. <i>Advanced Functional Materials</i> , 2018 , 28, 1705002	15.6	120
116	The effect of surface anisotropy on contact angles and the characterization of elliptical cap droplets. 2018 , 61, 309-316		13

115	Formation of high aspect ratio wrinkles and ridges on elastic bilayers with small thickness contrast. <i>Soft Matter</i> , 2018 , 14, 8545-8551	3.6	17
114	Introduction of Stimuli-Responsive Wetting/Dewetting Smart Surfaces and Interfaces. 2018 , 1-33		
113	Liquids on Shape-Tunable Wrinkles. 2018 , 133-168		
112	A machine of superlatives. 2018 , 14, 1151-1153		
111	The mechanics of slender structures. 2018 , 14, 1150-1151		8
110	Numerical analysis of anisotropic wetting of chemically striped surfaces.. 2018 , 8, 31735-31744		11
109	Ring Wrinkle Patterns with Continuously Changing Wavelength Produced Using a Controlled-Gradient Light Field. <i>Materials</i> , 2018 , 11,	3.5	4
108	Direction dependent dynamic wetting of semi-hemispherical end micro-groove textured Ti-6Al-4V surface. <i>Surface and Coatings Technology</i> , 2018 , 356, 138-149	4.4	8
107	Liquid crystal polymers with motile surfaces. <i>Soft Matter</i> , 2018 , 14, 4898-4912	3.6	22
106	The Flexible Conical Lamella: A Bio-Inspired Open System for the Controllable Liquid Manipulation. <i>Advanced Functional Materials</i> , 2018 , 28, 1800187	15.6	12
105	Influence of graphene thickness and grain boundaries on MoS wrinkle nanostructures. 2018 , 20, 17000-17008		7
104	Effects of Stiff Film Pattern Geometry on Surface Buckling Instabilities of Elastic Bilayers. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 23406-23413	9.5	17
103	Femtosecond laser impact on calcium phosphate bioceramics assessed by micro-Raman spectroscopy and osteoblastic behaviour. 2018 , 38, 5545-5553		8
102	Innovative evolution of buckling structures for flexible electronics. 2018 , 204, 487-499		9
101	Physical-Chemical Aspects. 2018 , 155-219		
100	Surface Instability of Bilayer Hydrogel Subjected to Both Compression and Solvent Absorption. 2018 , 10,		4
99	Pool boiling heat transfer enhancement with segmented finned microchannels structured surface. 2018 , 127, 39-50		41
98	Fabrication and anisotropic wettability of titanium-coated microgrooves. <i>Journal of Applied Physics</i> , 2018 , 123, 095306	2.5	14

97	A three-dimensional model for analyzing the anisotropic wetting behavior of striped surfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 552, 67-74	5.1	13
96	Shape Evolution of Droplets Growing on Linear Microgrooves. <i>Langmuir</i> , 2018 , 34, 10498-10511	4	6
95	Control of droplet movement on a plate with micro-wrinkle by difference of wettability. 2019 , 60, 1		1
94	Assessment and Interpretation of Surface Wettability Based on Sessile Droplet Contact Angle Measurement: Challenges and Opportunities. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900839	4.6	41
93	Oxyfluorination-Controlled Variations in the Wettability of Polymer Film Surfaces. 2019 , 81, 146-157		13
92	Mechanically tunable single-component soft polydimethylsiloxane (PDMS)-based robust and sticky superhydrophobic surfaces. 2019 , 125, 1		11
91	Ellipsoidal droplet formation on anisotropic superhydrophobic copper surface. 2019 , 7, 035001		5
90	Programmable unidirectional liquid transport on peristome-mimetic surfaces under liquid environments. 2019 , 7, 18244-18248		12
89	Free-Standing Buckle-Delaminated 2D Organic Nanosheets with Enhanced Mechanical Properties and Multifunctionality. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900561	4.6	5
88	Dynamics of wrinkling in ultrathin elastic sheets. 2019 , 116, 20875-20880		14
87	The effects of surface morphological mechanics on liquid crystal alignment characteristics using photo-activators. 2019 , 685, 47-54		0
86	A Super Anisotropic Wetting Microstructure Based on Combination of Sharp Edge and Sharp Corner. 2019 , 28, 1055-1059		
85	A Novel SESC Microstructure to Realize Various Spontaneously Liquid Spreading Properties. 2019 ,		
84	Time-Dependent Anisotropic Wetting Behavior of Deterministic Structures of Different Strut Widths on Ti6Al4V. <i>Metals</i> , 2019 , 9, 938	2.3	8
83	Modeling and Measurement on the Sliding Behavior of Microgrooved Surfaces. <i>Langmuir</i> , 2019 , 35, 14133-14140	4	40
82	The influence of plasma treatment on the elasticity of the in situ oxidized gradient layer in PDMS: towards crack-free wrinkling. <i>Soft Matter</i> , 2018 , 15, 65-72	3.6	20
81	Polymer Spreading on Unidirectionally Nanotextured Substrates Using Molecular Dynamics. <i>Langmuir</i> , 2019 , 35, 8784-8789	4	
80	Computational finite element model for surface wrinkling of shells on soft substrates. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2019 , 78, 104863	3.7	4

79	Microstructured hybrid scaffolds for aligning neonatal rat ventricular myocytes. <i>Materials Science and Engineering C</i> , 2019 , 103, 109783	8.3	1
78	Tunable surface wrinkling on shape memory polymers with application in smart micromirror. <i>Applied Physics Letters</i> , 2019 , 114, 193701	3.4	12
77	Anisotropic Sliding of Underwater Bubbles On Microgrooved Slippery Surfaces by One-Step Femtosecond Laser Scanning. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20574-20580	9.5	31
76	Tunable, Ultrasensitive, and Flexible Pressure Sensors Based on Wrinkled Microstructures for Electronic Skins. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 21218-21226	9.5	74
75	Experimental characterization and modeling of critical heat flux with subcooled foaming solution. <i>International Journal of Thermal Sciences</i> , 2019 , 141, 199-210	4.1	10
74	Measuring Liquid Drop Properties on Nanoscale 1D Patterned Photoresist Structures. <i>Scientific Reports</i> , 2019 , 9, 5723	4.9	6
73	Microfluidics Assisted Fabrication of Three-Tier Hierarchical Microparticles for Constructing Bioinspired Surfaces. <i>ACS Nano</i> , 2019 , 13, 3638-3648	16.7	27
72	Biomimetic Self-Cleaning Anisotropic Solid Slippery Surface with Excellent Stability and Restoration. <i>ChemPhysChem</i> , 2019 , 20, 946-952	3.2	7
71	Microarrays with a pillared patterned double-layer graphene substrate: A molecular dynamics simulation approach. <i>Applied Surface Science</i> , 2019 , 479, 1068-1088	6.7	3
70	Introduction to Surface Instabilities and Wrinkle Formation. 2019 , 3-18		1
69	Wrapping Liquids, Solids, and Gases in Thin Sheets. <i>Annual Review of Condensed Matter Physics</i> , 2019 , 10, 431-450	19.7	25
68	Spontaneous wrinkle emergence in nascent eumelanin thin films. <i>Soft Matter</i> , 2019 , 15, 9261-9270	3.6	7
67	Smart Materials by Nanoscale Magnetic Assembly. <i>Advanced Functional Materials</i> , 2020 , 30, 1903467	15.6	54
66	Endothelialized microrods for minimally invasive in situ neovascularization. <i>Biofabrication</i> , 2019 , 12, 0150015	11.5	5
65	Advanced functional surfaces through controlled damage and instabilities. <i>Materials Horizons</i> , 2020 , 7, 366-396	14.4	16
64	A comparison of computational models for wrinkling of pressurized shell-core systems. <i>International Journal of Non-Linear Mechanics</i> , 2020 , 127, 103611	2.8	2
63	Smart Surfaces with Tunable Wettability. 2020 ,		0
62	Characterization of intermediate wetting states on micro-grooves by water droplet contact line. <i>Journal of Industrial and Engineering Chemistry</i> , 2020 , 91, 69-78	6.3	4

61	Enhancing Hydrophobicity of Polymer Thin Film-Coated Surface by Wrinkling Method. <i>Macromolecular Research</i> , 2020 , 28, 1104-1110	1.9	2
60	Preclinical In Vitro Assessment of Submicron-Scale Laser Surface Texturing on Ti6Al4V. <i>Materials</i> , 2020 , 13,	3.5	1
59	Buckling transitions and soft-phase invasion of two-component icosahedral shells. <i>Physical Review E</i> , 2020 , 102, 062104	2.4	2
58	Electro-responsive surfaces with controllable wrinkling patterns for switchable light reflection/diffusion/grading devices. <i>Materials Today</i> , 2020 , 41, 51-61	21.8	5
57	Articulated surface wrinkling of a patterned film with periodic stiffness distribution on a compliant substrate. <i>International Journal of Solids and Structures</i> , 2020 , 200-201, 132-144	3.1	2
56	Harnessing Dynamic Wrinkling Surfaces for Smart Displays. <i>Nano Letters</i> , 2020 , 20, 4129-4135	11.5	26
55	Surface modification of poly(tetrafluoroethylene) and poly(ethylene terephthalate) films via environmental crazing. <i>Polymer International</i> , 2020 , 69, 627-634	3.3	2
54	Tunable hierarchical wrinkling: From models to applications. <i>Journal of Applied Physics</i> , 2020 , 127, 111101.5	10.5	20
53	Emergent Surface Topography Enabled by Concurrent Crystallization and Polymerization. <i>Macromolecules</i> , 2020 , 53, 2388-2395	5.5	3
52	Delamination-Free Functional Graphene Surface by Multiscale, Conformal Wrinkling. <i>Advanced Functional Materials</i> , 2020 , 30, 2003273	15.6	15
51	Micro-/nanostructures meet anisotropic wetting: from preparation methods to applications. <i>Materials Horizons</i> , 2020 , 7, 2566-2595	14.4	27
50	Natural Architectures for Tissue Engineering and Regenerative Medicine. <i>Journal of Functional Biomaterials</i> , 2020 , 11,	4.8	7
49	Large-Range, Reversible Directional Spreading of Droplet on a Double-Gradient Wrinkled Surface Adjusted Under Mechanical Strain. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1901980	4.6	4
48	Toward Superhydrophobic Surfaces. 2020 , 391-440		1
47	Anisotropic performance of a superhydrophobic polyvinyl difluoride membrane with corrugated pattern in direct contact membrane distillation. <i>Desalination</i> , 2020 , 481, 114363	10.3	17
46	Application of a Laser Cutter to Pattern Wrinkles on Polymer Films. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 1848-1855	4.3	2
45	Multiple wrinkling mode transitions in axially compressed cylindrical shell-substrate in dynamics. <i>Thin-Walled Structures</i> , 2020 , 150, 106700	4.7	8
44	Molecular dynamics study of anisotropic behaviours of water droplet on textured surfaces with various energies. <i>Molecular Physics</i> , 2021 , 119, e1785028	1.7	5

43	Role of anisotropic pinning and liquid properties during partial rebound of droplets on unidirectionally structured hydrophobic surfaces. <i>Chemical Engineering Science</i> , 2021 , 230, 116197	4.4	2
42	Biaxially Morphing Droplet Shape by an Active Surface. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2001199	4.6	3
41	Ordered surface crack patterns formed under confinement on fluidic microchannel boundaries in polydimethylsiloxane. <i>Lab on A Chip</i> , 2021 , 21, 668-673	7.2	1
40	Soft imprint lithography for liquid crystal alignment using a wrinkled UVO-treated PDMS transferring method. <i>Journal of Molecular Liquids</i> , 2021 , 323, 115150	6	0
39	Understanding and Controlling Hexagonal Patterns of Wrinkles in Neo-Hookean Elastic Bilayer Structures. <i>International Journal of Applied Mechanics</i> , 2021 , 13, 2150024	2.4	
38	Mechanically-enhanced fibre topography via electrospinning on a poly(L-lactone) film for tendon tissue-engineering application. <i>Materials Technology</i> , 1-9	2.1	3
37	Dynamic manipulation of droplets using mechanically tunable microtextured chemical gradients. <i>Nature Communications</i> , 2021 , 12, 3114	17.4	12
36	Harnessing Wrinkling Patterns Using Shape Memory Polymer Microparticles. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 23074-23080	9.5	4
35	Structure design and property of multiple-basis-element (MBE) alloys flexible films. <i>Nano Research</i> , 1	10	2
34	Metastable wetting model of electrospun mats with wrinkled fibers. <i>Applied Surface Science</i> , 2021 , 551, 149147	6.7	0
33	Transition of nano-ripple to nano-hillock pattern on ion bombarded Si with an enhanced hydrophobicity. <i>Surfaces and Interfaces</i> , 2021 , 25, 101242	4.1	1
32	Simple Approach to Fabricate an Anisotropic Wetting Surface with High Adhesive Force toward Droplet Transfer. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 4470-4477	4.3	
31	Thermoresponsive microwrinkled hydrogel surfaces with modulated chemical composition. <i>Polymer</i> , 2021 , 231, 124109	3.9	1
30	Mechanically Switchable Wetting Petal Effect in Self-Patterned Nanocolumnar Films on Poly(dimethylsiloxane). <i>Nanomaterials</i> , 2021 , 11,	5.4	1
29	Laser-Induced Fluorinated Graphene for Superhydrophobic Surfaces with Anisotropic Wetting and Switchable Adhesion. <i>Applied Surface Science</i> , 2021 , 574, 151339	6.7	1
28	Advance on flexible pressure sensors based on metal and carbonaceous nanomaterial. <i>Nano Energy</i> , 2021 , 87, 106181	17.1	25
27	Dynamic contact line lithography: Template-less complex Meso-patterning with polystyrene and poly(methyl methacrylate). <i>Journal of Colloid and Interface Science</i> , 2021 , 601, 156-166	9.3	0
26	Geometrical effect, optimal design and controlled fabrication of bio-inspired micro/nanotextures for superhydrophobic surfaces. <i>Materials Research Express</i> , 2017 , 4, 092001	1.7	6

25	Lubricated wrinkles: Imposed constraints affect the dynamics of wrinkle coarsening. <i>Physical Review Fluids</i> , 2017 , 2,	2.8	12
24	Nanotopographic substrates of poly (methyl methacrylate) do not strongly influence the osteogenic phenotype of mesenchymal stem cells in vitro. <i>PLoS ONE</i> , 2014 , 9, e90719	3.7	17
23	Influences of micro-groove size on surface anisotropic wetting behaviors. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2020 , 69, 034702	0.6	2
22	Reconfigurable Micro- and Nano-Structured Camouflage Surfaces Inspired by Cephalopods. <i>ACS Nano</i> , 2021 ,	16.7	2
21	The validity of triple contact line theory from hydrophilic to superhydrophobic surfaces. <i>Journal Physics D: Applied Physics</i> , 2022 , 55, 055305	3	2
20	Wrinkling atop Shape Memory Polymers. 2011 , 275-306		
19	Nonconventional Methods for Patterning Polymer Surfaces. 2015 , 1-21		
18	Anisotropic wetting characteristics of droplet on micro-grooved surface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 633, 127850	5.1	0
17	Wrinkle-Assisted Capillary Bridging for the Directed Assembly of Single-Level DNA Nanowire Arrays. <i>Advanced Materials Interfaces</i> , 2102243	4.6	1
16	Surface defects on wrinkled PDMS induce droplet anisotropy. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 639, 128317	5.1	2
15	Oscillatory motion of viscoelastic drops on slippery lubricated surfaces. <i>Communications Physics</i> , 2022 , 5,	5.4	0
14	The effect of laser surface textures on the corrosion resistance of epoxy coated steel exposed to aggressive environments for offshore applications. <i>Surface and Coatings Technology</i> , 2022 , 437, 128371	4.4	1
13	Droplet motion on chemically heterogeneous substrates with mass transfer. I. Two-dimensional dynamics. <i>Physical Review Fluids</i> , 2021 , 6,	2.8	1
12	Programmable Droplet Transport Using Mechanically Adaptive Chemical Gradients with Anisotropic Microtopography. <i>Advanced Intelligent Systems</i> , 2100207	6	0
11	Light-Induced Surface Wrinkling on Azo-Based Composite Films. <i>Coatings</i> , 2022 , 12, 608	2.9	1
10	Droplet Spreading Induced Wrinkling and Its Use for Measuring the Elastic Modulus of Polymeric Thin Films. <i>Macromolecules</i> ,	5.5	0
9	Compositionally Homogeneous Soft Wrinkles on Elastomeric Substrates: Novel Fabrication Method, Water Collection from Fog, and Triboelectric Charge Generation. <i>Macromolecular Materials and Engineering</i> , 2200247	3.9	0
8	A one-step, tunable method of selective reactive sputter deposition as a wrinkling approach for silver/polydimethylsiloxane for electrically conductive pliable surfaces. 2022 , 8,		0

- 7 Plastic ridge formation in a compressed thin amorphous film. **2022**, 6, ○
- 6 Wettability and droplet energetics on micro-scale wavy and V-grooved surfaces. **2022**, 16, 100791 ○
- 5 Nature-inspired reentrant surfaces. **2022**, 101064 1
- 4 Smart Polymer Surfaces with Complex Wrinkled Patterns: Reversible, Non-Planar, Gradient, and Hierarchical Structures. **2023**, 15, 612 ○
- 3 Bio-Inspired Instability-Induced Hierarchical Patterns Having Tunable Anisotropic Wetting Properties. ○
- 2 Ultrasensitive Ionic Liquid Polymer Composites with a Convex and Wrinkled Microstructure and Their Application as Wearable Pressure Sensors. **2023**, 15, 13625-13636 ○
- 1 Characterization of Intermediate Wetting States and Anisotropic Sliding on Micro-directional Grooved Surfaces. **2023**, 1-23 ○