

CITATION REPORT

List of articles citing

Biomimetic superhydrophobic surfaces: multiscale approach

DOI: 10.1021/nl071023f
Nano Letters, 2007, 7, 2633-7.

Source: <https://exaly.com/paper-pdf/42004684/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
322	Atmosphere-Mediated Superhydrophobicity of Rationally Designed Micro/Nanostructured Surfaces.		
321	Ultralight Programmable Bioinspired Aerogels with an Integrated Multifunctional Surface for Self-Cleaning, Oil Absorption and Thermal Insulation via Coassembly.		
320	Highly Stretchable and Conductive Superhydrophobic Coating for Flexible Electronics.		
319	Multiscale friction mechanisms and hierarchical surfaces in nano- and bio-tribology. 2007 , 58, 162-193		213
318	Facile tuning of superhydrophobic states with Ag nanoplates. 2008 , 1, 292-302		21
317	Biologically Inspired Surfaces: Broadening the Scope of Roughness**. 2008 , 18, 843-855		225
316	Bio-Inspired, Smart, Multiscale Interfacial Materials. 2008 , 20, 2842-2858		847
315	Facile electrochemical route to directly fabricate hierarchical spherical cupreous microstructures: Toward superhydrophobic surface. 2008 , 10, 655-658		24
314	Why does the CassieBaxter equation apply?. 2008 , 324, 47-50		91
313	Capillary effects and instabilities in nanocontacts. 2008 , 108, 1181-5		21
312	Patterned nonadhesive surfaces: superhydrophobicity and wetting regime transitions. <i>Langmuir</i> , 2008 , 24, 1525-33	4	174
311	Do hierarchical mechanisms of superhydrophobicity lead to self-organized criticality?. 2008 , 59, 941-944		18
310	Relationship between Work of Adhesion and Contact Angle Hysteresis on Superhydrophobic Surfaces. 2008 , 112, 11403-11407		107
309	Lotus Effect: Roughness-Induced Superhydrophobic Surfaces. 2008 , 995-1072		14
308	Surface properties of vertically aligned carbon nanotube arrays. 2008 , 17, 1518-1524		62
307	Wetting on nanoporous alumina surface: transition between Wenzel and Cassie states controlled by surface structure. <i>Langmuir</i> , 2008 , 24, 9952-5	4	173
306	Wetting, adhesion and friction of superhydrophobic and hydrophilic leaves and fabricated micro/nanopatterned surfaces. 2008 , 20, 225010		202

305	Roughness-induced superhydrophobicity: a way to design non-adhesive surfaces. 2008 , 20, 225009		124
304	Petal effect: a superhydrophobic state with high adhesive force. <i>Langmuir</i> , 2008 , 24, 4114-9	4	1416
303	Multiscale effects in crystal grain growth and physical properties of metals. 2008 , 10, 5192-5		5
302	Wetting of Heterogeneous Nanopatterned Inorganic Surfaces. 2008 , 20, 1476-1483		36
301	Superhydrophobic and low light reflectivity silicon surfaces fabricated by hierarchical etching. <i>Langmuir</i> , 2008 , 24, 10421-6	4	99
300	Conversion of a metastable superhydrophobic surface to an ultraphobic surface. <i>Langmuir</i> , 2008 , 24, 8008-12	4	43
299	Hierarchical structures for natural superhydrophobic surfaces. 2008 , 4, 462-466		119
298	Thermodynamics of surface degradation, self-organization and self-healing for biomimetic surfaces. 2009 , 367, 1607-27		62
297	Multiscale effects and capillary interactions in functional biomimetic surfaces for energy conversion and green engineering. 2009 , 367, 1511-39		68
296	The impact of diamond nanocrystallinity on osteoblast functions. 2009 , 30, 3458-65		91
295	Wetting behavior at micro-/nanoscales: direct imaging of a microscopic water/air/solid three-phase interface. <i>Small</i> , 2009 , 5, 908-12	11	41
294	Robust method of manufacturing rubber waste-based water repellent surfaces. 2009 , 20, 650-653		6
293	Superhydrophobic surfaces and emerging applications: Non-adhesion, energy, green engineering. 2009 , 14, 270-280		471
292	Anisotropically microstructured and micro/nanostructured polypropylene surfaces. 2009 , 603, 2240-2247		29
291	Facile preparation of poly(ethyl alpha-cyanoacrylate) superhydrophobic and gradient wetting surfaces. 2009 , 340, 93-7		25
290	Fabrication of silicon pyramid/nanowire binary structure with superhydrophobicity. 2009 , 255, 7147-7152		44
289	Gecko adhesion pad: a smart surface?. 2009 , 21, 464132		63
288	Simple approach to wafer-scale self-cleaning antireflective silicon surfaces. <i>Langmuir</i> , 2009 , 25, 7769-72.4		118

287	Range of applicability of the Wenzel and Cassie-Baxter equations for superhydrophobic surfaces. <i>Langmuir</i> , 2009 , 25, 14135-45	4	239
286	Some thoughts on superhydrophobic wetting. 2009 , 5, 51-61		308
285	Single-walled carbon nanotube pillars: a superhydrophobic surface. <i>Langmuir</i> , 2009 , 25, 4792-8	4	55
284	Superhydrophobicity of boron nitride nanotubes grown on silicon substrates. <i>Langmuir</i> , 2009 , 25, 4853-60		105
283	Micro-, nano- and hierarchical structures for superhydrophobicity, self-cleaning and low adhesion. 2009 , 367, 1631-72		562
282	The rose petal effect and the modes of superhydrophobicity. 2010 , 368, 4713-28		344
281	Switchable Adhesion on Liquid/Solid Interfaces. 2010 , 20, 3753-3764		192
280	Robust airlike superhydrophobic surfaces. 2010 , 22, 597-601		121
279	Direct Three-Dimensional Imaging of the Buried Interfaces between Water and Superhydrophobic Surfaces. 2010 , 122, 9331-9334		7
278	Direct three-dimensional imaging of the buried interfaces between water and superhydrophobic surfaces. 2010 , 49, 9145-8		63
277	Reversible conversion of water-droplet mobility from rollable to pinned on a superhydrophobic functionalized carbon nanotube film. 2010 , 346, 241-7		35
276	Surface modification and characterization of SEBS films obtained by in situ and ex situ oxidization with potassium permanganate. 2010 , 48, 2262-2273		6
275	Micro/nano structure size effect on superhydrophobicity and anti reflection of single crystalline Si solar cells. 2010 ,		1
274	Small droplets on superhydrophobic substrates. 2010 , 81, 051606		43
273	Superhydrophobic cylindrical nanoshell array. <i>Langmuir</i> , 2010 , 26, 7661-4	4	24
272	Fabrication of Low and High Adhesion Hydrophobic Au Surfaces with Micro/Nano-Biomimetic Structures. 2010 , 114, 11509-11514		54
271	Dynamic behavior of the water droplet impact on a textured hydrophobic/superhydrophobic surface: the effect of the remaining liquid film arising on the pillars' tops on the contact time. <i>Langmuir</i> , 2010 , 26, 4831-8	4	98
270	Bioinspired super-antiwetting interfaces with special liquid-solid adhesion. 2010 , 43, 368-77		517

269	Direct method of tracing the wetting states on nanocomposite surfaces. <i>Langmuir</i> , 2010 , 26, 7686-9	4	19
268	Green tribology: principles, research areas and challenges. 2010 , 368, 4677-94		76
267	Lotus Effect: Surfaces with Roughness-Induced Superhydrophobicity, Self-Cleaning, and Low Adhesion. 2010 , 1437-1524		15
266	Fabrication of Morphology-Controlled Sub-20-nm Polymer Nanotip and Nanopore Arrays Using an Identical Nanoglass Mold. 2010 , 43, 7722-7728		8
265	Recent developments in bio-inspired special wettability. 2010 , 39, 3240-55		823
264	Nanostructure-dependent water-droplet adhesiveness change in superhydrophobic anodic aluminum oxide surfaces: from highly adhesive to self-cleanable. <i>Langmuir</i> , 2010 , 26, 1412-5	4	87
263	Microstructured superhydrorepellent surfaces: effect of drop pressure on fakir-state stability and apparent contact angles. 2010 , 22, 325107		27
262	Dynamic study of nanodroplet nucleation and growth on self-supported nanothick liquid films. <i>Langmuir</i> , 2010 , 26, 18581-4	4	22
261	Engineering superlyophobic surfaces as the microfluidic platform for droplet manipulation. 2011 , 11, 3121-9		26
260	Water droplet motion control on superhydrophobic surfaces: exploiting the Wenzel-to-Cassie transition. <i>Langmuir</i> , 2011 , 27, 2595-600	4	108
259	Tailoring the Wetting Properties of Surface-Modified Nanostructured Gold Films. 2011 , 115, 17097-17101		9
258	Responsive wetting transition on superhydrophobic surfaces with sparsely grafted polymer brushes. 2011 , 7, 515-523		34
257	Self-cleaning effect of highly water-repellent microshell structures for solar cell applications. 2011 , 21, 633-636		162
256	Fabrication of super-oil-repellent dual pillar surfaces with optimized pillar intervals. <i>Langmuir</i> , 2011 , 27, 11752-6	4	72
255	Dual high adhesion surface for water in air and for oil underwater. <i>Langmuir</i> , 2011 , 27, 12466-71	4	16
254	Design of hydrophobic surfaces for liquid droplet control. 2011 , 3, 49-56		124
253	Three dimensional aspects of droplet coalescence during dropwise condensation on superhydrophobic surfaces. 2011 , 7, 8749		84
252	Fabrication, characterization and some applications of graded chiral zigzag shaped nano-sculptured silver thin films. 2011 , 257, 9425-9434		17

251	A novel simple approach to preparation of superhydrophobic surfaces of aluminum alloys. 2011 , 258, 1004-1007		44
250	Highly transparent superhydrophobic surfaces from the coassembly of nanoparticles (100 nm). <i>Langmuir</i> , 2011 , 27, 4594-602	4	182
249	Transition From Cassie-Baxter to Wenzel States on Micropillar-Formed Surfaces Induced by Evaporation. 2011 ,		
248	Electron Beam Heating of Water Droplets During in-situ ESEM Imaging of Condensation on Superhydrophobic Surfaces. 2011 , 17, 1464-1465		
247	Control of static and dynamic hydrophobicity of solid surface and its application. 2011 , 119, 711-719		5
246	Fabrication of a stable superhydrophobic film constructed by poly(vinylpyrrolidone)/poly(urushiol)-CuS through layer-by-layer assembly. 2011 , 130, 1054-1060		19
245	Mimicking natural superhydrophobic surfaces and grasping the wetting process: a review on recent progress in preparing superhydrophobic surfaces. 2011 , 169, 80-105		740
244	Methodology for imaging nano-to-microscale water condensation dynamics on complex nanostructures. 2011 , 5, 5962-8		78
243	Biomimetics Inspired Surfaces for Superhydrophobicity, Self-cleaning, Low Adhesion, and Drag Reduction. 2011 , 533-699		5
242	Superhydrophobic Polystyrene by Direct Copy of a Lotus Leaf. 2011 , 1, 136-143		21
241	Electrically Adjustable, Super Adhesive Force of a Superhydrophobic Aligned MnO ₂ Nanotube Membrane. 2011 , 21, 184-190		79
240	Stable superhydrophobic composite coatings made from an aqueous dispersion of carbon nanotubes and a fluoropolymer. 2011 , 49, 1769-1774		44
239	Experimental and theoretical evaluation of wettability on micro/nano hierarchically engineered surfaces based on robust micro-post-arrayed- and highly ordered nano-rippled-structures. 2011 , 257, 8985-8992		10
238	Superhydrophobic hierarchical surfaces fabricated by anodizing of oblique angle deposited Al ₂ O ₃ alloy columnar films. 2011 , 257, 8282-8288		18
237	Superhydrophobic surfaces: from natural to biomimetic to functional. 2011 , 353, 335-55		747
236	Natural and biomimetic artificial surfaces for superhydrophobicity, self-cleaning, low adhesion, and drag reduction. 2011 , 56, 1-108		1349
235	Design, microfabrication and evaluation of robust high-performance superhydrophobic surfaces. 2011 , 156, 401-409		57
234	Wetting behavior and nanotribological properties of silicon nanopatterns combined with diamond-like carbon and perfluoropolyether films. 2011 , 22, 395303		26

233	Electron beam heating effects during environmental scanning electron microscopy imaging of water condensation on superhydrophobic surfaces. 2011 , 98, 093106	80
232	Superhydrophobic nickel micromesh with microfences. 2011 , 21, 105003	2
231	CONTROLLING THE MOVEMENT OF WATER DROPLETS WITH MICRO- AND HIERARCHICAL MICRO/NANOSTRUCTURES. 2011 , 18, 209-222	4
230	Metallic nanocone array photonic substrate for high-uniformity surface deposition and optical detection of small molecules. 2011 , 22, 245710	12
229	Superhydrophobic Surfaces: Beyond Lotus Effect. 2012 , 331-378	3
228	Evaporation of droplets on superhydrophobic surfaces: surface roughness and small droplet size effects. 2012 , 109, 116101	137
227	Artificial Petal Effect on Nanofibrillar Parylene Surface. 2012 , 88, 32-54	4
226	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface. 2012 , 19-45	
225	Important Role of Nanopore Morphology in Superoleophobic Hierarchical Surfaces. 2012 , 116, 23308-23314	27
224	How nanorough is rough enough to make a surface superhydrophobic during water condensation?. 2012 , 8, 8786	148
223	Tunable water adhesion on titanium oxide surfaces with different surface structures. 2012 , 4, 5737-41	29
222	Using amphiphilic nanostructures to enable long-range ensemble coalescence and surface rejuvenation in dropwise condensation. 2012 , 6, 3262-8	58
221	Magnetically Induced Reversible Transition between Cassie and Wenzel States of Superparamagnetic Microdroplets on Highly Hydrophobic Silicon Surface. 2012 , 116, 18796-18802	50
220	Interfacial adhesion and superhydrophobicity modulated with polymeric nanopillars using integrated nanolithography. 2012 , 22, 125026	1
219	A simple way to achieve pattern-dependent tunable adhesion in superhydrophobic surfaces by a femtosecond laser. 2012 , 4, 4905-12	121
218	Characterisation of surface wettability based on nanoparticles. 2012 , 4, 2202-18	63
217	Following the wetting of one-dimensional photoactive surfaces. <i>Langmuir</i> , 2012 , 28, 15047-55	4 10
216	Wetting mode transition of nanoliter scale water droplets during evaporation on superhydrophobic surfaces with random roughness structure. 2012 , 258, 2378-2383	14

215	Facile fabrication of superhydrophobic nanostructures on aluminum foils with controlled-condensation and delayed-icing effects. 2012 , 258, 8253-8257		82
214	Wetting transitions in underwater oleophobic surface of brass. 2012 , 24, 5963-6		56
213	Enhanced condensation on lubricant-impregnated nanotextured surfaces. 2012 , 6, 10122-9		440
212	Genetic-Algorithm-Based Controlling of Microcontact Distributions to Minimize Electrical Contact Resistance. 2012 , 2, 1768-1776		6
211	Design of lotus-simulating surfaces: Thermodynamic analysis based on a new methodology. 2012 , 413, 314-327		28
210	Fabrication and Characterization of Micro-, Nano-, and Hierarchical Structured Surfaces. 2012 , 79-175		
209	Direct imaging of complex nano- to microscale interfaces involving solid, liquid, and gas phases. 2012 , 6, 9326-34		75
208	Strain-controlled switching of hierarchically wrinkled surfaces between superhydrophobicity and superhydrophilicity. <i>Langmuir</i> , 2012 , 28, 2753-60	4	39
207	Bioinspiration. 2012 ,		15
206	Electrowetting Phenomenon on Nanostructured Surfaces Studied by Using Atomic Force Microscopy. 2012 , 116, 14311-14317		8
205	Biomimetics. 2012 ,		36
204	Microdroplet growth mechanism during water condensation on superhydrophobic surfaces. <i>Langmuir</i> , 2012 , 28, 7720-9	4	156
203	Wetting transitions in two-, three-, and four-phase systems. <i>Langmuir</i> , 2012 , 28, 2173-80	4	77
202	Bioinspired oil strider floating at the oil/water interface supported by huge superoleophobic force. 2012 , 6, 5614-20		81
201	Clam's shell inspired high-energy inorganic coatings with underwater low adhesive superoleophobicity. 2012 , 24, 3401-5		239
200	Understanding the edge effect in wetting: a thermodynamic approach. <i>Langmuir</i> , 2012 , 28, 9421-30	4	38
199	Advances in the theory of superhydrophobic surfaces. 2012 , 22, 20112		148
198	A simple two foil approach to the fabrication of hierarchical superhydrophobic surfaces. 2012 , 404, 12-16		18

197	Multimode multidrop serial coalescence effects during condensation on hierarchical superhydrophobic surfaces. <i>Langmuir</i> , 2013 , 29, 881-91	4	175
196	Evaporation dynamics of nanodroplets and their anomalous stability on rough substrates. 2013 , 88, 012404		24
195	Durability and restoring of superhydrophobic properties in silica-based coatings. 2013 , 405, 262-8		40
194	Wetting on physically patterned solid surfaces: the relevance of molecular dynamics simulations to macroscopic systems. <i>Langmuir</i> , 2013 , 29, 11632-9	4	39
193	Advanced gecko-foot-mimetic dry adhesives based on carbon nanotubes. 2013 , 5, 475-86		46
192	Shape of Water/Air Interface beneath a Drop on a Superhydrophobic Surface Revealed: Constant Curvature That Approaches Zero. 2013 , 117, 6658-6663		17
191	Graphene drape minimizes the pinning and hysteresis of water drops on nanotextured rough surfaces. 2013 , 7, 3512-21		37
190	Effects of the hierarchical structure of rough solid surfaces on the wetting of microdroplets. <i>Langmuir</i> , 2013 , 29, 6652-8	4	35
189	Embossed superhydrophobic polymer surfaces with topological variances. 2013 , 21, 916-920		6
188	Condensation heat transfer on superhydrophobic surfaces. 2013 , 38, 397-406		274
187	Droplet condensation on polymer surfaces: A review. 2013 ,		2
186	Biomimetic patterned surfaces for controllable friction in micro- and nanoscale devices. 2013 , 1, 6		12
185	Water exclusion layers probed by depth scan confocal Raman microscopy. 2013 , 19, 1317-22		1
184	The Five Ws (and one H) of Super-Hydrophobic Surfaces in Medicine. 2014 , 5, 239-262		4
183	Surface engineering for phase change heat transfer: A review. 2014 , 1, 1		217
182	Microtexturing of the conductive PEDOT:PSS polymer for superhydrophobic organic electrochemical transistors. 2014 , 2014, 302694		15
181	Kinetics of droplet wetting mode transitions on grooved surfaces: forward flux sampling. <i>Langmuir</i> , 2014 , 30, 15442-50	4	19
180	Vibration-induced Wenzel-Cassie wetting transition on microstructured hydrophobic surfaces. 2014 , 104, 181601		21

179	Low-cost, high-sensitivity SERS nano-bio-chip for kinase profiling, drug monitoring and environmental detection: a translational platform technology. 2014 ,		1
178	Reversible Switching of Water-Droplet Adhesion on a Superhydrophobic Polythiophene Surface. <i>Advanced Materials Interfaces</i> , 2014 , 1, 1400011	4.6	19
177	Superhydrophobic and superhydrophilic nanocomposite coatings for preventing Escherichia coli K-12 adhesion on food contact surface. 2014 , 131, 135-141		43
176	Antifouling property of highly oleophobic substrates for solar cell surfaces. 2014 , 115, 103516		18
175	Influence of silanes on the wettability of anodized titanium. 2014 , 292, 650-657		32
174	Creation of microstructured surfaces using CuNi composite electrodeposition and their application to superhydrophobic surfaces. 2014 , 289, 14-20		32
173	Study of transitions between wetting states on microcavity arrays by optical transmission microscopy. <i>Langmuir</i> , 2014 , 30, 12960-8	4	42
172	Monte Carlo Study on the Wetting Behavior of a Surface Texturized with Domed Pillars. 2014 , 118, 26070-26079		2
171	Superhydrophobicity of hierarchical ZnO nanowire coatings. 2014 , 2, 6180		38
170	Selective on site separation and detection of molecules in diluted solutions with super-hydrophobic clusters of plasmonic nanoparticles. 2014 , 6, 8208-25		44
169	Fabrication of superoleophobic hierarchical surfaces for low-surface-tension liquids. 2014 , 4, 30927		36
168	Effect of topography on the wetting of nanoscale patterns: experimental and modeling studies. 2014 , 6, 15321-32		41
167	Replication of rose petal surfaces using a nickel electroforming process and UV nanoimprint lithography. 2014 , 322, 57-63		13
166	Fabrication of superhydrophobic surface by a laminating exfoliation method. 2014 , 2, 1268-1271		26
165	Facile spray-coating process for the fabrication of tunable adhesive superhydrophobic surfaces with heterogeneous chemical compositions used for selective transportation of microdroplets with different volumes. 2014 , 6, 8868-77		139
164	pH-responsive smart fabrics with controllable wettability in different surroundings. 2014 , 4, 14684		45
163	Interfacial effects of superhydrophobic plant surfaces: A review. 2014 , 11, 325-345		84
162	Bio-inspired titanium dioxide materials with special wettability and their applications. 2014 , 114, 10044-94		415

161	The evaluation of hierarchical structured superhydrophobic coatings for the alleviation of insect residue to aircraft laminar flow surfaces. 2014 , 314, 1053-1062		16
160	Multifunctional superhydrophobic surfaces templated from innately microstructured hydrogel matrix. <i>Nano Letters</i> , 2014 , 14, 4803-9	11.5	159
159	Superomniphobic, transparent, and antireflection surfaces based on hierarchical nanostructures. <i>Nano Letters</i> , 2014 , 14, 4677-81	11.5	73
158	Biomimicked high-aspect-ratio hierarchical superhydrophobic polymer surfaces. 2014 , 3, 4-9		7
157	Pinning and wetting stability of liquids on superoleophobic textured surfaces. 2014 , 2, 103-115		3
156	Surface Fraction Dependence of Contact Angles Induced by Kinks in the Triple Line. 2015 , 115, 016101		7
155	Approaching the theoretical contact time of a bouncing droplet on the rational macrostructured superhydrophobic surfaces. 2015 , 107, 111604		59
154	Water and Ethanol Droplet Wetting Transition during Evaporation on Omniphobic Surfaces. 2015 , 5, 17110		39
153	Superhydrophobic inorganic/organic composite coatings with hybrid micro-nano binary structure on copper. 2015 , 26, 1320-1325		3
152	Superhydrophobic "Aspirator": Toward Dispersion and Manipulation of Micro/Nanoliter Droplets. <i>Small</i> , 2015 , 11, 4491-6	11	30
151	Floatable, Self-Cleaning, and Carbon-Black-Based Superhydrophobic Gauze for the Solar Evaporation Enhancement at the Air-Water Interface. 2015 , 7, 13645-52		262
150	Dewetting Transitions of Dropwise Condensation on Nanotexture-Enhanced Superhydrophobic Surfaces. 2015 , 9, 12311-9		85
149	3D Micropatterned Surface Inspired by <i>Salvinia molesta</i> via Direct Laser Lithography. 2015 , 7, 25560-7		86
148	Superhydrophobic hierarchical structures produced through novel low-cost stamp fabrication and hot embossing of thermoplastic film. 2015 , 29, 5107-5111		8
147	Micro/Nanoroughness Structures on Superhydrophobic Polymer Surfaces. 2015 , 95-114		
146	Influence of the average surface roughness on the formation of superhydrophobic polymer surfaces through spin-coating with hydrophobic fumed silica. 2015 , 62, 118-128		68
145	Dynamic lateral adhesion force of water droplets on microstructured hydrophobic surfaces. 2015 , 213, 360-367		17
144	Modeling of Droplet Evaporation on Superhydrophobic Surfaces. <i>Langmuir</i> , 2015 , 31, 7652-9	4	22

143	Two-step wetting transition on ZnO nanorod arrays. 2015 , 347, 868-874		14
142	Loss of superhydrophobicity of hydrophobic micro/nano structures during condensation. 2015 , 5, 9901		37
141	Fabrication of superhydrophobic surfaces with nano-in-micro structures using UV-nanoimprint lithography and thermal shrinkage films. 2015 , 349, 169-173		61
140	Fabrication of superhydrophobic and oleophobic Al surfaces by chemical etching and surface fluorination. 2015 , 585, 76-80		35
139	Influence of the coating method on the formation of superhydrophobic silicone/urea surfaces modified with fumed silica nanoparticles. 2015 , 84, 143-152		26
138	Controlling drop bouncing using surfaces with gradient features. 2015 , 107, 051604		71
137	Antibacterial effect, structural characterization, and some applications of silver chiral nano-flower sculptured thin films. 2015 , 9, 193-200		6
136	Antifouling Surfaces and Materials. 2015 ,		13
135	Functional superhydrophobic surfaces made of Janus micropillars. 2015 , 11, 506-15		22
134	Dropwise condensation of low surface tension fluids on omniphobic surfaces. 2014 , 4, 4158		129
133	De-pinning of contact line of droplets on rough surfaces. 2016 , 765, 012001		
132	Antimicrobial Nanomaterials Derived from Natural Products-A Review. 2016 , 9,		45
131	Maskless, High-Precision, Persistent, and Extreme Wetting-Contrast Patterning in an Environmental Scanning Electron Microscope. <i>Small</i> , 2016 , 12, 1847-53	11	5
130	A Low-Voltage Microfluidic Valve Based upon a Reversible Hydrophobicity Effect. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600186	4.6	2
129	The Cassie-Wenzel transition of fluids on nanostructured substrates: Macroscopic force balance versus microscopic density-functional theory. 2016 , 145, 134703		9
128	Physics of solid-liquid interfaces: From the Young equation to the superhydrophobicity (Review Article). 2016 , 42, 622-635		24
127	Droplet migration during condensation on chemically patterned micropillars. 2016 , 6, 36698-36704		21
126	Poly(3,4-propylenedioxythiophene) mono-azide and di-azide as platforms for surface post-functionalization. 2016 , 78, 38-45		8

125	Current trend in fabrication of complex morphologically tunable superhydrophobic nano scale surfaces. 2016 , 384, 311-332		45
124	Self-Cleaning and Superhydrophobic Surfaces. 2016 , 1-43		
123	Biomimetic Surfaces for Enhanced Dropwise Condensation Heat Transfer: Mimic Nature and Transcend Nature. 2016 , 185-228		1
122	A facile and cost-effective approach to engineer surface roughness for preparation of large-scale superhydrophobic substrate with high adhesive force. 2016 , 389, 679-687		20
121	Simultaneous Replication of Hydrophilic and Superhydrophobic Micropatterns through Area-Selective Monomers Self-Assembly. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600404	4.6	5
120	Why re-entrant surface topography is needed for robust oleophobicity. 2016 , 374,		37
119	Hydrocarbon/perfluorocarbon mixed chain azides for surface post-functionalization. 2016 , 184, 8-15		5
118	Effect of NaCl in a nickel electrodeposition on the formation of nickel nanostructure. 2016 , 51, 3036-3044		21
117	Electrodeposition of Polypyrenes with Tunable Hydrophobicity, Water Adhesion, and Fluorescence Properties. 2016 , 120, 7077-7087		23
116	Facile fabrication of a superhydrophobic cage by laser direct writing for site-specific colloidal self-assembled photonic crystal. 2016 , 27, 145604		16
115	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface for Various Wetting Regimes. 2016 , 35-62		1
114	Radiation induced graft polymerization of multi-walled carbon nanotubes for superhydrophobic composite membrane preparation. 2016 , 59, 303-309		6
113	Time-Dependent Wetting Behavior of PDMS Surfaces with Bioinspired, Hierarchical Structures. 2016 , 8, 8168-74		53
112	Formation of nickel microcones by using an electrodeposition solution containing H3BO3. 2016 , 16, 261-266		15
111	Surface enhanced Raman spectroscopy measurements of MCF7 cells adhesion in confined micro-environments. 2016 , 76, 9-16		5
110	Towards nanopatterning by femtosecond laser ablation of pre-stretched elastomers. 2016 , 374, 151-156		8
109	Water-Repellent Properties of Superhydrophobic and Lubricant-Infused "Slippery" Surfaces: A Brief Study on the Functions and Applications. 2016 , 8, 3615-23		164
108	Controlled fabrication and electrowetting properties of silicon nanostructures. 2017 , 31, 31-40		3

107	Fabrication method of large-scale and mechanically durable superhydrophobic silicon rubber/aerogel coating on fibrous substrates. 2017 , 14, 477-488		9
106	Multicomponent Droplet Evaporation on Chemical Micro-Patterned Surfaces. 2017 , 7, 41897		21
105	Octagon to Square Wetting Area Transition of Water-Ethanol Droplets on a Micropyramid Substrate by Increasing Ethanol Concentration. <i>Langmuir</i> , 2017 , 33, 1147-1154	4	18
104	The rose petal effect and the role of advancing water contact angles for drop confinement. 2017 , 5, 024001		12
103	Facile, robust and large-scale fabrication method of mechanically durable superhydrophobic PDMS/aerogel coating on fibrous substrates. 2017 , 24, 3453-3467		3
102	Formation of microstructure by copper-cuprous co-electrodeposition using stirring and boric acid addition. 2017 , 18, 871-877		3
101	Wettability of Reentrant Surfaces: A Global Energy Approach. <i>Langmuir</i> , 2017 , 33, 12535-12545	4	10
100	Heat transfer performance of a lubricant-infused thermosyphon at various filling ratios. 2017 , 115, 725-736		22
99	Superhydrophobic polysulfone/polydimethylsiloxane electrospun nanofibrous membranes for water desalination by direct contact membrane distillation. 2017 , 542, 308-319		56
98	Development of Dual-Phobic Surfaces: Superamphiphobicity in Air and Oleophobicity Underwater. 2017 , 5, 6716-6726		16
97	Preparation and basic properties of superhydrophobic silicone rubber with micro-nano hierarchical structures formed by picosecond laser-ablated template. 2017 , 24, 1743-1750		11
96	Wetting characteristics of 3-dimensional nanostructured fractal surfaces. 2017 , 392, 929-935		23
95	On the degradation of superhydrophobic surfaces: A review. 2017 , 372-373, 145-157		44
94	Recent Progress in Bionic Condensate Microdrop Self-Propelling Surfaces. 2017 , 29, 1703002		71
93	. 2017 ,		3
92	Interfacial Phenomena. 2017 , 225-252		8
91	Scanning Electron Microscopy Under Gaseous Environment. 2017 , 85-103		
90	Highly Stretchable and Conductive Superhydrophobic Coating for Flexible Electronics. 2018 , 10, 10587-10597		80

89	Photo-controllable contact angle hysteresis on an artificial Azo-IPN petal. 2018 , 219, 81-84		2
88	Probing Liquid-Solid and Vapor-Liquid-Solid Interfaces of Hierarchical Surfaces Using High-Resolution Microscopy. <i>Langmuir</i> , 2018 , 34, 3720-3730	4	4
87	Facile strategy toward developing a scalable, environmental friendly and self-cleaning superhydrophobic surface. 2018 , 541, 108-116		15
86	Advances in the Theory of Superhydrophobic Surfaces and Interfaces. 2018 , 59-84		
85	Biomimetic Superhydrophobic Materials Applied for Anti-icing/Frosting. 2018 , 273-371		
84	Drop-wise and film-wise water condensation processes occurring on metallic micro-scaled surfaces. 2018 , 444, 604-609		14
83	A review on wetting and water condensation - Perspectives for CO ₂ condensation. 2018 , 256, 291-304		9
82	Anti-fingerprint properties of engineering surfaces: a review. 2018 , 34, 85-120		35
81	. 2018 ,		1
80	Mapping the transition to superwetting state for nanotextured surfaces templated from block-copolymer self-assembly. 2018 , 10, 20652-20663		10
79	Engineered Slippery Surface to Mitigate Gypsum Scaling in Membrane Distillation for Treatment of Hypersaline Industrial Wastewaters. 2018 , 52, 14362-14370		86
78	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface for Various Wetting Regimes. 2018 , 51-80		
77	Strategies for Micropatterned, Nanopatterned, and Hierarchically Structured Lotus-like Surfaces. 2018 , 121-197		
76	Highly Reliable Superhydrophobic Surface with Carbon Nanotubes Immobilized on a PDMS/Adhesive Multilayer. 2018 , 3, 12956-12966		10
75	Durable and Recyclable Superhydrophilic/Superoleophobic Materials for Efficient Oil/Water Separation and Water-Soluble Dyes Removal. <i>ACS Applied Nano Materials</i> , 2018 , 1, 5197-5209	5.6	35
74	Superoleophobic Slippery Lubricant-Infused Surfaces: Combining Two Extremes in the Same Surface. 2018 , 30, e1803890		71
73	How to Engineer Surfaces to Control and Optimize Boiling, Condensation and Frost Formation?. 2018 , 63-158		
72	Tailoring of polycrystalline diamond surfaces from hydrophilic to superhydrophobic via synergistic chemical plus micro-structuring processes. 2018 , 139, 361-368		12

71	Monolithic Polymer Nanoridges with Programmable Wetting Transitions. 2018 , 30, e1706657	33
70	Fabrication of Micro/Nano Patterns on Polymeric Substrates Using Laser Ablation Methods to Control Wettability Behaviour: A Critical Review. 2018 , 53-75	
69	Single Pass Laser Process for Super-Hydrophobic Flexible Surfaces with Micro/Nano Hierarchical Structures. 2018 , 11,	9
68	Mixed Matrix Polytetrafluoroethylene/Polysulfone Electrospun Nanofibrous Membranes for Water Desalination by Membrane Distillation. 2018 , 10, 24275-24287	44
67	Multidimensional durability of superhydrophobic self-cleaning surface derived from rice-husk ash. 2019 , 136, 105221	6
66	Droplet dynamics on slippery surfaces: small droplet, big impact. 2019 , 5, 35-45	13
65	A new model for contact angle hysteresis of superhydrophobic surface. 2019 , 9, 065309	8
64	Numerical study of wetting stability and sliding behavior of liquid droplets on microgrooved surfaces. 2019 , 297, 989-1000	4
63	Opposite superwetting magnetic stainless-steel mesh for multiple types of oil/water separation. 2019 , 6, 105548	1
62	Real-Time Monitoring of Pesticide Translocation in Tomato Plants by Surface-Enhanced Raman Spectroscopy. 2019 , 91, 2093-2099	24
61	Supersolvophobic Soft Wetting: Nanoscale Elastocapillarity, Adhesion, and Retention of a Drop Behaving as a Nanoparticle. 2019 , 1, 1262-1273	5
60	Superhydrophobic Wax Coatings for Prevention of Biofilm Establishment in Dairy Food.. 2019 , 2, 4932-4940	8
59	Energy-effective superhydrophobic nanocoating based on recycled eggshell. 2019 , 568, 20-28	14
58	Evaporation-Induced Wetting Transition of Nanodroplets on Nanopatterned Surfaces with Concentric Rings: Surface Geometry and Wettability Effects. <i>Langmuir</i> , 2019 , 35, 9546-9553	4 14
57	The role of viscous and capillary forces in the prediction of critical conditions defining super-hydrophobic and hydrophilic characteristics. 2019 , 207, 527-541	6
56	Fabrication of superhydrophobic surfaces with tunable water droplet adhesion force by a two-step method. 2019 , 45, 14389-14396	4
55	In situ observations for growth kinetics of water droplets on Bambusa multiplex leaves. 2019 , 114, 153702	1
54	Geometric and chemical nonuniformity may induce the stability of more than one wetting state in the same hydrophobic surface. 2019 , 99, 032801	5

53	Electrospun nanofibrous membranes in membrane distillation: Recent developments and future perspectives. 2019 , 221, 44-63		49
52	Bi-Gaussian Stratified Wetting Model on Rough Surfaces. <i>Langmuir</i> , 2019 , 35, 5967-5974	4	6
51	Long-term Durability of Stearic Acid Silicon Dioxide Nanoparticle Superhydrophobic Coating on Aluminium Alloy Overhead Line Conductors. 2019 ,		
50	Study of hemiwicking with lattice Boltzmann simulations: A wetting state is dynamically trapped by pinning of imbibition front. 2019 , 9, 125103		4
49	Compare study between icephobicity and superhydrophobicity. 2019 , 556, 118-130		12
48	Fabrication of a Robust and Flame-Retardant Alooh-Lignocellulose Composite with a Lotus-Leaf-Like Superhydrophobic Coating. 2020 , 40, 44-57		10
47	Sponge-based materials for oil spill cleanups: A review. 2020 , 14, 749-762		15
46	Role of randomly distributed nanoscale roughness for designing highly hydrophobic particle surface without using low surface energy coating. 2020 , 564, 8-18		8
45	A novel TiO@stearic acid/chitosan coating with reversible wettability for controllable oil/water and emulsions separation. 2020 , 232, 115807		37
44	Investigation on <i>Mecynorhina torquata</i> Drury, 1782 (Coleoptera, Cetoniidae, Goliathini) cuticle: Surface properties, chitin and chitosan extraction. 2020 , 164, 1164-1173		3
43	Water and Ice Nucleation on Solid Surfaces. 2020 , 55-85		1
42	Practice of Simulation and Life Cycle Assessment in Tribology-A Review. 2020 , 13,		7
41	Fabrication of cerium myristate coating for a mechanochemically robust modifier-free superwettability system to enhance the corrosion resistance on 316L steel by one-step electrodeposition. 2020 , 398, 125970		8
40	Evaporation and particle deposition of bi-component colloidal droplets on a superhydrophobic surface. 2020 , 159, 120063		8
39	Directional rebound control of droplets on low-temperature regular and irregular wrinkled superhydrophobic surfaces. 2020 , 530, 147099		7
38	Macro-corrugated and nano-patterned hierarchically structured superomniphobic membrane for treatment of low surface tension oily wastewater by membrane distillation. 2020 , 174, 115600		39
37	Intermediate States of Wetting on Hierarchical Superhydrophobic Surfaces. <i>Langmuir</i> , 2020 , 36, 5517-5523		8
36	Robust superhydrophobicity: mechanisms and strategies. 2021 , 50, 4031-4061		86

35	A bio-inspired method to fabricate the substrate-independent Janus membranes with outstanding floatability for precise oil/water separation. 2021 , 44, 1		0
34	Principal Component Analysis to Determine the Surface Properties That Influence the Self-Cleaning Action of Hydrophobic Plant Leaves. <i>Langmuir</i> , 2021 , 37, 8177-8189	4	0
33	A colored hydrophobic peptide film based on self-assembled two-fold topology. 2021 , 594, 326-333		1
32	Recent Progress of Bioinspired Scalephobic Surfaces with Specific Barrier Layers. <i>Langmuir</i> , 2021 , 37, 8639-8657	4	5
31	Surface modifications to enhance dropwise condensation. 2021 , 25, 101143		5
30	Self-Organization, Entropy Generation Rate, and Boundary Defects: A Control Volume Approach. 2021 , 23,		2
29	Electric field-triggered Cassie-Baxter-Wenzel wetting transition on textured surface. 2021 , 3,		1
28	Near-infrared light accurately controllable superhydrophobic surface from water sticking to repelling. 2022 , 427, 131718		11
27	Superhydrophobicity. 2011 , 275-318		1
26	Case Study of Self-Healing in Metallic Composite with Embedded Low Melting Temperature Solders. 2011 , 53-73		1
25	Dynamic Study of Nanodroplet Nucleation and Growth Using Transmitted Electrons in ESEM. 2013 , 51-72		4
24	Lotus Versus Rose: Biomimetic Surface Effects. <i>Green Energy and Technology</i> , 2012 , 25-40	0.6	41
23	Antifouling Self-Cleaning Surfaces. 2015 , 1-29		2
22	Spontaneous Wenzel to Cassie dewetting transition on structured surfaces. <i>Physical Review Fluids</i> , 2016 , 1,	2.8	29
21	Influence of Weather Conditions on the Surface Morphology and Wetting Behaviour of Superhydrophobic Quaking Aspen Leaves. <i>American Journal of Plant Sciences</i> , 2013 , 04, 61-68	0.5	4
20	Molecular Dynamics Simulation Study on the Wetting Behavior of a Graphite Surface Textured with Nanopillars. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 1047-1050	1.2	7
19	Competitive Wetting: A New Approach to Prevent Liquid Penetration through Porous Materials with Superior Synergistic Effect. <i>Small</i> , 2021 , 17, e2103695	11	
18	Can One Predict a Drop Contact Angle?. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2101005	4.6	2

17	Static and Dynamic Hydrophobicity of Solid Surface. <i>Journal of the Japan Society of Colour Material</i> , 2011 , 84, 373-379	0	
16	Green Tribology, its History, Challenges, and Perspectives. <i>Green Energy and Technology</i> , 2012 , 3-22	0.6	
15	Fabrication and Characterization of Micro-, Nano- and Hierarchically Structured Lotus-Like Surfaces. 2016 , 97-203		
14	Asymmetric Mass Transport through Dense Heterogeneous Polymer Membranes: Fundamental Principles, Lessons from Nature, and Artificial Systems. <i>Macromolecular Rapid Communications</i> , 2021 , e2100654	4.8	
13	Coal-Derived Functionalized Nano-Graphene Oxide for Bleach Washable, Durable Antiviral Fabric Coatings. <i>ACS Applied Nano Materials</i> , 2022 , 5, 718-728	5.6	1
12	Superhydrophobic and superamphiphobic materials for the conservation of natural stone: An overview. <i>Construction and Building Materials</i> , 2022 , 320, 126175	6.7	5
11	Core-shell microcapsules: biofabrication and potential applications in tissue engineering and regenerative medicine.. <i>Biomaterials Science</i> , 2022 ,	7.4	1
10	A Study on Functional Hydrophobic Stainless Steel 316L Using Single-Step Anodization and a Self-Assembled Monolayer Coating to Improve Corrosion Resistance. <i>Coatings</i> , 2022 , 12, 395	2.9	0
9	Fluorescent Staining of Silicone Micro- and Nanopatterns for Their Optical Imaging.. <i>Langmuir</i> , 2021 ,	4	0
8	A Multiplier of Efficiency and Performance: Ultrasound-Assisted Freeze-Drying Strategy for Polyimide Aerogels. <i>SSRN Electronic Journal</i> ,	1	
7	Enhancing Recurrent Droplet Jumping Phenomena on Heterogeneous Surface Designs. <i>Advanced Materials Interfaces</i> , 2200573	4.6	0
6	A Durable Magnetic Superhydrophobic Melamine Sponge: For Solving Complex Marine Oil Spills. <i>Nanomaterials</i> , 2022 , 12, 2488	5.4	0
5	Ultrasound-assisted freeze-drying process for polyimide aerogels. 2022 , 450, 138344		
4	Flexible Superhydrophobic Microlens Arrays for Humid Outdoor Environment Applications.		1
3	Hydrophobic Multifunctional Flexible Sensors with a Rapid Humidity Response for Long-Term Respiratory Monitoring. 2023 , 11, 2375-2386		0
2	Design of a truss-structured compliant toolholder for machining of structured surfaces.		0
1	New superhydrophobic composite coatings on Mg-Mn-Ce magnesium alloy. 2023 ,		0