

The Biology of NKT Cells

Annual Review of Immunology

25, 297-336

DOI: [10.1146/annurev.immunol.25.022106.141711](https://doi.org/10.1146/annurev.immunol.25.022106.141711)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 2 | Effect of cardiac A1 adenosine receptor overexpression on sarcoplasmic reticulum function. <i>Cardiovascular Research</i> , 2002, 53, 326-333. | 1.8 | 23 |
| 3 | kep1 interacts genetically with dredd/Caspase-8, and kep1 mutants alter the balance of dredd isoforms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 1814-1819. | 3.3 | 22 |
| 4 | Peripheral NK1.1 ^{hi} NKT Cells Are Mature and Functionally Distinct from Their Thymic Counterparts. <i>Journal of Immunology</i> , 2007, 179, 6630-6637. | 0.4 | 60 |
| 5 | Sulfatides for the treatment of autoimmune disorders. <i>Expert Opinion on Therapeutic Patents</i> , 2007, 17, 1191-1196. | 2.4 | 0 |
| 6 | Airway Hyperresponsiveness through Synergy of $\gamma\delta$ T Cells and NKT Cells. <i>Journal of Immunology</i> , 2007, 179, 2961-2968. | 0.4 | 42 |
| 7 | Involvement of the CD1d ^{hi} Natural Killer T Cell Pathway in Neointima Formation After Vascular Injury. <i>Circulation Research</i> , 2007, 101, e83-9. | 2.0 | 20 |
| 8 | Modulation of human natural killer T cell ligands on TLR-mediated antigen-presenting cell activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20490-20495. | 3.3 | 173 |
| 9 | ASC/PYCARD and Caspase-1 Regulate the IL-18/IFN- γ Axis during <i>Anaplasma phagocytophilum</i> Infection. <i>Journal of Immunology</i> , 2007, 179, 4783-4791. | 0.4 | 75 |
| 10 | CD4 engagement by CD1d potentiates activation of CD4 ⁺ invariant NKT cells. <i>Blood</i> , 2007, 110, 251-258. | 0.6 | 47 |
| 11 | A Y Chromosome-Linked Factor Impairs NK T Development. <i>Journal of Immunology</i> , 2007, 179, 3480-3487. | 0.4 | 17 |
| 12 | Natural killer T cells and X-linked lymphoproliferative syndrome. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2007, 7, 510-514. | 1.1 | 37 |
| 13 | Activation of Invariant NKT Cells by Toll-like Receptor 9-Stimulated Dendritic Cells Requires Type I Interferon and Charged Glycosphingolipids. <i>Immunity</i> , 2007, 27, 597-609. | 6.6 | 243 |
| 14 | Homotypic Interactions Mediated by Slamf1 and Slamf6 Receptors Control NKT Cell Lineage Development. <i>Immunity</i> , 2007, 27, 751-762. | 6.6 | 301 |
| 15 | Deletion of CD4 and CD8 Coreceptors Permits Generation of $\gamma\delta$ T Cells that Recognize Antigens Independently of the MHC. <i>Immunity</i> , 2007, 27, 735-750. | 6.6 | 163 |
| 16 | The SLAM-Associated Protein Signaling Pathway Is Required for Development of CD4 ⁺ T Cells Selected by Homotypic Thymocyte Interaction. <i>Immunity</i> , 2007, 27, 763-774. | 6.6 | 68 |
| 17 | Consequence of the SLAM-SAP Signaling Pathway in Innate-like and Conventional Lymphocytes. <i>Immunity</i> , 2007, 27, 698-710. | 6.6 | 100 |
| 18 | Human Primary Immunodeficiency Diseases. <i>Immunity</i> , 2007, 27, 835-845. | 6.6 | 125 |
| 19 | A closer look at CD1d molecules: new horizons in studying NKT cells. <i>Trends in Immunology</i> , 2007, 28, 455-462. | 2.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 20 | The Innate Immune System. <i>NeuroImmune Biology</i> , 2007, , 87-99. | 0.2 | 0 |
| 21 | Identification of an IL-17 ⁺ producing NK1.1 ^{neg} iNKT cell population involved in airway neutrophilia. <i>Journal of Experimental Medicine</i> , 2007, 204, 995-1001. | 4.2 | 559 |
| 22 | A General and Stereoselective Route to $\hat{1}\pm$ - or $\hat{1}^2$ -Galactosphingolipids via a Common Four-Carbon Building Block. <i>Journal of Organic Chemistry</i> , 2007, 72, 7757-7760. | 1.7 | 13 |
| 24 | Interleukin-18 regulates T helper 1 or 2 immune responses of human cord blood CD4 ⁺ V $\hat{1}\pm$ 24+V $\hat{1}^2$ 11+ natural killer T cells. <i>International Journal of Molecular Medicine</i> , 0, , . | 1.8 | 4 |
| 25 | Synthesis and evaluation of stimulatory properties of Sphingomonadaceae glycolipids. <i>Nature Chemical Biology</i> , 2007, 3, 559-564. | 3.9 | 59 |
| 26 | Signalling through TEC kinases regulates conventional versus innate CD8 ⁺ T-cell development. <i>Nature Reviews Immunology</i> , 2007, 7, 479-485. | 10.6 | 126 |
| 27 | TGF $\hat{1}^2$ signalling in control of T-cell-mediated self-reactivity. <i>Nature Reviews Immunology</i> , 2007, 7, 443-453. | 10.6 | 290 |
| 28 | Control points in NKT-cell development. <i>Nature Reviews Immunology</i> , 2007, 7, 505-518. | 10.6 | 265 |
| 29 | CD1 antigen presentation: how it works. <i>Nature Reviews Immunology</i> , 2007, 7, 929-941. | 10.6 | 310 |
| 30 | CD1 ^d lipid-antigen recognition by the semi-invariant NKT T-cell receptor. <i>Nature</i> , 2007, 448, 44-49. | 13.7 | 533 |
| 31 | Age \hat{e} dependent accumulation of monoclonal CD4 ⁺ CD8 ⁺ double positive T lymphocytes in the peripheral blood of the elderly. <i>British Journal of Haematology</i> , 2007, 139, 780-790. | 1.2 | 84 |
| 32 | Translational Mini-Review Series on Type 1 Diabetes: Immune-based therapeutic approaches for type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2007, 148, 17-31. | 1.1 | 129 |
| 33 | Autoimmune Hepatitis in Brazil: An Overview. <i>Scandinavian Journal of Immunology</i> , 2007, 66, 208-216. | 1.3 | 24 |
| 34 | Innate V $\hat{1}\pm$ 14 ⁺ natural killer T cells mature dendritic cells, leading to strong adaptive immunity. <i>Immunological Reviews</i> , 2007, 220, 183-198. | 2.8 | 158 |
| 35 | CD1 mediated T cell recognition of glycolipids. <i>Current Opinion in Structural Biology</i> , 2007, 17, 521-529. | 2.6 | 52 |
| 36 | Understanding the behavior of invariant NKT cells in autoimmune diseases. <i>Journal of Neuroimmunology</i> , 2007, 191, 8-15. | 1.1 | 55 |
| 37 | Expansion of CD56 ^{Bright} natural killer cells in the peripheral blood of multiple sclerosis patients treated with interferon-beta. <i>Neurological Sciences</i> , 2007, 28, 121-126. | 0.9 | 145 |
| 38 | IL-4 inducibility in NKT cells, na \hat{v} e CD4 ⁺ T cells and TCR $\hat{3}$ $\hat{1}$ ' T cells. <i>Journal of Biomedical Science</i> , 2007, 14, 533-538. | 2.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 39 | CD1d-restricted iNKT cells, the "Swiss-Army knife"™ of the immune system. <i>Current Opinion in Immunology</i> , 2008, 20, 358-368. | 2.4 | 348 |
| 40 | Modulation of invariant natural killer T cell cytokine responses by indoleamine 2,3-dioxygenase. <i>Immunology Letters</i> , 2008, 117, 81-90. | 1.1 | 44 |
| 41 | A novel immunoregulatory axis of NKT cell subsets regulating tumor immunity. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 1679-1683. | 2.0 | 50 |
| 42 | Therapeutic vaccines for non-Hodgkin B-cell lymphoma. <i>Clinical and Translational Oncology</i> , 2008, 10, 543-551. | 1.2 | 4 |
| 43 | The role of natural killer T cells in lung inflammation. <i>Journal of Pathology</i> , 2008, 214, 276-282. | 2.1 | 21 |
| 44 | Distinct subsets of human invariant NKT cells differentially regulate T _H 1, helper responses via dendritic cells. <i>European Journal of Immunology</i> , 2008, 38, 1012-1023. | 1.6 | 53 |
| 45 | Activation of invariant NKT cells enhances the innate immune response and improves the disease course in influenza A virus infection. <i>European Journal of Immunology</i> , 2008, 38, 1913-1922. | 1.6 | 90 |
| 46 | Co-inhibitory roles for glucocorticoid-induced TNF receptor in CD1d-dependent natural killer T cells. <i>European Journal of Immunology</i> , 2008, 38, 2229-2240. | 1.6 | 18 |
| 47 | NKT cell development in the absence of the autoimmune regulator gene (Aire). <i>European Journal of Immunology</i> , 2008, 38, 2689-2696. | 1.6 | 14 |
| 48 | Beyond insulin resistance: Innate immunity in nonalcoholic steatohepatitis. <i>Hepatology</i> , 2008, 48, 670-678. | 3.6 | 176 |
| 49 | Dendritic cell vaccines in melanoma: From promise to proof?. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 66, 118-134. | 2.0 | 113 |
| 50 | Corrugoside, a new immunostimulatory 1- β -galactoglycosphingolipid from the marine sponge <i>Axinella corrugata</i> †. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 2077-2085. | 1.4 | 25 |
| 51 | Synthesis of diglycosylceramides and evaluation of their iNKT cell stimulatory properties. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3052-3055. | 1.0 | 12 |
| 52 | 1- β -S-GalCer: Synthesis and evaluation for iNKT cell stimulation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 6374-6376. | 1.0 | 34 |
| 53 | Natural Sphingomonas Glycolipids Vary Greatly in Their Ability to Activate Natural Killer T Cells. <i>Chemistry and Biology</i> , 2008, 15, 654-664. | 6.2 | 61 |
| 54 | A Glycan Shield for Bacterial Sphingolipids. <i>Chemistry and Biology</i> , 2008, 15, 642-644. | 6.2 | 4 |
| 55 | Liver invariant NKT cells and listeriosis. <i>Microbes and Infection</i> , 2008, 10, 1036-1040. | 1.0 | 2 |
| 56 | NKT cells in HIV-1 infection. <i>Cell Research</i> , 2008, 18, 817-822. | 5.7 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 57 | CD1d presentation of glycolipids. <i>Immunology and Cell Biology</i> , 2008, 86, 588-597. | 1.0 | 21 |
| 58 | The BTB zinc finger transcriptional regulator PLZF controls the development of invariant natural killer T cell effector functions. <i>Nature Immunology</i> , 2008, 9, 1055-1064. | 7.0 | 503 |
| 59 | Acute upregulation of an NKG2D ligand promotes rapid reorganization of a local immune compartment with pleiotropic effects on carcinogenesis. <i>Nature Immunology</i> , 2008, 9, 146-154. | 7.0 | 235 |
| 60 | Interferon- β is a therapeutic target molecule for prevention of postoperative adhesion formation. <i>Nature Medicine</i> , 2008, 14, 437-441. | 15.2 | 96 |
| 61 | Anomalies in conventional T and invariant natural killer T cell populations in Fabry mice but not in Fabry patients. <i>British Journal of Haematology</i> , 2008, 143, 601-604. | 1.2 | 13 |
| 62 | Fine specificity of natural killer T cells against GD3 ganglioside and identification of GM3 as an inhibitory natural killer T cell ligand. <i>Immunology</i> , 2008, 123, 145-155. | 2.0 | 48 |
| 63 | β -Galactosylceramide modulates the induction of indoleamine 2,3-dioxygenase in antigen presenting cells. <i>Biochemical Pharmacology</i> , 2008, 76, 738-750. | 2.0 | 18 |
| 64 | A distinct subset of natural killer T cells produces IL-17, contributing to airway infiltration of neutrophils but not to airway hyperreactivity. <i>Cellular Immunology</i> , 2008, 251, 50-55. | 1.4 | 55 |
| 65 | Butyrate inhibits functional differentiation of human monocyte-derived dendritic cells. <i>Cellular Immunology</i> , 2008, 253, 54-58. | 1.4 | 72 |
| 66 | Expansion of CD56 ⁺ NK cells in chronic HCV/HIV-1 co-infection: Reversion by antiviral treatment with pegylated IFN α and ribavirin. <i>Clinical Immunology</i> , 2008, 128, 46-56. | 1.4 | 60 |
| 67 | Innate immunity and aging. <i>Experimental Gerontology</i> , 2008, 43, 718-728. | 1.2 | 280 |
| 68 | Generation and characterisation of CD1d tetramer produced by a lentiviral expression system. <i>Journal of Immunological Methods</i> , 2008, 330, 57-63. | 0.6 | 9 |
| 69 | Application of nine-color flow cytometry for detailed studies of the phenotypic complexity and functional heterogeneity of human lymphocyte subsets. <i>Journal of Immunological Methods</i> , 2008, 330, 64-74. | 0.6 | 27 |
| 70 | Type II natural killer T cells: a new target for immunomodulation?. <i>Expert Review of Clinical Immunology</i> , 2008, 4, 615-627. | 1.3 | 8 |
| 71 | The SLAM and SAP Gene Families Control Innate and Adaptive Immune Responses. <i>Advances in Immunology</i> , 2008, 97, 177-250. | 1.1 | 138 |
| 72 | Direct activation of natural killer T cells induces airway hyperreactivity in nonhuman primates. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 1287-1289. | 1.5 | 38 |
| 73 | β -Glycosphingolipids as Immune Modulators. <i>Journal of Immunotoxicology</i> , 2008, 5, 209-220. | 0.9 | 14 |
| 74 | Antibody response to GD3 ganglioside is independent of NKT cells. <i>Cytotherapy</i> , 2008, 10, 38-44. | 0.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 75 | CD4 T cells: fates, functions, and faults. <i>Blood</i> , 2008, 112, 1557-1569. | 0.6 | 1,333 |
| 76 | Crystal Structures of Mouse CD1d-iGb3 Complex and its Cognate α 14 β T Cell Receptor Suggest a Model for Dual Recognition of Foreign and Self Glycolipids. <i>Journal of Molecular Biology</i> , 2008, 377, 1104-1116. | 2.0 | 94 |
| 77 | Hypothesized role of galactocerebroside and NKT cells in the etiology of multiple sclerosis. <i>Medical Hypotheses</i> , 2008, 70, 826-830. | 0.8 | 13 |
| 78 | Molecular profiling reveals distinct functional attributes of CD1d-restricted natural killer (NK) T cell subsets. <i>Molecular Immunology</i> , 2008, 45, 2607-2620. | 1.0 | 34 |
| 79 | The genetics of immunoregulatory T cells. <i>Journal of Autoimmunity</i> , 2008, 31, 237-244. | 3.0 | 34 |
| 80 | NKT lymphocyte polarization determined by microenvironment signaling: A role for CD8 ⁺ lymphocytes and β -glycosphingolipids. <i>Journal of Autoimmunity</i> , 2008, 31, 188-195. | 3.0 | 19 |
| 81 | Acid Test: Lipid Antigens Get into the Groove. <i>Immunity</i> , 2008, 28, 727-729. | 6.6 | 4 |
| 82 | A Bony Fish Immunological Receptor of the NITR Multigene Family Mediates Allogeneic Recognition. <i>Immunity</i> , 2008, 29, 228-237. | 6.6 | 42 |
| 83 | The Transcription Factor PLZF Directs the Effector Program of the NKT Cell Lineage. <i>Immunity</i> , 2008, 29, 391-403. | 6.6 | 637 |
| 84 | Exploiting dendritic cells and natural killer T cells in immunotherapy against malignancies. <i>Trends in Immunology</i> , 2008, 29, 242-249. | 2.9 | 34 |
| 85 | Immune regulation and the eye. <i>Trends in Immunology</i> , 2008, 29, 548-554. | 2.9 | 86 |
| 86 | β -Glycosphingolipid-induced augmentation of the anti-HBV immune response is associated with altered CD8 and NKT lymphocyte distribution: A novel adjuvant for HBV vaccination. <i>Vaccine</i> , 2008, 26, 2589-2595. | 1.7 | 27 |
| 87 | Invariant Natural Killer T Cells Trigger Adaptive Lymphocytes to Churn Up Bile. <i>Cell Host and Microbe</i> , 2008, 3, 275-277. | 5.1 | 10 |
| 88 | Chapter 8 The Role of NKT Cells in Tumor Immunity. <i>Advances in Cancer Research</i> , 2008, 101, 277-348. | 1.9 | 274 |
| 89 | Evolutionarily Conserved Amino Acids That Control TCR-MHC Interaction. <i>Annual Review of Immunology</i> , 2008, 26, 171-203. | 9.5 | 261 |
| 90 | p63 Induces CD4 ⁺ T-Cell Chemoattractant TARC/CCL17 in Human Epithelial Cells. <i>Journal of Interferon and Cytokine Research</i> , 2008, 28, 725-732. | 0.5 | 10 |
| 91 | B cell receptor-mediated uptake of CD1d-restricted antigen augments antibody responses by recruiting invariant NKT cell help <i>in vivo</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8345-8350. | 3.3 | 178 |
| 92 | Ozone exposure in a mouse model induces airway hyperreactivity that requires the presence of natural killer T cells and IL-17. <i>Journal of Experimental Medicine</i> , 2008, 205, 385-393. | 4.2 | 285 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 93 | Prostaglandin D2 Inhibits the Production of IFN- $\hat{\beta}$ by Invariant NK T Cells: Consequences in the Control of B16 Melanoma. <i>Journal of Immunology</i> , 2008, 180, 783-792. | 0.4 | 28 |
| 94 | Regulatory Roles for NKT Cell Ligands in Environmentally Induced Autoimmunity. <i>Journal of Immunology</i> , 2008, 181, 6779-6788. | 0.4 | 12 |
| 95 | Cutting Edge: The Mechanism of Invariant NKT Cell Responses to Viral Danger Signals. <i>Journal of Immunology</i> , 2008, 181, 4452-4456. | 0.4 | 152 |
| 96 | Sulfatide, A Major Lipid Component of Myelin Sheath, Activates Inflammatory Responses As an Endogenous Stimulator in Brain-Resident Immune Cells. <i>Journal of Immunology</i> , 2008, 181, 8077-8087. | 0.4 | 112 |
| 97 | Antiviral NK cell responses in HIV infection: I. NK cell receptor genes as determinants of HIV resistance and progression to AIDS. <i>Journal of Leukocyte Biology</i> , 2008, 84, 1-26. | 1.5 | 75 |
| 98 | Regulatory Roles of CD1d-Restricted NKT Cells in the Induction of Toxic Shock-Like Syndrome in an Animal Model of Fatal Ehrlichiosis. <i>Infection and Immunity</i> , 2008, 76, 1434-1444. | 1.0 | 43 |
| 99 | Inhibitory Function of Interferon on Hepatocarcinogenesis. <i>Oncology</i> , 2008, 75, 22-29. | 0.9 | 4 |
| 100 | T Cells and NKT Cells in the Pathogenesis of Asthma. <i>Annual Review of Medicine</i> , 2008, 59, 281-292. | 5.0 | 77 |
| 101 | Aberrant Genetic Control of Invariant TCR-Bearing NKT Cell Function in New Zealand Mouse Strains: Possible Involvement in Systemic Lupus Erythematosus Pathogenesis. <i>Journal of Immunology</i> , 2008, 180, 4530-4539. | 0.4 | 9 |
| 102 | Invariant NKT Cells Regulate Experimental Autoimmune Encephalomyelitis and Infiltrate the Central Nervous System in a CD1d-Independent Manner. <i>Journal of Immunology</i> , 2008, 181, 2321-2329. | 0.4 | 62 |
| 103 | The vitamin D receptor is required for iNKT cell development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5207-5212. | 3.3 | 150 |
| 104 | Circulating Myeloid Dendritic Cells of Advanced Cancer Patients Result in Reduced Activation and a Biased Cytokine Profile in Invariant NKT Cells. <i>Journal of Immunology</i> , 2008, 180, 7287-7293. | 0.4 | 38 |
| 105 | Human Invariant NKT Cells Display Alloreactivity Instructed by Invariant TCR-CD1d Interaction and Killer Ig Receptors. <i>Journal of Immunology</i> , 2008, 181, 3268-3276. | 0.4 | 23 |
| 106 | Cutting Edge: NKT Cells Constitutively Express IL-23 Receptor and ROR $\hat{\beta}$ t and Rapidly Produce IL-17 upon Receptor Ligation in an IL-6-Independent Fashion. <i>Journal of Immunology</i> , 2008, 180, 5167-5171. | 0.4 | 363 |
| 107 | ICOS/ICOSL Interaction Is Required for CD4+ Invariant NKT Cell Function and Homeostatic Survival. <i>Journal of Immunology</i> , 2008, 180, 5448-5456. | 0.4 | 79 |
| 108 | Impaired SLAM-SLAM Homotypic Interaction between Invariant NKT Cells and Dendritic Cells Affects Differentiation of IL-4/IL-10-Secreting NKT2 Cells in Nonobese Diabetic Mice. <i>Journal of Immunology</i> , 2008, 181, 869-877. | 0.4 | 36 |
| 109 | Innate-Like Effector Differentiation of Human Invariant NKT Cells Driven by IL-7. <i>Journal of Immunology</i> , 2008, 180, 4415-4424. | 0.4 | 27 |
| 110 | c-Jun NH \langle sub>2</sub> -Terminal Kinase 2 Inhibits Gamma Interferon Production during \langle i>Anaplasma phagocytophilum</i> Infection. <i>Infection and Immunity</i> , 2008, 76, 308-316. | 1.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 111 | Sensitive detection of isoglobo and globo series tetraglycosylceramides in human thymus by ion trap mass spectrometry. <i>Glycobiology</i> , 2008, 18, 158-165. | 1.3 | 63 |
| 112 | Regulation of Thymic NKT Cell Development by the B7-CD28 Costimulatory Pathway. <i>Journal of Immunology</i> , 2008, 181, 907-917. | 0.4 | 48 |
| 113 | Cutting Edge: Nonglycosidic CD1d Lipid Ligands Activate Human and Murine Invariant NKT Cells. <i>Journal of Immunology</i> , 2008, 180, 6452-6456. | 0.4 | 76 |
| 114 | MR1 uses an endocytic pathway to activate mucosal-associated invariant T cells. <i>Journal of Experimental Medicine</i> , 2008, 205, 1201-1211. | 4.2 | 134 |
| 115 | Activation of Invariant NKT Cells Exacerbates Experimental Visceral Leishmaniasis. <i>PLoS Pathogens</i> , 2008, 4, e1000028. | 2.1 | 53 |
| 116 | Innate Invariant NKT Cells Recognize Mycobacterium tuberculosis-Infected Macrophages, Produce Interferon- γ , and Kill Intracellular Bacteria. <i>PLoS Pathogens</i> , 2008, 4, e1000239. | 2.1 | 177 |
| 117 | Rapid NKT Cell Responses Are Self-Terminating during the Course of Microbial Infection. <i>Journal of Immunology</i> , 2008, 181, 2292-2302. | 0.4 | 66 |
| 118 | Human interleukin 17-producing cells originate from a CD161+CD4+ T cell precursor. <i>Journal of Experimental Medicine</i> , 2008, 205, 1903-1916. | 4.2 | 668 |
| 119 | Critical role of ROR- γ t in a new thymic pathway leading to IL-17-producing invariant NKT cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 19845-19850. | 3.3 | 214 |
| 120 | The transcriptional regulator PLZF induces the development of CD44 high memory phenotype T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17919-17924. | 3.3 | 78 |
| 121 | Cutting Edge: Programmed Death-1/Programmed Death Ligand 1 Interaction Regulates the Induction and Maintenance of Invariant NKT Cell Anergy. <i>Journal of Immunology</i> , 2008, 181, 6707-6710. | 0.4 | 131 |
| 122 | β -Glycosphingolipids-mediated lipid raft alteration is associated with redistribution of NKT cells and increased intrahepatic CD8+ T lymphocyte trapping. <i>Journal of Lipid Research</i> , 2008, 49, 1884-1893. | 2.0 | 22 |
| 123 | Influence of a Non-NK Complex Region of Chromosome 6 on CD4+ Invariant NK T Cell Homeostasis. <i>Journal of Immunology</i> , 2008, 181, 1753-1759. | 0.4 | 4 |
| 124 | CD1d-restricted glycolipid antigens: presentation principles, recognition logic and functional consequences. <i>Expert Reviews in Molecular Medicine</i> , 2008, 10, e20. | 1.6 | 19 |
| 125 | Intrahepatic Expression of Genes Affiliated with Innate and Adaptive Immune Responses Immediately after Invasion and during Acute Infection with Woodchuck Hepadnavirus. <i>Journal of Virology</i> , 2008, 82, 8579-8591. | 1.5 | 75 |
| 126 | SAP expression in T cells, not in B cells, is required for humoral immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1273-1278. | 3.3 | 62 |
| 127 | Role of human non-invariant NKT lymphocytes in the maintenance of type 2 T helper environment during pregnancy. <i>International Immunology</i> , 2008, 20, 405-412. | 1.8 | 25 |
| 128 | Immunomodulatory effects of the intake of fermented milk with <i>Lactobacillus casei</i> DN114001 in lactating mothers and their children. <i>British Journal of Nutrition</i> , 2008, 100, 834-845. | 1.2 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 129 | Hepatic NKT cells: friend or foe?. <i>Clinical Science</i> , 2008, 114, 457-466. | 1.8 | 66 |
| 130 | Killer cells in chronic obstructive pulmonary disease. <i>Clinical Science</i> , 2008, 114, 533-541. | 1.8 | 37 |
| 131 | Human invariant V α 24+ natural killer T cells acquire regulatory functions by interacting with IL-10-treated dendritic cells. <i>Blood</i> , 2008, 111, 4254-4263. | 0.6 | 12 |
| 132 | Type I NKT cells protect (and type II NKT cells suppress) the host's innate antitumor immune response to a B-cell lymphoma. <i>Blood</i> , 2008, 111, 5637-5645. | 0.6 | 152 |
| 133 | Lack of iNKT cells in patients with combined immune deficiency due to hypomorphic RAG mutations. <i>Blood</i> , 2008, 111, 271-274. | 0.6 | 28 |
| 134 | IgG regulates the CD1 expression profile and lipid antigen-presenting function in human dendritic cells via Fc γ RIIa. <i>Blood</i> , 2008, 111, 5037-5046. | 0.6 | 46 |
| 135 | A role for interleukin-12/23 in the maturation of human natural killer and CD56+ T cells in vivo. <i>Blood</i> , 2008, 111, 5008-5016. | 0.6 | 57 |
| 136 | WASP confers selective advantage for specific hematopoietic cell populations and serves a unique role in marginal zone B-cell homeostasis and function. <i>Blood</i> , 2008, 112, 4139-4147. | 0.6 | 99 |
| 137 | Natural killer T-cell autoreactivity leads to a specialized activation state. <i>Blood</i> , 2008, 112, 4128-4138. | 0.6 | 39 |
| 138 | Protective Role for CD1d-Reactive Invariant Natural Killer T Cells in Cauterization-Induced Corneal Inflammation. , 2008, 49, 105. | | 2 |
| 139 | Identification of CD4 α ⁺ CD8 α ⁻ Double-Negative Natural Killer T Cell Precursors in the Thymus. <i>PLoS ONE</i> , 2008, 3, e3688. | 1.1 | 16 |
| 140 | Functions of stress-activated MAP kinases in the immune response. , 2007, , 261-281. | | 0 |
| 141 | Role of natural killer T lymphocytes during helminthic infection. <i>Parasite</i> , 2008, 15, 384-388. | 0.8 | 14 |
| 142 | Natural killer T cell-mediated immunotherapy for malignant diseases. <i>Frontiers in Bioscience - Elite</i> , 2009, 1, 108. | 0.9 | 55 |
| 143 | The Role of iNKT Cells in the Immunopathology of Systemic Lupus Erythematosus. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 435-441. | 1.8 | 10 |
| 144 | Invariant NKT cells inhibit development of the Th ₁₇ lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6238-6243. | 3.3 | 64 |
| 145 | MR1 antigen presentation to mucosal-associated invariant T cells was highly conserved in evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8290-8295. | 3.3 | 162 |
| 146 | Polymorphisms in CD1d affect antigen presentation and the activation of CD1d-restricted T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1909-1914. | 3.3 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 147 | Allergic Airway Hyperresponsiveness-Enhancing $\hat{I}3\hat{I}$ T Cells Develop in Normal Untreated Mice and Fail to Produce IL-4/13, Unlike Th2 and NKT Cells. <i>Journal of Immunology</i> , 2009, 182, 2002-2010. | 0.4 | 19 |
| 148 | Role of Marginal Zone B Lymphocytes in Invariant NKT Cell Activation. <i>Journal of Immunology</i> , 2009, 182, 6105-6113. | 0.4 | 53 |
| 149 | PD-1/PD-L Blockade Prevents Anergy Induction and Enhances the Anti-Tumor Activities of Glycolipid-Activated Invariant NKT Cells. <i>Journal of Immunology</i> , 2009, 182, 2816-2826. | 0.4 | 178 |
| 150 | Cutting Edge: Histamine Receptor H4 Activation Positively Regulates In Vivo IL-4 and IFN- $\hat{I}3$ Production by Invariant NKT Cells. <i>Journal of Immunology</i> , 2009, 182, 1233-1236. | 0.4 | 52 |
| 151 | Role of Invariant NK T Lymphocytes in Immune Responses to CpG Oligodeoxynucleotides. <i>Journal of Immunology</i> , 2009, 182, 1846-1853. | 0.4 | 30 |
| 152 | Glycolipids Injected into the Skin Are Presented to NKT Cells in the Draining Lymph Node Independently of Migratory Skin Dendritic Cells. <i>Journal of Immunology</i> , 2009, 182, 7644-7654. | 0.4 | 16 |
| 153 | Duality of Enhancer Functioning Mode Revealed in a Reduced TCR $\hat{I}2$ Gene Enhancer Knockin Mouse Model. <i>Journal of Immunology</i> , 2009, 183, 7939-7948. | 0.4 | 13 |
| 154 | Skin and Peripheral Lymph Node Invariant NKT Cells Are Mainly Retinoic Acid Receptor-Related Orphan Receptor $\hat{I}3t+$ and Respond Preferentially under Inflammatory Conditions. <i>Journal of Immunology</i> , 2009, 183, 2142-2149. | 0.4 | 140 |
| 155 | Selective Requirement for c-Myc at an Early Stage of $\hat{V}i14i$ NKT Cell Development. <i>Journal of Immunology</i> , 2009, 182, 4641-4648. | 0.4 | 82 |
| 156 | Dicer-Dependent MicroRNA Pathway Controls Invariant NKT Cell Development. <i>Journal of Immunology</i> , 2009, 183, 2506-2512. | 0.4 | 82 |
| 157 | Early Triggering of Exclusive IFN- $\hat{I}3$ Responses of Human $\hat{V}i39\hat{V}i2$ T Cells by TLR-Activated Myeloid and Plasmacytoid Dendritic Cells. <i>Journal of Immunology</i> , 2009, 183, 3625-3633. | 0.4 | 71 |
| 158 | Langerin+CD8 $\hat{I}++$ Dendritic Cells Are Critical for Cross-Priming and IL-12 Production in Response to Systemic Antigens. <i>Journal of Immunology</i> , 2009, 183, 7732-7742. | 0.4 | 84 |
| 159 | Ig-Like Transcript 4 Inhibits Lipid Antigen Presentation through Direct CD1d Interaction. <i>Journal of Immunology</i> , 2009, 182, 1033-1040. | 0.4 | 37 |
| 160 | Combined NKT cell activation and influenza virus vaccination boosts memory CTL generation and protective immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3330-3335. | 3.3 | 123 |
| 161 | CD1-restricted adaptive immune responses to <i>Mycobacteria</i> in human group 1 CD1 transgenic mice. <i>Journal of Experimental Medicine</i> , 2009, 206, 2497-2509. | 4.2 | 105 |
| 162 | Lysosomal recycling terminates CD1d-mediated presentation of short and polyunsaturated variants of the NKT cell lipid antigen $\hat{I}\pm$ GalCer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 10254-10259. | 3.3 | 68 |
| 163 | Histone Acetyltransferase CBP Is Vital To Demarcate Conventional and Innate CD8 + T-Cell Development. <i>Molecular and Cellular Biology</i> , 2009, 29, 3894-3904. | 1.1 | 48 |
| 164 | Preactivation of NKT cells with $\hat{I}\pm$ -GalCer protects against hepatic ischemia-reperfusion injury in mouse by a mechanism involving IL-13 and adenosine A _{2A} receptor. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, G249-G258. | 1.6 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 165 | Î²-Glycosphingolipids improve glucose intolerance and hepatic steatosis of the Cohen diabetic rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E72-E78. | 1.8 | 62 |
| 166 | Linking Inflammation to Natural Killer T Cell Activation. <i>PLoS Biology</i> , 2009, 7, e1000226. | 2.6 | 17 |
| 167 | Recognition of Lyso-Phospholipids by Human Natural Killer T Lymphocytes. <i>PLoS Biology</i> , 2009, 7, e1000228. | 2.6 | 203 |
| 168 | Perforin Expression in Peripheral Blood Lymphatic Cells of Patients Subjected to Laparoscopic or Open Cholecystectomy. <i>Mediators of Inflammation</i> , 2009, 2009, 1-11. | 1.4 | 3 |
| 169 | Intrathymic proliferation wave essential for VÎ±14 ⁺ natural killer T cell development depends on c-Myc. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8641-8646. | 3.3 | 100 |
| 170 | Natural Killer T Cells and Autoimmune Disease. <i>Current Molecular Medicine</i> , 2009, 9, 4-14. | 0.6 | 148 |
| 171 | Gr1 ⁺ Cells Control Growth of YopM-Negative <i>Yersinia pestis</i> during Systemic Plague. <i>Infection and Immunity</i> , 2009, 77, 3791-3806. | 1.0 | 55 |
| 172 | CD4-CD8 Lineage Differentiation: Thpok-ing into the Nucleus. <i>Journal of Immunology</i> , 2009, 183, 2903-2910. | 0.4 | 65 |
| 173 | Aberrant Selection and Function of Invariant NKT Cells in the Absence of AP-1 Transcription Factor Fra-2. <i>Journal of Immunology</i> , 2009, 183, 2575-2584. | 0.4 | 32 |
| 174 | The Role of Hepatic Invariant NKT Cells in Systemic/Local Inflammation and Mortality during Polymicrobial Septic Shock. <i>Journal of Immunology</i> , 2009, 182, 2467-2475. | 0.4 | 50 |
| 175 | A Phase I-II Study of Î±-Galactosylceramide-Pulsed IL-2/GM-CSF-Cultured Peripheral Blood Mononuclear Cells in Patients with Advanced and Recurrent Non-Small Cell Lung Cancer. <i>Journal of Immunology</i> , 2009, 182, 2492-2501. | 0.4 | 206 |
| 176 | Peripheral NKT Cells in Simian Immunodeficiency Virus-Infected Macaques. <i>Journal of Virology</i> , 2009, 83, 1617-1624. | 1.5 | 36 |
| 177 | iNKT cell development is orchestrated by different branches of TGF-Î² signaling. <i>Journal of Experimental Medicine</i> , 2009, 206, 1365-1378. | 4.2 | 81 |
| 178 | Incorporation of NKT Cell-Activating Glycolipids Enhances Immunogenicity and Vaccine Efficacy of <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin. <i>Journal of Immunology</i> , 2009, 183, 1644-1656. | 0.4 | 74 |
| 179 | Tie2 ^{cre} -induced inactivation of the miRNA-processing enzyme Dicer disrupts invariant NKT cell development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 10266-10271. | 3.3 | 86 |
| 180 | EBV-Induced Human CD8 ⁺ NKT Cells Suppress Tumorigenesis by EBV-Associated Malignancies. <i>Cancer Research</i> , 2009, 69, 7935-7944. | 0.4 | 52 |
| 181 | The Wiskott-Aldrich syndrome protein is required for iNKT cell maturation and function. <i>Journal of Experimental Medicine</i> , 2009, 206, 735-742. | 4.2 | 53 |
| 182 | Role of NK Cells and Invariant NKT Cells in Multiple Sclerosis. <i>Results and Problems in Cell Differentiation</i> , 2009, 51, 127-147. | 0.2 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 183 | Liposomal glycosphingolipids activate natural killer T cell-mediated immune responses through the endosomal pathway. <i>Journal of Controlled Release</i> , 2009, 133, 18-23. | 4.8 | 15 |
| 184 | NK and NKT cells in liver injury and fibrosis. <i>Clinical Immunology</i> , 2009, 130, 16-26. | 1.4 | 132 |
| 185 | Enzyme replacement therapy for mild patients with Gaucher disease. <i>American Journal of Hematology</i> , 2009, 84, 202-204. | 2.0 | 25 |
| 186 | Natural killer T cells regulate the homing of chemokine CXC receptor 3-positive regulatory T cells to the liver in mice. <i>Hepatology</i> , 2009, 49, 1267-1276. | 3.6 | 85 |
| 187 | Synthesis and Evaluation of <i>N</i> -Acetyl-2-amino-2-deoxy-1- β -D-galactosyl 1-thio- β -oxaceramide, a New Analogue of 1- β -D-galactosyl Ceramide. <i>Helvetica Chimica Acta</i> , 2009, 92, 918-927. | 1.0 | 3 |
| 188 | Aminocyclitol-Substituted Phytoceramides and their Effects on iNKT Cell Stimulation. <i>ChemMedChem</i> , 2009, 4, 1608-1613. | 1.6 | 21 |
| 189 | The pro-Th2 cytokine IL-33 directly interacts with invariant NKT and NK cells to induce IFN- γ production. <i>European Journal of Immunology</i> , 2009, 39, 1046-1055. | 1.6 | 300 |
| 190 | Role for hedgehog pathway in regulating growth and function of invariant NKT cells. <i>European Journal of Immunology</i> , 2009, 39, 1879-1892. | 1.6 | 59 |
| 191 | Human CD4 ⁺ invariant NKT cells are involved in antibacterial immunity against <i>Brucella suis</i> through CD1d-dependent but CD4-independent mechanisms. <i>European Journal of Immunology</i> , 2009, 39, 1025-1035. | 1.6 | 18 |
| 192 | Multiple tissue-specific isoforms of sulfatide activate CD1d-restricted type II NKT cells. <i>European Journal of Immunology</i> , 2009, 39, 1726-1735. | 1.6 | 96 |
| 193 | Human Th17 cells: Are they different from murine Th17 cells?. <i>European Journal of Immunology</i> , 2009, 39, 637-640. | 1.6 | 56 |
| 194 | Mouse Th17 cells: Current understanding of their generation and regulation. <i>European Journal of Immunology</i> , 2009, 39, 640-644. | 1.6 | 9 |
| 195 | IL-18 skews the invariant NKT cell population <i>via</i> autoreactive activation in atopic eczema. <i>European Journal of Immunology</i> , 2009, 39, 2293-2301. | 1.6 | 33 |
| 196 | Invariant NKT cells and CD1d ⁺ cells amass in human omentum and are depleted in patients with cancer and obesity. <i>European Journal of Immunology</i> , 2009, 39, 1893-1901. | 1.6 | 217 |
| 197 | NKT cells: Friend or foe during viral infections?. <i>European Journal of Immunology</i> , 2009, 39, 3283-3291. | 1.6 | 65 |
| 198 | Cross-regulation between distinct natural killer T cell subsets influences immune response to self and foreign antigens. <i>Journal of Cellular Physiology</i> , 2009, 218, 246-250. | 2.0 | 70 |
| 199 | T Cell Receptor CDR2 ² and CDR3 ² Loops Collaborate Functionally to Shape the iNKT Cell Repertoire. <i>Immunity</i> , 2009, 31, 60-71. | 6.6 | 90 |
| 200 | Glycosyltransferase and sulfotransferase gene expression profiles in human monocytes, dendritic cells and macrophages. <i>Glycoconjugate Journal</i> , 2009, 26, 1259-1274. | 1.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 201 | Human invariant natural killer T cells: implications for immunotherapy. <i>International Journal of Hematology</i> , 2009, 90, 137-142. | 0.7 | 0 |
| 202 | Harnessing innate and adaptive immunity for adoptive cell therapy of renal cell carcinoma. <i>Journal of Molecular Medicine</i> , 2009, 87, 595-612. | 1.7 | 10 |
| 203 | NKT cells: from totipotency to regenerative medicine. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2009, 57, 117-128. | 1.0 | 2 |
| 204 | Microanatomy of the liver immune system. <i>Seminars in Immunopathology</i> , 2009, 31, 333-343. | 2.8 | 182 |
| 205 | Endosomal processing for antigen presentation mediated by CD1 and Class I major histocompatibility complex: roads to display or destruction. <i>Immunology</i> , 2009, 127, 163-170. | 2.0 | 18 |
| 206 | Rapid and reliable generation of invariant natural killer T cell lines <i>in vitro</i> . <i>Immunology</i> , 2009, 128, 324-333. | 2.0 | 24 |
| 207 | A single amino acid defines cross-species reactivity of tree shrew (<i>Tupaia belangeri</i>) CD1d to human invariant natural killer T (iNKT) cells. <i>Immunology</i> , 2009, 128, 500-510. | 2.0 | 4 |
| 208 | Combination therapy of <i>in vitro</i> -expanded natural killer T cells and β -galactosylceramide-pulsed antigen-presenting cells in patients with recurrent head and neck carcinoma. <i>Cancer Science</i> , 2009, 100, 1092-1098. | 1.7 | 168 |
| 209 | Immune characterization of an individual with an exceptionally high natural killer T cell frequency and her immediate family. <i>Clinical and Experimental Immunology</i> , 2009, 156, 238-245. | 1.1 | 25 |
| 210 | Cells with regulatory function of the innate and adaptive immune system in primary Sjögren's syndrome. <i>Clinical and Experimental Immunology</i> , 2009, 157, 343-349. | 1.1 | 70 |
| 211 | Lower numbers of circulating natural killer T (NK T) cells in individuals with human T lymphotropic virus type 1 (HTLV-1) associated neurological disease. <i>Clinical and Experimental Immunology</i> , 2009, 158, 294-299. | 1.1 | 19 |
| 212 | Alpha versus beta: are we on the way to resolve the mystery as to which is the endogenous ligand for natural killer T cells?. <i>Clinical and Experimental Immunology</i> , 2009, 158, 300-307. | 1.1 | 18 |
| 213 | An β -galactosylceramide C20:2 N-acyl variant enhances anti-inflammatory and regulatory T cell-independent responses that prevent type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2010, 160, 185-198. | 1.1 | 17 |
| 214 | Invariant natural killer (iNKT) cell deficiency in patients with common variable immunodeficiency. <i>Clinical and Experimental Immunology</i> , 2009, 157, 365-369. | 1.1 | 28 |
| 215 | EBV-Induced Human CD8+ NKT Cells Synergise CD4+ NKT Cells Suppressing EBV-Associated Tumours Upon Induction of Th1-Bias. <i>Cellular and Molecular Immunology</i> , 2009, 6, 367-379. | 4.8 | 12 |
| 216 | MHC class II-expressing thymocytes suppress invariant NKT cell development. <i>Immunology and Cell Biology</i> , 2009, 87, 186-189. | 1.0 | 5 |
| 217 | MHC class II-dependent T-T interactions create a diverse, functional and immunoregulatory reaction circle. <i>Immunology and Cell Biology</i> , 2009, 87, 65-71. | 1.0 | 16 |
| 218 | It's up to you Egr2. <i>Immunology and Cell Biology</i> , 2009, 87, 361-363. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 219 | Glucocerebroside: an evolutionary advantage for patients with Gaucher disease and a new immunomodulatory agent. <i>Immunology and Cell Biology</i> , 2009, 87, 514-524. | 1.0 | 30 |
| 220 | The gene encoding early growth response 2, a target of the transcription factor NFAT, is required for the development and maturation of natural killer T cells. <i>Nature Immunology</i> , 2009, 10, 306-313. | 7.0 | 147 |
| 221 | CD27 is a thymic determinant of the balance between interferon- γ - and interleukin 17-producing T cell subsets. <i>Nature Immunology</i> , 2009, 10, 427-436. | 7.0 | 548 |
| 223 | GATA3 and the T-cell lineage: essential functions before and after T-helper-2-cell differentiation. <i>Nature Reviews Immunology</i> , 2009, 9, 125-135. | 10.6 | 344 |
| 224 | Intravascular immunity: the host-pathogen encounter in blood vessels. <i>Nature Reviews Immunology</i> , 2009, 9, 364-375. | 10.6 | 217 |
| 225 | Regulation of the immune response by stress-activated protein kinases. <i>Immunological Reviews</i> , 2009, 228, 212-224. | 2.8 | 235 |
| 226 | Tec kinases regulate T-lymphocyte development and function: new insights into the roles of Itk and Rlk/Txk. <i>Immunological Reviews</i> , 2009, 228, 93-114. | 2.8 | 120 |
| 227 | Carbohydrate specificity of the recognition of diverse glycolipids by natural killer T cells. <i>Immunological Reviews</i> , 2009, 230, 188-200. | 2.8 | 38 |
| 228 | Invariant natural killer T cells: innate-like T cells with potent immunomodulatory activities. <i>Tissue Antigens</i> , 2009, 73, 535-545. | 1.0 | 66 |
| 229 | Harnessing CD1d-Restricted T Cells toward Antitumor Immunity in Humans. <i>Annals of the New York Academy of Sciences</i> , 2009, 1174, 61-67. | 1.8 | 28 |
| 230 | Innate-like recognition of microbes by invariant natural killer T cells. <i>Current Opinion in Immunology</i> , 2009, 21, 391-396. | 2.4 | 67 |
| 231 | Mouse models of allergic diseases. <i>Current Opinion in Immunology</i> , 2009, 21, 660-665. | 2.4 | 54 |
| 232 | NKT Cell-Plasmacytoid Dendritic Cell Cooperation via OX40 Controls Viral Infection in a Tissue-Specific Manner. <i>Immunity</i> , 2009, 30, 289-299. | 6.6 | 92 |
| 233 | Kinetics and Cellular Site of Glycolipid Loading Control the Outcome of Natural Killer T Cell Activation. <i>Immunity</i> , 2009, 30, 888-898. | 6.6 | 159 |
| 234 | Differential Recognition of CD1d-Galactosyl Ceramide by the V α 28.2 and V α 27 Semi-invariant NKT T Cell Receptors. <i>Immunity</i> , 2009, 31, 47-59. | 6.6 | 198 |
| 235 | Synthesis and evaluation of 3-deoxy and 4-deoxy and -fluoro analogs of the immunostimulatory glycolipid, KRN7000. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4122-4125. | 1.0 | 44 |
| 236 | Regulation and Function of NF- κ B Transcription Factors in the Immune System. <i>Annual Review of Immunology</i> , 2009, 27, 693-733. | 9.5 | 2,245 |
| 237 | Focus on the Controversial Activation of Human iNKT Cells by 4-Deoxy Analogue of KRN7000. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 4960-4963. | 2.9 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 238 | Alpha Anomers of iGb3 and Gb3 Stimulate Cytokine Production by Natural Killer T Cells. ACS Chemical Biology, 2009, 4, 191-197. | 1.6 | 23 |
| 239 | Invariant natural killer T cell-based immunotherapy for cancer. Immunotherapy, 2009, 1, 73-82. | 1.0 | 19 |
| 240 | Biochemical signaling pathways for memory T cell recall. Seminars in Immunology, 2009, 21, 84-91. | 2.7 | 54 |
| 241 | Letter to the Editor. Vaccine, 2009, 27, 3691. | 1.7 | 0 |
| 242 | Human innate immunosenescence: causes and consequences for immunity in old age. Trends in Immunology, 2009, 30, 325-333. | 2.9 | 413 |
| 243 | Role of immunoglobulin-like transcript family receptors and their ligands in suppressor T-cell-induced dendritic cell tolerization. Human Immunology, 2009, 70, 686-691. | 1.2 | 15 |
| 244 | Oral tolerance: Can we make it work?. Human Immunology, 2009, 70, 768-776. | 1.2 | 27 |
| 245 | Structural Evaluation of Potent NKT Cell Agonists: Implications for Design of Novel Stimulatory Ligands. Journal of Molecular Biology, 2009, 394, 71-82. | 2.0 | 39 |
| 246 | Decreased STAT-1 phosphorylation by a thio analogue of beta-d-glucosylceramide is associated with altered NKT lymphocyte polarization. Molecular Immunology, 2009, 47, 526-533. | 1.0 | 13 |
| 247 | Human Marginal Zone B Cells. Annual Review of Immunology, 2009, 27, 267-285. | 9.5 | 349 |
| 248 | NKT cells in mucosal immunity. Mucosal Immunology, 2009, 2, 393-402. | 2.7 | 71 |
| 249 | Coinfection With HIV-1 and HCV: A One-Two Punch. Gastroenterology, 2009, 137, 795-814. | 0.6 | 152 |
| 250 | Identification of iGb3 and iGb4 in melanoma B16F10-Nex2 cells and the iNKT cell-mediated antitumor effect of dendritic cells primed with iGb3. Molecular Cancer, 2009, 8, 116. | 7.9 | 15 |
| 251 | Is there a feudal hierarchy amongst regulatory immune cells? More than just Tregs. Arthritis Research and Therapy, 2009, 11, 237. | 1.6 | 12 |
| 252 | T Cell Protocols. Methods in Molecular Biology, 2009, , . | 0.4 | 2 |
| 253 | Animal models of asthma. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2009, 297, L401-L410. | 1.3 | 148 |
| 254 | Potentiation of murine innate immunity by α -galacturonosyl-type glycosphingolipids isolated from <i>Sphingomonas yanoikuyae</i> and <i>S. terrae</i> . Immunopharmacology and Immunotoxicology, 2009, 31, 363-369. | 1.1 | 0 |
| 255 | NKT cell immune responses to viral infection. Expert Opinion on Therapeutic Targets, 2009, 13, 153-162. | 1.5 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 256 | Î2-Glycoglycosphingolipid-Induced Alterations of the STAT Signaling Pathways Are Dependent on CD1d and the Lipid Raft Protein Flotillin-2. <i>American Journal of Pathology</i> , 2009, 174, 1390-1399. | 1.9 | 22 |
| 257 | Carcinoembryonic Antigen-Related Cell Adhesion Molecule 1 Modulates Experimental Autoimmune Encephalomyelitis via an iNKT Cell-Dependent Mechanism. <i>American Journal of Pathology</i> , 2009, 175, 1116-1123. | 1.9 | 9 |
| 258 | T Lymphocytes. , 2009, , 247-292. | | 0 |
| 259 | Natural killer T cells and the regulation of asthma. <i>Mucosal Immunology</i> , 2009, 2, 383-392. | 2.7 | 62 |
| 260 | Immune Cells and Molecular Mediators in the Pathogenesis of the Abdominal Aortic Aneurysm. <i>Cardiology in Review</i> , 2009, 17, 201-210. | 0.6 | 130 |
| 261 | The My(c)stery of iNKT cell ontogeny. <i>Cell Cycle</i> , 2009, 8, 3082-3085. | 1.3 | 3 |
| 262 | Regulation of multiple myeloma survival and progression by CD1d. <i>Blood</i> , 2009, 113, 2498-2507. | 0.6 | 94 |
| 263 | NKT-cell help to B lymphocytes can occur independently of cognate interaction. <i>Blood</i> , 2009, 113, 370-376. | 0.6 | 87 |
| 264 | NKT cells mediate pulmonary inflammation and dysfunction in murine sickle cell disease through production of IFN-Î3 and CXCR3 chemokines. <i>Blood</i> , 2009, 114, 667-676. | 0.6 | 149 |
| 265 | Do studies in humans better depict Th17 cells?. <i>Blood</i> , 2009, 114, 2213-2219. | 0.6 | 82 |
| 266 | Effect of Immunostimulation by Detoxified E. coli Lipopolysaccharide Combined with Inactivated Propionibacterium granulosum Cells on Porcine Immunity. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 897-903. | 0.3 | 3 |
| 267 | How T cells recognize lipids as antigens. <i>Clinical Lipidology</i> , 2009, 4, 189-203. | 0.4 | 1 |
| 268 | The Gut Mucosa as a Site for Induction of Regulatory T-Cells. <i>Current Pharmaceutical Design</i> , 2009, 15, 1191-1202. | 0.9 | 44 |
| 269 | Presentation of Lipid Antigens by CD1 Glycoproteins. <i>Current Pharmaceutical Design</i> , 2009, 15, 3311-3317. | 0.9 | 15 |
| 270 | Invariant Natural Killer T Cell-Based Therapy of Autoimmune Diseases. <i>Current Immunology Reviews</i> , 2010, 6, 88-101. | 1.2 | 3 |
| 271 | Generation of functional NKT cells in vitro from embryonic stem cells bearing rearranged invariant VÎ±14-JÎ±18 TCRÎ± gene. <i>Blood</i> , 2010, 115, 230-237. | 0.6 | 36 |
| 272 | Inhibition of lipid antigen presentation in dendritic cells by HIV-1 Vpu interference with CD1d recycling from endosomal compartments. <i>Blood</i> , 2010, 116, 1876-1884. | 0.6 | 105 |
| 273 | Thymic and peripheral microenvironments differentially mediate development and maturation of iNKT cells by IL-15 transpresentation. <i>Blood</i> , 2010, 116, 2494-2503. | 0.6 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 274 | Histamine, Immune Cells and Autoimmunity. <i>Advances in Experimental Medicine and Biology</i> , 2010, 709, 81-94. | 0.8 | 23 |
| 275 | Rational Design and Evaluation of a Branched-Chain-Containing Glycolipid Antigen That Binds to CD1d. <i>Chemistry - an Asian Journal</i> , 2010, 5, 1560-1564. | 1.7 | 17 |
| 276 | (E)-4-Hydroxy-3-methyl-but-2 enyl pyrophosphate-stimulated V α 39V β 2 T cells possess T helper type 1-promoting adjuvant activity for human monocyte-derived dendritic cells. <i>Cancer Immunology, Immunotherapy</i> , 2010, 59, 1109-1120. | 2.0 | 40 |
| 277 | SLAM family receptors and the SLAM-associated protein (SAP) modulate T cell functions. <i>Seminars in Immunopathology</i> , 2010, 32, 157-171. | 2.8 | 96 |
| 278 | Lysosomal β -Galactosidase Controls the Generation of Self Lipid Antigens for Natural Killer T Cells. <i>Immunity</i> , 2010, 33, 216-228. | 6.6 | 113 |
| 279 | Enzymatic synthesis of Gb3 and iGb3 ceramides. <i>Carbohydrate Research</i> , 2010, 345, 1384-1388. | 1.1 | 24 |
| 280 | Absence of invariant natural killer T cells deteriorates liver inflammation and fibrosis in mice fed high-fat diet. <i>Journal of Gastroenterology</i> , 2010, 45, 1247-1254. | 2.3 | 35 |
| 281 | Human leukemic cells loaded with β -galactosylceramide (β -GalCer) activate murine NKT cells in situ. <i>International Journal of Hematology</i> , 2010, 92, 152-160. | 0.7 | 8 |
| 282 | Invariant NKT cells in adrenoleukodystrophy patients and mice. <i>Journal of Neuroimmunology</i> , 2010, 229, 204-211. | 1.1 | 7 |
| 283 | Peripheral blood invariant natural killer T cells throughout pregnancy and in preeclamptic women. <i>Journal of Reproductive Immunology</i> , 2010, 87, 52-59. | 0.8 | 25 |
| 284 | Chronic inflammation and asthma. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010, 690, 24-39. | 0.4 | 323 |
| 285 | Shaping of iNKT cell repertoire after unrelated cord blood transplantation. <i>Clinical Immunology</i> , 2010, 135, 364-373. | 1.4 | 29 |
| 286 | Attenuation of invariant Natural Killer T-cell anergy induction through intradermal delivery of β -galactosylceramide. <i>Clinical Immunology</i> , 2010, 136, 364-374. | 1.4 | 24 |
| 287 | Accumulation of natural killer T cells in progressive nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010, 51, 1998-2007. | 3.6 | 254 |
| 288 | Therapy for minimal residual tumor disease: β -Galactosylceramide inhibits the growth of recurrent HPV16-associated neoplasms after surgery and chemotherapy. <i>International Journal of Cancer</i> , 2010, 126, 2997-3004. | 2.3 | 9 |
| 290 | The sequential activity of Gata3 and Thpok is required for the differentiation of CD1d-restricted CD4 ⁺ NKT cells. <i>European Journal of Immunology</i> , 2010, 40, 2385-2390. | 1.6 | 46 |
| 291 | Invariant natural killer T cells: Linking inflammation and neovascularization in human atherosclerosis. <i>European Journal of Immunology</i> , 2010, 40, 3268-3279. | 1.6 | 55 |
| 292 | Directing traffic on the NKT-cell highway: A key role for ThPOK. <i>European Journal of Immunology</i> , 2010, 40, 2372-2375. | 1.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 293 | Natural killer T cells: innate lymphocytes positioned as a bridge between acute and chronic inflammation?. <i>Microbes and Infection</i> , 2010, 12, 1125-1133. | 1.0 | 12 |
| 294 | Transcriptional regulation of NKT cell development and homeostasis. <i>Current Opinion in Immunology</i> , 2010, 22, 199-205. | 2.4 | 32 |
| 295 | Profound reduction of invariant natural killer T cells in the peripheral blood of a patient with interleukin-1 receptor-associated kinase 4 deficiency. <i>Immunology Letters</i> , 2010, 132, 86-89. | 1.1 | 3 |
| 296 | SAP Protein-Dependent Natural Killer T-like Cells Regulate the Development of CD8+ T Cells with Innate Lymphocyte Characteristics. <i>Immunity</i> , 2010, 33, 203-215. | 6.6 | 107 |
| 297 | Spontaneous focal activation of invariant natural killer T (iNKT) cells in mouse liver and kidney. <i>BMC Biology</i> , 2010, 8, 142. | 1.7 | 4 |
| 298 | Adoptive therapy by transfusing expanded donor murine natural killer T cells can suppress acute graft-versus-host disease in allogeneic bone marrow transplantation. <i>Transfusion</i> , 2010, 50, 407-417. | 0.8 | 24 |
| 299 | Plasma cell development and survival. <i>Immunological Reviews</i> , 2010, 237, 140-159. | 2.8 | 232 |
| 300 | Transcriptional control of invariant NKT cell development. <i>Immunological Reviews</i> , 2010, 238, 195-215. | 2.8 | 82 |
| 301 | Heterogeneity in phenotype and function of CD8 ⁺ and CD4/CD8 double-negative Natural Killer T cell subsets in sooty mangabeys. <i>Journal of Medical Primatology</i> , 2010, 39, 224-234. | 0.3 | 13 |
| 302 | A set of genes associated with the interferon γ response of lung cancer patients undergoing α -galactosylceramide-pulsed dendritic cell therapy. <i>Cancer Science</i> , 2010, 101, 2333-2340. | 1.7 | 9 |
| 304 | Autoreactive natural killer T cells: promoting immune protection and immune tolerance through varied interactions with myeloid antigen-presenting cells. <i>Immunology</i> , 2010, 130, 471-483. | 2.0 | 55 |
| 305 | Depletion of CD4+CD25+regulatory T cells enhances natural killer T cell-mediated anti-tumour immunity in a murine mammary breast cancer model. <i>Clinical and Experimental Immunology</i> , 2010, 159, 93-99. | 1.1 | 32 |
| 306 | Translational Mini-Review Series on Th17 Cells: Development of mouse and human T helper 17 cells. <i>Clinical and Experimental Immunology</i> , 2009, 159, 148-158. | 1.1 | 56 |
| 307 | Lack of anti-tumour reactivity despite enhanced numbers of circulating natural killer T cells in two patients with metastatic renal cell carcinoma. <i>Clinical and Experimental Immunology</i> , 2010, 162, 447-459. | 1.1 | 3 |
| 308 | Loss of microRNAs in thymus perturbs invariant NKT cell development and function. <i>Cellular and Molecular Immunology</i> , 2010, 7, 447-453. | 4.8 | 26 |
| 309 | Developing NKT cells need their (E) protein. <i>Immunology and Cell Biology</i> , 2010, 88, 507-509. | 1.0 | 3 |
| 310 | Border patrol: SCS macrophages activate iNKT cells too. <i>Immunology and Cell Biology</i> , 2010, 88, 619-621. | 1.0 | 0 |
| 311 | Potent anti-tumor responses to immunization with dendritic cells loaded with tumor tissue and an NKT cell ligand. <i>Immunology and Cell Biology</i> , 2010, 88, 596-604. | 1.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 312 | Testing the NKT cell hypothesis in lenalidomide-treated myelodysplastic syndrome patients. <i>Leukemia</i> , 2010, 24, 592-600. | 3.3 | 36 |
| 313 | Checkpoints in lymphocyte development and autoimmune disease. <i>Nature Immunology</i> , 2010, 11, 14-20. | 7.0 | 246 |
| 314 | Raising the NKT cell family. <i>Nature Immunology</i> , 2010, 11, 197-206. | 7.0 | 573 |
| 315 | CD169+ macrophages present lipid antigens to mediate early activation of iNKT cells in lymph nodes. <i>Nature Immunology</i> , 2010, 11, 303-312. | 7.0 | 186 |
| 316 | The transcription factor c-Myb primes CD4+CD8+ immature thymocytes for selection into the iNKT lineage. <i>Nature Immunology</i> , 2010, 11, 435-441. | 7.0 | 71 |
| 317 | Decision checkpoints in the thymus. <i>Nature Immunology</i> , 2010, 11, 666-673. | 7.0 | 255 |
| 318 | Antimicrobial activity of mucosal-associated invariant T cells. <i>Nature Immunology</i> , 2010, 11, 701-708. | 7.0 | 828 |
| 319 | T cells expressing the transcription factor PLZF regulate the development of memory-like CD8+ T cells. <i>Nature Immunology</i> , 2010, 11, 709-716. | 7.0 | 225 |
| 320 | Skin function for human CD1a-reactive T cells. <i>Nature Immunology</i> , 2010, 11, 1079-1080. | 7.0 | 18 |
| 321 | More things in heaven and earth: defining innate and adaptive immunity. <i>Nature Immunology</i> , 2010, 11, 1080-1082. | 7.0 | 18 |
| 322 | iNKT cell autoreactivity: what is 'self' and how is it recognized?. <i>Nature Reviews Immunology</i> , 2010, 10, 272-277. | 10.6 | 65 |
| 323 | NFAT, immunity and cancer: a transcription factor comes of age. <i>Nature Reviews Immunology</i> , 2010, 10, 645-656. | 10.6 | 508 |
| 324 | Polymorphism of human CD1a, CD1d, and CD1e in exon 2 in Chinese Han and She ethnic populations. <i>Tissue Antigens</i> , 2010, 75, 691-695. | 1.0 | 8 |
| 325 | Tumor Antigen Presentation by Dendritic Cells. <i>Critical Reviews in Immunology</i> , 2010, 30, 345-386. | 1.0 | 51 |
| 326 | The Modulation of Adaptive Immune Responses by Bacterial Zwitterionic Polysaccharides. <i>International Journal of Microbiology</i> , 2010, 2010, 1-12. | 0.9 | 19 |
| 327 | iNKT Cells Control Mouse Spontaneous Carcinoma Independently of Tumor-Specific Cytotoxic T Cells. <i>PLoS ONE</i> , 2010, 5, e8646. | 1.1 | 61 |
| 328 | Efficient Isolation of Mouse Liver NKT Cells by Perfusion. <i>PLoS ONE</i> , 2010, 5, e10288. | 1.1 | 15 |
| 329 | Defective NKT Cell Activation by CD1d+ TRAMP Prostate Tumor Cells Is Corrected by Interleukin-12 with alpha-Galactosylceramide. <i>PLoS ONE</i> , 2010, 5, e11311. | 1.1 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 330 | CD1d Expression in Paneth Cells and Rat Exocrine Pancreas Revealed by Novel Monoclonal Antibodies Which Differentially Affect NKT Cell Activation. PLoS ONE, 2010, 5, e13089. | 1.1 | 15 |
| 331 | T-Cell recognition of microbial lipoglycans and glycolipids. , 2010, , 715-732. | | 1 |
| 332 | Immune cells in the placental bed. International Journal of Developmental Biology, 2010, 54, 281-294. | 0.3 | 283 |
| 333 | Crystal Structure of Bovine CD1b3 with Endogenously Bound Ligands. Journal of Immunology, 2010, 185, 376-386. | 0.4 | 15 |
| 334 | Induction of regulatory T cells decreases adipose inflammation and alleviates insulin resistance in ob/ob mice. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 9765-9770. | 3.3 | 287 |
| 335 | Review: Oral administration of Alequel, a mixture of autologous colon-extracted proteins for the treatment of Crohn's disease. Therapeutic Advances in Gastroenterology, 2010, 3, 23-30. | 1.4 | 8 |
| 336 | Natural Killer T Cells within the Liver: Conductors of the Hepatic Immune Orchestra. Digestive Diseases, 2010, 28, 7-13. | 0.8 | 32 |
| 337 | The specialized iNKT cell system recognizes glycolipid antigens and bridges the innate and acquired immune systems with potential applications for cancer therapy. International Immunology, 2010, 22, 1-6. | 1.8 | 60 |
| 338 | Serine Protease Inhibitor 6 Protects iNKT Cells from Self-Inflicted Damage. Journal of Immunology, 2010, 185, 877-883. | 0.4 | 21 |
| 339 | CD1d-Dependent NKT Cells Play a Protective Role in Acute and Chronic Arthritis Models by Ameliorating Antigen-Specific Th1 Responses. Journal of Immunology, 2010, 185, 345-356. | 0.4 | 34 |
| 340 | Invariant NKT Cells Are Required for Antitumor Responses Induced by Host-Versus-Graft Responses. Journal of Immunology, 2010, 185, 2099-2105. | 0.4 | 23 |
| 341 | Plasticity of Invariant NKT Cell Regulation of Allergic Airway Disease Is Dependent on IFN- γ Production. Journal of Immunology, 2010, 185, 253-262. | 0.4 | 18 |
| 342 | Identification of Regulatory Foxp3+ Invariant NKT Cells Induced by TGF- β 2. Journal of Immunology, 2010, 185, 2157-2163. | 0.4 | 134 |
| 343 | Primary deficiency of microsomal triglyceride transfer protein in human abetalipoproteinemia is associated with loss of CD1 function. Journal of Clinical Investigation, 2010, 120, 2889-2899. | 3.9 | 71 |
| 344 | Mouse CD84 is a <i>pan</i> -leukocyte cell-surface molecule that modulates LPS-induced cytokine secretion by macrophages. Journal of Leukocyte Biology, 2010, 88, 687-697. | 1.5 | 44 |
| 345 | Structural Biology of the T-cell Receptor: Insights into Receptor Assembly, Ligand Recognition, and Initiation of Signaling. Cold Spring Harbor Perspectives in Biology, 2010, 2, a005140-a005140. | 2.3 | 136 |
| 346 | Invariant NKT Cell Development Requires a Full Complement of Functional CD3 ζ Immunoreceptor Tyrosine-Based Activation Motifs. Journal of Immunology, 2010, 184, 6822-6832. | 0.4 | 13 |
| 347 | Invasion of Bovine Peripheral Blood Mononuclear Cells and Erythrocytes by <i>Mycoplasma bovis</i> . Infection and Immunity, 2010, 78, 4570-4578. | 1.0 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 348 | Lipid binding orientation within CD1d affects recognition of <i>Borrelia burgdorferi</i> antigens by NKT cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1535-1540. | 3.3 | 91 |
| 349 | Î±-Galactosylceramide Promotes Killing of <i>Listeria monocytogenes</i> within the Macrophage Phagosome through Invariant NKT-Cell Activation. <i>Infection and Immunity</i> , 2010, 78, 2667-2676. | 1.0 | 17 |
| 350 | AIDS Progression Is Associated with the Emergence of IL-17 ⁺ -Producing Cells Early After Simian Immunodeficiency Virus Infection. <i>Journal of Immunology</i> , 2010, 184, 984-992. | 0.4 | 53 |
| 351 | A Critical Role for IFN Regulatory Factor 1 in NKT Cell-Mediated Liver Injury Induced by Î±-Galactosylceramide. <i>Journal of Immunology</i> , 2010, 185, 2536-2543. | 0.4 | 18 |
| 352 | On/Off TLR Signaling Decides Proinflammatory or Tolerogenic Dendritic Cell Maturation upon CD1d-Mediated Interaction with Invariant NKT Cells. <i>Journal of Immunology</i> , 2010, 185, 7317-7329. | 0.4 | 39 |
| 353 | T Cell Ig Domain and Mucin Domain 1 Engagement on Invariant NKT Cells in the Presence of TCR Stimulation Enhances IL-4 Production but Inhibits IFN-Î³ Production. <i>Journal of Immunology</i> , 2010, 184, 4095-4106. | 0.4 | 37 |
| 354 | Dendritic Cells from Mycobacteria-Infected Mice Inhibits Established Allergic Airway Inflammatory Responses to Ragweed via IL-10 ⁺ and IL-12 ⁺ -Secreting Mechanisms. <i>Journal of Immunology</i> , 2010, 184, 7288-7296. | 0.4 | 28 |
| 355 | Calreticulin Controls the Rate of Assembly of CD1d Molecules in the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2010, 285, 38283-38292. | 1.6 | 10 |
| 356 | Direct CD1d-Mediated Stimulation of APC IL-12 Production and Protective Immune Response to Virus Infection In Vivo. <i>Journal of Immunology</i> , 2010, 184, 268-276. | 0.4 | 20 |
| 357 | NKT Cell-Dependent Regulation of Secondary Antigen-Specific, Conventional CD4 ⁺ T Cell Immune Responses. <i>Journal of Immunology</i> , 2010, 184, 5589-5594. | 0.4 | 17 |
| 358 | Temporal Differences in the Dependency on Phosphoinositide-Dependent Kinase 1 Distinguish the Development of Invariant VÎ±14 NKT Cells and Conventional T Cells. <i>Journal of Immunology</i> , 2010, 185, 5973-5982. | 0.4 | 22 |
| 359 | Oligoclonality and innate-like features in the TCR repertoire of type II NKT cells reactive to a Î²-linked self-glycolipid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10984-10989. | 3.3 | 108 |
| 360 | Generation of PLZF ⁺ CD4 ⁺ T cells via MHC class II ⁺ -dependent thymocyte ⁺ -thymocyte interaction is a physiological process in humans. <i>Journal of Experimental Medicine</i> , 2010, 207, 237-246. | 4.2 | 69 |
| 361 | EBV Promotes Human CD8 ⁺ NKT Cell Development. <i>PLoS Pathogens</i> , 2010, 6, e1000915. | 2.1 | 9 |
| 362 | Preferential Th1 Cytokine Profile of Phosphoantigen-Stimulated Human VÎ±13 ⁺ VÎ±2 T Cells. <i>Mediators of Inflammation</i> , 2010, 2010, 1-11. | 1.4 | 30 |
| 363 | Tolerizing allergic responses in the lung. <i>Mucosal Immunology</i> , 2010, 3, 334-344. | 2.7 | 19 |
| 364 | Profound invariant natural killer T-cell deficiency in inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1873-1879. | 0.5 | 27 |
| 365 | NKT Cells in Sepsis. <i>Clinical and Developmental Immunology</i> , 2010, 2010, 1-10. | 3.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 366 | Prolonged Survival of Human Hepatocarcinoma Cells in the Liver of Newborn C57BL/6 Mice and Resulting Cellular Xenorejection, Especially the Activation of Hepatic Natural Killer T Cells. <i>Pathobiology</i> , 2010, 77, 115-128. | 1.9 | 3 |
| 367 | Apoptotic Cells Activate NKT Cells through T Cell Ig-Like Mucin-Like α 1 Resulting in Airway Hyperreactivity. <i>Journal of Immunology</i> , 2010, 185, 5225-5235. | 0.4 | 67 |
| 368 | PD-L1 and PD-L2 modulate airway inflammation and iNKT-cell-dependent airway hyperreactivity in opposing directions. <i>Mucosal Immunology</i> , 2010, 3, 81-91. | 2.7 | 157 |
| 369 | Immunomodulation of the Allergic Inflammatory Response: New Developments. <i>Inflammation and Allergy: Drug Targets</i> , 2010, 9, 73-82. | 1.8 | 10 |
| 370 | Type I natural killer T cells: naturally born for fighting. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 1123-1132. | 2.8 | 9 |
| 371 | Thymic Selection and Lineage Commitment of CD4 ⁺ Foxp3 ⁺ Regulatory T Lymphocytes. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 92, 251-277. | 0.9 | 10 |
| 372 | Serial OX40 Engagement on CD4 ⁺ T Cells and Natural Killer T Cells Causes Allergic Airway Inflammation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 181, 688-698. | 2.5 | 25 |
| 373 | β -Galactosylceramide as a Therapeutic Agent for Pulmonary <i>Mycobacterium tuberculosis</i> Infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 841-847. | 2.5 | 51 |
| 374 | Dissecting Human NK Cell Development and Differentiation. , 2010, , 39-61. | | 2 |
| 375 | Interactions Between B Lymphocytes and NK Cells: An Update. , 2010, , 345-368. | | 3 |
| 376 | The Origin and Role of MHC Class I-Associated Self-Peptides. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 92, 41-60. | 0.9 | 16 |
| 377 | Natural killer T cells are important in the pathogenesis of asthma: The many pathways to asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 975-979. | 1.5 | 68 |
| 378 | Thymic stromal lymphopoietin α -activated invariant natural killer T cells trigger an innate allergic immune response in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 290-299.e4. | 1.5 | 63 |
| 379 | Lymphocytes iNKT et asthme \hat{A} : de la souris \hat{A} \hat{A} homme. <i>Revue Francaise D'allergologie</i> , 2010, 50, 102-105. | 0.1 | 1 |
| 380 | The Role of Histamine in Immunoregulation in Context of T-Regulatory and Invariant NKT Cells. , 2010, , 103-132. | | 0 |
| 381 | Identification of an NK/T cell α -restricted progenitor in adult bone marrow contributing to bone marrow α and thymic-dependent NK cells. <i>Blood</i> , 2010, 116, 183-192. | 0.6 | 39 |
| 382 | Synthesis of Immunostimulatory β -Galactosylceramide Glycolipids via Sonogashira Coupling, Asymmetric Epoxidation, and Trichloroacetimidate-Mediated Epoxide Opening. <i>Organic Letters</i> , 2010, 12, 2974-2977. | 2.4 | 38 |
| 383 | Negative modulation of invariant natural killer T cell responses to glycolipid antigens by p38 MAP kinase. <i>International Immunopharmacology</i> , 2010, 10, 1068-1076. | 1.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 384 | How do SAP family deficiencies compromise immunity?. Trends in Immunology, 2010, 31, 295-302. | 2.9 | 31 |
| 385 | The regulatory role of natural killer T cells in the airways. International Journal of Biochemistry and Cell Biology, 2010, 42, 529-534. | 1.2 | 5 |
| 386 | Cytokine dependent and independent iNKT cell activation. Cytokine, 2010, 51, 227-231. | 1.4 | 40 |
| 387 | IL-17 family member cytokines: Regulation and function in innate immunity. Cytokine and Growth Factor Reviews, 2010, 21, 413-423. | 3.2 | 207 |
| 388 | Expression of functional GPR35 in human iNKT cells. Biochemical and Biophysical Research Communications, 2010, 398, 420-425. | 1.0 | 94 |
| 389 | Adjuvant activity mediated by iNKT cells. Seminars in Immunology, 2010, 22, 97-102. | 2.7 | 34 |
| 390 | Lipid and glycolipid antigens of CD1d-restricted natural killer T cells. Seminars in Immunology, 2010, 22, 68-78. | 2.7 | 110 |
| 391 | How invariant natural killer T cells respond to infection by recognizing microbial or endogenous lipid antigens. Seminars in Immunology, 2010, 22, 79-86. | 2.7 | 92 |
| 392 | Isolation and Functional Use of Human NKT Cells. Current Protocols in Immunology, 2010, 90, Unit 14.11. | 3.6 | 28 |
| 393 | An essential role for the transcription factor HEB in thymocyte survival, Tcra rearrangement and the development of natural killer T cells. Nature Immunology, 2010, 11, 240-249. | 7.0 | 121 |
| 394 | Natural killer T cells are not the predominant T cell in asthma and likely modulate, not cause, asthma. Journal of Allergy and Clinical Immunology, 2010, 125, 980-984. | 1.5 | 49 |
| 395 | Toll-Like Receptor 3 Ligand Dampens Liver Inflammation by Stimulating VÎ±14 Invariant Natural Killer T Cells to Negatively Regulate Î³Î±T Cells. American Journal of Pathology, 2010, 176, 1779-1789. | 1.9 | 20 |
| 396 | Protective Role of Interleukin-17 in Murine NKT Cell-Driven Acute Experimental Hepatitis. American Journal of Pathology, 2010, 177, 2334-2346. | 1.9 | 52 |
| 397 | The VÎ±14 invariant natural killer T cell TCR forces microbial glycolipids and CD1d into a conserved binding mode. Journal of Experimental Medicine, 2010, 207, 2383-2393. | 4.2 | 78 |
| 398 | Delayed-type asthmatic response to bronchial challenge with allergen, I: clinical features. Annals of Allergy, Asthma and Immunology, 2010, 104, 394-404. | 0.5 | 13 |
| 399 | NK and NKT cells. , 2010, , 255-277. | | 0 |
| 401 | The Immunological Functions of Saposins. Advances in Immunology, 2010, 105, 25-62. | 1.1 | 50 |
| 402 | The Immune Response to Infectious Agents. Methods in Microbiology, 2010, 37, 1-20. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 403 | Outlining novel cellular adjuvant products for therapeutic vaccines against cancer. Expert Review of Vaccines, 2011, 10, 1207-1220. | 2.0 | 32 |
| 404 | Impact of sugar stereochemistry on natural killer T cell stimulation by bacterial glycolipids. Organic and Biomolecular Chemistry, 2011, 9, 7659. | 1.5 | 7 |
| 405 | Regulatory T-cell as orchestra leader in immunosuppression process of multiple sclerosis. Immunopharmacology and Immunotoxicology, 2011, 33, 545-567. | 1.1 | 44 |
| 406 | The stimulating adventure of KRN 7000. Organic and Biomolecular Chemistry, 2011, 9, 3080. | 1.5 | 124 |
| 407 | Functional Innervation of Hepatic iNKT Cells Is Immunosuppressive Following Stroke. Science, 2011, 334, 101-105. | 6.0 | 366 |
| 408 | A Rapid Fluorescence-Based Assay for Classification of iNKT Cell Activating Glycolipids. Journal of the American Chemical Society, 2011, 133, 5198-5201. | 6.6 | 33 |
| 409 | Sulfatide-Mediated Activation of Type II Natural Killer T Cells Prevents Hepatic Ischemic Reperfusion Injury In Mice. Gastroenterology, 2011, 140, 646-655. | 0.6 | 97 |
| 410 | Invariant natural killer T cells from children with versus without food allergy exhibit differential responsiveness to milk-derived sphingomyelin. Journal of Allergy and Clinical Immunology, 2011, 128, 102-109.e13. | 1.5 | 75 |
| 411 | Pathogenesis of Liver Fibrosis. Annual Review of Pathology: Mechanisms of Disease, 2011, 6, 425-456. | 9.6 | 1,382 |
| 412 | Specific expression of GPR56 by human cytotoxic lymphocytes. Journal of Leukocyte Biology, 2011, 90, 735-740. | 1.5 | 104 |
| 413 | Insight into the Immunobiology of Human Skin and Functional Specialization of Skin Dendritic Cell Subsets to Innovate Intradermal Vaccination Design. Current Topics in Microbiology and Immunology, 2011, 351, 25-76. | 0.7 | 76 |
| 414 | Distinct and Overlapping Effector Functions of Expanded Human CD4+, CD8 ⁺ and CD4-CD8 ⁺ Invariant Natural Killer T Cells. PLoS ONE, 2011, 6, e28648. | 1.1 | 85 |
| 415 | Variation of tumor-infiltrating lymphocytes in human cancers: controversy on clinical significance. Immunotherapy, 2011, 3, 1235-1251. | 1.0 | 50 |
| 416 | The dangerous liaison between iNKT cells and dendritic cells: Does it prevent or promote autoimmune diseases?. Autoimmunity, 2011, 44, 11-22. | 1.2 | 11 |
| 418 | SLAM Family Receptors and SAP Adaptors in Immunity. Annual Review of Immunology, 2011, 29, 665-705. | 9.5 | 411 |
| 421 | Proinflammatory Environment Dictates the IL-17 ⁺ -Producing Capacity of Human Invariant NKT Cells. Journal of Immunology, 2011, 186, 5758-5765. | 0.4 | 90 |
| 422 | Clinical Neuroimmunology. , 2011, , . | | 0 |
| 423 | Natural glycans and glycoconjugates as immunomodulating agents. Natural Product Reports, 2011, 28, 937. | 5.2 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 424 | A Detrimental Role for Invariant Natural Killer T Cells in the Pathogenesis of Experimental Dengue Virus Infection. <i>American Journal of Pathology</i> , 2011, 179, 1872-1883. | 1.9 | 31 |
| 425 | Innate Recognition of Cell Wall β -Glucans Drives Invariant Natural Killer T Cell Responses against Fungi. <i>Cell Host and Microbe</i> , 2011, 10, 437-450. | 5.1 | 101 |
| 426 | Mechanism of regulation of autoimmunity by iNKT cells. <i>Cytokine</i> , 2011, 53, 263-270. | 1.4 | 73 |
| 427 | Caspase-1-processed IL-1 family cytokines play a vital role in driving innate IL-17. <i>Cytokine</i> , 2011, 56, 126-132. | 1.4 | 39 |
| 428 | Strategies to optimize the outcome of children given T-cell depleted HLA-haploidentical hematopoietic stem cell transplantation. <i>Best Practice and Research in Clinical Haematology</i> , 2011, 24, 339-349. | 0.7 | 17 |
| 429 | The role of Hedgehog signaling in fibrogenic liver repair. <i>International Journal of Biochemistry and Cell Biology</i> , 2011, 43, 238-244. | 1.2 | 112 |
| 430 | Invariant NKT Cells Producing IL-4 or IL-10, But Not IFN- γ , Inhibit the Th1 Response in Experimental Autoimmune Encephalomyelitis, Whereas None of These Cells Inhibits the Th17 Response. <i>Journal of Immunology</i> , 2011, 186, 6815-6821. | 0.4 | 46 |
| 431 | Immune modulation of ovalbumin-induced lung injury in mice using β -glucosylceramide and a potential role of the liver. <i>Immunobiology</i> , 2011, 216, 548-557. | 0.8 | 8 |
| 432 | Evolutionarily Conserved Features Contribute to α T Cell Receptor Specificity. <i>Immunity</i> , 2011, 35, 526-535. | 6.6 | 57 |
| 433 | Invariant NKT cell development and function in microRNA-223 knockout mice. <i>International Immunopharmacology</i> , 2011, 11, 561-568. | 1.7 | 11 |
| 434 | Mucosal-associated invariant T cells: unconventional development and function. <i>Trends in Immunology</i> , 2011, 32, 212-218. | 2.9 | 202 |
| 435 | NKT cell costimulation: experimental progress and therapeutic promise. <i>Trends in Molecular Medicine</i> , 2011, 17, 65-77. | 3.5 | 55 |
| 436 | NKT Cells: The Culprits of Sepsis?. <i>Journal of Surgical Research</i> , 2011, 167, 87-95. | 0.8 | 19 |
| 437 | An α -GalCer analogue with branched acyl chain enhances protective immune responses in a nasal influenza vaccine. <i>Vaccine</i> , 2011, 29, 417-425. | 1.7 | 40 |
| 438 | Distribution of intrahepatic T, NK and CD3+CD56+NKT cells alters after liver transplantation: Shift from innate to adaptive immunity?. <i>Transplant Immunology</i> , 2011, 25, 27-33. | 0.6 | 11 |
| 439 | Natural killer T cells in pulmonary disorders. <i>Respiratory Medicine</i> , 2011, 105, S20-S25. | 1.3 | 41 |
| 440 | Galacto-Configured Aminocyclitol Phytoceramides Are Potent in Vivo Invariant Natural Killer T Cell Stimulators. <i>Journal of the American Chemical Society</i> , 2011, 133, 12079-12084. | 6.6 | 37 |
| 441 | NKT Cell Ligand Recognition Logic: Molecular Basis for a Synaptic Duet and Transmission of Inflammatory Effectors. <i>Journal of Immunology</i> , 2011, 187, 1081-1089. | 0.4 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 442 | Developmental Immunology and Role of Host Defenses in Fetal and Neonatal Susceptibility to Infection. , 2011, , 80-191. | | 13 |
| 443 | Invariant natural killer T cells recognize glycolipids from pathogenic Gram-positive bacteria. Nature Immunology, 2011, 12, 966-974. | 7.0 | 295 |
| 445 | Natural killer T cells in lipoprotein metabolism and atherosclerosis. Thrombosis and Haemostasis, 2011, 106, 814-819. | 1.8 | 33 |
| 446 | Animal Models of Multiple Sclerosis. , 2011, , 55-79. | | 11 |
| 447 | Regulatory Immunotherapy in Bone Marrow Transplantation. Scientific World Journal, The, 2011, 11, 2620-2634. | 0.8 | 1 |
| 448 | Natural killer T cells in health and disease. Frontiers in Bioscience - Scholar, 2011, S3, 236-251. | 0.8 | 61 |
| 449 | Marginal Zone B-Cells, a Gatekeeper of Innate Immunity. Frontiers in Immunology, 2011, 2, 63. | 2.2 | 84 |
| 450 | Comparison of Invariant NKT Cells with Conventional T Cells by Using Gene Set Enrichment Analysis (GSEA). Immune Network, 2011, 11, 406. | 1.6 | 8 |
| 451 | The Role of MicroRNAs in Regulatory T Cells and in the Immune Response. Immune Network, 2011, 11, 11. | 1.6 | 113 |
| 452 | Mice Lacking NKT Cells but with a Complete Complement of CD8+ T-Cells Are Not Protected against the Metabolic Abnormalities of Diet-Induced Obesity. PLoS ONE, 2011, 6, e19831. | 1.1 | 98 |
| 453 | Differential Requirement for the CD45 Splicing Regulator hnRNPLL for Accumulation of NKT and Conventional T Cells. PLoS ONE, 2011, 6, e26440. | 1.1 | 9 |
| 454 | Spleen-Resident CD4+ and CD4 ⁺ CD8 ⁺ Dendritic Cell Subsets Differ in Their Ability to Prime Invariant Natural Killer T Lymphocytes. PLoS ONE, 2011, 6, e26919. | 1.1 | 16 |
| 455 | The Interaction between Regulatory T Cells and NKT Cells in the Liver: A CD1d Bridge Links Innate and Adaptive Immunity. PLoS ONE, 2011, 6, e27038. | 1.1 | 27 |
| 456 | The Role of Natural Killer T (NKT) Cells in the Pathogenesis of Type 1 Diabetes. Current Diabetes Reviews, 2011, 7, 278-283. | 0.6 | 9 |
| 457 | Evidence for the divergence of innate and adaptive T-cell precursors before commitment to the $\gamma\delta$ and $\beta\gamma$ lineages. Blood, 2011, 118, 6591-6600. | 0.6 | 28 |
| 458 | Differential requirements for the Ets transcription factor Elf-1 in the development of NKT cells and NK cells. Blood, 2011, 117, 1880-1887. | 0.6 | 48 |
| 459 | Autoreactive CD1b-restricted T cells: a new innate-like T-cell population that contributes to immunity against infection. Blood, 2011, 118, 3870-3878. | 0.6 | 38 |
| 461 | Enrichment of invariant natural killer T cells in the bone marrow of visceral leishmaniasis patients. Parasite Immunology, 2011, 33, 688-691. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 462 | iNKT Cell Frequency in Peripheral Blood of Caucasian Children and Adolescent: The Absolute iNKT Cell Count is Stable from Birth to Adulthood. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 406-411. | 1.3 | 31 |
| 463 | Stimulation of a shorter duration in the state of anergy by an invariant natural killer T cell agonist enhances its efficiency of protection from type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2011, 164, 26-41. | 1.1 | 12 |
| 464 | Structure-guided design of an invariant natural killer T cell agonist for optimum protection from type 1 diabetes in non-obese diabetic mice. <i>Clinical and Experimental Immunology</i> , 2011, 166, 121-133. | 1.1 | 22 |
| 465 | Engagement of glycosylphosphatidylinositol-anchored proteins results in enhanced mouse and human invariant natural killer T cell responses. <i>Immunology</i> , 2011, 132, 361-375. | 2.0 | 10 |
| 466 | Control of early stages in invariant natural killer T-cell development. <i>Immunology</i> , 2011, 134, 1-7. | 2.0 | 21 |
| 467 | Differential modulating effect of natural killer (NK) T cells on interferon- γ production and cytotoxic function of NK cells and its relationship with NK subsets in <i>Chlamydia muridarum</i> infection. <i>Immunology</i> , 2011, 134, 172-184. | 2.0 | 19 |
| 468 | Tec family kinases: Itk signaling and the development of NKT $\gamma\delta$ and $\alpha\beta$ T cells. <i>FEBS Journal</i> , 2011, 278, 1970-1979. | 2.2 | 24 |
| 469 | Views of immunology: effector T cells. <i>Immunological Reviews</i> , 2011, 240, 25-39. | 2.8 | 38 |
| 470 | Presumed guilty: natural killer T cell defects and human disease. <i>Nature Reviews Immunology</i> , 2011, 11, 131-142. | 10.6 | 324 |
| 471 | Tissue-based class control: the other side of tolerance. <i>Nature Reviews Immunology</i> , 2011, 11, 221-230. | 10.6 | 292 |
| 472 | Interrogating the repertoire: broadening the scope of peptide-MHC multimer analysis. <i>Nature Reviews Immunology</i> , 2011, 11, 551-558. | 10.6 | 106 |
| 473 | Distinct roles in NKT cell maturation and function for the different transcription factors in the classical NF- κ B pathway. <i>Immunology and Cell Biology</i> , 2011, 89, 294-303. | 1.0 | 23 |
| 474 | Why do T cells express the vitamin D receptor?. <i>Annals of the New York Academy of Sciences</i> , 2011, 1217, 77-82. | 1.8 | 54 |
| 475 | Inherited defects causing hemophagocytic lymphohistiocytic syndrome. <i>Annals of the New York Academy of Sciences</i> , 2011, 1246, 64-76. | 1.8 | 28 |
| 476 | Interleukin-23 Promotes Natural Killer T-Cell Production of IL-17 during Rat Liver Transplantation. <i>Transplantation Proceedings</i> , 2011, 43, 1962-1966. | 0.3 | 6 |
| 477 | Early activated Th-1 type and dominantly diverse natural killer T (CD3+CD161+V α 24 γ) cells in bone marrow among visceral leishmaniasis patients. <i>International Journal for Parasitology</i> , 2011, 41, 1069-1077. | 1.3 | 11 |
| 478 | Autoimmune hepatitis, HLA and extended haplotypes. <i>Autoimmunity Reviews</i> , 2011, 10, 189-193. | 2.5 | 91 |
| 479 | Low numbers and altered phenotype of invariant natural killer T cells in recurrent varicella zoster virus infection. <i>Cellular Immunology</i> , 2011, 269, 78-81. | 1.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 480 | CD3 $\hat{1}$ ³ -independent pathways in TCR-mediated signaling in mature T and iNKT lymphocytes. <i>Cellular Immunology</i> , 2011, 271, 62-66. | 1.4 | 3 |
| 481 | Glycolipids that Elicit IFN- $\hat{1}$ ³ -Biased Responses from Natural Killer T Cells. <i>Chemistry and Biology</i> , 2011, 18, 1620-1630. | 6.2 | 37 |
| 482 | Anti-tumor potential of type-I NKT cells against CD1d-positive and CD1d-negative tumors in humans. <i>Clinical Immunology</i> , 2011, 140, 119-129. | 1.4 | 109 |
| 483 | On the use of donor-derived iNKT cells for adoptive immunotherapy to prevent leukemia recurrence in pediatric recipients of HLA haploidentical HSCT for hematological malignancies. <i>Clinical Immunology</i> , 2011, 140, 152-159. | 1.4 | 26 |
| 484 | Harnessing natural killer T (NKT) cells in human myeloma: Progress and challenges. <i>Clinical Immunology</i> , 2011, 140, 160-166. | 1.4 | 51 |
| 485 | Cigarette smoke alters the invariant natural killer T cell function and may inhibit anti-tumor responses. <i>Clinical Immunology</i> , 2011, 140, 229-235. | 1.4 | 25 |
| 486 | Activation of human invariant natural killer T cells with a thioglycoside analogue of $\hat{1}$ \pm -galactosylceramide. <i>Clinical Immunology</i> , 2011, 140, 196-207. | 1.4 | 37 |
| 487 | NKT-cell-based immunotherapies in clinical trials. <i>Clinical Immunology</i> , 2011, 140, 117-118. | 1.4 | 26 |
| 488 | Developing understanding of the roles of CD1d-restricted T cell subsets in cancer: Reversing tumor-induced defects. <i>Clinical Immunology</i> , 2011, 140, 184-195. | 1.4 | 41 |
| 489 | Mouse and human iNKT cell agonist $\hat{1}$ ² -mannosylceramide reveals a distinct mechanism of tumor immunity. <i>Journal of Clinical Investigation</i> , 2011, 121, 683-694. | 3.9 | 41 |
| 490 | The Intraepithelial T Cell Response to NKG2D-Ligands Links Lymphoid Stress Surveillance to Atopy. <i>Science</i> , 2011, 334, 1293-1297. | 6.0 | 134 |
| 491 | IL-15 Regulates Homeostasis and Terminal Maturation of NKT Cells. <i>Journal of Immunology</i> , 2011, 187, 6335-6345. | 0.4 | 139 |
| 492 | Functional Invariant NKT Cells in Pig Lungs Regulate the Airway Hyperreactivity: A Potential Animal Model. <i>Journal of Clinical Immunology</i> , 2011, 31, 228-239. | 2.0 | 26 |
| 493 | Analysis of Invariant Natural Killer T Cells in Human Paracoccidioidomycosis. <i>Mycopathologia</i> , 2011, 172, 357-363. | 1.3 | 3 |
| 494 | Current advances in understanding of immunopathology of atherosclerosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 117-123. | 1.4 | 26 |
| 495 | Invariant natural killer T cells: bridging innate and adaptive immunity. <i>Cell and Tissue Research</i> , 2011, 343, 43-55. | 1.5 | 148 |
| 496 | Migration and chemokine receptor pattern of colitis-preventing DX5+NKT cells. <i>International Journal of Colorectal Disease</i> , 2011, 26, 1423-1433. | 1.0 | 3 |
| 497 | Glucose Metabolism Disorders and the Risk of Cancer. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2011, 59, 215-230. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 498 | The phylogenetic origins of natural killer receptors and recognition: relationships, possibilities, and realities. <i>Immunogenetics</i> , 2011, 63, 123-141. | 1.2 | 73 |
| 499 | A Molecular Basis for the Exquisite CD1d-Restricted Antigen Specificity and Functional Responses of Natural Killer T Cells. <i>Immunity</i> , 2011, 34, 327-339. | 6.6 | 107 |
| 500 | Cross-talk between cd1d-restricted nkt cells and ð³ï cells in t regulatory cell response. <i>Virology Journal</i> , 2011, 8, 32. | 1.4 | 20 |
| 501 | NKG2D performs two functions in invariant NKT cells: Direct TCRâ€independent activation of NKâ€like cytotoxicity and coâ€stimulation of activation by CD1d. <i>European Journal of Immunology</i> , 2011, 41, 1913-1923. | 1.6 | 111 |
| 502 | Invariant NKT cells regulate experimental autoimmune uveitis through inhibition of Th17 differentiation. <i>European Journal of Immunology</i> , 2011, 41, 392-402. | 1.6 | 28 |
| 503 | A natural protective function of invariant NKT cells in a mouse model of innateâ€cellâ€driven lung inflammation. <i>European Journal of Immunology</i> , 2011, 41, 299-305. | 1.6 | 25 |
| 504 | Invariant natural killer Tâ€cellâ€deficient mice display increased CCl ₄ -induced hepatitis associated with CXCL1 overâ€expression and neutrophil infiltration. <i>European Journal of Immunology</i> , 2011, 41, 1720-1732. | 1.6 | 24 |
| 505 | Highâ€frequency and adaptiveâ€like dynamics of human CD1 selfâ€reactive T cells. <i>European Journal of Immunology</i> , 2011, 41, 602-610. | 1.6 | 116 |
| 506 | Group 1 CD1â€restricted T cells take center stage. <i>European Journal of Immunology</i> , 2011, 41, 592-594. | 1.6 | 13 |
| 507 | RAEâ€1 is expressed in the adult subventricular zone and controls cell proliferation of neurospheres. <i>Glia</i> , 2011, 59, 35-44. | 2.5 | 28 |
| 508 | Invariant natural killer T (iNKT) cell deficiency in chronic mucocutaneous candidiasis â€“ A consequence or a cause?. <i>Immunology Letters</i> , 2011, 135, 180-183. | 1.1 | 2 |
| 509 | A Molecular Basis for NKT Cell Recognition of CD1d-Self-Antigen. <i>Immunity</i> , 2011, 34, 315-326. | 6.6 | 118 |
| 510 | Introduction of aromatic group on 4â€OH of ð±-GalCer manipulated NKT cell cytokine production. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2767-2776. | 1.4 | 18 |
| 511 | Development of PLZF-expressing innate T cells. <i>Current Opinion in Immunology</i> , 2011, 23, 220-227. | 2.4 | 81 |
| 512 | Mucosal associated invariant T cells and the immune response to infection. <i>Microbes and Infection</i> , 2011, 13, 742-748. | 1.0 | 18 |
| 513 | The split personality of NKT cells in malignancy, autoimmune and allergic disorders. <i>Immunotherapy</i> , 2011, 3, 1167-1184. | 1.0 | 34 |
| 514 | Invariant NK T cells: potential for immunotherapeutic targeting with glycolipid antigens. <i>Immunotherapy</i> , 2011, 3, 59-75. | 1.0 | 40 |
| 515 | Epigenetic Reduction in Invariant NKT Cells following In Utero Vitamin D Deficiency in Mice. <i>Journal of Immunology</i> , 2011, 186, 1384-1390. | 0.4 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 516 | MicroRNAs are key regulators controlling iNKT and regulatory T-cell development and function. Cellular and Molecular Immunology, 2011, 8, 380-387. | 4.8 | 30 |
| 517 | Innate and cytokine-driven signals, rather than microbial antigens, dominate in natural killer T cell activation during microbial infection. Journal of Experimental Medicine, 2011, 208, 1163-1177. | 4.2 | 239 |
| 518 | Impairment of CD1d-Restricted Natural Killer T Cells in Chronic HIV Type 1 Clade C Infection. AIDS Research and Human Retroviruses, 2011, 27, 501-509. | 0.5 | 20 |
| 519 | Immunological study of expression of CD1 in preimplantation and midgestation mouse embryo cells and placental trophoblasts and the role of decidual natural killer T cells at the fetomaternal interface. Egyptian Journal of Histology, 2011, 34, 46-56. | 0.0 | 1 |
| 520 | Administration of β -galactosylceramide impairs the survival of dendritic cell subpopulations in vivo. Journal of Leukocyte Biology, 2011, 89, 753-762. | 1.5 | 8 |
| 521 | V β 2 natural killer T cell antigen receptor-mediated recognition of CD1d-glycolipid antigen. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 19007-19012. | 3.3 | 36 |
| 522 | Promyelocytic Leukemia Zinc Finger Turns on the Effector T Cell Program without Requirement for Agonist TCR Signaling. Journal of Immunology, 2011, 186, 5801-5806. | 0.4 | 44 |
| 523 | Invariant NKT Cell Defects in Vitamin D Receptor Knockout Mice Prevents Experimental Lung Inflammation. Journal of Immunology, 2011, 187, 4907-4912. | 0.4 | 35 |
| 524 | PLZF induces an intravascular surveillance program mediated by long-lived LFA-1-ICAM-1 interactions. Journal of Experimental Medicine, 2011, 208, 1179-1188. | 4.2 | 162 |
| 525 | Regulating the regulators: SOCS3 joins the dance. Annals of the Rheumatic Diseases, 2011, 70, 2061-2062. | 0.5 | 0 |
| 526 | IL-17-producing invariant NKT cells in lymphoid organs are recent thymic emigrants identified by neuropilin-1 expression. Blood, 2011, 118, 2993-3002. | 0.6 | 66 |
| 527 | Viral infection prevents diabetes by inducing regulatory T cells through NKT cell-plasmacytoid dendritic cell interplay. Journal of Experimental Medicine, 2011, 208, 729-745. | 4.2 | 80 |
| 528 | Airborne lipid antigens mobilize resident intravascular NKT cells to induce allergic airway inflammation. Journal of Experimental Medicine, 2011, 208, 2113-2124. | 4.2 | 94 |
| 529 | Natural Killer T Cells Subsets in Cancer, Functional Defects in Prostate Cancer and Implications for Immunotherapy. Cancers, 2011, 3, 3661-3675. | 1.7 | 10 |
| 530 | Critical Roles of RasGRP1 for Invariant NKT Cell Development. Journal of Immunology, 2011, 187, 4467-4473. | 0.4 | 45 |
| 531 | IL-8-mediated angiogenic responses of endothelial cells to lipid antigen activation of iNKT cells depend on EGFR transactivation. Journal of Leukocyte Biology, 2011, 90, 929-939. | 1.5 | 17 |
| 532 | Principles of Immunotherapy. , 2011, , 15-40. | | 0 |
| 533 | Remarkable Conservation of Distinct Nonclassical MHC Class I Lineages in Divergent Amphibian Species. Journal of Immunology, 2011, 186, 372-381. | 0.4 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 534 | C5a Regulates NKT and NK Cell Functions in Sepsis. <i>Journal of Immunology</i> , 2011, 187, 5805-5812. | 0.4 | 49 |
| 535 | A Naive-Like Population of Human CD1d-Restricted T Cells Expressing Intermediate Levels of Promyelocytic Leukemia Zinc Finger. <i>Journal of Immunology</i> , 2011, 187, 309-315. | 0.4 | 29 |
| 536 | Cutting Edge: Structural Basis for the Recognition of β -Linked Glycolipid Antigens by Invariant NKT Cells. <i>Journal of Immunology</i> , 2011, 187, 2079-2083. | 0.4 | 57 |
| 537 | Cardiolipin Binds to CD1d and Stimulates CD1d-Restricted β T Cells in the Normal Murine Repertoire. <i>Journal of Immunology</i> , 2011, 186, 4771-4781. | 0.4 | 97 |
| 538 | Intrinsic Requirement for the Vitamin D Receptor in the Development of CD8 β -Expressing T Cells. <i>Journal of Immunology</i> , 2011, 186, 2819-2825. | 0.4 | 73 |
| 539 | Activated Invariant NKT Cells Regulate Osteoclast Development and Function. <i>Journal of Immunology</i> , 2011, 186, 2910-2917. | 0.4 | 33 |
| 540 | Nonconventional CD8 α T Cell Responses to <i>Listeria</i> Infection in Mice Lacking MHC Class Ia and H2-M3. <i>Journal of Immunology</i> , 2011, 186, 489-498. | 0.4 | 17 |
| 541 | Cutting Edge: Intravenous Ig Inhibits Invariant NKT Cell-Mediated Allergic Airway Inflammation through Fc γ RIIIA-Dependent Mechanisms. <i>Journal of Immunology</i> , 2011, 186, 3289-3293. | 0.4 | 35 |
| 542 | Translational Control of NKT Cell Cytokine Production by p38 MAPK. <i>Journal of Immunology</i> , 2011, 186, 4140-4146. | 0.4 | 25 |
| 543 | Invariant NKT Cell Reconstitution in Pediatric Leukemia Patients Given HLA-Haploidentical Stem Cell Transplantation Defines Distinct CD4 α and CD4 β Subset Dynamics and Correlates with Remission State. <i>Journal of Immunology</i> , 2011, 186, 4490-4499. | 0.4 | 85 |
| 544 | β -Galactosylceramide-Induced Airway Eosinophilia Is Mediated through the Activation of NKT Cells. <i>Journal of Immunology</i> , 2011, 186, 4687-4692. | 0.4 | 18 |
| 545 | Diverse Endogenous Antigens for Mouse NKT Cells: Self-Antigens That Are Not Glycosphingolipids. <i>Journal of Immunology</i> , 2011, 186, 1348-1360. | 0.4 | 54 |
| 546 | Peroxisome Proliferator-Activated Receptor β -Regulated Cathepsin D Is Required for Lipid Antigen Presentation by Dendritic Cells. <i>Journal of Immunology</i> , 2011, 187, 240-247. | 0.4 | 21 |
| 547 | Tight Regulation of Diacylglycerol-Mediated Signaling Is Critical for Proper Invariant NKT Cell Development. <i>Journal of Immunology</i> , 2011, 187, 2122-2129. | 0.4 | 48 |
| 548 | NKT Cells Are Required for Complete Freund's Adjuvant-Mediated Protection from Autoimmune Diabetes. <i>Journal of Immunology</i> , 2011, 187, 2898-2904. | 0.4 | 15 |
| 549 | IL-15 α of Radiation-Resistant Cells Is Necessary and Sufficient for Thymic Invariant NKT Cell Survival and Functional Maturation. <i>Journal of Immunology</i> , 2011, 187, 1235-1242. | 0.4 | 19 |
| 550 | Essential role of Mediator subunit Med1 in invariant natural killer T-cell development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 17105-17110. | 3.3 | 27 |
| 551 | Identification of <i>Cd101</i> as a Susceptibility Gene for <i>Novosphingobium aromaticivorans</i> -Induced Liver Autoimmunity. <i>Journal of Immunology</i> , 2011, 187, 337-349. | 0.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 552 | MHC Class II-Restricted Interaction between Thymocytes Plays an Essential Role in the Production of Innate CD8+ T Cells. <i>Journal of Immunology</i> , 2011, 186, 5749-5757. | 0.4 | 62 |
| 553 | Computational and Experimental Analysis Reveals a Requirement for Eosinophil-Derived IL-13 for the Development of Allergic Airway Responses in C57BL/6 Mice. <i>Journal of Immunology</i> , 2011, 186, 2936-2949. | 0.4 | 48 |
| 554 | Potential Role of Invariant NKT Cells in the Control of Pulmonary Inflammation and CD8+ T Cell Response during Acute Influenza A Virus H3N2 Pneumonia. <i>Journal of Immunology</i> , 2011, 186, 5590-5602. | 0.4 | 88 |
| 555 | Cutting Edge: Crucial Role of IL-1 and IL-23 in the Innate IL-17 Response of Peripheral Lymph Node NK1.1 ⁺ Invariant NKT Cells to Bacteria. <i>Journal of Immunology</i> , 2011, 186, 662-666. | 0.4 | 137 |
| 556 | NKT TCR Recognition of CD1d- α -Galactosylceramide. <i>Journal of Immunology</i> , 2011, 187, 4705-4713. | 0.4 | 62 |
| 557 | CD4 + T cells from MHC II α -dependent thymocyte α -thymocyte interaction provide efficient help for B cells. <i>Immunology and Cell Biology</i> , 2011, 89, 897-903. | 1.0 | 4 |
| 558 | Unique Interplay between Sugar and Lipid in Determining the Antigenic Potency of Bacterial Antigens for NKT Cells. <i>PLoS Biology</i> , 2011, 9, e1001189. | 2.6 | 43 |
| 559 | Characterization of human invariant natural killer T cells expressing FoxP3. <i>International Immunology</i> , 2011, 23, 473-484. | 1.8 | 19 |
| 560 | Lysophospholipid presentation by CD1d and recognition by a human Natural Killer T-cell receptor. <i>EMBO Journal</i> , 2012, 31, 2047-2059. | 3.5 | 61 |
| 561 | Neutrophilic Granulocytes Modulate Invariant NKT Cell Function in Mice and Humans. <i>Journal of Immunology</i> , 2012, 188, 3000-3008. | 0.4 | 38 |
| 562 | Double negative regulatory T cells in transplantation and autoimmunity: recent progress and future directions. <i>Journal of Molecular Cell Biology</i> , 2012, 4, 48-58. | 1.5 | 111 |
| 563 | The location of splenic NKT cells favours their rapid activation by blood-borne antigen. <i>EMBO Journal</i> , 2012, 31, 2378-2390. | 3.5 | 81 |
| 564 | Modulatory Function of Invariant Natural Killer T Cells in Systemic Lupus Erythematosus. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-8. | 3.3 | 18 |
| 565 | The Effect of Specific Immunotherapy on Natural Killer T cells in Peripheral Blood of House Dust Mite-Sensitized Children with Asthma. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-6. | 3.3 | 10 |
| 566 | Key Role for Respiratory CD103+ Dendritic Cells, IFN- γ , and IL-17 in Protection Against <i>Streptococcus pneumoniae</i> Infection in Response to α -Galactosylceramide. <i>Journal of Infectious Diseases</i> , 2012, 206, 723-734. | 1.9 | 47 |
| 567 | Invariant NKT Cells: Regulation and Function during Viral Infection. <i>PLoS Pathogens</i> , 2012, 8, e1002838. | 2.1 | 133 |
| 568 | Loss of Effector and Anti-Inflammatory Natural Killer T Lymphocyte Function in Pathogenic Simian Immunodeficiency Virus Infection. <i>PLoS Pathogens</i> , 2012, 8, e1002928. | 2.1 | 29 |
| 569 | Development and Function of Invariant Natural Killer T Cells Producing TH2- and TH17-Cytokines. <i>PLoS Biology</i> , 2012, 10, e1001255. | 2.6 | 180 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 570 | Critical Role of Natural Killer Cells in Lung Immunopathology During Influenza Infection in Mice. <i>Journal of Infectious Diseases</i> , 2012, 206, 167-177. | 1.9 | 118 |
| 571 | TLR4 and NKT Cell Synergy in Immunotherapy against Visceral Leishmaniasis. <i>PLoS Pathogens</i> , 2012, 8, e1002646. | 2.1 | 50 |
| 572 | The Molecular Basis for Recognition of CD1d/Î±-Galactosylceramide by a Human Non-VÎ±24 T Cell Receptor. <i>PLoS Biology</i> , 2012, 10, e1001412. | 2.6 | 35 |
| 573 | Role of Î³Î³ T Cells in Î±-Galactosylceramide-Mediated Immunity. <i>Journal of Immunology</i> , 2012, 188, 3928-3939. | 0.4 | 44 |
| 574 | Scavenger receptors target glycolipids for natural killer T cell activation. <i>Journal of Clinical Investigation</i> , 2012, 122, 3943-3954. | 3.9 | 47 |
| 575 | Immature murine NKT cells pass through a stage of developmentally programmed innate IL-4 secretion. <i>Journal of Leukocyte Biology</i> , 2012, 92, 999-1009. | 1.5 | 17 |
| 576 | Foreskin T-cell subsets differ substantially from blood with respect to HIV co-receptor expression, inflammatory profile, and memory status. <i>Mucosal Immunology</i> , 2012, 5, 121-128. | 2.7 | 52 |
| 577 | ATP-Binding Cassette Transporter G1 Intrinsically Regulates Invariant NKT Cell Development. <i>Journal of Immunology</i> , 2012, 189, 5129-5138. | 0.4 | 15 |
| 578 | TRIM28 mediates chromatin modifications at the TCRÎ± enhancer and regulates the development of T and natural killer T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 20083-20088. | 3.3 | 35 |
| 579 | The chemokine receptor CXCR3 limits injury after acute toxic liver damage. <i>Laboratory Investigation</i> , 2012, 92, 724-734. | 1.7 | 18 |
| 580 | A novel role of CD1c in regulating CD1d-mediated NKT cell recognition by competitive binding to Ig-like transcript 4. <i>International Immunology</i> , 2012, 24, 729-737. | 1.8 | 28 |
| 581 | ZBTB7B (Th-POK) Regulates the Development of IL-17-Producing CD1d-Restricted Mouse NKT Cells. <i>Journal of Immunology</i> , 2012, 189, 5240-5249. | 0.4 | 37 |
| 582 | Invariant natural killer T cells reconstitution and the control of leukemia relapse in pediatric haploidentical hematopoietic stem cell transplantation. <i>Oncolmmunology</i> , 2012, 1, 355-357. | 2.1 | 19 |
| 583 | Elevated and sustained expression of the transcription factors Egr1 and Egr2 controls NKT lineage differentiation in response to TCR signaling. <i>Nature Immunology</i> , 2012, 13, 264-271. | 7.0 | 191 |
| 584 | Lipids-D-U: peroxisome generation of iNKT ligands. <i>Nature Immunology</i> , 2012, 13, 435-436. | 7.0 | 2 |
| 585 | Update on the Immunological Pathway of Negative Regulation in Acute Insults and Sepsis. <i>Journal of Interferon and Cytokine Research</i> , 2012, 32, 288-298. | 0.5 | 8 |
| 586 | TCR signaling via Tec kinase ITK and interferon regulatory factor 4 (IRF4) regulates CD8 ⁺ T-cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2794-802. | 3.3 | 90 |
| 587 | Activation of invariant natural killer T cells by lipid excess promotes tissue inflammation, insulin resistance, and hepatic steatosis in obese mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1143-52. | 3.3 | 160 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 588 | CD4+ Type II NKT Cells Mediate ICOS and Programmed Death-1-Dependent Regulation of Type 1 Diabetes. <i>Journal of Immunology</i> , 2012, 188, 3138-3149. | 0.4 | 55 |
| 589 | Activation of Natural Killer T Cells Promotes M2 Macrophage Polarization in Adipose Tissue and Improves Systemic Glucose Tolerance via Interleukin-4 (IL-4)/STAT6 Protein Signaling Axis in Obesity. <i>Journal of Biological Chemistry</i> , 2012, 287, 13561-13571. | 1.6 | 182 |
| 590 | Rapamycin Combined with TGF- β 2 Converts Human Invariant NKT Cells into Suppressive Foxp3+ Regulatory Cells. <i>Journal of Immunology</i> , 2012, 188, 624-631. | 0.4 | 59 |
| 591 | Role of Hepatocyte-Derived IL-7 in Maintenance of Intrahepatic NKT Cells and T Cells and Development of B Cells in Fetal Liver. <i>Journal of Immunology</i> , 2012, 189, 4444-4450. | 0.4 | 40 |
| 592 | Structural insight into MR1-mediated recognition of the mucosal associated invariant T cell receptor. <i>Journal of Experimental Medicine</i> , 2012, 209, 761-774. | 4.2 | 159 |
| 593 | Structural and Functional Characterization of a Novel Nonglycosidic Type I NKT Agonist with Immunomodulatory Properties. <i>Journal of Immunology</i> , 2012, 188, 2254-2265. | 0.4 | 24 |
| 594 | Short Term High Fat Diet Challenge Promotes Alternative Macrophage Polarization in Adipose Tissue via Natural Killer T Cells and Interleukin-4. <i>Journal of Biological Chemistry</i> , 2012, 287, 24378-24386. | 1.6 | 128 |
| 595 | Dendritic Cell Sphingosine 1-Phosphate Receptor-3 Regulates Th1-Th2 Polarity in Kidney Ischemia-Reperfusion Injury. <i>Journal of Immunology</i> , 2012, 189, 2584-2596. | 0.4 | 70 |
| 596 | Differential contribution of dendritic cell CD1d to NKT cell-enhanced humoral immunity and CD8+ T cell activation. <i>Journal of Leukocyte Biology</i> , 2012, 91, 783-790. | 1.5 | 15 |
| 597 | NKT-associated hedgehog and osteopontin drive fibrogenesis in non-alcoholic fatty liver disease. <i>Gut</i> , 2012, 61, 1323-1329. | 6.1 | 231 |
| 598 | Abrogation of spontaneous liver tolerance during immune response to <i>Candida albicans</i> : contribution of NKT and hepatic mononuclear cells. <i>International Immunology</i> , 2012, 24, 315-325. | 1.8 | 8 |
| 599 | Toward realization of the promise of regenerative medicine. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2012, 10, 249-53. | 0.3 | 0 |
| 600 | Enhancing Immunostimulatory Function of Human Embryonic Stem Cell-Derived Dendritic Cells by CD1d Overexpression. <i>Journal of Immunology</i> , 2012, 188, 4297-4304. | 0.4 | 12 |
| 601 | Distinct APCs Explain the Cytokine Bias of α -Galactosylceramide Variants In Vivo. <i>Journal of Immunology</i> , 2012, 188, 3053-3061. | 0.4 | 89 |
| 602 | MicroRNA miR-150 Is Involved in α 14 Invariant NKT Cell Development and Function. <i>Journal of Immunology</i> , 2012, 188, 2118-2126. | 0.4 | 69 |
| 603 | Regulation of memory CD4 T-cell pool size and function by natural killer T cells in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 16992-16997. | 3.3 | 26 |
| 604 | Structural Basis for the Recognition of C20:2- α -GalCer by the Invariant Natural Killer T Cell Receptor-like Antibody L363*. <i>Journal of Biological Chemistry</i> , 2012, 287, 1269-1278. | 1.6 | 29 |
| 605 | NKT cell self-reactivity: evolutionary master key of immune homeostasis?. <i>Journal of Molecular Cell Biology</i> , 2012, 4, 70-78. | 1.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 606 | The blocking of CXCR3 and CCR5 suppresses the infiltration of T lymphocytes in rat renal ischemia reperfusion. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3799-3806. | 0.4 | 20 |
| 607 | HIV-1 Vpu Interference with Innate Cell-mediated Immune Mechanisms. <i>Current HIV Research</i> , 2012, 10, 327-333. | 0.2 | 20 |
| 608 | NKT Cell Subsets Can Exert Opposing Effects in Autoimmunity, Tumor Surveillance and Inflammation. <i>Current Immunology Reviews</i> , 2012, 8, 287-296. | 1.2 | 22 |
| 609 | Vitamin D, invariant natural killer T-cells and experimental autoimmune disease. <i>Proceedings of the Nutrition Society</i> , 2012, 71, 62-66. | 0.4 | 48 |
| 610 | SAP expression in invariant NKT cells is required for cognate help to support B-cell responses. <i>Blood</i> , 2012, 120, 122-129. | 0.6 | 33 |
| 611 | Molecular features of hepatosplenic T-cell lymphoma unravels potential novel therapeutic targets. <i>Blood</i> , 2012, 119, 5795-5806. | 0.6 | 99 |
| 612 | Development and function of murine ROR γ ³ t+ iNKT cells are under TGF- β signaling control. <i>Blood</i> , 2012, 119, 3486-3494. | 0.6 | 36 |
| 613 | Rare cells predict GVHD. <i>Blood</i> , 2012, 119, 4820-4821. | 0.6 | 4 |
| 614 | Synthesis of 6- β -triazole-substituted β -GalCer analogues as potent iNKT cell stimulating ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 7149-7154. | 1.4 | 14 |
| 615 | Recognition of CD1d-restricted antigens by natural killer T cells. <i>Nature Reviews Immunology</i> , 2012, 12, 845-857. | 10.6 | 382 |
| 616 | MR1 presents microbial vitamin B metabolites to MAIT cells. <i>Nature</i> , 2012, 491, 717-723. | 13.7 | 1,158 |
| 617 | Cytokine-induced cytokine production by conventional and innate lymphoid cells. <i>Trends in Immunology</i> , 2012, 33, 598-606. | 2.9 | 88 |
| 618 | 3-Fluoro- and 3,3-Difluoro-3,4-dideoxy-KRN7000 Analogues as New Potent Immunostimulator Agents: Total Synthesis and Biological Evaluation in Human Invariant Natural Killer T Cells and Mice. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 1227-1241. | 2.9 | 21 |
| 619 | Human MAIT and CD8 α β cells develop from a pool of type-17 precommitted CD8+ T cells. <i>Blood</i> , 2012, 119, 422-433. | 0.6 | 239 |
| 621 | A Spatially-Organized Multicellular Innate Immune Response in Lymph Nodes Limits Systemic Pathogen Spread. <i>Cell</i> , 2012, 150, 1235-1248. | 13.5 | 339 |
| 622 | Adipose Tissue Invariant NKT Cells Protect against Diet-Induced Obesity and Metabolic Disorder through Regulatory Cytokine Production. <i>Immunity</i> , 2012, 37, 574-587. | 6.6 | 419 |
| 623 | Vitamin D regulation of immune function in the gut: Why do T cells have vitamin D receptors?. <i>Molecular Aspects of Medicine</i> , 2012, 33, 77-82. | 2.7 | 76 |
| 624 | Identification of invariant natural killer T cells in porcine peripheral blood. <i>Veterinary Immunology and Immunopathology</i> , 2012, 149, 272-279. | 0.5 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 625 | Innate-like behavior of human invariant natural killer T cells during herpes simplex virus infection. <i>Cellular Immunology</i> , 2012, 278, 16-20. | 1.4 | 1 |
| 626 | Graft invariant natural killer T-cell dose predicts risk of acute graft-versus-host disease in allogeneic hematopoietic stem cell transplantation. <i>Blood</i> , 2012, 119, 5030-5036. | 0.6 | 129 |
| 627 | Heteroaromatic Moieties in the Sphingosine Backbone of β -Galactosylceramides for Noncovalent Interactions with CD1d. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 151-154. | 1.3 | 11 |
| 628 | Peroxisome-derived lipids are self antigens that stimulate invariant natural killer T cells in the thymus. <i>Nature Immunology</i> , 2012, 13, 474-480. | 7.0 | 183 |
| 629 | A push-pull vaccine strategy using Toll-like receptor ligands, IL-15, and blockade of negative regulation to improve the quality and quantity of T cell immune responses. <i>Vaccine</i> , 2012, 30, 4323-4327. | 1.7 | 16 |
| 630 | Enzyme replacement therapy partially prevents invariant Natural Killer T cell deficiency in the Fabry disease mouse model. <i>Molecular Genetics and Metabolism</i> , 2012, 106, 83-91. | 0.5 | 17 |
| 631 | The yin and yang of CD1d recognition. <i>Nature Immunology</i> , 2012, 13, 814-815. | 7.0 | 7 |
| 632 | Mouse Hobit is a homolog of the transcriptional repressor Blimp-1 that regulates NKT cell effector differentiation. <i>Nature Immunology</i> , 2012, 13, 864-871. | 7.0 | 71 |
| 633 | Interleukin-22 Is Produced by Invariant Natural Killer T Lymphocytes during Influenza A Virus Infection. <i>Journal of Biological Chemistry</i> , 2012, 287, 8816-8829. | 1.6 | 159 |
| 634 | DC-Based Immunotherapy Targeting NKT Cells. , 2012, , 95-110. | | 0 |
| 635 | A Complement-IL-4 Regulatory Circuit Controls Liver Regeneration. <i>Journal of Immunology</i> , 2012, 188, 641-648. | 0.4 | 52 |
| 636 | Toxic lipids stored by Kupffer cells correlates with their pro-inflammatory phenotype at an early stage of steatohepatitis. <i>Journal of Hepatology</i> , 2012, 57, 141-149. | 1.8 | 207 |
| 637 | Innate immunity in the vasculature: interactions with pathogenic bacteria. <i>Current Opinion in Microbiology</i> , 2012, 15, 85-91. | 2.3 | 31 |
| 638 | The Receptor Ly108 Functions as a SAP Adaptor-Dependent On-Off Switch for T Cell Help to B Cells and NKT Cell Development. <i>Immunity</i> , 2012, 36, 986-1002. | 6.6 | 138 |
| 639 | C-galactosylceramide: Synthesis and immunology. <i>Comptes Rendus Chimie</i> , 2012, 15, 46-56. | 0.2 | 14 |
| 640 | Making memory at birth: understanding the differentiation of natural killer T cells. <i>Current Opinion in Immunology</i> , 2012, 24, 184-190. | 2.4 | 41 |
| 641 | CD4-CD8 differentiation in the thymus: connecting circuits and building memories. <i>Current Opinion in Immunology</i> , 2012, 24, 139-145. | 2.4 | 45 |
| 642 | Follicular Helper NKT Cells Induce Limited B Cell Responses and Germinal Center Formation in the Absence of CD4+ T Cell Help. <i>Journal of Immunology</i> , 2012, 188, 3217-3222. | 0.4 | 90 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 643 | Regulation of the Actin Cytoskeleton by Rho Kinase Controls Antigen Presentation by CD1d. <i>Journal of Immunology</i> , 2012, 189, 1689-1698. | 0.4 | 26 |
| 644 | Identification of novel glycolipid ligands activating a sulfatide-reactive, CD1d-restricted, type II natural killer T lymphocyte. <i>European Journal of Immunology</i> , 2012, 42, 2851-2860. | 1.6 | 55 |
| 645 | Hormonal regulation of the thymic stage of differentiation of invariant NKT cells. <i>Doklady Biological Sciences</i> , 2012, 446, 331-333. | 0.2 | 3 |
| 646 | Activated natural killer T cells producing interferon-gamma elicit promoting activity to murine dendritic cell-based autoimmune hepatic inflammation. <i>Clinical and Experimental Immunology</i> , 2012, 170, 274-282. | 1.1 | 12 |
| 647 | Molecular basis of lipid antigen presentation by CD1d and recognition by natural killer T cells. <i>Immunological Reviews</i> , 2012, 250, 167-179. | 2.8 | 72 |
| 649 | CD1d-independent activation of mouse and human invariant NKT cells by bacterial superantigens. <i>Immunology and Cell Biology</i> , 2012, 90, 699-709. | 1.0 | 44 |
| 650 | Dysregulation of CD1d-Restricted Type II Natural Killer T Cells Leads to Spontaneous Development of Colitis in Mice. <i>Gastroenterology</i> , 2012, 142, 326-334.e2. | 0.6 | 65 |
| 651 | Intestinal Microbes Affect Phenotypes and Functions of Invariant Natural Killer T Cells in Mice. <i>Gastroenterology</i> , 2012, 143, 418-428. | 0.6 | 197 |
| 652 | Age- and gender-related differences in circulating natural killer T cells and their subset levels in healthy Korean adults. <i>Human Immunology</i> , 2012, 73, 1011-1016. | 1.2 | 24 |
| 653 | Genetic control of murine invariant natural killer T-cell development dynamically differs dependent on the examined tissue type. <i>Genes and Immunity</i> , 2012, 13, 164-174. | 2.2 | 14 |
| 654 | The Role of Tec Family Kinases in the Regulation of T-helper-cell Differentiation. <i>International Reviews of Immunology</i> , 2012, 31, 133-154. | 1.5 | 24 |
| 655 | Trial watch. <i>Oncolmmunology</i> , 2012, 1, 1323-1343. | 2.1 | 203 |
| 656 | Enhancement of B cell and monocyte populations in rats exposed to chlorpheniramine. <i>Archives of Pharmacal Research</i> , 2012, 35, 2183-2189. | 2.7 | 1 |
| 657 | Intrathymic programming of effector fates in three molecularly distinct $\hat{I}\hat{3}\hat{T}$ T cell subtypes. <i>Nature Immunology</i> , 2012, 13, 511-518. | 7.0 | 185 |
| 658 | Preformed CD40L Is Stored in Th1, Th2, Th17, and T Follicular Helper Cells as Well as CD4+8 $\hat{\alpha}$ ⁺ Thymocytes and Invariant NKT Cells but Not in Treg Cells. <i>PLoS ONE</i> , 2012, 7, e31296. | 1.1 | 43 |
| 659 | NKT Cells Stimulated by Long Fatty Acyl Chain Sulfatides Significantly Reduces the Incidence of Type 1 Diabetes in Nonobese Diabetic Mice. <i>PLoS ONE</i> , 2012, 7, e37771. | 1.1 | 44 |
| 660 | Activated iNKT Cells Promote Memory CD8+ T Cell Differentiation during Viral Infection. <i>PLoS ONE</i> , 2012, 7, e37991. | 1.1 | 38 |
| 661 | Developmental Dynamics of Post-Selection Thymic DN iNKT. <i>PLoS ONE</i> , 2012, 7, e43509. | 1.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 662 | Interruption of CXCL13-CXCR5 Axis Increases Upper Genital Tract Pathology and Activation of NKT Cells following Chlamydial Genital Infection. PLoS ONE, 2012, 7, e47487. | 1.1 | 27 |
| 663 | Crystal Structures of Bovine CD1d Reveal Altered β -GalCer Presentation and a Restricted A TM Pocket Unable to Bind Long-Chain Glycolipids. PLoS ONE, 2012, 7, e47989. | 1.1 | 14 |
| 664 | Natural SIV Infection. , 2012, , 47-79. | | 4 |
| 665 | Innate Immunity-Based Immunotherapy of Cancer. , 0, , . | | 1 |
| 666 | Selection of Self-Reactive T Cells in the Thymus. Annual Review of Immunology, 2012, 30, 95-114. | 9.5 | 290 |
| 667 | Clonal deletion and the fate of autoreactive thymocytes that survive negative selection. Nature Immunology, 2012, 13, 569-578. | 7.0 | 159 |
| 668 | CD1d expression on and regulation of murine hematopoietic stem and progenitor cells. Blood, 2012, 119, 5731-5741. | 0.6 | 10 |
| 669 | Evidence for BCR - ABL -dependent dysfunctions of iNKT cells from chronic myeloid leukemia patients. European Journal of Immunology, 2012, 42, 1870-1875. | 1.6 | 24 |
| 670 | Innate iNKT and NKT1.1 cells exert similar functions and compete for a thymic niche. European Journal of Immunology, 2012, 42, 1272-1281. | 1.6 | 37 |
| 671 | Fibrosis-dependent mechanisms of hepatocarcinogenesis. Hepatology, 2012, 56, 769-775. | 3.6 | 338 |
| 672 | The restoration of myeloid-derived suppressor cells as functional antigen-presenting cells by NKT cell help and all-trans-retinoic acid treatment. International Journal of Cancer, 2012, 131, 741-751. | 2.3 | 71 |
| 673 | Mechanisms of Inflammatory Responses in Obese Adipose Tissue. Annual Review of Nutrition, 2012, 32, 261-286. | 4.3 | 242 |
| 674 | Species-Specific Activity of Glycolipid Ligands for Invariant NKT Cells. ChemBioChem, 2012, 13, 1349-1356. | 1.3 | 25 |
| 675 | Targeting natural killer cells and natural killer T cells in cancer. Nature Reviews Immunology, 2012, 12, 239-252. | 10.6 | 707 |
| 676 | Early posttransplantation donor-derived invariant natural killer T-cell recovery predicts the occurrence of acute graft-versus-host disease and overall survival. Blood, 2012, 120, 2144-2154. | 0.6 | 102 |
| 677 | Hepatitis B virus-induced lipid alterations contribute to natural killer T cell-dependent protective immunity. Nature Medicine, 2012, 18, 1060-1068. | 15.2 | 198 |
| 678 | Clinical and Genetic Characteristics of XIAP Deficiency in Japan. Journal of Clinical Immunology, 2012, 32, 411-420. | 2.0 | 84 |
| 679 | Beta-Glucosylceramide Administration (i.p.) Activates Natural Killer T cells In Vivo and Prevents Tumor Metastasis in Mice. Lipids, 2012, 47, 581-591. | 0.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 680 | T cells specific for lipid antigens. <i>Immunologic Research</i> , 2012, 53, 191-199. | 1.3 | 18 |
| 681 | Induced pluripotency as a potential path towards iNKT cell-mediated cancer immunotherapy. <i>International Journal of Hematology</i> , 2012, 95, 624-631. | 0.7 | 15 |
| 682 | Prostate cancer, tumor immunity and a renewed sense of optimism in immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 453-468. | 2.0 | 22 |
| 683 | Primary immunodeficiency associated with defects in CD1 and CD1 α -restricted T cells. <i>Annals of the New York Academy of Sciences</i> , 2012, 1250, 14-24. | 1.8 | 14 |
| 684 | Role of Natural Killer T Cells in the Mouse Colitis α 4-Associated Colon Cancer Model. <i>Scandinavian Journal of Immunology</i> , 2012, 75, 16-26. | 1.3 | 19 |
| 685 | Protective role of α -galactosylceramide-stimulated natural killer T cells in genital tract infection with <i>Chlamydia muridarum</i> . <i>FEMS Immunology and Medical Microbiology</i> , 2012, 65, 43-54. | 2.7 | 18 |
| 686 | Activation of invariant Natural Killer T lymphocytes in response to the α -galactosylceramide analogue KRN7000 encapsulated in PLGA-based nanoparticles and microparticles. <i>International Journal of Pharmaceutics</i> , 2012, 423, 45-54. | 2.6 | 43 |
| 687 | Novel glycolipid TLR2 ligands of the type Pam2Cys- α -Gal: Synthesis and biological properties. <i>European Journal of Medicinal Chemistry</i> , 2012, 51, 174-183. | 2.6 | 12 |
| 688 | Strategy of lipid recognition by invariant natural killer T cells: "one for all and all for one" TM . <i>Immunology</i> , 2012, 136, 273-282. | 2.0 | 27 |
| 689 | Interpreting NK Cell Transcripts Versus T Cell Transcripts in Renal Transplant Biopsies. <i>American Journal of Transplantation</i> , 2012, 12, 1180-1191. | 2.6 | 106 |
| 690 | Interplay between carbohydrate and lipid in recognition of glycolipid antigens by natural killer T cells. <i>Annals of the New York Academy of Sciences</i> , 2012, 1253, 68-79. | 1.8 | 31 |
| 691 | Systemic analyses of immunophenotypes of peripheral T cells in non α -segmental vitiligo: implication of defective natural killer T cells. <i>Pigment Cell and Melanoma Research</i> , 2012, 25, 602-611. | 1.5 | 56 |
| 692 | Liver TCR β ⁺ CD3 ⁺ CD4 α ⁺ CD8 α ⁺ T cells contribute to murine hepatitis virus strain 3-induced hepatic injury through a TNF- α -dependent pathway. <i>Molecular Immunology</i> , 2012, 52, 229-236. | 1.0 | 19 |
| 693 | Immunotherapy for treating metastatic colorectal cancer. <i>Surgical Oncology</i> , 2012, 21, 67-77. | 0.8 | 12 |
| 694 | Emerging role of innate immunity in organ transplantation. <i>Transplantation Reviews</i> , 2012, 26, 60-72. | 1.2 | 53 |
| 695 | Virus-like particles and α -galactosylceramide form a self-adjuvanting composite particle that elicits anti-tumor responses. <i>Journal of Controlled Release</i> , 2012, 159, 338-345. | 4.8 | 34 |
| 696 | Structural elucidation of diglycosyl diacylglycerol and monoglycosyl diacylglycerol from <i>Streptococcus pneumoniae</i> by multiple α -stage linear ion α -trap mass spectrometry with electrospray ionization. <i>Journal of Mass Spectrometry</i> , 2012, 47, 115-123. | 0.7 | 30 |
| 697 | Ulcerative colitis: immune function, tissue fibrosis and current therapeutic considerations. <i>Langenbeck's Archives of Surgery</i> , 2012, 397, 1-10. | 0.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 698 | Chronic adipose tissue inflammation: all immune cells on the stage. Trends in Molecular Medicine, 2013, 19, 487-500. | 3.5 | 239 |
| 699 | Design and synthesis of new KRN7000 analogues. Tetrahedron, 2013, 69, 7438-7447. | 1.0 | 5 |
| 700 | Invariant natural killer T cells in adipose tissue: novel regulators of immune-mediated metabolic disease. Cellular and Molecular Life Sciences, 2013, 70, 4711-4727. | 2.4 | 26 |
| 701 | The role of natural killer T cells in B cell malignancies. Tumor Biology, 2013, 34, 1349-1360. | 0.8 | 40 |
| 702 | Recognition of vitamin B metabolites by mucosal-associated invariant T cells. Nature Communications, 2013, 4, 2142. | 5.8 | 261 |
| 703 | Funciones efectoras de los linfocitos T. Medicine, 2013, 11, 1742-1751. | 0.0 | 1 |
| 704 | Toll-like receptor regulation of effector T lymphocyte function. Trends in Immunology, 2013, 34, 511-519. | 2.9 | 119 |
| 706 | Synthesis and Biological Evaluation of $\hat{1}\pm$ -Galactosylceramide Analogues with Heteroaromatic Rings and Varying Positions of a Phenyl Group in the Sphingosine Backbone. Journal of Medicinal Chemistry, 2013, 56, 7100-7109. | 2.9 | 13 |
| 707 | Expansion of Functional Human Mucosal-Associated Invariant T Cells via Reprogramming to Pluripotency and Redifferentiation. Cell Stem Cell, 2013, 12, 546-558. | 5.2 | 87 |
| 708 | Lipid-mediated Protein Signaling. Advances in Experimental Medicine and Biology, 2013, , . | 0.8 | 11 |
| 709 | Transcriptional regulation of the NKT cell lineage. Current Opinion in Immunology, 2013, 25, 161-167. | 2.4 | 208 |
| 710 | Helminth mediated modulation of Type 1 diabetes (T1D). International Journal for Parasitology, 2013, 43, 311-318. | 1.3 | 23 |
| 711 | Immunopathological patterns from EAE and Theiler's virus infection: Is multiple sclerosis a homogenous 1-stage or heterogenous 2-stage disease?. Pathophysiology, 2013, 20, 71-84. | 1.0 | 16 |
| 712 | The liver works as a school to educate regulatory immune cells. Cellular and Molecular Immunology, 2013, 10, 292-302. | 4.8 | 67 |
| 713 | Natural killer T (NKT) cells in autoimmune hepatitis. Current Opinion in Immunology, 2013, 25, 697-703. | 2.4 | 45 |
| 714 | Nod1 and Nod2 Enhance TLR-Mediated Invariant NKT Cell Activation during Bacterial Infection. Journal of Immunology, 2013, 191, 5646-5654. | 0.4 | 37 |
| 715 | Commensal microbiota and NKT cells in the control of inflammatory diseases at mucosal surfaces. Current Opinion in Immunology, 2013, 25, 690-696. | 2.4 | 36 |
| 716 | Co-dependents: MR1-restricted MAIT cells and their antimicrobial function. Nature Reviews Microbiology, 2013, 11, 14-19. | 13.6 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 717 | Functional Education of Invariant NKT Cells by Dendritic Cell Tuning of SHP-1. <i>Journal of Immunology</i> , 2013, 190, 3299-3308. | 0.4 | 10 |
| 718 | Role of type 1 natural killer T cells in pulmonary immunity. <i>Mucosal Immunology</i> , 2013, 6, 1054-1067. | 2.7 | 45 |
| 719 | Innate immune control of EBV-infected B cells by invariant natural killer T cells. <i>Blood</i> , 2013, 122, 2600-2608. | 0.6 | 80 |
| 720 | Synthesis of Fungal Glycolipid Asperamide B and Investigation of Its Ability to Stimulate Natural Killer T Cells. <i>Organic Letters</i> , 2013, 15, 5242-5245. | 2.4 | 15 |
| 721 | Prevention and treatment of type 1 diabetes mellitus by the manipulation of invariant natural killer T cells. <i>Clinical and Experimental Medicine</i> , 2013, 13, 229-237. | 1.9 | 4 |
| 722 | IL-17, IL-22 and Their Producing Cells: Role in Inflammation and Autoimmunity. , 2013, , . | | 1 |
| 723 | <i>In-vivo</i> stimulation of macaque natural killer T cells with α -galactosylceramide. <i>Clinical and Experimental Immunology</i> , 2013, 173, 480-492. | 1.1 | 14 |
| 724 | Diverse antigen presentation by the Group 1 CD1 molecule, CD1c. <i>Molecular Immunology</i> , 2013, 55, 182-185. | 1.0 | 18 |
| 725 | Invariant natural killer T cells as sensors and managers of inflammation. <i>Trends in Immunology</i> , 2013, 34, 50-58. | 2.9 | 89 |
| 726 | Harnessing CD1d-restricted <i>iNKT</i> cells to design novel vaccination strategies. <i>ISBT Science Series</i> , 2013, 8, 157-160. | 1.1 | 0 |
| 727 | Invariant natural killer <i>T</i> (<i>iNKT</i>) cell exhaustion in sarcoidosis. <i>European Journal of Immunology</i> , 2013, 43, 2194-2205. | 1.6 | 37 |
| 728 | Microbes, the gut and ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2013, 15, 214. | 1.6 | 71 |
| 729 | Double Positive Thymocytes Select Mucosal-Associated Invariant T Cells. <i>Journal of Immunology</i> , 2013, 191, 6002-6009. | 0.4 | 121 |
| 730 | Saposins modulate human invariant Natural Killer T cells self-reactivity and facilitate lipid exchange with CD1d molecules during antigen presentation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E4753-61. | 3.3 | 37 |
| 731 | Innate B cell helpers reveal novel types of antibody responses. <i>Nature Immunology</i> , 2013, 14, 119-126. | 7.0 | 122 |
| 732 | A comprehensive review of the phenotype and function of antigen-specific immunoregulatory double negative T cells. <i>Journal of Autoimmunity</i> , 2013, 40, 58-65. | 3.0 | 88 |
| 733 | The Adaptable Major Histocompatibility Complex (MHC) Fold: Structure and Function of Nonclassical and MHC Class I-Like Molecules. <i>Annual Review of Immunology</i> , 2013, 31, 529-561. | 9.5 | 159 |
| 734 | Cernunnos Deficiency Reduces Thymocyte Life Span and Alters the T Cell Repertoire in Mice and Humans. <i>Molecular and Cellular Biology</i> , 2013, 33, 701-711. | 1.1 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 735 | Activation of invariant natural killer T cells by β -galactosylceramide ameliorates myocardial ischemia/reperfusion injury in mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 62, 179-188. | 0.9 | 38 |
| 736 | Invariant natural killer T cells are enriched at the site of cutaneous inflammation in lupus erythematosus. <i>Journal of Dermatological Science</i> , 2013, 71, 22-28. | 1.0 | 22 |
| 737 | Crystal Structure of α 1 β 7 Cell Receptor in Complex with CD1d-Sulfatide Shows MHC-like Recognition of a Self-Lipid by Human α 1 β 7 T Cells. <i>Immunity</i> , 2013, 39, 1032-1042. | 6.6 | 205 |
| 738 | MAIT cells, surveyors of a new class of antigen: development and functions. <i>Current Opinion in Immunology</i> , 2013, 25, 174-180. | 2.4 | 137 |
| 739 | Hepatoprotective effect of <i>DT</i> 56a is associated with changes in natural killer T cells and regulatory T cells. <i>Journal of Digestive Diseases</i> , 2013, 14, 84-92. | 0.7 | 9 |
| 740 | Insight into newly discovered innate immune modulation in atopic dermatitis. <i>Experimental Dermatology</i> , 2013, 22, 6-9. | 1.4 | 22 |
| 741 | Invariant natural killer T cells: an innate activation scheme linked to diverse effector functions. <i>Nature Reviews Immunology</i> , 2013, 13, 101-117. | 10.6 | 694 |
| 742 | <i>PD-1</i> and <i>CD28/CD80</i> pathways modulate natural killer T cell function to inhibit hepatitis B virus replication. <i>Journal of Viral Hepatitis</i> , 2013, 20, 27-39. | 1.0 | 37 |
| 743 | Shared and distinct transcriptional programs underlie the hybrid nature of iNKT cells. <i>Nature Immunology</i> , 2013, 14, 90-99. | 7.0 | 106 |
| 744 | Reconstitution of maturing and regulatory lymphocyte subsets after cord blood and BMT in children. <i>Bone Marrow Transplantation</i> , 2013, 48, 376-382. | 1.3 | 35 |
| 745 | Imaging natural killer T cells in action. <i>Immunology and Cell Biology</i> , 2013, 91, 304-310. | 1.0 | 16 |
| 746 | Characteristics of <i>IL</i> 17 induction by <i>Schistosoma japonicum</i> infection in C57BL/6 mouse liver. <i>Immunology</i> , 2013, 139, 523-532. | 2.0 | 70 |
| 747 | Invariant NKT Cells Suppress CD8+ T-Cell-Mediated Allergic Contact Dermatitis Independently of Regulatory CD4+ T Cells. <i>Journal of Investigative Dermatology</i> , 2013, 133, 980-987. | 0.3 | 40 |
| 748 | Bacterial sphingophospholipids containing non-hydroxy fatty acid activate murine macrophages via Toll-like receptor 4 and stimulate bacterial clearance. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 1177-1184. | 1.2 | 12 |
| 749 | <i>Ex-vivo</i> analysis of human Natural Killer T cells demonstrates heterogeneity between tissues and within established CD4+ and CD4 ^{hi} subsets. <i>Clinical and Experimental Immunology</i> , 2013, 172, 129-137. | 1.1 | 51 |
| 750 | Intrinsic hyporesponsiveness of invariant natural killer T cells precedes the onset of lupus. <i>Clinical and Experimental Immunology</i> , 2013, 173, 18-27. | 1.1 | 4 |
| 751 | An emerging role for Serine Protease Inhibitors in T lymphocyte immunity and beyond. <i>Immunology Letters</i> , 2013, 152, 65-76. | 1.1 | 30 |
| 752 | Analyzing Antigen Recognition by Natural Killer T Cells. <i>Methods in Molecular Biology</i> , 2013, 960, 557-572. | 0.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 753 | Innate immune responses in hepatitis C virus-exposed healthcare workers who do not develop acute infection. <i>Hepatology</i> , 2013, 58, 1621-1631. | 3.6 | 65 |
| 754 | Invariant Natural Killer T-cell anergy to endogenous myelin acetyl-glycolipids in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2013, 259, 1-7. | 1.1 | 19 |
| 755 | Lack of PD-L1 Expression by iNKT Cells Improves the Course of Influenza A Infection. <i>PLoS ONE</i> , 2013, 8, e59599. | 1.1 | 21 |
| 756 | RCAI-61 and related 6- β -modified analogs of KRN7000: Their synthesis and bioactivity for mouse lymphocytes to produce interferon- β in vivo. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 3066-3079. | 1.4 | 20 |
| 757 | Fine tuning a well-oiled machine: Influence of NK1.1 and NKG2D on NKT cell development and function. <i>International Immunopharmacology</i> , 2013, 17, 260-266. | 1.7 | 7 |
| 758 | Cutting Edge: CD1d Restriction and Th1/Th2/Th17 Cytokine Secretion by Human V α 3 T Cells. <i>Journal of Immunology</i> , 2013, 191, 30-34. | 0.4 | 130 |
| 759 | Human Cytomegalovirus (HCMV) US2 Protein Interacts with Human CD1d (hCD1d) and Down-Regulates Invariant NKT (iNKT) Cell Activity. <i>Molecules and Cells</i> , 2013, 36, 455-464. | 1.0 | 12 |
| 760 | Participation of CD161 ⁺ and invariant natural killer T cells in pediatric asthma exacerbations. <i>Allergy and Asthma Proceedings</i> , 2013, 34, 84-92. | 1.0 | 12 |
| 761 | Steady-state production of IL-4 modulates immunity in mouse strains and is determined by lineage diversity of iNKT cells. <i>Nature Immunology</i> , 2013, 14, 1146-1154. | 7.0 | 510 |
| 762 | The transcriptional repressor NKAP is required for the development of iNKT cells. <i>Nature Communications</i> , 2013, 4, 1582. | 5.8 | 45 |
| 763 | Invariant NKT cells. <i>Oncotimmunology</i> , 2013, 2, e27440. | 2.1 | 20 |
| 764 | Frequencies of circulating IL-17-producing CD4 ⁺ CD161 ⁺ T cells and CD4 ⁺ CD161 ⁺ T cells correlate with disease activity in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2013, , 1. | 0.9 | 11 |
| 765 | Human thymic MR1-restricted MAIT cells are innate pathogen-reactive effectors that adapt following thymic egress. <i>Mucosal Immunology</i> , 2013, 6, 35-44. | 2.7 | 134 |
| 766 | Diacylglycerol Kinases: Regulated Controllers of T Cell Activation, Function, and Development. <i>International Journal of Molecular Sciences</i> , 2013, 14, 6649-6673. | 1.8 | 35 |
| 767 | Diet, Gut Flora, and Multiple Sclerosis: Current Research and Future Perspectives. , 2013, , 115-126. | | 8 |
| 768 | The Tumor Microenvironment: A Pitch for Multiple Players. <i>Frontiers in Oncology</i> , 2013, 3, 90. | 1.3 | 121 |
| 769 | Production of β -Galactosylceramide by a Prominent Member of the Human Gut Microbiota. <i>PLoS Biology</i> , 2013, 11, e1001610. | 2.6 | 200 |
| 770 | Immunosenescence, Aging, and Systemic Lupus Erythematosus. <i>Autoimmune Diseases</i> , 2013, 2013, 1-15. | 2.7 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 771 | NKT Cell-TCR Expression Activates Conventional T Cells in Vivo, but Is Largely Dispensable for Mature NKT Cell Biology. <i>PLoS Biology</i> , 2013, 11, e1001589. | 2.6 | 36 |
| 772 | Adipokines Mediate Inflammation and Insulin Resistance. <i>Frontiers in Endocrinology</i> , 2013, 4, 71. | 1.5 | 463 |
| 773 | A Transgenic TCR Directs the Development of IL-4+ and PLZF+ Innate CD4 T Cells. <i>Journal of Immunology</i> , 2013, 191, 737-744. | 0.4 | 8 |
| 774 | Antitumor Impact of Interferon- β Producing CD1d-restricted NKT Cells in Murine Malignant Mesothelioma. <i>Journal of Immunotherapy</i> , 2013, 36, 391-399. | 1.2 | 9 |
| 775 | Combined Deletion of <i>Id2</i> and <i>Id3</i> Genes Reveals Multiple Roles for E Proteins in Invariant NKT Cell Development and Expansion. <i>Journal of Immunology</i> , 2013, 191, 5052-5064. | 0.4 | 36 |
| 776 | MAIT cells are critical for optimal mucosal immune responses during in vivo pulmonary bacterial infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E3119-28. | 3.3 | 323 |
| 777 | TNF receptor associated factor 3 plays a key role in development and function of invariant natural killer T cells. <i>Journal of Experimental Medicine</i> , 2013, 210, 1079-1086. | 4.2 | 30 |
| 778 | RDH10, RALDH2, and CRABP2 are required components of PPAR β -directed ATRA synthesis and signaling in human dendritic cells. <i>Journal of Lipid Research</i> , 2013, 54, 2458-2474. | 2.0 | 26 |
| 779 | Angiogenesis in Adipose Tissue. , 2013, , . | | 2 |
| 780 | Increased levels of invariant natural killer T lymphocytes worsen metabolic abnormalities and atherosclerosis in obese mice. <i>Journal of Lipid Research</i> , 2013, 54, 2831-2841. | 2.0 | 29 |
| 781 | Recognition of microbial and mammalian phospholipid antigens by NKT cells with diverse TCRs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1827-1832. | 3.3 | 129 |
| 782 | Critical role for miR-181a/b-1 in agonist selection of invariant natural killer T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 7407-7412. | 3.3 | 90 |
| 783 | Sulfatide Attenuates Experimental Staphylococcus aureus Sepsis through a CD1d-Dependent Pathway. <i>Infection and Immunity</i> , 2013, 81, 1114-1120. | 1.0 | 38 |
| 784 | The Tec Kinase ITK Regulates Thymic Expansion, Emigration, and Maturation of β NKT Cells. <i>Journal of Immunology</i> , 2013, 190, 2659-2669. | 0.4 | 24 |
| 785 | Bacterial CD1d-Restricted Glycolipids Induce IL-10 Production by Human Regulatory T Cells upon Cross-Talk with Invariant NKT Cells. <i>Journal of Immunology</i> , 2013, 191, 2174-2183. | 0.4 | 29 |
| 786 | Contribution of lipid-reactive natural killer T cells to obesity-associated inflammation and insulin resistance. <i>Adipocyte</i> , 2013, 2, 12-16. | 1.3 | 28 |
| 787 | Invariant natural killer T cells recognize a fungal glycosphingolipid that can induce airway hyperreactivity. <i>Nature Medicine</i> , 2013, 19, 1297-1304. | 15.2 | 124 |
| 788 | The mechanisms of action of IVIG in autoimmune and inflammatory diseases. <i>ISBT Science Series</i> , 2013, 8, 185-188. | 1.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 789 | Direct identification of rat iNKT cells reveals remarkable similarities to human iNKT cells and a profound deficiency in LEW rats. <i>European Journal of Immunology</i> , 2013, 43, 404-415. | 1.6 | 16 |
| 790 | Application of user-guided automated cytometric data analysis to large-scale immunoprofiling of invariant natural killer T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 19030-19035. | 3.3 | 16 |
| 791 | Differential Postselection Proliferation Dynamics of $\hat{I}\hat{A}1\hat{2}$ T Cells, Foxp3+ Regulatory T Cells, and Invariant NKT Cells Monitored by Genetic Pulse Labeling. <i>Journal of Immunology</i> , 2013, 191, 2384-2392. | 0.4 | 22 |
| 792 | Critical Role of TCR Specificity in the Development of $V\hat{I}31V\hat{I}6.3+$ Innate NKT $\hat{I}3\hat{I}7$ Cells. <i>Journal of Immunology</i> , 2013, 191, 1716-1723. | 0.4 | 20 |
| 793 | Endoplasmic Reticulum Glycoprotein Quality Control Regulates CD1d Assembly and CD1d-mediated Antigen Presentation. <i>Journal of Biological Chemistry</i> , 2013, 288, 16391-16402. | 1.6 | 7 |
| 794 | Induced IL-17 \hat{A} €Producing Invariant NKT Cells Require Activation in Presence of TGF- $\hat{I}2$ and IL-1 $\hat{I}2$. <i>Journal of Immunology</i> , 2013, 190, 805-811. | 0.4 | 74 |
| 795 | A Role for Ly108 in the Induction of Promyelocytic Zinc Finger Transcription Factor in Developing Thymocytes. <i>Journal of Immunology</i> , 2013, 190, 2121-2128. | 0.4 | 53 |
| 796 | Activated Invariant NKT Cells Control Central Nervous System Autoimmunity in a Mechanism That Involves Myeloid-Derived Suppressor Cells. <i>Journal of Immunology</i> , 2013, 190, 1948-1960. | 0.4 | 57 |
| 797 | Innate and adaptive immunity. , 2013, , 3-33. | | 5 |
| 798 | Increased Level of E Protein Activity during Invariant NKT Development Promotes Differentiation of Invariant NKT2 and Invariant NKT17 Subsets. <i>Journal of Immunology</i> , 2013, 191, 5065-5073. | 0.4 | 37 |
| 799 | Synergistic Induction of Adaptive Antitumor Immunity by Codelivery of Antigen with $\hat{I}\hat{A}$ -Galactosylceramide on Exosomes. <i>Cancer Research</i> , 2013, 73, 3865-3876. | 0.4 | 111 |
| 800 | Non-celiac gluten sensitivity: questions still to be answered despite increasing awareness. <i>Cellular and Molecular Immunology</i> , 2013, 10, 383-392. | 4.8 | 102 |
| 801 | Impaired Autophagy, Defective T Cell Homeostasis, and a Wasting Syndrome in Mice with a T Cell \hat{A} €Specific Deletion of Vps34. <i>Journal of Immunology</i> , 2013, 190, 5086-5101. | 0.4 | 128 |
| 802 | Genetic control of murine invariant natural killer T cells maps to multiple type 1 diabetes regions. <i>Genes and Immunity</i> , 2013, 14, 380-386. | 2.2 | 4 |
| 803 | Essential Functions for ID Proteins at Multiple Checkpoints in Invariant NKT Cell Development. <i>Journal of Immunology</i> , 2013, 191, 5973-5983. | 0.4 | 76 |
| 804 | Immunopathogenesis of ankylosing spondylitis. <i>International Journal of Clinical Rheumatology</i> , 2013, 8, 265-274. | 0.3 | 22 |
| 805 | Human iNKT and MAIT cells exhibit a PLZF-dependent proapoptotic propensity that is counterbalanced by XIAP. <i>Blood</i> , 2013, 121, 614-623. | 0.6 | 97 |
| 806 | Sickle cell vaso-occlusion causes activation of iNKT cells that is decreased by the adenosine A2A receptor agonist regadenoson. <i>Blood</i> , 2013, 121, 3329-3334. | 0.6 | 87 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 807 | Regulatory T cells and natural killer T cells for modulation of GVHD following allogeneic hematopoietic cell transplantation. <i>Blood</i> , 2013, 122, 3116-3121. | 0.6 | 86 |
| 808 | HIV infection deregulates innate immunity to malaria despite combination antiretroviral therapy. <i>Aids</i> , 2013, 27, 325-335. | 1.0 | 19 |
| 809 | The Functions of Type I and Type II Natural Killer T Cells in Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 1330-1338. | 0.9 | 53 |
| 810 | Differential Loss of Invariant Natural Killer T Cells and FoxP3+ Regulatory T Cells in HIV-1 Subtype A and Subtype D Infections. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 289-293. | 0.9 | 4 |
| 811 | B Cells Promote Th1- Skewed NKT Cell Response by CD1d-TCR Interaction. <i>Immune Network</i> , 2013, 13, 218. | 1.6 | 2 |
| 812 | Antibody - Fc Receptor Interactions in Antimicrobial Functions. <i>Current Immunology Reviews</i> , 2013, 9, 44-55. | 1.2 | 19 |
| 813 | Metallothionein I+II Expression as an Early Sign of Chronic Relapsing Experimental Autoimmune Encephalomyelitis in Rats. <i>Current Aging Science</i> , 2013, 6, 37-44. | 0.4 | 7 |
| 814 | Role of invariant NKT cells in allogeneic haematopoietic stem cell transplantation. <i>Hematologie</i> , 2013, 19, 136-145. | 0.0 | 0 |
| 816 | Identification of Cytolytic CD161 ⁺ CD56 ⁺ Regulatory CD8 T Cells in Human Peripheral Blood. <i>PLoS ONE</i> , 2013, 8, e59545. | 1.1 | 21 |
| 817 | CLEC4F Is an Inducible C-Type Lectin in F4/80-Positive Cells and Is Involved in Alpha-Galactosylceramide Presentation in Liver. <i>PLoS ONE</i> , 2013, 8, e65070. | 1.1 | 79 |
| 818 | Combination of Intratumoral Invariant Natural Killer T Cells and Interferon-Gamma Is Associated with Prognosis of Hepatocellular Carcinoma after Curative Resection. <i>PLoS ONE</i> , 2013, 8, e70345. | 1.1 | 30 |
| 819 | IL-4 and IL-4 Receptor Expression Is Dispensable for the Development and Function of Natural Killer T Cells. <i>PLoS ONE</i> , 2013, 8, e71872. | 1.1 | 2 |
| 820 | A Humanized Monoclonal Antibody Specific for Invariant Natural Killer T (iNKT) Cells for In Vivo Depletion. <i>PLoS ONE</i> , 2013, 8, e76692. | 1.1 | 23 |
| 821 | Cross-Activating Invariant NKT Cells and Kupffer Cells Suppress Cholestatic Liver Injury in a Mouse Model of Biliary Obstruction. <i>PLoS ONE</i> , 2013, 8, e79702. | 1.1 | 19 |
| 822 | Pro-Inflammatory Activated Kupffer Cells by Lipids Induce Hepatic NKT Cells Deficiency through Activation-Induced Cell Death. <i>PLoS ONE</i> , 2013, 8, e81949. | 1.1 | 61 |
| 823 | NKT Cells as an Ideal Anti-Tumor Immunotherapeutic. <i>Frontiers in Immunology</i> , 2013, 4, 409. | 2.2 | 103 |
| 824 | Stimulation of Natural Killer T Cells by Glycolipids. <i>Molecules</i> , 2013, 18, 15662-15688. | 1.7 | 54 |
| 825 | Role of Diacylglycerol Kinases in T Cell Development and Function. <i>Critical Reviews in Immunology</i> , 2013, 33, 97-118. | 1.0 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 826 | Specific Deletion of LDL Receptor-Related Protein on Macrophages Has Skewed In Vivo Effects on Cytokine Production by Invariant Natural Killer T Cells. <i>PLoS ONE</i> , 2014, 9, e102236. | 1.1 | 10 |
| 827 | Improving <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin as a Vaccine Delivery Vector for Viral Antigens by Incorporation of Glycolipid Activators of NKT Cells. <i>PLoS ONE</i> , 2014, 9, e108383. | 1.1 | 24 |
| 828 | Liver-inherent immune system: its role in blood-stage malaria. <i>Frontiers in Microbiology</i> , 2014, 5, 559. | 1.5 | 34 |
| 829 | Exploring the Therapeutic Potentials of iNKT Cells for Anti-HBV Treatment. <i>Pathogens</i> , 2014, 3, 563-576. | 1.2 | 4 |
| 830 | Lymphocytes That Participate in Innate Immune Responses. , 2014, , . | | 0 |
| 831 | Effector CD4+ T Lymphocytes. , 2014, , . | | 2 |
| 832 | Enhancing T Cell Immune Responses by B Cell-based Therapeutic Vaccine Against Chronic Virus Infection. <i>Immune Network</i> , 2014, 14, 207. | 1.6 | 3 |
| 833 | The Role of T cells In Mucosal Immunity against <i>Mycobacterium tuberculosis</i> (Mtb) Infection: A Review of Current Understanding. <i>Journal of Clinical & Cellular Immunology</i> , 2014, 05, . | 1.5 | 0 |
| 834 | CD4 and CD8 Molecules. , 2014, , . | | 0 |
| 835 | Cellular Immune Responses in Natural and Non-natural Hosts of Simian Immunodeficiency Virus Infection. , 2014, , 197-215. | | 0 |
| 836 | iNKT Cells: Innate Lymphocytes with a Diverse Response. <i>Critical Reviews in Immunology</i> , 2014, 34, 81-90. | 1.0 | 22 |
| 837 | Dendritic Cell Cross Talk with Innate and Innate-like Effector Cells in Antitumor Immunity: Implications for DC Vaccination. <i>Critical Reviews in Immunology</i> , 2014, 34, 517-536. | 1.0 | 40 |
| 838 | Natural killer T cell strategies to combat Epstein-Barr virus infection. <i>Oncolmmunology</i> , 2014, 3, e28329. | 2.1 | 9 |
| 839 | Recognition of Lysophosphatidylcholine by Type II NKT Cells and Protection from an Inflammatory Liver Disease. <i>Journal of Immunology</i> , 2014, 193, 4580-4589. | 0.4 | 62 |
| 840 | Therapeutic implications of CD1d expression and tumor-infiltrating macrophages in pediatric medulloblastomas. <i>Journal of Neuro-Oncology</i> , 2014, 120, 293-301. | 1.4 | 15 |
| 841 | E and Id Proteins Influence Invariant NKT Cell Sublineage Differentiation and Proliferation. <i>Journal of Immunology</i> , 2014, 192, 2227-2236. | 0.4 | 54 |
| 842 | Tuberous Sclerosis 1 Promotes Invariant NKT Cell Anergy and Inhibits Invariant NKT Cell-Mediated Antitumor Immunity. <i>Journal of Immunology</i> , 2014, 192, 2643-2650. | 0.4 | 25 |
| 843 | CD1d-mediated Presentation of Endogenous Lipid Antigens by Adipocytes Requires Microsomal Triglyceride Transfer Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 22128-22139. | 1.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 844 | Natural Killer T Cells Are Essential for the Development of Contact Hypersensitivity in BALB/c Mice. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2709-2718. | 0.3 | 23 |
| 845 | T helper cell IL-4 drives intestinal Th2 priming to oral peanut antigen, under the control of OX40L and independent of innate-like lymphocytes. <i>Mucosal Immunology</i> , 2014, 7, 1395-1404. | 2.7 | 84 |
| 846 | The role of adipose tissue immune cells in obesity and low-grade inflammation. <i>Journal of Endocrinology</i> , 2014, 222, R113-R127. | 1.2 | 409 |
| 847 | Human Dendritic Cells Derived From Embryonic Stem Cells Stably Modified With CD1d Efficiently Stimulate Antitumor Invariant Natural Killer T Cell Response. <i>Stem Cells Translational Medicine</i> , 2014, 3, 69-80. | 1.6 | 6 |
| 848 | Idd13 is involved in determining immunoregulatory DN T-cell number in NOD mice. <i>Genes and Immunity</i> , 2014, 15, 82-87. | 2.2 | 8 |
| 849 | Optimizing NKT cell ligands as vaccine adjuvants. <i>Immunotherapy</i> , 2014, 6, 309-320. | 1.0 | 73 |
| 850 | NKT Cell Networks in the Regulation of Tumor Immunity. <i>Frontiers in Immunology</i> , 2014, 5, 543. | 2.2 | 110 |
| 851 | Evolving Concepts in the Pathogenesis of NASH: Beyond Steatosis and Inflammation. <i>International Journal of Molecular Sciences</i> , 2014, 15, 8591-8638. | 1.8 | 285 |
| 852 | A cell glimpse of glycolipids. <i>Immunology and Cell Biology</i> , 2014, 92, 99-100. | 1.0 | 1 |
| 853 | Immune Modulating Effects of NKT Cells in a Physiologically Low Dose <i>Leishmania major</i> Infection Model after GalCer Analog PBS57 Stimulation. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2917. | 1.3 | 12 |
| 854 | Toward Understanding the Role of Aryl Hydrocarbon Receptor in the Immune System: Current Progress and Future Trends. <i>BioMed Research International</i> , 2014, 2014, 1-14. | 0.9 | 71 |
| 855 | Invariant NKT Cell Response to Dengue Virus Infection in Human. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2955. | 1.3 | 21 |
| 856 | Role of Non-conventional T Lymphocytes in Respiratory Infections: The Case of the Pneumococcus. <i>PLoS Pathogens</i> , 2014, 10, e1004300. | 2.1 | 34 |
| 857 | Polyclonal type II natural killer T cells require PLZF and SAP for their development and contribute to CpG-mediated antitumor response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2674-2679. | 3.3 | 61 |
| 858 | Mechanisms of Innate Lymphoid Cell and Natural Killer T Cell Activation during Mucosal Inflammation. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8. | 0.9 | 11 |
| 859 | Aberrant Presentation of Self-Lipids by Autoimmune B Cells Depletes Peripheral iNKT Cells. <i>Cell Reports</i> , 2014, 9, 24-31. | 2.9 | 17 |
| 860 | Id Proteins. <i>Current Topics in Developmental Biology</i> , 2014, 110, 189-216. | 1.0 | 169 |
| 861 | Lipid antigens in immunity. <i>Biological Chemistry</i> , 2014, 395, 61-81. | 1.2 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 862 | T helper type 2-polarized invariant natural killer T cells reduce disease severity in acute intra-abdominal sepsis. <i>Clinical and Experimental Immunology</i> , 2014, 178, 292-309. | 1.1 | 16 |
| 863 | Runt-related transcription factor 3 is involved in the altered phenotype and function in ThPok-deficient invariant natural killer T cells. <i>Cellular and Molecular Immunology</i> , 2014, 11, 232-244. | 4.8 | 14 |
| 864 | Adoptive immunotherapy with genetically modified lymphocytes in allogeneic stem cell transplantation. <i>Immunological Reviews</i> , 2014, 257, 165-180. | 2.8 | 46 |
| 865 | Nano-Oncologicals. <i>Advances in Delivery Science and Technology</i> , 2014, , . | 0.4 | 7 |
| 866 | Immunosuppressive roles of natural killer T (NKT) cells in the skin. <i>Journal of Leukocyte Biology</i> , 2014, 96, 49-54. | 1.5 | 15 |
| 867 | Critical Role of NKT Cells in Posttransplant Alloantibody Production. <i>American Journal of Transplantation</i> , 2014, 14, 2491-2499. | 2.6 | 9 |
| 868 | Natural killer T cell defects in multiple myeloma and the impact of lenalidomide therapy. <i>Clinical and Experimental Immunology</i> , 2013, 175, 49-58. | 1.1 | 35 |
| 869 | Î³Î± T cell surveillance via CD1 molecules. <i>Trends in Immunology</i> , 2014, 35, 613-621. | 2.9 | 55 |
| 870 | Prometheus unbound: NKT cells inhibit hepatic regeneration. <i>Hepatology</i> , 2014, 60, 1133-1135. | 3.6 | 7 |
| 871 | Invariant Natural Killer T Cells: Boon or Bane in Immunity to Intracellular Bacterial Infections?. <i>Journal of Innate Immunity</i> , 2014, 6, 575-584. | 1.8 | 10 |
| 872 | Adipose invariant natural killer T cells. <i>Immunology</i> , 2014, 142, 337-346. | 2.0 | 59 |
| 873 | Type I <sc>NKT</sc>â€œcellâ€œ-mediated <sc>TNF</sc>â€œ is a positive regulator of <sc>NLRP</sc>3 inflammasome priming. <i>European Journal of Immunology</i> , 2014, 44, 2111-2120. | 1.6 | 18 |
| 874 | Interplay between the immune system and adipose tissue in obesity. <i>Journal of Endocrinology</i> , 2014, 223, R41-R48. | 1.2 | 187 |
| 875 | TNF-Î± production in NKT cell hybridoma is regulated by sphingosine-1-phosphate. <i>Coronary Artery Disease</i> , 2014, 25, 311-320. | 0.3 | 11 |
| 876 | Effective functional maturation of invariant natural killer T cells is constrained by negative selection and T-cell antigen receptor affinity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E119-28. | 3.3 | 34 |
| 877 | Mechanistic target of rapamycin complex 1 is critical for invariant natural killer T-cell development and effector function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E776-83. | 3.3 | 56 |
| 878 | Immunosenescence and aging in HIV. <i>Current Opinion in HIV and AIDS</i> , 2014, 9, 398-404. | 1.5 | 31 |
| 879 | CD1d levels in peripheral blood of patients with acute myeloid leukemia and acute lymphoblastic leukemia. <i>Oncology Letters</i> , 2014, 8, 825-830. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 880 | Ontogeny of Innate T Lymphocytes – Some Innate Lymphocytes are More Innate than Others. <i>Frontiers in Immunology</i> , 2014, 5, 486. | 2.2 | 74 |
| 881 | Mammalian Target of Rapamycin Complex 1 Orchestrates Invariant NKT Cell Differentiation and Effector Function. <i>Journal of Immunology</i> , 2014, 193, 1759-1765. | 0.4 | 62 |
| 882 | Helminth-Induced Interleukin-4 Abrogates Invariant Natural Killer T Cell Activation-Associated Clearance of Bacterial Infection. <i>Infection and Immunity</i> , 2014, 82, 2087-2097. | 1.0 | 31 |
| 883 | Cancer Immunotherapy Using α T Cells: Dealing with Diversity. <i>Frontiers in Immunology</i> , 2014, 5, 601. | 2.2 | 40 |
| 884 | iNKT Cell Production of GM-CSF Controls Mycobacterium tuberculosis. <i>PLoS Pathogens</i> , 2014, 10, e1003805. | 2.1 | 108 |
| 885 | Invariant Natural Killer T Cells. <i>Antibodies</i> , 2014, 3, 16-36. | 1.2 | 6 |
| 886 | Indolent CD56-Positive Clonal T-Cell Lymphoproliferative Disease of the Stomach Mimicking Lymphomatoid Gastropathy. <i>Korean Journal of Pathology</i> , 2014, 48, 430-433. | 1.2 | 2 |
| 887 | The V α 9V β 2 T Cell Antigen Receptor and Butyrophilin-3 A1: Models of Interaction, the Possibility of Co-Evolution, and the Case of Dendritic Epidermal T Cells. <i>Frontiers in Immunology</i> , 2014, 5, 648. | 2.2 | 42 |
| 888 | SAP-Dependent and -Independent Regulation of Innate T Cell Development Involving SLAMF Receptors. <i>Frontiers in Immunology</i> , 2014, 5, 186. | 2.2 | 32 |
| 889 | Trehalose diesters, lipoteichoic acids and β -GalCer: using chemistry to understand immunology. <i>Carbohydrate Research</i> , 2014, 389, 3-11. | 1.1 | 9 |
| 890 | A divergent response of innate regulatory T-cells to sepsis in humans: Circulating invariant natural killer T-cells are preserved. <i>Human Immunology</i> , 2014, 75, 277-282. | 1.2 | 19 |
| 891 | Diverse Roles of Natural Killer T Lymphocytes in Liver and Spleen in Mice with Experimental Autoimmune Uveitis. <i>Inflammation</i> , 2014, 37, 581-592. | 1.7 | 4 |
| 892 | Arthritis Research. <i>Methods in Molecular Biology</i> , 2014, , . | 0.4 | 1 |
| 893 | Distinct Requirements for Activation of NKT and NK Cells during Viral Infection. <i>Journal of Immunology</i> , 2014, 192, 3676-3685. | 0.4 | 54 |
| 894 | Lipid presentation by human CD1 molecules and the diverse T cell populations that respond to them. <i>Current Opinion in Immunology</i> , 2014, 26, 1-6. | 2.4 | 43 |
| 895 | Invariant NKT cell development: focus on NOD mice. <i>Current Opinion in Immunology</i> , 2014, 27, 83-88. | 2.4 | 11 |
| 896 | UVB-Induced Skin Inflammation and Cutaneous Tissue Injury Is Dependent on the MHC Class II-Like Protein, CD1d. <i>Journal of Investigative Dermatology</i> , 2014, 134, 192-202. | 0.3 | 35 |
| 897 | Isolation of Murine Natural Killer Cells. <i>Current Protocols in Immunology</i> , 2014, 105, 3.22.1-3.22.9. | 3.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 898 | The Role of Invariant Natural Killer T Cells in Autoimmune Diseases. , 2014, , 103-129. | | 3 |
| 899 | <scp>IFN</scp>â€³â€producing <scp>NKT</scp> cells exacerbate sepsis by enhancing <scp>C</scp>5a generation via <scp>IL</scp>â€10â€mediated inhibition of <scp>CD</scp>55 expression on neutrophils. European Journal of Immunology, 2014, 44, 2025-2035. | 1.6 | 15 |
| 900 | Parallel T-cell cloning and deep sequencing of human MAIT cells reveal stable oligoclonal TCRÎ² repertoire. Nature Communications, 2014, 5, 3866. | 5.8 | 267 |
| 901 | Synthesis and evaluation of immunostimulant plasmalogen lysophosphatidylethanolamine and analogues for natural killer T cells. Bioorganic and Medicinal Chemistry, 2014, 22, 2966-2973. | 1.4 | 9 |
| 902 | The Significance and Regulatory Mechanisms of Innate Immune Cells in the Development of Sepsis. Journal of Interferon and Cytokine Research, 2014, 34, 2-15. | 0.5 | 67 |
| 903 | Oxidative stress-mediated iNKT-cell activation is involved in COPD pathogenesis. Mucosal Immunology, 2014, 7, 568-578. | 2.7 | 42 |
| 904 | Design and Evaluation of Î‰-Hydroxy Fatty Acids Containing Î±-GalCer Analogues for CD1d-Mediated NKT Cell Activation. ACS Medicinal Chemistry Letters, 2014, 5, 331-335. | 1.3 | 14 |
| 905 | Natural killer T cell anergy, co-stimulatory molecules and immunotherapeutic interventions. Human Immunology, 2014, 75, 250-260. | 1.2 | 34 |
| 906 | The immunoregulatory role of type I and type II NKT cells in cancer and other diseases. Cancer Immunology, Immunotherapy, 2014, 63, 199-213. | 2.0 | 71 |
| 907 | Dicer in immune cell development and function. Immunological Investigations, 2014, 43, 182-195. | 1.0 | 21 |
| 908 | Differential Requirement for IL-2 and IL-15 during Bifurcated Development of Thymic Regulatory T Cells. Journal of Immunology, 2014, 193, 5525-5533. | 0.4 | 57 |
| 909 | The Thymic Microenvironment Differentially Regulates Development and Trafficking of Invariant NKT Cell Sublineages. Journal of Immunology, 2014, 193, 5960-5972. | 0.4 | 10 |
| 910 | The preventive role of type 2 NKT cells in the development of type 1 diabetes. Apms, 2014, 122, 167-182. | 0.9 | 5 |
| 911 | Different subsets of natural killer T cells may vary in their roles in health and disease. Immunology, 2014, 142, 321-336. | 2.0 | 87 |
| 912 | Dengue virus infection: current concepts in immune mechanisms and lessons from murine models. Immunology, 2014, 141, 143-156. | 2.0 | 71 |
| 913 | Cutting Edge: Discrete Functions of mTOR Signaling in Invariant NKT Cell Development and NKT17 Fate Decision. Journal of Immunology, 2014, 193, 4297-4301. | 0.4 | 51 |
| 914 | Harnessing the antibacterial and immunological properties of mucosal-associated invariant T cells in the development of novel oral vaccines against enteric infections. Biochemical Pharmacology, 2014, 92, 173-183. | 2.0 | 8 |
| 915 | Adjuvant effects of therapeutic glycolipids administered to a cohort of NKT cell-diverse pigs. Veterinary Immunology and Immunopathology, 2014, 162, 1-13. | 0.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 916 | NKT cell depletion in humans during early HIV infection. <i>Immunology and Cell Biology</i> , 2014, 92, 578-590. | 1.0 | 34 |
| 917 | Invariant natural killer T cells act as an extravascular cytotoxic barrier for joint-invading Lyme <i>Borrelia</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13936-13941. | 3.3 | 54 |
| 918 | Nonclassical T Cells and Their Antigens in Tuberculosis. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2014, 4, a018473-a018473. | 2.9 | 27 |
| 919 | Jarid2 is induced by TCR signalling and controls iNKT cell maturation. <i>Nature Communications</i> , 2014, 5, 4540. | 5.8 | 39 |
| 920 | Thinking Inside the Box: Endogenous $\hat{\pm}$ -Anomeric Lipid Antigens. <i>Immunity</i> , 2014, 41, 505-506. | 6.6 | 7 |
| 921 | Activation of invariant natural killer T cells in regional lymph nodes as new antigen-specific immunotherapy via induction of interleukin-21 and interferon- $\hat{\beta}$. <i>Clinical and Experimental Immunology</i> , 2014, 178, 65-74. | 1.1 | 5 |
| 922 | Invariant natural killer T cells in children with eosinophilic esophagitis. <i>Clinical and Experimental Allergy</i> , 2014, 44, 58-68. | 1.4 | 76 |
| 923 | A divergent approach to the synthesis of iGb3 sugar and lipid analogues via a lactosyl 2-azido-sphingosine intermediate. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 2729-2736. | 1.5 | 11 |
| 925 | Innate Immune Sensing and Response to Influenza. <i>Current Topics in Microbiology and Immunology</i> , 2014, 386, 23-71. | 0.7 | 99 |
| 926 | An Overview of the Intrathymic Intricacies of T Cell Development. <i>Journal of Immunology</i> , 2014, 192, 4017-4023. | 0.4 | 231 |
| 927 | Frequencies of circulating IL-17-producing CD4+CD161+ T cells and CD4+CD161+ T cells correlate with disease activity in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2014, 24, 265-570. | 0.9 | 16 |
| 928 | Natural killer T cells: drivers or passengers in preventing human disease?. <i>Nature Reviews Immunology</i> , 2014, 14, 640-646. | 10.6 | 58 |
| 929 | Direct incorporation of the NKT-cell activator $\hat{\pm}$ -galactosylceramide into a recombinant <i>Listeria monocytogenes</i> improves breast cancer vaccine efficacy. <i>British Journal of Cancer</i> , 2014, 111, 1945-1954. | 2.9 | 29 |
| 930 | The Identification of the Endogenous Ligands of Natural Killer T Cells Reveals the Presence of Mammalian $\hat{\pm}$ -Linked Glycosylceramides. <i>Immunity</i> , 2014, 41, 543-554. | 6.6 | 207 |
| 931 | Unusual evolutionary conservation and further species-specific adaptations of a large family of nonclassical MHC class Ib genes across different degrees of genome ploidy in the amphibian subfamily Xenopodinae. <i>Immunogenetics</i> , 2014, 66, 411-426. | 1.2 | 23 |
| 932 | The Differential Roles of mTOR, ERK, and JNK Pathways in Invariant Natural Killer T-cell Function and Survival. <i>Inflammation</i> , 2014, 37, 2013-2019. | 1.7 | 4 |
| 933 | Protein phosphatase 4 is an essential positive regulator for Treg development, function, and protective gut immunity. <i>Cell and Bioscience</i> , 2014, 4, 25. | 2.1 | 13 |
| 934 | Basic Techniques for Studies of iNKT Cells and MAIT Cells. <i>Methods in Molecular Biology</i> , 2014, 1142, 75-84. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 935 | Dendritic Cells and Anergic Type I NKT Cells Play a Crucial Role in Sulfatide-Mediated Immune Regulation in Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2014, 193, 1035-1046. | 0.4 | 35 |
| 936 | A semisynthetic carbohydrate-lipid vaccine that protects against <i>S. pneumoniae</i> in mice. <i>Nature Chemical Biology</i> , 2014, 10, 950-956. | 3.9 | 96 |
| 937 | Elevated T Cell Receptor Signaling Identifies a Thymic Precursor to the TCR α^{hi} CD4 α^{hi} CD8 α^{lo} Intraepithelial Lymphocyte Lineage. <i>Immunity</i> , 2014, 41, 219-229. | 6.6 | 88 |
| 938 | Vitamin D, immune regulation, the microbiota, and inflammatory bowel disease. <i>Experimental Biology and Medicine</i> , 2014, 239, 1524-1530. | 1.1 | 120 |
| 939 | A self-adjuvanting vaccine induces cytotoxic T lymphocytes that suppress allergy. <i>Nature Chemical Biology</i> , 2014, 10, 943-949. | 3.9 | 70 |
| 940 | NKT Cells Determine Titer and Subtype Profile of Virus-Specific IgG Antibodies during Herpes Simplex Virus Infection. <i>Journal of Immunology</i> , 2014, 192, 4294-4302. | 0.4 | 16 |
| 941 | Targeted Delivery of β -Galactosylceramide to CD8 α^{hi} Dendritic Cells Optimizes Type I NKT Cell α^{hi} -Based Antitumor Responses. <i>Journal of Immunology</i> , 2014, 193, 961-969. | 0.4 | 79 |
| 942 | Switching Invariant Natural Killer T (iNKT) Cell Response from Anticancerous to Anti-Inflammatory Effect: Molecular Bases. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 5489-5508. | 2.9 | 62 |
| 943 | NKp46+CD3+ Cells: A Novel Nonconventional T Cell Subset in Cattle Exhibiting Both NK Cell and T Cell Features. <i>Journal of Immunology</i> , 2014, 192, 3868-3880. | 0.4 | 34 |
| 944 | Generation of induced pluripotent stem cell-derived mice by reprogramming of a mature NKT cell. <i>International Immunology</i> , 2014, 26, 551-561. | 1.8 | 6 |
| 945 | Increased Peripheral IL-4 Leads to an Expanded Virtual Memory CD8+ Population. <i>Journal of Immunology</i> , 2014, 192, 5643-5651. | 0.4 | 31 |
| 946 | Antigen-Dependent versus -Independent Activation of Invariant NKT Cells during Infection. <i>Journal of Immunology</i> , 2014, 192, 5490-5498. | 0.4 | 74 |
| 947 | Programmed death-1 receptor suppresses $\text{I}\beta$ -IFN producing NKT cells in human tuberculosis. <i>Tuberculosis</i> , 2014, 94, 197-206. | 0.8 | 33 |
| 949 | CD4+ invariant natural killer T cells protect from murine GVHD lethality through expansion of donor CD4+CD25+FoxP3+ regulatory T cells. <i>Blood</i> , 2014, 124, 3320-3328. | 0.6 | 96 |
| 950 | Preserved Function of Circulating Invariant Natural Killer T Cells in Patients With Chronic Hepatitis B Virus Infection. <i>Medicine (United States)</i> , 2015, 94, e961. | 0.4 | 6 |
| 951 | Interleukin-15 enhances the expansion and function of natural killer T cells from adult peripheral and umbilical cord blood. <i>Cytokine</i> , 2015, 76, 348-355. | 1.4 | 11 |
| 952 | Regulatory role of natural killer T cells in diabetes. <i>Biomedical Journal</i> , 2015, 38, 484-495. | 1.4 | 43 |
| 953 | New immune cells in spondyloarthritis: Key players or innocent bystanders?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2015, 29, 706-714. | 1.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 954 | Can selectin and iNKT cell therapies meet the needs of people with sickle cell disease?. Hematology American Society of Hematology Education Program, 2015, 2015, 426-432. | 0.9 | 7 |
| 955 | NKT cells act through third party bone marrow-derived cells to suppress <sc>NK</sc> cell activity in the liver and exacerbate hepatic melanoma metastases. International Journal of Cancer, 2015, 137, 1085-1094. | 2.3 | 19 |
| 956 | Invariant natural killer <sc>T</sc> cells and their ligands: focus on multiple sclerosis. Immunology, 2015, 145, 468-475. | 2.0 | 25 |
| 957 | Natural killer T cells in multiple sclerosis and its animal model, experimental autoimmune encephalomyelitis. Immunology, 2015, 146, 1-10. | 2.0 | 26 |
| 958 | Discovery of NKT cells and development of NKT cell-targeted anti-tumor immunotherapy. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2015, 91, 292-304. | 1.6 | 23 |
| 960 | Zbtb16 (PLZF) is stably suppressed and not inducible in non-innate T cells via T cell receptor-mediated signaling. Scientific Reports, 2015, 5, 12113. | 1.6 | 42 |
| 961 | Type II NKT-TFH cells against Gaucher lipids regulate B-cell immunity and inflammation. Blood, 2015, 125, 1256-1271. | 0.6 | 119 |
| 963 | CD8+NKT-like cells regulate the immune response by killing antigen-bearing DCs. Scientific Reports, 2015, 5, 14124. | 1.6 | 33 |
| 964 | SAT0373â€¦Role of Inkt Cells in Patients with Primary Sjogren Syndrome. Annals of the Rheumatic Diseases, 2015, 74, 794.3-794. | 0.5 | 0 |
| 965 | Coevolution of <sc>MHC</sc> genes (<sc>LMP</sc>/<sc>TAP</sc>/class Ia, <sc>NKT</sc>â€¦) Tj ETQq1 1 0.784314 rgB 6-15. | 2.8 | 23 |
| 966 | Î²-Catenin is required for the differentiation of iNKT2 and iNKT17 cells that augment IL-25-dependent lung inflammation. BMC Immunology, 2015, 16, 62. | 0.9 | 17 |
| 967 | The hypervariable region 4 (HV4) and position 93 of the Î± chain modulate CD1dâ€¦glycolipid binding of iNKT TCRs. European Journal of Immunology, 2015, 45, 2122-2133. | 1.6 | 4 |
| 968 | Activation of human T cells by <sc>CD</sc> 1 and selfâ€¦lipids. Immunological Reviews, 2015, 267, 16-29. | 2.8 | 27 |
| 970 | Invariant Natural Killer T Cell Deficiency and Functional Impairment in Sleep Apnea: Links to Cancer Comorbidity. Sleep, 2015, 38, 1629-1634. | 0.6 | 31 |
| 971 | SAT0372â€¦Ectopically Secreted Mucins Might Perpetuate the Inflammation in Salivary Glands of SjÃ–gren's Syndrome Patients. Annals of the Rheumatic Diseases, 2015, 74, 794.2-794. | 0.5 | 0 |
| 972 | Cell-Based Modulation of Autoimmune Responses in Multiple Sclerosis and Experimental Autoimmune Encephalomyelitis: Therapeutic Implications. NeuroImmunoModulation, 2015, 22, 181-195. | 0.9 | 33 |
| 973 | Oscillatory mTOR inhibition and Treg increase in kidney transplantation. Clinical and Experimental Immunology, 2015, 182, 230-240. | 1.1 | 30 |
| 974 | Differential dependence on nuclear factorâ€¦Î²â€¦inducing kinase among natural killer <sc>T</sc>â€¦cell subsets in their development. Immunology, 2015, 146, 89-99. | 2.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 975 | Function and expression of CD1d and invariant natural killer T cell receptor in the cotton rat (<i>Sigmodon hispidus</i>). <i>Immunology</i> , 2015, 146, 618-629. | 2.0 | 4 |
| 976 | Coevolution of T cell receptors with MHC and non-MHC ligands. <i>Immunological Reviews</i> , 2015, 267, 30-55. | 2.8 | 53 |
| 977 | CD1d knockout mice exhibit aggravated contact hypersensitivity responses due to reduced interleukin-10 production predominantly by regulatory B cells. <i>Experimental Dermatology</i> , 2015, 24, 853-856. | 1.4 | 11 |
| 978 | Mecanismos de activación de las células T asesinas naturales invariantes (iNKT). <i>Iatreia</i> , 2015, 29, . | 0.1 | 0 |
| 979 | Immune-based Therapy Clinical Trials in Hepatocellular Carcinoma. <i>Journal of Clinical & Cellular Immunology</i> , 2015, 06, . | 1.5 | 19 |
| 980 | Changes in peripheral blood natural killer T cells in hepatitis B e antigen-positive chronic hepatitis B patients and efficacy prediction after pegylated interferon therapy. <i>Genetics and Molecular Research</i> , 2015, 14, 4932-4938. | 0.3 | 1 |
| 981 | B Cell Help by CD1d-Restricted NKT Cells. <i>Antibodies</i> , 2015, 4, 279-294. | 1.2 | 5 |
| 982 | The Response of CD1d-Restricted Invariant NKT Cells to Microbial Pathogens and Their Products. <i>Frontiers in Immunology</i> , 2015, 6, 226. | 2.2 | 62 |
| 983 | Dynamics of NKT-Cell Responses to Chlamydial Infection. <i>Frontiers in Immunology</i> , 2015, 6, 233. | 2.2 | 6 |
| 984 | Intravital Imaging – Dynamic Insights into Natural Killer T Cell Biology. <i>Frontiers in Immunology</i> , 2015, 6, 240. | 2.2 | 22 |
| 985 | Role of Innate T Cells in Anti-Bacterial Immunity. <i>Frontiers in Immunology</i> , 2015, 6, 302. | 2.2 | 65 |
| 986 | Type II NKT Cells in Inflammation, Autoimmunity, Microbial Immunity, and Cancer. <i>Frontiers in Immunology</i> , 2015, 6, 316. | 2.2 | 84 |
| 987 | iNKT and MAIT Cell Alterations in Diabetes. <i>Frontiers in Immunology</i> , 2015, 6, 341. | 2.2 | 42 |
| 988 | Imaging of NKT Cell Recirculation and Tissue Migration during Antimicrobial Immunity. <i>Frontiers in Immunology</i> , 2015, 6, 356. | 2.2 | 2 |
| 989 | The Extended Family of CD1d-Restricted NKT Cells: Sifting through a Mixed Bag of TCRs, Antigens, and Functions. <i>Frontiers in Immunology</i> , 2015, 6, 362. | 2.2 | 66 |
| 990 | iNKT Cells and Their Potential Lipid Ligands during Viral Infection. <i>Frontiers in Immunology</i> , 2015, 6, 378. | 2.2 | 26 |
| 991 | The Role of Invariant Natural Killer T Cells in Dendritic Cell Licensing, Cross-Priming, and Memory CD8+ T Cell Generation. <i>Frontiers in Immunology</i> , 2015, 6, 379. | 2.2 | 53 |
| 992 | Recognition of Microbial Glycolipids by Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2015, 6, 400. | 2.2 | 58 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 993 | CD1d- and MR1-Restricted T Cells in Sepsis. <i>Frontiers in Immunology</i> , 2015, 6, 401. | 2.2 | 30 |
| 994 | SAT0371â€¦Characterization of a SjÃ–gren's Syndrome-Associated Long Non-Coding RNA at 2P25.1. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 794.1-794. | 0.5 | 0 |
| 995 | Invariant NKT Cells Act as an Adjuvant to Enhance Th2 Inflammatory Response in an OVA-Induced Mouse Model of Asthma. <i>PLoS ONE</i> , 2015, 10, e0119901. | 1.1 | 26 |
| 996 | Mouse Invariant Monoclonal Antibody NKT14: A Novel Tool to Manipulate iNKT Cell Function In Vivo. <i>PLoS ONE</i> , 2015, 10, e0140729. | 1.1 | 24 |
| 997 | Species Specific Differences of CD1d Oligomer Loading In Vitro. <i>PLoS ONE</i> , 2015, 10, e0143449. | 1.1 | 3 |
| 998 | Border Patrol Gone Awry: Lung NKT Cell Activation by <i>Francisella tularensis</i> Exacerbates Tularemia-Like Disease. <i>PLoS Pathogens</i> , 2015, 11, e1004975. | 2.1 | 18 |
| 999 | Altered distribution of regulatory lymphocytes by oral administration of soy-extracts exerts a hepatoprotective effect alleviating immune mediated liver injury, non-alcoholic steatohepatitis and insulin resistance. <i>World Journal of Gastroenterology</i> , 2015, 21, 7443. | 1.4 | 19 |
| 1000 | Immunoregulation of NKT Cells in Systemic Lupus Erythematosus. <i>Journal of Immunology Research</i> , 2015, 2015, 1-8. | 0.9 | 39 |
| 1001 | Antitumor Responses of Invariant Natural Killer T Cells. <i>Journal of Immunology Research</i> , 2015, 2015, 1-10. | 0.9 | 26 |
| 1002 | Orchestration of Invariant Natural Killer T Cell Development by E and Id Proteins. <i>Critical Reviews in Immunology</i> , 2015, 35, 33-48. | 1.0 | 12 |
| 1003 | CD28-CD80/86 and CD40-CD40L Interactions Promote Thymic Tolerance by Regulating Medullary Epithelial Cell and Thymocyte Development. <i>Critical Reviews in Immunology</i> , 2015, 35, 59-76. | 1.0 | 7 |
| 1004 | T cell lymphoma. <i>Hematologie</i> , 2015, 21, 10-15. | 0.0 | 2 |
| 1005 | Administration of Î±-Galactosylceramide Improves Adenine-Induced Renal Injury. <i>Molecular Medicine</i> , 2015, 21, 553-562. | 1.9 | 8 |
| 1006 | Genetic engineering of hematopoietic stem cells to generate invariant natural killer T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1523-1528. | 3.3 | 30 |
| 1007 | Bacterial Lysate Increases the Percentage of Natural Killer T Cells in Peripheral Blood and Alleviates Asthma in Children. <i>Pharmacology</i> , 2015, 95, 139-144. | 0.9 | 30 |
| 1008 | Virus-Like Particles, a Versatile Subunit Vaccine Platform. <i>Advances in Delivery Science and Technology</i> , 2015, , 159-180. | 0.4 | 16 |
| 1009 | Targeted disruption of CD1d prevents NKT cell development in pigs. <i>Mammalian Genome</i> , 2015, 26, 264-270. | 1.0 | 20 |
| 1010 | Mucosal-Resident T Lymphocytes with Invariant Antigen Receptors. , 2015, , 749-764. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1011 | Accumulation of invariant NKT cells with increased IFN- γ production in persistent high-risk HPV-infected high-grade cervical intraepithelial neoplasia. <i>Diagnostic Pathology</i> , 2015, 10, 20. | 0.9 | 20 |
| 1012 | Activation and Function of iNKT and MAIT Cells. <i>Advances in Immunology</i> , 2015, 127, 145-201. | 1.1 | 90 |
| 1013 | Transitioning from Idiopathic to Explainable Autoimmune Hepatitis. <i>Digestive Diseases and Sciences</i> , 2015, 60, 2881-2900. | 1.1 | 51 |
| 1014 | Human gamma delta T cells: Evolution and ligand recognition. <i>Cellular Immunology</i> , 2015, 296, 31-40. | 1.4 | 172 |
| 1015 | The two faces of invariant natural killer T cells. <i>Biomedical Journal</i> , 2015, 38, 465-468. | 1.4 | 0 |
| 1017 | The Roles of CXCL16 and CXCR6 in Liver Inflammation and Fibrosis. <i>Current Pathobiology Reports</i> , 2015, 3, 283-290. | 1.6 | 7 |
| 1018 | Molecular basis of carcinogenesis in diabetic patients (Review). <i>International Journal of Oncology</i> , 2015, 46, 1435-1443. | 1.4 | 9 |
| 1019 | Invariant Natural Killer T Cells Promote T Cell Immunity by Modulating the Function of Lung Dendritic Cells during Chlamydia pneumoniae Infection. <i>Journal of Innate Immunity</i> , 2015, 7, 260-274. | 1.8 | 14 |
| 1020 | Chronic alcohol consumption enhances iNKT cell maturation and activation. <i>Toxicology and Applied Pharmacology</i> , 2015, 282, 139-150. | 1.3 | 17 |
| 1021 | Natural killer cell subsets in cerebrospinal fluid of patients with multiple sclerosis. <i>Clinical and Experimental Immunology</i> , 2015, 180, 243-249. | 1.1 | 58 |
| 1022 | The interleukin-15 system suppresses T cell-mediated autoimmunity by regulating negative selection and nTH17 cell homeostasis in the thymus. <i>Journal of Autoimmunity</i> , 2015, 56, 118-129. | 3.0 | 7 |
| 1023 | A locus on mouse chromosome 13 inversely regulates CD1d expression and the development of invariant natural killer T-cells. <i>Genes and Immunity</i> , 2015, 16, 221-230. | 2.2 | 7 |
| 1024 | Synthesis and Biological Activities of 5-Thio- α -GalCers. <i>ACS Medicinal Chemistry Letters</i> , 2015, 6, 476-480. | 1.3 | 18 |
| 1025 | Stages versus subsets: Invariant Natural Killer T cell lineage differentiation. <i>Cytokine</i> , 2015, 72, 204-209. | 1.4 | 19 |
| 1026 | Human $\gamma\delta$ T cells: Innate adaptors of the immune system. <i>Cellular Immunology</i> , 2015, 296, 10-21. | 1.4 | 65 |
| 1027 | NKT cells can help mediate the protective effects of 1,25-dihydroxyvitamin D3 in experimental autoimmune encephalomyelitis in mice. <i>International Immunology</i> , 2015, 27, 237-244. | 1.8 | 43 |
| 1028 | Pathogen-expanded CD11b+ invariant NKT cells feedback inhibit T cell proliferation via membrane-bound TGF- β 1. <i>Journal of Autoimmunity</i> , 2015, 58, 21-35. | 3.0 | 11 |
| 1029 | Regulation of IgE production and airway reactivity by CD4 ⁺ CD8 ⁻ regulatory T cells. <i>Immunobiology</i> , 2015, 220, 490-499. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1030 | Cytotoxic Mediators in Paradoxical HIVâ€“Tuberculosis Immune Reconstitution Inflammatory Syndrome. <i>Journal of Immunology</i> , 2015, 194, 1748-1754. | 0.4 | 31 |
| 1031 | Interleukin-22: Immunobiology and Pathology. <i>Annual Review of Immunology</i> , 2015, 33, 747-785. | 9.5 | 679 |
| 1032 | Natural killer T cells in liver injury, inflammation and cancer. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1077-1085. | 1.4 | 36 |
| 1033 | IL32Î³ activates natural killer receptor-expressing innate immune cells to produce IFNÎ³ via dendritic cell-derived IL12. <i>Biochemical and Biophysical Research Communications</i> , 2015, 461, 86-94. | 1.0 | 10 |
| 1034 | The Riddle of Nonalcoholic Fatty Liver Disease: Progression From Nonalcoholic Fatty Liver to Nonalcoholic Steatohepatitis. <i>Journal of Clinical and Experimental Hepatology</i> , 2015, 5, 147-158. | 0.4 | 114 |
| 1035 | Fine-tuning of T-cell development by the CD3Î³ di-leucine-based TCR-sorting motif. <i>International Immunology</i> , 2015, 27, 393-404. | 1.8 | 4 |
| 1036 | Sex and Gender Differences in Infection and Treatments for Infectious Diseases. , 2015, , . | | 11 |
| 1037 | Organ-specific protective role of NKT cells in virus-induced inflammatory demyelination and myocarditis depends on mouse strain. <i>Journal of Neuroimmunology</i> , 2015, 278, 174-184. | 1.1 | 10 |
| 1038 | Endogenous ligands of natural killer T cells are alpha-linked glycosylceramides. <i>Molecular Immunology</i> , 2015, 68, 94-97. | 1.0 | 41 |
| 1039 | A Subset of CD8Î±Î²+ Invariant NKT Cells in a Humanized Mouse Model. <i>Journal of Immunology</i> , 2015, 195, 1459-1469. | 0.4 | 11 |
| 1040 | Invariant NKT Cells Require Autophagy To Coordinate Proliferation and Survival Signals during Differentiation. <i>Journal of Immunology</i> , 2015, 194, 5872-5884. | 0.4 | 64 |
| 1041 | A Novel Glycolipid Antigen for NKT Cells That Preferentially Induces IFN-Î³ Production. <i>Journal of Immunology</i> , 2015, 195, 924-933. | 0.4 | 28 |
| 1042 | Rapid activation and hepatic recruitment of innate-like regulatory B cells after invariant NKT cell stimulation in mice. <i>Journal of Hepatology</i> , 2015, 63, 943-951. | 1.8 | 18 |
| 1043 | Regulated Expression of miR-155 is Required for iNKT Cell Development. <i>Frontiers in Immunology</i> , 2015, 6, 140. | 2.2 | 22 |
| 1044 | Lipid and Carbohydrate Modifications of Î±-Galactosylceramide Differently Influence Mouse and Human Type I Natural Killer T Cell Activation. <i>Journal of Biological Chemistry</i> , 2015, 290, 17206-17217. | 1.6 | 15 |
| 1045 | Small molecules from the human microbiota. <i>Science</i> , 2015, 349, 1254766. | 6.0 | 592 |
| 1046 | Early Development in the Peritoneal Cavity of CD49dhigh Th1 Memory Phenotype CD4+ T Cells with Enhanced B Cell Helper Activity. <i>Journal of Immunology</i> , 2015, 195, 564-575. | 0.4 | 15 |
| 1047 | Let-7 microRNAs target the lineage-specific transcription factor PLZF to regulate terminal NKT cell differentiation and effector function. <i>Nature Immunology</i> , 2015, 16, 517-524. | 7.0 | 137 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1048 | Innate Memory T cells. <i>Advances in Immunology</i> , 2015, 126, 173-213. | 1.1 | 99 |
| 1049 | IL-23 Responsive Innate-Like T Cells in Spondyloarthritis: the Less Frequent They Are, the More Vital They Appear. <i>Current Rheumatology Reports</i> , 2015, 17, 30. | 2.1 | 23 |
| 1050 | Herpes Simplex Virus 1 US3 Phosphorylates Cellular KIF3A To Downregulate CD1d Expression. <i>Journal of Virology</i> , 2015, 89, 6646-6655. | 1.5 | 27 |
| 1051 | Potential role of invariant natural killer T cells in outcomes of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2015, 187, 663-665. | 0.8 | 7 |
| 1052 | Divergent Invariant Natural Killer T-Cell Response to Sepsis of Abdominal vs. Non-Abdominal Origin in Human Beings. <i>Surgical Infections</i> , 2015, 16, 29-35. | 0.7 | 6 |
| 1053 | Invariant natural killer T cell deficiency leads to the development of spontaneous liver inflammation dependent on $\gamma\delta$ T cells in mice. <i>Journal of Gastroenterology</i> , 2015, 50, 1124-1133. | 2.3 | 15 |
| 1054 | Pathogenesis of innate immunity and adaptive immunity in the mouse model of experimental autoimmune uveitis. <i>Journal of the Chinese Medical Association</i> , 2015, 78, 276-282. | 0.6 | 13 |
| 1055 | Inhibition of type I natural killer T cells by retinoids or following sulfatide-mediated activation of type II natural killer T cells attenuates alcoholic liver disease in mice. <i>Hepatology</i> , 2015, 61, 1357-1369. | 3.6 | 95 |
| 1056 | The Regulatory Role of Invariant NKT Cells in Tumor Immunity. <i>Cancer Immunology Research</i> , 2015, 3, 425-435. | 1.6 | 122 |
| 1057 | CD1d-dependent endogenous and exogenous lipid antigen presentation. <i>Current Opinion in Immunology</i> , 2015, 34, 116-125. | 2.4 | 30 |
| 1058 | Regulation of NKT cell-mediated immune responses to tumours and liver inflammation by mitochondrial PGAM5-Drp1 signalling. <i>Nature Communications</i> , 2015, 6, 8371. | 5.8 | 114 |
| 1059 | Pak2 Controls Acquisition of NKT Cell Fate by Regulating Expression of the Transcription Factors PLZF and Egr2. <i>Journal of Immunology</i> , 2015, 195, 5272-5284. | 0.4 | 8 |
| 1060 | Analyses of the TCR repertoire of MHC class II-restricted innate CD4+ T cells. <i>Experimental and Molecular Medicine</i> , 2015, 47, e154-e154. | 3.2 | 5 |
| 1061 | Colocalization of a CD1d-Binding Glycolipid with a Radiation-Attenuated Sporozoite Vaccine in Lymph Node Resident Dendritic Cells for a Robust Adjuvant Effect. <i>Journal of Immunology</i> , 2015, 195, 2710-2721. | 0.4 | 22 |
| 1062 | NKT cell-dependent glycolipid-peptide vaccines with potent anti-tumour activity. <i>Chemical Science</i> , 2015, 6, 5120-5127. | 3.7 | 64 |
| 1063 | Use of Mouse Models in Atherosclerosis Research. <i>Methods in Molecular Biology</i> , 2015, 1339, 1-16. | 0.4 | 31 |
| 1064 | Regulatory T Cell Immunotherapy in Immune-Mediated Diseases. <i>Current Stem Cell Reports</i> , 2015, 1, 177-186. | 0.7 | 11 |
| 1065 | Differential alterations of tissue T-cell subsets after sepsis. <i>Immunology Letters</i> , 2015, 168, 41-50. | 1.1 | 41 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1066 | TCR ITAM multiplicity is required for the generation of follicular helper T-cells. <i>Nature Communications</i> , 2015, 6, 6982. | 5.8 | 27 |
| 1067 | The E2F1 protein axis modulates the activities of the PI3K-AKT-mTORC1-Hif1a and c-myc/p19Arf pathways to suppress innate variant T _H cell development, thymocyte expansion, and lymphomagenesis. <i>Genes and Development</i> , 2015, 29, 409-425. | 2.7 | 43 |
| 1068 | mTOR and its tight regulation for iNKT cell development and effector function. <i>Molecular Immunology</i> , 2015, 68, 536-545. | 1.0 | 18 |
| 1069 | Endocytic pH regulates cell surface localization of glycolipid antigen loaded CD1d complexes. <i>Chemistry and Physics of Lipids</i> , 2015, 191, 75-83. | 1.5 | 4 |
| 1070 | Tissue-Specific Distribution of iNKT Cells Impacts Their Cytokine Response. <i>Immunity</i> , 2015, 43, 566-578. | 6.6 | 244 |
| 1071 | Histone H3 Lysine 27 demethylases Jmjd3 and Utx are required for T-cell differentiation. <i>Nature Communications</i> , 2015, 6, 8152. | 5.8 | 105 |
| 1072 | Role of SHIP1 in Invariant NKT Cell Development and Functions. <i>Journal of Immunology</i> , 2015, 195, 2149-2156. | 0.4 | 9 |
| 1073 | IL-9 Expression by Invariant NKT Cells Is Not Imprinted during Thymic Development. <i>Journal of Immunology</i> , 2015, 195, 3463-3471. | 0.4 | 24 |
| 1074 | Selective Conditions Are Required for the Induction of Invariant NKT Cell Hyporesponsiveness by Antigenic Stimulation. <i>Journal of Immunology</i> , 2015, 195, 3838-3848. | 0.4 | 21 |
| 1075 | Strategies for Improving Vaccines to Elicit T Cells to Treat Cancer. <i>Cancer Drug Discovery and Development</i> , 2015, , 29-52. | 0.2 | 1 |
| 1076 | Profiling of peripheral blood mononuclear cells does not accurately predict the bronchiolitis obliterans syndrome after lung transplantation. <i>Transplant Immunology</i> , 2015, 32, 195-200. | 0.6 | 6 |
| 1077 | Synthesis and Activity of 6-Deoxy-6-thio- β -GalCer and Peptide Conjugates. <i>Organic Letters</i> , 2015, 17, 5954-5957. | 2.4 | 32 |
| 1078 | Regulatory iNKT cells lack expression of the transcription factor PLZF and control the homeostasis of Treg cells and macrophages in adipose tissue. <i>Nature Immunology</i> , 2015, 16, 85-95. | 7.0 | 315 |
| 1079 | Mammalian Target of Rapamycin Complex 2 Regulates Invariant NKT Cell Development and Function Independent of Promyelocytic Leukemia Zinc-Finger. <i>Journal of Immunology</i> , 2015, 194, 223-230. | 0.4 | 46 |
| 1080 | Subunit Vaccine Delivery. <i>Advances in Delivery Science and Technology</i> , 2015, , . | 0.4 | 9 |
| 1081 | Retinoic Acid Modulates Interferon- γ Production by Hepatic Natural Killer T Cells via Phosphatase 2A and the Extracellular Signal-Regulated Kinase Pathway. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 200-212. | 0.5 | 37 |
| 1082 | Innate immunosenescence: underlying mechanisms and clinical relevance. <i>Biogerontology</i> , 2015, 16, 187-201. | 2.0 | 85 |
| 1083 | Interleukins 15 and 12 in combination expand the selective loss of natural killer T cells in HIV infection in vitro. <i>Clinical and Experimental Medicine</i> , 2015, 15, 205-213. | 1.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1084 | Improved proliferation of antigen-specific cytolytic T lymphocytes using a multimodal nanovaccine. International Journal of Nanomedicine, 2016, Volume 11, 6103-6121. | 3.3 | 10 |
| 1085 | A New Concept of Enhancing Immuno-Chemotherapeutic Effects Against B16F10 Tumor <i>via</i> Systemic Administration by Taking Advantages of the Limitation of EPR Effect. Theranostics, 2016, 6, 2141-2160. | 4.6 | 33 |
| 1086 | The Role of Invariant NKT Cells in Immunity. , 2016, , 357-368. | | 0 |
| 1087 | Mucosal-associated invariant T cells from induced pluripotent stem cells: A novel approach for modeling human diseases. World Journal of Stem Cells, 2016, 8, 158. | 1.3 | 6 |
| 1088 | Effects of Invariant NKT Cells on Parasite Infections and Hygiene Hypothesis. Journal of Immunology Research, 2016, 2016, 1-9. | 0.9 | 10 |
| 1089 | Interleukin-22 Signaling in the Regulation of Intestinal Health and Disease. Frontiers in Cell and Developmental Biology, 2015, 3, 85. | 1.8 | 145 |
| 1090 | Diacylglycerol Kinases in T Cell Tolerance and Effector Function. Frontiers in Cell and Developmental Biology, 2016, 4, 130. | 1.8 | 22 |
| 1091 | Adipose Tissue Remodeling: Its Role in Energy Metabolism and Metabolic Disorders. Frontiers in Endocrinology, 2016, 7, 30. | 1.5 | 792 |
| 1092 | The T Cell Response to Staphylococcus aureus. Pathogens, 2016, 5, 31. | 1.2 | 92 |
| 1093 | iNKT Cells Are Responsible for the Apoptotic Reduction of Basophils That Mediate Th2 Immune Responses Elicited by Papain in Mice Following \hat{I}^3 PGA Stimulation. PLoS ONE, 2016, 11, e0152189. | 1.1 | 8 |
| 1094 | Mouse and Human CD1d-Self-Lipid Complexes Are Recognized Differently by Murine Invariant Natural Killer T Cell Receptors. PLoS ONE, 2016, 11, e0156114. | 1.1 | 3 |
| 1095 | A New Mouse Model That Spontaneously Develops Chronic Liver Inflammation and Fibrosis. PLoS ONE, 2016, 11, e0159850. | 1.1 | 11 |
| 1096 | Microanatomy and Immunity in the Liver. , 2016, , 434-442. | | 2 |
| 1097 | Effect of PD-1. Shock, 2016, 45, 534-539. | 1.0 | 14 |
| 1098 | Natural Killer-like B Cells Prime Innate Lymphocytes against Microbial Infection. Immunity, 2016, 45, 131-144. | 6.6 | 34 |
| 1099 | The processing and presentation of lipids and glycolipids to the immune system. Immunological Reviews, 2016, 272, 109-119. | 2.8 | 33 |
| 1100 | NK Cell Proportion and Number Are Influenced by Genetic Loci on Chromosomes 8, 9, and 17. Journal of Immunology, 2016, 196, 2627-2636. | 0.4 | 4 |
| 1101 | The CD1 family: serving lipid antigens to T cells since the Mesozoic era. Immunogenetics, 2016, 68, 561-576. | 1.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1102 | Mouse and human CD8 ⁺ CD28 ^{low} regulatory T lymphocytes differentiate in the thymus. <i>Immunology</i> , 2016, 148, 187-196. | 2.0 | 25 |
| 1103 | Lineage-Specific Effector Signatures of Invariant NKT Cells Are Shared amongst $\gamma\delta$ T, Innate Lymphoid, and Th Cells. <i>Journal of Immunology</i> , 2016, 197, 1460-1470. | 0.4 | 114 |
| 1104 | Glycolipid activators of invariant NKT cells as vaccine adjuvants. <i>Immunogenetics</i> , 2016, 68, 597-610. | 1.2 | 22 |
| 1105 | Cytotoxic cell involvement in human cutaneous leishmaniasis: assessments in active disease, under therapy and after clinical cure. <i>Parasite Immunology</i> , 2016, 38, 244-254. | 0.7 | 14 |
| 1106 | Rapid control of pandemic H1N1 influenza by targeting NKT-cells. <i>Scientific Reports</i> , 2016, 6, 37999. | 1.6 | 23 |
| 1107 | Peripheral invariant natural killer T cell deficiency in metabolically unhealthy but normal weight versus metabolically healthy but obese individuals. <i>Journal of International Medical Research</i> , 2016, 44, 1272-1282. | 0.4 | 6 |
| 1108 | miR-17 ⁻¹ /492 family clusters control iNKT cell ontogenesis via modulation of TGF- β 2 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E8286-E8295. | 3.3 | 44 |
| 1109 | Lactic acid in tumor microenvironments causes dysfunction of NKT cells by interfering with mTOR signaling. <i>Science China Life Sciences</i> , 2016, 59, 1290-1296. | 2.3 | 55 |
| 1110 | Uhrf1 Controls iNKT Cell Survival and Differentiation through the Akt-mTOR Axis. <i>Cell Reports</i> , 2016, 15, 256-263. | 2.9 | 27 |
| 1111 | TPL2 Kinase Is a Crucial Signaling Factor and Mediator of NKT Effector Cytokine Expression in Immune-Mediated Liver Injury. <i>Journal of Immunology</i> , 2016, 196, 4298-4310. | 0.4 | 16 |
| 1112 | A Longitudinal Hepatitis B Vaccine Cohort Demonstrates Long-lasting Hepatitis B Virus (HBV) Cellular Immunity Despite Loss of Antibody Against HBV Surface Antigen. <i>Journal of Infectious Diseases</i> , 2016, 214, 273-280. | 1.9 | 60 |
| 1113 | In Vivo Inverse Correlation in the Activation of Natural Killer T Cells Through Dual-Signal Stimulation via a Combination of α -Galactosylceramide-Loaded Liposomes and Interleukin-12. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 250-256. | 1.6 | 11 |
| 1114 | CD1d-restricted peripheral T cell lymphoma in mice and humans. <i>Journal of Experimental Medicine</i> , 2016, 213, 841-857. | 4.2 | 19 |
| 1115 | Bacterial β -Glucosidase Reveals the Structural and Functional Basis of Genetic Defects in Human Glucocerebrosidase 2 (GBA2). <i>ACS Chemical Biology</i> , 2016, 11, 1891-1900. | 1.6 | 39 |
| 1116 | Restricting nonclassical MHC genes coevolve with TRAV genes used by innate-like T cells in mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2983-92. | 3.3 | 76 |
| 1117 | Mechanisms of Invariant NKT Cell Activity in Restraining <i>Bacillus anthracis</i> Systemic Dissemination. <i>Journal of Immunology</i> , 2016, 197, 3225-3232. | 0.4 | 5 |
| 1118 | HIV infection: focus on the innate immune cells. <i>Immunologic Research</i> , 2016, 64, 1118-1132. | 1.3 | 31 |
| 1119 | Maternal low protein diet leads to placental angiogenic compensation via dysregulated M1/M2 macrophages and TNF α expression in Sprague-Dawley rats. <i>Journal of Reproductive Immunology</i> , 2016, 118, 9-17. | 0.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1120 | Knockdown of RIPK1 Markedly Exacerbates Murine Immune-Mediated Liver Injury through Massive Apoptosis of Hepatocytes, Independent of Necroptosis and Inhibition of NF- κ B. <i>Journal of Immunology</i> , 2016, 197, 3120-3129. | 0.4 | 52 |
| 1121 | Infiltration of invariant natural killer T cells occur and accelerate brain infarction in permanent ischemic stroke in mice. <i>Neuroscience Letters</i> , 2016, 633, 62-68. | 1.0 | 26 |
| 1122 | Synthesis, self-assembly, and immunological activity of α -galactose-functionalized dendron α -lipid amphiphiles. <i>Nanoscale</i> , 2016, 8, 17694-17704. | 2.8 | 11 |
| 1125 | A mutation within the SH2 domain of slp α 76 regulates the tissue distribution and cytokine production of iNKT cells in mice. <i>European Journal of Immunology</i> , 2016, 46, 2121-2136. | 1.6 | 1 |
| 1126 | The Rho α -ROCK pathway as a new pathological mechanism of innate immune subversion in chronic myeloid leukaemia. <i>Journal of Pathology</i> , 2016, 240, 262-268. | 2.1 | 9 |
| 1127 | Activation strategies for invariant natural killer T cells. <i>Immunogenetics</i> , 2016, 68, 649-663. | 1.2 | 55 |
| 1128 | Innate immunity in vertebrates: an overview. <i>Immunology</i> , 2016, 148, 125-139. | 2.0 | 308 |
| 1129 | Immune dysfunction in Niemann α Pick disease type C. <i>Journal of Neurochemistry</i> , 2016, 136, 74-80. | 2.1 | 55 |
| 1130 | NKT sublineage specification and survival requires the ubiquitin-modifying enzyme TNFAIP3/A20. <i>Journal of Experimental Medicine</i> , 2016, 213, 1973-1981. | 4.2 | 31 |
| 1131 | Combination of Mass Cytometry and Imaging Analysis Reveals α Origin, Location, and Functional Repopulation of α Liver α Myeloid Cells in Mice. <i>Gastroenterology</i> , 2016, 151, 1176-1191. | 0.6 | 173 |
| 1132 | T cell receptor recognition of CD1b presenting a mycobacterial glycolipid. <i>Nature Communications</i> , 2016, 7, 13257. | 5.8 | 59 |
| 1133 | Mechanisms and Consequences of Antigen Presentation by CD1. <i>Trends in Immunology</i> , 2016, 37, 738-754. | 2.9 | 28 |
| 1134 | Immunobiology of Transplantation. , 2016, , 7-51. | | 1 |
| 1135 | Synthesis and Th1-immunostimulatory activity of α -galactosylceramide analogues bearing a halogen-containing or selenium-containing acyl chain. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 3687-3695. | 1.4 | 16 |
| 1136 | Cellular endocytic compartment localization of expressed canine CD1 molecules. <i>Veterinary Immunology and Immunopathology</i> , 2016, 182, 11-21. | 0.5 | 3 |
| 1137 | Exogenous Activation of Invariant Natural Killer T Cells by α -Galactosylceramide Reduces Pneumococcal Outgrowth and Dissemination Postinfluenza. <i>MBio</i> , 2016, 7, . | 1.8 | 18 |
| 1138 | Distinct gene expression patterns correlate with developmental and functional traits of iNKT subsets. <i>Nature Communications</i> , 2016, 7, 13116. | 5.8 | 82 |
| 1139 | NKT Cell α Deficient Mice Harbor an Altered Microbiota That Fuels Intestinal Inflammation during Chemically Induced Colitis. <i>Journal of Immunology</i> , 2016, 197, 4464-4472. | 0.4 | 92 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1140 | Invariant natural killer T cells play dual roles in the development of experimental autoimmune uveoretinitis. <i>Experimental Eye Research</i> , 2016, 153, 79-89. | 1.2 | 11 |
| 1141 | An Efficient and High Yield Method for Isolation of Mouse Dendritic Cell Subsets. <i>Journal of Visualized Experiments</i> , 2016, , e53824. | 0.2 | 6 |
| 1142 | Communication between natural killer T cells and adipocytes in obesity. <i>Adipocyte</i> , 2016, 5, 389-393. | 1.3 | 12 |
| 1143 | Cryopreserved vitamin D3-tolerogenic dendritic cells pulsed with autoantigens as a potential therapy for multiple sclerosis patients. <i>Journal of Neuroinflammation</i> , 2016, 13, 113. | 3.1 | 42 |
| 1144 | Modulation of liver tolerance by conventional and nonconventional antigen-presenting cells and regulatory immune cells. <i>Cellular and Molecular Immunology</i> , 2016, 13, 277-292. | 4.8 | 207 |
| 1145 | NKT cells mediate the recruitment of neutrophils by stimulating epithelial chemokine secretion during colitis. <i>Biochemical and Biophysical Research Communications</i> , 2016, 474, 252-258. | 1.0 | 21 |
| 1146 | T-Cell-Specific Deletion of Map3k1 Reveals the Critical Role for Mekk1 and Jnks in Cdkn1b -Dependent Proliferative Expansion. <i>Cell Reports</i> , 2016, 14, 449-457. | 2.9 | 14 |
| 1147 | Identification of a novel feline large granular lymphoma cell line (S87) as non-MHC-restricted cytotoxic T-cell line and assessment of its genetic instability. <i>Veterinary Immunology and Immunopathology</i> , 2016, 177, 24-34. | 0.5 | 4 |
| 1148 | Regulatory B lymphocyte functions should be considered in chronic lymphocytic leukemia. <i>Oncology</i> , 2016, 5, e1132977. | 2.1 | 12 |
| 1149 | Synthetic glycolipid activators of natural killer T cells as immunotherapeutic agents. <i>Clinical and Translational Immunology</i> , 2016, 5, e69. | 1.7 | 57 |
| 1150 | Development of invariant natural killer T cells. <i>Current Opinion in Immunology</i> , 2016, 39, 68-74. | 2.4 | 101 |
| 1151 | A CD1d-dependent lipid antagonist to NKT cells ameliorates atherosclerosis in ApoE ^{-/-} mice by reducing lesion necrosis and inflammation. <i>Cardiovascular Research</i> , 2016, 109, 305-317. | 1.8 | 29 |
| 1152 | Pleiotropic Functions of H3K27Me3 Demethylases in Immune Cell Differentiation. <i>Trends in Immunology</i> , 2016, 37, 102-113. | 2.9 | 42 |
| 1153 | Co-operation of Î±-galactosylceramide-loaded tumour cells and TLR9 agonists induce potent anti-tumour responses in a murine colon cancer model. <i>Biochemical Journal</i> , 2016, 473, 7-19. | 1.7 | 13 |
| 1154 | Peripheral blood natural killer cells and mild thyroid abnormalities in women with reproductive failure. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 65-75. | 1.0 | 32 |
| 1155 | NKT cell subsets as key participants in liver physiology and pathology. <i>Cellular and Molecular Immunology</i> , 2016, 13, 337-346. | 4.8 | 136 |
| 1156 | The role of immune cells in metabolism-related liver inflammation and development of non-alcoholic steatohepatitis (NASH). <i>Reviews in Endocrine and Metabolic Disorders</i> , 2016, 17, 29-39. | 2.6 | 110 |
| 1157 | Id2 regulates hyporesponsive invariant natural killer T cells. <i>Immunology and Cell Biology</i> , 2016, 94, 640-645. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1158 | Invariant natural killer T cells in hematopoietic stem cell transplantation: killer choice for natural suppression. <i>Bone Marrow Transplantation</i> , 2016, 51, 629-637. | 1.3 | 16 |
| 1159 | A Leukocyte Immune-Type Receptor Subset Is a Marker of Antiviral Cytotoxic Cells in Channel Catfish, <i><i>Ictalurus punctatus</i></i> . <i>Journal of Immunology</i> , 2016, 196, 2677-2689. | 0.4 | 27 |
| 1160 | The cytokine profile of human NKT cells and PBMCs is dependent on donor sex and stimulus. <i>Medical Microbiology and Immunology</i> , 2016, 205, 321-332. | 2.6 | 39 |
| 1161 | CDR3 ^{Î²} sequence motifs regulate autoreactivity of human invariant NKT cell receptors. <i>Journal of Autoimmunity</i> , 2016, 68, 39-51. | 3.0 | 12 |
| 1162 | The dynamic changes of circulating invariant natural killer T cells during chronic hepatitis B virus infection. <i>Hepatology International</i> , 2016, 10, 594-601. | 1.9 | 16 |
| 1163 | â€œEndocytic pH regulates cell surface localization of glycolipid antigen loaded CD1d complexesâ€. <i>Chemistry and Physics of Lipids</i> , 2016, 194, 49-57. | 1.5 | 10 |
| 1164 | Natural Killer T cell subsets in eutopic and ectopic endometrium: a fresh look to a busy corner. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 941-949. | 0.8 | 58 |
| 1165 | From the Deep Sea to Everywhere: Environmental Antigens for iNKT Cells. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2016, 64, 291-298. | 1.0 | 3 |
| 1166 | Intrinsic functional defects of type 2 innate lymphoid cells impair innate allergic inflammation in promyelocytic leukemia zinc finger (PLZF)â€“deficient mice. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 591-600.e1. | 1.5 | 29 |
| 1167 | Invariant NKT Cell Activation Induces Late Preterm Birth That Is Attenuated by Rosiglitazone. <i>Journal of Immunology</i> , 2016, 196, 1044-1059. | 0.4 | 76 |
| 1168 | Assessment of T Cell Development by Flow Cytometry. <i>Methods in Molecular Biology</i> , 2016, 1323, 47-64. | 0.4 | 5 |
| 1169 | 200 Million Thymocytes and I: A Beginnerâ€™s Survival Guide to T Cell Development. <i>Methods in Molecular Biology</i> , 2016, 1323, 3-21. | 0.4 | 11 |
| 1170 | Immunity, tolerance and autoimmunity in the liver: A comprehensive review. <i>Journal of Autoimmunity</i> , 2016, 66, 60-75. | 3.0 | 228 |
| 1171 | Inflammatory targets of therapy in sickle cell disease. <i>Translational Research</i> , 2016, 167, 281-297. | 2.2 | 31 |
| 1172 | Invariant natural killer T cells contribute to chronic-plus-binge ethanol-mediated liver injury by promoting hepatic neutrophil infiltration. <i>Cellular and Molecular Immunology</i> , 2016, 13, 206-216. | 4.8 | 70 |
| 1173 | Invariant natural killer T cells treated with rapamycin or transforming growth factor-Î² acquire a regulatory function and suppress T effector lymphocytes. <i>Cellular and Molecular Immunology</i> , 2017, 14, 392-394. | 4.8 | 3 |
| 1174 | Influenza A virus-induced release of interleukin-10 inhibits the anti-microbial activities of invariant natural killer T cells during invasive pneumococcal superinfection. <i>Mucosal Immunology</i> , 2017, 10, 460-469. | 2.7 | 59 |
| 1175 | GM-CSF and IL-4 produced by NKT cells inversely regulate IL-1 ^{Î²} production by macrophages. <i>Immunology Letters</i> , 2017, 182, 50-56. | 1.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1176 | Alternative pathway for the development of VÎ±14+ NKT cells directly from CD4â€“CD8â€“ thymocytes that bypasses the CD4+CD8+ stage. <i>Nature Immunology</i> , 2017, 18, 274-282. | 7.0 | 55 |
| 1177 | Contribution of innate immune cells to pathogenesis of severe influenza virus infection. <i>Clinical Science</i> , 2017, 131, 269-283. | 1.8 | 31 |
| 1178 | Deletion of CD1d in Adipocytes Aggravates Adipose Tissue Inflammation and Insulin Resistance in Obesity. <i>Diabetes</i> , 2017, 66, 835-847. | 0.3 | 60 |
| 1179 | Antigen Processing in the Endoplasmic Reticulum Is Monitored by Semi-Invariant Î±Î² TCRs Specific for a Conserved Peptideâ€“Qa-1b MHC Class Ib Ligand. <i>Journal of Immunology</i> , 2017, 198, 2017-2027. | 0.4 | 19 |
| 1180 | Natural killer T cells in atherosclerosis. <i>Nature Reviews Cardiology</i> , 2017, 14, 304-314. | 6.1 | 72 |
| 1181 | IgG Antibody Response Elicited by a Fully Synthetic Two-Component Carbohydrate-Based Cancer Vaccine Candidate with Î±-Galactosylceramide as Built-in Adjuvant. <i>Organic Letters</i> , 2017, 19, 456-459. | 2.4 | 72 |
| 1182 | A nonâ€“canonical function of Ezh2 preserves immune homeostasis. <i>EMBO Reports</i> , 2017, 18, 619-631. | 2.0 | 73 |
| 1183 | Adoptive Transfer of Invariant NKT Cells as Immunotherapy for Advanced Melanoma: A Phase I Clinical Trial. <i>Clinical Cancer Research</i> , 2017, 23, 3510-3519. | 3.2 | 130 |
| 1184 | Role of immune cells in obesity induced low grade inflammation and insulin resistance. <i>Cellular Immunology</i> , 2017, 315, 18-26. | 1.4 | 206 |
| 1185 | Tolerogenic interactions between CD8+ dendritic cells and NKT cells prevent rejection of bone marrow and organ grafts. <i>Blood</i> , 2017, 129, 1718-1728. | 0.6 | 29 |
| 1186 | CD8+ T Cells Orchestrate pDC-XCR1+ Dendritic Cell Spatial and Functional Cooperativity to Optimize Priming. <i>Immunity</i> , 2017, 46, 205-219. | 6.6 | 278 |
| 1187 | Hypercholesterolemia Increases Colorectal Cancer Incidence by Reducing Production of NKT and Î³Î´ T Cells from Hematopoietic Stem Cells. <i>Cancer Research</i> , 2017, 77, 2351-2362. | 0.4 | 46 |
| 1188 | Id2 Collaborates with Id3 To Suppress Invariant NKT and Innate-like Tumors. <i>Journal of Immunology</i> , 2017, 198, 3136-3148. | 0.4 | 22 |
| 1189 | iNKT and memory B-cell alterations in HHV-8 multicentric Castleman disease. <i>Blood</i> , 2017, 129, 855-865. | 0.6 | 16 |
| 1190 | Roquin Paralogs Differentially Regulate Functional NKT Cell Subsets. <i>Journal of Immunology</i> , 2017, 198, 2747-2759. | 0.4 | 13 |
| 1191 | Oral Administration of Î±-Galactosylceramide for the Treatment of Insulin Resistance and Nonalcoholic Steatohepatitis: Results of a Double-Blind, Placebo-Controlled Trial. <i>Journal of Medicinal Food</i> , 2017, 20, 458-464. | 0.8 | 24 |
| 1192 | Tuning cancer fate: the unremitting role of host immunity. <i>Open Biology</i> , 2017, 7, 170006. | 1.5 | 43 |
| 1193 | A Novel Glycosyl Donor with a Triisopropylsilyl Nonparticipating Group in Benzyl-Free Stereoselective 1,2-cis-Galactosylation. <i>Synlett</i> , 2017, 28, 1608-1613. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1194 | Chronic Myeloid Leukemia: Immunobiology and Novel Immunotherapeutic Approaches. <i>BioDrugs</i> , 2017, 31, 143-149. | 2.2 | 11 |
| 1195 | Co-localization of a CD1d-binding glycolipid with an adenovirus-based malaria vaccine for a potent adjuvant effect. <i>Vaccine</i> , 2017, 35, 3171-3177. | 1.7 | 6 |
| 1196 | Invariant NKT cells contribute to chronic lymphocytic leukemia surveillance and prognosis. <i>Blood</i> , 2017, 129, 3440-3451. | 0.6 | 56 |
| 1197 | ATP Binding Cassette Transporter ABCA7 Regulates NKT Cell Development and Function by Controlling CD1d Expression and Lipid Raft Content. <i>Scientific Reports</i> , 2017, 7, 40273. | 1.6 | 27 |
| 1198 | NKT cells in leishmaniasis. <i>Immunobiology</i> , 2017, 222, 641-646. | 0.8 | 12 |
| 1199 | Hide-and-seek: the interplay between cancer stem cells and the immune system. <i>Carcinogenesis</i> , 2017, 38, 107-118. | 1.3 | 78 |
| 1200 | NK1.1+ cells promote sustained tissue injury and inflammation after trauma with hemorrhagic shock. <i>Journal of Leukocyte Biology</i> , 2017, 102, 127-134. | 1.5 | 9 |
| 1201 | Flow Cytometric Patterns of CD200 and CD1d Expression Distinguish CD10-Negative, CD5-Negative Mature B-Cell Lymphoproliferative Disorders. <i>American Journal of Clinical Pathology</i> , 2017, 148, 33-41. | 0.4 | 8 |
| 1202 | Immunological characterization of a rigid Î±-Tn mimetic on murine iNKT and human NK cells. <i>Glycoconjugate Journal</i> , 2017, 34, 553-562. | 1.4 | 4 |
| 1203 | Monoclonal Invariant NKT (iNKT) Cell Mice Reveal a Role for Both Tissue of Origin and the TCR in Development of iNKT Functional Subsets. <i>Journal of Immunology</i> , 2017, 199, 159-171. | 0.4 | 30 |
| 1204 | B cells interactions in lipid immune responses: implications in atherosclerotic disease. <i>Lipids in Health and Disease</i> , 2017, 16, 30. | 1.2 | 11 |
| 1205 | Comparison of 6B11 mAb and Î±-GalCer-loaded CD1d dextramers for detection of iNKT cells by flow cytometry. <i>Journal of Immunological Methods</i> , 2017, 446, 1-6. | 0.6 | 6 |
| 1206 | Detection of invariant natural killer T cells in ejaculates from infertile patients with chronic inflammation of genital tract. <i>American Journal of Reproductive Immunology</i> , 2017, 78, e12671. | 1.2 | 4 |
| 1207 | Characterization and Functional Analysis of Mouse Semi-invariant Natural T Cells. <i>Current Protocols in Immunology</i> , 2017, 117, 14.13.1-14.13.55. | 3.6 | 8 |
| 1208 | Cells of the Immune System. <i>Molecular and Integrative Toxicology</i> , 2017, , 95-201. | 0.5 | 1 |
| 1209 | <i>In vivo</i> activation of invariant natural killer T cells induces systemic and local alterations in T-cell subsets prior to preterm birth. <i>Clinical and Experimental Immunology</i> , 2017, 189, 211-225. | 1.1 | 38 |
| 1210 | The autophagy machinery restrains iNKT cell activation through CD1D1 internalization. <i>Autophagy</i> , 2017, 13, 1025-1036. | 4.3 | 32 |
| 1211 | Temporal regulation of Wnt/Î²-catenin signaling is important for invariant NKT cell development and terminal maturation. <i>Molecular Immunology</i> , 2017, 85, 47-56. | 1.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1212 | Key Residues at Third CDR3 ¹² Position Impact Structure and Antigen Recognition of Human Invariant NK TCRs. <i>Journal of Immunology</i> , 2017, 198, 1056-1065. | 0.4 | 3 |
| 1213 | Mucosal-associated invariant T cells are depleted and functionally altered in patients with common variable immunodeficiency. <i>Clinical Immunology</i> , 2017, 176, 23-30. | 1.4 | 15 |
| 1214 | Psychosine variants as antigens for natural killer T cells. <i>Chemical Science</i> , 2017, 8, 2204-2208. | 3.7 | 5 |
| 1215 | The histone demethylase UTX regulates the lineage-specific epigenetic program of invariant natural killer T cells. <i>Nature Immunology</i> , 2017, 18, 184-195. | 7.0 | 56 |
| 1216 | Novel immunologic mechanisms in eosinophilic esophagitis. <i>Current Opinion in Immunology</i> , 2017, 48, 114-121. | 2.4 | 16 |
| 1217 | Isolation and Functional Use of Human NKT Cells. <i>Current Protocols in Immunology</i> , 2017, 119, 14.11.1-14.11.20. | 3.6 | 17 |
| 1218 | A Novel Mouse Model of iNKT Cell-deficiency Generated by CRISPR/Cas9 Reveals a Pathogenic Role of iNKT Cells in Metabolic Disease. <i>Scientific Reports</i> , 2017, 7, 12765. | 1.6 | 13 |
| 1219 | Reactive Oxygen Species Regulate the Inflammatory Function of NKT Cells through Promyelocytic Leukemia Zinc Finger. <i>Journal of Immunology</i> , 2017, 199, 3478-3487. | 0.4 | 27 |
| 1220 | NKT-cell glycolipid agonist as adjuvant in synthetic vaccine. <i>Carbohydrate Research</i> , 2017, 452, 78-90. | 1.1 | 21 |
| 1221 | iNKT Cells Orchestrate a Switch from Inflammation to Resolution of Sterile Liver Injury. <i>Immunity</i> , 2017, 47, 752-765.e5. | 6.6 | 94 |
| 1222 | Co-delivery of the NKT agonist α -galactosylceramide and tumor antigens to cross-priming dendritic cells breaks tolerance to self-antigens and promotes antitumor responses. <i>Oncot Immunology</i> , 2017, 6, e1339855. | 2.1 | 45 |
| 1223 | Building conventions for unconventional lymphocytes. <i>Immunological Reviews</i> , 2017, 279, 52-62. | 2.8 | 17 |
| 1224 | The role of natural killer T cells in a mouse model with spontaneous bile duct inflammation. <i>Physiological Reports</i> , 2017, 5, e131117. | 0.7 | 10 |
| 1225 | Invariant natural killer T cells promote immunogenic maturation of lung dendritic cells in mouse models of asthma. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L973-L990. | 1.3 | 9 |
| 1226 | Characterizing porcine invariant natural killer T cells: A comparative study with NK cells and T cells. <i>Developmental and Comparative Immunology</i> , 2017, 76, 343-351. | 1.0 | 13 |
| 1227 | Solubilization of α -galactosylceramide in aqueous medium: Impact on Natural Killer T cell activation and antitumor responses. <i>International Journal of Pharmaceutics</i> , 2017, 530, 354-363. | 2.6 | 9 |
| 1228 | The regulation of immune tolerance by FOXP3. <i>Nature Reviews Immunology</i> , 2017, 17, 703-717. | 10.6 | 398 |
| 1229 | Histone deacetylase 3 is required for iNKT cell development. <i>Scientific Reports</i> , 2017, 7, 5784. | 1.6 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1230 | Invariant natural killer cells change after an oral allergy desensitization protocol for cow's milk. <i>Clinical and Experimental Allergy</i> , 2017, 47, 1390-1397. | 1.4 | 14 |
| 1231 | Retinoic acid induction of CD1d expression primes chronic lymphocytic leukemia B cells for killing by CD8 + invariant natural killer T cells. <i>Clinical Immunology</i> , 2017, 183, 91-98. | 1.4 | 16 |
| 1232 | Improved Detection of Cytokines Produced by Invariant NKT Cells. <i>Scientific Reports</i> , 2017, 7, 16607. | 1.6 | 16 |
| 1233 | Palmitate inhibits arthritis by inducing t-bet and gata-3 mRNA degradation in iNKT cells via IRE1 α -dependent decay. <i>Scientific Reports</i> , 2017, 7, 14940. | 1.6 | 19 |
| 1234 | Tailored design of NKT-stimulatory glycolipids for polarization of immune responses. <i>Journal of Biomedical Science</i> , 2017, 24, 22. | 2.6 | 32 |
| 1235 | Histone demethylases UTX and JMJD3 are required for NKT cell development in mice. <i>Cell and Bioscience</i> , 2017, 7, 25. | 2.1 | 28 |
| 1236 | Galactosylsphingamides: new α -GalCer analogues to probe the F α TM -pocket of CD1d. <i>Scientific Reports</i> , 2017, 7, 4276. | 1.6 | 10 |
| 1237 | NKT cell activation by <i>Leishmania mexicana</i> LPG: Description of a novel pathway. <i>Immunobiology</i> , 2017, 222, 454-462. | 0.8 | 17 |
| 1238 | TCR α -TCR β pairing controls recognition of CD1d and directs the development of adipose NKT cells. <i>Nature Immunology</i> , 2017, 18, 36-44. | 7.0 | 30 |
| 1239 | TET proteins regulate the lineage specification and TCR-mediated expansion of iNKT cells. <i>Nature Immunology</i> , 2017, 18, 45-53. | 7.0 | 108 |
| 1240 | The role of infiltrating immune cells in dysfunctional adipose tissue. <i>Cardiovascular Research</i> , 2017, 113, 1009-1023. | 1.8 | 302 |
| 1241 | Functionally diverse human T cells recognize non-microbial antigens presented by MR1. <i>ELife</i> , 2017, 6, . | 2.8 | 100 |
| 1242 | The Role of Lipids in Development of Allergic Responses. <i>Immune Network</i> , 2017, 17, 133. | 1.6 | 36 |
| 1243 | A brief review of clinical trials involving manipulation of invariant NKT cells as a promising approach in future cancer therapies. <i>Central-European Journal of Immunology</i> , 2017, 2, 181-195. | 0.4 | 25 |
| 1245 | MYC in Regulating Immunity: Metabolism and Beyond. <i>Genes</i> , 2017, 8, 88. | 1.0 | 67 |
| 1246 | Activation of Blood CD3+CD56+CD8+ T Cells during Pregnancy and Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2017, 8, 196. | 2.2 | 17 |
| 1247 | TET Methylcytosine Oxidases in T Cell and B Cell Development and Function. <i>Frontiers in Immunology</i> , 2017, 8, 220. | 2.2 | 54 |
| 1248 | Negative Checkpoint Regulatory Molecule 2B4 (CD244) Upregulation Is Associated with Invariant Natural Killer T Cell Alterations and Human Immunodeficiency Virus Disease Progression. <i>Frontiers in Immunology</i> , 2017, 8, 338. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1249 | Reciprocal Crosstalk between Dendritic Cells and Natural Killer T Cells: Mechanisms and Therapeutic Potential. <i>Frontiers in Immunology</i> , 2017, 8, 570. | 2.2 | 34 |
| 1250 | Distinct Blood and Visceral Adipose Tissue Regulatory T Cell and Innate Lymphocyte Profiles Characterize Obesity and Colorectal Cancer. <i>Frontiers in Immunology</i> , 2017, 8, 643. | 2.2 | 60 |
| 1251 | <i>Leishmania infantum</i> Exoproducts Inhibit Human Invariant NKT Cell Expansion and Activation. <i>Frontiers in Immunology</i> , 2017, 8, 710. | 2.2 | 9 |
| 1252 | Enhancement of Adjuvant Functions of Natural Killer T Cells Using Nanovector Delivery Systems: Application in Anticancer Immune Therapy. <i>Frontiers in Immunology</i> , 2017, 8, 879. | 2.2 | 17 |
| 1253 | Invariant Natural Killer T Cells As Suppressors of Graft-versus-Host Disease in Allogeneic Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2017, 8, 900. | 2.2 | 50 |
| 1254 | Natural Killer T Cells in Cancer Immunotherapy. <i>Frontiers in Immunology</i> , 2017, 8, 1178. | 2.2 | 186 |
| 1255 | Natural Killer T Cell-Targeted Immunotherapy Mediating Long-term Memory Responses and Strong Antitumor Activity. <i>Frontiers in Immunology</i> , 2017, 8, 1206. | 2.2 | 16 |
| 1256 | <i>Ptpn11</i> Deletion in CD4+ Cells Does Not Affect T Cell Development and Functions but Causes Cartilage Tumors in a T Cell-Independent Manner. <i>Frontiers in Immunology</i> , 2017, 8, 1326. | 2.2 | 15 |
| 1257 | Alpha-Galactosylceramide/CD1d-Antibody Fusion Proteins Redirect Invariant Natural Killer T Cell Immunity to Solid Tumors and Promote Prolonged Therapeutic Responses. <i>Frontiers in Immunology</i> , 2017, 8, 1417. | 2.2 | 11 |
| 1258 | Program Cell Death Receptor-1-Mediated Invariant Natural Killer T-Cell Control of Peritoneal Macrophage Modulates Survival in Neonatal Sepsis. <i>Frontiers in Immunology</i> , 2017, 8, 1469. | 2.2 | 10 |
| 1259 | New Directions for Natural Killer T Cells in the Immunotherapy of Cancer. <i>Frontiers in Immunology</i> , 2017, 8, 1480. | 2.2 | 7 |
| 1260 | Mucosal-Associated Invariant T Cells: New Insights into Antigen Recognition and Activation. <i>Frontiers in Immunology</i> , 2017, 8, 1540. | 2.2 | 90 |
| 1261 | Mucosal-Associated Invariant T Cells in Regenerative Medicine. <i>Frontiers in Immunology</i> , 2017, 8, 1711. | 2.2 | 14 |
| 1262 | Natural Killer T Cells: An Ecological Evolutionary Developmental Biology Perspective. <i>Frontiers in Immunology</i> , 2017, 8, 1858. | 2.2 | 56 |
| 1263 | Prolonged Activation of Invariant Natural Killer T Cells and TH2-Skewed Immunity in Stroke Patients. <i>Frontiers in Neurology</i> , 2017, 8, 6. | 1.1 | 28 |
| 1264 | Innate Immune Response in Kidney Ischemia/Reperfusion Injury: Potential Target for Therapy. <i>Journal of Immunology Research</i> , 2017, 2017, 1-10. | 0.9 | 88 |
| 1265 | The role of lipids in host microbe interactions. <i>Frontiers in Bioscience - Landmark</i> , 2017, 22, 1581-1598. | 3.0 | 2 |
| 1266 | Natural killer T cell sensitization during neonatal respiratory syncytial virus infection induces eosinophilic lung disease in re-infected adult mice. <i>PLoS ONE</i> , 2017, 12, e0176940. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1267 | Transcript profiling of the immunological interactions between <i>Actinobacillus pleuropneumoniae</i> serotype 7 and the host by dual RNA-seq. <i>BMC Microbiology</i> , 2017, 17, 193. | 1.3 | 11 |
| 1268 | Natural Killer T Cells in Liver Ischemiaâ€“Reperfusion Injury. <i>Journal of Clinical Medicine</i> , 2017, 6, 41. | 1.0 | 12 |
| 1269 | Unusual Suspects in the Development of Obesity-Induced Inflammation and Insulin Resistance: NK cells, iNKT cells, and ILCs. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 229. | 1.8 | 39 |
| 1270 | Suppression of Natural Killer Cell Activity by Regulatory NKT10 Cells Aggravates Alcoholic Hepatosteatosis. <i>Frontiers in Immunology</i> , 2017, 8, 1414. | 2.2 | 24 |
| 1272 | Host Defense Mechanisms Against Bacteria. , 2017, , 1163-1171.e2. | | 1 |
| 1273 | Lineage Differentiation Program of Invariant Natural Killer T Cells. <i>Immune Network</i> , 2017, 17, 365. | 1.6 | 32 |
| 1274 | Adipocyte CD1d determines adipose inflammation and insulin resistance in obesity. <i>Adipocyte</i> , 2018, 7, 1-8. | 1.3 | 19 |
| 1275 | The invariant natural killer T cellâ€“mediated chemokine X-C motif chemokine ligand 1â€“X-C motif chemokine receptor 1 axis promotes allergic airway hyperresponsiveness by recruiting CD103+ dendritic cells. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1781-1792.e12. | 1.5 | 16 |
| 1276 | OMIPâ€“046: Characterization of invariant T cell subset activation in humans. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2018, 93, 499-503. | 1.1 | 7 |
| 1277 | Macrophages play an essential role in trauma-induced sterile inflammation and tissue repair. <i>European Journal of Trauma and Emergency Surgery</i> , 2018, 44, 335-349. | 0.8 | 52 |
| 1278 | Control of T cell effector functions by miRNAs. <i>Cancer Letters</i> , 2018, 427, 63-73. | 3.2 | 17 |
| 1279 | Distinct MHC class I-like interacting invariant T cell lineage at the forefront of mycobacterial immunity uncovered in <i>Xenopus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E4023-E4031. | 3.3 | 17 |
| 1280 | Timâ€“3 blockade promotes <sc>iNKT</sc> cell function to inhibit <sc>HBV</sc> replication. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3192-3201. | 1.6 | 15 |
| 1281 | NKT cells in liver diseases. <i>Frontiers of Medicine</i> , 2018, 12, 249-261. | 1.5 | 28 |
| 1282 | Development of mucosalâ€“associated invariant T cells. <i>Immunology and Cell Biology</i> , 2018, 96, 598-606. | 1.0 | 42 |
| 1283 | Transcriptional and epigenetic regulation of innate-like T lymphocyte development. <i>Current Opinion in Immunology</i> , 2018, 51, 39-45. | 2.4 | 19 |
| 1284 | Endogenous IL-33 Contributes to Kidney Ischemia-Reperfusion Injury as an Alarmin. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1272-1288. | 3.0 | 66 |
| 1285 | Epigenetic induction of CD1d expression primes lung cancer cells for killing by invariant natural killer T cells. <i>Oncolmmunology</i> , 2018, 7, e1428156. | 2.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1286 | Sodium chloride inhibits IFN- β , but not IL-4, production by invariant NKT cells. <i>Journal of Leukocyte Biology</i> , 2018, 103, 99-106. | 1.5 | 3 |
| 1287 | iNKT cells are increased in children with severe therapy-resistant asthma. <i>Allergologia Et Immunopathologia</i> , 2018, 46, 175-180. | 1.0 | 10 |
| 1288 | Lymphocytes That Participate in Innate Immune Responses. , 2018, , 192-201. | | 0 |
| 1289 | A Subset of Human Autoreactive CD1c-Restricted T Cells Preferentially Expresses TRBV4-1+ TCRs. <i>Journal of Immunology</i> , 2018, 200, 500-511. | 0.4 | 17 |
| 1290 | Immune Responses in the Liver. <i>Annual Review of Immunology</i> , 2018, 36, 247-277. | 9.5 | 490 |
| 1291 | Dual immune effect of iNKT cells considering human cutaneous and visceral leishmaniasis: An example of cell plasticity according to different disease scenarios. <i>Scandinavian Journal of Immunology</i> , 2018, 87, e12668. | 1.3 | 3 |
| 1292 | Novel thioglycoside analogs of β -galactosylceramide stimulate cytotoxicity and preferential Th1 cytokine production by human invariant natural killer T cells. <i>Glycobiology</i> , 2018, 28, 512-521. | 1.3 | 12 |
| 1293 | Role of altered immune cells in liver diseases: a review. <i>Gastroenterology & Hepatology</i> , 2018, 41, 377-388. | 0.2 | 39 |
| 1294 | Memory Follicular Helper Invariant NKT Cells Recognize Lipid Antigens on Memory B Cells and Elicit Antibody Recall Responses. <i>Journal of Immunology</i> , 2018, 200, 3117-3127. | 0.4 | 14 |
| 1295 | Dual Modifications of β -Galactosylceramide Synergize to Promote Activation of Human Invariant Natural Killer T Cells and Stimulate Anti-tumor Immunity. <i>Cell Chemical Biology</i> , 2018, 25, 571-584.e8. | 2.5 | 27 |
| 1296 | NEPHRUTIX: A randomized, double-blind, placebo vs Rituximab-controlled trial assessing T-cell subset changes in Minimal Change Nephrotic Syndrome. <i>Journal of Autoimmunity</i> , 2018, 88, 91-102. | 3.0 | 56 |
| 1297 | Alterations in circulating lymphoid cell populations in systemic small vessel vasculitis are non-specific manifestations of renal injury. <i>Clinical and Experimental Immunology</i> , 2018, 191, 180-188. | 1.1 | 22 |
| 1298 | Ly9 (SLAMF3) receptor differentially regulates iNKT cell development and activation in mice. <i>European Journal of Immunology</i> , 2018, 48, 99-105. | 1.6 | 8 |
| 1299 | How Inflammasomes Inform Adaptive Immunity. <i>Journal of Molecular Biology</i> , 2018, 430, 217-237. | 2.0 | 145 |
| 1300 | Invariant natural killer T cell development and function with loss of microRNA-155. <i>Immunology</i> , 2018, 153, 238-245. | 2.0 | 8 |
| 1301 | Endogenous lipid antigens for invariant natural killer T cells hold the reins in adipose tissue homeostasis. <i>Immunology</i> , 2018, 153, 179-189. | 2.0 | 28 |
| 1302 | Unappreciated diversity within the pool of CD1d-restricted T cells. <i>Seminars in Cell and Developmental Biology</i> , 2018, 84, 42-47. | 2.3 | 16 |
| 1303 | Functional role of natural killer T cells in non-obese pre-diabetes model mice. <i>Cytotechnology</i> , 2018, 70, 423-430. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1304 | Prostate cancer health disparities: An immuno-biological perspective. <i>Cancer Letters</i> , 2018, 414, 153-165. | 3.2 | 17 |
| 1305 | Microenvironment Regulation of Thymic Progenitors: How Form Follows Function. , 2018, , 413-413. | | 0 |
| 1306 | The Role of CD1d and MR1 Restricted T Cells in the Liver. <i>Frontiers in Immunology</i> , 2018, 9, 2424. | 2.2 | 16 |
| 1307 | The role of immune cell subpopulations in the growth and rejection of TCâ€1/A9 tumors in novel mouse strains differing in the H2â€D haplotype and NKC domain. <i>Oncology Letters</i> , 2018, 15, 3594-3601. | 0.8 | 1 |
| 1308 | Stabilization of cytokine mRNAs in iNKT cells requires the serine-threonineâkinase IRE1alpha. <i>Nature Communications</i> , 2018, 9, 5340. | 5.8 | 14 |
| 1309 | Enhanced Anti-lymphoma Activity of CAR19-iNKT Cells Underpinned by Dual CD19 and CD1d Targeting. <i>Cancer Cell</i> , 2018, 34, 596-610.e11. | 7.7 | 102 |
| 1310 | Out-sourcing forTrans-presentation: Assessing T Cell Intrinsic and Extrinsic IL-15 Expression withll15Gene Reporter Mice. <i>Immune Network</i> , 2018, 18, e13. | 1.6 | 7 |
| 1311 | Akt2 Regulates the Differentiation and Function of NKT17 Cells via FoxO-1-ICOS Axis. <i>Frontiers in Immunology</i> , 2018, 9, 1940. | 2.2 | 6 |
| 1312 | Positive & Negative Roles of Innate Effector Cells in Controlling Cancer Progression. <i>Frontiers in Immunology</i> , 2018, 9, 1990. | 2.2 | 29 |
| 1313 | The Role of Autophagy in iNKT Cell Development. <i>Frontiers in Immunology</i> , 2018, 9, 2653. | 2.2 | 20 |
| 1314 | The intricacies of self-lipid antigen presentation by CD1b. <i>Molecular Immunology</i> , 2018, 104, 27-36. | 1.0 | 12 |
| 1315 | NK1.1 Expression Defines a Population of CD4+ Effector T Cells Displaying Th1 and Tfh Cell Properties That Support Early Antibody Production During <i>Plasmodium yoelii</i> Infection. <i>Frontiers in Immunology</i> , 2018, 9, 2277. | 2.2 | 14 |
| 1316 | Remote control of Î³c expression by arginine methylation. <i>Nature Immunology</i> , 2018, 19, 1152-1154. | 7.0 | 1 |
| 1317 | Advances in NKT cell Immunotherapy for Glioblastoma. <i>Journal of Cancer Science & Therapy</i> , 2018, 10, . | 1.7 | 5 |
| 1318 | CD69 prevents PLZFhi innate precursors from prematurely exiting the thymus and aborting NKT2 cell differentiation. <i>Nature Communications</i> , 2018, 9, 3749. | 5.8 | 10 |
| 1319 | Tissue-Specific Roles of NKT Cells in Tumor Immunity. <i>Frontiers in Immunology</i> , 2018, 9, 1838. | 2.2 | 87 |
| 1320 | TET mediated epigenetic regulation of iNKT cell lineage fate choice and function. <i>Molecular Immunology</i> , 2018, 101, 564-573. | 1.0 | 6 |
| 1321 | Tissue-Resident Lymphocytes Across Innate and Adaptive Lineages. <i>Frontiers in Immunology</i> , 2018, 9, 2104. | 2.2 | 38 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1322 | Fas/FasL interaction mediates imbalanced cytokine/cytotoxicity responses of iNKT cells against Jurkat cells. <i>Molecular Immunology</i> , 2018, 99, 145-153. | 1.0 | 13 |
| 1323 | Mouse models for the study of fate and function of innate lymphoid cells. <i>European Journal of Immunology</i> , 2018, 48, 1271-1280. | 1.6 | 21 |
| 1324 | Î±-Galactosylceramide and peptide-based nano-vaccine synergistically induced a strong tumor suppressive effect in melanoma. <i>Acta Biomaterialia</i> , 2018, 76, 193-207. | 4.1 | 27 |
| 1325 | Characterization of Thymic Development of Natural Killer T Cell Subsets by Multiparameter Flow Cytometry. <i>Methods in Molecular Biology</i> , 2018, 1799, 121-133. | 0.4 | 7 |
| 1326 | Human CD4- invariant NKT lymphocytes regulate graft versus host disease. <i>OncolImmunology</i> , 2018, 7, e1470735. | 2.1 | 18 |
| 1327 | T Cell Immunity. , 2018, , 27-41. | | 0 |
| 1328 | The Role of Monocyte/Macrophage and CXCR3 in Differentiation between Recurrent Hepatitis C and Acute Cellular Rejection Postliver Transplantation. <i>Journal of Immunology Research</i> , 2018, 2018, 1-7. | 0.9 | 8 |
| 1329 | The Role of Invariant NKT in Autoimmune Liver Disease: Can Vitamin D Act as an Immunomodulator?. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018, 2018, 1-14. | 0.8 | 10 |
| 1330 | Deubiquitinases as pivotal regulators of T cell functions. <i>Frontiers of Medicine</i> , 2018, 12, 451-462. | 1.5 | 8 |
| 1331 | Adipokines, Inflammation, and Insulin Resistance in Obesity. , 2018, , 225-252. | | 1 |
| 1332 | Interactions Between the Neuroendocrine System and T Lymphocytes in Diabetes. <i>Frontiers in Endocrinology</i> , 2018, 9, 229. | 1.5 | 6 |
| 1333 | Unraveling Natural Killer T-Cells Development. <i>Frontiers in Immunology</i> , 2017, 8, 1950. | 2.2 | 44 |
| 1334 | T Cells Engaging the Conserved MHC Class Ib Molecule Qa-1b with TAP-Independent Peptides Are Semi-Invariant Lymphocytes. <i>Frontiers in Immunology</i> , 2018, 9, 60. | 2.2 | 25 |
| 1335 | The Role of Natural Killer T Cells in Cancerâ€™A Phenotypical and Functional Approach. <i>Frontiers in Immunology</i> , 2018, 9, 367. | 2.2 | 163 |
| 1336 | Differential Role of Cathepsins S and B In Hepatic APC-Mediated NKT Cell Activation and Cytokine Secretion. <i>Frontiers in Immunology</i> , 2018, 9, 391. | 2.2 | 24 |
| 1337 | Therapeutic Potential of Invariant Natural Killer T Cells in Autoimmunity. <i>Frontiers in Immunology</i> , 2018, 9, 519. | 2.2 | 51 |
| 1338 | CD1d-Restricted Type II NKT Cells Reactive With Endogenous Hydrophobic Peptides. <i>Frontiers in Immunology</i> , 2018, 9, 548. | 2.2 | 34 |
| 1339 | The Hunt for the Source of Primary Interleukin-4: How We Discovered That Natural Killer T Cells and Basophils Determine T Helper Type 2 Cell Differentiation In Vivo. <i>Frontiers in Immunology</i> , 2018, 9, 716. | 2.2 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1340 | Critical Contribution of NK Group 2 Member D Expressed on Invariant Natural Killer T Cells in Concanavalin A-Induced Liver Hepatitis in Mice. <i>Frontiers in Immunology</i> , 2018, 9, 1052. | 2.2 | 6 |
| 1341 | Functions of CD1d-Restricted Invariant Natural Killer T Cells in Antimicrobial Immunity and Potential Applications for Infection Control. <i>Frontiers in Immunology</i> , 2018, 9, 1266. | 2.2 | 17 |
| 1342 | New Genetically Manipulated Mice Provide Insights Into the Development and Physiological Functions of Invariant Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1294. | 2.2 | 5 |
| 1343 | Regulatory Roles of Invariant Natural Killer T Cells in Adipose Tissue Inflammation: Defenders Against Obesity-Induced Metabolic Complications. <i>Frontiers in Immunology</i> , 2018, 9, 1311. | 2.2 | 21 |
| 1344 | Role of Natural Killer T Cells in the Development of Obesity and Insulin Resistance: Insights From Recent Progress. <i>Frontiers in Immunology</i> , 2018, 9, 1314. | 2.2 | 26 |
| 1345 | Activation and Regulation of B Cell Responses by Invariant Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1360. | 2.2 | 36 |
| 1346 | The Conventional Nature of Non-MHC-Restricted T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1365. | 2.2 | 27 |
| 1347 | How Lipid-Specific T Cells Become Effectors: The Differentiation of iNKT Subsets. <i>Frontiers in Immunology</i> , 2018, 9, 1450. | 2.2 | 56 |
| 1348 | Insights Into Mucosal-Associated Invariant T Cell Biology From Studies of Invariant Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1478. | 2.2 | 64 |
| 1349 | It Takes "Guts" to Cause Joint Inflammation: Role of Innate-Like T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1489. | 2.2 | 31 |
| 1350 | Short-term Oral Antibiotics Treatment Promotes Inflammatory Activation of Colonic Invariant Natural Killer T and Conventional CD4+ T Cells. <i>Frontiers in Medicine</i> , 2018, 5, 21. | 1.2 | 34 |
| 1351 | Deficiency of Invariant Natural Killer T Cells Does Not Protect Against Obesity but Exacerbates Atherosclerosis in <i>Ldlr</i> ^{-/-} Mice. <i>International Journal of Molecular Sciences</i> , 2018, 19, 510. | 1.8 | 10 |
| 1352 | Role of Polyamines in Immune Cell Functions. <i>Medical Sciences (Basel, Switzerland)</i> , 2018, 6, 22. | 1.3 | 69 |
| 1353 | Activation of NKT Cells in an Anti-PD-1-Resistant Tumor Model Enhances Antitumor Immunity by Reinvigorating Exhausted CD8 T Cells. <i>Cancer Research</i> , 2018, 78, 5315-5326. | 0.4 | 44 |
| 1354 | TBK-binding protein 1 regulates IL-15-induced autophagy and NKT cell survival. <i>Nature Communications</i> , 2018, 9, 2812. | 5.8 | 25 |
| 1355 | Histone Deacetylase 7 mediates tissue-specific autoimmunity via control of innate effector function in invariant Natural Killer T Cells. <i>ELife</i> , 2018, 7, . | 2.8 | 24 |
| 1356 | Role of altered immune cells in liver diseases: a review. <i>Gastroenterology and Hepatology (English)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.0 | 1 |
| 1357 | TCR signal strength controls thymic differentiation of iNKT cell subsets. <i>Nature Communications</i> , 2018, 9, 2650. | 5.8 | 79 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1358 | Immunosenescence and Ageing in HIV. , 2018, , 1-31. | | 0 |
| 1359 | Invariant NKT Cells and Control of the Thymus Medulla. Journal of Immunology, 2018, 200, 3333-3339. | 0.4 | 20 |
| 1360 | Immune regulatory cell infusion for graft-versus-host disease prevention and therapy. Blood, 2018, 131, 2651-2660. | 0.6 | 113 |
| 1361 | Natural Killer T Cells and Mucosal-Associated Invariant T Cells in Lung Infections. Frontiers in Immunology, 2018, 9, 1750. | 2.2 | 43 |
| 1362 | Checkpoint inhibition in the treatment of multiple myeloma: A way to boost innate-like T cell anti-tumor function?. Molecular Immunology, 2018, 101, 521-526. | 1.0 | 6 |
| 1363 | Invariant Natural Killer T and Mucosal-Associated Invariant T Cells in Asthmatic Patients. Frontiers in Immunology, 2018, 9, 1766. | 2.2 | 21 |
| 1364 | Innate Immunity and Inflammation. , 2018, , 74-128. | | 0 |
| 1365 | The interaction between invariant Natural Killer <sc>T</sc> cells and the mucosal microbiota. Immunology, 2018, 155, 164-175. | 2.0 | 10 |
| 1366 | Regulation of Humoral Immunity by CD1d-Restricted Natural Killer T Cells. , 2018, , 55-73. | | 1 |
| 1367 | PDCD5 regulates iNKT cell terminal maturation and iNKT1 fate decision. Cellular and Molecular Immunology, 2019, 16, 746-756. | 4.8 | 7 |
| 1368 | A natural killer T-cell subset that protects against airway hyperreactivity. Journal of Allergy and Clinical Immunology, 2019, 143, 565-576.e7. | 1.5 | 15 |
| 1369 | Natural killer T cells and ulcerative colitis. Cellular Immunology, 2019, 335, 1-5. | 1.4 | 23 |
| 1370 | A molecular switch in mouse CD1d modulates natural killer T cell activation by $\hat{\pm}$ -galactosylsphingamides. Journal of Biological Chemistry, 2019, 294, 14345-14356. | 1.6 | 1 |
| 1371 | Codelivery of mRNA with $\hat{\pm}$ -Galactosylceramide Using a New Lipopolyplex Formulation Induces a Strong Antitumor Response upon Intravenous Administration. ACS Omega, 2019, 4, 13015-13026. | 1.6 | 38 |
| 1373 | Paradoxical association of TET loss of function with genome-wide DNA hypomethylation. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 16933-16942. | 3.3 | 81 |
| 1374 | The Role of Adaptor Proteins in the Biology of Natural Killer T (NKT) Cells. Frontiers in Immunology, 2019, 10, 1449. | 2.2 | 7 |
| 1375 | Structural basis of NKT cell inhibition using the T-cell receptor-blocking anti-CD1d antibody 1B1. Journal of Biological Chemistry, 2019, 294, 12947-12956. | 1.6 | 0 |
| 1376 | GPBAR1 Functions as Gatekeeper for Liver NKT Cells and provides Counterregulatory Signals in Mouse Models of Immune-Mediated Hepatitis. Cellular and Molecular Gastroenterology and Hepatology, 2019, 8, 447-473. | 2.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1377 | The Immune System and Inflammation in Type 2 Diabetes. , 2019, , 145-167. | | 0 |
| 1378 | CD160 serves as a negative regulator of NKT cells in acute hepatic injury. Nature Communications, 2019, 10, 3258. | 5.8 | 29 |
| 1379 | Invariant NKT Cells From Donor Lymphocyte Infusions (DLI-iNKTs) Promote ex vivo Lysis of Leukemic Blasts in a CD1d-Dependent Manner. Frontiers in Immunology, 2019, 10, 1542. | 2.2 | 11 |
| 1380 | Î±-GalCer and iNKT Cell-Based Cancer Immunotherapy: Realizing the Therapeutic Potentials. Frontiers in Immunology, 2019, 10, 1126. | 2.2 | 54 |
| 1381 | Mucosa-associated microbiota drives pathogenic functions in IBD-derived intestinal iNKT cells. Life Science Alliance, 2019, 2, e201800229. | 1.3 | 27 |
| 1382 | Coexpression of YY1 Is Required to Elaborate the Effector Functions Controlled by PLZF in NKT Cells. Journal of Immunology, 2019, 203, 627-638. | 0.4 | 5 |
| 1383 | Mouse CD8+NKT-like cells exert dual cytotoxicity against mouse tumor cells and myeloid-derived suppressor cells. Cancer Immunology, Immunotherapy, 2019, 68, 1303-1315. | 2.0 | 27 |
| 1384 | Invariant natural killer T cells are functionally impaired in patients with systemic sclerosis. Arthritis Research and Therapy, 2019, 21, 212. | 1.6 | 8 |
| 1385 | Liver X Receptors Regulate Cholesterol Metabolism and Immunity in Hepatic Nonparenchymal Cells. International Journal of Molecular Sciences, 2019, 20, 5045. | 1.8 | 38 |
| 1386 | Increased cytoplasmatic expression of cancer immune surveillance receptor CD1d in anaplastic thyroid carcinomas. Cancer Medicine, 2019, 8, 7065-7073. | 1.3 | 7 |
| 1388 | Circulating NK cell subsets and NKT-like cells in renal transplant recipients with acute T-cell-mediated renal allograft rejection. Molecular Medicine Reports, 2019, 19, 4238-4248. | 1.1 | 4 |
| 1389 | Structure-Function Implications of the Ability of Monoclonal Antibodies Against Î±-Galactosylceramide-CD1d Complex to Recognize Î²-Mannosylceramide Presentation by CD1d. Frontiers in Immunology, 2019, 10, 2355. | 2.2 | 5 |
| 1390 | Immunological Dynamics Associated with Direct-Acting Antiviral Therapies in Naive and Experienced HCV Chronic-Infected Patients. Mediators of Inflammation, 2019, 2019, 1-11. | 1.4 | 8 |
| 1391 | Invariant NKT Cells and Rheumatic Disease: Focus on Primary Sjogren Syndrome. International Journal of Molecular Sciences, 2019, 20, 5435. | 1.8 | 16 |
| 1392 | Activation of invariant natural killer T cells stimulates adipose tissue remodeling via adipocyte death and birth in obesity. Genes and Development, 2019, 33, 1657-1672. | 2.7 | 25 |
| 1393 | Interplay between dendritic cells and cancer cells. International Review of Cell and Molecular Biology, 2019, 348, 179-215. | 1.6 | 37 |
| 1394 | The Role of Circulating CD16+CD56+ Natural Killer Cells in the Screening, Diagnosis, and Staging of Colorectal Cancer before Initial Treatment. Disease Markers, 2019, 2019, 1-5. | 0.6 | 8 |
| 1395 | Sulfatide-activated type II NKT cells suppress immunogenic maturation of lung dendritic cells in murine models of asthma. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2019, 317, L578-L590. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1396 | A20 deficiency in hematopoietic stem cells causes lymphopenia and myeloproliferation due to elevated Interferon- β signals. <i>Scientific Reports</i> , 2019, 9, 12658. | 1.6 | 7 |
| 1397 | Bacterial immunogenic β -galactosylceramide identified in the murine large intestine: dependency on diet and inflammation. <i>Journal of Lipid Research</i> , 2019, 60, 1892-1904. | 2.0 | 32 |
| 1398 | Circulating CD16+CD56+ nature killer cells indicate the prognosis of colorectal cancer after initial chemotherapy. <i>Medical Oncology</i> , 2019, 36, 84. | 1.2 | 10 |
| 1399 | Development of Hematopoietic Stem Cell-Engineered Invariant Natural Killer T Cell Therapy for Cancer. <i>Cell Stem Cell</i> , 2019, 25, 542-557.e9. | 5.2 | 48 |
| 1400 | High Activation of β T Cells and the β 2pos T-Cell Subset Is Associated With the Onset of Tuberculosis-Associated Immune Reconstitution Inflammatory Syndrome, ANRS 12153 CAPRI NK. <i>Frontiers in Immunology</i> , 2019, 10, 2018. | 2.2 | 7 |
| 1401 | Mechanisms of Antiphospholipid Syndrome Induction: Role of NKT Cells. <i>Biochemistry (Moscow)</i> , 2019, 84, 992-1007. | 0.7 | 0 |
| 1402 | Long-term use of interferon- β in multiple sclerosis increases β 1 β 2 β 9 β T cells that are associated with a better outcome. <i>Journal of Neuroinflammation</i> , 2019, 16, 179. | 3.1 | 6 |
| 1403 | Characterization of the developmental landscape of murine ROR β t+ iNKT cells. <i>International Immunology</i> , 2020, 32, 105-116. | 1.8 | 6 |
| 1404 | SLAM-SAP-Fyn: Old Players with New Roles in iNKT Cell Development and Function. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4797. | 1.8 | 2 |
| 1405 | Altered Lipid Tumor Environment and Its Potential Effects on NKT Cell Function in Tumor Immunity. <i>Frontiers in Immunology</i> , 2019, 10, 2187. | 2.2 | 29 |
| 1406 | Invariant Natural Killer T-Cells and Total CD1d Restricted Cells Differentially Influence Lipid Metabolism and Atherosclerosis in Low Density Receptor Deficient Mice. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4566. | 1.8 | 5 |
| 1407 | Synthesis of 5-Thio- β -GalCer Analogues with Fluorinated Acyl Chain on Lipid Residue and Their Biological Evaluation. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 221-225. | 1.3 | 11 |
| 1408 | Recent advances in understanding RAG deficiencies. <i>F1000Research</i> , 2019, 8, 148. | 0.8 | 27 |
| 1409 | Evolutionary Underpinnings of Innate-Like T Cell Interactions with Cancer. <i>Immunological Investigations</i> , 2019, 48, 737-758. | 1.0 | 6 |
| 1410 | NKT Cells in Neurological Diseases. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 245. | 1.8 | 31 |
| 1411 | Lipid Mediators From Timothy Grass Pollen Contribute to the Effector Phase of Allergy and Prime Dendritic Cells for Glycolipid Presentation. <i>Frontiers in Immunology</i> , 2019, 10, 974. | 2.2 | 25 |
| 1412 | 3,4-Dideoxy-3,3,4,4-tetrafluoro- and 4-OH epimeric 3-deoxy-3,3-difluoro- β -GalCer analogues: Synthesis and biological evaluation on human iNKT cells stimulation. <i>European Journal of Medicinal Chemistry</i> , 2019, 178, 195-213. | 2.6 | 11 |
| 1413 | Multiple sclerosis: Possibility of a gut environment-induced disease. <i>Neurochemistry International</i> , 2019, 130, 104475. | 1.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1414 | Analyzing Antigen Recognition by Natural Killer T Cells. <i>Methods in Molecular Biology</i> , 2019, 1988, 439-453. | 0.4 | 3 |
| 1415 | Functional aspects of T cell diversity in visceral leishmaniasis. <i>Biomedicine and Pharmacotherapy</i> , 2019, 117, 109098. | 2.5 | 19 |
| 1416 | The zinc-finger transcription factor MAZR regulates iNKT cell subset differentiation. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 4391-4404. | 2.4 | 5 |
| 1417 | Hyperactivated peripheral invariant natural killer T cells correlate with the progression of HBV-related liver cirrhosis. <i>Scandinavian Journal of Immunology</i> , 2019, 90, e12775. | 1.3 | 14 |
| 1418 | T Cell Receptor Expression Timing and Signal Strength in the Functional Differentiation of Invariant Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2019, 10, 841. | 2.2 | 20 |
| 1419 | Inflammatory Phenotype of Intrahepatic Sulfatide-Reactive Type II NKT Cells in Humans With Autoimmune Hepatitis. <i>Frontiers in Immunology</i> , 2019, 10, 1065. | 2.2 | 16 |
| 1420 | S-Adamantyl Group Directed Site-Selective Acylation: Applications in Streamlined Assembly of Oligosaccharides. <i>Angewandte Chemie</i> , 2019, 131, 9642-9646. | 1.6 | 2 |
| 1421 | S-Adamantyl Group Directed Site-Selective Acylation: Applications in Streamlined Assembly of Oligosaccharides. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 9542-9546. | 7.2 | 20 |
| 1422 | Characterization of circulating T-, NK-, and NKT cell subsets in patients with colorectal cancer: the peripheral blood immune cell profile. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1011-1024. | 2.0 | 99 |
| 1423 | Adipocytes harbor a glucosylceramide biosynthesis pathway involved in iNKT cell activation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1157-1167. | 1.2 | 21 |
| 1424 | Thymic Development of a Unique Bone Marrow-Resident Innate-like T Cell Subset with a Potent Innate Immune Function. <i>Journal of Immunology</i> , 2019, 203, 167-177. | 0.4 | 7 |
| 1425 | CD24+ Cell Depletion Permits Effective Enrichment of Thymic iNKT Cells While Preserving Their Subset Composition. <i>Immune Network</i> , 2019, 19, e14. | 1.6 | 7 |
| 1426 | Generation of a Jurkat-based fluorescent reporter cell line to evaluate lipid antigen interaction with the human iNKT cell receptor. <i>Scientific Reports</i> , 2019, 9, 7426. | 1.6 | 6 |
| 1427 | CXCR6 deficiency ameliorates ischemia-reperfusion injury by reducing the recruitment and cytokine production of hepatic NKT cells in a mouse model of non-alcoholic fatty liver disease. <i>International Immunopharmacology</i> , 2019, 72, 224-234. | 1.7 | 23 |
| 1428 | Control of Intra-Thymic $\hat{1}\hat{2}$ T Cell Selection and Maturation by H3K27 Methylation and Demethylation. <i>Frontiers in Immunology</i> , 2019, 10, 688. | 2.2 | 4 |
| 1429 | Single-cell transcriptomic landscape of nucleated cells in umbilical cord blood. <i>GigaScience</i> , 2019, 8, . | 3.3 | 24 |
| 1430 | Select sequencing of clonally expanded CD8 ⁺ T cells reveals limits to clonal expansion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8995-9001. | 3.3 | 68 |
| 1431 | Development of $\hat{1}\hat{2}$ -GalCer Analogues with an $\hat{1}\hat{2}$ -Fluorocarbonyl Moiety as Th2-Selective Ligands of CD1d. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 773-779. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1432 | Cut Microbiota Regulation of T Cells During Inflammation and Autoimmunity. <i>Annual Review of Immunology</i> , 2019, 37, 599-624. | 9.5 | 214 |
| 1433 | Particulate and solubilized β -glucan and non- β -glucan fractions of <i>Euglena gracilis</i> induce pro- and anti-inflammatory innate immune cell responses and exhibit antioxidant properties. <i>Journal of Inflammation Research</i> , 2019, Volume 12, 49-64. | 1.6 | 18 |
| 1434 | TLR9-mediated dendritic cell activation uncovers mammalian ganglioside species with specific ceramide backbones that activate invariant natural killer T cells. <i>PLoS Biology</i> , 2019, 17, e3000169. | 2.6 | 24 |
| 1435 | The Role of NK Cells in the Control of Viral Infection in HTLV-1 Carriers. <i>Journal of Immunology Research</i> , 2019, 2019, 1-9. | 0.9 | 9 |
| 1436 | SLAM receptors foster iNKT cell development by reducing TCR signal strength after positive selection. <i>Nature Immunology</i> , 2019, 20, 447-457. | 7.0 | 50 |
| 1437 | Design, synthesis, and evaluation of β -galactopyranosylceramide mimics promoting Th2 cytokines production. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 1357-1362. | 1.0 | 7 |
| 1438 | Beyond CAR T Cells: Other Cell-Based Immunotherapeutic Strategies Against Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 196. | 1.3 | 44 |
| 1439 | Innate, innate-like and adaptive lymphocytes in the pathogenesis of MS and EAE. <i>Cellular and Molecular Immunology</i> , 2019, 16, 531-539. | 4.8 | 85 |
| 1440 | Single-fraction brachytherapy as monotherapy for early-stage prostate cancer: The UCSF experience. <i>Brachytherapy</i> , 2019, 18, 470-476. | 0.2 | 10 |
| 1441 | Effect of tumor microenvironment on pathogenesis of the head and neck squamous cell carcinoma: a systematic review. <i>Molecular Cancer</i> , 2019, 18, 63. | 7.9 | 288 |
| 1442 | Improved Th17 Selectivity of β -Galactosylceramide via Noncovalent Interactions with Diether Moiety. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 720-725. | 1.3 | 5 |
| 1443 | The Differential Roles of T Cells in Non-alcoholic Fatty Liver Disease and Obesity. <i>Frontiers in Immunology</i> , 2019, 10, 82. | 2.2 | 157 |
| 1444 | A Potent CD1d-binding Glycolipid for iNKT-Cell-based Therapy Against Human Breast Cancer. <i>Anticancer Research</i> , 2019, 39, 549-555. | 0.5 | 6 |
| 1445 | iNKT Cell Activation Exacerbates the Development of Huntington's Disease in R6/2 Transgenic Mice. <i>Mediators of Inflammation</i> , 2019, 2019, 1-10. | 1.4 | 8 |
| 1446 | Immunometabolism regulates TCR recycling and iNKT cell functions. <i>Science Signaling</i> , 2019, 12, . | 1.6 | 22 |
| 1447 | Mechanisms of Bacterial Superinfection Post-influenza: A Role for Unconventional T Cells. <i>Frontiers in Immunology</i> , 2019, 10, 336. | 2.2 | 53 |
| 1448 | Ceramide-templated Macrolactams: Total Synthesis and Biological Evaluation of Macrocyclic β -Galactosylceramide Analogues and their Aglycons. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 2253-2267. | 1.2 | 5 |
| 1449 | Styk1 is specifically expressed in NK1.1 ⁺ lymphocytes including NK, $\gamma\delta$ T, and iNKT cells in mice, but is dispensable for their ontogeny and function. <i>European Journal of Immunology</i> , 2019, 49, 686-693. | 1.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1450 | NKT Cells in Mice Originate from Cytoplasmic CD3-Positive, CD4 ⁺ CD8 ⁻ Double-Negative Thymocytes that Express CD44 and IL-7R α . <i>Scientific Reports</i> , 2019, 9, 1874. | 1.6 | 3 |
| 1451 | β -Galactosylceramide treatment before allergen sensitization promotes iNKT cell-mediated induction of Treg cells, preventing Th2 cell responses in murine asthma. <i>Journal of Biological Chemistry</i> , 2019, 294, 5438-5455. | 1.6 | 6 |
| 1452 | Enhancing the antitumor functions of invariant natural killer T cells using a soluble CD1d-CD19 fusion protein. <i>Blood Advances</i> , 2019, 3, 813-824. | 2.5 | 13 |
| 1453 | IL-23 costimulates antigen-specific MAIT cell activation and enables vaccination against bacterial infection. <i>Science Immunology</i> , 2019, 4, . | 5.6 | 75 |
| 1454 | Underestimated Manipulative Roles of Mycobacterium tuberculosis Cell Envelope Glycolipids During Infection. <i>Frontiers in Immunology</i> , 2019, 10, 2909. | 2.2 | 50 |
| 1455 | A Glycolipid Adjuvant, 7DW8-5, Enhances the Protective Immune Response to the Current Split Influenza Vaccine in Mice. <i>Frontiers in Microbiology</i> , 2019, 10, 2157. | 1.5 | 15 |
| 1456 | Cross-talk between iNKT cells and CD8 T cells in the spleen requires the IL-4/CCL17 axis for the generation of short-lived effector cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 25816-25827. | 3.3 | 22 |
| 1457 | Differential Control of iNKT Cell Effector Lineage Differentiation by the Forkhead Box Protein O1 (Foxo1) Transcription Factor. <i>Frontiers in Immunology</i> , 2019, 10, 2710. | 2.2 | 6 |
| 1458 | Fully Synthetic Invariant NKT Cell-Dependent Self-Adjuvanting Antitumor Vaccines Eliciting Potent Immune Response in Mice. <i>Molecular Pharmaceutics</i> , 2020, 17, 417-425. | 2.3 | 24 |
| 1459 | Control of CD1d-restricted antigen presentation and inflammation by sphingomyelin. <i>Nature Immunology</i> , 2019, 20, 1644-1655. | 7.0 | 35 |
| 1460 | Invariant NKT cells as a platform for CAR immunotherapy and prevention of acute Graft-versus-Host Disease. <i>HemaSphere</i> , 2019, 3, 31-34. | 1.2 | 6 |
| 1461 | A Novel Liposome Formulation Carrying Both an Insulin Peptide and a Ligand for Invariant Natural Killer T Cells Induces Accumulation of Regulatory T Cells to Islets in Nonobese Diabetic Mice. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-9. | 1.0 | 3 |
| 1462 | Semisynthetic glycoconjugate based on dual role protein/PsaA as a pneumococcal vaccine. <i>European Journal of Pharmaceutical Sciences</i> , 2019, 129, 31-41. | 1.9 | 12 |
| 1463 | 4-Alkylated β -Galactosylceramide Analogues as iNKT Cell Antigens: Synthetic, Biological, and Structural Studies. <i>ChemMedChem</i> , 2019, 14, 147-168. | 1.6 | 14 |
| 1464 | Hepatocellular cancer-derived alpha fetoprotein uptake reduces CD1 molecules on monocyte-derived dendritic cells. <i>Cellular Immunology</i> , 2019, 335, 59-67. | 1.4 | 13 |
| 1465 | Innate and adaptive stimulation of murine diverse NKT cells result in distinct cellular responses. <i>European Journal of Immunology</i> , 2019, 49, 443-453. | 1.6 | 7 |
| 1466 | The Human Microbiota and Asthma. <i>Clinical Reviews in Allergy and Immunology</i> , 2019, 57, 350-363. | 2.9 | 92 |
| 1467 | β -galactosylceramide generates lung regulatory T cells through the activated natural killer T cells in mice. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 1072-1085. | 1.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1468 | Targeting strategies of liposomal subunit vaccine delivery systems to improve vaccine efficacy. <i>Journal of Drug Targeting</i> , 2019, 27, 780-789. | 2.1 | 10 |
| 1469 | Effectiveness of <i>Haemophilus influenzae</i> type b vaccination after splenectomy - impact on selected immunological parameters. <i>Human Vaccines and Immunotherapeutics</i> , 2019, 15, 339-348. | 1.4 | 4 |
| 1470 | SLAMF6 in health and disease: Implications for therapeutic targeting. <i>Clinical Immunology</i> , 2019, 204, 3-13. | 1.4 | 9 |
| 1471 | A common transcriptomic program acquired in the thymus defines tissue residency of MAIT and NKT subsets. <i>Journal of Experimental Medicine</i> , 2019, 216, 133-151. | 4.2 | 145 |
| 1472 | Unveiling the regulation of NKT17 cell differentiation and function. <i>Molecular Immunology</i> , 2019, 105, 55-61. | 1.0 | 18 |
| 1473 | Expression of CD1d by astrocytes corresponds with relative activity in multiple sclerosis lesions. <i>Brain Pathology</i> , 2020, 30, 26-35. | 2.1 | 2 |
| 1474 | Interleukin-7 protects against bacterial respiratory infection by promoting IL-17A-producing innate T-cell response. <i>Mucosal Immunology</i> , 2020, 13, 128-139. | 2.7 | 31 |
| 1475 | The Role of Invariant Natural Killer T Cells in Autoimmune Diseases. , 2020, , 117-153. | | 1 |
| 1476 | Recombinant fusion proteins for targeting dendritic cell subsets in therapeutic cancer vaccine. <i>Methods in Enzymology</i> , 2020, 632, 521-543. | 0.4 | 7 |
| 1477 | Invariant natural killer T cells are reduced in peripheral blood of bullous pemphigoid patients and accumulate in lesional skin. <i>Archives of Dermatological Research</i> , 2020, 312, 747-751. | 1.1 | 1 |
| 1478 | T regulatory cell therapy in preclinical and clinical pancreatic islet transplantation. , 2020, , 799-819. | | 0 |
| 1479 | In situ multiplex immunofluorescence analysis of the inflammatory burden in kidney allograft rejection: A new tool to characterize the alloimmune response. <i>American Journal of Transplantation</i> , 2020, 20, 942-953. | 2.6 | 36 |
| 1480 | The role of invariant natural killer T cells in experimental xenobiotic-induced cholestatic hepatotoxicity. <i>Biomedicine and Pharmacotherapy</i> , 2020, 122, 109579. | 2.5 | 9 |
| 1481 | Modulation of Immune Responses to Influenza A Virus Vaccines by Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2020, 11, 2172. | 2.2 | 13 |
| 1482 | High Dimensional Single-Cell Analysis Reveals iNKT Cell Developmental Trajectories and Effector Fate Decision. <i>Cell Reports</i> , 2020, 32, 108116. | 2.9 | 45 |
| 1483 | The Whole Body as the System in Systems Immunology. <i>IScience</i> , 2020, 23, 101509. | 1.9 | 24 |
| 1484 | A Two-Cell Model for IL-1 β Release Mediated by Death-Receptor Signaling. <i>Cell Reports</i> , 2020, 31, 107466. | 2.9 | 21 |
| 1485 | Utilization of CRISPR/Cas9 gene editing in cellular therapies for lymphoid malignancies. <i>Immunology Letters</i> , 2020, 226, 71-82. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1486 | Neuroinflammation is associated with infiltration of T cells in Lewy body disease and α -synuclein transgenic models. <i>Journal of Neuroinflammation</i> , 2020, 17, 214. | 3.1 | 48 |
| 1487 | Evasion of the Cell-Mediated Immune Response by Alphaherpesviruses. <i>Viruses</i> , 2020, 12, 1354. | 1.5 | 13 |
| 1488 | Serp1b1a Is Dispensable for the Development and Cytokine Response of Invariant Natural Killer T Cell Subsets. <i>Frontiers in Immunology</i> , 2020, 11, 562587. | 2.2 | 0 |
| 1489 | The History of Carbohydrates in Type I Allergy. <i>Frontiers in Immunology</i> , 2020, 11, 586924. | 2.2 | 14 |
| 1490 | Immunological distinctions between nonalcoholic steatohepatitis and hepatocellular carcinoma. <i>Experimental and Molecular Medicine</i> , 2020, 52, 1209-1219. | 3.2 | 29 |
| 1491 | CD1d Selectively Down Regulates the Expression of the Oxidized Phospholipid-Specific E06 IgM Natural Antibody in $\text{Ldlr}^{\Delta/\Delta}$ Mice. <i>Antibodies</i> , 2020, 9, 30. | 1.2 | 3 |
| 1492 | Combination of NKT14m and Low Dose IL-12 Promotes Invariant Natural Killer T Cell IFN- γ Production and Tumor Control. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5085. | 1.8 | 2 |
| 1493 | Cytokine Output of Adipocyte-iNKT Cell Interplay Is Skewed by a Lipid-Rich Microenvironment. <i>Frontiers in Endocrinology</i> , 2020, 11, 479. | 1.5 | 11 |
| 1494 | The transcription factor BCL-6 controls early development of innate-like T cells. <i>Nature Immunology</i> , 2020, 21, 1058-1069. | 7.0 | 20 |
| 1495 | Brief Report: Diminished Coinhibitory Molecule 2B4 Expression Is Associated With Preserved iNKT Cell Phenotype in HIV Long-Term Nonprogressors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 73-78. | 0.9 | 0 |
| 1496 | Expression of NK cell receptor ligands in primary colorectal cancer tissue in relation to the phenotype of circulating NK- and NKT cells, and clinical outcome. <i>Molecular Immunology</i> , 2020, 128, 205-218. | 1.0 | 15 |
| 1497 | Estriol in regulation of cell-mediated immune reactions in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2020, 349, 577421. | 1.1 | 8 |
| 1498 | Pathogenesis of Eosinophilic Esophagitis: A Comprehensive Review of the Genetic and Molecular Aspects. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7253. | 1.8 | 16 |
| 1499 | USP22 controls iNKT immunity through MED1 suppression of histone H2A monoubiquitination. <i>Journal of Experimental Medicine</i> , 2020, 217, . | 4.2 | 15 |
| 1500 | Single-cell RNA sequencing identifies shared differentiation paths of mouse thymic innate T cells. <i>Nature Communications</i> , 2020, 11, 4367. | 5.8 | 56 |
| 1501 | Exploring the Pathogenic Role and Therapeutic Implications of Interleukin 2 in Autoimmune Hepatitis. <i>Digestive Diseases and Sciences</i> , 2021, 66, 2493-2512. | 1.1 | 9 |
| 1502 | Acute invariant NKT cell activation triggers an immune response that drives prominent changes in iron homeostasis. <i>Scientific Reports</i> , 2020, 10, 21026. | 1.6 | 5 |
| 1503 | NKT cells promote both type 1 and type 2 inflammatory responses in a mouse model of liver fibrosis. <i>Scientific Reports</i> , 2020, 10, 21778. | 1.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1504 | Systemic alterations in leukocyte subsets and the protective role of NKT cells in the mouse model of diabetic retinopathy. <i>Experimental Eye Research</i> , 2020, 200, 108203. | 1.2 | 2 |
| 1505 | The Immune Landscape of Visceral Adipose Tissue During Obesity and Aging. <i>Frontiers in Endocrinology</i> , 2020, 11, 267. | 1.5 | 53 |
| 1506 | MHC-Independent Thymic Selection of CD4 and CD8 Coreceptor Negative $\hat{1}\hat{2}$ T Cells. <i>Journal of Immunology</i> , 2020, 205, 133-142. | 0.4 | 6 |
| 1507 | Expansion and CD2/CD3/CD28 stimulation enhance Th2 cytokine secretion of human invariant NKT cells with retained anti-tumor cytotoxicity. <i>Cytotherapy</i> , 2020, 22, 276-290. | 0.3 | 7 |
| 1508 | Contribution of NKT cells to the immune response and pathogenesis triggered by respiratory viruses. <i>Virulence</i> , 2020, 11, 580-593. | 1.8 | 8 |
| 1509 | Leukocyte Heterogeneity in Adipose Tissue, Including in Obesity. <i>Circulation Research</i> , 2020, 126, 1590-1612. | 2.0 | 44 |
| 1510 | Contribution of the SYK Tyrosine kinase expression to human iNKT self-reactivity. <i>European Journal of Immunology</i> , 2020, 50, 1454-1467. | 1.6 | 1 |
| 1511 | Cortical Thymocytes Along With Their Selecting Ligands Are Required for the Further Thymic Maturation of NKT Cells in Mice. <i>Frontiers in Immunology</i> , 2020, 11, 815. | 2.2 | 5 |
| 1512 | Two bacterial glycosphingolipid synthases responsible for the synthesis of glucuronosylceramide and $\hat{1}\hat{2}$ -galactosylceramide. <i>Journal of Biological Chemistry</i> , 2020, 295, 10709-10725. | 1.6 | 14 |
| 1513 | Negative control of diacylglycerol kinase $\hat{1}\hat{2}$ -mediated inhibition of T cell receptor signaling by nuclear sequestration in mice. <i>European Journal of Immunology</i> , 2020, 50, 1729-1745. | 1.6 | 1 |
| 1514 | Innate Lymphocyte Th1 and Th17 Responses in Elderly Hospitalised Patients with Infection and Sepsis. <i>Vaccines</i> , 2020, 8, 311. | 2.1 | 6 |
| 1515 | Thymic development of unconventional T cells: how NKT cells, MAIT cells and $\hat{1}\hat{3}\hat{4}$ T cells emerge. <i>Nature Reviews Immunology</i> , 2020, 20, 756-770. | 10.6 | 168 |
| 1516 | License to Kill: When iNKT Cells Are Granted the Use of Lethal Cytotoxicity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3909. | 1.8 | 28 |
| 1517 | Cancer Immunotherapeutic Potential of NKTT320, a Novel, Invariant, Natural Killer T Cell-Activating, Humanized Monoclonal Antibody. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4317. | 1.8 | 7 |
| 1518 | miR-128 Regulates Tumor Cell CD47 Expression and Promotes Anti-tumor Immunity in Pancreatic Cancer. <i>Frontiers in Immunology</i> , 2020, 11, 890. | 2.2 | 28 |
| 1519 | The liver as an immunological barrier redefined by single-cell analysis. <i>Immunology</i> , 2020, 160, 157-170. | 2.0 | 28 |
| 1520 | The Variable Genomic NK Cell Receptor Locus Is a Key Determinant of CD4+ T Cell Responses During Viral Infection. <i>Frontiers in Immunology</i> , 2020, 11, 197. | 2.2 | 2 |
| 1521 | Adipose Tissue Distribution, Inflammation and Its Metabolic Consequences, Including Diabetes and Cardiovascular Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 22. | 1.1 | 614 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1522 | Chimeric Antigen Receptor Cell Therapy: Overcoming Obstacles to Battle Cancer. <i>Cancers</i> , 2020, 12, 842. | 1.7 | 21 |
| 1523 | Stability of regulatory T cells in T helper 2-biased allergic airway diseases. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1918-1926. | 2.7 | 17 |
| 1524 | Editorial: NKT Cells in Cancer Immunotherapy. <i>Frontiers in Immunology</i> , 2020, 11, 1314. | 2.2 | 15 |
| 1525 | NCCRP-1 Might Not be a Marker of so Called NCC Cells in Common Carp (<i>Cyprinus carpio</i>) Leukocytes. <i>American Journal of Immunology</i> , 2020, 16, 1-7. | 0.1 | 2 |
| 1526 | Putative role of marginal zone B cells in pathophysiological processes. <i>Scandinavian Journal of Immunology</i> , 2020, 92, e12920. | 1.3 | 10 |
| 1527 | IL-17A-producing $\gamma\delta$ T cells promote liver pathology in acute murine schistosomiasis. <i>Parasites and Vectors</i> , 2020, 13, 334. | 1.0 | 8 |
| 1528 | MAIT Cells Come to the Rescue in Cancer Immunotherapy?. <i>Cancers</i> , 2020, 12, 413. | 1.7 | 21 |
| 1529 | Intestinal microbes influence development of thymic lymphocytes in early life. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2570-2578. | 3.3 | 65 |
| 1530 | The Traditional Chinese Medicine Fufang Shatai Heji (STHJ) Enhances Immune Function in Cyclophosphamide-Treated Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-12. | 0.5 | 9 |
| 1531 | Hepatic Macrophages in Liver Injury. <i>Frontiers in Immunology</i> , 2020, 11, 322. | 2.2 | 86 |
| 1532 | Carbohydrate Conjugates in Vaccine Developments. <i>Frontiers in Chemistry</i> , 2020, 8, 284. | 1.8 | 50 |
| 1533 | Blockade of CD40L inhibits immunogenic maturation of lung dendritic cells: Implications for the role of lung iNKT cells in mouse models of asthma. <i>Molecular Immunology</i> , 2020, 121, 167-185. | 1.0 | 7 |
| 1534 | High Frequency of Gamma Interferon-Producing PLZF ⁺ ROR γ t ⁺ Invariant Natural Killer 1 Cells Infiltrating Herpes Simplex Virus 1-Infected Corneas Is Associated with Asymptomatic Ocular Herpesvirus Infection. <i>Journal of Virology</i> , 2020, 94, . | 1.5 | 9 |
| 1536 | DX5 ⁺ NKT cells ⁺ increase was correlated with liver damage in FVB mice not in BALB/c mice infected by <i>Clonorchis sinensis</i> . <i>Parasite Immunology</i> , 2021, 43, e12796. | 0.7 | 2 |
| 1537 | Type I Natural Killer T Cells as Key Regulators of the Immune Response to Infectious Diseases. <i>Clinical Microbiology Reviews</i> , 2021, 34, . | 5.7 | 17 |
| 1538 | The thymus medulla and its control of $\gamma\delta$ T cell development. <i>Seminars in Immunopathology</i> , 2021, 43, 15-27. | 2.8 | 9 |
| 1539 | Metabolism in Invariant Natural Killer T Cells: An Overview. <i>Immunometabolism</i> , 2021, 3, . | 0.7 | 7 |
| 1540 | The many-sided contributions of NF- κ B to T-cell biology in health and disease. <i>International Review of Cell and Molecular Biology</i> , 2021, 361, 245-300. | 1.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1541 | The Adjuvant of α -Galactosylceramide Presented by Gold Nanoparticles Enhances Antitumor Immune Responses of MUC1 Antigen-Based Tumor Vaccines. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 403-420. | 3.3 | 21 |
| 1542 | Deciphering the multifaceted roles of TET proteins in T cell lineage specification and malignant transformation. <i>Immunological Reviews</i> , 2021, 300, 22-36. | 2.8 | 9 |
| 1543 | Allogeneic CAR Cell Therapy—More Than a Pipe Dream. <i>Frontiers in Immunology</i> , 2020, 11, 618427. | 2.2 | 64 |
| 1544 | Isolation and Detection of Murine iNKT Cells in Different Organs. <i>Methods in Molecular Biology</i> , 2021, 2388, 59-69. | 0.4 | 0 |
| 1545 | Methods for Studying Mouse and Human Invariant Natural Killer T Cells. <i>Methods in Molecular Biology</i> , 2021, 2388, 35-57. | 0.4 | 8 |
| 1546 | Ex Vivo Expansion of Th2-Polarizing Immunotherapeutic iNKT Cells from Human Peripheral Blood. <i>Methods in Molecular Biology</i> , 2021, 2388, 139-148. | 0.4 | 0 |
| 1547 | Non-coding RNAs Related to Obesity. , 2021, , 21-52. | | 0 |
| 1548 | Successes and challenges of NKT cell immunotherapy: Breaking tolerance to cancer resistance. , 2021, , 63-80. | | 0 |
| 1549 | Antigen-Presenting Cells in Food Tolerance and Allergy. <i>Frontiers in Immunology</i> , 2020, 11, 616020. | 2.2 | 30 |
| 1550 | MicroRNA-155 Controls iNKT Cell Development and Lineage Differentiation by Coordinating Multiple Regulating Pathways. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 619220. | 1.8 | 7 |
| 1551 | Ischemia-reperfusion injury. , 2021, , 1-42. | | 0 |
| 1552 | Detection of Mouse Type I NKT (iNKT) Cells by Flow Cytometry. <i>Methods in Molecular Biology</i> , 2021, 2388, 87-99. | 0.4 | 0 |
| 1553 | iNKT Cell Transfer: The Use of Cell Sorting Combined with Flow Cytometry Validation Approach. <i>Methods in Molecular Biology</i> , 2021, 2388, 113-122. | 0.4 | 1 |
| 1554 | Inhibition of iNKT Cells by the HLA-G-ILT2 Checkpoint and Poor Stimulation by HLA-G-Expressing Tolerogenic DC. <i>Frontiers in Immunology</i> , 2020, 11, 608614. | 2.2 | 11 |
| 1555 | Breast cancer is marked by specific, Public T-cell receptor CDR3 regions shared by mice and humans. <i>PLoS Computational Biology</i> , 2021, 17, e1008486. | 1.5 | 11 |
| 1556 | A review of physiological and cellular mechanisms underlying fibrotic postoperative adhesion. <i>International Journal of Biological Sciences</i> , 2021, 17, 298-306. | 2.6 | 38 |
| 1557 | Inflammatory Mechanisms Underlying Nonalcoholic Steatohepatitis and the Transition to Hepatocellular Carcinoma. <i>Cancers</i> , 2021, 13, 730. | 1.7 | 35 |
| 1558 | The protective function of invariant natural killer T cells in the relapse of experimental autoimmune uveoretinitis. <i>Experimental Eye Research</i> , 2021, 203, 108406. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1559 | Unravelling the structural complexity of glycolipids with cryogenic infrared spectroscopy. <i>Nature Communications</i> , 2021, 12, 1201. | 5.8 | 36 |
| 1560 | ApoB-Specific CD4+ T Cells in Mouse and Human Atherosclerosis. <i>Cells</i> , 2021, 10, 446. | 1.8 | 17 |
| 1561 | Biological effects of IL-15 on immune cells and its potential for the treatment of cancer. <i>International Immunopharmacology</i> , 2021, 91, 107318. | 1.7 | 29 |
| 1562 | PLGA Nanoparticles Co-encapsulating NY-ESO-1 Peptides and IMM60 Induce Robust CD8 and CD4 T Cell and B Cell Responses. <i>Frontiers in Immunology</i> , 2021, 12, 641703. | 2.2 | 21 |
| 1564 | Classical MHC expression by DP thymocytes impairs the selection of non-classical MHC restricted innate-like T cells. <i>Nature Communications</i> , 2021, 12, 2308. | 5.8 | 11 |
| 1565 | Lactic acid inhibits iNKT cell functions via a phosphodiesterase-5 dependent pathway. <i>Biochemical and Biophysical Research Communications</i> , 2021, 547, 9-14. | 1.0 | 2 |
| 1567 | Drivers of Inflammation in Psoriatic Arthritis: the Old and the New. <i>Current Rheumatology Reports</i> , 2021, 23, 40. | 2.1 | 9 |
| 1568 | Comparison of immune reconstitution between anti-T-lymphocyte globulin and posttransplant cyclophosphamide as acute graft-versus-host disease prophylaxis in allogeneic myeloablative peripheral blood stem cell transplantation. <i>Haematologica</i> , 2022, 107, 857-867. | 1.7 | 32 |
| 1569 | KRN7000 Reduces Airway Inflammation via Natural Killer T Cells in Obese Asthmatic Mice. <i>Inflammation</i> , 2021, 44, 1982-1992. | 1.7 | 2 |
| 1570 | Laryngeal <i>Helicobacter pylori</i> Infection and Laryngeal Cancer-Case Series and a Systematic Review. <i>Microorganisms</i> , 2021, 9, 1129. | 1.6 | 4 |
| 1571 | Donor Treg expansion by liposomal α -galactosylceramide modulates Tfh cells and prevents sclerodermatous chronic graft-versus-host disease. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 721-733. | 1.3 | 3 |
| 1572 | Current State of the Art of Allogeneic CAR Approaches – Pile ‘Em High and Sell ‘Em Cheap. <i>Journal of Pharmaceutical Sciences</i> , 2021, 110, 1909-1914. | 1.6 | 5 |
| 1573 | Reduced dose of PTCy followed by adjuvant α -galactosylceramide enhances GVL effect without sacrificing GVHD suppression. <i>Scientific Reports</i> , 2021, 11, 13125. | 1.6 | 6 |
| 1574 | Ontogenic timing, T _H cell receptor signal strength, and Notch signaling direct α -galactosylceramide T _H cell functional differentiation in vivo. <i>Cell Reports</i> , 2021, 35, 109227. | 2.9 | 8 |
| 1575 | Tumor Immune Microenvironment and Genetic Alterations in Mesothelioma. <i>Frontiers in Oncology</i> , 2021, 11, 660039. | 1.3 | 28 |
| 1576 | New Paradigm in NKT Cell Antigens: MCS-0208 (2-(Hydroxymethyl)phenylthio-phytoceramide) – an Aryl-phytoceramide Compound with a Single Hydroxyl Group Stimulates NKT Cells. <i>ChemMedChem</i> , 2021, 16, 2491-2496. | 1.6 | 3 |
| 1577 | Phototherapy Facilitates Tumor Recruitment and Activation of Natural Killer T cells for Potent Cancer Immunotherapy. <i>Nano Letters</i> , 2021, 21, 6304-6313. | 4.5 | 25 |
| 1578 | Unbiased Screening Identifies Functional Differences in NK Cells After Early Life Psychosocial Stress. <i>Frontiers in Immunology</i> , 2021, 12, 674532. | 2.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1580 | microRNA dynamic expression regulates invariant NKT cells. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 6003-6015. | 2.4 | 4 |
| 1581 | Incorporating mucosal-associated invariant T cells into the pathogenesis of chronic liver disease. <i>World Journal of Gastroenterology</i> , 2021, 27, 3705-3733. | 1.4 | 9 |
| 1582 | Regulation and Functions of Protumoral Unconventional T Cells in Solid Tumors. <i>Cancers</i> , 2021, 13, 3578. | 1.7 | 4 |
| 1583 | A multilayered immune system through the lens of unconventional T cells. <i>Nature</i> , 2021, 595, 501-510. | 13.7 | 64 |
| 1584 | Transcriptome and Function of Novel Immunosuppressive Autoreactive Invariant Natural Killer T Cells That Are Absent in Progressive Multiple Sclerosis. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2021, 8, e1065. | 3.1 | 1 |
| 1585 | Activated invariant natural killer T cells infiltrate aortic tissue as key participants in abdominal aortic aneurysm pathology. <i>Immunology</i> , 2021, 164, 792-802. | 2.0 | 5 |
| 1586 | Targeted Immunotherapies in Gastrointestinal Cancer: From Molecular Mechanisms to Implications. <i>Frontiers in Immunology</i> , 2021, 12, 705999. | 2.2 | 24 |
| 1587 | Distinct Bioenergetic Features of Human Invariant Natural Killer T Cells Enable Retained Functions in Nutrient-Deprived States. <i>Frontiers in Immunology</i> , 2021, 12, 700374. | 2.2 | 3 |
| 1588 | Role of NKT Cells during Viral Infection and the Development of NKT Cell-Based Nanovaccines. <i>Vaccines</i> , 2021, 9, 949. | 2.1 | 16 |
| 1589 | Brief homogeneous TCR signals instruct common iNKT progenitors whose effector diversification is characterized by subsequent cytokine signaling. <i>Immunity</i> , 2021, 54, 2497-2513.e9. | 6.6 | 19 |
| 1590 | Description of invariant NKT cells.. <i>Journal of Education, Health and Sport</i> , 2021, 11, 417-422. | 0.0 | 0 |
| 1591 | Human intestinal and circulating invariant natural killer T cells are cytotoxic against colorectal cancer cells via the perforin-granzyme pathway. <i>Molecular Oncology</i> , 2021, 15, 3385-3403. | 2.1 | 11 |
| 1592 | NKT and NKT-like Cells in Autoimmune Neuroinflammatory Diseases—Multiple Sclerosis, Myasthenia Gravis and Guillain-Barre Syndrome. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9520. | 1.8 | 14 |
| 1594 | NKT Cells Contribute to the Control of Microbial Infections. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 718350. | 1.8 | 23 |
| 1595 | The Effects of Prebiotics, Synbiotics, and Short-Chain Fatty Acids on Respiratory Tract Infections and Immune Function: A Systematic Review and Meta-Analysis. <i>Advances in Nutrition</i> , 2022, 13, 167-192. | 2.9 | 5 |
| 1596 | Engineering stem cells for cancer immunotherapy. <i>Trends in Cancer</i> , 2021, 7, 1059-1073. | 3.8 | 22 |
| 1597 | SRSF1 plays a critical role in invariant natural killer T cell development and function. <i>Cellular and Molecular Immunology</i> , 2021, 18, 2502-2515. | 4.8 | 12 |
| 1598 | Natural Killer T (NKT) Cells and Periodontitis: Potential Regulatory Role of NKT10 Cells. <i>Mediators of Inflammation</i> , 2021, 2021, 1-13. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1599 | Bile acid activated receptors: Integrating immune and metabolic regulation in non-alcoholic fatty liver disease. <i>Liver Research</i> , 2021, 5, 119-141. | 0.5 | 15 |
| 1600 | T cells in kidney injury and regeneration. , 2022, , 69-91. | | 0 |
| 1601 | Intravital Microscopy Imaging of Invariant Natural Killer T-Cell Dynamics in the Liver Using CXCR6-eGFP Transgenic Mice. <i>Methods in Molecular Biology</i> , 2021, 2388, 149-156. | 0.4 | 0 |
| 1602 | The Involvement of Innate and Adaptive Immunity in the Initiation and Perpetuation of Sjögren's Syndrome. <i>International Journal of Molecular Sciences</i> , 2021, 22, 658. | 1.8 | 34 |
| 1603 | Shark liver oil supplementation enriches endogenous plasmalogens and reduces markers of dyslipidemia and inflammation. <i>Journal of Lipid Research</i> , 2021, 62, 100092. | 2.0 | 23 |
| 1604 | Glycolipids as Antigens for Semi-Invariant Natural Killer T Cells. , 2021, , 470-484. | | 1 |
| 1605 | miR-21 sustains CD28 signalling and low-affinity T cell responses at the expense of self-tolerance. <i>Clinical and Translational Immunology</i> , 2021, 10, e1321. | 1.7 | 1 |
| 1608 | The hemochromatosis protein HFE 20 years later: An emerging role in antigen presentation and in the immune system. <i>Immunity, Inflammation and Disease</i> , 2017, 5, 218-232. | 1.3 | 40 |
| 1609 | Lipids in Multiple Sclerosis. , 2009, , 593-602. | | 2 |
| 1610 | Natural Killer T (NKT) Cell Subsets in Chlamydial Infections. <i>Advances in Experimental Medicine and Biology</i> , 2007, 601, 243-246. | 0.8 | 8 |
| 1611 | Thymic and Peripheral Generation of CD4 + Foxp3 + Regulatory T Cells. , 2008, , 29-55. | | 5 |
| 1612 | The Role of NKT Cells in the Immune Regulation of Neoplastic Disease. , 2012, , 7-21. | | 2 |
| 1613 | NKT and Tolerance. <i>Methods in Molecular Biology</i> , 2010, 677, 193-206. | 0.4 | 11 |
| 1614 | Other sources of IL-17: Invariant natural killer T cells. , 2009, , 39-48. | | 1 |
| 1615 | The Enigmatic Role of Sulfatides: New Insights into Cellular Functions and Mechanisms of Protein Recognition. <i>Advances in Experimental Medicine and Biology</i> , 2013, 991, 27-40. | 0.8 | 41 |
| 1616 | NKT Cells in Tumor Immunity. , 2016, , 460-469. | | 2 |
| 1617 | Diseases of the Immune System. , 2010, , 183-257. | | 5 |
| 1619 | Activated invariant natural killer T cells directly recognize leukemia cells in a CD1d-independent manner. <i>Cancer Science</i> , 2020, 111, 2223-2233. | 1.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1620 | Mechanisms of Immunomodulatory and Membranotropic Activity of Trehalolipid Biosurfactants (a) Tj ETQq0 0 0 rgBT ₁ /Overlock 10 Tf 50 | 0.3 | 12 |
| 1621 | Impaired lymphocyte function and differentiation in CTPS1-deficient patients result from a hypomorphic homozygous mutation. <i>JCI Insight</i> , 2020, 5, . | 2.3 | 29 |
| 1622 | Impact of bacteria on the phenotype, functions, and therapeutic activities of invariant NKT cells in mice. <i>Journal of Clinical Investigation</i> , 2008, 118, 2301-15. | 3.9 | 59 |
| 1623 | Fatty acid amide hydrolase shapes NKT cell responses by influencing the serum transport of lipid antigen in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 1873-1884. | 3.9 | 26 |
| 1624 | Oncogenic β -catenin triggers an inflammatory response that determines the aggressiveness of hepatocellular carcinoma in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 586-599. | 3.9 | 155 |
| 1625 | Endogenous collagen peptide activation of CD1d-restricted NKT cells ameliorates tissue-specific inflammation in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 249-264. | 3.9 | 41 |
| 1626 | Influenza infection in suckling mice expands an NKT cell subset that protects against airway hyperreactivity. <i>Journal of Clinical Investigation</i> , 2011, 121, 57-69. | 3.9 | 137 |
| 1627 | Natural killer T cells in adipose tissue prevent insulin resistance. <i>Journal of Clinical Investigation</i> , 2012, 122, 3343-3354. | 3.9 | 185 |
| 1628 | iNKT cells require TSC1 for terminal maturation and effector lineage fate decisions. <i>Journal of Clinical Investigation</i> , 2014, 124, 1685-1698. | 3.9 | 54 |
| 1629 | IL-10 ⁺ producing NKT10 cells are a distinct regulatory invariant NKT cell subset. <i>Journal of Clinical Investigation</i> , 2014, 124, 3725-3740. | 3.9 | 207 |
| 1630 | TNF superfamily receptor OX40 triggers invariant NKT cell pyroptosis and liver injury. <i>Journal of Clinical Investigation</i> , 2017, 127, 2222-2234. | 3.9 | 50 |
| 1631 | T cells control the generation of nanomolar-affinity anti-glycan antibodies. <i>Journal of Clinical Investigation</i> , 2017, 127, 1491-1504. | 3.9 | 63 |
| 1632 | Liver natural killer and natural killer T cells: immunobiology and emerging roles in liver diseases. <i>Journal of Leukocyte Biology</i> , 2009, 86, 513-528. | 1.5 | 333 |
| 1633 | Recent advances in iNKT cell development. <i>F1000Research</i> , 2020, 9, 127. | 0.8 | 40 |
| 1634 | Phenotypic Characterization of Circulating CD4/CD8 Tlymphocytes in β -Thalassemia Patients. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2014, 32, 261-9. | 0.2 | 9 |
| 1635 | Stepwise Development of MAIT Cells in Mouse and Human. <i>PLoS Biology</i> , 2009, 7, e1000054. | 2.6 | 531 |
| 1636 | Where Do MAIT Cells Fit in the Family of Unconventional T Cells?. <i>PLoS Biology</i> , 2009, 7, e1000070. | 2.6 | 32 |
| 1637 | Determination of Cellular Lipids Bound to Human CD1d Molecules. <i>PLoS ONE</i> , 2009, 4, e5325. | 1.1 | 128 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1638 | Paucity of CD4+ Natural Killer T (NKT) Lymphocytes in Sooty Mangabeys Is Associated with Lack of NKT Cell Depletion after SIV Infection. PLoS ONE, 2010, 5, e9787. | 1.1 | 28 |
| 1639 | The Ras/MAPK Pathway Is Required for Generation of iNKT Cells. PLoS ONE, 2011, 6, e19890. | 1.1 | 35 |
| 1640 | Altered Development of NKT Cells, $\gamma\delta$ T Cells, CD8 T Cells and NK Cells in a PLZF Deficient Patient. PLoS ONE, 2011, 6, e24441. | 1.1 | 65 |
| 1641 | Restored Circulating Invariant NKT Cells Are Associated with Viral Control in Patients with Chronic Hepatitis B. PLoS ONE, 2011, 6, e28871. | 1.1 | 39 |
| 1642 | Ameliorated ConA-Induced Hepatitis in the Absence of PKC-theta. PLoS ONE, 2012, 7, e31174. | 1.1 | 24 |
| 1643 | Direct Engagement of TLR4 in Invariant NKT Cells Regulates Immune Diseases by Differential IL-4 and IFN- γ Production in Mice. PLoS ONE, 2012, 7, e45348. | 1.1 | 20 |
| 1644 | Colonic Inflammation in Mice Is Improved by Cigarette Smoke through iNKT Cells Recruitment. PLoS ONE, 2013, 8, e62208. | 1.1 | 30 |
| 1645 | Diacylglycerol Kinase Zeta Positively Controls the Development of iNKT-17 Cells. PLoS ONE, 2013, 8, e75202. | 1.1 | 4 |
| 1646 | Invariant NKT Cells Regulate the CD8 T Cell Response during Theiler's Virus Infection. PLoS ONE, 2014, 9, e87717. | 1.1 | 9 |
| 1647 | Potential Role of IL-17-Producing iNKT Cells in Type 1 Diabetes. PLoS ONE, 2014, 9, e96151. | 1.1 | 22 |
| 1648 | Innate-Like and Conventional T Cell Populations from Hemodialyzed and Kidney Transplanted Patients Are Equally Compromised. PLoS ONE, 2014, 9, e105422. | 1.1 | 18 |
| 1649 | Pharmacological Inhibition of the Chemokine CXCL16 Diminishes Liver Macrophage Infiltration and Steatohepatitis in Chronic Hepatic Injury. PLoS ONE, 2014, 9, e112327. | 1.1 | 63 |
| 1650 | T Cell Factor-1 Controls the Lifetime of CD4+ CD8+ Thymocytes In Vivo and Distal T Cell Receptor α -Chain Rearrangement Required for NKT Cell Development. PLoS ONE, 2014, 9, e115803. | 1.1 | 12 |
| 1651 | NKT cells contribute to basal IL-4 production but are not required to induce experimental asthma. PLoS ONE, 2017, 12, e0188221. | 1.1 | 14 |
| 1652 | ER stress in antigen-presenting cells promotes NKT cell activation through endogenous neutral lipids. EMBO Reports, 2020, 21, e48927. | 2.0 | 21 |
| 1653 | Predictive Role of Circulating Immune Cell Subtypes Early after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Acute Leukemia. International Journal of Stem Cells, 2019, 12, 73-83. | 0.8 | 23 |
| 1654 | Immunological Cells and Functions in Gaucher Disease. Critical Reviews in Oncogenesis, 2013, 18, 197-220. | 0.2 | 77 |
| 1655 | CD1d expression on chronic lymphocytic leukemia B cells affects disease progression and induces T cell skewing in CD8 positive and CD4CD8 double negative T cells. Oncotarget, 2016, 7, 49459-49469. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1656 | TIM-4 is expressed on invariant NKT cells but dispensable for their development and function. <i>Oncotarget</i> , 2016, 7, 71099-71111. | 0.8 | 7 |
| 1657 | Does an NKT-cell-based immunotherapeutic approach have a future in multiple myeloma?. <i>Oncotarget</i> , 2016, 7, 23128-23140. | 0.8 | 12 |
| 1658 | Analysis of Differentially Expressed Genes in Necrotic Enteritis-infected Fayoumi Chickens using RNA Sequencing. <i>Journal of Poultry Science</i> , 2017, 54, 121-133. | 0.7 | 5 |
| 1659 | Tweaking Î±-Galactoceramides: Probing the Dynamical Mechanisms of Improved Recognition for Invariant Natural Killer T-cell Receptor in Cancer Immunotherapeutics. <i>Current Pharmaceutical Biotechnology</i> , 2020, 21, 1354-1367. | 0.9 | 2 |
| 1660 | The Role of Natural Killer T Cells in Acute Kidney Injury: Angel or Evil?. <i>Current Protein and Peptide Science</i> , 2017, 18, 1200-1204. | 0.7 | 5 |
| 1661 | Mucosal Immunity in HIV/SIV Infection: T Cells, B Cells and Beyond. <i>Current Immunology Reviews</i> , 2019, 15, 63-75. | 1.2 | 13 |
| 1662 | Mechanisms of selfâ€“nonself discrimination and possible clinical relevance. <i>Immunotherapy</i> , 2009, 1, 631-644. | 1.0 | 11 |
| 1663 | Differential indirect activation of human invariant natural killer T cells by Toll-like receptor agonists. <i>Immunotherapy</i> , 2009, 1, 557-570. | 1.0 | 9 |
| 1664 | Influence of Natural Killer Cells and Natural Killer T Cells on Periodontal Disease: A Systematic Review of the Current Literature. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9766. | 1.8 | 12 |
| 1665 | Intrahepatic CD8+ lymphocyte trapping during tolerance induction using mushroom derived formulations: A possible role for liver in tolerance induction. <i>World Journal of Gastroenterology</i> , 2008, 14, 3872. | 1.4 | 5 |
| 1666 | Potential role of NKT regulatory cell ligands for the treatment of immune mediated colitis. <i>World Journal of Gastroenterology</i> , 2007, 13, 5799. | 1.4 | 15 |
| 1667 | Immunological changes in different patient populations with chronic hepatitis C virus infection. <i>World Journal of Gastroenterology</i> , 2016, 22, 4848. | 1.4 | 14 |
| 1668 | Deficiency of Mucosal-Associated Invariant T Cells in TCRÎ±18 Germline Knockout Mice. <i>ImmunoHorizons</i> , 2019, 3, 203-207. | 0.8 | 14 |
| 1669 | Regulatory T Cell Therapy for Autoimmune Disease. <i>Immune Network</i> , 2008, 8, 107. | 1.6 | 6 |
| 1670 | Immunotherapy in Cancer Treatment. <i>Open Journal of Medical Microbiology</i> , 2014, 04, 178-191. | 0.1 | 5 |
| 1671 | Syndecan-1-coating of interleukin-17-producing natural killer T cells provides a specific method for their visualization and analysis. <i>World Journal of Diabetes</i> , 2017, 8, 130. | 1.3 | 9 |
| 1672 | Immunotherapy for hepatocellular carcinoma: From basic research to clinical use. <i>World Journal of Hepatology</i> , 2015, 7, 980. | 0.8 | 35 |
| 1673 | An Emerging Role for Serine Protease Inhibitors in T Lymphocyte Immunity and Beyond. <i>ISRN Immunology</i> , 2012, 2012, 1-15. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1674 | The effect of intracellular trafficking of CD1d on the formation of TCR repertoire of NKT cells. <i>BMB Reports</i> , 2014, 47, 241-248. | 1.1 | 4 |
| 1675 | Intravascular Leukocyte Chemotaxis: The Rules of Attraction. , 0, , . | | 2 |
| 1676 | Tissue-resident natural killer (NK) cells are cell lineages distinct from thymic and conventional splenic NK cells. <i>ELife</i> , 2014, 3, e01659. | 2.8 | 478 |
| 1677 | Mycolic acid-specific T cells protect against <i>Mycobacterium tuberculosis</i> infection in a humanized transgenic mouse model. <i>ELife</i> , 2015, 4, . | 2.8 | 55 |
| 1678 | CCR7 defines a precursor for murine iNKT cells in thymus and periphery. <i>ELife</i> , 2018, 7, . | 2.8 | 77 |
| 1679 | The Role of Invariant Natural Killer T Cells in Cancer. <i>International Blood Research & Reviews</i> , 2013, 1, 44-71. | 0.1 | 1 |
| 1680 | The Current Landscape of NKT Cell Immunotherapy and the Hills Ahead. <i>Cancers</i> , 2021, 13, 5174. | 1.7 | 47 |
| 1682 | Natural Killer T Cells Regulate the Development of Asthma. , 2008, , 525-541. | | 0 |
| 1683 | Immunobiology of Transplantation. , 2008, , 39-54. | | 0 |
| 1684 | B Cell Helper Assays. <i>Methods in Molecular Biology</i> , 2009, 514, 15-26. | 0.4 | 1 |
| 1685 | Immune Cell Communication and Signaling Systems in Liver Disease. , 2010, , 117-146. | | 0 |
| 1686 | Natural killer T cell and pathophysiology of asthma. <i>Korean Journal of Pediatrics</i> , 2010, 53, 136. | 1.9 | 1 |
| 1688 | Structure and Recognition of Antigens for Invariant NKT Cells. , 2012, , 15-37. | | 0 |
| 1689 | NKT Cells of Cancer Patients and How Models Can Inform Therapeutic Plans. , 2012, , 129-151. | | 0 |
| 1690 | NKT Cell Activation During (Microbial) Infection. , 2012, , 39-68. | | 0 |
| 1691 | Innate Lymphocyte Effectors (Natural Killer, Natural Killer T and $\gamma\delta$ T Cells) in Infection and Myocarditis. , 0, , . | | 0 |
| 1693 | Anti-Inflammatory Intervention for Acute Liver Failure: Recent Patents and Future Targets. <i>Recent Patents on Biomarkers</i> , 2012, 2, 147-155. | 0.3 | 1 |
| 1695 | Other Sources of IL-17: iNKT Cells. , 2013, , 109-120. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1696 | Pivotal role of immune responses in hepatitis B virus infection, with special reference to NKT cells. <i>Acta Hepatologica Japonica</i> , 2013, 54, 7-18. | 0.0 | 0 |
| 1697 | Î±-Galactosyl Phytosphingosine 2,6-â€™-Diamide as an Inducer of Invariant Natural Killer T Cell. <i>Open Journal of Medicinal Chemistry</i> , 2013, 03, 55-59. | 0.7 | 0 |
| 1698 | Immune Cells in Adipose Tissue: Key Players in Metabolic Disorders. , 2013, , 231-246. | | 0 |
| 1699 | Core Concepts in Immunology. , 2014, , 11-26. | | 0 |
| 1700 | Innate immunity in asthma. <i>Allergy Asthma & Respiratory Disease</i> , 2014, 2, 317. | 0.3 | 1 |
| 1701 | Cancer Vaccines: Fundamentals and Strategies. <i>Advances in Delivery Science and Technology</i> , 2014, , 163-185. | 0.4 | 0 |
| 1702 | Obesity research: Status quo and future outlooks. <i>World Journal of Translational Medicine</i> , 2014, 3, 119. | 3.5 | 0 |
| 1703 | The Ontogeny of the Cells of the Innate and the Adaptive Immune System. , 0, , 21-39. | | 0 |
| 1705 | Sex and Gender Impact Lyme Disease Immunopathology, Diagnosis and Treatment. , 2015, , 337-360. | | 1 |
| 1708 | iNKT Cells in Lupus Development. <i>Lupus Open Access</i> , 2016, 01, . | 0.1 | 0 |
| 1709 | T-Lymphocytes. , 2016, , 167-198. | | 0 |
| 1710 | Elucidation and Control of the Mechanisms Underlying Chronic Inflammation Mediated by Invariant Natural Killer T Cells. , 2016, , 345-356. | | 0 |
| 1711 | TCR Affinity and Signaling during Thymocyte Selection. , 2016, , 242-248. | | 0 |
| 1712 | Production of the Semi-Invariant TCR and PLZF Function in Innate Programming of iNKT Cells. , 2016, , 218-224. | | 0 |
| 1713 | Network of Cells and Mediators of Innate and Adaptive Cutaneous Immunity. , 2017, , 1-11. | | 1 |
| 1714 | The Intestinal Microbiome, the Immune System and Spondyloarthritis. , 2017, , 145-165. | | 0 |
| 1715 | Diseases of the Immune System. , 0, , 112-112. | | 2 |
| 1719 | Mobile Innate Immune Cells. , 2018, , 115-158. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1720 | Role of Gut Microbiota in Immune Homeostasis. , 2018, , 135-154. | | 1 |
| 1722 | Immunologie de la sclérose en plaques. , 2019, , 151-198. | | 0 |
| 1723 | In Vitro Detection of Cellular Adjuvant Properties of Human Invariant Natural Killer T Cells. Methods in Molecular Biology, 2019, 2048, 121-130. | 0.4 | 0 |
| 1724 | Immunosenescence and Ageing in HIV. , 2019, , 1835-1864. | | 0 |
| 1725 | Heterogeneity of lymphocytes as central operating units of the immune system. Vnitri Lekarstvi, 2019, 65, 86-97. | 0.1 | 1 |
| 1726 | Principles of Immunotherapy. Current Clinical Neurology, 2020, , 17-42. | 0.1 | 1 |
| 1727 | INCREASE IN NKT CELLS – A MARKER OF EARLY PROGRESSING AT ADJUVANT VACCINOTHERAPY OF PATIENTS WITH A METASTATIC MELANOMA OF SKIN. , 2019, 18, 82-89. | 0.3 | 0 |
| 1729 | The impact of stress on the transcriptomic signature of iNKT1 cells. Biochemistry and Biophysics Reports, 2021, 28, 101163. | 0.7 | 0 |
| 1730 | Conventional and Unconventional Lymphocytes in Immunity Against Mycobacterium tuberculosis. , 2021, , 133-168. | | 0 |
| 1731 | The immune system and the microbiota: The two sides of mucosal tolerance. , 2022, , 297-315. | | 1 |
| 1732 | Identification of liver-specific CD24 + invariant NK T cells with low granzyme B production and high proliferative capacity. Journal of Leukocyte Biology, 2021, , . | 1.5 | 0 |
| 1734 | Role of NKT Cells in the Regulation of Ongoing Type 2 Immune Response. , 2009, , 151-165. | | 0 |
| 1736 | The Effects of Age on CD1d-restricted NKT-cells and Their Contribution to Peripheral T-cell Immunity. , 2009, , 561-569. | | 0 |
| 1737 | Adults from Kisumu, Kenya have robust T cell responses to Schistosoma mansoni, which are modulated by tuberculosis. PLoS Neglected Tropical Diseases, 2020, 14, e0008764. | 1.3 | 1 |
| 1738 | Failure of alpha-galactosylceramide to prevent diabetes in virus-inducible models of type 1 diabetes in the rat. In Vivo, 2009, 23, 195-201. | 0.6 | 4 |
| 1741 | Age-related Dysregulation of Inflammation and Innate Immunity: Lessons Learned from Rodent Models. , 2011, 2, 346-60. | | 32 |
| 1745 | T cell recognition of non-peptidic antigens in infectious diseases. Indian Journal of Medical Research, 2013, 138, 620-31. | 0.4 | 12 |
| 1747 | CAR-armed cell therapy for gliomas. American Journal of Cancer Research, 2019, 9, 2554-2566. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1749 | T lymphocytes in hepatocellular carcinoma immune microenvironment: insights into human immunology and immunotherapy. <i>American Journal of Cancer Research</i> , 2020, 10, 4585-4606. | 1.4 | 8 |
| 1750 | Antigens. , 2021, , . | | 0 |
| 1751 | Mechanisms of action of radon therapy on cytokine levels in normal mice and rheumatoid arthritis mouse model. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2022, 70, 154-159. | 0.6 | 3 |
| 1752 | Liver X receptors regulate natural killer T cell population and antitumor activity in the liver of mice. <i>Scientific Reports</i> , 2021, 11, 22595. | 1.6 | 2 |
| 1753 | Development of allogeneic HSC-engineered iNKT cells for off-the-shelf cancer immunotherapy. <i>Cell Reports Medicine</i> , 2021, 2, 100449. | 3.3 | 39 |
| 1754 | Imaging reveals novel innate immune responses in lung, liver, and beyond*. <i>Immunological Reviews</i> , 2021, , . | 2.8 | 10 |
| 1755 | iNKT subsets differ in their developmental and functional requirements on Foxo1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 4 |
| 1756 | Ets1 Promotes the Differentiation of Post-Selected iNKT Cells through Regulation of the Expression of VÎ±14JÎ±18 T Cell Receptor and PLZF. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12199. | 1.8 | 3 |
| 1757 | Identification of Non-classical Follicular T Cells. <i>Methods in Molecular Biology</i> , 2022, 2380, 77-84. | 0.4 | 0 |
| 1758 | Mettl14-Dependent M ⁶ A Modification Controls iNKT Cell Development and Function. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 1759 | Advances in NK cell production. <i>Cellular and Molecular Immunology</i> , 2022, 19, 460-481. | 4.8 | 20 |
| 1760 | Peripheral blood iNKT cell activation correlates with liver damage during acute hepatitis C. <i>JCI Insight</i> , 2022, 7, . | 2.3 | 4 |
| 1761 | InÂvivo availability of the cytokine IL-7 constrains the survival and homeostasis of peripheral iNKT cells. <i>Cell Reports</i> , 2022, 38, 110219. | 2.9 | 12 |
| 1762 | Fat and Protein Combat Triggers Immunological Weapons of Innate and Adaptive Immune Systems to Launch Neuroinflammation in Parkinsonâ€™s Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1089. | 1.8 | 4 |
| 1763 | Use of a Clostridioides difficile Murine Immunization and Challenge Model to Evaluate Single and Combination Vaccine Adjuvants Consisting of Alum and NKT Cell-Activating Ligands. <i>Frontiers in Immunology</i> , 2021, 12, 818734. | 2.2 | 3 |
| 1764 | The role of <sc>NK</sc> and <sc>NKT</sc> cells in the pathogenesis and improvement of multiple sclerosis following <sc>diseaseâ€modifying</sc> therapies. <i>Health Science Reports</i> , 2022, 5, e489. | 0.6 | 8 |
| 1765 | Type 2 Inflammation in Eosinophilic Esophagitis: From Pathophysiology to Therapeutic Targets. <i>Frontiers in Physiology</i> , 2021, 12, 815842. | 1.3 | 22 |
| 1766 | microRNA, a Subtle Indicator of Human Cytomegalovirus against Host Immune Cells. <i>Vaccines</i> , 2022, 10, 144. | 2.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1767 | The iNKT Cell-Macrophage Axis in Homeostasis and Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1640. | 1.8 | 11 |
| 1768 | Dysregulated Peripheral Invariant Natural Killer T Cells in Plaque Psoriasis Patients. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 799560. | 1.8 | 8 |
| 1769 | iNKT: A new avenue for CAR-based cancer immunotherapy. <i>Translational Oncology</i> , 2022, 17, 101342. | 1.7 | 14 |
| 1770 | Immunomodulatory potential of in vivo natural killer T (NKT) activation by NKTT320 in Mauritian-origin cynomolgus macaques. <i>IScience</i> , 2022, 25, 103889. | 1.9 | 2 |
| 1771 | Comprehensive Analysis of the ILCs and Unconventional T Cells in Virus Infection: Profiling and Dynamics Associated with COVID-19 Disease for a Future Monitoring System and Therapeutic Opportunities. <i>Cells</i> , 2022, 11, 542. | 1.8 | 7 |
| 1772 | An Objective Diagnosis Model with Integrated Metabolic and Immunity Parameters for Phlegm-Dampness Constitution. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-9. | 0.5 | 3 |
| 1773 | Early-life imprinting of unconventional T cells and tissue homeostasis. <i>Science</i> , 2021, 374, eabf0095. | 6.0 | 54 |
| 1774 | The Role of T Cells in Obesity-Associated Inflammation and Metabolic Disease. <i>Immune Network</i> , 2022, 22, e13. | 1.6 | 16 |
| 1776 | Browning Epicardial Adipose Tissue: Friend or Foe?. <i>Cells</i> , 2022, 11, 991. | 1.8 | 14 |
| 1777 | Development of off-the-shelf hematopoietic stem cell-engineered invariant natural killer T cells for COVID-19 therapeutic intervention. <i>Stem Cell Research and Therapy</i> , 2022, 13, 112. | 2.4 | 14 |
| 1778 | IL10 Secretion Endows Intestinal Human iNKT Cells with Regulatory Functions Towards Pathogenic T Lymphocytes. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 1461-1474. | 0.6 | 8 |
| 1779 | The impact of the gut microbiota on T cell ontogeny in the thymus. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 221. | 2.4 | 3 |
| 1781 | The Role of Type I and Type II NKT Cells in Materno-Fetal Immunity. <i>Biomedicines</i> , 2021, 9, 1901. | 1.4 | 7 |
| 1782 | Development of Stem Cell-Derived Immune Cells for Off-the-Shelf Cancer Immunotherapies. <i>Cells</i> , 2021, 10, 3497. | 1.8 | 12 |
| 1784 | Upregulation of Cytotoxic T-cells in pediatric patients with Gaucher disease. <i>Scientific Reports</i> , 2022, 12, 4977. | 1.6 | 5 |
| 1785 | Chemical Biology of GalCer: A Chemist's Toolbox for the Stimulation of Invariant Natural Killer T (iNKT) Cells. <i>European Journal of Organic Chemistry</i> , 2022, 2022, . | 1.2 | 8 |
| 1823 | Progranulin regulates the development and function of NKT2 cells through EZH2 and PLZF. <i>Cell Death and Differentiation</i> , 2022, 29, 1901-1912. | 5.0 | 3 |
| 1824 | The NOD Mouse Beyond Autoimmune Diabetes. <i>Frontiers in Immunology</i> , 2022, 13, 874769. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1825 | Adoptive Immunotherapy With Engineered iNKT Cells to Target Cancer Cells and the Suppressive Microenvironment. <i>Frontiers in Medicine</i> , 2022, 9, . | 1.2 | 15 |
| 1826 | Recent Advances in Solid Tumor CAR-T Cell Therapy: Driving Tumor Cells From Hero to Zero?. <i>Frontiers in Immunology</i> , 2022, 13, . | 2.2 | 31 |
| 1827 | Immunomodulatory functions of FXR. <i>Molecular and Cellular Endocrinology</i> , 2022, 551, 111650. | 1.6 | 22 |
| 1828 | Recent progress in synthetic self-adjuvanting vaccine development. <i>Biomaterials Science</i> , 2022, 10, 4037-4057. | 2.6 | 5 |
| 1829 | Interaction between Bacteria and the Immune System for Cancer Immunotherapy: The Î±-GalCer Alliance. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5896. | 1.8 | 5 |
| 1830 | Deconstructing iNKT cell development at single-cell resolution. <i>Trends in Immunology</i> , 2022, 43, 503-512. | 2.9 | 13 |
| 1831 | Redefining the Foreign Antigen and Self-Driven Memory CD4+ T-Cell Compartments via Transcriptomic, Phenotypic, and Functional Analyses. <i>Frontiers in Immunology</i> , 2022, 13, . | 2.2 | 6 |
| 1832 | Targeting Immunosuppressive Tumor-Associated Macrophages Using Innate T Cells for Enhanced Antitumor Reactivity. <i>Cancers</i> , 2022, 14, 2749. | 1.7 | 27 |
| 1833 | Immunomodulationâ€”What to Modulate and Why? Potential Immune Targets. <i>Frontiers in Dental Medicine</i> , 2022, 3, . | 0.5 | 1 |
| 1835 | Role of Sphingolipids in Multiple Myeloma Progression, Drug Resistance, and Their Potential as Therapeutic Targets. <i>Frontiers in Oncology</i> , 0, 12, . | 1.3 | 4 |
| 1836 | Re-programming mouse liver-resident invariant natural killer T cells for suppressing hepatic and diabetogenic autoimmunity. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 7 |
| 1837 | Liver Regeneration in Chronic Liver Injuries: Basic and Clinical Applications Focusing on Macrophages and Natural Killer Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 14, 971-981. | 2.3 | 5 |
| 1838 | Biological implications of mycobacterial lipids on NKT-cells stimulation. , 2022, , 163-183. | | 0 |
| 1839 | Intravital Imaging of Inflammatory Response in Liver Disease. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, . | 1.8 | 1 |
| 1840 | Innate and Adaptive Lymphocytes in Non-Tuberculous Mycobacteria Lung Disease: A Review. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 5 |
| 1841 | Pbrm1 intrinsically controls the development and effector differentiation of <scp>iNKT</scp> cells. <i>Journal of Cellular and Molecular Medicine</i> , 0, , . | 1.6 | 2 |
| 1842 | Innate and Innate-like Effector Lymphocytes in Health and Disease. <i>Journal of Immunology</i> , 2022, 209, 199-207. | 0.4 | 14 |
| 1843 | Impact of Anti-T-lymphocyte globulin dosing on GVHD and Immune reconstitution in matched unrelated myeloablative peripheral blood stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2022, 57, 1548-1555. | 1.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1844 | Tumor-Localized Administration of α -GalCer to Recruit Invariant Natural Killer T Cells and Enhance Their Antitumor Activity against Solid Tumors. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7547. | 1.8 | 7 |
| 1845 | A single-cell analysis of thymopoiesis and thymic iNKT cell development in pigs. <i>Cell Reports</i> , 2022, 40, 111050. | 2.9 | 10 |
| 1846 | Onco-immunomodulatory properties of pharmacological interference with RAS-RAF-MEK-ERK pathway hyperactivation. <i>Frontiers in Oncology</i> , 0, 12, . | 1.3 | 13 |
| 1847 | METTL14-dependent m6A modification controls iNKT cell development and function. <i>Cell Reports</i> , 2022, 40, 111156. | 2.9 | 10 |
| 1848 | Neuroendocrine regulations in tissue-specific immunity: From mechanism to applications in tumor. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, . | 1.8 | 2 |
| 1849 | A comparative study on roles of natural killer T cells in two diet-induced non-alcoholic steatohepatitis-related fibrosis in mice. <i>Annals of Medicine</i> , 2022, 54, 2232-2244. | 1.5 | 7 |
| 1850 | Single-cell analysis reveals differences among iNKT cells colonizing peripheral organs and identifies Klf2 as a key gene for iNKT emigration. <i>Cell Discovery</i> , 2022, 8, . | 3.1 | 5 |
| 1851 | TET proteins regulate T cell and iNKT cell lineage specification in a TET2 catalytic dependent manner. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 6 |
| 1852 | Lymphatic migration of unconventional T α cells promotes site-specific immunity in distinct lymph nodes. <i>Immunity</i> , 2022, 55, 1813-1828.e9. | 6.6 | 23 |
| 1853 | Evaluating α -galactosylceramide as an adjuvant for live attenuated influenza vaccines in pigs. <i>Animal Diseases</i> , 2022, 2, . | 0.6 | 3 |
| 1854 | Off-the-shelf third-party HSC-engineered iNKT cells for ameliorating GvHD while preserving GvL effect in the treatment of blood cancers. <i>IScience</i> , 2022, 25, 104859. | 1.9 | 13 |
| 1856 | Identification of T cell antigens in the 21st century, as difficult as ever. <i>Seminars in Immunology</i> , 2022, 60, 101659. | 2.7 | 0 |
| 1857 | A New iNKT-Cell Agonist-Adjuvanted SARS-CoV-2 Subunit Vaccine Elicits Robust Neutralizing Antibody Responses. <i>ACS Infectious Diseases</i> , 2022, 8, 2161-2170. | 1.8 | 1 |
| 1859 | The role of polyamine metabolism in remodeling immune responses and blocking therapy within the tumor immune microenvironment. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 15 |
| 1860 | Engagement with the TCR induces plasticity in antigenic ligands bound to MHC class I and CD1 molecules. <i>International Immunology</i> , 0, , . | 1.8 | 0 |
| 1861 | Obesity Programs Macrophages to Support Cancer Progression. <i>Cancer Research</i> , 2022, 82, 4303-4312. | 0.4 | 10 |
| 1862 | Demonstration of the Antitumor Activity of the iNKT Agonist ABX196, a Novel Enhancer of Cancer Immunotherapy, in Melanoma and Hepatocarcinoma Mouse Models. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 1788-1797. | 1.9 | 0 |
| 1864 | New insights into iNKT cells and their roles in liver diseases. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1865 | Regulation of T cell repertoires by commensal microbiota. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 12, . | 1.8 | 6 |
| 1866 | Metabolic signatures of immune cells in chronic kidney disease. <i>Expert Reviews in Molecular Medicine</i> , 2022, 24, . | 1.6 | 6 |
| 1867 | A circulating subset of iNKT cells mediates antitumor and antiviral immunity. <i>Science Immunology</i> , 2022, 7, . | 5.6 | 15 |
| 1868 | Multiplexed high-throughput immune cell imaging reveals molecular health-associated phenotypes. <i>Science Advances</i> , 2022, 8, . | 4.7 | 13 |
| 1869 | Diversity-Oriented Synthesis of a Molecular Library of Immunomodulatory $\hat{I}\pm$ -Galactosylceramides with Fluorous-Tag-Assisted Purification and Evaluation of Their Bioactivities in Regard to IL-2 Secretion. <i>International Journal of Molecular Sciences</i> , 2022, 23, 13403. | 1.8 | 0 |
| 1870 | Characterization of a Glycolipid Synthase Producing $\hat{I}\pm$ -Galactosylceramide in <i>Bacteroides fragilis</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 13975. | 1.8 | 0 |
| 1871 | Cell-based therapy in prophylaxis and treatment of chronic graft-versus-host disease. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 4 |
| 1872 | Vitamin D role in hepatitis B: focus on immune system and genetics mechanism. <i>Heliyon</i> , 2022, 8, e11569. | 1.4 | 4 |
| 1873 | A Simplified Approach to Evaluating T Cell Development by Flow Cytometry. <i>Methods in Molecular Biology</i> , 2023, , 131-149. | 0.4 | 2 |
| 1874 | Natural killer T cells and other innate-like T \hat{A} lymphocytes as emerging platforms for allogeneic cancer cell therapy. <i>Blood</i> , 2023, 141, 869-876. | 0.6 | 14 |
| 1875 | PD-1 expression, among other immune checkpoints, on tumor-infiltrating NK and NKT cells is associated with longer disease-free survival in treatment-na \hat{A} ve CRC patients. <i>Cancer Immunology, Immunotherapy</i> , 0, , . | 2.0 | 3 |
| 1876 | SFRP4+IGFBP5hi NKT cells induced neural-like cell differentiation to contribute to adenomyosis pain. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 1 |
| 1877 | Maladaptive consequences of inflammatory events shape individual immune identity. <i>Nature Immunology</i> , 2022, 23, 1675-1686. | 7.0 | 5 |
| 1879 | Role of NKT cells in cancer immunotherapy“from bench to bed. , 2023, 40, . | | 3 |
| 1880 | Obeticholic acid and 5 \hat{I} 2-cholanic acid 3 exhibit anti-tumor effects on liver cancer through CXCL16/CXCR6 pathway. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 7 |
| 1881 | A therapeutic vaccine strategy to prevent <i>Pneumocystis pneumonia</i> in an immunocompromised host in a non-human primate model of HIV and <i>Pneumocystis</i> co-infection. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 2 |
| 1882 | Mass Spectrometry Defines Lysophospholipids as Ligands for Chicken MHCY Class I Molecules. <i>Journal of Immunology</i> , 2023, 210, 96-102. | 0.4 | 0 |
| 1883 | Immunomodulatory Functions of $\hat{I}\pm$ -GalCer and a Derivative, $\hat{I}\pm$ -Carba-GalCer. <i>Methods in Molecular Biology</i> , 2023, , 1-11. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1884 | CD8 and CD4 Positive NKT Subpopulations and Immune-Checkpoint Pathways in Early-Onset Preeclampsia and Healthy Pregnancy. <i>International Journal of Molecular Sciences</i> , 2023, 24, 1390. | 1.8 | 0 |
| 1885 | TET Proteins in the Spotlight: Emerging Concepts of Epigenetic Regulation in T Cell Biology. <i>ImmunoHorizons</i> , 2023, 7, 106-115. | 0.8 | 0 |
| 1886 | Primary Culture of Immunological Cells. , 2023, , 381-457. | | 0 |
| 1887 | Vam6 reduces iNKT cell function in tumor via modulating AMPK/mTOR pathways. <i>Frontiers in Immunology</i> , 0, 13, . | 2.2 | 2 |
| 1888 | NKT cell: Success and promises in transplantation and immunotherapy. , 2023, , 385-401. | | 0 |
| 1889 | Tissue-specific metabolic profile drives iNKT cell function during obesity and liver injury. <i>Cell Reports</i> , 2023, 42, 112035. | 2.9 | 3 |
| 1890 | Decoding the role of immune T cells: A new territory for improvement of metabolic-associated fatty liver disease. , 0, , . | | 1 |
| 1891 | The potential role of m6A modifications on immune cells and immunotherapy. <i>Biomedicine and Pharmacotherapy</i> , 2023, 160, 114343. | 2.5 | 5 |
| 1892 | TGF- β 2 Regulation of T Cells. <i>Annual Review of Immunology</i> , 2023, 41, 483-512. | 9.5 | 21 |
| 1893 | Racing CARs to veterinary immuno-oncology. <i>Frontiers in Veterinary Science</i> , 0, 10, . | 0.9 | 0 |
| 1894 | Graft-versus-Host Disease Modulation by Innate T Cells. <i>International Journal of Molecular Sciences</i> , 2023, 24, 4084. | 1.8 | 1 |
| 1895 | The cytokine receptor DR3 identifies and promotes the activation of thymic NKT17 cells. <i>Cellular and Molecular Life Sciences</i> , 2023, 80, . | 2.4 | 3 |
| 1896 | The role of innate lymphocytes in regulating brain and cognitive function. <i>Neurobiology of Disease</i> , 2023, 179, 106061. | 2.1 | 2 |
| 1897 | Innate-like T lymphocytes in chronic liver disease. <i>Frontiers in Immunology</i> , 0, 14, . | 2.2 | 2 |
| 1898 | Potent NKT cell ligands overcome SARS-CoV-2 immune evasion to mitigate viral pathogenesis in mouse models. <i>PLoS Pathogens</i> , 2023, 19, e1011240. | 2.1 | 6 |
| 1899 | Recent Advances in the Synthesis and Application of C-2-Formyl Glycals. <i>Synthesis</i> , 2024, 56, 890-905. | 1.2 | 1 |
| 1900 | Epigenetic control of CD1D expression as a mechanism of resistance to immune checkpoint therapy in poorly immunogenic melanomas. <i>Frontiers in Immunology</i> , 0, 14, . | 2.2 | 2 |
| 1901 | Synthesis and Biological Evaluation of Peptide-Adjuvant Conjugate Vaccines with Increasing Antigen Content. <i>Bioconjugate Chemistry</i> , 0, , . | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1902 | Dysfunction of circulating CD3 ⁺ CD56 ⁺ NKT-like cells in type 2 diabetes mellitus. International Journal of Medical Sciences, 2023, 20, 652-662. | 1.1 | 3 |
| 1903 | Discovery of cellular and genetic signatures of immune tolerance in kidney transplant recipients through single cell RNA sequencing analysis. Hla, 2023, 102, 316-330. | 0.4 | 1 |
| 1905 | Markers and makers of NKT17 cells. Experimental and Molecular Medicine, 2023, 55, 1090-1098. | 3.2 | 3 |
| 1919 | Immune-checkpoint expression in antigen-presenting cells (APCs) of cytomegalovirus infection after transplantation: as a diagnostic biomarker. Archives of Microbiology, 2023, 205, . | 1.0 | 1 |
| 1939 | Novel and emerging tests for food allergy. , 2023, , . | | 0 |
| 1940 | The Role of Innate T Cells in Cancer. , 2024, , 1-18. | | 0 |
| 1961 | Control of the Development, Distribution, and Function of Innate-Like Lymphocytes and Innate Lymphoid Cells by the Tissue Microenvironment. Advances in Experimental Medicine and Biology, 2024, , 111-127. | 0.8 | 0 |