

Petrogenesis of Early Cretaceous adakitic granites from

Journal of Volcanology and Geothermal Research

167, 134-159

DOI: [10.1016/j.jvolgeores.2007.07.002](https://doi.org/10.1016/j.jvolgeores.2007.07.002)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A pseudo adakite derived from partial melting of tonalitic to granodioritic crust, Kyushu, southwest Japan arc. <i>Lithos</i> , 2009, 112, 615-625.	0.6	80
2	Genetic link between EMI and EMII: An adakite connection. <i>Lithos</i> , 2009, 112, 591-602.	0.6	18
3	Arc Basalt Simulator version 2, a simulation for slab dehydration and fluid-fluxed mantle melting for arc basalts: Modeling scheme and application. <i>Geochemistry, Geophysics, Geosystems</i> , 2009, 10, .	1.0	76
4	Formation and evolution of silicic magma plumbing system: Petrology of the volcanic rocks of Usu volcano, Hokkaido, Japan. <i>Journal of Volcanology and Geothermal Research</i> , 2010, 196, 185-207.	0.8	20
5	K ⁴⁰ Ar age and geochemistry of the SW Japan Paleogene cauldron cluster: Implications for Eocene-Oligocene thermo-tectonic reactivation. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 509-533.	1.0	55
6	Hf isotope and REE compositions of zircon from jadeitite (Tone, Japan and north of the Motagua fault.) <i>Tectonophysics</i> , 2012, 24, 263-275.	0.4	34
7	Folding of granite and Cretaceous exhumation associated with regional-scale flexural slip folding and ridge subduction, Kitakami zone, northeast Japan. <i>Journal of Asian Earth Sciences</i> , 2012, 59, 85-98.	1.0	12
8	Melting of crustal rocks as a possible origin for Middle Miocene to Quaternary rhyolites of northeast Hokkaido, Japan: Constraints from Sr and Nd isotopes and major- and trace-element chemistry. <i>Journal of Volcanology and Geothermal Research</i> , 2012, 221-222, 52-70.	0.8	10
9	Petrogenesis of Middle Miocene Primitive Basalt, Andesite and Garnet-bearing Adakitic Rhyodacite from the Ryozen Formation: Implications for the Tectono-magmatic Evolution of the NE Japan Arc. <i>Journal of Petrology</i> , 2013, 54, 2413-2454.	1.1	25
10	Origin of Late Oligocene to Middle Miocene Adakitic Andesites, High Magnesian Andesites and Basalts from the Back-arc Margin of the SW and NE Japan Arcs. <i>Journal of Petrology</i> , 2013, 54, 481-524.	1.1	23
11	Episodic magmatism at 105 Ma in the Kinki district, SW Japan: Petrogenesis of Nb-rich lamprophyres and adakites, and geodynamic implications. <i>Lithos</i> , 2014, 184-187, 105-131.	0.6	47
12	Adakites in the Truong Son and Loei fold belts, Thailand and Laos: Genesis and implications for geodynamics and metallogeny. <i>Gondwana Research</i> , 2014, 26, 165-184.	3.0	126
13	Neoproterozoic felsic volcanic rocks from the Shimoga greenstone belt, Dharwar Craton, India: Geochemical fingerprints of crustal growth at an active continental margin. <i>Precambrian Research</i> , 2014, 252, 1-21.	1.2	55
14	Repeated magmatism at 34Ma and 23-20Ma producing high magnesian adakitic andesites and transitional basalts on southern Okushiri Island, NE Japan arc. <i>Lithos</i> , 2014, 205, 60-83.	0.6	9
15	Tectonic constraints to Cretaceous magmatic arc deduced from detrital heavy minerals in northeastern Japan - evidence from detrital garnets, tourmalines and chromian spinels. <i>Cretaceous Research</i> , 2014, 48, 39-53.	0.6	8
16	U-Pb geochronology and geochemistry of Bibi-Maryam pluton, eastern Iran: Implication for the late stage of the tectonic evolution of the Sistan Ocean. <i>Lithos</i> , 2014, 200-201, 197-211.	0.6	26
17	Timing of Archean crust formation and cratonization in the Awsard-Tichla zone of the NW Reguibat Rise, West African Craton: A SHRIMP, Nd-Sr isotopes, and geochemical reconnaissance study. <i>Precambrian Research</i> , 2014, 242, 112-137.	1.2	41
18	Early Cretaceous adakitic magmatism and tectonics in the Kitakami Mountains, Japan. <i>Gansekigaku</i> , 2015, 44, 69-90.	0.1	13

#	ARTICLE	IF	CITATIONS
19	Pan-African adakitic rocks of the north Arabian–Nubian Shield: petrological and geochemical constraints on the evolution of the Dokhan volcanics in the north Eastern Desert of Egypt. <i>International Journal of Earth Sciences</i> , 2015, 104, 541-563.	0.9	15
20	Geochemistry and zircon U–Pb geochronology of granitic rocks in the Buqingshan tectonic mélange belt, northern Tibet Plateau, China and its implications for Prototethyan evolution. <i>Journal of Asian Earth Sciences</i> , 2015, 105, 374-389.	1.0	39
21	Genesis of adakitic granitoids by partial melting of thickened lower crust and its implications for early crustal growth: A case study from the Huichizi pluton, Qinling orogen, central China. <i>Lithos</i> , 2015, 238, 1-12.	0.6	64
22	Zircon U–Pb ages and petrogenesis of a tonalite–trondhjemite–granodiorite (TTG) complex in the northern Sanandaj–Sirjan zone, northwest Iran: Evidence for Late Jurassic arc–continent collision. <i>Lithos</i> , 2015, 216-217, 178-195.	0.6	58
23	Age Spectra of Detrital Zircons from Shallow Marine Cretaceous in Southern Kanto, SW Japan: Change in Composition of Fore-arc Sandstones in Response to the Rejuvenation of Provenance Crust. <i>Journal of Geography (Chigaku Zasshi)</i> , 2016, 125, 353-380.	0.1	16
24	U–Pb ages of zircons from Mesozoic intrusive rocks in the Yanbian area, Jilin Province, NE China: Transition of the Paleo-Asian oceanic regime to the circum-Pacific tectonic regime. <i>Journal of Asian Earth Sciences</i> , 2017, 143, 171-190.	1.0	55
25	Geochemical characteristics and petrogenesis of adakites in the Sikhote-Alin area, Russian Far East. <i>Journal of Asian Earth Sciences</i> , 2017, 145, 512-529.	1.0	34
26	Deep crustal and uppermost mantle lithology of Island Arcs. <i>Journal of the Geological Society of Japan</i> , 2017, 123, 355-364.	0.2	3
27	Why No Porphyry Copper Deposits in Japan and South Korea?. <i>Resource Geology</i> , 2018, 68, 107-125.	0.3	32
28	Porphyry Copper Potential in Japan Based on Magmatic Oxidation State. <i>Resource Geology</i> , 2018, 68, 126-137.	0.3	23
29	Subduction history of the Paleo-Pacific slab beneath Eurasian continent: Mesozoic-Paleogene magmatic records in Northeast Asia. <i>Science China Earth Sciences</i> , 2018, 61, 527-559.	2.3	194
30	Granites of Japan. <i>Journal of the Geological Society of Japan</i> , 2018, 124, 603-625.	0.2	15
31	The Cretaceous Turn of Geological Evolution: Key Evidence from East Asia. <i>Acta Geologica Sinica</i> , 2018, 92, 1991-2003.	0.8	8
32	Continental Arc and Back-Arc Migration in Eastern NE China: New Constraints on Cretaceous Paleo-Pacific Subduction and Rollback. <i>Tectonics</i> , 2018, 37, 3893-3915.	1.3	41
33	Permian adakitic magmatism in the Khanui Group, Northern Mongolia – Late Paleozoic slab-melting of subducted oceanic plate beneath the Siberian continent. <i>Journal of Geodynamics</i> , 2018, 121, 49-63.	0.7	5
34	Whole-rock geochemical compositions of igneous-origin rocks from the 1:200,000, Hiroo Quadrangle and related area. <i>Bulletin of the Geological Survey of Japan</i> , 2018, 69, 47-79.	0.1	4
35	Trace elemental and Sr-Nd-Hf isotopic compositions, and U-Pb ages for the Kitakami adakitic plutons: Insights into interactions with the early Cretaceous TRT triple junction offshore Japan. <i>Journal of Asian Earth Sciences</i> , 2019, 184, 103968.	1.0	16
36	Multistage structural deformations of a superimposed basin system and its tectonic response to regional geological evolution: A case study from the Late Jurassic-Early Cretaceous Tanan depression, Hailar-Tamtsag basin. <i>Marine and Petroleum Geology</i> , 2019, 110, 1-20.	1.5	21

#	ARTICLE	IF	CITATIONS
37	Mapping method of rainfall-induced landslide hazards by infiltration and slope stability analysis. <i>Landslides</i> , 2021, 18, 2039-2057.	2.7	20
38	A major change in magma sources in late Mesozoic active margin of the circum-Pacific Sea of Japan domain: Geochemical constraints from late Paleozoic to Paleogene mafic dykes in the Sergeevka belt, southern Primorye, Russia. <i>Island Arc</i> , 2021, 30, e12426.	0.5	3
39	Granitic rocks. , 0, , 251-272.		16
40	Spatial variation of Sr-Nd-Hf isotopic compositions in from Cretaceous to Paleogene granitoids from Northeastern Japan Arc. <i>Ganseki Kobutsu Kagaku</i> , 2015, 44, 91-111.	0.1	5
41	Zircon U-Pb age and its geological significance of late Carboniferous and Early Cretaceous adakitic granites from eastern margin of the Abukuma Mountains, Japan. <i>Journal of the Geological Society of Japan</i> , 2014, 120, 37-51.	0.2	19
42	Paleogene adakitic rhyolite to high-Mg andesites and Early Cretaceous adakitic zoned plutons in the Kitakami Mountains, Japan. <i>Journal of the Geological Society of Japan</i> , 2008, 114, S159-S179.	0.2	0
43	Late Carboniferous and Early Cretaceous adakitic granites from eastern margin of the Abukuma Mountains. <i>Journal of the Geological Society of Japan</i> , 2013, 119, S154-S167.	0.2	4
44	Kyanite-bearing tonalites from Cape Hinode, East Antarctica: with special reference to those occurring close to calc-silicate blocks. <i>Ganseki Kobutsu Kagaku</i> , 2014, 43, 203-214.	0.1	0
45	Felsic lower crust and orthopyroxenitic mantle beneath the Kitakami Mountains, Japan: Evidence for slab melting in the Cretaceous. <i>Ganseki Kobutsu Kagaku</i> , 2014, 43, 100-107.	0.1	2
46	Special Issue "Japanese granites and tectonics"; Preface. <i>Ganseki Kobutsu Kagaku</i> , 2014, 43, 67-70.	0.1	0
47	Intra-oceanic arc accretion along Northeast Asia during Early Cretaceous provides a plate tectonic context for North China craton destruction. <i>Earth-Science Reviews</i> , 2022, 226, 103952.	4.0	16
48	Permian-Triassic adakitic igneous activity at Northern Mongolia: Implication for Permian-Triassic subduction system at the Siberian continental margin. <i>Journal of Geodynamics</i> , 2022, 151, 101918.	0.7	2
49	Late Paleozoic to early Mesozoic tectonic evolution of Japan based on crystal morphologies and U-Pb ages of detrital zircons from the middle Permian sedimentary succession, Maizuru Belt, Southwest Japan. <i>Journal of Asian Earth Sciences</i> , 2022, , 105349.	1.0	0
50	Development of Open Transport of Aqueous Fluid from Pegmatite Revealed by Trace Elements in Garnet. <i>Geofluids</i> , 2022, 2022, 1-21.	0.3	1
51	Assimilation of lower-crustal dunite xenoliths into adakite-related felsic magma: New insights into the production of bajaitic high-Mg andesites. <i>Journal of Asian Earth Sciences</i> , 2023, 249, 105613.	1.0	0
52	Zircon U-Pb-Hf Isotopes and Whole-rock Geochemistry of Rhyolite and Tuff from the Harachiyama Formation, North Kitakami Mountains, NE Japan. <i>Journal of Geography (Chigaku Zasshi)</i> , 2023, 132, 57-65.	0.1	1