

CITATION REPORT

List of articles citing

PLINK: a tool set for whole-genome association and population-based linkage analyses

DOI: 10.1086/519795

American Journal of Human Genetics, 2007, 81, 559-75.

Source: <https://exaly.com/paper-pdf/42099310/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2261	Variation in the life-span of clones derived from human diploid cell strains. 1974 , 62, 48-53		256
2260	Common polymorphisms in the cannabinoid CB2 receptor gene (CNR2) are not associated with myocardial infarction and cardiovascular risk factors. 1998 , 22, 165		
2259	Association of genetic variants of vit D binding protein (DBP/GC) and of the enzyme catalyzing its 25-hydroxylation (DCYP2R1) and serum vit D in postmenopausal women. 2014 , 13, 345-52		12
2258	Chronic inflammation in fat plays a crucial role in the development of obesity-related insulin resistance. 2003 , 112, 1821-1830		4446
2257	A study on the outcome of percutaneous transluminal renal angioplasty in patients with renal failure. 2006 , 104, c132-42		4
2256	The FCRL3 -169T>C polymorphism is associated with rheumatoid arthritis and shows suggestive evidence of involvement with juvenile idiopathic arthritis in a Scandinavian panel of autoimmune diseases. 2008 , 67, 1287-91		24
2255	Identification of type 2 diabetes genes in Mexican Americans through genome-wide association studies. 2007 , 56, 3033-44		105
2254	Identification of two independent risk factors for lupus within the MHC in United Kingdom families. 2007 , 3, e192		122
2253	A genome-wide association study of sporadic ALS in a homogenous Irish population. 2008 , 17, 768-74		151
2252	Variants in a novel epidermal collagen gene (COL29A1) are associated with atopic dermatitis. 2007 , 5, e242		135
2251	TRAF1-C5 as a risk locus for rheumatoid arthritis--a genomewide study. 2007 , 357, 1199-209		655
2250	Insulin gene mutations as a cause of permanent neonatal diabetes. 2007 , 104, 15040-4		426
2249	Confirmation study of prostate cancer risk variants at 8q24 in African Americans identifies a novel risk locus. 2007 , 17, 1717-22		104
2248	Psoriasis is associated with pleiotropic susceptibility loci identified in type II diabetes and Crohn disease. 2008 , 45, 114-6		104
2247	Successful design and conduct of genome-wide association studies. 2007 , 16 Spec No. 2, R220-5		61
2246	Genetics of sporadic amyotrophic lateral sclerosis. 2007 , 16 Spec No. 2, R233-42		125
2245	Association between SORL1 and Alzheimer's disease in a genome-wide study. 2007 , 18, 1761-4		76

2244	Re: The use of the femtosecond laser in penetrating keratoplasty. 2007 , 144, 975-6	2
2243	LOXL1 mutations are associated with exfoliation syndrome in patients from the midwestern United States. 2007 , 144, 974-975	101
2242	The autoimmune disease-associated IL12B and IL23R polymorphisms in multiple sclerosis. 2007 , 68, 934-7	29
2241	Brain expressed microRNAs implicated in schizophrenia etiology. 2007 , 2, e873	210
2240	Efficient mapping of mendelian traits in dogs through genome-wide association. 2007 , 39, 1321-8	398
2239	A survey of genetic human cortical gene expression. 2007 , 39, 1494-9	413
2238	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. 2007 , 39, 1329-37	1130
2237	Two independent alleles at 6q23 associated with risk of rheumatoid arthritis. 2007 , 39, 1477-82	449
2236	A common variant of HMGA2 is associated with adult and childhood height in the general population. 2007 , 39, 1245-50	330
2235	A second generation human haplotype map of over 3.1 million SNPs. 2007 , 449, 851-61	3647
2234	ITPR2 as a susceptibility gene in sporadic amyotrophic lateral sclerosis: a genome-wide association study. 2007 , 6, 869-77	168
2233	Common genetic variation in eight genes of the GH/IGF1 axis does not contribute to adult height variation. 2007 , 122, 129-39	51
2232	(iii) Whole-genome association studies of complex diseases. 2008 , 22, 251-258	2
2231	Lack of association of genetic variants in the LRP8 gene with familial and sporadic myocardial infarction. 2008 , 86, 1163-70	4
2230	Genetic analysis of recently identified type 2 diabetes loci in 1,638 unselected patients with type 2 diabetes and 1,858 control participants from a Norwegian population-based cohort (the HUNT study). 2008 , 51, 971-7	76
2229	Family-based analysis of vitamin D receptor gene polymorphisms and type 1 diabetes in the population of South Croatia. 2008 , 53, 210-214	15
2228	Further examination of the candidate genes in chromosome 12p13 locus for late-onset Alzheimer disease. 2008 , 9, 127-38	23
2227	Association analyses of the interaction between the ADSS and ATM genes with schizophrenia in a Chinese population. 2008 , 9, 119	11

2226	N-acetyltransferase 8, a positional candidate for blood pressure and renal regulation: resequencing, association and in silico study. 2008 , 9, 25	17
2225	Novel de novo BRCA2 mutation in a patient with a family history of breast cancer. 2008 , 9, 58	32
2224	Association of ABCB1 genetic variants with renal function in Africans and in Caucasians. 2008 , 1, 21	12
2223	A genome-wide association study for late-onset Alzheimer's disease using DNA pooling. 2008 , 1, 44	133
2222	A hierarchical and modular approach to the discovery of robust associations in genome-wide association studies from pooled DNA samples. 2008 , 9, 6	17
2221	Methodological quality of pharmacogenetic studies: issues of concern. 2008 , 27, 6547-69	59
2220	Association of HPC2/ELAC2 and RNASEL non-synonymous variants with prostate cancer risk in African American familial and sporadic cases. 2008 , 68, 1790-7	31
2219	Discovery of genetic profiles impacting response to chemotherapy: application to gemcitabine. 2008 , 29, 461-7	17
2218	Investigation of associations between the pregnane-X receptor gene (NR112) and Crohn's disease in Canadian children using a gene-wide haplotype-based approach. 2008 , 14, 1214-8	10
2217	Population differences in the International Multi-Centre ADHD Gene Project. 2008 , 32, 98-107	16
2216	Genome-wide association study of rheumatoid arthritis in the Spanish population: KLF12 as a risk locus for rheumatoid arthritis susceptibility. 2008 , 58, 2275-86	88
2215	The protein tyrosine phosphatase N22 gene is associated with juvenile and adult idiopathic inflammatory myopathy independent of the HLA 8.1 haplotype in British Caucasian patients. 2008 , 58, 3247-54	46
2214	Analysis of five single nucleotide polymorphisms in the ESR1 gene in cryptorchidism. 2008 , 82, 482-5	15
2213	Linkage analysis of attention deficit hyperactivity disorder. 2008 , 147B, 1387-91	42
2212	Parent of origin effects in attention/deficit hyperactivity disorder (ADHD): analysis of data from the international multicenter ADHD genetics (IMAGE) program. 2008 , 147B, 1495-500	22
2211	Do mood symptoms subdivide the schizophrenia phenotype? Association of the GMP6A gene with a depression subgroup. 2008 , 147B, 707-11	46
2210	Association analysis of schizophrenia on 18 genes involved in neuronal migration: MDGA1 as a new susceptibility gene. 2008 , 147B, 1089-100	90
2209	An analysis of candidate autism loci on chromosome 2q24-q33: evidence for association to the STK39 gene. 2008 , 147B, 1152-8	43

2208	Comprehensive analysis of tagging sequence variants in DTNBP1 shows no association with schizophrenia or with its composite neurocognitive endophenotypes. 2008 , 147B, 1159-66		31
2207	Family based association study of pediatric bipolar disorder and the dopamine transporter gene (SLC6A3). 2008 , 147B, 1182-5		35
2206	The positives, protocols, and perils of genome-wide association. 2008 , 147B, 1288-94		34
2205	Neurotransmission and bipolar disorder: a systematic family-based association study. 2008 , 147B, 1270-7		22
2204	A searchable database of genetic evidence for psychiatric disorders. 2008 , 147B, 671-5		30
2203	Non-random error in genotype calling procedures: implications for family-based and case-control genome-wide association studies. 2008 , 147B, 1379-86		8
2202	Genome-wide association study of response to methylphenidate in 187 children with attention-deficit/hyperactivity disorder. 2008 , 147B, 1412-8		81
2201	Genome-wide association scan of attention deficit hyperactivity disorder. 2008 , 147B, 1337-44		201
2200	Genome-wide association scan of quantitative traits for attention deficit hyperactivity disorder identifies novel associations and confirms candidate gene associations. 2008 , 147B, 1345-54		299
2199	Sexually dimorphic effects of four genes (COMT, SLC6A2, MAOA, SLC6A4) in genetic associations of ADHD: a preliminary study. 2008 , 147B, 1511-8		76
2198	(ii) Family-based linkage and case control association studies. 2008 , 22, 245-250		2
2197	The HBS1L-MYB intergenic region on chromosome 6q23 is a quantitative trait locus controlling fetal haemoglobin level in carriers of beta-thalassaemia. 2008 , 45, 745-51		37
2196	Three genome-wide association studies and a linkage analysis identify HERC2 as a human iris color gene. <i>American Journal of Human Genetics</i> , 2008 , 82, 411-23	11	183
2195	Response to Macgregor. <i>American Journal of Human Genetics</i> , 2008 , 82, 799-800	11	3
2194	Optimal two-stage testing for family-based genome-wide association studies. <i>American Journal of Human Genetics</i> , 2008 , 82, 797-9; author reply 799-800	11	6
2193	Identification of CC2D2A as a Meckel syndrome gene adds an important piece to the ciliopathy puzzle. <i>American Journal of Human Genetics</i> , 2008 , 82, 1361-7	11	116
2192	WW-domain-containing oxidoreductase is associated with low plasma HDL-C levels. <i>American Journal of Human Genetics</i> , 2008 , 83, 180-92	11	41
2191	Genome-wide SNP-based linkage scan identifies a locus on 8q24 for an age-related hearing impairment trait. <i>American Journal of Human Genetics</i> , 2008 , 83, 401-7	11	50

2190	The Population Reference Sample, POPRES: a resource for population, disease, and pharmacological genetics research. <i>American Journal of Human Genetics</i> , 2008 , 83, 347-58	11	238
2189	Runs of homozygosity in European populations. <i>American Journal of Human Genetics</i> , 2008 , 83, 359-72	11	624
2188	Japanese population structure, based on SNP genotypes from 7003 individuals compared to other ethnic groups: effects on population-based association studies. <i>American Journal of Human Genetics</i> , 2008 , 83, 445-56	11	281
2187	Population-based genome-wide association studies reveal six loci influencing plasma levels of liver enzymes. <i>American Journal of Human Genetics</i> , 2008 , 83, 520-8	11	336
2186	The genome-wide patterns of variation expose significant substructure in a founder population. <i>American Journal of Human Genetics</i> , 2008 , 83, 787-94	11	116
2185	Predicting the number and sizes of IBD regions among family members and evaluating the family size requirement for linkage studies. 2008 , 16, 1535-43		8
2184	The success of the genome-wide association approach: a brief story of a long struggle. 2008 , 16, 554-64		85
2183	EVI5 is a risk gene for multiple sclerosis. 2008 , 9, 334-7		64
2182	Comprehensive association study of genetic variants in the IL-1 gene family in systemic juvenile idiopathic arthritis. 2008 , 9, 349-57		51
2181	Genomewide association for schizophrenia in the CATIE study: results of stage 1. 2008 , 13, 570-84		308
2180	Rare chromosomal deletions and duplications increase risk of schizophrenia. 2008 , 455, 237-41		1251
2179	Genes mirror geography within Europe. 2008 , 456, 98-101		1014
2178	Study of genetic variation in the STAT3 on obesity and insulin resistance in male adults. 2008 , 16, 1702-7		9
2177	Newly identified genetic risk variants for celiac disease related to the immune response. 2008 , 40, 395-402		524
2176	SLC2A9 is a newly identified urate transporter influencing serum urate concentration, urate excretion and gout. 2008 , 40, 437-42		563
2175	Genome-wide association scan of tag SNPs identifies a susceptibility locus for lung cancer at 15q25.1. 2008 , 40, 616-22		1036
2174	Genome-wide association analysis identifies 20 loci that influence adult height. 2008 , 40, 575-83		654
2173	Identification of ten loci associated with height highlights new biological pathways in human growth. 2008 , 40, 584-91		482

2172	Genome-wide association defines more than 30 distinct susceptibility loci for Crohn's disease. 2008 , 40, 955-62	2092
2171	Collaborative genome-wide association analysis supports a role for ANK3 and CACNA1C in bipolar disorder. 2008 , 40, 1056-8	949
2170	Integrated genotype calling and association analysis of SNPs, common copy number polymorphisms and rare CNVs. 2008 , 40, 1253-60	656
2169	Six new loci associated with blood low-density lipoprotein cholesterol, high-density lipoprotein cholesterol or triglycerides in humans. 2008 , 40, 189-97	1108
2168	Leader of the pack: gene mapping in dogs and other model organisms. 2008 , 9, 713-25	194
2167	Further evidence of association between two NET single-nucleotide polymorphisms with ADHD. 2008 , 13, 624-30	45
2166	Genome-wide association in bipolar. 2008 , 13, 1-2	20
2165	Whole-genome association study of bipolar disorder. 2008 , 13, 558-69	571
2164	Alpha-5/alpha-3 nicotinic receptor subunit alleles increase risk for heavy smoking. 2008 , 13, 368-73	402
2163	PROC, PROCR and PROS1 polymorphisms, plasma anticoagulant phenotypes, and risk of cardiovascular disease and mortality in older adults: the Cardiovascular Health Study. 2008 , 6, 1625-32	42
2162	Polymorphisms in the PTPN22 region are associated with psoriasis of early onset. 2008 , 158, 962-8	33
2161	Goldsurfer2 (Gs2): a comprehensive tool for the analysis and visualization of genome wide association studies. 2008 , 9, 138	8
2160	SNPAnalyzer 2.0: a web-based integrated workbench for linkage disequilibrium analysis and association analysis. 2008 , 9, 290	78
2159	PRESTO: rapid calculation of order statistic distributions and multiple-testing adjusted P-values via permutation for one and two-stage genetic association studies. 2008 , 9, 309	36
2158	HAPSIMU: a genetic simulation platform for population-based association studies. 2008 , 9, 331	8
2157	SNPFile--a software library and file format for large scale association mapping and population genetics studies. 2008 , 9, 526	4
2156	AWclust: point-and-click software for non-parametric population structure analysis. 2008 , 9, 77	54
2155	A method for detecting epistasis in genome-wide studies using case-control multi-locus association analysis. 2008 , 9, 360	57

2154	OpenADAM: an open source genome-wide association data management system for Affymetrix SNP arrays. 2008 , 9, 636		8
2153	Refining genetic associations in multiple sclerosis. 2008 , 7, 567-9		83
2152	Association of vitamin D receptor gene 3'-variants with Hashimoto's thyroiditis in the Croatian population. 2008 , 35, 125-31		51
2151	The SH2D2A gene and susceptibility to multiple sclerosis. 2008 , 197, 152-8		13
2150	Specificity of the STAT4 genetic association for severe disease manifestations of systemic lupus erythematosus. 2008 , 4, e1000084		154
2149	Association of systemic lupus erythematosus with C8orf13-BLK and ITGAM-ITGAX. 2008 , 358, 900-9		727
2148	An association study of ADSS gene polymorphisms with schizophrenia. 2008 , 4, 39		0
2147	Combined functional and positional gene information for the identification of susceptibility variants in celiac disease. 2008 , 134, 738-46		13
2146	No evidence in a large UK collection for celiac disease risk variants reported by a Spanish study. 2008 , 134, 1629-30; author reply 1630-1		2
2145	Reply. 2008 , 134, 1630-1631		1
2144	Genetic variants in major histocompatibility complex-linked genes associate with pediatric liver transplant rejection. 2008 , 135, 830-9, 839.e1-10		20
2143	Genome-wide association analysis in sarcoidosis and Crohn's disease unravels a common susceptibility locus on 10p12.2. 2008 , 135, 1207-15		66
2142	Neuregulin 3 genetic variations and susceptibility to schizophrenia in a Chinese population. 2008 , 64, 1093-6		37
2141	The influence of genetic variation in 30 selected genes on the clinical characteristics of early onset breast cancer. 2008 , 10, R108		42
2140	Consistently replicating locus linked to migraine on 10q22-q23. <i>American Journal of Human Genetics</i> , 2008 , 82, 1051-63	11	36
2139	Loci related to metabolic-syndrome pathways including LEPR, HNF1A, IL6R, and GCKR associate with plasma C-reactive protein: the Women's Genome Health Study. <i>American Journal of Human Genetics</i> , 2008 , 82, 1185-92	11	273
2138	Genetic variants in STAT3 are associated with nonalcoholic fatty liver disease. 2008 , 44, 201-6		44
2137	Bone mineral density, osteoporosis, and osteoporotic fractures: a genome-wide association study. 2008 , 371, 1505-12		538

2136	Association of three genetic loci with uric acid concentration and risk of gout: a genome-wide association study. 2008 , 372, 1953-61	520
2135	A canine DNM1 mutation is highly associated with the syndrome of exercise-induced collapse. 2008 , 40, 1235-9	46
2134	Whole population, genome-wide mapping of hidden relatedness. 2009 , 19, 318-26	326
2133	A common haplotype within the PON1 promoter region is associated with sporadic ALS. 2008 , 9, 306-14	30
2132	A binary format for genetic data designed for large whole genome studies that enable both marker and strand based analyses. 2008 ,	
2131	A multimodality ICA study - integrating genomic single nucleotide polymorphisms with functional neuroimaging data. 2008 ,	1
2130	Common variation in the fat mass and obesity-associated (FTO) gene confers risk of obesity and modulates BMI in the Chinese population. 2008 , 57, 2245-52	179
2129	Genetic association studies. 2008 , 118, 96-101	62
2128	A deletion in nephronophthisis 4 (NPHP4) is associated with recessive cone-rod dystrophy in standard wire-haired dachshund. 2008 , 18, 1415-21	65
2127	Molecular amino acid signatures in the MHC class II peptide-binding pocket predispose to autoimmune thyroiditis in humans and in mice. 2008 , 105, 14034-9	77
2126	WFS1 mutations are frequent monogenic causes of juvenile-onset diabetes mellitus in Lebanon. 2008 , 17, 4012-21	40
2125	Functional polymorphisms in the BRCA1 promoter influence transcription and are associated with decreased risk for breast cancer in Chinese women. 2009 , 46, 32-9	24
2124	Linkage and association analyses of longitudinally measured lipid phenotypes in adolescence. 2008 , 11, 603-20	3
2123	Genomewide association analysis followed by a replication study implicates a novel candidate gene for neuroticism. 2008 , 65, 1062-71	109
2122	Evaluating the role of LPIN1 variation in insulin resistance, body weight, and human lipodystrophy in U.K. Populations. 2008 , 57, 2527-33	40
2121	Sequencing analysis of OMI/HTRA2 shows previously reported pathogenic mutations in neurologically normal controls. 2008 , 17, 1988-93	98
2120	Clinical review: the genetics of type 2 diabetes: a realistic appraisal in 2008. 2008 , 93, 4633-42	90
2119	Advances in family-based association analysis. Introduction. 2008 , 66, 65-6	3

2118	A human type 1 diabetes susceptibility locus maps to chromosome 21q22.3. 2008 , 57, 2858-61	85
2117	African genetic diversity: implications for human demographic history, modern human origins, and complex disease mapping. 2008 , 9, 403-33	472
2116	Polymorphisms of the IL1-receptor antagonist gene (IL1RN) are associated with multiple markers of systemic inflammation. 2008 , 28, 1407-12	64
2115	Evaluation of the association of IGF2BP2 variants with type 2 diabetes in French Caucasians. 2008 , 57, 1992-6	23
2114	DNA polymorphisms at the BCL11A, HBS1L-MYB, and beta-globin loci associate with fetal hemoglobin levels and pain crises in sickle cell disease. 2008 , 105, 11869-74	428
2113	Pharmacogenetic analysis of genes implicated in rodent models of antidepressant response: association of TREK1 and treatment resistance in the STAR(*)D study. 2008 , 33, 2810-9	89
2112	Novel association of ABO histo-blood group antigen with soluble ICAM-1: results of a genome-wide association study of 6,578 women. 2008 , 4, e1000118	230
2111	Phylogenetic dependency networks: inferring patterns of CTL escape and codon covariation in HIV-1 Gag. 2008 , 4, e1000225	98
2110	Novel association of HK1 with glycated hemoglobin in a non-diabetic population: a genome-wide evaluation of 14,618 participants in the Women's Genome Health Study. 2008 , 4, e1000312	77
2109	A candidate gene approach identifies the CHRNA5-A3-B4 region as a risk factor for age-dependent nicotine addiction. 2008 , 4, e1000125	214
2108	Common missense variant in the glucokinase regulatory protein gene is associated with increased plasma triglyceride and C-reactive protein but lower fasting glucose concentrations. 2008 , 57, 3112-21	223
2107	Association of a polymorphism in the lipin 1 gene with systolic blood pressure in men. 2008 , 21, 539-45	26
2106	Polymorphisms in CLEC16A and CIITA at 16p13 are associated with primary adrenal insufficiency. 2008 , 93, 3310-7	96
2105	Genetic analysis of human traits in vitro: drug response and gene expression in lymphoblastoid cell lines. 2008 , 4, e1000287	182
2104	Tree-guided Bayesian inference of population structures. 2008 , 24, 965-71	6
2103	Analysis and application of European genetic substructure using 300 K SNP information. 2008 , 4, e4	199
2102	A genome-wide association study of psoriasis and psoriatic arthritis identifies new disease loci. 2008 , 4, e1000041	503
2101	Is mate choice in humans MHC-dependent?. 2008 , 4, e1000184	115

2100	Effect of polymorphisms within probe-target sequences on oligonucleotide microarray experiments. 2008 , 36, 4417-23	55
2099	Chromosome 6p22 locus associated with clinically aggressive neuroblastoma. 2008 , 358, 2585-93	224
2098	Genetic loci associated with plasma concentration of low-density lipoprotein cholesterol, high-density lipoprotein cholesterol, triglycerides, apolipoprotein A1, and Apolipoprotein B among 6382 white women in genome-wide analysis with replication. 2008 , 1, 21-30	103
2097	Estimation of pairwise identity by descent from dense genetic marker data in a population sample of haplotypes. 2008 , 178, 2123-32	47
2096	Variants of the interferon regulatory factor 5 gene regulate expression of IRF5 mRNA in atherosclerotic tissue but are not associated with myocardial infarction. 2008 , 28, 975-82	9
2095	AMBIENCE: a novel approach and efficient algorithm for identifying informative genetic and environmental associations with complex phenotypes. 2008 , 180, 1191-210	37
2094	Practical aspects of imputation-driven meta-analysis of genome-wide association studies. 2008 , 17, R122-8	423
2093	Family-based association study of lithium-related and other candidate genes in bipolar disorder. 2008 , 65, 53-61	52
2092	MicroRNA regulation and the variability of human cortical gene expression. 2008 , 36, 4621-8	26
2091	Accounting for ancestry: population substructure and genome-wide association studies. 2008 , 17, R143-50	265
2090	Strong evidence that GNB1L is associated with schizophrenia. 2008 , 17, 555-66	58
2089	Bioinformatics for Geneticists: A Bioinformatics Primer for the Analysis of Genetic Data. 2008 , 1, 153-153	
2088	Comprehensive evaluation of the genetic variants of interferon regulatory factor 5 (IRF5) reveals a novel 5 bp length polymorphism as strong risk factor for systemic lupus erythematosus. 2008 , 17, 872-81	158
2087	Lack of replication of association between GIGYF2 variants and Parkinson disease. 2009 , 18, 341-6	47
2086	Identification of a common variant at the NOS1AP locus strongly associated to QT-interval duration. 2009 , 18, 347-57	47
2085	Identification of ZNF313/RNF114 as a novel psoriasis susceptibility gene. 2008 , 17, 1938-45	151
2084	Association of rs2200733 at 4q25 with atrial flutter/fibrillation diseases in an Italian population. 2008 , 94, 1394-6	45
2083	No significant association of 14 candidate genes with schizophrenia in a large European ancestry sample: implications for psychiatric genetics. 2008 , 165, 497-506	287

2082	A high-density association screen of 155 ion transport genes for involvement with common migraine. 2008 , 17, 3318-31	73
2081	Association studies of common variants in 10 hypogonadotropic hypogonadism genes with age at menarche. 2008 , 93, 4290-8	48
2080	SLCO1B1 variants and statin-induced myopathy--a genomewide study. 2008 , 359, 789-99	1567
2079	Polymorphisms in the vascular endothelial growth factor gene and the risk of familial endometriosis. 2008 , 14, 531-8	37
2078	Shared Genomics: Accessible High Performance Computing for Genomic Medical Research. 2008 ,	0
2077	The environmental genome project: reference polymorphisms for drug metabolism genes and genome-wide association studies. 2008 , 40, 241-61	25
2076	Association between PPARalpha gene polymorphisms and myocardial infarction. 2008 , 115, 301-8	13
2075	Genetic associations with thalidomide mediated venous thrombotic events in myeloma identified using targeted genotyping. 2008 , 112, 4924-34	59
2074	Genetic variants of Clock transcription factor are associated with individual susceptibility to obesity. 2008 , 87, 1606-15	184
2073	SLC2A9 is a high-capacity urate transporter in humans. 2008 , 5, e197	254
2072	Association analysis of the FTO gene with obesity in children of Caucasian and African ancestry reveals a common tagging SNP. 2008 , 3, e1746	161
2071	Association of common polymorphisms in GLUT9 gene with gout but not with coronary artery disease in a large case-control study. 2008 , 3, e1948	64
2070	Genome-wide analysis of single nucleotide polymorphisms uncovers population structure in Northern Europe. 2008 , 3, e3519	94
2069	Analyses and comparison of accuracy of different genotype imputation methods. 2008 , 3, e3551	100
2068	Analysis of East Asia genetic substructure using genome-wide SNP arrays. 2008 , 3, e3862	87
2067	Association of LOXL1 gene polymorphisms with pseudoexfoliation in the Japanese. 2008 , 49, 3976-80	89
2066	A simple method for assessing the strength of evidence for association at the level of the whole gene. 2008 , 1, 115-20	20
2065	An analysis pipeline for genome-wide association studies. 2008 , 6, 455-61	1

2064	Association of HMGA2 Gene Variation with Height in Specific Pediatric Age Categories. 2008 , 1, GEI.S944	1
2063	Linkage of a mild late-onset phenotype of Fuchs corneal dystrophy to a novel locus at 5q33.1-q35.2. 2009 , 50, 5667-71	69
2062	Candidate Gene and Genome-Wide Association Studies. 1-19	
2061	Genome-wide association study of determinants of anti-cyclic citrullinated peptide antibody titer in adults with rheumatoid arthritis. 2009 , 15, 136-43	26
2060	Chromosome 5p Region SNPs Are Associated with Risk of NSCLC among Women. 2009 , 2009, 242151	24
2059	Genome-wide association study of anthropometric traits in Korcula Island, Croatia. 2009 , 50, 7-16	27
2058	Testing for genetic association taking into account phenotypic information of relatives. 2009 , 3 Suppl 7, S123	15
2057	Development and characterization of a high density SNP genotyping assay for cattle. 2009 , 4, e5350	666
2056	Association and mutation analyses of 16p11.2 autism candidate genes. 2009 , 4, e4582	68
2055	Genetic variation and population substructure in outbred CD-1 mice: implications for genome-wide association studies. 2009 , 4, e4729	94
2054	Mitochondrial variants in schizophrenia, bipolar disorder, and major depressive disorder. 2009 , 4, e4913	158
2053	Genome-wide association study of young-onset hypertension in the Han Chinese population of Taiwan. 2009 , 4, e5459	51
2052	Variation in CH13LI in relation to type 2 diabetes and related quantitative traits. 2009 , 4, e5469	9
2051	Genetic structure of Europeans: a view from the North-East. 2009 , 4, e5472	237
2050	A kinship-based modification of the armitage trend test to address hidden population structure and small differential genotyping errors. 2009 , 4, e5825	24
2049	The type 2 diabetes associated minor allele of rs2237895 KCNQ1 associates with reduced insulin release following an oral glucose load. 2009 , 4, e5872	40
2048	Targeting 160 candidate genes for blood pressure regulation with a genome-wide genotyping array. 2009 , 4, e6034	89
2047	The relationship of DNA methylation with age, gender and genotype in twins and healthy controls. 2009 , 4, e6767	262

2046	Fidelity of SNP array genotyping using Epstein Barr virus-transformed B-lymphocyte cell lines: implications for genome-wide association studies. 2009 , 4, e6915	30
2045	Genetic variants of the alpha-synuclein gene SNCA are associated with multiple system atrophy. 2009 , 4, e7114	130
2044	Genetic variation and recent positive selection in worldwide human populations: evidence from nearly 1 million SNPs. 2009 , 4, e7888	104
2043	European population genetic substructure: further definition of ancestry informative markers for distinguishing among diverse European ethnic groups. 2009 , 15, 371-83	68
2042	Complex population structure in African village dogs and its implications for inferring dog domestication history. 2009 , 106, 13903-8	119
2041	Genome-wide association analysis reveals a SOD1 mutation in canine degenerative myelopathy that resembles amyotrophic lateral sclerosis. 2009 , 106, 2794-9	171
2040	Automated high-dimensional flow cytometric data analysis. 2009 , 106, 8519-24	303
2039	Visual exploration of genetic association with voxel-based imaging phenotypes in an MCI/AD study. 2009 , 2009, 3849-52	2
2038	Family-based genome-wide association studies. 2009 , 10, 181-90	53
2037	Variants of the elongator protein 3 (ELP3) gene are associated with motor neuron degeneration. 2009 , 18, 472-81	421
2036	Methods for optimizing statistical analyses in pharmacogenomics research. 2009 , 2, 559-570	8
2035	Genome-wide strategies for discovering genetic influences on cognition and cognitive disorders: methodological considerations. 2009 , 14, 391-418	83
2034	Common and different genetic background for rheumatoid arthritis and coeliac disease. 2009 , 18, 4195-203	109
2033	Finding common susceptibility variants for complex disease: past, present and future. 2009 , 8, 345-52	17
2032	Nonmetric multidimensional scaling corrects for population structure in association mapping with different sample types. 2009 , 182, 875-88	89
2031	Confirmation of multiple risk Loci and genetic impacts by a genome-wide association study of type 2 diabetes in the Japanese population. 2009 , 58, 1690-9	196
2030	Genomewide association study of an AIDS-nonprogression cohort emphasizes the role played by HLA genes (ANRS Genomewide Association Study 02). 2009 , 199, 419-26	196
2029	Population-based genomewide genetic analysis of common clinical chemistry analytes. 2009 , 55, 39-51	9

2028	Identification of IRAK1 as a risk gene with critical role in the pathogenesis of systemic lupus erythematosus. 2009 , 106, 6256-61	193
2027	Association of FOXO3A variation with human longevity confirmed in German centenarians. 2009 , 106, 2700-5	454
2026	A two-stage genome-wide association study of sporadic amyotrophic lateral sclerosis. 2009 , 18, 1524-32	91
2025	Software engineering the mixed model for genome-wide association studies on large samples. 2009 , 10, 664-75	50
2024	Genome-wide association scan for diabetic nephropathy susceptibility genes in type 1 diabetes. 2009 , 58, 1403-10	227
2023	Reduced-function SLC22A1 polymorphisms encoding organic cation transporter 1 and glycemic response to metformin: a GoDARTS study. 2009 , 58, 1434-9	132
2022	Sensible Initialization Using Expert Knowledge for Genome-Wide Analysis of Epistasis Using Genetic Programming. 2009 , 2009, 1289-1296	12
2021	Examination of type 2 diabetes loci implicates CDKAL1 as a birth weight gene. 2009 , 58, 2414-8	52
2020	Pharmacogenetic pathway analysis for determination of sunitinib-induced toxicity. 2009 , 27, 4406-12	161
2019	Follow-up analysis of genome-wide association data identifies novel loci for type 1 diabetes. 2009 , 58, 290-5	112
2018	Genome-wide association study identifies NRG1 as a susceptibility locus for Hirschsprung's disease. 2009 , 106, 2694-9	146
2017	Analysis of genomic diversity in Mexican Mestizo populations to develop genomic medicine in Mexico. 2009 , 106, 8611-6	267
2016	HGVbaseG2P: a central genetic association database. 2009 , 37, D797-802	51
2015	Path: a tool to facilitate pathway-based genetic association analysis. 2009 , 25, 2444-6	15
2014	Whole genome association study in a homogenous population in Shandong peninsula of China reveals JARID2 as a susceptibility gene for schizophrenia. 2009 , 2009, 536918	26
2013	Replication of genetic associations with plasma lipoprotein traits in a multiethnic sample. 2009 , 50, 1487-96	50
2012	Moderation of antidepressant response by the serotonin transporter gene. 2009 , 195, 30-8	124
2011	Replication of restless legs syndrome loci in three European populations. 2009 , 46, 315-8	70

2010	A common variant in low-density lipoprotein receptor-related protein 6 gene (LRP6) is associated with LDL-cholesterol. 2009 , 29, 1316-21	33
2009	Global distribution of genomic diversity underscores rich complex history of continental human populations. 2009 , 19, 795-803	129
2008	Genomewide association study of a rapid progression cohort identifies new susceptibility alleles for AIDS (ANRS Genomewide Association Study 03). 2009 , 200, 1194-201	88
2007	Generating linkage mapping files from Affymetrix SNP chip data. 2009 , 25, 1961-2	52
2006	Pre-B-cell leukemia homeobox 1 (PBX1) shows functional and possible genetic association with bone mineral density variation. 2009 , 18, 679-87	26
2005	Support for the involvement of large copy number variants in the pathogenesis of schizophrenia. 2009 , 18, 1497-503	346
2004	Association of the thyroid stimulating hormone receptor gene (TSHR) with Graves' disease. 2009 , 18, 1704-13	107
2003	Investigating the genetic association between ERAP1 and ankylosing spondylitis. 2009 , 18, 4204-12	110
2002	Genetic association analysis with FAMHAP: a major program update. 2009 , 25, 134-6	56
2001	A multivariate test of association. 2009 , 25, 132-3	165
2000	GWAS GUI: graphical browser for the results of whole-genome association studies with high-dimensional phenotypes. 2009 , 25, 284-5	8
1999	Association of TRPV4 gene polymorphisms with chronic obstructive pulmonary disease. 2009 , 18, 2053-62	87
1998	Increase of rejection rate in case-control studies with the differential genotyping error rates. 2009 , 8, Article25	18
1997	Interaction effect of genetic polymorphisms in glucokinase (GCK) and glucokinase regulatory protein (GCKR) on metabolic traits in healthy Chinese adults and adolescents. 2009 , 58, 765-9	51
1996	Common variation at the adiponectin locus is not associated with colorectal cancer risk in the UK. 2009 , 18, 1889-92	29
1995	Identification of AF4/FMR2 family, member 3 (AFF3) as a novel rheumatoid arthritis susceptibility locus and confirmation of two further pan-autoimmune susceptibility genes. 2009 , 18, 2518-22	70
1994	Elevated plasma level of soluble F11 receptor/junctional adhesion molecule-A (F11R/JAM-A) in hypertension. 2009 , 22, 500-5	24
1993	Detecting interactions in association studies by using simple allele recoding. 2009 , 67, 69-75	5

1992	Using allele sharing distance for detecting human population stratification. 2009 , 68, 182-91	39
1991	A large-scale association study to assess the impact of known variants of the human INHA gene on premature ovarian failure. 2009 , 24, 2023-8	26
1990	Genome-wide association database developed in the Japanese Integrated Database Project. 2009 , 54, 543-6	19
1989	PKNOX2 gene is significantly associated with substance dependence in European-origin women. 2009 ,	
1988	Novel sequence variations in the brain-derived neurotrophic factor gene and association with major depression and antidepressant treatment response. 2009 , 66, 488-97	137
1987	A genomewide association study of response to lithium for prevention of recurrence in bipolar disorder. 2009 , 166, 718-25	121
1986	Genome-wide linkage and follow-up association study of postpartum mood symptoms. 2009 , 166, 1229-37	68
1985	Systematic haplotype analysis resolves a complex plasma plant sterol locus on the Micronesian Island of Kosrae. 2009 , 106, 13886-91	20
1984	Evaluation of genetic loci influencing adult height in the Japanese population. 2009 , 54, 749-52	22
1983	Transforming growth factor-beta receptor-3 is associated with pulmonary emphysema. 2009 , 41, 324-31	33
1982	Identification of novel genes that mediate innate immunity using inbred mice. 2009 , 183, 1535-44	51
1981	Multi-ethnic genetic association study of carotid intima-media thickness using a targeted cardiovascular SNP microarray. 2009 , 40, 3173-9	29
1980	Genetic analysis of coronary artery disease single-nucleotide polymorphisms in diabetic nephropathy. 2009 , 24, 2473-6	5
1979	Strong evidence for a novel schizophrenia risk locus on chromosome 1p31.1 in homogeneous pedigrees from Tamil Nadu, India. 2009 , 166, 206-15	18
1978	Genetic utility of broadly defined bipolar schizoaffective disorder as a diagnostic concept. 2009 , 195, 23-9	76
1977	Familial and phenotypic associations of the aldosterone Renin ratio. 2009 , 94, 4324-33	38
1976	Human glucocorticoid receptor alpha gene (NR3C1) pharmacogenomics: gene resequencing and functional genomics. 2009 , 94, 3072-84	29
1975	A single nucleotide polymorphism on exon-4 of the gene encoding PPARDelta is associated with reduced height in adults and children. 2009 , 94, 2587-93	12

1974	Evidence for association between polycystic ovary syndrome (PCOS) and TCF7L2 and glucose intolerance in women with PCOS and TCF7L2. 2009 , 94, 2617-25	49
1973	The role of genetic variation in the lamin a/c gene in the etiology of polycystic ovary syndrome. 2009 , 94, 2665-9	11
1972	Dopamine D1 receptor (DRD1) genetic polymorphism: pleiotropic effects on heritable renal traits. 2009 , 76, 1070-80	10
1971	AssociationViewer: a scalable and integrated software tool for visualization of large-scale variation data in genomic context. 2009 , 25, 662-3	3
1970	INTERSNP: genome-wide interaction analysis guided by a priori information. 2009 , 25, 3275-81	116
1969	Association study between single-nucleotide polymorphisms in 199 drug-related genes and commonly measured quantitative traits of 752 healthy Japanese subjects. 2009 , 54, 317-23	9
1968	A haplotype containing quantitative trait loci for SLC1A1 gene expression and its association with obsessive-compulsive disorder. 2009 , 66, 408-16	111
1967	Power of selective genotyping in genome-wide association studies of quantitative traits. 2009 , 3 Suppl 7, S23	11
1966	Genome-wide association analyses identify SPOCK as a key novel gene underlying age at menarche. 2009 , 5, e1000420	55
1965	Rapid and accurate multiple testing correction and power estimation for millions of correlated markers. 2009 , 5, e1000456	132
1964	A flexible and accurate genotype imputation method for the next generation of genome-wide association studies. 2009 , 5, e1000529	2866
1963	Genetic analysis of variation in human meiotic recombination. 2009 , 5, e1000648	121
1962	From disease association to risk assessment: an optimistic view from genome-wide association studies on type 1 diabetes. 2009 , 5, e1000678	150
1961	Comparison of methods for correcting population stratification in a genome-wide association study of rheumatoid arthritis: principal-component analysis versus multidimensional scaling. 2009 , 3 Suppl 7, S109	45
1960	Detecting gene-by-smoking interactions in a genome-wide association study of early-onset coronary heart disease using random forests. 2009 , 3 Suppl 7, S88	13
1959	A genome-wide association analysis identified a novel susceptible locus for pathological myopia at 11q24.1. 2009 , 5, e1000660	105
1958	Genome-wide association study for empirically derived metabolic phenotypes in the Framingham Heart Study offspring cohort. 2009 , 3 Suppl 7, S53	9
1957	Comprehensive linkage and association analyses identify haplotype, near to the TNFSF15 gene, significantly associated with spondyloarthritis. 2009 , 5, e1000528	47

1956	Effects of covariates and interactions on a genome-wide association analysis of rheumatoid arthritis. 2009 , 3 Suppl 7, S84	12
1955	High-density SNP screening of the major histocompatibility complex in systemic lupus erythematosus demonstrates strong evidence for independent susceptibility regions. 2009 , 5, e1000696	91
1954	Genome-wide association and linkage analysis of quantitative traits: comparison of likelihood-ratio test and conditional score statistic. 2009 , 3 Suppl 7, S100	1
1953	Principal-component-based population structure adjustment in the North American Rheumatoid Arthritis Consortium data: impact of single-nucleotide polymorphism set and analysis method. 2009 , 3 Suppl 7, S108	6
1952	Adjusting for HLA-DRbeta1 in a genome-wide association analysis of rheumatoid arthritis and related biomarkers. 2009 , 3 Suppl 7, S12	1
1951	Pathway-based analysis of a genome-wide case-control association study of rheumatoid arthritis. 2009 , 3 Suppl 7, S128	12
1950	Elastic-net regularization approaches for genome-wide association studies of rheumatoid arthritis. 2009 , 3 Suppl 7, S25	39
1949	Replication of recently identified associated single-nucleotide polymorphisms from six autoimmune diseases in Genetic Analysis Workshop 16 rheumatoid arthritis data. 2009 , 3 Suppl 7, S31	6
1948	Genome-wide association studies using single-nucleotide polymorphisms versus haplotypes: an empirical comparison with data from the North American Rheumatoid Arthritis Consortium. 2009 , 3 Suppl 7, S35	22
1947	Non-redundant summary scores applied to the North American Rheumatoid Arthritis Consortium dataset. 2009 , 3 Suppl 7, S39	0
1946	Assessment of genotype imputation methods. 2009 , 3 Suppl 7, S5	26
1945	Predictive modeling in case-control single-nucleotide polymorphism studies in the presence of population stratification: a case study using Genetic Analysis Workshop 16 Problem 1 dataset. 2009 , 3 Suppl 7, S60	6
1944	Single versus multiple imputation for genotypic data. 2009 , 3 Suppl 7, S7	1
1943	Incorporating biological knowledge in the search for gene x gene interaction in genome-wide association studies. 2009 , 3 Suppl 7, S81	2
1942	Identification of a shared genetic susceptibility locus for coronary heart disease and periodontitis. 2009 , 5, e1000378	162
1941	Identification of the UBP1 locus as a critical blood pressure determinant using a combination of mouse and human genetics. 2009 , 5, e1000591	45
1940	Multiple Loci within the major histocompatibility complex confer risk of psoriasis. 2009 , 5, e1000606	110
1939	Transmission-ratio distortion in the Framingham Heart Study. 2009 , 3 Suppl 7, S51	14

1938	Novel single nucleotide polymorphism associations with colorectal cancer on chromosome 8q24 in African and European Americans. 2009 , 30, 1353-7	31
1937	A variant in the gene FUT9 is associated with susceptibility to placental malaria infection. 2009 , 18, 3136-44	9
1936	Genetic and clinical predictors of sexual dysfunction in citalopram-treated depressed patients. 2009 , 34, 1819-28	78
1935	Genome-wide approaches to identify pharmacogenetic contributions to adverse drug reactions. 2009 , 9, 23-33	79
1934	NRXN3 is a novel locus for waist circumference: a genome-wide association study from the CHARGE Consortium. 2009 , 5, e1000539	203
1933	Genome-wide analysis of haplotype interaction for the data from the North American Rheumatoid Arthritis Consortium. 2009 , 3 Suppl 7, S34	7
1932	Genome-wide association analysis of cardiovascular-related quantitative traits in the Framingham Heart Study. 2009 , 3 Suppl 7, S117	8
1931	Evaluation of genetic risk scores for lipid levels using genome-wide markers in the Framingham Heart Study. 2009 , 3 Suppl 7, S46	24
1930	Comparative analysis of different approaches for dealing with candidate regions in the context of a genome-wide association study. 2009 , 3 Suppl 7, S93	4
1929	Tissue effect on genetic control of transcript isoform variation. 2009 , 5, e1000608	44
1928	Identifying association under a previous linkage peak on chromosome 16 for body mass index using cross-sectional and longitudinal data of the Framingham Heart Study. 2009 , 3 Suppl 7, S101	1
1927	Effect of population stratification on the identification of significant single-nucleotide polymorphisms in genome-wide association studies. 2009 , 3 Suppl 7, S13	10
1926	Genetics Analysis Workshop 16 Problem 2: the Framingham Heart Study data. 2009 , 3 Suppl 7, S3	45
1925	Using a higher criticism statistic to detect modest effects in a genome-wide study of rheumatoid arthritis. 2009 , 3 Suppl 7, S40	3
1924	Gene set-based analysis of polymorphisms: finding pathways or biological processes associated to traits in genome-wide association studies. 2009 , 37, W340-4	60
1923	A genome-wide investigation of SNPs and CNVs in schizophrenia. 2009 , 5, e1000373	357
1922	Integrated associations of genotypes with multiple blood biomarkers linked to coronary heart disease risk. 2009 , 18, 2305-16	39
1921	Region-based analysis in genome-wide association study of Framingham Heart Study blood lipid phenotypes. 2009 , 3 Suppl 7, S127	7

1920	Meta-analysis of genome-wide scans for human adult stature identifies novel Loci and associations with measures of skeletal frame size. 2009 , 5, e1000445	198
1919	PPARG, KCNJ11, CDKAL1, CDKN2A-CDKN2B, IDE-KIF11-HHEX, IGF2BP2 and SLC30A8 are associated with type 2 diabetes in a Chinese population. 2009 , 4, e7643	137
1918	A functional haplotype implicated in vulnerability to develop cocaine dependence is associated with reduced PDYN expression in human brain. 2009 , 34, 1185-97	63
1917	Application of principal component analysis to pharmacogenomic studies in Canada. 2009 , 9, 362-72	20
1916	Genetic modifiers of liver disease in cystic fibrosis. 2009 , 302, 1076-83	193
1915	Conditional analysis of the major histocompatibility complex in rheumatoid arthritis. 2009 , 3 Suppl 7, S36	4
1914	Genome-wide association study implicates chromosome 9q21.31 as a susceptibility locus for asthma in mexican children. 2009 , 5, e1000623	127
1913	Identification of gene-gene interaction using principal components. 2009 , 3 Suppl 7, S78	9
1912	Combined effects of three independent SNPs greatly increase the risk estimate for RA at 6q23. 2009 , 18, 2693-9	77
1911	STAT4 associates with systemic lupus erythematosus through two independent effects that correlate with gene expression and act additively with IRF5 to increase risk. 2009 , 68, 1746-53	115
1910	Colorectal cancer risk is not associated with increased levels of homozygosity in a population from the United Kingdom. 2009 , 69, 7422-9	34
1909	Classification tree for detection of single-nucleotide polymorphism (SNP)-by-SNP interactions related to heart disease: Framingham Heart Study. 2009 , 3 Suppl 7, S83	7
1908	Simultaneous genome-wide association studies of anti-cyclic citrullinated peptide in rheumatoid arthritis using penalized orthogonal-components regression. 2009 , 3 Suppl 7, S20	10
1907	Analysis of North American Rheumatoid Arthritis Consortium data using a penalized logistic regression approach. 2009 , 3 Suppl 7, S61	10
1906	Case-control genome-wide association study of rheumatoid arthritis from Genetic Analysis Workshop 16 using penalized orthogonal-components regression-linear discriminant analysis. 2009 , 3 Suppl 7, S17	10
1905	Evaluation of random forests performance for genome-wide association studies in the presence of interaction effects. 2009 , 3 Suppl 7, S64	18
1904	Application of sex-specific single-nucleotide polymorphism filters in genome-wide association data. 2009 , 3 Suppl 7, S57	5
1903	Genome-wide association studies in an isolated founder population from the Pacific Island of Kosrae. 2009 , 5, e1000365	75

1902	Analysis of genome-wide association data by large-scale Bayesian logistic regression. 2009 , 3 Suppl 7, S16	4
1901	Genetic variation of promoter sequence modulates XBP1 expression and genetic risk for vitiligo. 2009 , 5, e1000523	65
1900	A genome-wide association study confirms VKORC1, CYP2C9, and CYP4F2 as principal genetic determinants of warfarin dose. 2009 , 5, e1000433	484
1899	Intrabreed Stratification Related to Divergent Selection Regimes in Purebred Dogs May Affect the Interpretation of Genetic Association Studies. 2009 , 100, S28-S36	10
1898	Genome-wide association analyses of North American Rheumatoid Arthritis Consortium and Framingham Heart Study data utilizing genome-wide linkage results. 2009 , 3 Suppl 7, S103	10
1897	Genome-wide association analysis of rheumatoid arthritis data via haplotype sharing. 2009 , 3 Suppl 7, S30	5
1896	Assessment of gene-covariate interactions by incorporating covariates into association mapping. 2009 , 3 Suppl 7, S85	2
1895	Postural changes in blood pressure associated with interactions between candidate genes for chronic respiratory diseases and exposure to particulate matter. 2009 , 117, 935-40	19
1894	Measures of autozygosity in decline: globalization, urbanization, and its implications for medical genetics. 2009 , 5, e1000415	63
1893	Autoimmune disease classification by inverse association with SNP alleles. 2009 , 5, e1000792	129
1892	Enrichment of low penetrance susceptibility loci in a Dutch familial colorectal cancer cohort. 2009 , 18, 3062-7	60
1891	Risk alleles for multiple sclerosis in multiplex families. 2009 , 72, 1984-8	44
1890	A common MECP2 haplotype associates with reduced cortical surface area in humans in two independent populations. 2009 , 106, 15483-8	98
1889	Common variants in the region around Osterix are associated with bone mineral density and growth in childhood. 2009 , 18, 1510-7	107
1888	Association of serum cotinine level with a cluster of three nicotinic acetylcholine receptor genes (CHRNA3/CHRNA5/CHRN4) on chromosome 15. 2009 , 18, 4007-12	134
1887	A genome-wide association study of schizophrenia using brain activation as a quantitative phenotype. 2009 , 35, 96-108	179
1886	Population genomics in a disease targeted primary cell model. 2009 , 19, 1942-52	77
1885	Elevated MBL concentrations are not an indication of association between the MBL2 gene and type 1 diabetes or diabetic nephropathy. 2009 , 58, 1710-4	22

1884	Mammary tumor development in dogs is associated with BRCA1 and BRCA2. 2009 , 69, 8770-4	88
1883	Genetic variation in GPR133 is associated with height: genome wide association study in the self-contained population of Sorbs. 2009 , 18, 4662-8	57
1882	Genetic variation in the GDF5 region is associated with osteoarthritis, height, hip axis length and fracture risk: the Rotterdam study. 2009 , 68, 1754-60	44
1881	Genome-wide association study of alcohol dependence. 2009 , 66, 773-84	318
1880	Genomewide association studies: history, rationale, and prospects for psychiatric disorders. 2009 , 166, 540-56	355
1879	Variation in the 4q25 chromosomal locus predicts atrial fibrillation after coronary artery bypass graft surgery. 2009 , 2, 499-506	79
1878	EPHB4 gene polymorphisms and risk of intracranial hemorrhage in patients with brain arteriovenous malformations. 2009 , 2, 476-82	30
1877	Genome-wide significant predictors of metabolites in the one-carbon metabolism pathway. 2009 , 18, 4677-87	127
1876	ITGAM is associated with disease susceptibility and renal nephritis of systemic lupus erythematosus in Hong Kong Chinese and Thai. 2009 , 18, 2063-70	91
1875	The CHRNA5-CHRNA3-CHRNA4 nicotinic receptor subunit gene cluster affects risk for nicotine dependence in African-Americans and in European-Americans. 2009 , 69, 6848-56	219
1874	The SNP ratio test: pathway analysis of genome-wide association datasets. 2009 , 25, 2762-3	116
1873	Genetic mapping of the sex-linked barring gene in the chicken. 2009 , 88, 1811-7	17
1872	Genetic variation at the proprotein convertase subtilisin/kexin type 5 gene modulates high-density lipoprotein cholesterol levels. 2009 , 2, 467-75	27
1871	Nucleotide excision repair pathway polymorphisms and pancreatic cancer risk: evidence for role of MMS19L. 2009 , 18, 1295-302	39
1870	Cytokine and cytokine receptor single-nucleotide polymorphisms predict risk for non-small cell lung cancer among women. 2009 , 18, 1829-40	35
1869	The DISC locus and schizophrenia: evidence from an association study in a central European sample and from a meta-analysis across different European populations. 2009 , 18, 2719-27	71
1868	Evaluation of imputation-based association in and around the integrin-alpha-M (ITGAM) gene and replication of robust association between a non-synonymous functional variant within ITGAM and systemic lupus erythematosus (SLE). 2009 , 18, 1171-80	88
1867	HomozygosityMapper--an interactive approach to homozygosity mapping. 2009 , 37, W593-9	289

1866	Harnessing the information contained within genome-wide association studies to improve individual prediction of complex disease risk. 2009 , 18, 3525-31	237
1865	Common body mass index-associated variants confer risk of extreme obesity. 2009 , 18, 3502-7	91
1864	Genome-wide scan identifies CDH13 as a novel susceptibility locus contributing to blood pressure determination in two European populations. 2009 , 18, 2288-96	154
1863	Leptin receptor polymorphisms and lung function decline in COPD. 2009 , 34, 103-10	32
1862	Use of a genetic isolate to identify rare disease variants: C7 on 5p associated with MS. 2009 , 18, 1670-83	21
1861	A large-scale international meta-analysis of paraoxonase gene polymorphisms in sporadic ALS. 2009 , 73, 16-24	56
1860	Novel loci, including those related to Crohn disease, psoriasis, and inflammation, identified in a genome-wide association study of fibrinogen in 17 686 women: the Women's Genome Health Study. 2009 , 2, 134-41	64
1859	The role of the CD58 locus in multiple sclerosis. 2009 , 106, 5264-9	160
1858	Novel genetic variants in the alpha-adducin and guanine nucleotide binding protein beta-polypeptide 3 genes and salt sensitivity of blood pressure. 2009 , 22, 985-92	22
1857	Variants in ST8SIA1 do not play a major role in susceptibility to multiple sclerosis in Canadian families. 2009 , 212, 142-4	1
1856	Nocturnal enuresis: a suggestive endophenotype marker for a subgroup of inattentive attention-deficit/hyperactivity disorder. 2009 , 155, 239-44.e5	41
1855	A genome-wide association study identifies a locus for nonsyndromic cleft lip with or without cleft palate on 8q24. 2009 , 155, 909-13	214
1854	Glutathione peroxidase 3 gene polymorphisms and risk of differentiated thyroid cancer. 2009 , 145, 508-13	23
1853	Understanding cardiovascular disease through the lens of genome-wide association studies. 2009 , 25, 387-94	55
1852	Willows: a memory efficient tree and forest construction package. 2009 , 10, 130	21
1851	A Bayesian approach to efficient differential allocation for resampling-based significance testing. 2009 , 10, 198	6
1850	Effects of normalization on quantitative traits in association test. 2009 , 10, 415	32
1849	A new permutation strategy of pathway-based approach for genome-wide association study. 2009 , 10, 429	26

1848	Performance of random forest when SNPs are in linkage disequilibrium. 2009 , 10, 78	62
1847	Phenotype forecasting with SNPs data through gene-based Bayesian networks. 2009 , 10 Suppl 2, S7	10
1846	SNP_tools: A compact tool package for analysis and conversion of genotype data for MS-Excel. 2009 , 2, 214	50
1845	Genome-wide association studies and the genetic dissection of complex traits. 2009 , 84, 504-15	55
1844	Genetic modifiers of the severity of sickle cell anemia identified through a genome-wide association study. 2010 , 85, 29-35	65
1843	The syndrome of pachygyria, mental retardation, and arachnoid cysts maps to 11p15. 2009 , 149A, 2569-72	5
1842	Association between catechol O-methyltransferase (COMT) haplotypes and severity of hyperactivity symptoms in adults. 2009 , 150B, 403-10	51
1841	Genetic and epigenetic analysis of SSAT gene dysregulation in suicidal behavior. 2009 , 150B, 799-807	54
1840	Evidence that putative ADHD low risk alleles at SNAP25 may increase the risk of schizophrenia. 2009 , 150B, 893-9	29
1839	Common and rare variants of DAOA in bipolar disorder. 2009 , 150B, 960-6	10
1838	Linkage disequilibrium mapping of the chromosome 6q21-22.31 bipolar I disorder susceptibility locus. 2010 , 153B, 29-37	7
1837	An association study of common variation at the MAPT locus with late-onset Alzheimer's disease. 2009 , 150B, 1152-5	28
1836	Association study of PDE4B gene variants in Scandinavian schizophrenia and bipolar disorder multicenter case-control samples. 2010 , 153B, 86-96	16
1835	Phenotypic effects of a bipolar liability gene among individuals with major depressive disorder. 2010 , 153B, 303-9	21
1834	A candidate gene study of Tardive dyskinesia in the CATIE schizophrenia trial. 2010 , 153B, 336-40	21
1833	A systematic association mapping on chromosome 6q in bipolar affective disorder--evidence for the melanin-concentrating-hormone-receptor-2 gene as a risk factor for bipolar affective disorder. 2010 , 153B, 878-84	2
1832	SNCA variants are associated with increased risk for multiple system atrophy. 2009 , 65, 610-4	232
1831	Impaired performance of FDR-based strategies in whole-genome association studies when SNPs are excluded prior to the analysis. 2009 , 33, 45-53	16

1830	Combined haplotype relative risk (CHRR): a general and simple genetic association test that combines trios and unrelated case-controls. 2009 , 33, 54-62	12
1829	Relatedness mapping and tracts of relatedness for genome-wide data in the presence of linkage disequilibrium. 2009 , 33, 266-74	73
1828	Generalized linear modeling with regularization for detecting common disease rare haplotype association. 2009 , 33, 308-16	45
1827	A novel haplotype-sharing approach for genome-wide case-control association studies implicates the calpastatin gene in Parkinson's disease. 2009 , 33, 657-67	24
1826	Genome-wide association scans for secondary traits using case-control samples. 2009 , 33, 717-28	89
1825	Discovering genetic ancestry using spectral graph theory. 2010 , 34, 51-9	74
1824	Association tests using kernel-based measures of multi-locus genotype similarity between individuals. 2010 , 34, 213-21	62
1823	What's the best statistic for a simple test of genetic association in a case-control study?. 2010 , 34, 246-53	24
1822	Practical considerations for imputation of untyped markers in admixed populations. 2010 , 34, 258-65	28
1821	Genome-wide association analyses of quantitative traits: the GAW16 experience. 2009 , 33 Suppl 1, S13-8	1
1820	Haplotype-based analysis: a summary of GAW16 Group 4 analysis. 2009 , 33 Suppl 1, S24-8	4
1819	Analysis of multiple phenotypes. 2009 , 33 Suppl 1, S33-9	9
1818	Genome-wide association studies: quality control and population-based measures. 2009 , 33 Suppl 1, S45-50	29
1817	Detecting gene-environment interactions in genome-wide association data. 2009 , 33 Suppl 1, S68-73	17
1816	Population stratification and patterns of linkage disequilibrium. 2009 , 33 Suppl 1, S88-92	31
1815	Ancestry informative marker sets for determining continental origin and admixture proportions in common populations in America. 2009 , 30, 69-78	413
1814	Three common polymorphisms in the CYBA gene form a haplotype associated with decreased ROS generation. 2009 , 30, 1123-33	45
1813	Searching genetic risk factors for schizophrenia and bipolar disorder: learn from the past and back to the future. 2009 , 30, 1139-52	44

1812	A survey of ABCA1 sequence variation confirms association with dementia. 2009 , 30, 1348-54	33
1811	MAGI2 genetic variation and inflammatory bowel disease. 2009 , 15, 75-83	34
1810	Filaggrin loss-of-function variants are associated with atopic comorbidity in pediatric inflammatory bowel disease. 2009 , 15, 1492-8	18
1809	Genetic association between intronic variants in AS3MT and arsenic methylation efficiency is focused on a large linkage disequilibrium cluster in chromosome 10. 2010 , 30, 260-70	44
1808	Genetic association study of the P-type ATPase ATP13A2 in late-onset Parkinson's disease. 2009 , 24, 429-33	12
1807	Alpha-synuclein and familial Parkinson's disease. 2009 , 24, 1125-31	32
1806	Different patterns of associations with anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis in the extended major histocompatibility complex region. 2009 , 60, 30-8	100
1805	Association of the IL2RA/CD25 gene with juvenile idiopathic arthritis. 2009 , 60, 251-7	73
1804	High-density genotyping of STAT4 reveals multiple haplotypic associations with systemic lupus erythematosus in different racial groups. 2009 , 60, 1085-95	73
1803	Association of ERAP1, but not IL23R, with ankylosing spondylitis in a Han Chinese population. 2009 , 60, 3263-8	116
1802	HLA-DPB1 and DPB2 are genetic loci for systemic sclerosis: a genome-wide association study in Koreans with replication in North Americans. 2009 , 60, 3807-14	97
1801	Genomewide association study for susceptibility genes contributing to familial Parkinson disease. 2009 , 124, 593-605	363
1800	A comprehensive evaluation of SNP genotype imputation. 2009 , 125, 163-71	123
1799	New genetic evidence for involvement of the dopamine system in migraine with aura. 2009 , 125, 265-79	52
1798	Identification of susceptibility genes for complex diseases using pooling-based genome-wide association scans. 2009 , 125, 305-18	66
1797	Strategies and issues in the detection of pathway enrichment in genome-wide association studies. 2009 , 126, 289-301	106
1796	Modifier gene study of meconium ileus in cystic fibrosis: statistical considerations and gene mapping results. 2009 , 126, 763-78	45
1795	Negative emotionality: monoamine oxidase B gene variants modulate personality traits in healthy humans. 2009 , 116, 1323-34	35

1794	A Functional polymorphism under positive evolutionary selection in ADRB2 is associated with human intelligence with opposite effects in the young and the elderly. 2009 , 39, 15-23	16
1793	No association between Cholinergic Muscarinic Receptor 2 (CHRM2) genetic variation and cognitive abilities in three independent samples. 2009 , 39, 513-23	9
1792	Novel sib pair selection strategy increases power in quantitative association analysis. 2009 , 39, 571-9	4
1791	Large BRCA1 and BRCA2 genomic rearrangements in Danish high risk breast-ovarian cancer families. 2009 , 115, 315-23	53
1790	Application of genome-wide SNP data for uncovering pairwise relationships and quantitative trait loci. 2009 , 136, 237-43	17
1789	5' regulatory and 3' untranslated region polymorphisms of vitamin D receptor gene in south Indian HIV and HIV-TB patients. 2009 , 29, 196-204	47
1788	Rheumatoid arthritis genetics: 2009 update. 2009 , 11, 351-6	34
1787	Targeted genome-wide investigation identifies novel SNPs associated with diabetic nephropathy. 2009 , 3, 77-82	14
1786	Genetic determinants of immune-response to a polysaccharide vaccine for typhoid. 2009 , 3, 17-30	11
1785	GAB2 gene does not modify the risk of Alzheimer's disease in Spanish APOE 4 carriers. 2009 , 13, 214-9	25
1784	Genome-wide association study of antipsychotic-induced parkinsonism severity among schizophrenia patients. 2009 , 206, 491-9	54
1783	Polymorphisms of the WNT10B gene, bone mineral density, and fractures in postmenopausal women. 2009 , 85, 113-8	14
1782	Genome-wide association analysis of canine atopic dermatitis and identification of disease related SNPs. 2009 , 61, 765-72	36
1781	A strong association of axillary osmidrosis with the wet earwax type determined by genotyping of the ABCC11 gene. 2009 , 10, 42	52
1780	Genetic determinants of hair and eye colours in the Scottish and Danish populations. 2009 , 10, 88	51
1779	The common FTO variant rs9939609 is not associated with BMI in a longitudinal study on a cohort of Swedish men born 1920-1924. 2009 , 10, 131	32
1778	C-Reactive protein gene variants are associated with postoperative C-reactive protein levels after coronary artery bypass surgery. 2009 , 10, 38	19
1777	Association between a rare SNP in the second intron of human Agouti related protein gene and increased BMI. 2009 , 10, 63	15

1776	Otitis media: a genome-wide linkage scan with evidence of susceptibility loci within the 17q12 and 10q22.3 regions. 2009 , 10, 85	34
1775	HECTD2, a candidate susceptibility gene for Alzheimer's disease on 10q. 2009 , 10, 90	8
1774	Evaluation of nine candidate genes in patients with normal tension glaucoma: a case control study. 2009 , 10, 91	32
1773	Locations and patterns of meiotic recombination in two-generation pedigrees. 2009 , 10, 93	6
1772	Genomewide association study for onset age in Parkinson disease. 2009 , 10, 98	78
1771	Family-based association study of the BDNF, COMT and serotonin transporter genes and DSM-IV bipolar-I disorder in children. 2009 , 9, 2	17
1770	Protocol for investigating genetic determinants of posttraumatic stress disorder in women from the Nurses' Health Study II. 2009 , 9, 29	42
1769	Evidence for genetic association of RORB with bipolar disorder. 2009 , 9, 70	79
1768	LD-spline: mapping SNPs on genotyping platforms to genomic regions using patterns of linkage disequilibrium. 2009 , 2, 7	9
1767	Approaches to the identification of susceptibility genes. 2009 , 31, 225-33	8
1766	Further evidence for an association between the gamma-aminobutyric acid receptor A, subunit 4 genes on chromosome 4 and Fagerström Test for Nicotine Dependence. 2009 , 104, 471-7	20
1765	Interleukin 10 (IL-10) gene variants and susceptibility for paediatric onset Crohn's disease. 2009 , 29, 1025-31	41
1764	Outcomes of methotrexate therapy for psoriasis and relationship to genetic polymorphisms. 2009 , 160, 438-41	55
1763	Gene-wide association study between the aromatase gene (CYP19A1) and female pattern hair loss. 2009 , 161, 289-94	60
1762	Review of recent genome-wide association scans in lupus. 2009 , 265, 680-8	102
1761	A whole genome association analysis identifies loci associated with Mycobacterium avium subsp. paratuberculosis infection status in US holstein cattle. 2009 , 40, 655-62	76
1760	Variation in the dysbindin gene and normal cognitive function in three independent population samples. 2009 , 8, 218-27	40
1759	Variation near complement factor I is associated with risk of advanced AMD. 2009 , 17, 100-4	290

1758	Screening for replication of genome-wide SNP associations in sporadic ALS. 2009 , 17, 213-8	41
1757	Promoter polymorphism of matrilin-1 gene predisposes to adolescent idiopathic scoliosis in a Chinese population. 2009 , 17, 525-32	76
1756	Gains in power for exhaustive analyses of haplotypes using variable-sized sliding window strategy: a comparison of association-mapping strategies. 2009 , 17, 785-92	29
1755	Global similarity with local differences in linkage disequilibrium between the Dutch and HapMap-CEU populations. 2009 , 17, 802-10	12
1754	An evaluation of the genetic-matched pair study design using genome-wide SNP data from the European population. 2009 , 17, 967-75	7
1753	Follow-up of a major linkage peak on chromosome 1 reveals suggestive QTLs associated with essential hypertension: GenNet study. 2009 , 17, 1650-7	50
1752	Conditional analyses on the T1DGC MHC dataset: novel associations with type 1 diabetes around HLA-G and confirmation of HLA-B. 2009 , 10, 56-67	30
1751	The expanding genetic overlap between multiple sclerosis and type I diabetes. 2009 , 10, 11-4	128
1750	A coding polymorphism in NALP1 confers risk for autoimmune Addison's disease and type 1 diabetes. 2009 , 10, 120-4	145
1749	Replication of the TNFSF4 (OX40L) promoter region association with systemic lupus erythematosus. 2009 , 10, 248-53	34
1748	Population differences in SLE susceptibility genes: STAT4 and BLK, but not PXX, are associated with systemic lupus erythematosus in Hong Kong Chinese. 2009 , 10, 219-26	84
1747	Association of BANK1 and TNFSF4 with systemic lupus erythematosus in Hong Kong Chinese. 2009 , 10, 414-20	75
1746	Replication of the BANK1 genetic association with systemic lupus erythematosus in a European-derived population. 2009 , 10, 531-8	37
1745	Genetic associations of LYN with systemic lupus erythematosus. 2009 , 10, 397-403	78
1744	Complement receptor 2 polymorphisms associated with systemic lupus erythematosus modulate alternative splicing. 2009 , 10, 457-69	34
1743	Admixture in Hispanic Americans: its impact on ITGAM association and implications for admixture mapping in SLE. 2009 , 10, 539-45	23
1742	Meta-analysis and imputation identifies a 109 kb risk haplotype spanning TNFAIP3 associated with lupus nephritis and hematologic manifestations. 2009 , 10, 470-7	71
1741	Evaluation of C1q genomic region in minority racial groups of lupus. 2009 , 10, 517-24	30

1740	Identification of new SLE-associated genes with a two-step Bayesian study design. 2009 , 10, 446-56	36
1739	Exploring the diabetogenicity of the HLA-B18-DR3 CEH: independent association with T1D genetic risk close to HLA-DOA. 2009 , 10, 596-600	13
1738	Differential contribution of CDKAL1 variants to psoriasis, Crohn's disease and type II diabetes. 2009 , 10, 654-8	43
1737	No association of the IRS1 and PAX4 genes with type I diabetes. 2009 , 10 Suppl 1, S49-53	4
1736	Evaluation of IL12B as a candidate type I diabetes susceptibility gene using data from the Type I Diabetes Genetics Consortium. 2009 , 10 Suppl 1, S64-8	20
1735	Associations of insulin-like growth factor binding protein-3 gene polymorphisms with IGF-I activity and lipid parameters in adolescents. 2009 , 33, 1446-53	7
1734	Genome-wide association for major depressive disorder: a possible role for the presynaptic protein piccolo. 2009 , 14, 359-75	322
1733	Gene discovery through imaging genetics: identification of two novel genes associated with schizophrenia. 2009 , 14, 416-28	84
1732	Two variants in Ankyrin 3 (ANK3) are independent genetic risk factors for bipolar disorder. 2009 , 14, 487-91	147
1731	Singleton deletions throughout the genome increase risk of bipolar disorder. 2009 , 14, 376-80	121
1730	Genomewide linkage scan of schizophrenia in a large multicenter pedigree sample using single nucleotide polymorphisms. 2009 , 14, 786-95	54
1729	Genome-wide association study of bipolar disorder in European American and African American individuals. 2009 , 14, 755-63	287
1728	The role of genetic variation in the causation of mental illness: an evolution-informed framework. 2009 , 14, 1072-82	172
1727	Sequence variations of ABCB1, SLC6A2, SLC6A3, SLC6A4, CREB1, CRHR1 and NTRK2: association with major depression and antidepressant response in Mexican-Americans. 2009 , 14, 1105-18	131
1726	Common polygenic variation contributes to risk of schizophrenia and bipolar disorder. 2009 , 460, 748-52	3568
1725	Common variants on chromosome 6p22.1 are associated with schizophrenia. 2009 , 460, 753-7	919
1724	Genetic variation in IL28B predicts hepatitis C treatment-induced viral clearance. 2009 , 461, 399-401	2992
1723	A genome-wide linkage and association scan reveals novel loci for autism. 2009 , 461, 802-8	474

1722	Loci influencing lipid levels and coronary heart disease risk in 16 European population cohorts. 2009 , 41, 47-55	708
1721	Genome-wide association analysis of metabolic traits in a birth cohort from a founder population. 2009 , 41, 35-46	588
1720	A variant near MTNR1B is associated with increased fasting plasma glucose levels and type 2 diabetes risk. 2009 , 41, 89-94	466
1719	Genetic variation in PCDH11X is associated with susceptibility to late-onset Alzheimer's disease. 2009 , 41, 192-8	235
1718	Psoriasis genome-wide association study identifies susceptibility variants within LCE gene cluster at 1q21. 2009 , 41, 205-10	349
1717	Genome-wide association study identifies a new breast cancer susceptibility locus at 6q25.1. 2009 , 41, 324-8	434
1716	Genome-wide association of early-onset myocardial infarction with single nucleotide polymorphisms and copy number variants. 2009 , 41, 334-41	884
1715	A common JAK2 haplotype confers susceptibility to myeloproliferative neoplasms. 2009 , 41, 450-4	310
1714	A germline JAK2 SNP is associated with predisposition to the development of JAK2(V617F)-positive myeloproliferative neoplasms. 2009 , 41, 455-9	287
1713	A common variant on chromosome 11q13 is associated with atopic dermatitis. 2009 , 41, 596-601	250
1712	A genome-wide association study identifies variants in the HLA-DP locus associated with chronic hepatitis B in Asians. 2009 , 41, 591-5	428
1711	Narcolepsy is strongly associated with the T-cell receptor alpha locus. 2009 , 41, 708-11	380
1710	Common variations in BARD1 influence susceptibility to high-risk neuroblastoma. 2009 , 41, 718-23	226
1709	HLA-B*5701 genotype is a major determinant of drug-induced liver injury due to flucloxacillin. 2009 , 41, 816-9	818
1708	Genome-wide association studies identify loci associated with age at menarche and age at natural menopause. 2009 , 41, 724-8	295
1707	Loci at chromosomes 13, 19 and 20 influence age at natural menopause. 2009 , 41, 645-7	120
1706	Common variation in KITLG and at 5q31.3 predisposes to testicular germ cell cancer. 2009 , 41, 811-5	294
1705	Genome-wide association study identifies new multiple sclerosis susceptibility loci on chromosomes 12 and 20. 2009 , 41, 824-8	432

1704	Meta-analysis of genome scans and replication identify CD6, IRF8 and TNFRSF1A as new multiple sclerosis susceptibility loci. 2009 , 41, 776-82	621
1703	Genome-wide association study identifies five susceptibility loci for glioma. 2009 , 41, 899-904	640
1702	Genome-wide association study identifies three loci associated with melanoma risk. 2009 , 41, 920-5	360
1701	De novo copy number variants identify new genes and loci in isolated sporadic tetralogy of Fallot. 2009 , 41, 931-5	325
1700	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. 2009 , 41, 991-5	270
1699	Genome-wide association study identifies variants at CLU and PICALM associated with Alzheimer's disease. 2009 , 41, 1088-93	2018
1698	Genome-wide association study identifies 19p13.3 (UNC13A) and 9p21.2 as susceptibility loci for sporadic amyotrophic lateral sclerosis. 2009 , 41, 1083-7	270
1697	Genetic variant near IRS1 is associated with type 2 diabetes, insulin resistance and hyperinsulinemia. 2009 , 41, 1110-5	356
1696	Twenty bone-mineral-density loci identified by large-scale meta-analysis of genome-wide association studies. 2009 , 41, 1199-206	566
1695	IL28B is associated with response to chronic hepatitis C interferon-alpha and ribavirin therapy. 2009 , 41, 1100-4	1636
1694	Common variants in TMPRSS6 are associated with iron status and erythrocyte volume. 2009 , 41, 1173-5	189
1693	A genome-wide meta-analysis identifies 22 loci associated with eight hematological parameters in the HaemGen consortium. 2009 , 41, 1182-90	433
1692	A large-scale replication study identifies TNIP1, PRDM1, JAZF1, UHRF1BP1 and IL10 as risk loci for systemic lupus erythematosus. 2009 , 41, 1228-33	626
1691	Genome-wide association study in a Chinese Han population identifies nine new susceptibility loci for systemic lupus erythematosus. 2009 , 41, 1234-7	732
1690	Genome-wide association study of ulcerative colitis identifies three new susceptibility loci, including the HNF4A region. 2009 , 41, 1330-4	411
1689	Genome-wide association study identifies common variants at four loci as genetic risk factors for Parkinson's disease. 2009 , 41, 1303-7	1045
1688	Genome-wide association study reveals genetic risk underlying Parkinson's disease. 2009 , 41, 1308-12	1469
1687	Common variants at five new loci associated with early-onset inflammatory bowel disease. 2009 , 41, 1335-40	389

1686	Nexilin mutations destabilize cardiac Z-disks and lead to dilated cardiomyopathy. 2009 , 15, 1281-8	142
1685	Detecting gene-gene interactions that underlie human diseases. 2009 , 10, 392-404	990
1684	The role of obesity-associated loci identified in genome-wide association studies in the determination of pediatric BMI. 2009 , 17, 2254-7	141
1683	Flexible designs for genomewide association studies. 2009 , 65, 815-21	6
1682	Replication study of candidate genes for cognitive abilities: the Lothian Birth Cohort 1936. 2009 , 8, 238-47	72
1681	CADISP-genetics: an International project searching for genetic risk factors of cervical artery dissections. 2009 , 4, 224-30	60
1680	Association and interaction analyses of eight genes under asthma linkage peaks. 2009 , 64, 1623-8	13
1679	Linkage and association study of FcgammaR polymorphisms in celiac disease. 2009 , 73, 54-8	4
1678	Confirmation of the novel association at the BTNL2 locus with ulcerative colitis. 2009 , 74, 322-9	29
1677	Effect of linkage status of affected sib-pairs on the search for novel type 1 diabetes susceptibility genes in the HLA complex. 2009 , 11 Suppl 1, 67-73	1
1676	Associations and interactions between SNPs in the alcohol metabolizing genes and alcoholism phenotypes in European Americans. 2009 , 33, 848-57	40
1675	Human S-adenosylhomocysteine hydrolase: common gene sequence variation and functional genomic characterization. 2009 , 110, 1806-17	10
1674	CALHM1 polymorphism is not associated with late-onset Alzheimer disease. 2009 , 73, 379-81	23
1673	A genome-wide association study of autism reveals a common novel risk locus at 5p14.1. 2009 , 73, 263-73	179
1672	Binomial mixture model-based association tests under genetic heterogeneity. 2009 , 73, 614-30	13
1671	European Mathematical Genetics Meeting, Munich, Germany, 14th-15th May 2009. 2009 , 73, 658-669	4
1670	Genetic association study of endothelin-1 and its receptors EDNRA and EDNRB in migraine with aura. 2009 , 29, 1224-31	17
1669	CD209 gene polymorphisms in South Indian HIV and HIV-TB patients. 2009 , 9, 256-62	31

1668	Polymorphisms of MRP2 (ABCC2) are associated with susceptibility to nonalcoholic fatty liver disease. 2009 , 20, 765-70		47
1667	Glycosyltransferase B4GALNT1 and type 1 diabetes in Croatian population: clinical investigation. 2009 , 42, 819-22		3
1666	Association of tagging single nucleotide polymorphisms on 8 candidate genes in dopaminergic pathway with schizophrenia in Croatian population. 2009 , 50, 361-9		25
1665	Genes related to sex steroids, neural growth, and social-emotional behavior are associated with autistic traits, empathy, and Asperger syndrome. 2009 , 2, 157-77		250
1664	Analysis of 10 independent samples provides evidence for association between schizophrenia and a SNP flanking fibroblast growth factor receptor 2. 2009 , 14, 30-6		62
1663	Planning and executing a genome wide association study (GWAS). 2009 , 590, 403-18		18
1662	Variants in TF and HFE explain approximately 40% of genetic variation in serum-transferrin levels. <i>American Journal of Human Genetics</i> , 2009 , 84, 60-5	11	131
1661	Association of genetic variants at 3q22 with nephropathy in patients with type 1 diabetes mellitus. <i>American Journal of Human Genetics</i> , 2009 , 84, 5-13	11	21
1660	A genome-wide association study identifies three loci associated with mean platelet volume. <i>American Journal of Human Genetics</i> , 2009 , 84, 66-71	11	94
1659	Genome-wide association study implicates a chromosome 12 risk locus for late-onset Alzheimer disease. <i>American Journal of Human Genetics</i> , 2009 , 84, 35-43	11	215
1658	Diverse genome-wide association studies associate the IL12/IL23 pathway with Crohn Disease. <i>American Journal of Human Genetics</i> , 2009 , 84, 399-405	11	219
1657	Genome-wide association study of smoking initiation and current smoking. <i>American Journal of Human Genetics</i> , 2009 , 84, 367-79	11	116
1656	Genetic control of human brain transcript expression in Alzheimer disease. <i>American Journal of Human Genetics</i> , 2009 , 84, 445-58	11	229
1655	Genome-wide association analysis identifies PDE4D as an asthma-susceptibility gene. <i>American Journal of Human Genetics</i> , 2009 , 84, 581-93	11	264
1654	CMIP and ATP2C2 modulate phonological short-term memory in language impairment. <i>American Journal of Human Genetics</i> , 2009 , 85, 264-72	11	142
1653	Genome-wide association study reveals multiple nasopharyngeal carcinoma-associated loci within the HLA region at chromosome 6p21.3. <i>American Journal of Human Genetics</i> , 2009 , 85, 194-203	11	137
1652	A genome-wide in vitro bacterial-infection screen reveals human variation in the host response associated with inflammatory disease. <i>American Journal of Human Genetics</i> , 2009 , 85, 214-27	11	60
1651	The Editors' Recollections on the Occasion of the 60th Anniversary of The American Journal of Human Genetics. <i>American Journal of Human Genetics</i> , 2009 , 85, 321-327	11	2

1650	Sequence variants in three loci influence monocyte counts and erythrocyte volume. <i>American Journal of Human Genetics</i> , 2009 , 85, 745-9	11	67
1649	Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. <i>American Journal of Human Genetics</i> , 2009 , 85, 628-42	11	163
1648	Genomic dissection of population substructure of Han Chinese and its implication in association studies. <i>American Journal of Human Genetics</i> , 2009 , 85, 762-74	11	264
1647	Genetic structure of the Han Chinese population revealed by genome-wide SNP variation. <i>American Journal of Human Genetics</i> , 2009 , 85, 775-85	11	241
1646	Meta-analysis of genome-wide association studies with overlapping subjects. <i>American Journal of Human Genetics</i> , 2009 , 85, 862-72	11	101
1645	Association of the aromatase gene alleles with BMD: epidemiological and functional evidence. 2009 , 24, 1709-18		29
1644	Common sequence variation in FLNB regulates bone structure in women in the general population and FLNB mRNA expression in osteoblasts in vitro. 2009 , 24, 1989-97		17
1643	Hip geometry variation is associated with bone mineralization pathway gene variants: The Framingham Study. 2010 , 25, 1564-71		19
1642	Genetics and Psychopathology. 2009 ,		1
1641	Common variants of hepatocyte nuclear factor 1beta are associated with type 2 diabetes in a Chinese population. 2009 , 58, 1023-7		27
1640	Cytokine SNPs: Comparison of allele frequencies by race and implications for future studies. 2009 , 46, 236-44		68
1639	The association between cannabinoid receptor 1 gene (CNR1) and cannabis dependence symptoms in adolescents and young adults. 2009 , 104, 11-6		68
1638	DMD Trp3X nonsense mutation associated with a founder effect in North American families with mild Becker muscular dystrophy. 2009 , 19, 743-8		33
1637	Role of RDBP and SKIV2L variants in the major histocompatibility complex class III region in polypoidal choroidal vasculopathy etiology. 2009 , 116, 1502-9		25
1636	A genome-wide survey of copy number variations in Han Chinese residing in Taiwan. 2009 , 94, 241-6		22
1635	Family-based analysis of tumor necrosis factor and lymphotoxin-alpha tag polymorphisms with type 1 diabetes in the population of South Croatia. 2009 , 70, 195-9		12
1634	Preliminary evidence of association between EFHC2, a gene implicated in fear recognition, and harm avoidance. 2009 , 452, 84-6		12
1633	Statistical genetic approaches for mapping ophthalmic trait and disease genes. 2009 , 148, 183-5		1

1632	Primary biliary cirrhosis associated with HLA, IL12A, and IL12RB2 variants. 2009 , 360, 2544-55	494
1631	A genome-wide association study of northwestern Europeans involves the C-type natriuretic peptide signaling pathway in the etiology of human height variation. 2009 , 18, 3516-24	70
1630	Parkin and PINK1 mutations in early-onset Parkinson's disease: comprehensive screening in publicly available cases and control. 2009 , 46, 375-81	62
1629	Sequencing the IL4 locus in African Americans implicates rare noncoding variants in asthma susceptibility. 2009 , 124, 1204-9.e9	38
1628	Large deletions and point mutations involving the dedicator of cytokinesis 8 (DOCK8) in the autosomal-recessive form of hyper-IgE syndrome. 2009 , 124, 1289-302.e4	380
1627	Variation in catechol-O-methyltransferase is associated with duloxetine response in a clinical trial for major depressive disorder. 2009 , 65, 785-91	73
1626	Accurate, Large-Scale Genotyping of 5HTTLPR and Flanking Single Nucleotide Polymorphisms in an Association Study of Depression, Anxiety, and Personality Measures. 2009 , 66, 468-76	93
1625	Case-control study of six genes asymmetrically expressed in the two cerebral hemispheres: association of BAIAP2 with attention-deficit/hyperactivity disorder. 2009 , 66, 926-34	49
1624	A possible association between schizophrenia and GRIK3 polymorphisms in a multicenter sample of Scandinavian origin (SCOPE). 2009 , 107, 242-8	14
1623	Dissection of phenotype reveals possible association between schizophrenia and Glutamate Receptor Delta 1 (GRID1) gene promoter. 2009 , 111, 123-30	53
1622	BDNF is not associated with schizophrenia: data from a Japanese population study and meta-analysis. 2009 , 112, 72-9	45
1621	Genetic polymorphisms of hypoxia-inducible factor-1 alpha and cardiovascular disease in hemodialysis patients. 2009 , 113, c104-11	18
1620	Lack of association between a common polymorphism near the INSIG2 gene and BMI, myocardial infarction, and cardiovascular risk factors. 2009 , 17, 1390-5	11
1619	Investigation of Crohn's disease risk loci in ulcerative colitis further defines their molecular relationship. 2009 , 136, 523-9.e3	152
1618	Association of HOXA10, ZFPM2, and MMP2 genes with scrotal hernias evaluated via biological candidate gene analyses in pigs. 2009 , 70, 1006-12	15
1617	eQTL analysis in humans. 2009 , 573, 311-28	48
1616	Use of SNPs in cancer predisposition analysis, diagnosis and prognosis: tools and prospects. 2009 , 3, 313-26	1
1615	Protein networks and pathway analysis. Preface. 2009 , 563, v-vii	21

1614	Recent advances in the genetics of autoimmune disease. 2009 , 27, 363-91	246
1613	Collaborative meta-analysis: associations of 150 candidate genes with osteoporosis and osteoporotic fracture. 2009 , 151, 528-37	215
1612	Applied Statistical Genetics with R. 2009 ,	52
1611	Genetic predictors of increase in suicidal ideation during antidepressant treatment in the GENDEP project. 2009 , 34, 2517-28	87
1610	Genome-wide association study in humans. 2009 , 573, 231-58	15
1609	Cardiovascular Genomics. 2009 ,	1
1608	Do genetic predictors of pain sensitivity associate with persistent widespread pain?. 2009 , 5, 56	34
1607	Ancestry-related assortative mating in Latino populations. 2009 , 10, R132	69
1606	Rare protection against type 1 diabetes. 2009 , 10, 219	
1605	A genome-wide genetic signature of Jewish ancestry perfectly separates individuals with and without full Jewish ancestry in a large random sample of European Americans. 2009 , 10, R7	46
1604	Worldwide patterns of haplotype diversity at 9p21.3, a locus associated with type 2 diabetes and coronary heart disease. 2009 , 1, 51	31
1603	Association of common polymorphisms in known susceptibility genes with rheumatoid arthritis in a Slovak population using osteoarthritis patients as controls. 2009 , 11, R70	35
1602	Predicting response to short-acting bronchodilator medication using Bayesian networks. 2009 , 10, 1393-412	24
1601	Molecular Endocrinology. 2009 ,	4
1600	Developing a genomic-based point-of-care diagnostic system for rheumatoid arthritis and multiple sclerosis. 2009 , 2009, 827-30	4
1599	Coeliac disease-associated risk variants in TNFAIP3 and REL implicate altered NF-kappaB signalling. 2009 , 58, 1078-83	147
1598	A genome-wide study of common SNPs and CNVs in cognitive performance in the CANTAB. 2009 , 18, 4650-61	117
1597	Association study of genetic polymorphism in ABCC4 with cyclophosphamide-induced adverse drug reactions in breast cancer patients. 2009 , 54, 564-71	46

1596	Novel associations of CPS1, MUT, NOX4, and DPEP1 with plasma homocysteine in a healthy population: a genome-wide evaluation of 13 974 participants in the Women's Genome Health Study. 2009 , 2, 142-50	88
1595	Data Synthesis and Tool Development for Exploring Imaging Genomic Patterns. 2009 , 2009, 298-305	3
1594	EpICS: A system for genome-wide epistasis and genetic variation analysis using protein-protein interactions. 2009 ,	
1593	Analysis of FGGY as a risk factor for sporadic amyotrophic lateral sclerosis. 2009 , 10, 441-7	13
1592	Shared genomics: A platform for emerging interpretation of genetic epidemiology. 2009 ,	
1591	A splice site variant in the sodium channel gene SCN1A confers risk of febrile seizures. 2009 , 72, 974-8	46
1590	Identification of a urate transporter, ABCG2, with a common functional polymorphism causing gout. 2009 , 106, 10338-42	485
1589	Visualization and Functional Analysis of Genome-Wide Association Results. 2009 ,	
1588	Association of interleukin-6 (IL-6)-174G/C gene polymorphism with cardiovascular disease in patients with rheumatoid arthritis: the role of obesity and smoking. 2009 , 204, 178-83	82
1587	Candidate genes for respiratory disease associated with markers of inflammation and endothelial dysfunction in elderly men. 2009 , 206, 480-5	22
1586	Apolipoprotein-E gene variants associated with cardiovascular risk factors in antipsychotic recipients. 2009 , 24, 456-63	15
1585	Association of the FOXO3A locus with extreme longevity in a southern Italian centenarian study. 2009 , 12, 95-104	240
1584	Processing Large-Scale, High-Dimension Genetic and Gene Expression Data. 2009 , 307-330	0
1583	Investigation of the locus near MC4R with childhood obesity in Americans of European and African ancestry. 2009 , 17, 1461-5	56
1582	MC1R variation and melanoma risk in the Swedish population in relation to clinical and pathological parameters. 2009 , 22, 196-204	32
1581	Confirmation of genetic associations at ELMO1 in the GoKinD collection supports its role as a susceptibility gene in diabetic nephropathy. 2009 , 58, 2698-702	93
1580	Single-nucleotide polymorphism bioinformatics: a comprehensive review of resources. 2009 , 2, 530-6	34
1579	Genotype imputation. 2009 , 10, 387-406	812

1578	The role of geography in human adaptation. 2009 , 5, e1000500	304
1577	Association of TGFBR2 polymorphism with risk of sudden cardiac arrest in patients with coronary artery disease. 2009 , 6, 1745-50	25
1576	Genome-wide association study of electrocardiographic conduction measures in an isolated founder population: Kosrae. 2009 , 6, 634-41	56
1575	Loss of function mutations in the gene encoding latent transforming growth factor beta binding protein 2, LTBP2, cause primary congenital glaucoma. 2009 , 18, 3969-77	114
1574	Novel genetic risk markers for ulcerative colitis in the IL2/IL21 region are in epistasis with IL23R and suggest a common genetic background for ulcerative colitis and celiac disease. 2009 , 104, 1737-44	67
1573	Genome-wide association studies. 2009 , 2009, pdb.top66	4
1572	Functional variants of the serotonin receptor type 3A and B gene are associated with eating disorders. 2009 , 19, 790-9	32
1571	Genetic regulation of adult stature. 2009 , 21, 515-22	50
1570	Candidate gene analysis in an on-going genome-wide association study of attention-deficit hyperactivity disorder: suggestive association signals in ADRA1A. 2009 , 19, 134-41	27
1569	Recent progress in rheumatoid arthritis genetics: one step towards improved patient care. 2009 , 21, 262-71	57
1568	Genetic ancestry modifies pharmacogenetic gene-gene interaction for asthma. 2009 , 19, 489-96	36
1567	Association between the serotonin 2A receptor gene and bipolar affective disorder in an Australian cohort. 2009 , 19, 244-52	16
1566	Fine mapping a locus controlling leg morphology in the domestic dog. 2009 , 74, 327-33	13
1565	Population Structure and Cryptic Relatedness in Genetic Association Studies. 2009 , 24,	286
1564	A novel variant on chromosome 7q22.3 associated with mean platelet volume, counts, and function. 2009 , 113, 3831-7	109
1563	Identification of ZNF366 and PTPRD as novel determinants of plasma homocysteine in a family-based genome-wide association study. 2009 , 114, 1417-22	29
1562	Genome-wide association study to identify novel loci associated with therapy-related myeloid leukemia susceptibility. 2009 , 113, 5575-82	80
1561	Association tests and software for copy number variant data. 2009 , 3, 191-4	6

1560	Current software for genotype imputation. 2009 , 3, 371-80	18
1559	Genomics software: The view from 10,000 feet. 2009 , 4, 56-8	
1558	Analysis of Polymorphisms at the Adiponectin Gene Locus in Association with Type 2 Diabetes, Body Mass Index and Cardiovascular Traits in Latvian Population. 2009 , 63, 174-179	2
1557	Cytosolic 5'-nucleotidase III (NT5C3): gene sequence variation and functional genomics. 2009 , 19, 567-76	24
1556	Population differences in platinum toxicity as a means to identify novel genetic susceptibility variants. 2010 , 20, 327-37	25
1555	Blood pressure response to potassium supplementation is associated with genetic variation in endothelin 1 and interactions with E selectin in rural Chinese. 2010 , 28, 748-55	12
1554	Lack of association of polymorphisms in elastin with pseudoexfoliation syndrome and glaucoma. 2010 , 19, 432-6	3
1553	TNFRSF11A and TNFSF11 are associated with age at menarche and natural menopause in white women. 2010 , 17, 1048-54	19
1552	Rare copy number variants: a point of rarity in genetic risk for bipolar disorder and schizophrenia. 2010 , 67, 318-27	154
1551	Genetic variants in SLC9A9 are associated with measures of attention-deficit/hyperactivity disorder symptoms in families. 2010 , 20, 73-81	41
1550	Genetic variants of the protein kinase C-beta 1 gene and development of end-stage renal disease in patients with type 2 diabetes. 2010 , 304, 881-9	49
1549	A genome-wide association study of carotid atherosclerosis in HIV-infected men. 2010 , 24, 583-92	37
1548	Genetics of gout. 2010 , 22, 144-51	46
1547	ALOX12 gene is associated with the onset of natural menopause in white women. 2010 , 17, 152-6	17
1546	Genotype-phenotype analysis of angiotensinogen polymorphisms and essential hypertension: the importance of haplotypes. 2010 , 28, 65-75	32
1545	Susceptibility genes in common complex kidney disease. 2010 , 19, 79-84	22
1544	The nuclear receptor PXR gene variants are associated with liver injury in nonalcoholic fatty liver disease. 2010 , 20, 1-8	67
1543	Homozygosity for the EPHX2 K55R polymorphism increases the long-term risk of ischemic stroke in men: a study in Swedes. 2010 , 20, 94-103	40

1542	Generation of novel pharmacogenomic candidates in response to methotrexate in juvenile idiopathic arthritis: correlation between gene expression and genotype. 2010 , 20, 665-76	45
1541	Evaluation of GPR50, hMel-1B, and ROR-alpha melatonin-related receptors and the etiology of adolescent idiopathic scoliosis. 2010 , 30, 539-43	17
1540	Polymorphic variation of the guanosine triphosphate cyclohydrolase 1 gene predicts outcome in patients undergoing surgical treatment for lumbar degenerative disc disease. 2010 , 35, 1909-14	38
1539	Association analyses suggest multiple interaction effects of the methylenetetrahydrofolate reductase polymorphisms on timing of menarche and natural menopause in white women. 2010 , 17, 185-90	19
1538	Genetic variants in the apelin system and blood pressure responses to dietary sodium interventions: a family-based association study. 2010 , 28, 756-63	35
1537	Lysyl oxidase-like 1 gene polymorphisms in German patients with normal tension glaucoma, pigmentary glaucoma and exfoliation glaucoma. 2010 , 19, 136-41	28
1536	Replication association analysis of S100B and cognitive ageing. 2010 , 20, 133-4	
1535	Selected summaries from the XVII World Congress of Psychiatric Genetics, San Diego, California, USA, 4-8 November 2009. 2010 , 20, 229-68	1
1534	Validation of DNA-based prognostic testing to predict spinal curve progression in adolescent idiopathic scoliosis. 2010 , 35, E1455-64	72
1533	Association of DISC1 gene with schizophrenia in families from two distinct French and Algerian populations. 2010 , 20, 298-303	15
1532	Association of the 9p21.3 locus with risk of first-ever myocardial infarction in Pakistanis: case-control study in South Asia and updated meta-analysis of Europeans. 2010 , 30, 1467-73	45
1531	PCDH11X variation is not associated with late-onset Alzheimer disease susceptibility. 2010 , 20, 321-4	15
1530	Effect of SNP origin on analyses of genetic diversity in cattle. 2010 , 50, 792	12
1529	The effects of sex and method of blood pressure measurement on genetic associations with blood pressure in the PAMELA study. 2010 , 28, 465-77	30
1528	Confirmation of association of the REL locus with rheumatoid arthritis susceptibility in the UK population. 2010 , 69, 1572-3	23
1527	Genome-wide scan of copy number variation in late-onset Alzheimer's disease. 2010 , 19, 69-77	98
1526	An application and empirical comparison of statistical analysis methods for associating rare variants to a complex phenotype. 2011 , 76-87	10
1525	A Genomewide Association Study of Nicotine and Alcohol Dependence in Australian and Dutch Populations. 2010 , 13, 11-29	2

1524	USING LINEAR PREDICTORS TO IMPUTE ALLELE FREQUENCIES FROM SUMMARY OR POOLED GENOTYPE DATA. 2010 , 4, 1158-1182		52
1523	Genes controlling postural changes in blood pressure: comprehensive association analysis of ATP-sensitive potassium channel genes KCNJ8 and ABCC9. 2010 , 40, 184-8		8
1522	Population Structure and Linkage Disequilibrium in U.S. Barley Germplasm: Implications for Association Mapping. 2010 , 50, 556-566		88
1521	Role of genetic variation in insulin-like growth factor 1 receptor on insulin resistance and arterial hypertension. 2010 , 28, 1194-202		13
1520	Fetal hemoglobin in sickle cell anemia: genome-wide association studies suggest a regulatory region in the 5' olfactory receptor gene cluster. 2010 , 115, 1815-22		132
1519	Genome-wide homozygosity signatures and childhood acute lymphoblastic leukemia risk. 2010 , 115, 4472-7		33
1518	The neutrophil alloantigen HNA-3a (5b) is located on choline transporter-like protein 2 and appears to be encoded by an R>Q154 amino acid substitution. 2010 , 115, 2073-6		79
1517	Genetic variation in hyaluronan metabolism loci is associated with plasma plasminogen activator inhibitor-1 concentration. 2010 , 116, 2160-3		7
1516	Failure to replicate an association of rs5984894 SNP in the PCDH11X gene in a collection of 1,222 Alzheimer's disease affected patients. 2010 , 21, 385-8		7
1515	A genome-wide association study of amygdala activation in youths with and without bipolar disorder. 2010 , 49, 33-41		9
1514	Gene expression profiling in monocytes and SNP association suggest the importance of the STAT1 gene for osteoporosis in both Chinese and Caucasians. 2010 , 25, 339-55		43
1513	Prioritizing GWAS results: A review of statistical methods and recommendations for their application. <i>American Journal of Human Genetics</i> , 2010 , 86, 6-22	11	454
1512	Missense mutations in TCF8 cause late-onset Fuchs corneal dystrophy and interact with FCD4 on chromosome 9p. <i>American Journal of Human Genetics</i> , 2010 , 86, 45-53	11	142
1511	Functional gene group analysis reveals a role of synaptic heterotrimeric G proteins in cognitive ability. <i>American Journal of Human Genetics</i> , 2010 , 86, 113-25	11	89
1510	Association of JAG1 with bone mineral density and osteoporotic fractures: a genome-wide association study and follow-up replication studies. <i>American Journal of Human Genetics</i> , 2010 , 86, 229-35 ¹¹		156
1509	Genome-wide association study in a high-risk isolate for multiple sclerosis reveals associated variants in STAT3 gene. <i>American Journal of Human Genetics</i> , 2010 , 86, 285-91	11	188
1508	Systems genetics analysis of gene-by-environment interactions in human cells. <i>American Journal of Human Genetics</i> , 2010 , 86, 399-410	11	94
1507	Genetic control of individual differences in gene-specific methylation in human brain. <i>American Journal of Human Genetics</i> , 2010 , 86, 411-9	11	329

1506	Common variants of large effect in F12, KNG1, and HRG are associated with activated partial thromboplastin time. <i>American Journal of Human Genetics</i> , 2010 , 86, 626-31	11	73
1505	A variant in LIN28B is associated with 2D:4D finger-length ratio, a putative retrospective biomarker of prenatal testosterone exposure. <i>American Journal of Human Genetics</i> , 2010 , 86, 519-25	11	74
1504	On genome-wide association studies for family-based designs: an integrative analysis approach combining ascertained family samples with unselected controls. <i>American Journal of Human Genetics</i> , 2010 , 86, 573-80	11	28
1503	High-resolution detection of identity by descent in unrelated individuals. <i>American Journal of Human Genetics</i> , 2010 , 86, 526-39	11	169
1502	Distinct variants at LIN28B influence growth in height from birth to adulthood. <i>American Journal of Human Genetics</i> , 2010 , 86, 773-82	11	68
1501	Rare deletions at 16p13.11 predispose to a diverse spectrum of sporadic epilepsy syndromes. <i>American Journal of Human Genetics</i> , 2010 , 86, 707-18	11	206
1500	Interpretation of association signals and identification of causal variants from genome-wide association studies. <i>American Journal of Human Genetics</i> , 2010 , 86, 730-42	11	125
1499	A truncating mutation in SERPINB6 is associated with autosomal-recessive nonsyndromic sensorineural hearing loss. <i>American Journal of Human Genetics</i> , 2010 , 86, 797-804	11	48
1498	Insights into colon cancer etiology via a regularized approach to gene set analysis of GWAS data. <i>American Journal of Human Genetics</i> , 2010 , 86, 860-71	11	122
1497	Abraham's children in the genome era: major Jewish diaspora populations comprise distinct genetic clusters with shared Middle Eastern Ancestry. <i>American Journal of Human Genetics</i> , 2010 , 86, 850-9	11	181
1496	Principal-component analysis for assessment of population stratification in mitochondrial medical genetics. <i>American Journal of Human Genetics</i> , 2010 , 86, 904-17	11	38
1495	Population genetic structure of the people of Qatar. <i>American Journal of Human Genetics</i> , 2010 , 87, 17-25	11	86
1494	Spoiling the whole bunch: quality control aimed at preserving the integrity of high-throughput genotyping. <i>American Journal of Human Genetics</i> , 2010 , 87, 123-8	11	44
1493	A versatile gene-based test for genome-wide association studies. <i>American Journal of Human Genetics</i> , 2010 , 87, 139-45	11	648
1492	BOOST: A fast approach to detecting gene-gene interactions in genome-wide case-control studies. <i>American Journal of Human Genetics</i> , 2010 , 87, 325-40	11	340
1491	Mutations in ABHD12 cause the neurodegenerative disease PHARC: An inborn error of endocannabinoid metabolism. <i>American Journal of Human Genetics</i> , 2010 , 87, 410-7	11	163
1490	Mutations in SCARF2 are responsible for Van Den Ende-Gupta syndrome. <i>American Journal of Human Genetics</i> , 2010 , 87, 553-9	11	39
1489	Rare copy number variants disrupt genes regulating vascular smooth muscle cell adhesion and contractility in sporadic thoracic aortic aneurysms and dissections. <i>American Journal of Human Genetics</i> , 2010 , 87, 743-56	11	64

1488	Deletion 17q12 is a recurrent copy number variant that confers high risk of autism and schizophrenia. <i>American Journal of Human Genetics</i> , 2010 , 87, 618-30	11	237
1487	PSMB8 encoding the β i proteasome subunit is mutated in joint contractures, muscle atrophy, microcytic anemia, and panniculitis-induced lipodystrophy syndrome. <i>American Journal of Human Genetics</i> , 2010 , 87, 866-72	11	252
1486	Genome-wide screen identifies rs646776 near sortilin as a regulator of progranulin levels in human plasma. <i>American Journal of Human Genetics</i> , 2010 , 87, 890-7	11	110
1485	Genetics and asthma disease susceptibility in the US Latino population. 2010 , 77, 140-8		8
1484	Comprehensive follow-up of the first genome-wide association study of multiple sclerosis identifies KIF21B and TMEM39A as susceptibility loci. 2010 , 19, 953-62		91
1483	Lack of association between markers in the ITGA3, ITGAV, ITGA6 and ITGB3 and autism in an Irish sample. 2010 , 3, 342-4		6
1482	Variants in several genomic regions associated with asperger disorder. 2010 , 3, 303-10		32
1481	Association of genetic variants of NOS1AP with type 2 diabetes in a Chinese population. 2010 , 53, 290-8		37
1480	Common variants at the GCK, GCKR, G6PC2-ABCB11 and MTNR1B loci are associated with fasting glucose in two Asian populations. 2010 , 53, 299-308		77
1479	Common genetic variation in the DKK1 gene is associated with hip axis length but not with bone mineral density and bone turnover markers in young adult men: results from the Odense Androgen Study. 2010 , 86, 271-81		14
1478	Replication study of candidate genes/loci associated with osteoporosis based on genome-wide screening. 2010 , 21, 785-95		16
1477	Common variants in FLNB/CRTAP, not ARHGEF3 at 3p, are associated with osteoporosis in southern Chinese women. 2010 , 21, 1009-20		11
1476	The association of the BLK gene with SLE was replicated in Chinese Han. 2010 , 302, 619-24		24
1475	Hereditary spastic paraplegia and amyotrophy associated with a novel locus on chromosome 19. 2010 , 11, 313-8		20
1474	Fine mapping of the chromosome 10q11-q21 linkage region in Alzheimer's disease cases and controls. 2010 , 11, 335-48		15
1473	Association between Toll-like receptor 2 (TLR2) polymorphisms and asymptomatic bancroftian filariasis. 2010 , 107, 807-16		35
1472	Novel quantitative trait loci for central corneal thickness identified by candidate gene analysis of osteogenesis imperfecta genes. 2010 , 127, 33-44		30
1471	Kalirin: a novel genetic risk factor for ischemic stroke. 2010 , 127, 513-23		46

1470	Fine mapping of the 9q31 Hirschsprung's disease locus. 2010 , 127, 675-83	17
1469	Polymorphisms in the GNB3 and ADD1 genes and blood pressure in a Chinese population. 2010 , 128, 137-43	5
1468	Genome-wide association identifies a deletion in the 3' untranslated region of striatin in a canine model of arrhythmogenic right ventricular cardiomyopathy. 2010 , 128, 315-24	91
1467	Comprehensive association analysis of nine candidate genes with serum 25-hydroxy vitamin D levels among healthy Caucasian subjects. 2010 , 128, 549-56	115
1466	The majority of the genetic risk for Paget's disease of bone is explained by genetic variants close to the CSF1, OPTN, TM7SF4, and TNFRSF11A genes. 2010 , 128, 615-26	49
1465	A genome-wide association study of social and non-social autistic-like traits in the general population using pooled DNA, 500 K SNP microarrays and both community and diagnosed autism replication samples. 2010 , 40, 31-45	46
1464	White matter integrity in the splenium of the corpus callosum is related to successful cognitive aging and partly mediates the protective effect of an ancestral polymorphism in ADRB2. 2010 , 40, 146-56	31
1463	Association of existing and new candidate genes for anxiety, depression and personality traits in older people. 2010 , 40, 518-32	38
1462	Cerebellar telomere length and psychiatric disorders. 2010 , 40, 250-4	51
1461	Genetic TPH2 variants and the susceptibility for migraine: association of a TPH2 haplotype with migraine without aura. 2010 , 117, 1253-60	9
1460	Genome-wide association studies--data generation, storage, interpretation, and bioinformatics. 2010 , 3, 183-8	12
1459	Development of a Research Platform for Dissecting Phenotype-Genotype Associations in Rice (<i>Oryza</i> spp.). 2010 , 3, 205-217	62
1458	Common variants in the gene for the serotonin receptor 6 (HTR6) do not contribute to obesity. 2010 , 89, 469-72	1
1457	Human embryonic stem cells from aneuploid blastocysts identified by pre-implantation genetic screening. 2010 , 46, 309-16	19
1456	Genetic variants in the ADD1 and GNB3 genes and blood pressure response to potassium supplementation. 2010 , 4, 59-66	1
1455	Considerations for the impact of personal genome information: a study of genomic profiling among genetics and genomics professionals. 2010 , 19, 387-401	28
1454	Genetic variants on chromosome 5p12 are associated with risk of breast cancer in African American women: the Black Women's Health Study. 2010 , 123, 525-30	24
1453	Mutation and association analysis of GEN1 in breast cancer susceptibility. 2010 , 124, 283-8	7

1452	A single-nucleotide polymorphism of the TNFAIP3 gene is associated with systemic lupus erythematosus in Chinese Han population. 2010 , 37, 389-94	26
1451	Genome-wide association studies in economics and entrepreneurship research: promises and limitations. 2010 , 35, 1-18	34
1450	Chromosome 9p21 in amyotrophic lateral sclerosis in Finland: a genome-wide association study. 2010 , 9, 978-85	206
1449	Chromosome 9p21 in sporadic amyotrophic lateral sclerosis in the UK and seven other countries: a genome-wide association study. 2010 , 9, 986-94	171
1448	Genome-wide association studies in nephrology research. 2010 , 56, 743-58	70
1447	Genome-wide SNP association-based localization of a dwarfism gene in Friesian dwarf horses. 2010 , 41 Suppl 2, 2-7	29
1446	Linkage disequilibrium and historical effective population size in the Thoroughbred horse. 2010 , 41 Suppl 2, 8-15	74
1445	Targets of selection in the Thoroughbred genome contain exercise-relevant gene SNPs associated with elite racecourse performance. 2010 , 41 Suppl 2, 56-63	51
1444	Genetics of swayback in American Saddlebred horses. 2010 , 41 Suppl 2, 64-71	18
1443	Genome-wide association analysis of osteochondrosis of the tibiotarsal joint in Norwegian Standardbred trotters. 2010 , 41 Suppl 2, 111-20	41
1442	Identification of the myostatin locus (MSTN) as having a major effect on optimum racing distance in the Thoroughbred horse in the USA. 2010 , 41 Suppl 2, 154-8	63
1441	No evidence of association of the rare nsSNP rs35667974 in IFIH1 with multiple sclerosis. 2010 , 221, 112-4	2
1440	Evidence for VAV2 and ZNF433 as susceptibility genes for multiple sclerosis. 2010 , 227, 162-6	57
1439	Association to the Glypican-5 gene in multiple sclerosis. 2010 , 226, 194-7	18
1438	Interleukin-4/interleukin-4 receptor gene polymorphisms in hand osteoarthritis. 2010 , 18, 810-6	18
1437	No association between the FXD6 gene and schizophrenia in the Chinese Han population. 2010 , 44, 409-12	3
1436	Gene variants associated with schizophrenia in a Norwegian genome-wide study are replicated in a large European cohort. 2010 , 44, 748-53	161
1435	Investigation of genetic susceptibility factors for human longevity - a targeted nonsynonymous SNP study. 2010 , 694, 13-9	14

1434	Genetic variation in the beta2-adrenergic receptor but not catecholamine-O-methyltransferase predisposes to chronic pain: results from the 1958 British Birth Cohort Study. 2010 , 149, 143-151	78
1433	Genome mapping in intensively studied wild vertebrate populations. 2010 , 26, 275-84	72
1432	ProbABEL package for genome-wide association analysis of imputed data. 2010 , 11, 134	310
1431	Partitioning of copy-number genotypes in pedigrees. 2010 , 11, 226	2
1430	CNStream: a method for the identification and genotyping of copy number polymorphisms using Illumina microarrays. 2010 , 11, 264	13
1429	GWAMA: software for genome-wide association meta-analysis. 2010 , 11, 288	342
1428	CONAN: copy number variation analysis software for genome-wide association studies. 2010 , 11, 318	15
1427	CCRaVAT and QuTie-enabling analysis of rare variants in large-scale case control and quantitative trait association studies. 2010 , 11, 527	14
1426	SNPexp - A web tool for calculating and visualizing correlation between HapMap genotypes and gene expression levels. 2010 , 11, 600	80
1425	A novel approach for haplotype-based association analysis using family data. 2010 , 11 Suppl 1, S45	7
1424	Comparative assessment of methods for estimating individual genome-wide homozygosity-by-descent from human genomic data. 2010 , 11, 139	26
1423	Genetic structure of the Spanish population. 2010 , 11, 326	43
1422	A deletion mutation in bovine SLC4A2 is associated with osteopetrosis in Red Angus cattle. 2010 , 11, 337	61
1421	A genome-wide SNP-association study confirms a sequence variant (g.66493737C>T) in the equine myostatin (MSTN) gene as the most powerful predictor of optimum racing distance for Thoroughbred racehorses. 2010 , 11, 552	105
1420	Does replication groups scoring reduce false positive rate in SNP interaction discovery?. 2010 , 11, 58	4
1419	Genetic variation in the odorant receptors family 13 and the mhc loci influence mate selection in a multiple sclerosis dataset. 2010 , 11, 626	13
1418	Knobbed acrosome defect is associated with a region containing the genes STK17b and HECW2 on porcine chromosome 15. 2010 , 11, 699	17
1417	Two common nonsynonymous paraoxonase 1 (PON1) gene polymorphisms and brain astrocytoma and meningioma. 2010 , 10, 71	22

1416	Genome-wide association reveals genetic effects on human A β 2 and β protein levels in cerebrospinal fluids: a case control study. 2010 , 10, 90	66
1415	Is laminin gamma-1 a candidate gene for advanced pelvic organ prolapse?. 2010 , 202, 505.e1-5	19
1414	Allelic variations in angiogenic pathway genes are associated with preeclampsia. 2010 , 202, 445.e1-11	38
1413	Identification of fetal and maternal single nucleotide polymorphisms in candidate genes that predispose to spontaneous preterm labor with intact membranes. 2010 , 202, 431.e1-34	57
1412	A genetic association study of maternal and fetal candidate genes that predispose to preterm prelabor rupture of membranes (PROM). 2010 , 203, 361.e1-361.e30	63
1411	Genetic variation in solute carrier genes is associated with preeclampsia. 2010 , 203, 491.e1-491.e13	9
1410	Variations in FKBP5 and BDNF genes are suggestively associated with depression in a Swedish population-based cohort. 2010 , 125, 249-55	120
1409	Contribution of adenosine related genes to the risk of depression with disturbed sleep. 2010 , 126, 134-9	42
1408	A genome-wide association study of bipolar disorder in Norwegian individuals, followed by replication in Icelandic sample. 2010 , 126, 312-6	90
1407	The association between oxytocin receptor gene (OXTR) polymorphisms and affective temperaments, as measured by TEMPS-A. 2010 , 127, 31-7	55
1406	An automated reasoning framework for translational research. 2010 , 43, 419-27	3
1405	Genetic comparison of a Croatian isolate and CEPH European founders. 2010 , 34, 140-5	6
1404	Screen and clean: a tool for identifying interactions in genome-wide association studies. 2010 , 34, 275-85	87
1403	Ordered subset analysis for case-control studies. 2010 , 34, 407-17	8
1402	African and non-African admixture components in African Americans and an African Caribbean population. 2010 , 34, 561-8	27
1401	Quality control and quality assurance in genotypic data for genome-wide association studies. 2010 , 34, 591-602	303
1400	MaCH: using sequence and genotype data to estimate haplotypes and unobserved genotypes. 2010 , 34, 816-34	1535
1399	Association statistics under the PPL framework. 2010 , 34, 835-45	12

1398	CAPL: a novel association test using case-control and family data and accounting for population stratification. 2010 , 34, 747-55	15
1397	Meta-analysis of sex-specific genome-wide association studies. 2010 , 34, 846-53	69
1396	A simple and fast two-locus quality control test to detect false positives due to batch effects in genome-wide association studies. 2010 , 34, 854-62	30
1395	PNPLA3 variants specifically confer increased risk for histologic nonalcoholic fatty liver disease but not metabolic disease. 2010 , 52, 904-12	267
1394	Why do young women smoke? VII COMT as a risk modifying gene for Nicotine dependence - role of gene-gene interaction, personality, and environmental factors. 2010 , 25, 536-42	6
1393	Genome wide association (GWA) predictors of anti-TNFalpha therapeutic responsiveness in pediatric inflammatory bowel disease. 2010 , 16, 1357-66	105
1392	Genetic predictors of medically refractory ulcerative colitis. 2010 , 16, 1830-40	116
1391	Association of FcγR2a, but not FcγR3a, with inflammatory bowel diseases across three Caucasian populations. 2010 , 16, 2080-9	13
1390	Genetic polymorphisms of MPO, GSTT1, GSTM1, GSTP1, EPHX1 and NQO1 as risk factors of early-onset lung cancer. 2010 , 127, 1547-61	41
1389	Genetic variation in the TNFRSF11A gene encoding RANK is associated with susceptibility to Paget's disease of bone. 2010 , 25, 2592-605	36
1388	Pathway-based genome-wide association analysis identified the importance of regulation-of-autophagy pathway for ultradistal radius BMD. 2010 , 25, 1572-80	82
1387	Replication of previous genome-wide association studies of bone mineral density in premenopausal American women. 2010 , 25, 1821-9	20
1386	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. 2010 , 25, 1830-8	49
1385	Genetic Mapping of Complex Traits. 2010 , 67-90	1
1384	X-linked hereditary hemihypotrophy hemiparesis hemiathetosis. 2010 , 152A, 2727-30	
1383	Impact of Neuritin 1 (NRN1) polymorphisms on fluid intelligence in schizophrenia. 2010 , 153B, 428-437	16
1382	A population-based association study of candidate genes for depression and sleep disturbance. 2010 , 153B, 468-476	49
1381	Sex-specific association of the Reelin gene with bipolar disorder. 2010 , 153B, 549-553	48

1380	PER2 variantion is associated with depression vulnerability. 2010 , 153B, 570-581	88
1379	Support of association between BRD1 and both schizophrenia and bipolar affective disorder. 2010 , 153B, 582-591	42
1378	Are recently identified genetic variants regulating BMI in the general population associated with anorexia nervosa?. 2010 , 153B, 695-699	15
1377	Association of CHRN genes with "dizziness" to tobacco. 2010 , 153B, 600-609	32
1376	Functional variants of TSPAN8 are associated with bipolar disorder and schizophrenia. 2010 , 153B, 967-72	12
1375	Simultaneous analysis of serotonin transporter, tryptophan hydroxylase 1 and 2 gene expression in the ventral prefrontal cortex of suicide victims. 2010 , 153B, 909-18	20
1374	SNPs in CAST are associated with Parkinson disease: a confirmation study. 2010 , 153B, 973-9	6
1373	Common variants in the TPH1 and TPH2 regions are not associated with persistent ADHD in a combined sample of 1,636 adult cases and 1,923 controls from four European populations. 2010 , 153B, 1008-15	12
1372	Case-control association study of TGOLN2 in attempted suicide. 2010 , 153B, 1016-23	3
1371	Association study of 182 candidate genes in anorexia nervosa. 2010 , 153B, 1070-80	45
1370	LINGO1 is not associated with Parkinson's disease in German patients. 2010 , 153B, 1173-8	6
1369	Evidence for genes on chromosome 2 contributing to alcohol dependence with conduct disorder and suicide attempts. 2010 , 153B, 1179-88	22
1368	Association analysis of PALB2 and BRCA2 in bipolar disorder and schizophrenia in a scandinavian case-control sample. 2010 , 153B, 1276-82	18
1367	An investigation of candidate regions for association with bipolar disorder. 2010 , 153B, 1292-7	6
1366	Analysis of GWAS top hits in ADHD suggests association to two polymorphisms located in genes expressed in the cerebellum. 2010 , 153B, 1127-33	17
1365	Fine-mapping reveals novel alternative splicing of the dopamine transporter. 2010 , 153B, 1434-47	16
1364	Worldwide allele frequencies of the human apolipoprotein E gene: climate, local adaptations, and evolutionary history. 2010 , 143, 100-11	128
1363	A genome-wide association study identifies an osteoarthritis susceptibility locus on chromosome 7q22. 2010 , 62, 499-510	139

1362	Confirmation of an association between rs6822844 at the IL2-IL21 region and multiple autoimmune diseases: evidence of a general susceptibility locus. 2010 , 62, 323-9	71
1361	Identification of the oxidative stress-related gene MSRA as a rheumatoid arthritis susceptibility locus by genome-wide pathway analysis. 2010 , 62, 3183-90	13
1360	Most common single-nucleotide polymorphisms associated with rheumatoid arthritis in persons of European ancestry confer risk of rheumatoid arthritis in African Americans. 2010 , 62, 3547-53	47
1359	Genetically determined Amerindian ancestry correlates with increased frequency of risk alleles for systemic lupus erythematosus. 2010 , 62, 3722-9	61
1358	Genetic risk factors for nonsyndromic cleft lip with or without cleft palate in a Mesoamerican population: Evidence for IRF6 and variants at 8q24 and 10q25. 2010 , 88, 535-7	46
1357	Genetic variants in COL2A1, COL11A2, and IRF6 contribute risk to nonsyndromic cleft palate. 2010 , 88, 748-56	35
1356	Association of folate receptor (FOLR1, FOLR2, FOLR3) and reduced folate carrier (SLC19A1) genes with meningomyelocele. 2010 , 88, 689-94	30
1355	Studies with Wnt genes and nonsyndromic cleft lip and palate. 2010 , 88, 995-1000	63
1354	LINGO1 polymorphisms are associated with essential tremor in Europeans. 2010 , 25, 717-23	44
1353	Genetic evidence for an association of the TOR1A locus with segmental/focal dystonia. 2010 , 25, 2183-7	24
1352	Evidence for association of the GLI2 gene with tardive dyskinesia in patients with chronic schizophrenia. 2010 , 25, 2809-17	35
1351	A mixed two-stage method for detecting interactions in genomewide association studies. 2010 , 262, 576-83	4
1350	Genome-wide association study to identify single nucleotide polymorphisms (SNPs) associated with the development of erectile dysfunction in African-American men after radiotherapy for prostate cancer. 2010 , 78, 1292-300	121
1349	Using the realized relationship matrix to disentangle confounding factors for the estimation of genetic variance components of complex traits. 2010 , 42, 22	52
1348	Clustering by genetic ancestry using genome-wide SNP data. 2010 , 11, 108	34
1347	A 2cM genome-wide scan of European Holstein cattle affected by classical BSE. 2010 , 11, 20	18
1346	A genome-wide association study on androstenone levels in pigs reveals a cluster of candidate genes on chromosome 6. 2010 , 11, 42	73
1345	An application of Random Forests to a genome-wide association dataset: methodological considerations & new findings. 2010 , 11, 49	137

1344	Haplotypes that include the integrin alpha 11 gene are associated with tick burden in cattle. 2010 , 11, 55	18
1343	Improved IBD detection using incomplete haplotype information. 2010 , 11, 58	8
1342	Comparison of multimarker logistic regression models, with application to a genomewide scan of schizophrenia. 2010 , 11, 80	6
1341	Discovering joint associations between disease and gene pairs with a novel similarity test. 2010 , 11, 86	3
1340	Replication of the association of chromosomal region 9p21.3 with generalized aggressive periodontitis (gAgP) using an independent case-control cohort. 2010 , 11, 119	48
1339	Large effects on body mass index and insulin resistance of fat mass and obesity associated gene (FTO) variants in patients with polycystic ovary syndrome (PCOS). 2010 , 11, 12	56
1338	Asthma-susceptibility variants identified using probands in case-control and family-based analyses. 2010 , 11, 122	16
1337	Population-based study of genetic variation in individuals with autism spectrum disorders from Croatia. 2010 , 11, 134	17
1336	WVOX gene is associated with HDL cholesterol and triglyceride levels. 2010 , 11, 148	20
1335	Haplotypes of intron 4 of the estrogen receptor alpha gene and hip fractures: a replication study in Caucasians. 2010 , 11, 16	5
1334	Genetic variants in the TIRAP gene are associated with increased risk of sepsis-associated acute lung injury. 2010 , 11, 168	22
1333	Fibrinogen beta variants confer protection against coronary artery disease in a Greek case-control study. 2010 , 11, 28	24
1332	Evaluation of DOK5 as a susceptibility gene for type 2 diabetes and obesity in North Indian population. 2010 , 11, 35	22
1331	A meta-analysis of genome-wide data from five European isolates reveals an association of COL22A1, SYT1, and GABRR2 with serum creatinine level. 2010 , 11, 41	39
1330	Maternal inheritance and mitochondrial DNA variants in familial Parkinson's disease. 2010 , 11, 53	26
1329	The obesity gene, TMEM18, is of ancient origin, found in majority of neuronal cells in all major brain regions and associated with obesity in severely obese children. 2010 , 11, 58	57
1328	Large-scale association analysis of TNF/LTA gene region polymorphisms in type 2 diabetes. 2010 , 11, 69	34
1327	Evaluation of 6 candidate genes on chromosome 11q23 for coeliac disease susceptibility: a case control study. 2010 , 11, 76	4

1326	The role of height-associated loci identified in genome wide association studies in the determination of pediatric stature. 2010 , 11, 96	45
1325	Shrunken methodology to genome-wide SNPs selection and construction of SNPs networks. 2010 , 4 Suppl 2, S5	6
1324	Primate-specific evolution of noncoding element insertion into PLA2G4C and human preterm birth. 2010 , 3, 62	10
1323	Genome-wide linkage analyses of two repetitive behavior phenotypes in Utah pedigrees with autism spectrum disorders. 2010 , 1, 3	31
1322	Genetics in psychiatry: common variant association studies. 2010 , 1, 6	17
1321	Genome-wide linkage using the Social Responsiveness Scale in Utah autism pedigrees. 2010 , 1, 8	37
1320	Replication of prostate cancer risk loci on 8q24, 11q13, 17q12, 19q33, and Xp11 in African Americans. 2010 , 70, 270-5	52
1319	Using ancestry matching to combine family-based and unrelated samples for genome-wide association studies. 2010 , 29, 2932-45	13
1318	The association of factor V Leiden with myocardial infarction is replicated in 1880 patients with premature disease. 2010 , 8, 2116-21	38
1317	Single nucleotide polymorphisms of the serotonin transporter gene in migraine--an association study. 2010 , 50, 319-22	12
1316	Genome-wide association study of alcohol dependence implicates a region on chromosome 11. 2010 , 34, 840-52	248
1315	HMG2 is confirmed to be associated with human adult height. 2010 , 74, 11-6	21
1314	Genome-wide association study confirms SNPs in SNCA and the MAPT region as common risk factors for Parkinson disease. 2010 , 74, 97-109	374
1313	Population-specific susceptibility to Crohn's disease and ulcerative colitis; dominant and recessive relative risks in the Japanese population. 2010 , 74, 126-36	32
1312	APOE is not associated with Alzheimer disease: a cautionary tale of genotype imputation. 2010 , 74, 189-94	11
1311	Association of linear growth impairment in pediatric Crohn's disease and a known height locus: a pilot study. 2010 , 74, 489-97	19
1310	A novel polymorphic AP-1 binding element of the GFAP promoter is associated with different allelic transcriptional activities. 2010 , 74, 506-15	12
1309	Replication of GWAS associations for GAK and MAPT in Parkinson's disease. 2011 , 75, 195-200	45

1308	Pharmacogenetics of the mycophenolic acid targets inosine monophosphate dehydrogenases IMPDH1 and IMPDH2: gene sequence variation and functional genomics. 2010 , 161, 1584-98	28
1307	Replication of an association of variation in the FOXO3A gene with human longevity using both case-control and longitudinal data. 2010 , 9, 1010-7	133
1306	Detecting signatures of inter-regional and inter-specific hybridization among the Chinese rhesus macaque specific pathogen-free (SPF) population using single nucleotide polymorphic (SNP) markers. 2010 , 39, 252-65	31
1305	MTHFR and MSX1 contribute to the risk of nonsyndromic cleft lip/palate. 2010 , 118, 213-20	46
1304	An international multicenter association study of the serotonin transporter gene in persistent ADHD. 2010 , 9, 449-58	48
1303	A genome-wide association study of bipolar disorder and comorbid migraine. 2010 , 9, 673-80	35
1302	Multiple cholinergic nicotinic receptor genes affect nicotine dependence risk in African and European Americans. 2010 , 9, 741-50	77
1301	The influence of common gene variants of the xenobiotic receptor (PXR) in genetic susceptibility to intrahepatic cholestasis of pregnancy. 2010 , 31, 583-92	32
1300	On the use of large marker panels to estimate inbreeding and relatedness: empirical and simulation studies of a pedigreed zebra finch population typed at 771 SNPs. 2010 , 19, 1439-51	117
1299	CD14, a key candidate gene associated with a specific immune response to cockroach. 2010 , 40, 1353-64	11
1298	Associations of the growth hormone receptor (GHR) gene polymorphisms with adiposity and IGF-I activity in adolescents. 2010 , 73, 313-22	4
1297	Association of Fc receptor-like 5 (FCRL5) with Graves' disease is secondary to the effect of FCRL3. 2010 , 73, 654-60	22
1296	Association of FTO variants with BMI and fat mass in the self-contained population of Sorbs in Germany. 2010 , 18, 104-10	71
1295	Support for the involvement of complement factor I in age-related macular degeneration. 2010 , 18, 15-6	53
1294	Depletion of potential A2M risk haplotype for Alzheimer's disease in long-lived individuals. 2010 , 18, 59-61	8
1293	Polymorphisms in TLR4 and TLR2 genes, cytokine production and survival in rural Ghana. 2010 , 18, 490-5	13
1292	A rare variant of the TYK2 gene is confirmed to be associated with multiple sclerosis. 2010 , 18, 502-4	52
1291	A genome-wide association study for age-related hearing impairment in the Saami. 2010 , 18, 685-93	71

1290	Polymorphisms in the sialic acid-binding immunoglobulin-like lectin-8 (Siglec-8) gene are associated with susceptibility to asthma. 2010 , 18, 713-9	46
1289	NordicDB: a Nordic pool and portal for genome-wide control data. 2010 , 18, 1322-6	12
1288	Common genetic variation and performance on standardized cognitive tests. 2010 , 18, 815-20	80
1287	Risk of breast and prostate cancer is not associated with increased homozygosity in outbred populations. 2010 , 18, 909-14	30
1286	Population structure and genome-wide patterns of variation in Ireland and Britain. 2010 , 18, 1248-54	36
1285	A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. 2010 , 18, 1255-60	15
1284	Association of the AFF3 gene and IL2/IL21 gene region with juvenile idiopathic arthritis. 2010 , 11, 194-8	48
1283	Supervised machine learning and logistic regression identifies novel epistatic risk factors with PTPN22 for rheumatoid arthritis. 2010 , 11, 199-208	28
1282	A 3' UTR transition within DEFB1 is associated with chronic and aggressive periodontitis. 2010 , 11, 45-54	56
1281	New genetic associations detected in a host response study to hepatitis B vaccine. 2010 , 11, 232-8	63
1280	Association of the CCR5 gene with juvenile idiopathic arthritis. 2010 , 11, 584-9	22
1279	Association analysis of susceptibility candidate region on chromosome 5q31 for tuberculosis. 2010 , 11, 416-22	18
1278	IL12A, MPHOSPH9/CDK2AP1 and RGS1 are novel multiple sclerosis susceptibility loci. 2010 , 11, 397-405	62
1277	A non-synonymous SNP within membrane metalloendopeptidase-like 1 (MMEL1) is associated with multiple sclerosis. 2010 , 11, 660-4	21
1276	Surfing a genetic association interaction network to identify modulators of antibody response to smallpox vaccine. 2010 , 11, 630-6	42
1275	Genome-wide association identifies SKIV2L and MYRIP as protective factors for age-related macular degeneration. 2010 , 11, 609-21	53
1274	Population-based linkage analysis of schizophrenia and bipolar case-control cohorts identifies a potential susceptibility locus on 19q13. 2010 , 15, 319-25	34
1273	Genome-wide association study of recurrent major depressive disorder in two European case-control cohorts. 2010 , 15, 589-601	190

1272	Strong genetic evidence for a selective influence of GABAA receptors on a component of the bipolar disorder phenotype. 2010 , 15, 146-53	94
1271	Additional support for the association of SLITRK1 var321 and Tourette syndrome. 2010 , 15, 447-50	53
1270	Whole-genome association mapping of gene expression in the human prefrontal cortex. 2010 , 15, 779-84	60
1269	High-density SNP association study and copy number variation analysis of the AUTS1 and AUTS5 loci implicate the IMMP2L-DOCK4 gene region in autism susceptibility. 2010 , 15, 954-68	104
1268	High-density SNP association study of the 17q21 chromosomal region linked to autism identifies CACNA1G as a novel candidate gene. 2010 , 15, 996-1005	48
1267	Genome-wide linkage in Utah autism pedigrees. 2010 , 15, 1006-15	33
1266	CACNA1C (rs1006737) is associated with schizophrenia. 2010 , 15, 119-21	147
1265	Evidence for rare and common genetic risk variants for schizophrenia at protein kinase C, alpha. 2010 , 15, 1101-11	28
1264	A common variant of the latrophilin 3 gene, LPHN3, confers susceptibility to ADHD and predicts effectiveness of stimulant medication. 2010 , 15, 1053-66	199
1263	ITPA gene variants protect against anaemia in patients treated for chronic hepatitis C. 2010 , 464, 405-8	380
1262	Genome-wide SNP and haplotype analyses reveal a rich history underlying dog domestication. 2010 , 464, 898-902	526
1261	The genome-wide structure of the Jewish people. 2010 , 466, 238-42	295
1260	Genome-wide association study in alopecia areata implicates both innate and adaptive immunity. 2010 , 466, 113-7	500
1259	Functional impact of global rare copy number variation in autism spectrum disorders. 2010 , 466, 368-72	1499
1258	Whole-exome sequencing identifies recessive WDR62 mutations in severe brain malformations. 2010 , 467, 207-10	395
1257	Hundreds of variants clustered in genomic loci and biological pathways affect human height. 2010 , 467, 832-8	1514
1256	COMT but not serotonin-related genes modulates the influence of childhood abuse on anger traits. 2010 , 9, 193-202	49
1255	Association of dopamine- and serotonin-related genes with canine aggression. 2010 , 9, 372-8	42

1254	Geographical genomics of human leukocyte gene expression variation in southern Morocco. 2010 , 42, 62-7	117
1253	Meta-analyses of genome-wide association studies identify multiple loci associated with pulmonary function. 2010 , 42, 45-52	467
1252	Meta-analysis of genome-wide association data identifies a risk locus for major mood disorders on 3p21.1. 2010 , 42, 128-31	135
1251	Genome-wide association mapping identifies multiple loci for a canine SLE-related disease complex. 2010 , 42, 250-4	87
1250	Plasmodium falciparum genome-wide scans for positive selection, recombination hot spots and resistance to antimalarial drugs. 2010 , 42, 268-71	164
1249	Genome-wide association study of hematological and biochemical traits in a Japanese population. 2010 , 42, 210-5	388
1248	Common variants in KCNN3 are associated with lone atrial fibrillation. 2010 , 42, 240-4	362
1247	Multiple common variants for celiac disease influencing immune gene expression. 2010 , 42, 295-302	727
1246	Genome-wide association identifies multiple ulcerative colitis susceptibility loci. 2010 , 42, 332-7	491
1245	Genome-wide association study identifies variants at CSF1, OPTN and TNFRSF11A as genetic risk factors for Paget's disease of bone. 2010 , 42, 520-4	214
1244	Genome-wide association study of intracranial aneurysm identifies three new risk loci. 2010 , 42, 420-5	234
1243	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. 2010 , 42, 426-9	301
1242	New loci associated with kidney function and chronic kidney disease. 2010 , 42, 376-84	599
1241	A genome-wide association study of cleft lip with and without cleft palate identifies risk variants near MAFB and ABCA4. 2010 , 42, 525-9	419
1240	Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. 2010 , 42, 508-14	969
1239	A regulatory variant in CCR6 is associated with rheumatoid arthritis susceptibility. 2010 , 42, 515-9	209
1238	Common variants in FOXP1 are associated with generalized vitiligo. 2010 , 42, 576-8	78
1237	Genome-wide association study for vitiligo identifies susceptibility loci at 6q27 and the MHC. 2010 , 42, 614-8	141

1236	Common SNPs explain a large proportion of the heritability for human height. 2010 , 42, 565-9	2935
1235	A genome-wide association study identifies genetic variants in the CDKN2BAS locus associated with endometriosis in Japanese. 2010 , 42, 707-10	195
1234	Genome-wide association studies identify IL23R-IL12RB2 and IL10 as Behçet's disease susceptibility loci. 2010 , 42, 703-6	392
1233	Genome-wide association study identifies variants in the MHC class I, IL10, and IL23R-IL12RB2 regions associated with Behçet's disease. 2010 , 42, 698-702	475
1232	Excess of rare variants in genes identified by genome-wide association study of hypertriglyceridemia. 2010 , 42, 684-7	365
1231	A genome-wide study identifies HLA alleles associated with lumiracoxib-related liver injury. 2010 , 42, 711-4	325
1230	Genome-wide association study identifies five new susceptibility loci for prostate cancer in the Japanese population. 2010 , 42, 751-4	230
1229	Common genetic variation in the HLA region is associated with late-onset sporadic Parkinson's disease. 2010 , 42, 781-5	574
1228	Association of IFIH1 and other autoimmunity risk alleles with selective IgA deficiency. 2010 , 42, 777-80	122
1227	A genome-wide association study identifies four susceptibility loci for keloid in the Japanese population. 2010 , 42, 768-71	133
1226	Genome-wide association study of migraine implicates a common susceptibility variant on 8q22.1. 2010 , 42, 869-73	277
1225	Variation in TP63 is associated with lung adenocarcinoma susceptibility in Japanese and Korean populations. 2010 , 42, 893-6	145
1224	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. 2010 , 42, 937-48	2267
1223	Common variants at TRAF3IP2 are associated with susceptibility to psoriatic arthritis and psoriasis. 2010 , 42, 996-9	294
1222	Genome-wide association study identifies a psoriasis susceptibility locus at TRAF3IP2. 2010 , 42, 991-5	283
1221	Association analyses identify six new psoriasis susceptibility loci in the Chinese population. 2010 , 42, 1005-9	245
1220	Whole-genome sequencing and comprehensive variant analysis of a Japanese individual using massively parallel sequencing. 2010 , 42, 931-6	98
1219	Lack of support for association between the KIF1B rs10492972[C] variant and multiple sclerosis. 2010 , 42, 469-70; author reply 470-1	21

1218	Reply to Lack of support for association between the KIF1B rs10492972[C] variant and multiple sclerosis 2010 , 42, 470-471	9
1217	Data quality control in genetic case-control association studies. 2010 , 5, 1564-73	741
1216	Genotype imputation for genome-wide association studies. 2010 , 11, 499-511	1134
1215	New approaches to population stratification in genome-wide association studies. 2010 , 11, 459-63	774
1214	Reconciling the analysis of IBD and IBS in complex trait studies. 2010 , 11, 800-5	232
1213	Statistical analysis strategies for association studies involving rare variants. 2010 , 11, 773-85	378
1212	Analysing biological pathways in genome-wide association studies. 2010 , 11, 843-54	629
1211	Association of the POU class 2 homeobox 1 gene (POU2F1) with susceptibility to Type 2 diabetes in Chinese populations. 2010 , 27, 1443-9	14
1210	Genetic evidence for a role of IL33 in nasal polyposis. 2010 , 65, 616-22	42
1209	TSLP polymorphisms are associated with asthma in a sex-specific fashion. 2010 , 65, 1566-75	91
1208	CTLA4 promoter polymorphisms are associated with canine diabetes mellitus. 2010 , 75, 242-52	22
1207	The genetics of NOD-like receptors in Crohn's disease. 2010 , 76, 48-56	51
1206	Comparison of MHC class I risk haplotypes in Thai and Caucasian psoriatics shows locus heterogeneity at PSORS1. 2010 , 76, 387-97	17
1205	Assessing oxidative pathway genes as risk factors for bipolar disorder. 2010 , 12, 550-6	28
1204	. 2010 ,	7
1203	Imaging genomics. 2010 , 23, 368-73	80
1202	ADME pharmacogenetics: investigation of the pharmacokinetics of the antiretroviral agent lopinavir coformulated with ritonavir. 2010 , 20, 217-30	91
1201	Genetic variants in the renin-angiotensin-aldosterone system and salt sensitivity of blood pressure. 2010 , 28, 1210-1220	40

1200 Genetic Linkage. **2010**, 1

1199 CONVERGENCE AND PREDICTION OF PRINCIPAL COMPONENT SCORES IN HIGH-DIMENSIONAL SETTINGS. **2010**, 38, 3605-3629 47

1198 Identification of Diabetic Retinopathy Genes through a Genome-Wide Association Study among Mexican-Americans from Starr County, Texas. **2010**, 2010, 63

1197 Analysis of six genetic risk factors highly associated with AMD in the region surrounding ARMS2 and HTRA1 on chromosome 10, region q26. **2010**, 51, 2191-6 31

1196 Commercially available outbred mice for genome-wide association studies. **2010**, 6, e1001085 102

1195 Longitudinal genome-wide association of cardiovascular disease risk factors in the Bogalusa heart study. **2010**, 6, e1001094 105

1194 Dementia revealed: novel chromosome 6 locus for late-onset Alzheimer disease provides genetic evidence for folate-pathway abnormalities. **2010**, 6, e1001130 111

1193 A novel statistic for genome-wide interaction analysis. **2010**, 6, e1001131 54

1192 CRY2 is associated with depression. **2010**, 5, e9407 102

1191 Sequence variation in DDAH1 and DDAH2 genes is strongly and additively associated with serum ADMA concentrations in individuals with type 2 diabetes. **2010**, 5, e9462 47

1190 The type 1 diabetes - HLA susceptibility interactome--identification of HLA genotype-specific disease genes for type 1 diabetes. **2010**, 5, e9576 20

1189 Localization of canine brachycephaly using an across breed mapping approach. **2010**, 5, e9632 84

1188 Genome-wide association study identifies GPC5 as a novel genetic locus protective against sudden cardiac arrest. **2010**, 5, e9879 48

1187 ARNTL (BMAL1) and NPAS2 gene variants contribute to fertility and seasonality. **2010**, 5, e10007 74

1186 Analyses and comparison of imputation-based association methods. **2010**, 5, e10827 26

1185 Haplotype analysis reveals a possible founder effect of RET mutation R114H for Hirschsprung's disease in the Chinese population. **2010**, 5, e10918 18

1184 Transforming growth factor beta 2 and heme oxygenase 1 genes are risk factors for the cerebral malaria syndrome in Angolan children. **2010**, 5, e11141 40

1183 A conserved role for syndecan family members in the regulation of whole-body energy metabolism. **2010**, 5, e11286 32

1182	A general model for multilocus epistatic interactions in case-control studies. 2010 , 5, e11384	30
1181	Common polymorphisms in MTNR1B, G6PC2 and GCK are associated with increased fasting plasma glucose and impaired beta-cell function in Chinese subjects. 2010 , 5, e11428	55
1180	A genome-wide association study of neuroticism in a population-based sample. 2010 , 5, e11504	59
1179	Impact of the AHI1 gene on the vulnerability to schizophrenia: a case-control association study. 2010 , 5, e12254	17
1178	Mutational characterization of the bile acid receptor TGR5 in primary sclerosing cholangitis. 2010 , 5, e12403	90
1177	A whole-genome SNP association study of NCI60 cell line panel indicates a role of Ca ²⁺ signaling in selenium resistance. 2010 , 5, e12601	17
1176	CRY2 is associated with rapid cycling in bipolar disorder patients. 2010 , 5, e12632	58
1175	A genome-wide association study of red blood cell traits using the electronic medical record. 2010 , 5, e13011	94
1174	Identification of candidate genes for dyslexia susceptibility on chromosome 18. 2010 , 5, e13712	27
1173	Unifying candidate gene and GWAS Approaches in Asthma. 2010 , 5, e13894	74
1172	Genetic evidence implicates the immune system and cholesterol metabolism in the aetiology of Alzheimer's disease. 2010 , 5, e13950	276
1171	Genomic runs of homozygosity record population history and consanguinity. 2010 , 5, e13996	281
1170	A putative Alzheimer's disease risk allele in PCK1 influences brain atrophy in multiple sclerosis. 2010 , 5, e14169	15
1169	Aquaporin 5 polymorphisms and rate of lung function decline in chronic obstructive pulmonary disease. 2010 , 5, e14226	28
1168	Genetic variants in toll-like receptors are not associated with rheumatoid arthritis susceptibility or anti-tumour necrosis factor treatment outcome. 2010 , 5, e14326	23
1167	Nicotinic receptor gene CHRNA4 interacts with processing load in attention. 2010 , 5, e14407	20
1166	A knowledge-based weighting framework to boost the power of genome-wide association studies. 2010 , 5, e14480	39
1165	Multi-locus test conditional on confirmed effects leads to increased power in genome-wide association studies. 2010 , 5, e15006	13

1164	Sex differential genetic effect of chromosome 9p21 on subclinical atherosclerosis. 2010 , 5, e15124	15
1163	A sequence polymorphism in MSTN predicts sprinting ability and racing stamina in thoroughbred horses. 2010 , 5, e8645	122
1162	A Genome-Wide Association Study of Educational Attainment. 2010 ,	0
1161	Effect of catechol-O-methyltransferase polymorphism on response to propranolol therapy in chronic musculoskeletal pain: a randomized, double-blind, placebo-controlled, crossover pilot study. 2010 , 20, 239-48	98
1160	A genetic variant in the gene encoding fibrinogen beta chain predicted development of hypertension in Chinese men. 2010 , 103, 728-35	5
1159	Homozygosity mapping in patients with cone-rod dystrophy: novel mutations and clinical characterizations. 2010 , 51, 5943-51	86
1158	Genome-wide association for smoking cessation success in a trial of precessation nicotine replacement. 2010 , 16, 513-26	49
1157	Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. 2010 , 16, 247-53	110
1156	Rare ATGL haplotypes are associated with increased plasma triglyceride concentrations in the Greenland Inuit. 2010 , 69, 3-12	5
1155	Evaluating strategies for marker ranking in genome-wide association studies of complex traits. 2010 , 49, 632-40	2
1154	Feasibility of High-Throughput Genome-Wide Genotyping using DNA from Stored Buccal Cell Samples. 2010 , 5, 49-55	5
1153	Characterizing allelic association in the genome era. 2010 , 92, 461-70	2
1152	FastEpistasis: a high performance computing solution for quantitative trait epistasis. 2010 , 26, 1468-9	80
1151	Genome-wide association study identifies genetic determinants of warfarin responsiveness for Japanese. 2010 , 19, 4735-44	117
1150	Fucosyltransferase 2 (FUT2) non-secretor status is associated with Crohn's disease. 2010 , 19, 3468-76	275
1149	Multigenic modeling of complex disease by random forests. 2010 , 72, 73-99	26
1148	Modification of cognitive performance in schizophrenia by complexin 2 gene polymorphisms. 2010 , 67, 879-88	68
1147	Implication of genetic variants near NEGR1, SEC16B, TMEM18, ETV5/DGKG, GNPDA2, LIN7C/BDNF, MTCH2, BCDIN3D/FAIM2, SH2B1, FTO, MC4R, and KCTD15 with obesity and type 2 diabetes in 7705 Chinese. 2010 , 95, 2418-25	102

1146	A large genome scan for rare CNVs in amyotrophic lateral sclerosis. 2010 , 19, 4091-9	40
1145	Genomic regions associated with dermal hyperpigmentation, polydactyly and other morphological traits in the Silkie chicken. 2010 , 101, 339-50	85
1144	Genetic determinants of HSP70 gene expression following heat shock. 2010 , 19, 4939-47	18
1143	High-throughput characterization of 10 new minor histocompatibility antigens by whole genome association scanning. 2010 , 70, 9073-83	74
1142	Host determinants of HIV-1 control in African Americans. 2010 , 201, 1141-9	125
1141	A second genetic variant on chromosome 15q24-25.1 associates with lung cancer. 2010 , 70, 3128-35	4
1140	Association of CR1, CLU and PICALM with Alzheimer's disease in a cohort of clinically characterized and neuropathologically verified individuals. 2010 , 19, 3295-301	199
1139	Estimating genome-wide IBD sharing from SNP data via an efficient hidden Markov model of LD with application to gene mapping. 2010 , 26, i175-82	18
1138	L-histidine decarboxylase and Tourette's syndrome. 2010 , 362, 1901-8	242
1137	Identification of quantitative trait loci underlying proteome variation in human lymphoblastoid cells. 2010 , 9, 1383-99	36
1136	Polymorphism in HTR3D shows different risks for acute chemotherapy-induced vomiting after anthracycline chemotherapy. 2010 , 11, 943-50	24
1135	GWAS analyzer: integrating genotype, phenotype and public annotation data for genome-wide association study analysis. 2010 , 26, 560-4	22
1134	A genome-wide association study in 19 633 Japanese subjects identified LHX3-QSOX2 and IGF1 as adult height loci. 2010 , 19, 2303-12	91
1133	Association of IFI200 gene polymorphisms with susceptibility to systemic lupus erythematosus. 2010 , 37, 1544-7	5
1132	Genetic variants in ABO blood group region, plasma soluble E-selectin levels and risk of type 2 diabetes. 2010 , 19, 1856-62	131
1131	Genetic diversity at endoplasmic reticulum aminopeptidases is maintained by balancing selection and is associated with natural resistance to HIV-1 infection. 2010 , 19, 4705-14	67
1130	Comprehensive assessment of variation at the transforming growth factor beta type 1 receptor locus and colorectal cancer predisposition. 2010 , 107, 7858-62	25
1129	Fine mapping of AHI1 as a schizophrenia susceptibility gene: from association to evolutionary evidence. 2010 , 24, 3066-82	32

1128	Trait-associated SNPs are more likely to be eQTLs: annotation to enhance discovery from GWAS. 2010 , 6, e1000888	941
1127	MAVEN: a tool for visualization and functional analysis of genome-wide association results. 2010 , 26, 270-2	3
1126	Whole-genome SNP association in the horse: identification of a deletion in myosin Va responsible for Lavender Foal Syndrome. 2010 , 6, e1000909	82
1125	Genome-wide association study of major recurrent depression in the U.K. population. 2010 , 167, 949-57	194
1124	Interleukin 18 receptor 1 expression distinguishes patients with multiple sclerosis. 2010 , 16, 1056-65	11
1123	Meta-analysis of genome-wide association studies. 2010 , 2010, pdb.top81	12
1122	Evaluation of genetic susceptibility loci for obesity in Chinese women. 2010 , 172, 244-54	40
1121	Common variants in the calcium-sensing receptor gene are associated with total serum calcium levels. 2010 , 19, 4296-303	77
1120	A GREM1 gene variant associates with diabetic nephropathy. 2010 , 21, 773-81	30
1119	Replication of KIF21B as a susceptibility locus for multiple sclerosis. 2010 , 47, 775-6	31
1118	A candidate gene study of canine joint diseases. 2010 , 101, 54-60	9
1117	Investigation of variants identified in caucasian genome-wide association studies for plasma high-density lipoprotein cholesterol and triglycerides levels in Mexican dyslipidemic study samples. 2010 , 3, 31-8	35
1116	A comprehensive genetic study on left atrium size in Caribbean Hispanics identifies potential candidate genes in 17p10. 2010 , 3, 386-92	13
1115	Genome-wide association study of bone mineral density in premenopausal European-American women and replication in African-American women. 2010 , 95, 1802-9	68
1114	Multiple-cohort genetic association study reveals CXCR6 as a new chemokine receptor involved in long-term nonprogression to AIDS. 2010 , 202, 908-15	69
1113	A genome-wide association study reveals susceptibility variants for non-small cell lung cancer in the Korean population. 2010 , 19, 4948-54	65
1112	Visualizing chromosome mosaicism and detecting ethnic outliers by the method of "rare" heterozygotes and homozygotes (RHH). 2010 , 19, 2539-53	1
1111	Genome-wide association study of prostate cancer mortality. 2010 , 19, 2869-76	42

1110	The PCLO gene and depressive disorders: replication in a population-based study. 2010 , 19, 731-4	41
1109	Polymorphisms in the hepatic lipase gene affect plasma HDL-cholesterol levels in a Turkish population. 2010 , 51, 422-30	27
1108	Robust relationship inference in genome-wide association studies. 2010 , 26, 2867-73	1238
1107	Signatures of founder effects, admixture, and selection in the Ashkenazi Jewish population. 2010 , 107, 16222-7	81
1106	Founder population-specific HapMap panel increases power in GWA studies through improved imputation accuracy and CNV tagging. 2010 , 20, 1344-51	40
1105	Genome-wide association of anthropometric traits in African- and African-derived populations. 2010 , 19, 2725-38	81
1104	Association of polymorphisms of tumor necrosis factor and tumor protein p53 with primary open-angle glaucoma. 2010 , 51, 4110-6	71
1103	Associations of six single nucleotide polymorphisms in obesity-related genes with BMI and risk of obesity in Chinese children. 2010 , 59, 3085-9	88
1102	Polymorphism in the GALNT1 gene and epithelial ovarian cancer in non-Hispanic white women: the Ovarian Cancer Association Consortium. 2010 , 19, 600-4	20
1101	Refining the prostate cancer genetic association within the JAZF1 gene on chromosome 7p15.2. 2010 , 19, 1349-55	21
1100	Genome-wide association study identifies variants at the IL18-BCO2 locus associated with interleukin-18 levels. 2010 , 30, 885-90	62
1099	Genetic variants influencing circulating lipid levels and risk of coronary artery disease. 2010 , 30, 2264-76	318
1098	Candidate gene association resource (CARE): design, methods, and proof of concept. 2010 , 3, 267-75	125
1097	A novel ADAMTSL4 mutation in autosomal recessive ectopia lentis et pupillae. 2010 , 51, 6369-73	36
1096	Natural selection and the distribution of identity-by-descent in the human genome. 2010 , 186, 295-308	75
1095	Genome-wide association study (GWAS)-identified disease risk alleles do not compromise human longevity. 2010 , 107, 18046-9	111
1094	Multistage genomewide association study identifies a locus at 1q41 associated with rate of HIV-1 disease progression to clinical AIDS. 2010 , 201, 618-26	60
1093	Genome-wide association study in discordant sibships identifies multiple inherited susceptibility alleles linked to lung cancer. 2010 , 31, 462-5	14

1092	An integrated expression phenotype mapping approach defines common variants in LEP, ALOX15 and CAPNS1 associated with induction of IL-6. 2010 , 19, 720-30	20
1091	Identification of epistatic effects using a protein-protein interaction database. 2010 , 19, 4345-52	21
1090	An imbalance of human complement regulatory proteins CFHR1, CFHR3 and factor H influences risk for age-related macular degeneration (AMD). 2010 , 19, 4694-704	153
1089	Associations between ADH gene variants and alcohol phenotypes in Dutch adults. 2010 , 13, 30-42	17
1088	Promoter variant of PIK3C3 is associated with autoimmunity against Ro and Sm epitopes in African-American lupus patients. 2010 , 2010, 826434	24
1087	Independent susceptibility markers for atrial fibrillation on chromosome 4q25. 2010 , 122, 976-84	109
1086	Evidence for CRHR1 in multiple sclerosis using supervised machine learning and meta-analysis in 12,566 individuals. 2010 , 19, 4286-95	17
1085	A genomewide association study of nicotine and alcohol dependence in Australian and Dutch populations. 2010 , 13, 10-29	90
1084	Genetic control of IL-1 beta production and inflammatory response by the mouse Irm1 locus. 2010 , 185, 1616-21	17
1083	Effects of PCSK9 genetic variants on plasma LDL cholesterol levels and risk of premature myocardial infarction in the Italian population. 2010 , 51, 3342-9	34
1082	No evidence for association of the KLF12 gene with rheumatoid arthritis in a large UK cohort. 2010 , 69, 1407-8	4
1081	Genome-wide association study identifies polymorphisms in LEPR as determinants of plasma soluble leptin receptor levels. 2010 , 19, 1846-55	63
1080	Variation within DNA repair pathway genes and risk of multiple sclerosis. 2010 , 172, 217-24	25
1079	Ascertainment biases in SNP chips affect measures of population divergence. 2010 , 27, 2534-47	232
1078	Letter to the editor: Further evidence is required to confirm association between CACNA1C gene variants and bipolar affective disorder. 2010 , 40, 702; author reply 703-4	1
1077	In silico replication of the genome-wide association results of the Type 1 Diabetes Genetics Consortium. 2010 , 19, 2534-8	14
1076	GSA-SNP: a general approach for gene set analysis of polymorphisms. 2010 , 38, W749-54	120
1075	IL-22RA2 associates with multiple sclerosis and macrophage effector mechanisms in experimental neuroinflammation. 2010 , 185, 6883-90	53

1074	Overlap of disease susceptibility loci for rheumatoid arthritis and juvenile idiopathic arthritis. 2010 , 69, 1049-53	53
1073	Association between a literature-based genetic risk score and cardiovascular events in women. 2010 , 303, 631-7	256
1072	The influence of common polymorphisms on breast cancer. 2010 , 155, 15-32	9
1071	Genetic variation of DKK3 may modify renal disease severity in ADPKD. 2010 , 21, 1510-20	49
1070	Concordant association of insulin degrading enzyme gene (IDE) variants with IDE mRNA, Abeta, and Alzheimer's disease. 2010 , 5, e8764	40
1069	Genome-wide association studies in cancer--current and future directions. 2010 , 31, 111-20	82
1068	Reconstructability analysis as a tool for identifying gene-gene interactions in studies of human diseases. 2010 , 9, Article18	7
1067	PERMORY: an LD-exploiting permutation test algorithm for powerful genome-wide association testing. 2010 , 26, 2093-100	28
1066	Mapping of numerous disease-associated expression polymorphisms in primary peripheral blood CD4+ lymphocytes. 2010 , 19, 4745-57	94
1065	Advances in genomic analysis of stroke: what have we learned and where are we headed?. 2010 , 41, 825-32	64
1064	Large-scale candidate gene analysis of spontaneous clearance of hepatitis C virus. 2010 , 201, 1371-80	51
1063	A genome-wide association study identifies a novel major locus for glycemic control in type 1 diabetes, as measured by both A1C and glucose. 2010 , 59, 539-49	81
1062	. 2010 ,	
1061	A risk allele for focal segmental glomerulosclerosis in African Americans is located within a region containing APOL1 and MYH9. 2010 , 78, 698-704	125
1060	BioSMACK: A linux Live CD for analysis of genome-wide association. 2010 ,	
1059	Data analysis of Genome-Wide Association studies (GWAS) concerning rheumatoid arthritis and multiple sclerosis. 2010 ,	
1058	Genetic variants at 2q24 are associated with susceptibility to type 2 diabetes. 2010 , 19, 2706-15	164
1057	Analysis of lipid pathway genes indicates association of sequence variation near SREBF1/TOM1L2/ATPAF2 with dementia risk. 2010 , 19, 2068-78	38

1056	Comparative genetic analysis of inflammatory bowel disease and type 1 diabetes implicates multiple loci with opposite effects. 2010 , 19, 2059-67	136
1055	Gene-gene interaction between serotonin transporter (SLC6A4) and CLOCK modulates the risk of metabolic syndrome in rotating shiftworkers. 2010 , 27, 1202-18	22
1054	Chemotherapeutic drug susceptibility associated SNPs are enriched in expression quantitative trait loci. 2010 , 107, 9287-92	96
1053	Genome-wide association identifies candidate genes that influence the human electroencephalogram. 2010 , 107, 8695-700	62
1052	Aldose reductase gene polymorphisms and diabetic retinopathy susceptibility. 2010 , 33, 1834-6	30
1051	Kinesin-associated protein 3 (KIFAP3) has no effect on survival in a population-based cohort of ALS patients. 2010 , 107, 12335-8	25
1050	Association of the oxytocin receptor (OXTR) gene polymorphisms with autism spectrum disorder (ASD) in the Japanese population. 2010 , 55, 137-41	152
1049	Pizza, beer, amylase, lipase and the acute abdomen. 2010 , 59, 1464, 1560	1
1048	A canine Arylsulfatase G (ARSG) mutation leading to a sulfatase deficiency is associated with neuronal ceroid lipofuscinosis. 2010 , 107, 14775-80	62
1047	Variant of TYR and autoimmunity susceptibility loci in generalized vitiligo. 2010 , 362, 1686-97	281
1046	Colloquium paper: genome-wide patterns of population structure and admixture among Hispanic/Latino populations. 2010 , 107 Suppl 2, 8954-61	293
1045	Brittle cornea syndrome associated with a missense mutation in the zinc-finger 469 gene. 2010 , 51, 47-52	39
1044	Heritabilities of ocular biometrical traits in two croatian isolates with extended pedigrees. 2010 , 51, 737-43	19
1043	Genetic architecture of ambulatory blood pressure in the general population: insights from cardiovascular gene-centric array. 2010 , 56, 1069-76	59
1042	Shared molecular amino acid signature in the HLA-DR peptide binding pocket predisposes to both autoimmune diabetes and thyroiditis. 2010 , 107, 16899-903	53
1041	Genome-wide association study identifies a susceptibility locus for biliary atresia on 10q24.2. 2010 , 19, 2917-25	90
1040	Genome-wide associations and functional genomic studies of musculoskeletal adverse events in women receiving aromatase inhibitors. 2010 , 28, 4674-82	175
1039	Genome-wide association study of advanced age-related macular degeneration identifies a role of the hepatic lipase gene (LIPC). 2010 , 107, 7395-400	345

1038	Common genetic variation and susceptibility to partial epilepsies: a genome-wide association study. 2010 , 133, 2136-47	115
1037	Determination of a gene and environment risk model for age-related macular degeneration. 2010 , 94, 1382-7	21
1036	Cystic fibrosis conductance regulator, tumor necrosis factor, interferon alpha-10, interferon alpha-17, and interferon gamma genotyping as potential risk markers in pulmonary sarcoidosis pathogenesis in Greek patients. 2010 , 14, 577-84	5
1035	Sex-dependent association of common variants of microcephaly genes with brain structure. 2010 , 107, 384-8	111
1034	Genome-wide association study of homocysteine levels in Filipinos provides evidence for CPS1 in women and a stronger MTHFR effect in young adults. 2010 , 19, 2050-8	57
1033	Examination of all type 2 diabetes GWAS loci reveals HHEX-IDE as a locus influencing pediatric BMI. 2010 , 59, 751-5	49
1032	Genome-wide association identifies OBFC1 as a locus involved in human leukocyte telomere biology. 2010 , 107, 9293-8	209
1031	A genome-wide association study of alcohol dependence. 2010 , 107, 5082-7	367
1030	Evoker: a visualization tool for genotype intensity data. 2010 , 26, 1786-7	30
1029	Genome-wide association meta-analysis of cortical bone mineral density unravels allelic heterogeneity at the RANKL locus and potential pleiotropic effects on bone. 2010 , 6, e1001217	59
1028	Genomic and geographic distribution of SNP-defined runs of homozygosity in Europeans. 2010 , 19, 2927-35	99
1027	Identification of new genetic risk variants for type 2 diabetes. 2010 , 6, e1001127	168
1026	Analysis of genetic variants in never-smokers with lung cancer facilitated by an Internet-based blood collection protocol: a preliminary report. 2010 , 16, 755-63	69
1025	No evidence for a role of the catechol-O-methyltransferase pain sensitivity haplotypes in chronic widespread pain. 2010 , 69, 2009-12	36
1024	Genome-wide association of serum bilirubin levels in Korean population. 2010 , 19, 3672-8	54
1023	Genetic association study identifies HSPB7 as a risk gene for idiopathic dilated cardiomyopathy. 2010 , 6, e1001167	93
1022	Elucidating the chromosome 9 association with AS; CARD9 is a candidate gene. 2010 , 11, 490-6	53
1021	A candidate gene study of CLEC16A does not provide evidence of association with risk for anti-CCP-positive rheumatoid arthritis. 2010 , 11, 504-8	4

1020	Damming the genomic data flood using a comprehensive analysis and storage data structure. 2010 , 2010, baq029	4
1019	An integration of genome-wide association study and gene expression profiling to prioritize the discovery of novel susceptibility Loci for osteoporosis-related traits. 2010 , 6, e1000977	163
1018	Genome-wide association study in Asian populations identifies variants in ETS1 and WDFY4 associated with systemic lupus erythematosus. 2010 , 6, e1000841	316
1017	Common genetic variants and modification of penetrance of BRCA2-associated breast cancer. 2010 , 6, e1001183	74
1016	A genome-wide association study identifies susceptibility variants for type 2 diabetes in Han Chinese. 2010 , 6, e1000847	251
1015	Genome-wide association study of Lp-PLA(2) activity and mass in the Framingham Heart Study. 2010 , 6, e1000928	57
1014	Abundant quantitative trait loci exist for DNA methylation and gene expression in human brain. 2010 , 6, e1000952	612
1013	Web-based, participant-driven studies yield novel genetic associations for common traits. 2010 , 6, e1000993	332
1012	Evaluation of candidate stromal epithelial cross-talk genes identifies association between risk of serous ovarian cancer and TERT, a cancer susceptibility "hot-spot". 2010 , 6, e1001016	42
1011	Association between common variation in genes encoding sweet taste signaling components and human sucrose perception. 2010 , 35, 579-92	70
1010	Babelomics: an integrative platform for the analysis of transcriptomics, proteomics and genomic data with advanced functional profiling. 2010 , 38, W210-3	267
1009	Association of scavenger receptor class B type I polymorphisms with subclinical atherosclerosis: the Multi-Ethnic Study of Atherosclerosis. 2010 , 3, 47-52	35
1008	A systems model for immune cell interactions unravels the mechanism of inflammation in human skin. 2010 , 6, e1001024	42
1007	Quantification of population structure using correlated SNPs by shrinkage principal components. 2010 , 70, 9-22	40
1006	Genome-wide association study for colorectal cancer identifies risk polymorphisms in German familial cases and implicates MAPK signalling pathways in disease susceptibility. 2010 , 31, 1612-9	48
1005	Genome-wide pharmacogenetics of antidepressant response in the GENDEP project. 2010 , 167, 555-64	280
1004	Digital quantification of human eye color highlights genetic association of three new loci. 2010 , 6, e1000934	135
1003	Use of genome-wide expression data to mine the "Gray Zone" of GWA studies leads to novel candidate obesity genes. 2010 , 6, e1000976	56

1002	Multiple independent loci at chromosome 15q25.1 affect smoking quantity: a meta-analysis and comparison with lung cancer and COPD. 2010 , 6, e1001053	291
1001	A quality control algorithm for filtering SNPs in genome-wide association studies. 2010 , 26, 1731-7	15
1000	The 5p15.33 locus is associated with risk of lung adenocarcinoma in never-smoking females in Asia. 2010 , 6, e1001051	141
999	Genome-wide effects of long-term divergent selection. 2010 , 6, e1001188	103
998	Genetic variation influences glutamate concentrations in brains of patients with multiple sclerosis. 2010 , 133, 2603-11	107
997	Locus category based analysis of a large genome-wide association study of rheumatoid arthritis. 2010 , 19, 3863-72	11
996	A genome wide linkage scan for dizygotic twinning in 525 families of mothers of dizygotic twins. 2010 , 25, 1569-80	27
995	Colorectal cancer susceptibility quantitative trait loci in mice as a novel approach to detect low-penetrance variants in humans: a two-stage case-control study. 2010 , 19, 619-23	11
994	Multiple genetic loci influence serum urate levels and their relationship with gout and cardiovascular disease risk factors. 2010 , 3, 523-30	243
993	A novel cerebello-ocular syndrome with abnormal glycosylation due to abnormalities in dolichol metabolism. 2010 , 133, 3210-20	76
992	Common variations in PSMD3-CSF3 and PLCB4 are associated with neutrophil count. 2010 , 19, 2079-85	44
991	Comprehensive analysis of genomic variation in the LPA locus and its relationship to plasma lipoprotein(a) in South Asians, Chinese, and European Caucasians. 2010 , 3, 39-46	95
990	Common variants in SLC17A3 gene affect intra-personal variation in serum uric acid levels in longitudinal time series. 2010 , 51, 32-9	11
989	Investigation of type 1 diabetes and coeliac disease susceptibility loci for association with juvenile idiopathic arthritis. 2010 , 69, 2169-72	29
988	Non-synonymous single-nucleotide polymorphisms associated with blood pressure and hypertension. 2010 , 24, 763-74	33
987	Homozygous mutations in the 5' region of the JUP gene result in cutaneous disease but normal heart development in children. 2010 , 130, 1543-50	40
986	Variation in nicotinic acetylcholine receptor genes is associated with multiple substance dependence phenotypes. 2010 , 35, 1921-31	90
985	Convergent evidence that choline acetyltransferase gene variation is associated with prospective smoking cessation and nicotine dependence. 2010 , 35, 1374-82	34

984	An interactive effect of batch size and composition contributes to discordant results in GWAS with the CHIAMO genotyping algorithm. 2010 , 10, 355-63	10
983	Genome-wide conditional search for epistatic disease-predisposing variants in human association studies. 2010 , 70, 34-41	5
982	Predictive value of 8 genetic loci for serum uric acid concentration. 2010 , 51, 23-31	13
981	Genetic variations in ATP2B1, CSK, ARSG and CSMD1 loci are related to blood pressure and/or hypertension in two Korean cohorts. 2010 , 24, 367-72	73
980	The role of genetic variation near interferon-kappa in systemic lupus erythematosus. 2010 , 2010,	37
979	Association of variants at 1q32 and STAT3 with ankylosing spondylitis suggests genetic overlap with Crohn's disease. 2010 , 6, e1001195	162
978	Confirmation that the renin gene distal enhancer polymorphism REN-5312C/T is associated with increased blood pressure. 2010 , 3, 53-9	14
977	A genome-wide association study identifies GLT6D1 as a susceptibility locus for periodontitis. 2010 , 19, 553-62	150
976	Association of genetic variants in the apelin-APJ system and ACE2 with blood pressure responses to potassium supplementation: the GenSalt study. 2010 , 23, 606-13	35
975	Variation in the uric acid transporter gene (SLC2A9) and memory performance. 2010 , 19, 2321-30	29
974	CIITA variation in the presence of HLA-DRB1*1501 increases risk for multiple sclerosis. 2010 , 19, 2331-40	43
973	A systematic gene-based screen of chr4q22-q32 identifies association of a novel susceptibility gene, DKK2, with the quantitative trait of alcohol dependence symptom counts. 2010 , 19, 2497-506	14
972	Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. 2010 , 39, 563-77	110
971	Genevar: a database and Java application for the analysis and visualization of SNP-gene associations in eQTL studies. 2010 , 26, 2474-6	264
970	KLHDC8B in Hodgkin lymphoma and possibly twinning. 2010 , 3, 154-8	4
969	Pilot study on schizophrenia in Sardinia. 2010 , 70, 92-6	5
968	Genetic differences between five European populations. 2010 , 70, 141-9	24
967	Systematic removal of outliers to reduce heterogeneity in case-control association studies. 2010 , 70, 227-31	4

966	Genome-wide meta-analysis of joint tests for genetic and gene-environment interaction effects. 2010, 70, 292-300	54
965	Circadian clock gene polymorphisms in alcohol use disorders and alcohol consumption. 2010, 45, 303-11	98
964	Genetic variation in pentraxin (PTX) 3 gene associates with PTX3 production and fertility in women. 2010, 82, 299-304	29
963	Genetic variation in the hypothalamic-pituitary-adrenal stress axis influences susceptibility to musculoskeletal pain: results from the EPIFUND study. 2010, 69, 556-60	51
962	Common variants in HSPB7 and FRMD4B associated with advanced heart failure. 2010, 3, 147-54	103
961	The relationship between smoking and replicated sequence variants on chromosomes 8 and 9 with familial intracranial aneurysm. 2010, 41, 1132-7	44
960	Genomewide linkage and peakwide association analyses of carotid plaque in Caribbean Hispanics. 2010, 41, 2750-6	30
959	A new perspective of integrative genome-wide association analysis considering trans eSNP effect. 2010,	0
958	Efficient identification of identical-by-descent status in pedigrees with many untyped individuals. 2010, 26, i191-8	20
957	Hypometabolism in Alzheimer-affected brain regions in cognitively healthy Latino individuals carrying the apolipoprotein E epsilon4 allele. 2010, 67, 462-8	73
956	Detecting two-locus associations allowing for interactions in genome-wide association studies. 2010, 26, 2517-25	20
955	Non-synonymous variant (Gly307Ser) in CD226 is associated with susceptibility to multiple autoimmune diseases. 2010, 49, 1239-44	56
954	Genome-wide association studies: a powerful tool for neurogenomics. 2010, 28, E2	6
953	Gene expression levels as endophenotypes in genome-wide association studies of Alzheimer disease. 2010, 74, 480-6	29
952	Peroxisome proliferator-activated receptor-delta genotype influences metabolic phenotype and may influence lipid response to statin therapy in humans: a genetics of diabetes audit and research Tayside study. 2010, 95, 1830-7	21
951	Correcting for cryptic relatedness in population-based association studies of continuous traits. 2010, 69, 28-33	7
950	Prevalence of incompletely penetrant Huntington's disease alleles among individuals with major depressive disorder. 2010, 167, 574-9	39
949	Estrogen receptor 1 gene (ESR1) is associated with restrictive anorexia nervosa. 2010, 35, 1818-25	32

948	Cross-disorder genomewide analysis of schizophrenia, bipolar disorder, and depression. 2010 , 167, 1254-63	157
947	Identification of 15 loci influencing height in a Korean population. 2010 , 55, 27-31	80
946	Detection of inappropriate samples in association studies by an IBS-based method considering linkage disequilibrium between genetic markers. 2010 , 55, 436-40	2
945	Genome-wide association study to identify genetic variants present in Japanese patients harboring intracranial aneurysms. 2010 , 55, 656-61	44
944	A two-stage case-control association study of the dihydropyrimidinase-like 2 gene (DPYSL2) with schizophrenia in Japanese subjects. 2010 , 55, 469-72	17
943	The role of the polycystic ovary syndrome susceptibility locus D19S884 allele 8 in maternal glycemia and fetal size. 2010 , 95, 3242-50	9
942	Runs of homozygosity identify a recessive locus 12q21.31 for human adult height. 2010 , 95, 3777-82	28
941	OPG and RANK polymorphisms are both associated with cortical bone mineral density: findings from a metaanalysis of the Avon longitudinal study of parents and children and gothenburg osteoporosis and obesity determinants cohorts. 2010 , 95, 3940-8	31
940	Genome-wide association study of suicide attempts in mood disorder patients. 2010 , 167, 1499-507	113
939	Replication of a genome-wide association study of panic disorder in a Japanese population. 2010 , 55, 91-6	41
938	Comparison of genome-wide variation between Malawians and African ancestry HapMap populations. 2010 , 55, 366-74	11
937	A functional haplotype in the 3'untranslated region of TNFRSF1B is associated with tuberculosis in two African populations. 2010 , 181, 388-93	23
936	Association of IL1A, IL1B, and TNF gene polymorphisms with chronic rhinosinusitis with and without nasal polyposis: A replication study. 2010 , 136, 187-92	58
935	The regulation-of-autophagy pathway may influence Chinese stature variation: evidence from elder adults. 2010 , 55, 441-7	19
934	Linkage to 20p13 including the ANGPT4 gene in families with mixed Alzheimer's disease and vascular dementia. 2010 , 55, 649-55	8
933	Investigation of rheumatoid arthritis susceptibility genes identifies association of AFF3 and CD226 variants with response to anti-tumour necrosis factor treatment. 2010 , 69, 1029-35	78
932	Polymorphisms in the Hsp70 gene locus are genetically associated with systemic lupus erythematosus. 2010 , 69, 1983-9	25
931	Variants in linkage disequilibrium with the late cornified envelope gene cluster deletion are associated with susceptibility to psoriatic arthritis. 2010 , 69, 2199-203	35

930	Polymorphisms at the Microseminoprotein-beta locus associated with physiologic variation in beta-microseminoprotein and prostate-specific antigen levels. 2010 , 19, 2035-42	27
929	Differential effects of chromosome 9p21 variation on subphenotypes of intracranial aneurysm: site distribution. 2010 , 41, 1593-8	26
928	A CLEC16A variant confers risk for juvenile idiopathic arthritis and anti-cyclic citrullinated peptide antibody negative rheumatoid arthritis. 2010 , 69, 1471-4	48
927	Mexican-American admixture mapping analyses for diabetic nephropathy in type 2 diabetes mellitus. 2010 , 30, 141-9	7
926	Fine mapping of the association with obesity at the FTO locus in African-derived populations. 2010 , 19, 2907-16	72
925	Insights to the genetics of diabetic nephropathy through a genome-wide association study of the GoKinD collection. 2010 , 30, 126-40	27
924	References. 203-222	
923	Meta-analysis of genome-wide association scans for genetic susceptibility to endometriosis in Japanese population. 2010 , 55, 816-21	77
922	Analysis of the impact of genetic variation on human gene expression. 2010 , 628, 321-39	5
921	Family-based genome-wide association scan of attention-deficit/hyperactivity disorder. 2010 , 49, 898-905.e3	109
920	Case-control genome-wide association study of attention-deficit/hyperactivity disorder. 2010 , 49, 906-20	131
919	Recapitulation of two genomewide association studies on blood pressure and essential hypertension in the Korean population. 2010 , 55, 336-41	69
918	Leprosy and the adaptation of human toll-like receptor 1. 2010 , 6, e1000979	112
917	A genome-wide association study on African-ancestry populations for asthma. 2010 , 125, 336-346.e4	179
916	Evaluation of candidate genes in a genome-wide association study of childhood asthma in Mexicans. 2010 , 125, 321-327.e13	78
915	Genome-wide association study of asthma identifies RAD50-IL13 and HLA-DR/DQ regions. 2010 , 125, 328-335.e11	250
914	Genetic variants in thymic stromal lymphopoietin are associated with atopic dermatitis and eczema herpeticum. 2010 , 125, 1403-1407.e4	118
913	Direct ex vivo analysis of allergen-specific CD4+ T cells. 2010 , 125, 1407-1409.e1	64

912	Variants of thymic stromal lymphopoietin and its receptor associate with eosinophilic esophagitis. 2010 , 126, 160-5.e3	199
911	Analyses of shared genetic factors between asthma and obesity in children. 2010 , 126, 631-7.e1-8	94
910	A genomewide association study of citalopram response in major depressive disorder. 2010 , 67, 133-8	251
909	Identification of novel candidate genes for treatment response to risperidone and susceptibility for schizophrenia: integrated analysis among pharmacogenomics, mouse expression, and genetic case-control association approaches. 2010 , 67, 263-9	78
908	Copy number variation in schizophrenia in the Japanese population. 2010 , 67, 283-6	95
907	Genomewide association study of movement-related adverse antipsychotic effects. 2010 , 67, 279-82	107
906	Replication of association between working memory and Reelin, a potential modifier gene in schizophrenia. 2010 , 67, 983-91	47
905	Two-dimensional genome scan identifies multiple genetic interactions in bipolar affective disorder. 2010 , 67, 478-86	19
904	CLOCK gene variants associate with sleep duration in two independent populations. 2010 , 67, 1040-7	114
903	A genomewide association study of citalopram response in major depressive disorder-a psychometric approach. 2010 , 68, e25-7	17
902	Genome-wide association-, replication-, and neuroimaging study implicates HOMER1 in the etiology of major depression. 2010 , 68, 578-85	139
901	Mood disorder susceptibility gene CACNA1C modifies mood-related behaviors in mice and interacts with sex to influence behavior in mice and diagnosis in humans. 2010 , 68, 801-10	131
900	A reappraisal of the association between Dysbindin (DTNBP1) and schizophrenia in a large combined case-control and family-based sample of German ancestry. 2010 , 118, 98-105	15
899	Genetic association study of KREMEN1 and DKK1 and schizophrenia in a Japanese population. 2010 , 118, 113-7	13
898	Catechol O-methyltransferase variants and cognitive performance in schizophrenia and bipolar disorder versus controls. 2010 , 122, 31-7	39
897	Gene-wide association study between the methylenetetrahydrofolate reductase gene (MTHFR) and schizophrenia in the Japanese population, with an updated meta-analysis on currently available data. 2010 , 124, 216-22	26
896	Non-synonymous variants in the AMACR gene are associated with schizophrenia. 2010 , 124, 208-15	5
895	A genome-wide meta-analysis identifies novel loci associated with schizophrenia and bipolar disorder. 2010 , 124, 192-9	163

894	Voxelwise genome-wide association study (vGWAS). 2010 , 53, 1160-74	197
893	Genome-wide analysis reveals novel genes influencing temporal lobe structure with relevance to neurodegeneration in Alzheimer's disease. 2010 , 51, 542-54	119
892	Genetic variants associated with complex human diseases show wide variation across multiple populations. 2010 , 13, 72-9	122
891	Rare variants create synthetic genome-wide associations. 2010 , 8, e1000294	693
890	A genome-wide association scan on estrogen receptor-negative breast cancer. 2010 , 12, R93	32
889	Genome-wide association analysis in primary sclerosing cholangitis. 2010 , 138, 1102-11	255
888	Genetic risk factors for hepatopulmonary syndrome in patients with advanced liver disease. 2010 , 139, 130-9.e24	70
887	Genetic heterogeneity in colorectal cancer associations between African and European americans. 2010 , 139, 1677-85, 1685.e1-8	58
886	Genome-wide association study identifies variants associated with histologic features of nonalcoholic Fatty liver disease. 2010 , 139, 1567-76, 1576.e1-6	242
885	Identification of a gene for renal-hepatic-pancreatic dysplasia by microarray-based homozygosity mapping. 2010 , 12, 125-31	19
884	A Genome-Wide Association Study of Amygdala Activation in Youths With and Without Bipolar Disorder. 2010 , 49, 33-41	25
883	Impact of common variants of PPARG, KCNJ11, TCF7L2, SLC30A8, HHEX, CDKN2A, IGF2BP2, and CDKAL1 on the risk of type 2 diabetes in 5,164 Indians. 2010 , 59, 2068-74	146
882	Genome-wide pathway analysis implicates intracellular transmembrane protein transport in Alzheimer disease. 2010 , 55, 707-9	43
881	Association analysis of polymorphisms in IL-3, IL-4, IL-5, IL-9, and IL-13 with Graves' disease. 2010 , 33, 751-5	26
880	Obesity susceptibility genetic variants identified from recent genome-wide association studies: implications in a chinese population. 2010 , 95, 1395-403	76
879	Common genetic variation in multiple metabolic pathways influences susceptibility to low HDL-cholesterol and coronary heart disease. 2010 , 51, 3524-32	50
878	Polydactyl inheritance in the pig. 2010 , 101, 469-75	8
877	KAREBrowser: SNP database of Korea Association REsource project. 2010 ,	

876	Polymorphisms in the TOX3/LOC643714 locus and risk of breast cancer in African-American women. 2010 , 19, 1320-7	44
875	FGFR2 and other loci identified in genome-wide association studies are associated with breast cancer in African-American and younger women. 2010 , 31, 1417-23	100
874	Genetic susceptibility to type 2 diabetes is associated with reduced prostate cancer risk. 2010 , 69, 193-201	30
873	Genome-wide association analysis identifies multiple loci related to resting heart rate. 2010 , 19, 3885-94	106
872	Screening of DNA-variants in the properdin gene (CFP) in age-related macular degeneration (AMD). 2010 , 47, 1334-6	4
871	Replicated genetic evidence supports a role for HOMER2 in schizophrenia. 2010 , 468, 229-33	18
870	Oxytocin receptor (OXTR) does not play a major role in the aetiology of autism: genetic and molecular studies. 2010 , 474, 163-167	79
869	Panic disorder and serotonergic genes (SLC6A4, HTR1A and HTR2A): Association and interaction with childhood trauma and parenting. 2010 , 485, 11-5	31
868	Genome-wide association scan of Dupuytren's disease. 2010 , 35, 2039-45	19
867	A preliminary investigation into a genetic basis for cis-3-hexen-1-ol odour perception: A genome-wide association approach. 2010 , 21, 121-131	36
866	A genome-wide association study of Cloninger's temperament scales: implications for the evolutionary genetics of personality. 2010 , 85, 306-17	128
865	Genetic variation in the visfatin (PBEF1/NAMPT) gene and type 2 diabetes in the Greek population. 2010 , 51, 25-7	12
864	TRIM39 and RNF39 are associated with Behçet's disease independently of HLA-B*51 and -A*26. 2010 , 401, 533-7	28
863	Functional glutathione peroxidase 3 polymorphisms associated with increased risk of Taiwanese patients with gastric cancer. 2010 , 411, 1432-6	20
862	Genetic heterogeneity in human disease. 2010 , 141, 210-7	737
861	Possible association of different G72/G30 SNPs with mood episodes and persecutory delusions in bipolar I Romanian patients. 2010 , 34, 657-63	8
860	SRD5A2 is associated with increased cortisol metabolism in schizophrenia spectrum disorders. 2010 , 34, 1500-6	16
859	Evidence for an association between KIBRA and late-onset Alzheimer's disease. 2010 , 31, 901-9	78

858	Association between mitochondrial DNA variations and Alzheimer's disease in the ADNI cohort. 2010 , 31, 1355-63	75
857	Sex and age differences in atrophic rates: an ADNI study with n=1368 MRI scans. 2010 , 31, 1463-80	125
856	Exome sequencing reveals VCP mutations as a cause of familial ALS. 2010 , 68, 857-64	939
855	The complement component 5 gene and age-related macular degeneration. 2010 , 117, 500-11	28
854	Despite identifying some shared gene associations with human atopic dermatitis the use of multiple dog breeds from various locations limits detection of gene associations in canine atopic dermatitis. 2010 , 138, 193-7	41
853	Toward a more uniform sampling of human genetic diversity: a survey of worldwide populations by high-density genotyping. 2010 , 96, 199-210	62
852	Analysis of candidate genes on chromosome 20q12-13.1 reveals evidence for BMI mediated association of PREX1 with type 2 diabetes in European Americans. 2010 , 96, 211-9	30
851	Strong interaction between the effects of alcohol consumption and smoking on oesophageal squamous cell carcinoma among individuals with ADH1B and/or ALDH2 risk alleles. 2010 , 59, 1457-64	96
850	Association of sequence variants in CKM (creatine kinase, muscle) and COX4I2 (cytochrome c oxidase, subunit 4, isoform 2) genes with racing performance in Thoroughbred horses. 2010 , 42, 569-75	44
849	Arlequin suite ver 3.5: a new series of programs to perform population genetics analyses under Linux and Windows. 2010 , 10, 564-7	10640
848	PEAS V1.0: a package for elementary analysis of SNP data. 2010 , 10, 1085-8	28
847	Genetic variations at loci involved in the immune response are risk factors for hepatocellular carcinoma. 2010 , 52, 2034-43	101
846	Association between the oxytocin receptor gene and amygdalar volume in healthy adults. 2010 , 68, 1066-72	124
845	Genome-wide SNP analysis reveals no gain in power for association studies of common variants in the Finnish Saami. 2010 , 18, 569-74	3
844	Genome-wide association study of generalized vitiligo in an isolated European founder population identifies SMOC2, in close proximity to IDDM8. 2010 , 130, 798-803	59
843	A genome-wide association study of nasopharyngeal carcinoma identifies three new susceptibility loci. 2010 , 42, 599-603	306
842	Human eye colour and HERC2, OCA2 and MATP. 2010 , 4, 323-8	64
841	No interaction between alcohol consumption and HDL-related genes on HDL cholesterol levels. 2010 , 211, 551-7	16

840	Whole genome association study of brain-wide imaging phenotypes for identifying quantitative trait loci in MCI and AD: A study of the ADNI cohort. 2010 , 53, 1051-63	266
839	Rare chromosomal deletions and duplications in attention-deficit hyperactivity disorder: a genome-wide analysis. 2010 , 376, 1401-8	399
838	Statistical methods for pathway analysis of genome-wide data for association with complex genetic traits. 2010 , 72, 141-79	74
837	Identification of single nucleotide polymorphisms in the bovine solute carrier family 11 member 1 (SLC11A1) gene and their association with infection by Mycobacterium avium subspecies paratuberculosis. 2010 , 93, 1713-21	46
836	Using eigenvalues as variance priors in the prediction of genomic breeding values by principal component analysis. 2010 , 93, 2765-74	18
835	TNIP1, SLC15A4, ETS1, RasGRP3 and IKZF1 are associated with clinical features of systemic lupus erythematosus in a Chinese Han population. 2010 , 19, 1181-6	86
834	SDHAF2 mutations in familial and sporadic paraganglioma and pheochromocytoma. 2010 , 11, 366-72	227
833	Genetic variants and risk of lung cancer in never smokers: a genome-wide association study. 2010 , 11, 321-30	190
832	Mechanisms of peripheral neuropathy associated with bortezomib and vincristine in patients with newly diagnosed multiple myeloma: a prospective analysis of data from the HOVON-65/GMMG-HD4 trial. 2010 , 11, 1057-65	177
831	SNPTransformer: a lightweight toolkit for genome-wide association studies. 2010 , 8, 268-73	0
830	Handbook on Analyzing Human Genetic Data. 2010 ,	5
829	Polymorphisms in KCNQ1 are associated with gestational diabetes in a Korean population. 2010 , 74, 333-8	20
828	Epistatic interactions. 2010 , 9, Article 1	42
827	Pooling-based genome-wide association study implicates gamma-glutamyltransferase 1 (GGT1) gene in pancreatic carcinogenesis. 2010 , 10, 194-200	34
826	Computational Biology. 2010 ,	1
825	Genome Wide Association Studies. 2010 , 159-175	
824	Population sequencing of two endocannabinoid metabolic genes identifies rare and common regulatory variants associated with extreme obesity and metabolite level. 2010 , 11, R118	23
823	Characterization of X-linked SNP genotypic variation in globally distributed human populations. 2010 , 11, R10	25

822	A whole genome association study of mother-to-child transmission of HIV in Malawi. 2010 , 2, 17	40
821	Bioinformatics Methods in Clinical Research. 2010 ,	9
820	Quality control for genome-wide association studies. 2010 , 628, 341-72	83
819	Simulating gene-environment interactions in complex human diseases. 2010 , 2, 21	4
818	Definition and analysis of SNP-free regions of current genome wide association study databases. 2010 ,	
817	Update on the genetic risk factors for rheumatoid arthritis. 2010 , 6, 61-75	26
816	Genetic polymorphisms in the SCN8A gene are associated with suicidal behavior in psychiatric disorders in the Chinese population. 2010 , 11, 956-63	5
815	Population genetic inference from genomic sequence variation. 2010 , 20, 291-300	165
814	Association mapping of local climate-sensitive quantitative trait loci in Arabidopsis thaliana. 2010 , 107, 21199-204	219
813	The FOXE1 locus is a major genetic determinant for radiation-related thyroid carcinoma in Chernobyl. 2010 , 19, 2516-23	122
812	Statistical genetic issues for genome-wide association studies. 2010 , 53, 869-75	7
811	Discovery of multivariate phenotypes using association rule mining and their application to genome-wide association studies. 2010 ,	
810	A genome-wide association study identifies two new lung cancer susceptibility loci at 13q12.12 and 22q12.2 in Han Chinese. 2011 , 43, 792-6	288
809	Association of STAT3 and TNFRSF1A with ankylosing spondylitis in Han Chinese. 2011 , 70, 289-92	86
808	Fractalkine is a novel human adipochemokine associated with type 2 diabetes. 2011 , 60, 1512-8	123
807	Fast and parallelized greedy forward selection of genetic variants in Genome-wide association studies. 2011 ,	0
806	Reviews of Science for Science Librarians: Genome-Wide Association Studies (GWAS). 2011 , 30, 229-243	1
805	Association of variants in genes involved in pancreatic β cell development and function with type 2 diabetes in North Indians. 2011 , 56, 695-700	31

804	Transforming growth factor-beta signaling pathway in patients with Kawasaki disease. 2011 , 4, 16-25	96
803	Evidence for association of an ACCN1 gene variant with response to lithium treatment in Sardinian patients with bipolar disorder. 2011 , 12, 1559-69	71
802	Meta-analyses of genes modulating intracellular T3 bio-availability reveal a possible role for the DIO3 gene in osteoarthritis susceptibility. 2011 , 70, 164-7	40
801	Meta-analysis of genome-wide association studies in >80 000 subjects identifies multiple loci for C-reactive protein levels. 2011 , 123, 731-8	395
800	A survey of the genetics of stomach, liver, and adipose gene expression from a morbidly obese cohort. 2011 , 21, 1008-16	141
799	Identification of novel candidate genes for Alzheimer's disease by autozygosity mapping using genome wide SNP data. 2011 , 23, 349-59	37
798	Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. 2011 , 20, 5012-23	164
797	LOXL1 promoter haplotypes are associated with exfoliation syndrome in a U.S. Caucasian population. 2011 , 52, 2372-8	48
796	Lack of association of Klotho gene variants with valvular and vascular calcification in Caucasians: a candidate gene study of the Framingham Offspring Cohort. 2011 , 26, 3998-4002	17
795	Exome sequencing identified MYO1E and NEIL1 as candidate genes for human autosomal recessive steroid-resistant nephrotic syndrome. 2011 , 80, 389-96	63
794	Genome-wide association study identifies a susceptibility locus for thoracic aortic aneurysms and aortic dissections spanning FBN1 at 15q21.1. 2011 , 43, 996-1000	148
793	Variants in the Toll-interacting protein gene are associated with susceptibility to sepsis in the Chinese Han population. 2011 , 15, R12	38
792	No association between TNFSF15 and IL23R with ulcerative colitis in Koreans. 2011 , 56, 200-4	19
791	The same chromosome 9p21.3 locus is associated with type 2 diabetes and coronary artery disease in a Chinese Han population. 2011 , 60, 680-4	41
790	Genome-wide association study of the child behavior checklist dysregulation profile. 2011 , 50, 807-17.e8	46
789	Identification of somatostatin receptor type 5 gene polymorphisms associated with acromegaly. 2011 , 165, 517-25	18
788	Dense genotyping identifies and localizes multiple common and rare variant association signals in celiac disease. 2011 , 43, 1193-201	535
787	Genetic architecture of prostate cancer in the Ashkenazi Jewish population. 2011 , 105, 864-9	9

786	Genome-wide association study reveals three susceptibility loci for common migraine in the general population. 2011 , 43, 695-8	295
785	Genome-wide association mapping reveals a rich genetic architecture of complex traits in <i>Oryza sativa</i> . 2011 , 2, 467	875
784	Common variants of FTO and the risk of obesity and type 2 diabetes in Indians. 2011 , 56, 720-6	50
783	Genome-wide association study identifies FCGR2A as a susceptibility locus for Kawasaki disease. 2011 , 43, 1241-6	236
782	Hostility in adolescents and adults: a genome-wide association study of the Young Finns. 2011 , 1, e11	19
781	A genome-wide association study identifies two new risk loci for Graves' disease. 2011 , 43, 897-901	209
780	Kinship analysis based on SNP data from microarray assay. 2011 , 3, e275-e276	1
779	Screening ethnically diverse human embryonic stem cells identifies a chromosome 20 minimal amplicon conferring growth advantage. 2011 , 29, 1132-44	406
778	Single-nucleotide polymorphisms in the KCNN3 gene associate with preterm birth. 2011 , 18, 286-95	12
777	Lack of replication in polymorphisms reported to be associated with atrial fibrillation. 2011 , 8, 403-9	20
776	HLA-Cw*1202-B*5201-DRB1*1502 haplotype increases risk for ulcerative colitis but reduces risk for Crohn's disease. 2011 , 141, 864-871.e1-5	74
775	Susceptibility to amoxicillin-clavulanate-induced liver injury is influenced by multiple HLA class I and II alleles. 2011 , 141, 338-47	359
774	Single nucleotide polymorphisms that increase expression of the guanosine triphosphatase RAC1 are associated with ulcerative colitis. 2011 , 141, 633-41	58
773	Genome-wide association study of schizophrenia in a Japanese population. 2011 , 69, 472-8	145
772	Candidate gene analysis of the human natural killer-1 carbohydrate pathway and perineuronal nets in schizophrenia: B3GAT2 is associated with disease risk and cortical surface area. 2011 , 69, 90-6	37
771	Convergent animal and human evidence suggests a role of PPM1A gene in response to antidepressants. 2011 , 69, 360-5	28
770	Evidence of sex-modulated association of ZNF804A with schizophrenia. 2011 , 69, 914-7	54
769	Relationship between genetic variation in the glutaminase gene GLS1 and brain glutamine/glutamate ratio measured in vivo. 2011 , 70, 169-74	20

768	An examination of single nucleotide polymorphism selection prioritization strategies for tests of gene-gene interaction. 2011 , 70, 198-203	10
767	Sex-specific role for adenylyl cyclase type 7 in alcohol dependence. 2011 , 69, 1100-8	15
766	DCDC2, KIAA0319 and CMIP are associated with reading-related traits. 2011 , 70, 237-45	128
765	The AVPR1A gene and substance use disorders: association, replication, and functional evidence. 2011 , 70, 519-27	39
764	Converging evidence for an association of ATP2B2 allelic variants with autism in male subjects. 2011 , 70, 880-7	33
763	Prioritization and association analysis of murine-derived candidate genes in anxiety-spectrum disorders. 2011 , 70, 888-96	24
762	A comprehensive analysis of the COL29A1 gene does not support a role in eczema. 2011 , 127, 1187-94.e7	13
761	Integrating top-down and bottom-up approaches to understand the genetic architecture of speciation across a monkeyflower hybrid zone.	0
760	Identification of Novel Genetic Risk Factors for Focal Segmental Glomerulosclerosis in Children: Results From the Chronic Kidney Disease in Children (CKiD) Cohort. 2023 ,	0
759	Ancestry-dependent genetic structure of the Xq28 risk haplotype in the Mexican population and its association with childhood-onset systemic lupus erythematosus. 9,	0
758	Genome-wide association study of yield-related traits in common wheat (<i>Triticum aestivum</i> L.) under normal and drought treatment conditions. 13,	0
757	Rare variant analyses across multiethnic cohorts identify novel genes for refractive error. 2023 , 6,	0
756	Genome-wide association study of varicose veins identifies a protective missense variant in GJD3 enriched in the Finnish population. 2023 , 6,	0
755	Identification of genetic variants associated with diabetic kidney disease in multiple Korean cohorts via a genome-wide association study mega-analysis. 2023 , 21,	0
754	Unsupervised discovery of ancestry-informative markers and genetic admixture proportions in biobank-scale datasets. 2023 ,	0
753	Male-specific, replicable and functional roles of genetic variants and cerebral gray matter volumes in ADHD: a gene-wide association study across KTN1 and a region-wide functional validation across brain. 2023 , 17,	0
752	Linking breadfruit cultivar names across the globe connects histories after 230 years of separation. 2023 ,	0
751	KIN: a method to infer relatedness from low-coverage ancient DNA. 2023 , 24,	0

- 750 Population Genomic Analyses Suggest a Hybrid Origin, Cryptic Sexuality, and Decay of Genes Regulating Seed Development for the Putatively Strictly Asexual *Kingdonia uniflora* (Circaceasteraceae, Ranunculales). **2023**, 24, 1451 ○
- 749 Genome-wide association study of school grades identifies genetic overlap between language ability, psychopathology and creativity. **2023**, 13, ○
- 748 Impact of genomic preselection on subsequent ssGBLUP evaluation of preselected animals for scarcely recorded feed intake in pigs. ○
- 747 Outlier analyses and genome-wide association study identify *glgC* and *ERD6-like 4* as candidate genes for foliar water-soluble carbohydrate accumulation in *Trifolium repens*. 13, ○
- 746 Genome-wide association study of brain biochemical phenotypes reveals distinct genetic architecture of Alzheimer's disease related proteins. **2023**, 18, ○
- 745 Effect of reduced genomic representation on using runs of homozygosity for inbreeding characterization. ○
- 744 Genome-wide assessment of the population structure and genetic diversity of four Portuguese native sheep breeds. 14, ○
- 743 Spatial genetic structure of European wild boar, with inferences on late-Pleistocene and Holocene demographic history. ○
- 742 Genetic background of semen parameters in Italian Simmental bulls. **2023**, 22, 76-83 ○
- 741 Complex multiple introductions drive fall armyworm invasions into Asia and Australia. **2023**, 13, ○
- 740 Ancestral origins are associated with SARS-CoV-2 susceptibility and protection in a Florida patient population. **2023**, 18, e0276700 ○
- 739 Molecular Landscape of Tourette's Disorder. **2023**, 24, 1428 ○
- 738 Evaluating the Genetic Effects of Gut Microbiota on the Development of Neuroticism and General Happiness: A Polygenic Score Analysis and Interaction Study Using UK Biobank Data. **2023**, 14, 156 ○
- 737 Common evolutionary trajectory of short life-cycle in Brassicaceae ruderal weeds. **2023**, 14, ○
- 736 No evidence for sex chromosomes in natural populations of the cichlid fish *Astatotilapia burtoni*. ○
- 735 Proteome Wide Association Studies of LRRK2 variants identify novel causal and druggable for Parkinson's disease. ○
- 734 Potential Utility of Risk Stratification for Multicancer Screening with Liquid Biopsy Tests. ○
- 733 Interaction of mitochondrial polygenic score and environmental factors in LRRK2 p.Gly2019Ser parkinsonism. ○

732	Lymphoid enhancer binding factor 1 is associated with nose color in Yunong black pigs.	0
731	Skin Phototype and Disease: A Comprehensive Genetic Approach to Pigmentary Traits Pleiotropy Using PRS in the GCAT Cohort. 2023 , 14, 149	1
730	Genome-wide re-sequencing data reveals the genetic diversity and population structure of Wenchang chicken in China.	0
729	Efficient geneEnvironment interaction testing through bootstrap aggregating. 2023 , 13,	0
728	Genetic improvement of economic traits in Murrah buffalo using significant SNPs from genome wide association study.	0
727	Fast Integration and Accumulation of Breeding Beneficial Alleles through AB-NAMIC Strategy in Wheat. 2023 , 100549	0
726	Whole-genome resequencing reveals genetic differences and the genetic basis of parapodium number in Russian and Chinese <i>Apostichopus japonicus</i> . 2023 , 24,	0
725	From Wisent to the Lab and Back AgainA Complex SNP Set for Population Management as an Effective Tool in European Bison Conservation. 2023 , 15, 116	2
724	Evaluation of AQP4 functional variants and its association with fragile X-associated tremor/ataxia syndrome. 14,	0
723	Developmental disabilities in Africa: A scientometric review. 2023 , 133, 104395	1
722	The Chicken A and E Blood Systems Arise from Genetic Variation in and around the Regulators of Complement Activation Region. 2022 , 209, 1128-1137	1
721	Whole-blood methylation signatures are associated with and accurately classify multiple sclerosis disease severity. 2022 , 14,	0
720	Forces driving transposable element load variation during Arabidopsis range expansion.	0
719	Genetic diversity analysis in dairy cows of NariB, southwestern Colombia. 2022 , 43, 2563-2578	0
718	Genes TMEM136 and PPP1R12C Differentially Expressed in the Placenta Are Associated with Preeclampsia. 2022 , 58, 1534-1542	0
717	Genome-Wide Association and Inheritance-Based Analyses Implicate Unconventional Myosin Genes in Hypoplastic Left Heart Syndrome.	0
716	GWAS on Imputed Whole-Genome Sequence Variants Reveal Genes Associated with Resistance to <i>Piscirickettsia salmonis</i> in Rainbow Trout (<i>Oncorhynchus mykiss</i>). 2023 , 14, 114	0
715	Sweet Cherry Diversity and Relationships in Modern and Local Varieties Based on SNP Markers. 2023 , 12, 136	0

- 714 Risk prediction of nephropathy by integrating clinical and genetic information among adult patients with type 2 diabetes. 0
- 713 Polygenic Risk Score Impact on Susceptibility to Age-Related Macular Degeneration in Polish Patients. **2023**, 12, 295 1
- 712 Population Genomics Study and Implications for the Conservation of *Zabelia tyaihyonii* Based on Genotyping-By-Sequencing. **2023**, 12, 171 0
- 711 A comprehensive investigation of statistical and machine learning approaches for predicting complex human diseases on genomic variants. **2023**, 24, 0
- 710 Immunogenetic basis of chicken Heterophil/Lymphocyte ratio revealed by genome-wide indel variants analysis. **2022**, 0
- 709 Independent Evolution of Sex Chromosomes and Male Pregnancy-Related Genes in Two Seahorse Species. **2023**, 40, 0
- 708 Patterns of hybridization in a secondary contact zone between two passerine species, the common nightingale *Luscinia megarhynchos* and the thrush nightingale *Luscinia luscinia*. 0
- 707 Genetic diversity, population genetic structure and gene flow in the rare and endangered wild plant *Cypripedium macranthos* revealed by genotyping-by-sequencing. 0
- 706 A comparison of marker-based estimators of inbreeding and inbreeding depression. **2022**, 54, 0
- 705 A morphometrics approach for inclusion of localised characteristics from medical imaging studies into genome-wide association studies. **2022**, 0
- 704 Implicating genes, pleiotropy, and sexual dimorphism at blood lipid loci through multi-ancestry meta-analysis. **2022**, 23, 0
- 703 Estimation of Linkage Disequilibrium, Effective Population Size, and Genetic Parameters of Phenotypic Traits in Dabieshan Cattle. **2023**, 14, 107 0
- 702 Association of Early Childhood Caries with Bitter Taste Receptors: A Meta-Analysis of Genome-Wide Association Studies and Transcriptome-Wide Association Study. **2023**, 14, 59 0
- 701 Genetic and phenotypic relationships between coronary atherosclerotic heart disease and electrocardiographic traits. **2022**, 0
- 700 Mendelian randomization study of causal link from gut microbiota to colorectal cancer. **2022**, 22, 1
- 699 The Polymorphic Locus rs167479 of the RGL3 Gene Is Associated with the Risk of Severe Preeclampsia. **2022**, 58, 1543-1550 0
- 698 Genome-wide association analysis of chilling-tolerant germination in a new maize association mapping panel. 0
- 697 Interaction between the PNPLA3 Gene and Nutritional Factors on NAFLD Development: The Korean Genome and Epidemiology Study. **2023**, 15, 152 1

- 696 Genetic correlation and gene-based pleiotropy analysis for four major neurodegenerative diseases with summary statistics. **2022,** ○
- 695 212. Genome-wide evaluation of runs of homozygosity in Indian Sahiwal cattle. **2022,** ○
- 694 725. Estimation of linkage disequilibrium in Pag and Istrian sheep breed: towards genomic optimum contribution selection. **2022,** ○
- 693 136. A case-control GWAS for the chicken plumage colour using a computer vision approach. **2022,** ○
- 692 193. Genetic architecture of a composite beef cattle population. **2022,** ○
- 691 729. Genetic characterization and connectedness of dairy goats in Canada, France, Italy and Switzerland. **2022,** ○
- 690 541. Segregation of the structural variant responds for mastitis resistance in re-sequencing Nordic Holstein animals. **2022,** ○
- 689 508. Impact of the bovine reference genome (ARS-UCD1.2) on functional annotation at genome, transcriptome and methylome level. **2022,** ○
- 688 623. Investigation of parental meiotic contribution in honeybees (*Apis mellifera*). **2022,** ○
- 687 548. eQTL mapping in Brown Swiss bulls to identify variants associated with male fertility. **2022,** ○
- 686 238. Phylogenetic analysis and nucleotide diversity of 69 cattle breeds including German Black Pied cattle using WGS. **2022,** ○
- 685 223. Runs of homozygosity in Nguni and Bonsmara cattle populations. **2022,** ○
- 684 671. Optimum contribution selection in a dairy cattle population with different relationship matrices. **2022,** ○
- 683 382. Genomic region-specific association test identifies new loci for carcass traits in Hanwoo (Korean native cattle). **2022,** ○
- 682 Multi-omics Comparison among Populations of Three Plant Sources of Amomi Fructus. ○
- 681 Genetic association of wool quality characteristics in United States Rambouillet sheep. 13, ○
- 680 Deciphering gene contributions and etiologies of somatic mutational signatures of cancer. ○
- 679 Evolutionarily recent retrotransposons contribute to schizophrenia. ○

- 678 Comprehensive Analysis of *Mycobacterium Tuberculosis* Genomes Reveals Important Variations in Bacterial Virulence. 0
- 677 Multi-ancestry GWAS analysis identifies two novel loci associated with diabetic eye disease and highlights APOL1 as a high risk locus in patients with diabetic macular edema. 0
- 676 Human milk variation is shaped by maternal genetics and impacts the infant gut microbiome. 1
- 675 Genetic diversity and structure of the 4th cycle breeding population of Chinese fir (*Cunninghamia lanceolata* (Lamb.) Hook). 14, 0
- 674 Genes encoding agrin (AGRN) and neurotrypsin (PRSS12) are associated with muscle mass, strength and plasma C-terminal agrin fragment concentration. 0
- 673 Lipolysis and gestational diabetes mellitus onset: a case-cohort genome-wide association study in Chinese. **2023**, 21, 2
- 672 Nuclear genetic control of mtDNA copy number and heteroplasmy in humans. 0
- 671 Genetic architecture of the HLA/MHC locus in cardiometabolic disease, severe mental illness, and related traits.. 0
- 670 Evaluation of optimal methods and ancestries for calculating polygenic risk scores in East Asian population. 0
- 669 Selection signatures for local and regional adaptation in Chinese Mongolian horse breeds reveal candidate genes for hoof health. **2023**, 24, 0
- 668 Epigenome-wide association study of DNA methylation in maternal blood leukocytes with BMI in pregnancy and gestational weight gain. 0
- 667 Whole exome sequencing and replication for breast cancer among Hispanic/Latino women identifies FANCM as a susceptibility gene for estrogen-receptor-negative breast cancer. 0
- 666 Global multi-omics profiling reveals evolutionary drivers of phylogeographic diversity of fungal specialized metabolism. 0
- 665 Deciphering the genetic basis of silkworm cocoon colors provides new insights into biological coloration and phenotypic diversification. 0
- 664 Establishment of Tibetan-Sheep-Specific SNP Genetic Markers. **2023**, 13, 322 0
- 663 Population genomics of the mostly thelytokous *Diplolepis rosae* (Linnaeus, 1758) (Hymenoptera: Cynipidae) reveals population-specific selection for sex. 0
- 662 Virus exposure and neurodegenerative disease risk across national biobanks. **2023**, 2
- 661 Natural hybridization reduces vulnerability to climate change. 0

- 660 Selection, recombination and population history effects on runs of homozygosity (ROH) in wild red deer (*Cervus elaphus*). ○
- 659 Bitter- and Umami-Related Genes are Differentially Associated with Food Group Intakes: the Framingham Heart Study. **2023**, ○
- 658 CYP2C19-rs4986893 confers risk to major depressive disorder and bipolar disorder in the Han Chinese population whereas ABCB1-rs1045642 acts as a protective factor. **2023**, 23, ○
- 657 Polygenic Susceptibility to Hypertension and Blood Pressure Control in Stroke Survivors. 10.1212/WNL.0000000000020 ○
- 656 Identification of New Candidate Genes Related to Semen Traits in Duroc Pigs through Weighted Single-Step GWAS. **2023**, 13, 365 ○
- 655 Mendelian randomization study to investigate the causal relationship between plasma homocysteine and chronic obstructive pulmonary disease. ○
- 654 Genomic signatures of past megafrugivore-mediated dispersal in Malagasy palms. ○
- 653 Evidence for Ecotone Speciation Across an African Rainforest-Savanna Gradient. ○
- 652 Genome wide association studies and candidate gene mining for understanding genetic basis of straw silica content in a set of *Oryza nivara* (Sharma et Shastry) accessions. ○
- 651 Phenome-wide Mendelian randomisation analysis identifies causal factors for age-related macular degeneration. 12, ○
- 650 Sequencing-based fine-mapping and in silico functional characterization of the 10q24.32 arsenic metabolism efficiency locus across multiple arsenic-exposed populations. **2023**, 19, e1010588 ○
- 649 Multiallelic Copy Number Variation in ORM1 is Associated with Plasma Cell-Free DNA Levels as an Intermediate Phenotype for Venous Thromboembolism. ○
- 648 Investigating Genetic Characteristics of Chinese Holstein Cows Milk Somatic Cell Score by Genetic Parameter Estimation and Genome-Wide Association. **2023**, 13, 267 ○
- 647 The Genetic Side of the Mood: A Scientometric Review of the Genetic Basis of Mood Disorders. **2023**, 14, 352 ○
- 646 Cytokine gene polymorphism and parasite susceptibility in free-living rodents: Importance of non-coding variants. **2023**, 18, e0258009 ○
- 645 Genome-wide association study of age at menarche in the Taiwan Biobank suggests NOL4 as a novel associated gene. ○
- 644 Whole-genome resequencing reveals recent divergence of geographic populations of the dung beetle *Phelotrupes auratus* with color variation. **2023**, 13, ○
- 643 Genome diversity of *Leishmania aethiopica*. ○

- 642 The Lupus Epigenome Relates to Genetics, Transcription and Serological Profiles with Dependency on Molecular Subtypes and Informs Drug Discovery. ○
- 641 Analysis of dog breed diversity using a composite selection index. **2023**, 13, 1
- 640 Genetic determinants and absence of breast cancer in Xavante Indians in Sangradouro Reserve, Brazil. **2023**, 13, ○
- 639 A chromosome-level reference genome and pangenome for barn swallow population genomics. **2023**, 42, 111992 ○
- 638 Genetic control of RNA editing in neurodegenerative disease. ○
- 637 Genetic regulators of cytokine responses upon BCG vaccination in children from West Africa. **2023**, ○
- 636 Genome-wide association study suggests a critical contribution of the adaptive immune system to chronic post-surgical pain. ○
- 635 Polygenic scores for psychiatric disorders in a diverse postmortem brain tissue cohort. ○
- 634 Sex-differences in the genetic architecture of individual recombination rates in wild house sparrows (*Passer domesticus*). ○
- 633 Inversions maintain differences between migratory phenotypes of a songbird. **2023**, 14, ○
- 632 Genomic Insights into the Population History of the Resande or Swedish Travelers. **2023**, 15, ○
- 631 Investigation of genetic variants and causal biomarkers associated with brain aging. **2023**, 13, ○
- 630 Highly differentiated loci resolve phylogenetic relationships in the Bean Goose complex. **2023**, 23, ○
- 629 Flame resistant cotton lines generated by synergistic epistasis in a MAGIC population. **2023**, 18, e0278696 ○
- 628 Maternal Transmission of the PAX7 Single Nucleotide Polymorphisms among Indian Cleft Trios. **2023**, 10, 006-011 ○
- 627 Renal function and neurodegenerative diseases : a two-sample Mendelian randomization study. 1-9 ○
- 626 Common genetic variants contribute to heritability of age at onset of schizophrenia. ○
- 625 MiXcan: a framework for cell-type-aware transcriptome-wide association studies with an application to breast cancer. **2023**, 14, ○

- 624 Impaired Function of Solute Carrier Family 19 Leads to Low Folate Levels and Lipid Droplet Accumulation in Hepatocytes. **2023**, 11, 337 ○
- 623 Omics Data Preprocessing for Machine Learning: A Case Study in Childhood Obesity. **2023**, 14, 248 ○
- 622 Exploring the Italian equine gene pool via high-throughput genotyping. 14, ○
- 621 Visualizing Population Structures by Multidimensional Scaling of Smoothed PCA-Transformed Data. **2023**, 1-1 ○
- 620 Genome-wide association study of methotrexate-induced liver injury in rheumatoid arthritis patients. ○
- 619 Can Intelligence Affect Alcohol-, Smoking-, and Physical Activity-Related Behaviors? A Mendelian Randomization Study. **2023**, 11, 29 ○
- 618 Alternative polyadenylation transcriptome-wide association study identifies APA-linked susceptibility genes in brain disorders. **2023**, 14, ○
- 617 DRAGON-Data: a platform and protocol for integrating genomic and phenotypic data across large psychiatric cohorts. **2023**, 9, ○
- 616 A genome-wide search of meat productivity candidate genes in Russian Meat Merino breed. **2023**, 27, 200146 ○
- 615 Candidate genes affecting stomatal density in rice (*Oryza sativa* L.) identified by genome-wide association. **2023**, 330, 111624 ○
- 614 Multi-omics data integration methods and their applications in psychiatric disorders. **2023**, 69, 26-46 ○
- 613 Genetic Evaluation of Body Weight of American Simmental Beef Cattle using Single-Step GBLUP Approaches. **2021**, 12, 139-150 ○
- 612 Genomic Prediction of Additive and Dominance Effects on Some Economic Traits of Moghani Sheep. **2022**, 13, 187-193 ○
- 611 Genetic Structure and Diversity Study of Cassava (*Manihot esculenta*) Germplasm for African Cassava Mosaic Disease and Fresh Storage Root Yield. **2023**, 13, 23-47 ○
- 610 Application of orthogonal sparse joint non-negative matrix factorization based on connectivity in Alzheimer's disease research. **2023**, 20, 9923-9947 ○
- 609 QTL and Candidate Genes for Flax Disease Resistance. **2023**, 121-148 ○
- 608 Effects of gene×lifestyle interactions on obesity based on a multi-locus risk score: A cross-sectional analysis. **2023**, 18, e0279169 ○
- 607 Novel linkage and association of the mineralocorticoid receptor gene (NR3C2) with familial type 2 diabetes and depression and their comorbidity. **2023**, 1, 100003 ○

- 606 Genome-wide association study identifies 12 new genetic loci associated with growth traits in pigs. **2023**, ○
- 605 correctKin: an optimized method to infer relatedness up to the 4th degree from low-coverage ancient human genomes. **2023**, 24, ○
- 604 Estimates of Genomic Heritability and the Marker-Derived Gene for Re(Production) Traits in Xinggao Sheep. **2023**, 14, 579 ○
- 603 Comparative functional analysis of macrophage phagocytosis in Dagu chickens and Wenchang chickens. 14, ○
- 602 Oxytocin vs. placebo effects on intrusive memory consolidation using a trauma film paradigm: a randomized, controlled experimental study in healthy women. **2023**, 13, ○
- 601 Genome-wide association study reveals genetic loci and candidate genes for meat quality traits in a four-way crossbred pig population. 14, ○
- 600 Association of Polygenic Score and the involvement of Cholinergic and Glutamatergic Pathways with Lithium Treatment Response in Patients with Bipolar Disorder. ○
- 599 Analysis of Conservation Priorities and Runs of Homozygosity Patterns for Chinese Indigenous Chicken Breeds. **2023**, 13, 599 ○
- 598 Genomic heritability and correlation between carcass traits in Japanese Black cattle evaluated under different ceilings of relatedness among individuals. 14, ○
- 597 Extensive crop-wild hybridization during Brassica evolution and selection during the domestication and diversification of Brassica crops. **2023**, 223, ○
- 596 Allelic variation of TaWD40-4B.1 contributes to drought tolerance by modulating catalase activity in wheat. **2023**, 14, 1
- 595 Effect of tissue-grouped regulatory variants associated to type 2 diabetes in related secondary outcomes. **2023**, 13, ○
- 594 Genome-wide association study of 17 serum biochemical indicators in a chicken F2 resource population. **2023**, 24, ○
- 593 Multi-ancestry genome-wide study in >2.5 million individuals reveals heterogeneity in mechanistic pathways of type 2 diabetes and complications. ○
- 592 eaQTLdb : An atlas of enhancer activity quantitative trait loci across cancer types. ○
- 591 Genome-wide association study of tuberculosis in the western Chinese Han and Tibetan population. **2023**, 4, ○
- 590 Genome-Wide Association Study of Submergence Tolerance in Rice (*Oryza sativa* L.). **2023**, 11, 25-33 ○
- 589 Identification of specific susceptibility loci for the early-onset colorectal cancer. **2023**, 15, ○

- 588 Polymorphism in interferon alpha/beta receptor contributes to glucocorticoid response and outcome of ARDS and COVID-19. **2023**, 27, ○
- 587 Genome-wide association studies reveal novel loci controlling tuber flesh color and oxidative browning in *Dioscorea alata*. ○
- 586 The Genetic Architectures of Functional and Structural Connectivity Properties within Cerebral Resting-State Networks. **2023**, 10, ENEURO.0242-22.2023 ○
- 585 Investigating the genetic determination of clutch traits in Chinese local chicken breed. ○
- 584 Mapping mitonuclear epistasis using a novel recombinant yeast population. **2023**, 19, e1010401 ○
- 583 Genomic divergence between two sister *Medicago* species triggered by the quaternary climatic oscillations on the Qinghai-Tibet plateau and northern China. ○
- 582 Integrated glycomics and genetics analyses reveal a potential role for N-glycosylation of plasma proteins and IgGs, as well as the complement system, in the development of type 1 diabetes. ○
- 581 The Relationship between Cadmium-Related Gene Sequence Variations in Rice and Cadmium Accumulation. **2023**, 13, 800 ○
- 580 The genomics and evolution of inter-sexual mimicry and female-limited polymorphisms in damselflies. ○
- 579 Admixture Mapping of Peripheral Artery Disease in a Dominican Population Reveals a Novel Risk Locus on 2q35. ○
- 578 High-Risk Pedigree Study Identifies LRBA (rs62346982) as a Likely Predisposition Variant for Prostate Cancer. **2023**, 15, 2085 ○
- 577 Uncovering strain- and age- dependent differences in innate immune response to SARS-CoV-2 infection in nasal epithelia using combined short and long-read scRNA-seq. ○
- 576 Current management practices do not adequately safeguard endangered plant species in conservation collections. **2023**, 280, 109955 ○
- 575 PSReliP: an integrated pipeline for analysis and visualization of population structure and relatedness based on genome-wide genetic variant data. **2023**, 24, ○
- 574 Genome-wide association study reveals candidate genes for pollution excreta traits in pigs. ○
- 573 Ultra-rare complement factor 8 coding variants in families with age-related macular degeneration. **2023**, 106417 ○
- 572 Phylogenomics reveal extensive phylogenetic discordance due to incomplete lineage sorting following the rapid radiation of alpine butterflies (*Papilionidae*: *Parnassius*). ○
- 571 The Type 2 Diabetes Knowledge Portal: An open access genetic resource dedicated to type 2 diabetes and related traits. **2023**, 35, 695-710.e6 ○

- 570 A biologically informed polygenic score of neuronal plasticity moderates the association between cognitive aptitudes and cortical thickness in adolescents. **2023**, 60, 101232 ○
- 569 Deciphering the genetic structure of the Quebec founder population using genealogies. ○
- 568 Significance of an altered lncRNA landscape in schizophrenia and cognition: clues from a case-control association study. ○
- 567 The genome sequence and demographic history of *Przewalskia tangutica* (Solanaceae), an endangered alpine plant on the Qinghai-Tibet Plateau. ○
- 566 Mass spectrometry for mitochondrial multi-omics. **2023**, 117063 ○
- 565 Mitochondrial DNA haplogroups and trajectories of cardiometabolic risk factors during childhood and adolescence: A prospective cohort study. **2023**, 18, e0284226 ○
- 564 Characterization of genome-wide STR variation in 6487 human genomes. **2023**, 14, ○
- 563 Metabolome-Based Genome-Wide Association Study of Duck Meat Leads to Novel Genetic and Biochemical Insights. ○
- 562 Genetic markers associated with divergent selection against the parasite *Marteilia cochillia* in common cockle (*Cerastoderma edule*) using transcriptomics and population genomics data. 10, ○
- 561 Association between inflammation and cognition: Triangulation of evidence using a population-based cohort and Mendelian randomization analyses. **2023**, 110, 30-42 ○
- 560 A genome-wide association study for allergen component sensitizations identifies allergen component-specific and allergen protein group-specific associations. **2023**, 2, 100086 ○
- 559 Developmental language disorder in a comprehensive study of more than 46,000 individuals. **2023**, 323, 115171 ○
- 558 Haplotype-based association study of production and reproduction traits in multigenerational Vrindavani population. **2023**, 867, 147365 ○
- 557 Linking individual variability in functional brain connectivity to polygenic risk in major depressive disorder. **2023**, 329, 55-63 ○
- 556 Associations between genetic liabilities to smoking behavior and schizophrenia symptoms in patients with a psychotic disorder, their siblings and healthy controls. **2023**, 323, 115143 ○
- 555 Genome-wide association study of alkylresorcinols content in 161 wheat cultivars. **2023**, 111, 103679 ○
- 554 Diversification and introgression in four chromosomal taxa of the Pearson's horseshoe bat (*Rhinolophus pearsoni*) group. **2023**, 183, 107784 ○
- 553 Insight into the genetic basis of ammonia tolerance in razor clam *Sinonovacula constricta* by genome-wide association study. **2023**, 569, 739351 ○

- 552 Comparative evaluation of the MAPlex, Precision ID Ancestry Panel, and VISAGE Basic Tool for biogeographical ancestry inference. **2023**, 64, 102850 ○
- 551 MicroRNA sequence variation can impact interactions with target mRNA in cattle. **2023**, 868, 147373 ○
- 550 The association of CNR1 genetic variants with resting-state functional connectivity in youth bipolar disorder. **2023**, 71, 41-54 ○
- 549 Association mapping identifies loci and candidate genes for grain-related traits in spring wheat in response to heat stress. **2023**, 331, 111676 1
- 548 Polygenic influences on the behavioral effects of alcohol withdrawal in a mixed-ancestry population from the collaborative study on the genetics of alcoholism (COGA). **2023**, 125, 103851 ○
- 547 Parental occupational exposure to solvents and autism spectrum disorder: An exploratory look at gene-environment interactions. **2023**, 228, 115769 ○
- 546 Potential protection of computer gaming against mental health issues: Evidence from a Mendelian randomization study. **2023**, 144, 107722 ○
- 545 Independent role of Alzheimer's disease genetics and C-reactive protein on cognitive ability in aging. **2023**, 126, 103-112 ○
- 544 A genome-wide scan to identify signatures of selection in Lueyang black -bone chicken. **2023**, 102721 ○
- 543 Genetic susceptibility to diabetic kidney disease is linked to promoter variants of XOR. ○
- 542 Preliminary Investigation of Essentially Derived Variety of Tea Tree and Development of SNP Markers. **2023**, 12, 1643 ○
- 541 Reference genomes of channel catfish and blue catfish reveal multiple pericentric chromosome inversions. **2023**, 21, ○
- 540 Toxicity and therapy outcome associations in *LIG3*, *SLCO1B3*, *ABCB1*, *OPRM1* and *GSTP1* in high-grade serous ovarian cancer. ○
- 539 Chromosome-level genome assembly and population genomic resource to accelerate orphan crop lablab breeding. **2023**, 14, ○
- 538 Evidence of causal effects of blood pressure on back pain and back pain on type II diabetes provided by a bidirectional Mendelian randomization study. **2023**, ○
- 537 Role of SNPs located in the exon 9 of *ATAPA1* gene on goose egg production. **2023**, 102, 102488 ○
- 536 Population genomics of Corsican wildcats: Paving the way toward a new subspecies within the *Felis silvestris* spp. complex?. **2023**, 32, 1908-1924 ○
- 535 Genomic signatures of inbreeding depression for a threatened Aotearoa New Zealand passerine. **2023**, 32, 1893-1907 ○

- 534 Genomic diversity and differentiation between island and mainland populations of white-tailed eagles (*Haliaeetus albicilla*). **2023**, 32, 1925-1942 ○
- 533 Compressed Perturb-seq: highly efficient screens for regulatory circuits using random composite perturbations. ○
- 532 Loci for insulin processing and secretion provide insight into type 2 diabetes risk. **2023**, 110, 284-299 ○
- 531 Genome-Wide Analysis of Structural Variants in Parkinson Disease. 1
- 530 Host variation in type I interferon signaling genes (MX1), CXCL10 chemokine receptor type 5 gene, and major histocompatibility complex class I alleles in treated HIV+ noncontrollers predict viral reservoir size. **2023**, 37, 477-488 ○
- 529 Significance tests for R² of out-of-sample prediction using polygenic scores. **2023**, 110, 349-358 ○
- 528 Accuracy of haplotype estimation and whole genome imputation affects complex trait analyses in complex biobanks. **2023**, 6, ○
- 527 Extensive hybridisation between multiple differently adapted species may aid persistence in a changing climate. ○
- 526 Genomic health is dependent on long-term population demographic history. **2023**, 32, 1943-1954 ○
- 525 Integration of SNP genotyping and 16S rRNA amplicon sequencing to identify heritable gut microbes in chickens. **2023**, 4, 102071 ○
- 524 A common resequencing-based genetic marker data set for global maize diversity. **2023**, 113, 1109-1121 ○
- 523 Novel genomic markers and genes related to reproduction in prolific Chios dairy sheep: a genome-wide association study. **2023**, 17, 100723 ○
- 522 Whole genome sequencing revealed genetic diversity, population structure, and selective signature of Panou Tibetan sheep. **2023**, 24, ○
- 521 Stress-related exposures amplify the effects of genetic susceptibility on depression and anxiety. **2023**, 13, ○
- 520 Genetic Variants Associated With Systolic Blood Pressure in Children and Adolescents. **2023**, 12, ○
- 519 New insights from GWAS on BMI-related growth traits in a longitudinal cohort of admixed children with Native American and European ancestry. **2023**, 26, 106091 ○
- 518 Exome-wide analysis identify multiple variations in olfactory receptor genes (OR12D2 and OR5V1) associated with autism spectrum disorder in Saudi females. 10, ○
- 517 Intergenic Interactions of SBNO1, NFAT5 and GLT8D1 Determine the Susceptibility to Knee Osteoarthritis among Europeans of Russia. **2023**, 13, 405 ○

- 516 Genome-wide association study of the age of onset of type 1 diabetes reveals HTATIP2 as a novel T cell regulator. 14, ○
- 515 Estimation of the Genetic Components of (Co)variance and Preliminary Genome-Wide Association Study for Reproductive Efficiency in Retinta Beef Cattle. **2023**, 13, 501 ○
- 514 Population structure and hybridisation in a population of Hawaiian feral chickens. **2023**, 130, 154-162 ○
- 513 Whole-genome sequencing identifies potential candidate genes for egg production traits in laying ducks (*Anas platyrhynchos*). **2023**, 13, ○
- 512 The Legacy of Infectious Disease Exposure on the Genomic Diversity of Indigenous Southern Mexicans. **2023**, 15, ○
- 511 The Michigan Genomics Initiative: A biobank linking genotypes and electronic clinical records in Michigan Medicine patients. **2023**, 3, 100257 ○
- 510 Winter connectivity and leapfrog migration in a migratory passerine. **2023**, 13, ○
- 509 Identification of leaf rust resistance loci in a geographically diverse panel of wheat using genome-wide association analysis. 14, ○
- 508 Genome-wide Association Study Points to Novel Locus for Gilles de la Tourette Syndrome. **2023**, ○
- 507 Effect of genetic polymorphisms on outcomes following nivolumab for advanced renal cell carcinoma in the SNiP-RCC trial. ○
- 506 Effect of Pathway-specific Polygenic Risk Scores for Alzheimer's Disease (AD) on Rate of Change in Cognitive Function and AD-related Biomarkers among Asymptomatic Individuals. ○
- 505 Pan-genome and transcriptome analyses provide insights into genomic variation and differential gene expression profiles related to disease resistance and fatty acid biosynthesis in eastern black walnut (*Juglans nigra*). **2023**, 10, ○
- 504 A Genome-Wide Association Study Identified Novel Genetic Susceptibility Loci for Oral Cancer in Taiwan. **2023**, 24, 2789 ○
- 503 Genome-wide association study reveals BET1L associated with survival time in the 137,693 Japanese individuals. **2023**, 6, ○
- 502 Variants in interferon gamma inducible protein 16 (IFI16) and absent in melanoma 2 (AIM2) genes that modulate inflammatory response are associated with periodontitis. **2023**, 147, 105640 ○
- 501 Genomic and transcriptomic analyses enable the identification of important genes associated with subcutaneous fat deposition in Holstein cows. **2023**, ○
- 500 Modern Japanese ancestry-derived variants reveal the formation process of the current Japanese regional gradations. **2023**, 26, 106130 ○
- 499 KIT-GENIE, the French genetic biobank of kidney transplantation. ○

- 498 Chromosome-level genome assembly of goose provides insight into the adaptation and growth of local goose breeds. **2022**, 12, 0
- 497 Polygenic Contributions to Chronic Overlapping Pain Conditions in a Large Electronic Health Record Sample. **2023**, 0
- 496 A genome-wide cross-cancer meta-analysis highlights the shared genetic links of five solid cancers. 14, 0
- 495 Combined genome-wide association study and epistasis analysis reveal multifaceted genetic architectures of plant height in Asian cultivated rice. **2023**, 46, 1295-1311 1
- 494 X-Chromosome Association Study in Latin American Cohorts Identifies New Loci in Parkinson Disease. 0
- 493 Cross-ancestry genetic architecture and prediction for cholesterol traits. 0
- 492 eXclusionarY: Ten years later, where are the sex chromosomes in GWAS?. 0
- 491 FarmGTEx TWAS-server: an interactive web server for customized TWAS analysis in both human and farm animals. 2
- 490 Identification of novel genes for age-at-onset of Alzheimer's disease by combining quantitative and survival trait analyses. 0
- 489 Identification of MKNK1 and TOP3A as ovarian endometriosis risk-associated genes using integrative genomic analyses and functional experiments. **2023**, 21, 1510-1522 0
- 488 Targeted next-generation sequencing of genes involved in Warfarin Pharmacodynamics and pharmacokinetics pathways using the Saudi Warfarin Pharmacogenetic study (SWAP). 0
- 487 Development of Nuclear DNA Markers for Applications in Genetic Diversity Study of Oil Palm-Pollinating Weevil Populations. **2023**, 14, 157 0
- 486 Genetic architecture of innate and adaptive immune cells in pigs. 14, 0
- 485 Gene-x-environment analysis supports protective effects of eveningness chronotype on self-reported and actigraphy-derived sleep duration among those who always work night shifts in the UK Biobank. 0
- 484 Opening the Black Box of Imputation Software to Study the Impact of Reference Panel Composition on Performance. **2023**, 14, 410 0
- 483 RADseq-based population genomic analysis and environmental adaptation of rare and endangered recretohalophyte *Reaumuria trigyna*. 0
- 482 Genomic signatures of bottleneck and founder effects in dingoes. 0
- 481 Association between Single Nucleotide Polymorphisms Related to Vitamin D Metabolism and the Risk of Developing Asthma. **2023**, 15, 823 2

- 480 Genome-wide association analysis and validation with KASP markers for nut and shell traits in almond (*Prunus dulcis* [Mill.] D.A.Webb). **2023**, 19, ○
- 479 Population Survey Combined with Genomic-Wide Genetic Variation Unravels the Endangered Status of *Quercus gilva*. **2023**, 15, 230 ○
- 478 Genome-Wide Association Study in Acute Tubulointerstitial Nephritis. **2023**, Publish Ahead of Print, ○
- 477 Multi-ancestry and multi-trait genome-wide association meta-analyses inform clinical risk prediction for systemic lupus erythematosus. **2023**, 14, ○
- 476 Genetic evidence that high BMI in childhood has a protective effect on intermediate diabetes traits, including measures of insulin sensitivity and secretion. ○
- 475 Rare variant aggregation in 148,508 exomes identifies genes associated with proxy dementia. **2023**, 13, ○
- 474 Robust SNP-based prediction of rheumatoid arthritis through machine-learning-optimized polygenic risk score. **2023**, 21, ○
- 473 The *SLDOG1* Affect Biosynthesis of Steroidal Glycoalkaloids by Regulating *GAME* Expression in Tomato. **2023**, 24, 3360 ○
- 472 MAK: a machine learning framework improved genomic prediction via multi-target ensemble regressor chains and automatic selection of assistant traits. **2023**, 24, ○
- 471 Assessing the effect of interaction between lifestyle and longitudinal changes in brain structure on sleep phenotypes. ○
- 470 Establishing a Prediction Model for the Efficacy of PlatinumBased Chemotherapy in NSCLC Based on a Two Cohorts GWAS Study. **2023**, 12, 1318 ○
- 469 Analysis of the genomic landscape of inbreeding in two divergent groups of Spanish Florida goats. **2023**, 140, 316-329 ○
- 468 TaTPP-7A positively feedback regulates grain filling and wheat grain yield through T6P-SnRK1 signalling pathway and sugarABA interaction. ○
- 467 Genome-wide association study of blood mercury in European pregnant women and children. ○
- 466 754. Implementation of single-step GBLUP for complex behaviour traits in Labrador Retrievers used as service dogs. **2022**, ○
- 465 526. Candidate genes for milk, growth and immune system traits in Brazilian Iberian-derived locally adapted cattle breeds. **2022**, ○
- 464 204. Assessing existing admixture in indigenous veld ecotypes and non-descript goat populations of Southern Africa. **2022**, ○
- 463 Genome wide association study of thyroid hormone levels following challenge with porcine reproductive and respiratory syndrome virus. 14, ○

- 462 391. Detecting QTL for two lowly correlated traits using multi-trait and meta-analysis approaches in Swiss Large White pigs. **2022,** ○
- 461 GWAS on retinal vasculometry phenotypes. **2023,** 19, e1010583 ○
- 460 206. Assessing genomic diversity and heterozygosity-rich regions of transboundary Nguni cattle of South Africa and eSwatini. **2022,** ○
- 459 254. Successful trio-based reverse genetic screen in an endangered local cattle breed. **2022,** ○
- 458 747. Selection signatures in South African indigenous sheep using the HAPFLK approach. **2022,** ○
- 457 707. Genetic diversity and population structure of dairy goat populations in Kenya. **2022,** ○
- 456 191. Genetic background of productive and adaptive features in the West African indigenous cattle breeds in Benin. **2022,** ○
- 455 379. Multivariate GWAS revealed a critical region on chromosome 4 for developmental and feather growth traits in ducks. **2022,** ○
- 454 222. Changes in genomic inbreeding over half a century in Swedish Red and Swedish Holstein cattle. **2022,** ○
- 453 781. Unravelling the genetic basis governing the porcine metabolism. **2022,** ○
- 452 185. Global and local genome ancestry reveals signal of Merinization in Noire de Thibar sheep. **2022** , ○
- 451 273. Genomic evaluation for two-way crossbred performance in cattle. **2022,** ○
- 450 573. A major QTL affects resistance to viral nervous necrosis in farmed European seabass. **2022,** ○
- 449 632. Epistatic interaction networks affecting feed efficiency and methane emission in Nelore cattle. **2022,** ○
- 448 542. Rare CNVs in the bovine genome are not captured well by 50K density genotyping array SNPs. **2022,** ○
- 447 Associations between genetically predicted levels of blood metabolites and pancreatic cancer risk. ○
- 446 Genetic population structures of common scavenging species near hydrothermal vents in the Okinawa Trough. **2023,** 13, ○
- 445 711. Genetic parameters across European and North American Alpine goats for two milk production and one udder type traits. **2022,** ○

- 444 195. Identification of runs of homozygosity islands and functional analysis for Caqueteño Creole cattle. **2022,** ○
- 443 A method for an unbiased estimate of cross-ancestry genetic correlation using individual-level data. **2023, 14,** ○
- 442 Whole-genome re-sequencing, diversity analysis, and stress-resistance analysis of 77 grape rootstock genotypes. **14,** ○
- 441 226. Candidate genes for disease, reproduction and meat quality traits in Portuguese native breeds. **2022,** ○
- 440 584. Genome-wide association studies of chicken caecal microbiota. **2022,** ○
- 439 268. Genetic evaluations and genomic characteristics for local cattle using genome sequences, 50K and a specific SNP chip. **2022,** ○
- 438 225. Genome wide characterisation of runs of homozygosity on the main indigenous goat breed of Botswana. **2022,** ○
- 437 683. Population structure and signatures of selection in Italian Holstein through genome-wide analysis of imputed SNP data. **2022,** ○
- 436 767. Haplotype blocks and heterozygosity rich regions on ECA2 in Swedish Warmblood horses. **2022,** ○
- 435 209. Characterization and effect of inbreeding on growth and reproductive traits in Nellore Cattle. **2022,** ○
- 434 418. Genetic structure and diversity of Jersey dairy cattle in Rwanda. **2022,** ○
- 433 Metabolomic Investigation of Major Depressive Disorder Identifies a Potentially Causal Association With Polyunsaturated Fatty Acids. **2023,** ○
- 432 Standing genetic variation affects phenotypic heterogeneity in an SCN5A-mutation founder population with excess sudden cardiac death. **2023,** ○
- 431 The association between trauma exposure, polygenic risk and individual depression symptoms. **2023, 321, 115101** ○
- 430 Genome and haplotype provide insights into the population differentiation and breeding improvement of *Gossypium barbadense*. **2023,** ○
- 429 Multivariate adaptive shrinkage improves cross-population transcriptome prediction for transcriptome-wide association studies in underrepresented populations. ○
- 428 Whole-Exome Sequencing Analyses Support a Role of Vitamin D Metabolism in Ischemic Stroke. **2023, 54, 800-809** ○
- 427 Parity is associated with long-term differences in DNA methylation at genes related to neural plasticity in multiple sclerosis. **2023, 15,** ○

- 426 Genomic architecture of migration timing in a long-distance migratory songbird. **2023**, 13, ○
- 425 Genome-wide copy number variant screening of Saudi schizophrenia patients reveals larger deletions in cases versus controls. 16, ○
- 424 Insight into the Complex Genetic Relationship of Chinese Fir (*Cunninghamia lanceolata* (Lamb.) Hook.) Advanced Parent Trees Based on SSR and SNP Datasets. **2023**, 14, 347 ○
- 423 Identification and analysis of individuals who deviate from their genetically-predicted phenotype. ○
- 422 Inferring a directed acyclic graph of phenotypes from GWAS summary statistics*. ○
- 421 Origins, timing and introgression of domestic geese revealed by whole genome data. **2023**, 14, ○
- 420 Maternal Donor and Genetic Variation of *Lagerstroemia indica* Cultivars. **2023**, 24, 3606 ○
- 419 Pan-Genomic Regulation of Gene Expression in Normal and Pathological Human Placentas. **2023**, 12, 578 ○
- 418 Genome-wide identification, expression pattern and genetic variation analysis of SWEET gene family in barley reveal the artificial selection of HvSWEET1a during domestication and improvement. 14, ○
- 417 Targeted long-read sequencing of the Ewing sarcoma 6p25.1 susceptibility locus identifies germline-somatic interactions with EWSR1-FLI1 binding. **2023**, 110, 427-441 ○
- 416 Genome-Wide Association Studies (GWAS). **2023**, 123-146 ○
- 415 Impact of diet and host genetics on the murine intestinal mycobiome. **2023**, 14, ○
- 414 Genome-wide analysis of runs of homozygosity in Pakistani controls with no history of speech or language-related developmental phenotypes. **2023**, 50, 100-107 ○
- 413 Genetic Predictors of Blood Pressure Traits are Associated with Preeclampsia. ○
- 412 Integration of *Candida albicans*-induced single-cell gene expression data and secretory protein concentrations reveal genetic regulators of inflammation. 14, ○
- 411 Genomic analysis reveals a KIT -related chromosomal translocation associated with the white coat phenotype in yak. **2023**, 140, 330-342 ○
- 410 Semiparametric efficient G-estimation with invalid instrumental variables. ○
- 409 Genomic Basis of Adaptation to a Novel Precipitation Regime. **2023**, 40, ○

- 408 De novo human brain enhancers created by single-nucleotide mutations. **2023**, 9, ○
- 407 Population Structure, Demographic History, and Adaptation of Giant Honeybees in China Revealed by Population Genomic Data. **2023**, 15, ○
- 406 Robust Bioinformatics Approaches Result in the First Polygenic Risk Score for BMI in Greek Adults. **2023**, 13, 327 ○
- 405 A candidate locus in the renalase gene and susceptibility to blood pressure responses to the dietary salt. **2023**, 41, 723-732 ○
- 404 Risk HLA Variants Affect the T-Cell Repertoire in Multiple Sclerosis. **2023**, 10, e200093 ○
- 403 The population genomic analyses of chloroplast genomes shed new insights on the complicated ploidy and evolutionary history in *Fragaria*. 13, ○
- 402 De Novo SNP Discovery and Genotyping of Masson Pine (*Pinus massoniana* Lamb.) via Genotyping-by-Sequencing. **2023**, 14, 387 ○
- 401 Citrullinated and MMP-degraded vimentin is associated with chronic pulmonary diseases and genetic variants in PADI3/PADI4 and CFH in postmenopausal women: an observational study. ○
- 400 Massively parallel characterization of psychiatric disorder-associated and cell-type-specific regulatory elements in the developing human cortex. ○
- 399 Systematic analysis of disease-linked rare germline variants reveals new classes of cancer predisposing genes. ○
- 398 Breast cancer subtype and clinical characteristics in women from Peru. 13, ○
- 397 Genome-wide polygenic risk score for major osteoporotic fractures in postmenopausal women using associated single nucleotide polymorphisms. **2023**, 21, ○
- 396 Evidence for Epistatic Interaction between HLA-G and LILRB1 in the Pathogenesis of Nonsegmental Vitiligo. **2023**, 12, 630 1
- 395 Genome-wide genotype-serum proteome mapping provides insights into the cross-ancestry differences in cardiometabolic disease susceptibility. **2023**, 14, ○
- 394 Selection, recombination and population history effects on runs of homozygosity (ROH) in wild red deer (*Cervus elaphus*). **2023**, 130, 242-250 ○
- 393 A genome-wide association study (GWAS) of the personality constructs in CPAI-2 in Taiwanese Hakka populations. **2023**, 18, e0281903 ○
- 392 Hypothesis-free phenotype prediction within a genetics-first framework. **2023**, 14, ○
- 391 Predicting heterosis via genetic distance and the number of SNPs in selected segments of chromosomes in maize. 14, ○

- 390 Genetic architecture of the white matter connectome of the human brain. **2023**, 9, ○
- 389 Deciphering local adaptation of native Indian cattle (*Bos indicus*) breeds using landscape genomics and in-silico prediction of deleterious SNP effects on protein structure and function. **2023**, 13, ○
- 388 Genome-Wide Gene-Set Analysis Identifies Molecular Mechanisms Associated with ALS. **2023**, 24, 4021 ○
- 387 Parallel evolution and cryptic diversification in a common and widespread Amazonian tree, *Protium suberratum*. ○
- 386 Genome wide variation in the Angolan Namib desert reveals unique Pre-Bantu ancestry. ○
- 385 Chronotype Polygenic Score and the Timing and Quality of Workplace Cafeteria Purchases: Secondary Analysis of the ChooseWell 365 Randomized Controlled Trial. **2023**, 7, 100048 ○
- 384 The Relationship between Alcohol- and Sleep-related Traits: Results from Polygenic Risk Score Analyses and Mendelian Randomization Studies. ○
- 383 The idiosyncratic genome of Korean long-tailed chicken as a valuable genetic resource. **2023**, 26, 106236 ○
- 382 Transcriptome-based variations effectively untangling the intraspecific relationships and selection signals in Xinyang Maojian tea population. 14, ○
- 381 Investigating genetic overlap between antidepressant and lithium response and treatment resistance in major depressive disorder. ○
- 380 Causal Inference of Central Nervous System-Regulated Hormones in COVID-19: A Bidirectional Two-Sample Mendelian Randomization Study. **2023**, 12, 1681 ○
- 379 The genetic architecture of soybean photothermal adaptation to high latitudes. ○
- 378 Proteome-wide Mendelian randomization implicates nephronectin as an actionable mediator of the effect of obesity on COVID-19 severity. **2023**, 5, 248-264 ○
- 377 Genome-Wide Genetic Structure of Henan Indigenous Chicken Breeds. **2023**, 13, 753 ○
- 376 Genome-Wide Association Analysis Identified Variants Associated with Body Measurement and Reproduction Traits in Shaziling Pigs. **2023**, 14, 522 ○
- 375 Genomic analysis, trajectory tracking, and field surveys reveal sources and long-distance dispersal routes of wheat stripe rust pathogen in China. **2023**, 100563 ○
- 374 Genome-wide association study identifies GhSAL1 affects cold tolerance at the seedling emergence stage in upland cotton (*Gossypium hirsutum* L.). **2023**, 136, ○
- 373 Development of antidrug antibodies against adalimumab maps to variation within the HLA-DR peptide-binding groove. **2023**, 8, ○

- 372 Estimating inbreeding rate and effective population size in the Finnish Ayrshire population in the era of genomic selection. **2023**, 140, 343-353 ○
- 371 Cerebellar Morphological Differences in Bipolar Disorder Type I. ○
- 370 The genetic structure and admixture of Manchus and Koreans in northeast China. 1-26 ○
- 369 Re-Evaluation of Genotyping Methodologies in Cattle: The Proficiency of Imputation. **2023**, 14, 547 ○
- 368 Uncovering the complex genetic architecture of human plasma lipidome using machine learning methods. **2023**, 13, ○
- 367 Pleiotropic and independent genetic loci underlie resistance to grain shattering in standing crop of modern wheat. ○
- 366 Thermal heterogeneity is an important factor for maintaining the genetic differentiation pattern of the pelagic barnacle *Lepas anatifera* in the northwest Pacific. **2023**, 13, ○
- 365 Head Size in Phelan-McDermid Syndrome: A Literature Review and Pooled Analysis of 198 Patients Identifies Candidate Genes on 22q13. **2023**, 14, 540 ○
- 364 Intergenerational effects of parental educational attainment on parenting and childhood educational outcomes: Evidence from MoBa using within-family Mendelian randomization. ○
- 363 Chromosome Fissions and Fusions Act as Barriers to Gene Flow between *Brenthis fritillaria* Butterflies. **2023**, 40, ○
- 362 Investigating associations between blood metabolites, later life brain imaging measures, and genetic risk for Alzheimer's disease. **2023**, 15, ○
- 361 The allotetraploid *Nicotiana tabacum* genome and GenBank genomics highlight the genomic features, genetic diversity and regulation of morphological, metabolic and disease-resistance traits. ○
- 360 Genomic insights into the NPGS intermediate wheatgrass germplasm collection. ○
- 359 The coefficients of inbreeding revealed by ROH study among inbred individuals belonging to each type of the first cousin marriage: A preliminary report from North India. ○
- 358 Genomics reveals the role of admixture in the evolution of structure among sperm whale populations within the Mediterranean Sea. ○
- 357 GWAS and genomic prediction for pre-harvest sprouting tolerance involving sprouting score and two other related traits in spring wheat. **2023**, 43, ○
- 356 Selection signature analysis reveals RDH5 performed key function in vision during sheep domestication process. **2023**, 66, 81-91 ○
- 355 Long divergent haplotypes introgressed from wild sheep are associated with distinct morphological and adaptive characteristics in domestic sheep. **2023**, 19, e1010615 ○

- 354 The Genotypic Variability among Short-Season Soybean Cultivars for Nitrogen Fixation under Drought Stress. **2023**, 12, 1004 ○
- 353 Quantifying genetic differentiation and population assignment between two contingents of Atlantic mackerel (*Scomber scombrus*) in the Northwest Atlantic. ○
- 352 Contrasting Patterns of Single Nucleotide Polymorphisms and Structural Variation Across Multiple Invasions. **2023**, 40, ○
- 351 Deciphering the genetic architecture of human brain structure and function: a brief survey on recent advances of neuroimaging genomics. **2023**, 24, ○
- 350 A Swedish Familial Genome-Wide Haplotype Analysis Identified Five Novel Breast Cancer Susceptibility Loci on 9p24.3, 11q22.3, 15q11.2, 16q24.1 and Xq21.31. **2023**, 24, 4468 ○
- 349 Robust Mendelian Randomization Analysis by Automatically Selecting Valid Genetic Instruments for Inferring Causal Relationships between Complex Traits and Diseases. ○
- 348 Selective footprints and genes relevant to cold adaptation and other phenotypic traits are unscrambled in the genomes of divergently selected chicken breeds. **2023**, 14, ○
- 347 Predicting Cancer Risk from Germline Whole-exome Sequencing Data Using a Novel Context-based Variant Aggregation Approach. **2023**, 3, 483-488 ○
- 346 MUC5AC Genetic Variation Is Associated With Tuberculous Meningitis Cerebral Spinal Fluid Cytokine Responses and Mortality. ○
- 345 Genomic Analysis of the Endangered Fomni Dog Breed: A Comparison of Genomic and Phenotypic Evaluation Scores. **2023**, 13, 818 ○
- 344 Identification of a Novel Idiopathic Epilepsy Risk Locus and a Variant in the *CCDC85A* Gene in the Dutch Partridge Dog. **2023**, 13, 810 ○
- 343 A thousand-genome panel retraces the global spread and adaptation of a major fungal crop pathogen. **2023**, 14, ○
- 342 Integrated Single-Trait and Multi-Trait GWASs Reveal the Genetic Architecture of Internal Organ Weight in Pigs. **2023**, 13, 808 ○
- 341 Whole genome sequencing of a wild swan goose population. 14, ○
- 340 Genome-wide association study and identification of systemic comorbidities in development of age-related macular degeneration in a hospital-based cohort of Han Chinese. 14, ○
- 339 Association of high-sensitivity C-reactive protein and diabetic nephropathy in patients with type 2 diabetes: a Mendelian randomization study. **2023**, 11, e003197 ○
- 338 A minimal genome design to maximally guarantee fertile inter-subspecific hybrid rice. **2023**, 16, 726-738 1
- 337 Environmental drivers behind the genetic differentiation in mountain chickadees (*Poecile gambeli*). ○

- 336 Phylogenomic analysis of the Lake Kronotskoe species flock of Dolly Varden charr reveals genetic signatures of sympatric radiation. ○
- 335 Development of a Single-nucleotide Polymorphism Genotyping Assay for the Rapid Detection of Vancomycin-intermediate Resistance in Staphylococcus aureus Epidemic Lineage ST5. **2023**, 43, 355-363 ○
- 334 Whole-Genome Sequencing Data Reveal New Loci Affecting Milk Production in German Black Pied Cattle (DSN). **2023**, 14, 581 ○
- 333 Genetic Risk Assessment of Nonsyndromic Cleft Lip with or without Cleft Palate by Linking Genetic Networks and Deep Learning Models. **2023**, 24, 4557 ○
- 332 Update of a Genetic Risk Score Predictive of the Plasma Triglyceride Response to an Omega-3 Fatty Acid Supplementation in the FAS Study. **2023**, 15, 1156 ○
- 331 Inbreeding depression and durability in the North American Thoroughbred horse. ○
- 330 Why does the X chromosome lag behind autosomes in GWAS findings?. **2023**, 19, e1010472 ○
- 329 Genome-wide Polygenic Risk Score for Type 2 Diabetes in Indian Population. ○
- 328 Human immune phenotyping reveals accelerated aging in type 1 diabetes. ○
- 327 Unified views on variant impact across many diseases. **2023**, ○
- 326 Genetic and Genomic Analysis of Cow Mortality in the Israeli Holstein Population. **2023**, 14, 588 ○
- 325 Traces of Introgression from cAus into Tropical Japonica Observed in African Upland Rice Varieties. **2023**, 16, ○
- 324 A data-fusion approach to identifying developmental dyslexia from multi-omics datasets. ○
- 323 Polygenic risk scores enhance prediction of body mass index increase in individuals with a first episode of psychosis. **2023**, 66, ○
- 322 A genome-wide association study for eumelanin pigmentation in chicken plumage using a computer vision approach. ○
- 321 QTL Mapping: Strategy, Progress, and Prospects in Flax. **2023**, 69-99 ○
- 320 Analysis of structural variation among inbred mouse strains. **2023**, 24, ○
- 319 Genome-Wide Association Study for Agronomic Traits in Wild Soybean (Glycine soja). **2023**, 13, 739 1

- 318 Fine mapping spatiotemporal mechanisms of genetic variants underlying cardiac traits and disease. **2023**, 14, ○
- 317 Maternal and genetic effects on embryonic survival from fertilization to swim up stage and reproductive success in a farmed rainbow trout line. **2023**, 29, 101523 ○
- 316 Congenital hydrocephalus: new Mendelian mutations and evidence for oligogenic inheritance. **2023**, 17, ○
- 315 Contributions of NR1H3 genetic polymorphisms to susceptibility and effects of narrowband UVB phototherapy to nonsegmental vitiligo. **2023**, 13, ○
- 314 Incorporating multi-stage diagnosis status to mine associations between genetic risk variants and the multi-modality phenotype network in major depressive disorder. 14, ○
- 313 CEP162 deficiency causes human retinal degeneration and reveals a dual role in ciliogenesis and neurogenesis. **2023**, 133, ○
- 312 The enormous repetitive Antarctic krill genome reveals environmental adaptations and population insights. **2023**, 186, 1279-1294.e19 ○
- 311 Investigation of mutation load and rate in androgenic mutant lines of rapeseed in early generations evaluated by high-density SNP genotyping. **2023**, 9, e14065 ○
- 310 Cross-ancestry genome-wide association study and systems-level integrative analyses implicate new risk genes and therapeutic targets for depression. ○
- 309 A brain-wide genome-wide association study of candidate quantitative trait loci associated with structural and functional phenotypes of pain sensitivity. ○
- 308 Heritability and gene functions associated with sclerotia formation of *Rhizoctonia solani* AG-7 using whole genome sequencing and genome-wide association study. **2023**, 9, ○
- 307 Chromosome-level reference genome of *Tetrastigma hemsleyanum* (Vitaceae) provides insights into genomic evolution and the biosynthesis of phenylpropanoids and flavonoids. ○
- 306 Whole-genome sequencing reveals an association between small genomic deletions and an increased risk of developing Parkinson's disease. **2023**, 55, 555-564 ○
- 305 Serum Urate and Risk of Chronic Kidney Disease. **2023**, 98, 513-521 ○
- 304 Importance of genetic architecture in marker selection decisions for genomic prediction. ○
- 303 Recombination Variation Shapes Phylogeny and Introgression in Wild Diploid Strawberries. **2023**, 40, ○
- 302 The IPDGC/GP2 Hackathon - an open science event for training in data science, genomics, and collaboration using Parkinson's disease data. **2023**, 9, ○
- 301 Detecting Cotton Leaf Curl Virus Resistance Quantitative Trait Loci in *Gossypium hirsutum* and iCottonQTL a New R/Shiny App to Streamline Genetic Mapping. **2023**, 12, 1153 ○

- 300 Selection and geography shape male reproductive tract transcriptomes in *Drosophila melanogaster*. ○
- 299 Disparate population and holobiont structure of pocilloporid corals across the Red Sea gradient demonstrate species-specific evolutionary trajectories. ○
- 298 Colorectal Cancer Risk and Ancestry in Colombian admixed Populations. ○
- 297 A lack of population structure characterizes the invasive *Lonicera japonica* in West Virginia and across eastern North America. ○
- 296 Missense Genetic Variation of ICAM1 and Incident Heart Failure. **2023**, ○
- 295 Large-scale genomic and transcriptomic analyses elucidate the genetic basis of high meat yield in chickens. **2023**, ○
- 294 Genome wide association analysis for twinning ability in Jabal Akhdar Omani goats. **2023**, 221, 106951 ○
- 293 Identification of putative regulatory single-nucleotide variants in NTN1 gene associated with NSCL/P. ○
- 292 A Mouse Systems Genetics Approach Reveals Common and Uncommon Genetic Modifiers of Hepatic Lysosomal Enzyme Activities and Glycosphingolipids. **2023**, 24, 4915 ○
- 291 Identification of Selection Signatures and Loci Associated with Important Economic Traits in Yunan Black and Huainan Pigs. **2023**, 14, 655 ○
- 290 Microbiome-enabled genomic selection improves prediction accuracy for nitrogen-related traits in maize. ○
- 289 Genomes of two Extinct-in-the-Wild reptiles from Christmas Island reveal distinct evolutionary histories and conservation insights. ○
- 288 A sex- and site-specific relationship between body mass index and osteoarthritis: evidence from observational and genetic analyses. **2023**, ○
- 287 A key gene for the climatic adaptation of *Apis cerana* populations in China according to selective sweep analysis. **2023**, 24, ○
- 286 A Comprehensive Strategy Combining Feature Selection and Local Optimization Algorithm to Optimize the Design of Low-Density Chip for Genomic Selection. **2023**, 13, 614 ○
- 285 Hip joint space width is causally related to hip osteoarthritis risk via distinct protective and susceptibility mechanisms: findings from a genome-wide association study meta-analysis. ○
- 284 Multiomic analyses implicate a neurodevelopmental program in the pathogenesis of cerebral arachnoid cysts. **2023**, 29, 667-678 ○
- 283 Risk Factors and Age-Related Patterns of Asthma-Like Symptoms in Early Childhood. **2023**, ○

- 282 Acis-regulatory element regulatesERAP2expression through autoimmune disease risk SNPs. ○
- 281 A Genome-Wide Association Study to Identify Novel Candidate Genes Related to Low-Nitrogen Tolerance in Cucumber (*Cucumis sativus* L.). **2023**, 14, 662 ○
- 280 Identification of de novo Mutations in the Chinese Autism Spectrum Disorder Cohort via Whole-Exome Sequencing Unveils Brain Regions Implicated in Autism. ○
- 279 New Genomic Insights into the Conformation of Lipizzan Horses. ○
- 278 Potentially causal associations between placental DNA methylation and schizophrenia and other neuropsychiatric disorders. ○
- 277 A distinct class of pan-cancer susceptibility genes revealed by alternative polyadenylation transcriptome-wide association study. ○
- 276 Association between ESR1 rs2234693 single nucleotide polymorphism and uterine fibroids in Taiwanese premenopausal and postmenopausal women. **2023**, 42, ○
- 275 NovelCYP1B1-RMDN2Alzheimer's disease locus identified by genome-wide association analysis of cerebral tau deposition on PET. ○
- 274 Correlates of suicidal behaviors and genetic risk among United States veterans with schizophrenia or bipolar I disorder. ○
- 273 Cold-induced vasodilation response in a Japanese cohort: insights from cold-water immersion and genome-wide association studies. **2023**, 42, ○
- 272 GWAS scans of cereal cyst nematode (*Heterodera avenae*) resistance in Indian wheat germplasm. ○
- 271 Genome-wide association studies for additive and dominance effects for body composition traits in commercial crossbred Piérain pigs. ○
- 270 NPC1 variants are not associated with Parkinson's disease, REM-sleep behavior disorder or dementia with Lewy bodies in European cohorts. **2023**, ○
- 269 Genomic resources for a historical collection of cultivated two-row European spring barley genotypes. ○
- 268 Causal relationships between gut microbiota and programmed cell death protein 1/programmed cell death-ligand 1: A bidirectional Mendelian randomization study. 14, ○
- 267 Genome-wide association study of lipase and esterase in wholegrain wheat flour (*Triticum aestivum* L.). **2023**, 18, e0282510 ○
- 266 Identification of Candidate Genes and Functional Pathways Associated with Body Size Traits in Chinese Holstein Cattle Based on GWAS Analysis. **2023**, 13, 992 ○
- 265 Identification of the rice Rc gene as a main regulator of seed survival under dry storage conditions. ○

- 264 Extensive sequence duplication in Arabidopsis revealed by pseudo-heterozygosity. **2023**, 24, ○
- 263 The ABCG2 rs2231142 polymorphism and the risk of nephrolithiasis: A case-control study from the Taiwan biobank. 14, ○
- 262 Population genomics and conservation management of the threatened black-footed tree-rat (*Mesembriomys gouldii*) in northern Australia. ○
- 261 Single-step genome-wide association analyses of claw horn lesions in Holstein cattle using linear and threshold models. **2023**, 55, ○
- 260 Genetic diversity and population structure of a Peruvian cattle herd using SNP data. 14, ○
- 259 Population whole-genome resequencing reveals the phylogenetic relationships and population structure of four Hunan typical tea landraces. **2023**, 3, 0-0 ○
- 258 The genetic architecture of human amygdala volumes and their overlap with common brain disorders. **2023**, 13, ○
- 257 Shared genetic architecture between attention-deficit/hyperactivity disorder and lifespan. ○
- 256 Genetic and neural bases of the Neuroticism general factor. ○
- 255 A deep population reference panel of tandem repeat variation. ○
- 254 Genomic clines across the species boundary between a hybrid pine and its progenitor in the eastern Tibetan Plateau. **2023**, 100574 ○
- 253 Schizophrenia risk conferred by rare protein-truncating variants is conserved across diverse human populations. **2023**, 55, 369-376 ○
- 252 Deciphering the genetic basis of resistance to soybean cyst nematode combining IBD and association mapping. **2023**, 136, ○
- 251 Two major chromosome evolution events with unrivaled conserved gene content in pomegranate. 14, ○
- 250 Characterization of the USDA Cucurbita pepo, C. moschata, and C. maxima germplasm collections. 14, ○
- 249 Fine-Mapping Analysis of the Genes Associated with Pre-Harvest Sprouting Tolerance in Rice (*Oryza sativa* L.). **2023**, 13, 818 ○
- 248 Identification of candidate genomic regions for egg yolk moisture content based on a genome-wide association study. **2023**, 24, ○
- 247 A rare FGF5 candidate variant (rs112475347) for predisposition to nonsquamous, non-small-cell lung cancer. ○

- 246 Inferring biological kinship in ancient datasets: comparing the response of ancient DNA-specific software packages to low coverage data. **2023**, 24, ○
- 245 Genetic architecture of spatial electrical biomarkers for cardiac arrhythmia and relationship with cardiovascular disease. **2023**, 14, ○
- 244 Genome-wide analysis of genetic pleiotropy and causal genes across three age-related ocular disorders. **2023**, 142, 507-522 ○
- 243 Multifactor dimensionality reduction method identifies novel SNP interactions in the WNT protein interaction networks that are associated with recurrence risk in colorectal cancer. 13, ○
- 242 Genome-wide association studies of polygenic risk score-derived phenotypes may lead to inflated false positive rates. **2023**, 13, ○
- 241 Improving genomic prediction of rhizomania resistance in sugar beet (*Beta vulgaris* L.) by implementing epistatic effects and feature selection. 12, 280 ○
- 240 Deciphering the role of a SINE-VNTR-Alu retrotransposon polymorphism as a biomarker of Parkinson's disease progression. ○
- 239 Population genetics and geographic origins of mallards harvested in northwestern Ohio. **2023**, 18, e0282874 ○
- 238 A single cell atlas of in vitro multi-systems uncovers in vivo lineage trajectory and cell state in the human lung. ○
- 237 Identification of asthma-related genes using asthmatic blood eQTLs of Korean patients. ○
- 236 The role of plasma cortisol in dementia, epilepsy, and multiple sclerosis: A Mendelian randomization study. 14, ○
- 235 Deleterious mutation load in the admixed mice population. 11, ○
- 234 Heritable Risk and Protective Genetic Components of Glaucoma Medication Non-Adherence. **2023**, 24, 5636 ○
- 233 Evaluating the genetic interaction effects of gut microbiome and diet on the risk of neuroticism in the UK Biobank cohort. **2023**, 33, 59-68 ○
- 232 Partner choice, confounding and trait convergence all contribute to phenotypic partner similarity. ○
- 231 Conservation prioritisation through genomic reconstruction of demographic histories applied to two endangered suids in the Malay Archipelago. ○
- 230 The multifaceted genomic history of Ashaninka from Amazonian Peru. **2023**, ○
- 229 Geographic variability of hybridization between red-breasted and red-naped sapsuckers. **2023**, 77, 580-592 ○

- 228 Human genetic history on the Tibetan Plateau in the past 5100 years. **2023**, 9, ○
- 227 Assessment of the Genetic Diversity and Population Structure of the Peruvian Andean Legume, Tarwi (*Lupinus mutabilis*), with High Quality SNPs. **2023**, 15, 437 ○
- 226 A quantitative trait GWAS on lens thickness identifies novel risk loci on PTPRM in the narrow angle individuals susceptible to PACG. 112067212311609 ○
- 225 Standardizing and applying a mating-based whole-genome simulation approach reveals caution in using chromosome-level PCA and kinship estimates. ○
- 224 An Ensemble Penalized Regression Method for Multi-ancestry Polygenic Risk Prediction. ○
- 223 Family environment and polygenic risk in the bipolar high-risk context. ○
- 222 The genomic characteristics affect phenotypic diversity from the perspective of genetic improvement of economic traits. **2023**, 26, 106426 ○
- 221 Genetic architecture for skeletal muscle glycolytic potential in Chinese Erhualian pigs revealed by a genome-wide association study using 1.4M SNP array. 14, ○
- 220 The Association of the Polymorphisms in the FUT8-Related Locus with the Plasma Glycosylation in Post-Traumatic Stress Disorder. **2023**, 24, 5706 ○
- 219 Introduction history and hybridization determine the hydric balance of an invasive lizard facing a recent climate niche shift. **2023**, 77, 123-137 ○
- 218 Evolution of the rice blast pathogen on spatially structured rice landraces maintains multiple generalist fungal lineages. ○
- 217 Genetics of Neurogenic Orthostatic Hypotension in Parkinson's Disease, Results from a Cross-Sectional In Silico Study. **2023**, 13, 506 ○
- 216 Pedigree and genome-based patterns of homozygosity in the South African Ayrshire, Holstein, and Jersey breeds. 14, ○
- 215 Evaluation of polygenic score for hypertrophic cardiomyopathy in the general population and across clinical settings. ○
- 214 Determinants of genetic diversity in sticklebacks. ○
- 213 Genetic insights into the age-specific biological mechanisms governing human ovarian ageing. ○
- 212 The penetrance of rare variants in cardiomyopathy-associated genes: a cross-sectional approach to estimate penetrance for secondary findings. ○
- 211 Investigations of a combination of atopic status and age of asthma onset identify asthma subphenotypes. 1-10 ○

- 210 Systematic Selection Signature Analysis of Chinese Gamecocks Based on Genomic and Transcriptomic Data. **2023**, 24, 5868 ○
- 209 A novel SMARCC1-mutant BAFopathy implicates epigenetic dysregulation of neural progenitors in hydrocephalus. ○
- 208 Past Connectivity but Recent Inbreeding in Cross River Gorillas Determined Using Whole Genomes from Single Hairs. **2023**, 14, 743 ○
- 207 Selective whole-genome amplification reveals population genetics of *Leishmania braziliensis* directly from patient skin biopsies. **2023**, 19, e1011230 ○
- 206 Evolutionary rescue through gene flow despite genetic incompatibilities shaped diversity of the pseudo-cereal grain amaranth. ○
- 205 Rice3K56 is a high-quality SNP array for genome-based genetic studies and breeding in rice (*Oryza sativa* L.). **2023**, ○
- 204 A web tool for the global identification of pig breeds. **2023**, 55, ○
- 203 Genetic causal relationship between age at menarche and benign oesophageal neoplasia identified by a Mendelian randomization study. 14, ○
- 202 Different waves of postglacial recolonisation and genomic structure of bank vole populations in NE Poland. ○
- 201 Exome-wide assessment of isolated biliary atresia: A report from the National Birth Defects Prevention Study using child-parent trios and a case-control design to identify novel rare variants. ○
- 200 Air pollution, genetic factors and the risk of osteoporosis: A prospective study in the UK biobank. 11, ○
- 199 Cell type-specific and disease-associated eQTL in the human lung. ○
- 198 Interactions of genetic risks for autism and the broad autism phenotypes. 14, ○
- 197 Targeted plasma proteomics identifies MICA and IL1R1 proteins associated with HIV-1 reservoir size. **2023**, 26, 106486 ○
- 196 Genomic analyses of hair from Ludwig van Beethoven. **2023**, ○
- 195 Genetics Information with Functional Brain Networks for Dementia Classification. **2023**, 11, 1529 ○
- 194 Genetic dysregulation of an endothelial Ras signaling network in vein of Galen malformations. ○
- 193 Investigating Causality and Shared Genetic Architecture between Neurodegenerative Disorders and Inflammatory Bowel Disease. **2022**, 0 ○

- 192 Single Nucleotide Polymorphisms in the Vitamin D Metabolic Pathway and Their Relationship with High Blood Pressure Risk. **2023**, 24, 5974 ○
- 191 Genetic analyses of chr11p15.5 region identify MUC5AC-MUC5B associated with asthma-related phenotypes. 1-12 ○
- 190 Genomic clustering by geography not species in taxonomically complex British and Irish eyebrights (Euphrasia). ○
- 189 The evolution of white-tailed jackrabbit camouflage in response to past and future seasonal climates. **2023**, 379, 1238-1242 ○
- 188 Exploring haplotype block structure, runs of homozygosity, and effective population size among dairy cattle breeds of India. **2023**, 55, ○
- 187 Depression: an adaptive disease?. ○
- 186 A diverse panel of 755 bread wheat accessions harbors untapped genetic diversity in landraces and reveals novel genetic regions conferring powdery mildew resistance. 1
- 185 Genome-wide Association Study Related to Semen Traits Based on Gene-set Enrichment Analysis in Holstein Bulls. **2022**, 13, 168-175 ○
- 184 Estimation of Variance Components and Genome Partitioning According to Minor Allele Frequency for Quantitative Traits in Sheep. **2022**, 13, 139-148 ○
- 183 Genome-wide association study of *Klebsiella pneumoniae* urinary tract infection in Taiwanese patients identifies potential genetic risk factors. ○
- 182 Identification of genetic variants affecting reproduction traits in Vrindavani cattle. ○
- 181 Assessment of the Potential Role of Selected Single Nucleotide Polymorphisms (SNPs) of Genes Related to the Functioning of Regulatory T Cells in the Pathogenesis of Psoriasis. **2023**, 24, 6061 ○
- 180 Genome- Wide Scans of ROH Islands and Related Genes in the World's Sheep Populations. **2022**, 13, 137-146 ○
- 179 Detection of Genetic Differences between Holstein and Iranian North-West Indigenous Hybrid Cattles using Genomic Data. **2022**, 13, 175-186 ○
- 178 Genome-wide Association Study to Identify Genes and Biological Pathways Associated with Type Traits in Cattle using Pathway Analysis. **2022**, 13, 139-147 ○
- 177 Longitudinal DNA methylation profiling of the rectal mucosa identifies cell-specific signatures of disease status, severity and clinical outcomes in ulcerative colitis cell-specific DNA methylation signatures of UC. **2023**, 15, ○
- 176 Identification of Genomic Signatures in Bullmastiff Dogs Using Composite Selection Signals Analysis of 23 Purebred Clades. **2023**, 13, 1149 ○
- 175 Evaluation of Genomic Inbreeding Rate in Iranian Native Sheep using Dense SNP Markers (600K). **2022**, 13, 158-167 ○

- 174 Genome-wide analysis of a collective grave from Mentesh Tepe provides insight into the population structure of early neolithic population in the South Caucasus. **2023**, 6, ○
- 173 A common variant rs2054564 in ADAMTS17 is associated with susceptibility to lumbar spondylosis. **2023**, 13, ○
- 172 Gene-environment interaction explains a part of missing heritability in human body mass index. **2023**, 6, ○
- 171 Comprehensive genomic analyses of *Vigna unguiculata* provide insights into population differentiation and the genetic basis of key agricultural traits. ○
- 170 CRELD1 variants are associated with bicuspid aortic valve in Turner syndrome. **2023**, 142, 523-530 ○
- 169 Genomic evaluation for two-way crossbred performance in cattle. **2023**, 55, ○
- 168 Genetic diversity and signatures of selection in BoHuai goat revealed by whole-genome sequencing. **2023**, 24, ○
- 167 A 37K SNP array for the management and conservation of Golden Eagles (*Aquila chrysaetos*). ○
- 166 Do environmental effects indexed by parental genetic variation influence common psychiatric symptoms in childhood?. **2023**, 13, ○
- 165 Rank concordance of polygenic indices. ○
- 164 A significant, functional and replicable risk KTN1 variant block for schizophrenia. **2023**, 13, ○
- 163 Parasite hybridization promotes spreading of endosymbiotic viruses. ○
- 162 Evidence for ancient selective sweeps followed by differentiation among three species of Sphyrapicussapsuckers. ○
- 161 Genomic assessment reveals signal of adaptive selection in populations of the Spotted rose snapper *Lutjanus guttatus* from the Tropical Eastern Pacific. 11, e15029 ○
- 160 Integrative genomics analysis highlights functionally relevant genes for equine behaviour. ○
- 159 The Effect of Secondary Sexual Characteristics Outset Time Abnormality on Addiction in Adults: a Mendelian Randomization Study. ○
- 158 Genome-wide analysis of individual coding variants and HLA-II-associated self-immunopeptidomes in ulcerative colitis. ○
- 157 Genetic variants in HFE are associated with non-alcoholic fatty liver disease in lean individuals. **2023**, 100744 ○

- 156 Integration of Selection Signatures and Protein Interactions Reveals NR6A1, PAPP2, and PIK3C2B as the Promising Candidate Genes Underlying the Characteristics of Licha Black Pig. **2023**, 12, 500 ○
- 155 Hidden Genetic Regulation of Human Complex Traits via Brain Isoforms. ○
- 154 Novel Risk Variants in the Oxytocin Receptor Gene (OXTR) Possibly Linked to and Associated with Familial Type 2 Diabetes. **2023**, 24, 6282 ○
- 153 Population transcriptomics uncover the relative roles of positive selection and differential expression in *Batrachium bungei* adaptation to the Qinghai-Tibetan plateau. ○
- 152 Gene-by-Sex Interactions: Genome-Wide Association Study Reveals Five SNPs Associated with Obesity and Overweight in a Male Population. **2023**, 14, 799 ○
- 151 Elucidating SNP-Based Population Structure and Genetic Diversity of *Bruguiera gymnorhiza* (L.) Savigny in Thailand. **2023**, 14, 693 ○
- 150 The 2020 derecho revealed limited overlap between maize genes associated with root lodging and root system architecture. ○
- 149 Genetic diversity and within-breed variation in three indigenous Ethiopian sheep based on whole-genome analysis. **2023**, 9, e14863 ○
- 148 Genetic variation in cis-regulatory domains suggests cell type-specific regulatory mechanisms in immunity. **2023**, 6, ○
- 147 Genetic Analysis of the Single-Nucleotide Polymorphisms rs880810, rs545793, rs80094639, and rs13251901 in Nonsyndromic Oral Clefts: A Case-Parent Trio Study. **2023**, 10, 034-037 ○
- 146 Genomic prediction in pigs using data from a commercial crossbred population: insights from the Duroc x (Landrace x Yorkshire) three-way crossbreeding system. **2023**, 55, ○
- 145 The genome of *Lactuca saligna*, a wild relative of lettuce, provides insight into non-host resistance to the downy mildew *Bremia lactucae*. ○
- 144 Phenome-wide Mendelian randomization study of plasma triglyceride levels and 2600 disease traits. 12, ○
- 143 The bHLH transcription factor gene, *OsbHLH38*, plays a key role in controlling rice salt tolerance. ○
- 142 Accurate long-read sequencing identified GBA variants as a major genetic risk factor in the Luxembourg Parkinson study. ○
- 141 Genetic structure and genome-wide association study of the traditional Kazakh horses. ○
- 140 Focal adhesion is associated with lithium response in bipolar disorder: evidence from a network-based multi-omics analysis. ○
- 139 k-mer-based GWAS enhances the discovery of causal variants and candidate genes in soybean. ○

- 138 Association of polygenic scores with chronic kidney disease phenotypes in a longitudinal study of older adults. **2023**, ○
- 137 Insights into the comorbidity between type 2 diabetes and osteoarthritis. ○
- 136 Large Region of Homozygous (ROH) Identified in Indian Patients with Autosomal Recessive Limb-Girdle Muscular Dystrophy with p.Thr182Pro Variant in SGCB Gene. **2023**, 2023, 1-10 ○
- 135 Global multi-omics profiling reveals evolutionary drivers of phylogeographic diversity of fungal specialized metabolism. ○
- 134 In silico prioritisation of microRNA-associated common variants in multiple sclerosis. **2023**, 17, ○
- 133 Predicting late-stage age-related macular degeneration by integrating marginally weak SNPs in GWA studies. 14, ○
- 132 Statistical examination of shared loci in neuropsychiatric diseases using genome-wide association study summary statistics. ○
- 131 Genome-wide analysis emancipates genomic diversity and signature of selection in Altay white-headed cattle of Xinjiang, China. 14, ○
- 130 Population structure and selective signature of sheep around Tarim Basin. 11, ○
- 129 Genome-wide detection of changes in allelic frequency in Landrace pigs selected for resistance to mycoplasma pneumonia of swine. **2023**, 94, ○
- 128 Multi-ancestry meta-analysis of tobacco use disorders based on electronic health record data prioritizes novel candidate risk genes and reveals associations with numerous health outcomes. ○
- 127 A Genomic Quantitative Study on the Contribution of the Ancestral-State Bases Relative to Derived Bases in the Divergence and Local Adaptation of *Populus davidiana*. **2023**, 14, 821 ○
- 126 The Promoter SNPs Were Associated with Both the Contents of Poly-Unsaturated Fatty Acids (PUFAs) and the Expressions of PUFA-Related Genes in Common Carp. **2023**, 12, 524 ○
- 125 Analysis of genetic dominance in the UK Biobank. **2023**, 379, 1341-1348 ○
- 124 Causal relationship between type 1 diabetes mellitus and six high-frequency infectious diseases: A two-sample mendelian randomization study. 14, ○
- 123 Genomic prediction using information across years with epistatic models and dimension reduction via haplotype blocks. **2023**, 18, e0282288 ○
- 122 Apolipoprotein E (APOE) Haplotypes in Healthy Subjects from Worldwide Macroareas: A Population Genetics Perspective for Cardiovascular Disease, Neurodegeneration, and Dementia. **2023**, 45, 2817-2831 ○
- 121 Early dispersal of domestic horses into the Great Plains and northern Rockies. **2023**, 379, 1316-1323 ○

- 120 Genotyping of *Haliotis discus hannai* and machine learning models to predict the heat resistant phenotype based on genotype. 14,
- 119 Functional genomic effects of indels using Bayesian genome-phenome wide association studies in sorghum. 14,
- 118 Inbreeding depression in an outbred stickleback population.
- 117 Investigating the causal association between branched-chain amino acids and Alzheimer's disease: A bidirectional Mendelian randomized study. 10,
- 116 Does social antagonism facilitate supergene expansion? A novel region of suppressed recombination in a 4-haplotype supergene system.
- 115 A comprehensive analysis of the genetic diversity and environmental adaptability in worldwide Merino and Merino-derived sheep breeds. 2023, 55,
- 114 Genome-Wide Association Study on Reproductive Traits Using Imputation-Based Whole-Genome Sequence Data in Yorkshire Pigs. 2023, 14, 861
- 113 Uncovering the history of recombination and population structure in western Canadian stripe rust populations through mating-type alleles.
- 112 Phylogeographic and demographic patterns reveal congruent histories in seven Amazonian White-Sand ecosystems birds.
- 111 Secure Inference on Homomorphically Encrypted Genotype Data with Encrypted Linear Models.
- 110 Predicting ExWAS findings from GWAS data: a shorter path to causal genes.
- 109 Genetic impacts on DNA methylation help elucidate regulatory genomic processes.
- 108 Clinical phenotyping and genetic diagnosis of a large cohort of Sudanese families with hereditary spinocerebellar degenerations.
- 107 A complete gap-free diploid genome in *Saccharum* complex and the genomic footprints of evolution in the highly polyploid *Saccharum* genus. 2023, 9, 554-571
- 106 XRCC1 gene rs72484243 polymorphism is associated with increased laryngeal cancer risk.
- 105 Genome-wide association study reveals that the IBSP locus affects ear size in cattle.
- 104 The Origin and Invasion Pathway of Brown Rats *Rattus norvegicus* on Dok-Do Island Revealed by Genome-Wide Markers from 3-RADseq Approach. 2023, 13, 1243
- 103 Genetic purity of yam (*Dioscorea* spp.) multiplied through different seed multiplication techniques based on DArT SNP markers. 1-6

- 102 Runs of homozygosity and cross-generational inbreeding of Iranian fat-tailed sheep. ○
- 101 Assessment of Neuroanatomical Endophenotypes of Autism Spectrum Disorder and Association With Characteristics of Individuals With Schizophrenia and the General Population. ○
- 100 Comparing Pruning and Thresholding with Continuous Shrinkage Polygenic Score Methods in a Large Sample of Ancestrally Diverse Adolescents from the ABCD Study . ○
- 99 Genomic prediction of rice mesocotyl length indicative of directing seeding suitability using a half-sib hybrid population. **2023**, 18, e0283989 ○
- 98 Insight into the evolutionary and domesticated history of the most widely cultivated mushroom *Agaricus bisporus* via mitogenome sequences of 361 global strains. **2023**, 24, ○
- 97 The functional change of the P2X7R containing the Ala348 to Thr polymorphism is associated with the pathogenesis of gout. **2023**, 13, ○
- 96 Test development, optimization and validation of a WGS pipeline for genetic disorders. **2023**, 16, ○
- 95 Rare predicted loss-of-function variants of type I IFN immunity genes are associated with life-threatening COVID-19. **2023**, 15, ○
- 94 The Identification of a Yield-Related Gene Controlling Multiple Traits Using GWAS in Sorghum (*Sorghum bicolor* L.). **2023**, 12, 1557 ○
- 93 A novel integrative multi-omics approach to unravel the genetic determinants of rare diseases with application in sinusoidal obstruction syndrome. **2023**, 18, e0281892 ○
- 92 Evidence Linking PPARG Genetic Variants with Periodontitis and Type 2 Diabetes Mellitus in a Brazilian Population. **2023**, 24, 6760 ○
- 91 Elucidating the process of SNPs identification in non-reference genome crops. 1-9 ○
- 90 Large-scale analysis of de novo mutations identifies risk genes for female infertility characterized by oocyte and early embryo defects. **2023**, 24, ○
- 89 Neurodevelopment in Chronic Kidney Disease. **2023**, 1553-1576 ○
- 88 Super-pangenome analyses highlight genomic diversity and structural variation across wild and cultivated tomato species. ○
- 87 Unraveling the Genetic Population Structure of Mongolian Indigenous Cattle Breeds Using Whole Genome Sequencing Data. **2023**, 36-42 ○
- 86 Genome-wide association and transcriptome analysis provide the SNPs and molecular insights into the hypoxia tolerance in large yellow croaker (*Larimichthys crocea*). **2023**, 573, 739547 ○
- 85 Genomic Relationships of *Glycine remota*, a Recently Discovered Perennial Relative of Soybean, within *Glycine*. **2023**, 48, 78-87 ○

- 84 Genetic evaluations for endangered dual-purpose German Black Pied cattle using 50K SNPs, a breed-specific 200K chip, and whole-genome sequencing. **2023**, ○
- 83 Genome-Wide Identification of Variants Associated with Antifungal Drug Resistance. **2023**, 81-103 ○
- 82 Human variation impacting MCOLN2 restricts Salmonella Typhi replication by magnesium deprivation. **2023**, 100290 ○
- 81 Multiomics of human aortic endothelial cells reveals cell subtypes with heterogeneous responses to canonical endothelial-to-mesenchymal perturbations. ○
- 80 Echoes from the last Green Sahara: whole genome analysis of Fulani, a key population to unveil the genetic evolutionary history of Africa. ○
- 79 GWAS for Systemic Sclerosis Identified six novel susceptibility loci including penetrating FcγReceptor Region. ○
- 78 Population structure and genome-wide evolutionary signatures reveal putative climate-driven habitat change and local adaptation in the large yellow croaker. ○
- 77 Summary statistics-based association test for identifying the pleiotropic effects with set of genetic variants. **2023**, 39, ○
- 76 Fine-scale spatial genetic structure in a locally abundant native bunchgrass (Achnatherum thurberianum) including distinct lineages revealed within seed transfer zones. ○
- 75 A paleogenome from a Holocene individual supports genetic continuity in Southeast Alaska. **2023**, 26, 106581 ○
- 74 Tree-based QTL mapping with expected local genetic relatedness matrices. ○
- 73 Whole Genome Resequencing Reveals Genetic Diversity and Selection Signatures of Ethiopian Indigenous Cattle Adapted to Local Environments. **2023**, 15, 540 ○
- 72 Analysis of rare Parkinson's disease variants in millions of people. ○
- 71 Brain structure, phenotypic and genetic correlates of reading performance. ○
- 70 Natural genetic variation in a dopamine receptor is associated with variation in female fertility in Drosophila melanogaster. **2023**, 290, ○
- 69 Identification of Genetic Markers Linked to The Activity of Indoleamine 2,3-Dioxygenase and Kidney Function. **2023**, 13, 541 ○
- 68 Influence of Genetics on the Response to Omalizumab in Patients with Severe Uncontrolled Asthma with an Allergic Phenotype. **2023**, 24, 7029 ○
- 67 A potent allele marker related to low bull conception rate in Japanese Black bulls. **2023**, 100804 ○

- 66 Population structure, genetic diversity and prolificacy in pishan red sheep under an extreme desert environment. 14, ○
- 65 Genetic susceptibility for autoimmune diseases and white blood cell count. **2023**, 13, ○
- 64 Genomic surveillance uncovers a pandemic clonal lineage of the wheat blast fungus. **2023**, 21, e3002052 ○
- 63 A late Neanderthal reveals genetic isolation in their populations before extinction. ○
- 62 Evidence for selective sweeps in the MHC gene repertoire of various cattle breeds. 1-7 ○
- 61 Population-based change-point detection for the identification of homozygosity islands. **2023**, 39, ○
- 60 Search for candidate genes associated with live weight in north Caucasian meat and wool sheep. **2023**, 123-129 ○
- 59 Genomic analysis of two phlebotomine sand fly vectors of leishmania from the new and old World. **2023**, 17, e0010862 ○
- 58 Genome-wide association study revealed the genomic regions associated with skin pigmentation in an Ogye x White Leghorn F2 chicken population. **2023**, 102720 ○
- 57 Transporter Associated with Antigen Processing 1 Gene Polymorphisms Increase the Susceptibility to Tuberculosis. Volume 16, 325-336 ○
- 56 PGSbuilder: An end-to-end platform for human genome association analysis and polygenic risk score predictions. ○
- 55 Associations of VEGF-A-Related Variants with Adolescent Cardiometabolic and Dietary Parameters. **2023**, 15, 1884 ○
- 54 Detection and distribution of two dominant alleles associated with the sweet kernel phenotype in almond cultivated germplasm. 14, ○
- 53 Characterization of a novel Plasmodium falciparum merozoite surface antigen and potential vaccine target. 14, ○
- 52 An omics strategy increasingly improves the discovery of genetic loci and genes for seed-coat color formation in soybean. ○
- 51 Genome-wide association study stratified byMAPThaplotypes identifies potential novel loci in Parkinson's disease. ○
- 50 The Genetic Heterogeneity of Multimodal Human Brain Age. ○
- 49 Interaction between KLOTHO-VS Heterozygosity and APOE ε Allele Predicts Rate of Cognitive Decline in Late-Onset Alzheimer's Disease. **2023**, 14, 917 ○

- 48 GBC: a parallel toolkit based on highly addressable byte-encoding blocks for extremely large-scale genotypes of species. **2023**, 24, ○
- 47 Evaluating the potential impact of selection for the A2 milk allele on inbreeding and performance in Australian Holstein cattle. 4, ○
- 46 Genetic Diversity and Population Structure of *Coilia nasus* Revealed by 2b-RAD Sequencing. **2023**, 12, 600 ○
- 45 Integration of non-additive genome-wide association study with a multi-tissue transcriptome analysis of growth and carcass traits in Duroc pigs. **2023**, 100817 ○
- 44 The detailed population genetic structure of the rare endangered latid fish akame *Lates japonicus* with extremely low genetic diversity revealed from single-nucleotide polymorphisms. ○
- 43 The causal role of intestinal microbiome in development of pre-eclampsia. **2023**, 23, ○
- 42 Heritability Estimation Approaches Utilizing Genome-Wide Data. **2023**, 3, ○
- 41 Fact-based nutrition for infants and lactating mothers—the NUTRISHIELD study. 11, ○
- 40 Identifying genetic variants for amyloid β in subcortical vascular cognitive impairment. 15, ○
- 39 Genetic insights into the association between inflammatory bowel disease and Alzheimer's disease. ○
- 38 Using landscape genomics to assess local adaptation and genomic vulnerability of a perennial herb *Tetrastigma hemsleyanum* (Vitaceae) in subtropical China. 14, ○
- 37 Exogenous exposures shape genetic predisposition to lipids, Alzheimer's, and coronary heart disease in the MLXIPL gene locus. ○
- 36 Genetic consequence of widespread plantations of *Cryptomeria japonica* var. *sinensis* in Southern China: implications for afforestation strategies under climate change. **2023**, 19, ○
- 35 Population genomic analysis provides evidence of the past success and future potential of South China tiger captive conservation. **2023**, 21, ○
- 34 A novel de novo TP63 mutation in whole-exome sequencing of a Syrian family with Oral cleft and ectrodactyly. ○
- 33 Accurate long-read sequencing identified GBA variants as a major genetic risk factor in the Luxembourg Parkinson's study. ○
- 32 Interleukin-4 Gene Polymorphisms in Romanian Patients with Inflammatory Bowel Diseases: Association with Disease Risk and Clinical Features. **2023**, 13, 1465 ○
- 31 The evolutionary history of rice azaleas (*Rhododendron tschonoskii* alliance) involved niche evolution to a montane environment. ○

- 30 Genetic analysis of global faba bean diversity, agronomic traits and selection signatures. **2023**, 136, ○
- 29 Identifying novel regulatory effects for clinically relevant genes through the study of the Greek population. ○
- 28 Mapping genomic regulation of kidney disease and traits through high-resolution and interpretable eQTLs. **2023**, 14, ○
- 27 Development of a microhaplotype panel to inform management of gray wolves. ○
- 26 A Comprehensive Analysis of 21 Actionable Pharmacogenes in the Spanish Population: From Genetic Characterisation to Clinical Impact. **2023**, 15, 1286 ○
- 25 Genetic coding variant in complement factor B (CFB) is associated with increased risk for perianal Crohn's disease and leads to impaired CFB cleavage and phagocytosis. [gutjnl-2023-329689](https://doi.org/10.1093/gutjnl-2023-329689) ○
- 24 Genome diversity of *Leishmania aethiopica*. 13, ○
- 23 Single-cell genomics meets human genetics. ○
- 22 A novel SNP panel developed for targeted genotyping-by-sequencing (GBS) reveals genetic diversity and population structure of *Musa* spp. germplasm collection. ○
- 21 Association of asthma genetic variants with asthma-associated traits reveals molecular pathways of eosinophilic asthma. **2023**, 13, ○
- 20 Genome-wide cross-trait analysis and Mendelian randomization reveal a shared genetic etiology and causality between COVID-19 and venous thromboembolism. **2023**, 6, ○
- 19 Contribution of LRP1 in Human Congenital Heart Disease Correlates with Its Roles in the Outflow Tract and Atrioventricular Cushion Development. **2023**, 14, 947 ○
- 18 Potential utility of risk stratification for multicancer screening with liquid biopsy tests. **2023**, 7, ○
- 17 The genomics of visuospatial neurocognition in obsessive-compulsive disorder: A preliminary GWAS. **2023**, ○
- 16 Ability of a polygenic risk score to refine colorectal cancer risk in Lynch syndrome. ○
- 15 Pharmacogenetics of tenofovir renal toxicity in HIV-positive Southern Africans. Publish Ahead of Print, ○
- 14 Identification of a shared, common haplotype segregating with an SGCB c.544T>G mutation in Indian patients affected with sarcoglycanopathy. ○
- 13 Movement and Genomic Methods Reveal Mechanisms Promoting Connectivity in a Declining Shorebird: The Lesser Yellowlegs. **2023**, 15, 595 ○

- 12 GWAS reveals novel loci and identifies a pentatricopeptide repeat-containing protein (CsPPR) that improves low temperature germination in cucumber. 14,
- 11 Discovery of 36 loci significantly associated with stuttering.
- 10 Identification of Candidate Genes Associated with Yak Body Size Using a Genome-Wide Association Study and Multiple Populations of Information. 2023, 13, 1470
- 9 Pharmacogenetics of tenofovir clearance among Southern Africans living with HIV. 2023, 33, 79-87
- 8 Association between vascular ultrasound features and DNA sequencing in breast cancer: a preliminary study. 2023, 14,
- 7 A functional genomics approach reveals suggestive quantitative trait loci associated with combined TLR4 and BCP crystal-induced inflammation and osteoarthritis. 2023,
- 6 Polygenic risk score for problematic alcohol use predicts heavy drinking and alcohol use disorder symptoms in young adulthood after accounting for adolescent alcohol use and parental alcohol use disorder. 2023, 248, 109909
- 5 Strategies to improve genomic predictions for 35 duck carcass traits in an F2 population. 2023, 14,
- 4 Genome-wide Association Identifies Novel Etiological Insights Associated with Parkinson Disease in African and African Admixed Populations.
- 3 Identification of Runs of Homozygosity Islands and Functional Variants in Wenchang Chicken. 2023, 13, 1645
- 2 Identification of neuropathology-based subgroups in multiple sclerosis using a data-driven approach.
- 1 Genetic Diversity and Breeding Signatures for Regional Indica Rice Improvement in Guangdong of Southern China. 2023, 16,