

CITATION REPORT

List of articles citing

MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0

DOI: 10.1093/molbev/msm092
Molecular Biology and Evolution, 2007, 24, 1596-9.

Source: <https://exaly.com/paper-pdf/42101819/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2189	Highly Efficient Synthesis of Fructooligosaccharides by Extracellular Fructooligosaccharide-Producing Enzymes and Immobilized Cells of <i>Aspergillus aculeatus</i> M105 and Purification and Biochemical Characterization of a Fructosyltransferase from the Fungus.		
2188	Identification of Degradation Pathways of Chlorohydrocarbons in Saturated Low-Permeability Sediments Using Compound-Specific Isotope Analysis.		
2187	Phylogenetics of the plant genera <i>Dracaena</i> and <i>Pleomele</i> (Asparagaceae). 1970 , 7, 64-72		6
2186	Biochemical systematics of the marine fish family Centrolophidae (Teleostei:Stromateoidei) from Australian waters. 1994 , 45, 1157		7
2185	In silico study of a novel gene evolved from an ancestral SVIP gene and highly expressed in the adult mouse testes. 1998 , 22, 143		
2184	Thiosulphate oxidation by <i>Thiobacillus thioparus</i> and <i>Halothiobacillus neapolitanus</i> strains isolated from the petrochemical industry. 2001 , 14,		3
2183	Suppression subtractive hybridization PCR isolation of cDNAs from a Caribbean soft coral. 2001 , 14,		
2182	New charophytes from the Upper Jurassic of the Lusitanian Basin (Portugal). 2003 , 22, 113-126		8
2181	Genomics, biogeography, and the diversification of placental mammals. 2007 , 104, 14395-400		135
2180	Localization of candidate regions maintaining a common polymorphic inversion (2La) in <i>Anopheles gambiae</i> . 2007 , 3, e217		67
2179	The origins and early evolution of DNA mismatch repair genes--multiple horizontal gene transfers and co-evolution. 2007 , 35, 7591-603		78
2178	Current trends in the bioinformatic sequence analysis of metabolic pathways in prokaryotes. 2008 , 9, 34-45		4
2177	Evidence for 26 distinct acyl-coenzyme A synthetase genes in the human genome. 2007 , 48, 2736-50		222
2176	Molecular Phylogeny of Giant Clams Based on Mitochondrial DNA Cytochrome C Oxidase I Gene. 2007 , 14, 162-166		14
2175	Risk of accidental invasion and expansion of allochthonous mice in Tokyo metropolitan coastal areas in Japan. 2007 , 82, 421-8		5
2174	Diversity, evolution, and horizontal gene transfer (HGT) in soda lakes. 2007 ,		1
2173	<i>Arabidopsis</i> FIERY1, XRN2, and XRN3 are endogenous RNA silencing suppressors. 2007 , 19, 3451-61		221

2172	A high quality draft consensus sequence of the genome of a heterozygous grapevine variety. 2007 , 2, e1326	779
2171	Genetic diversity of two Brazilian populations of the Pampas deer (<i>Ozotoceros bezoarticus</i> , Linnaeus 1758). 2007 , 67, 805-11	6
2170	Molecular identification of <i>Giardia duodenalis</i> isolates from humans, dogs, cats and cattle from the state of So Paulo, Brazil, by sequence analysis of fragments of glutamate dehydrogenase (gdh) coding gene. 2007 , 149, 258-64	96
2169	Constraint and turnover in sex-biased gene expression in the genus <i>Drosophila</i> . 2007 , 450, 233-7	229
2168	RECOVER: an application package to automatically identify some single stranded RNA viruses using capsid protein residues that uniquely distinguish among these viruses. 2007 , 8, 379	
2167	Small steps or giant leaps for male-killers? Phylogenetic constraints to male-killer host shifts. 2007 , 7, 238	40
2166	Surviving extreme polar winters by desiccation: clues from Arctic springtail (<i>Onychiurus arcticus</i>) EST libraries. 2007 , 8, 475	51
2165	Subtle genetic changes enhance virulence of methicillin resistant and sensitive <i>Staphylococcus aureus</i> . 2007 , 7, 99	186
2164	Sugar receptors in <i>Drosophila</i> . 2007 , 17, 1809-16	152
2163	Sequence and RFLP analysis of the ITS2 ribosomal DNA in two Neotropical social bees, <i>Melipona beecheii</i> and <i>Melipona yucatanica</i> (Apidae, Meliponini). 2007 , 54, 418-423	13
2162	A developmentally regulated GTP binding tyrosine phosphorylated protein A-like cDNA in cucumber (<i>Cucumis sativus</i> L.). 2007 , 65, 829-37	10
2161	The basic helix-loop-helix transcription factor family in <i>Bombyx mori</i> . 2007 , 217, 715-23	42
2160	Beta-haemolytic group A streptococci emm75 carrying altered pyrogenic exotoxin A linked to scarlet fever in adults. 2008 , 56, 261-7	12
2159	Zebra mussels in Italy: where do they come from?. 2008 , 10, 555-560	16
2158	Anaerobic degradation of p-xylene in sediment-free sulfate-reducing enrichment culture. 2008 , 19, 909-13	16
2157	Microbial degradation and metabolic pathway of pyridine by a <i>Paracoccus</i> sp. strain BW001. 2008 , 19, 915-26	53
2156	The low temperature-responsive, <i>Solanum</i> CBF1 genes maintain high identity in their upstream regions in a genomic environment undergoing gene duplications, deletions, and rearrangements. 2008 , 67, 483-97	52
2155	ROLLED LEAF 9, encoding a GARP protein, regulates the leaf abaxial cell fate in rice. 2008 , 68, 239-50	42

2154	Silencing of a BYPASS1 homolog results in root-independent pleiotropic developmental defects in <i>Nicotiana benthamiana</i> . 2008 , 68, 423-37	12
2153	Nomenclature for membrane-bound light-harvesting complexes of cyanobacteria. 2008 , 95, 147-54	26
2152	Tracking the molecular evolution of photosynthesis through characterization of atomic contents of the photosynthetic units. 2008 , 97, 255-61	2
2151	Molecular characterization and evolutionary analysis of soybean mosaic virus infecting <i>Pinellia ternata</i> in China. 2008 , 36, 177-90	8
2150	Genomic sequence analysis of a granulovirus isolated from the Old World bollworm, <i>Helicoverpa armigera</i> . 2008 , 36, 565-81	31
2149	Classification of duck hepatitis virus into three genotypes based on molecular evolutionary analysis. 2008 , 37, 52-9	47
2148	Genome analysis and detection of a Chilean isolate of Grapevine leafroll associated virus-3. 2008 , 37, 110-8	30
2147	Phylogenetic analysis of the M genes of influenza viruses isolated from free-flying water birds from their Northern Territory to Hokkaido, Japan. 2008 , 37, 144-52	26
2146	A new clade of hepatitis B virus subgenotype F1 from Peru with unusual properties. 2008 , 37, 225-30	21
2145	Genetic characterization of avian influenza viruses isolated in Israel during 2000-2006. 2008 , 37, 289-97	37
2144	The nucleotide sequence of a Polish isolate of Tomato torrado virus. 2008 , 37, 400-6	23
2143	Phylogenetic characterization of H5N1 highly pathogenic avian influenza viruses isolated in Switzerland in 2006. 2008 , 37, 407-13	21
2142	Sequence variability and phylogenetic relationship of betasatellite isolates associated with yellow vein mosaic disease of mesta in India. 2008 , 37, 414-24	26
2141	An alkaliphilic and xylanolytic strain of actinomycetes <i>Kocuria</i> sp. RM1 isolated from extremely alkaline bauxite residue sites. 2008 , 24, 3079-3085	19
2140	Isolation and identification of bacteria from <i>Thaumetopoea pityocampa</i> Den. and Schiff. (Lep., Thaumetopoeidae) and determination of their biocontrol potential. 2008 , 24, 3005-3015	21
2139	Identification of <i>Gluconobacter</i> strains isolated in Thailand based on 16S rRNA gene ITS restriction and 16S rRNA gene sequence analyses. 2008 , 58, 741-747	4
2138	Note: Molecular identification of <i>Candidatus phytoplasma asteris</i> inducing histological anomalies in <i>Silene nicaeensis</i> . 2008 , 36, 290-293	7
2137	The CLE family of plant polypeptide signaling molecules. 2008 , 65, 743-55	85

2136	Population structure of the planktonic copepod <i>Calanus pacificus</i> in the North Pacific Ocean. 2008 , 156, 107-115	25
2135	Phylogenetic and structural analysis of translationally controlled tumor proteins. 2008 , 66, 472-83	41
2134	Comparative analysis of period genes in teleost fish genomes. 2008 , 67, 29-40	58
2133	Ancient origin of the Parkinson disease gene LRRK2. 2008 , 67, 41-50	51
2132	Allelic combinations of promoter and exon 2 in DQB1 in dogs and wolves. 2008 , 67, 76-84	8
2131	Molecular evolution of the CPP-like gene family in plants: insights from comparative genomics of <i>Arabidopsis</i> and rice. 2008 , 67, 266-77	66
2130	Lysine conservation and context in TGFbeta and Wnt signaling suggest new targets and general themes for posttranslational modification. 2008 , 67, 323-33	13
2129	Genome-wide analysis of the <i>Fusarium oxysporum</i> mimp family of MITEs and mobilization of both native and de novo created mimps. 2008 , 67, 631-42	19
2128	Evolution and regulation of the downstream gene of hypoxia-inducible factor-1alpha in naked carp (<i>Gymnocypris przewalskii</i>) from Lake Qinghai, China. 2008 , 67, 570-80	17
2127	Evolutionary dynamics of the immunoglobulin heavy chain variable region genes in vertebrates. 2008 , 60, 47-55	44
2126	Functional diversification of the toll-like receptor gene family. 2008 , 60, 249-56	53
2125	MHC class I characterization of Indonesian cynomolgus macaques. 2008 , 60, 339-51	50
2124	Species-specific evolution of class I MHC genes in iguanas (order: Squamata; subfamily: Iguaninae). 2008 , 60, 371-82	16
2123	Natural selection in the TLR-related genes in the course of primate evolution. 2008 , 60, 727-35	55
2122	Application of biocathode in microbial fuel cells: cell performance and microbial community. 2008 , 79, 379-88	147
2121	The white-rot fungus <i>Phanerochaete chrysosporium</i> : conditions for the production of lignin-degrading enzymes. 2008 , 81, 399-417	170
2120	Diversity of the resident microbiota in a thermophilic municipal biogas plant. 2008 , 81, 163-73	97
2119	Isolation and characterization of new cyclohexylacetic acid-degrading bacteria. 2008 , 57, 107-10	13

2118	Nitrite removal performance and community structure of nitrite-oxidizing and heterotrophic bacteria suffered with organic matter. 2008 , 57, 287-93	9
2117	The evolution of 5S ribosomal RNA genes linked to the rDNA units of fungal species. 2008 , 54, 123-31	22
2116	Complete mitochondrial genome sequences of the Arctic Ocean codfishes <i>Arctogadus glacialis</i> and <i>Boreogadus saida</i> reveal oriL and tRNA gene duplications. 2008 , 31, 1245-1252	21
2115	Mitochondrial sequences of <i>Seriatopora</i> corals show little agreement with morphology and reveal the duplication of a tRNA gene near the control region. 2008 , 27, 789-794	32
2114	Invertebrate aquaporins: a review. 2008 , 178, 935-55	126
2113	Cloning and sequence analysis of Sox genes in a tetraploid cyprinid fish, <i>Tor douronensis</i> . 2008 , 53, 1988-1995	2
2112	A novel archaeal group in the phylum Crenarchaeota found unexpectedly in an eukaryotic survey in the Cariaco Basin. 2008 , 46, 34-9	5
2111	Distribution of marine birnavirus in cultured olive flounder <i>Paralichthys olivaceus</i> in Korea. 2008 , 46, 265-73	17
2110	<i>Aliihoeflea aestuarii</i> gen. nov., sp. nov., a novel bacterium isolated from tidal flat sediment. 2008 , 46, 594-8	14
2109	Fruit Development, Ripening and Quality Related Genes in the Papaya Genome. 2008 , 1, 246-277	31
2108	A bacterial ice-binding protein from the Vostok ice core. 2008 , 12, 713-7	89
2107	Interspecific relationships and origins of Taxaceae and Cephalotaxaceae revealed by partitioned Bayesian analyses of chloroplast and nuclear DNA sequences. 2008 , 276, 89-104	66
2106	Novel sugarcane streak and Sugarcane streak RUnion mastreviruses from southern Africa and La RUnion. 2008 , 153, 605-9	18
2105	Infectivity of the cloned components of a begomovirus: DNA beta complex causing chilli leaf curl disease in India. 2008 , 153, 533-9	48
2104	Genetic polymorphism of the nsp2 gene in North American type--porcine reproductive and respiratory syndrome virus. 2008 , 153, 1323-34	48
2103	Characterization of Hawaiian isolates of Cymbidium mosaic virus (CymMV) co-infecting <i>Dendrobium</i> orchid. 2008 , 153, 1185-9	8
2102	A new African streak virus species from Nigeria. 2008 , 153, 1407-10	12
2101	Genetic analysis of H9N2 avian influenza viruses isolated from India. 2008 , 153, 1433-9	37

2100	Characterization of a new potyvirus infecting pepper crops in Ecuador. 2008 , 153, 1543-8	12
2099	Hop mosaic virus: complete nucleotide sequence and relationship to other carlaviruses. 2008 , 153, 1615-9	5
2098	Identification of viral and non-viral reverse transcribing elements in pineapple (<i>Ananas comosus</i>), including members of two new badnavirus species. 2008 , 153, 1599-604	24
2097	Molecular phylogenetic analysis of Barley yellow mosaic virus. 2008 , 153, 1783-6	19
2096	Alternate hosts of African cassava mosaic virus and East African cassava mosaic Cameroon virus in Nigeria. 2008 , 153, 1743-7	41
2095	Six novel begomoviruses infecting tomato and associated weeds in Southeastern Brazil. 2008 , 153, 1985-9	73
2094	Genome sequence and characterization of a new virus infecting <i>Mikania micrantha</i> H.B.K. 2008 , 153, 1765-70	9
2093	Noroviruses and sapoviruses in pigs in Belgium. 2008 , 153, 1927-31	45
2092	Characterisation of lettuce virus X, a new potexvirus infecting lettuce in Iran. 2008 , 153, 1867-75	6
2091	The complete genome sequences for three simian enteroviruses isolated from captive primates. 2008 , 153, 2117-22	20
2090	Distribution of various types and P25 subtypes of Beet necrotic yellow vein virus in Germany and other European countries. 2008 , 153, 2139-44	21
2089	Use of flowering gene FLOWERING LOCUS T (FT) homologs in the phylogenetic analysis of bambusoid and early diverging grasses. 2008 , 121, 451-61	17
2088	Analysis of the MAT1-2-1 gene of <i>Colletotrichum lindemuthianum</i> . 2008 , 49, 312-317	12
2087	Isolation and identification of mycorrhizal fungi associated with <i>Stigmatodactylus sikokianus</i> (Maxim. ex Makino) Rauschert (Orchidaceae). 2008 , 49, 388-391	6
2086	Study of endophytic Xylariaceae in Thailand: diversity and taxonomy inferred from rDNA sequence analyses with saprobes forming fruit bodies in the field. 2008 , 49, 359-372	37
2085	Biodegradation of Reactive Blue 59 by isolated bacterial consortium PMB11. 2008 , 35, 1181-90	55
2084	First report of Bean common mosaic virus in yam bean [<i>Pachyrhizus erosus</i> (L.) Urban] in Indonesia. 2008 , 74, 438-442	10
2083	Distinct taxonomic position of the Madagascar stonechat (<i>Saxicola torquatus sibilla</i>) revealed by nucleotide sequences of mitochondrial DNA. 2008 , 149, 423-430	10

2082	Evidence from DNA nucleotide sequences and ISSR profiles indicates paraphyly in subspecies of the Southern Grey Shrike (<i>Lanius meridionalis</i>). 2008 , 149, 495-506	21
2081	Genetic and phenotypic evidence for <i>Streptomyces griseus</i> ecovars isolated from a beach and dune sand system. 2008 , 94, 63-74	40
2080	Actinomycete integrative and conjugative elements. 2008 , 94, 127-43	46
2079	Mitochondrial DNA diversity of <i>Monopterus albus</i> from the Sichuan Basin of China. 2008 , 46, 583-9	4
2078	A single residue mutation of 5-enoylpyruvylshikimate-3-phosphate synthase in <i>Pseudomonas stutzeri</i> enhances resistance to the herbicide glyphosate. 2008 , 30, 1397-401	16
2077	The effect of number of loci on geographical structuring and forensic applicability of Y-STR data in Finland. 2008 , 122, 449-56	12
2076	Null allele sequence structure at the DYS448 locus and implications for profile interpretation. 2008 , 122, 421-7	34
2075	Phytochrome-mediated differential gene expression of plant Ran/TC4 small G-proteins. 2008 , 228, 215-24	12
2074	Expression and evolutionary features of the hexokinase gene family in <i>Arabidopsis</i> . 2008 , 228, 411-25	84
2073	The Nuclear Factor Y subunits NF-YB2 and NF-YB3 play additive roles in the promotion of flowering by inductive long-day photoperiods in <i>Arabidopsis</i> . 2008 , 228, 709-23	154
2072	Accumulation of BEL1-like transcripts in solanaceous species. 2008 , 228, 897-906	13
2071	Feminized tassels of maize <i>mop1</i> and <i>ts1</i> mutants exhibit altered levels of miR156 and specific SBP-box genes. 2008 , 229, 99-113	60
2070	Whole-mount in situ hybridization in the rotifer <i>Brachionus plicatilis</i> representing a basal branch of lophotrochozoans. 2008 , 218, 445-51	9
2069	Identification of stage-specific larval camouflage associated genes in the swallowtail butterfly, <i>Papilio xuthus</i> . 2008 , 218, 491-504	30
2068	Conserved cluster organization of insect <i>Runx</i> genes. 2008 , 218, 567-74	12
2067	Polymerase chain reaction-based identification of <i>Plasmodium</i> (<i>Huffia</i>) <i>elongatum</i> , with remarks on species identity of haemosporidian lineages deposited in GenBank. 2008 , 102, 1185-93	71
2066	Molecular identification of <i>Phortica variegata</i> and <i>Phortica semivirgo</i> (Drosophilidae, Steganinae) by PCR-RFLP of the mitochondrial cytochrome oxidase c subunit I gene. 2008 , 103, 727-30	5
2065	Genetic characterization, distribution and prevalence of avian pox and avian malaria in the Berthelot's pipit (<i>Anthus berthelotii</i>) in Macaronesia. 2008 , 103, 1435-43	35

2064	Recent duplications dominate NBS-encoding gene expansion in two woody species. 2008 , 280, 187-98	297
2063	KT/HAK/KUP potassium transporters gene family and their whole-life cycle expression profile in rice (<i>Oryza sativa</i>). 2008 , 280, 437-52	86
2062	Type II restriction endonuclease R.Hpy188I belongs to the GIY-YIG nuclease superfamily, but exhibits an unusual active site. 2008 , 8, 48	14
2061	Proteinase-activated receptor-2: two potential inflammatory mediators of the gastrointestinal tract in Atlantic salmon. 2008 , 5, 18	11
2060	Blocking primers to enhance PCR amplification of rare sequences in mixed samples - a case study on prey DNA in Antarctic krill stomachs. 2008 , 5, 12	257
2059	Cryptic speciation in a benthic isopod from Patagonian and Falkland Island waters and the impact of glaciations on its population structure. 2008 , 5, 19	46
2058	Molecular characterisation of a bovine-like rotavirus detected from a giraffe. 2008 , 4, 46	12
2057	First case of highly pathogenic H5N1 avian influenza virus in Spain. 2008 , 4, 50	16
2056	Mapping of the transcription start site (TSS) and identification of SNPs in the bovine neuropeptide Y (NPY) gene. 2008 , 9, 91	17
2055	Angle-distance image matching techniques for protein structure comparison. 2008 , 21, 442-52	2
2054	A set of reference sequences for the hepatitis C genotypes 4d, 4f, and 4k covering the full open reading frame. 2008 , 80, 1370-8	9
2053	Genotypic analysis of two hypervariable human cytomegalovirus genes. 2008 , 80, 1615-23	48
2052	Genetic variability in the G protein gene of human respiratory syncytial virus isolated from the Campinas metropolitan region, Brazil. 2008 , 80, 1653-60	18
2051	Multiple outbreaks of acute hemorrhagic conjunctivitis due to a variant of coxsackievirus A24: Guangdong, China, 2007. 2008 , 80, 1762-8	30
2050	Frequency and genotype of GB virus C among Iranian patients infected with HIV. 2008 , 80, 1941-6	11
2049	Molecular characterization of influenza viruses circulating in Northern Italy during two seasons (2005/2006 and 2006/2007) of low influenza activity. 2008 , 80, 1984-91	4
2048	Effect of loading rate on TOC consumption efficiency in a sulfate reducing process: sulfide effect in batch culture. 2008 , 83, 1648-1657	5
2047	Essential role for fibrillin-2 in zebrafish notochord and vascular morphogenesis. 2008 , 237, 2844-61	30

2046	An in-silico study of alphaherpesviruses ICP0 genes: positive selection or strong mutational GC-pressure?. 2008 , 60, 456-60	7
2045	Electrophoretic analysis of sequence variability in three mitochondrial DNA regions for ascaridoid parasites of human and animal health significance. 2008 , 29, 2912-7	45
2044	Heme-copper oxidases and their electron donors in cyanobacterial respiratory electron transport. 2008 , 5, 1927-61	17
2043	beta-Glucosidases as detonators of plant chemical defense. 2008 , 69, 1795-813	363
2042	Preliminary phylogenetic identification of virulent <i>Chlamydomonas</i> strains. 2008 , 8, 764-71	34
2041	Differentiation of <i>Trypanosoma cruzi</i> I subgroups through characterization of cytochrome b gene sequences. 2008 , 8, 898-900	35
2040	Bradavidin II from <i>Bradyrhizobium japonicum</i> : a new avidin-like biotin-binding protein. 2008 , 1784, 1002-10	23
2039	Evaluation of in vitro Cr(VI) reduction potential in cytosolic extracts of three indigenous <i>Bacillus</i> sp. isolated from Cr(VI) polluted industrial landfill. 2008 , 99, 6059-69	124
2038	In vivo and in vitro trans-acylation by BryP, the putative bryostatin pathway acyltransferase derived from an uncultured marine symbiont. 2008 , 15, 1175-86	61
2037	First report of <i>Cryptosporidium</i> deer-like genotype in Kenyan cattle. 2008 , 153, 172-5	12
2036	Aspects of the life cycle of <i>Amblyomma parvum</i> (Acari: Ixodidae) under natural conditions. 2008 , 156, 270-6	19
2035	Haplotypic variability within the mitochondrial gene encoding for the cytochrome c oxidase 1 (cox1) of <i>Cylicocyclus nassatus</i> (Nematoda, Strongylida): evidence for an affiliation between parasitic populations and domestic and wild equid hosts. 2008 , 156, 241-7	13
2034	Molecular evidence for a novel encapsulated genotype of <i>Trichinella</i> from Patagonia, Argentina. 2008 , 156, 234-40	45
2033	Copromicroscopic and molecular assays for the detection of cancer-causing parasitic nematode <i>Spirocerca lupi</i> . 2008 , 157, 108-16	19
2032	First molecular characterization of <i>Babesia vogeli</i> in two naturally infected dogs of Buenos Aires, Argentina. 2008 , 157, 294-8	15
2031	Genetic divergence and evolutionary relationships in six species of genera <i>Hoplobatrachus</i> and <i>Euphlyctis</i> (Amphibia: Anura) from Bangladesh and other Asian countries revealed by mitochondrial gene sequences. 2008 , 48, 515-27	28
2030	Molecular evolution and diversification of plant cysteine proteinase inhibitors: new insights after the poplar genome. 2008 , 49, 349-55	17
2029	Structure and evolution of the mitochondrial genomes of <i>Haematobia irritans</i> and <i>Stomoxys calcitrans</i> : the Muscidae (Diptera: Calyptratae) perspective. 2008 , 48, 850-7	46

2028	Incongruence in the pattern and timing of intra-specific diversification in bronze frogs and bullfrogs (Ranidae). 2008 , 48, 1041-53	11
2027	Molecular phylogeny of three Mesalina (Reptilia: Lacertidae) species (<i>M. guttulata</i> , <i>M. brevirostris</i> and <i>M. bahaeldini</i>) from North Africa and the Middle East: another case of paraphyly?. 2008 , 49, 102-10	28
2026	Molecular phylogenetics of tsetse flies (Diptera: Glossinidae) based on mitochondrial (COI, 16S, ND2) and nuclear ribosomal DNA sequences, with an emphasis on the palpalis group. 2008 , 49, 227-39	54
2025	Cytochrome b sequence data suggest rapid speciation within the <i>Paramecium aurelia</i> species complex. 2008 , 49, 669-73	23
2024	Potential use of host-derived genome signatures to root virus phylogenies. 2008 , 49, 969-78	4
2023	Bioinformatic analysis of the origin, sequence and diversification of mu opioid receptors in vertebrates. 2008 , 49, 877-92	14
2022	Corrosion of carbon steel influenced by anaerobic biofilm in natural seawater. 2008 , 54, 22-28	144
2021	Advances in understanding hyphal morphogenesis: Ontogeny, phylogeny and cellular localization of chitin synthases. 2008 , 22, 56-70	33
2020	Human dispersal of <i>Trichinella spiralis</i> in domesticated pigs. 2008 , 8, 799-805	59
2019	The RAD51 gene family in bread wheat is highly conserved across eukaryotes, with RAD51A upregulated during early meiosis. 2008 , 35, 1267-1277	11
2018	The effect of transposon Pokey insertions on sequence variation in the 28S rRNA gene of <i>Daphnia pulex</i> . 2008 , 51, 988-1000	10
2017	<i>Botryosphaeria dothidea</i> associated with grapevine trunk disease in south-eastern Australia. 2008 , 37, 482	9
2016	yellow and ebony are the responsible genes for the larval color mutants of the silkworm <i>Bombyx mori</i> . 2008 , 180, 1995-2005	97
2015	Mitochondrial genetic diversity and phylogenetic relationships of Siberian flying squirrel (<i>Pteromys volans</i>) populations. 2008 , 12, 269-277	14
2014	MEGA: a biologist-centric software for evolutionary analysis of DNA and protein sequences. 2008 , 9, 299-306	2630
2013	Localization of the genetic determinants of meiosis suppression in <i>Daphnia pulex</i> . 2008 , 180, 317-27	52
2012	<i>Gyrodactylus</i> species (Monogenea) infecting alpine bullhead (<i>Cottus poecilopus</i> Heckel, 1837) in Norway and Slovakia, including the description of <i>Gyrodactylus mariannae</i> sp. nov.. 2008 , 53, 240	3
2011	<i>Myxobolus</i> species infecting the cartilaginous rays of the gill filaments in cyprinid fishes. 2008 , 53, 330	12

2010	Lethal yellowing-type diseases of palms associated with phytoplasmas newly identified in Florida, USA. 2008 , 153, 85-94	63
2009	Identification of major histocompatibility complex class I alleles in Chinese rhesus macaques. 2008 , 40, 919-27	11
2008	Type IV secretion system components as phylogenetic markers of entomopathogenic bacteria of the genus <i>Rickettsiella</i> . 2008 , 279, 167-73	26
2007	Whole genome-based assessment of the taxonomic position of the arthropod pathogenic bacterium <i>Rickettsiella grylli</i> . 2008 , 283, 117-27	25
2006	Different Mesorhizobium species associated with Caragana carry similar symbiotic genes and have common host ranges. 2008 , 283, 203-9	33
2005	Bacterial diversity of <i>Taxus</i> rhizosphere: culture-independent and culture-dependent approaches. 2008 , 284, 204-12	31
2004	Diverse genomic species and evidences of symbiotic gene lateral transfer detected among the rhizobia associated with <i>Astragalus</i> species grown in the temperate regions of China. 2008 , 286, 263-73	43
2003	Evidence for recombination between a sialidase (<i>nanH</i>) of <i>Actinomyces naeslundii</i> and <i>Actinomyces oris</i> , previously named ' <i>Actinomyces naeslundii</i> genospecies 1 and 2'. 2008 , 288, 156-62	12
2002	Rapid color evolution in an aposematic species: a phylogenetic analysis of color variation in the strikingly polymorphic strawberry poison-dart frog. 2008 , 62, 2742-59	101
2001	Molecular phylogeny of basidiomycetous yeasts in the <i>Cryptococcus luteolus</i> lineage (Tremellales) based on nuclear rRNA and mitochondrial cytochrome b gene sequence analyses: proposal of <i>Derxomyces</i> gen. nov. and <i>Hannaella</i> gen. nov., and description of eight novel <i>Derxomyces</i> species. 2008 , 8, 799-814	39
2000	Genotype and mating type analysis of <i>Cryptococcus neoformans</i> and <i>Cryptococcus gattii</i> isolates from China that mainly originated from non-HIV-infected patients. 2008 , 8, 930-8	66
1999	Distribution of beta-glucosidase and beta-glucuronidase activity and of beta-glucuronidase gene in human colonic bacteria. 2008 , 66, 487-95	168
1998	Biostimulation and bioaugmentation to enhance dechlorination of polychlorinated dibenzo-p-dioxins in contaminated sediments. 2008 , 66, 271-81	40
1997	Chickpea rhizobia symbiosis genes are highly conserved across multiple <i>Mesorhizobium</i> species. 2008 , 66, 391-400	63
1996	Diversity and dynamics of Antarctic marine microbial eukaryotes under manipulated environmental UV radiation. 2008 , 66, 352-66	20
1995	The Atlantic salmon Z-DNA binding protein kinase phosphorylates translation initiation factor 2 alpha and constitutes a unique orthologue to the mammalian dsRNA-activated protein kinase R. 2008 , 275, 184-97	58
1994	Purification and characterization of organellar DNA polymerases in the red alga <i>Cyanidioschyzon merolae</i> . 2008 , 275, 2899-918	26
1993	The evolutionary relationship between the duplicated copies of the zebrafish <i>fabp11</i> gene and the tetrapod <i>FABP4</i> , <i>FABP5</i> , <i>FABP8</i> and <i>FABP9</i> genes. 2008 , 275, 3031-40	34

1992	Glutathione peroxidase family - an evolutionary overview. 2008 , 275, 3959-70	291
1991	Morphology and gene sequence of <i>Levicoleps biwae</i> n. gen., n. sp. (Ciliophora, Prostomatida), a proposed endemic from the ancient Lake Biwa, Japan. 2008 , 55, 185-200	24
1990	Mitochondrial phylogeny of Arvicolinae using comprehensive taxonomic sampling yields new insights. 2008 , 94, 825-835	55
1989	GnRH and GnRH receptors: distribution, function and evolution. 2008 , 73, 1099-1120	57
1988	High frequencies of alleles MICA*020 and MICA*027 in Amerindians and evidence of positive selection on exon 3. 2008 , 9, 697-705	15
1987	Comparative genomics of two ecotypes of the marine planktonic copiotroph <i>Alteromonas macleodii</i> suggests alternative lifestyles associated with different kinds of particulate organic matter. 2008 , 2, 1194-212	152
1986	Micro-eukaryotic diversity of the human distal gut microbiota: qualitative assessment using culture-dependent and -independent analysis of faeces. 2008 , 2, 1183-93	229
1985	A-94964, a novel inhibitor of bacterial translocase I, produced by <i>Streptomyces</i> sp. SANK 60404. I. Taxonomy, isolation and biological activity. 2008 , 61, 537-44	21
1984	Methyl 5-glucosyl-5,6-dihydro-apo-4,4'-lycopenoate, a novel antioxidative glyco-C(30)-carotenoic acid produced by a marine bacterium <i>Planococcus maritimus</i> [corrected]. 2008 , 61, 729-35	32
1983	The virophage as a unique parasite of the giant mimivirus. 2008 , 455, 100-4	389
1982	Deletion of the chloroplast-localized <i>AtTerC</i> gene product in <i>Arabidopsis thaliana</i> leads to loss of the thylakoid membrane and to seedling lethality. 2008 , 55, 428-42	25
1981	Wheat FT protein regulates <i>VRN1</i> transcription through interactions with <i>FDL2</i> . 2008 , 55, 543-54	165
1980	Detection of cryptic species in sympatry using population analysis of unlinked genetic markers: a study of the <i>Agrodiaetus kendevani</i> species complex (Lepidoptera: Lycaenidae). 2008 , 423, 432-6	7
1979	SNP and haplotype mapping for genetic analysis in the rat. 2008 , 40, 560-6	150
1978	Evolutionary toggling of the <i>MAPT</i> 17q21.31 inversion region. 2008 , 40, 1076-83	138
1977	Evolutionary insights into the unique electromotility motor of mammalian outer hair cells. 2008 , 10, 300-15	32
1976	Is the Perigord black truffle threatened by an invasive species? We dreaded it and it has happened!. 2008 , 178, 699-702	56
1975	Plastid-derived strigolactones show the way to roots for symbionts and parasites. 2008 , 178, 695-698	16

1974	Are plants precursors for methane?. 2008 , 178, 693-695	16
1973	A plastid protein crucial for Ca ²⁺ -regulated stomatal responses. 2008 , 179, 675-686	142
1972	Comparison of the thiol-dependent antioxidant systems in the ectomycorrhizal <i>Laccaria bicolor</i> and the saprotrophic <i>Phanerochaete chrysosporium</i> . 2008 , 180, 391-407	23
1971	A gene repertoire for nitrogen transporters in <i>Laccaria bicolor</i> . 2008 , 180, 343-364	64
1970	Evolutionary history of the ancient cutinase family in five filamentous Ascomycetes reveals differential gene duplications and losses and in <i>Magnaporthe grisea</i> shows evidence of sub- and neo-functionalization. 2008 , 180, 711-721	27
1969	Phenotypic and genotypic characteristics of <i>Acacia senegal</i> (L.) Willd. root-nodulating bacteria isolated from soils in the dryland part of Senegal. 2008 , 47, 85-97	32
1968	Antitumour and antimicrobial activities of endophytic streptomycetes from pharmaceutical plants in rainforest. 2008 , 47, 574-80	104
1967	Genetic diversity and structure of the West Balkan Pramenka sheep types as revealed by microsatellite and mitochondrial DNA analysis. 2008 , 125, 417-26	36
1966	Colonization of <i>Sulfurovum</i> sp. on the gill surfaces of <i>Alvinocaris longirostris</i> , a deep-sea hydrothermal vent shrimp. 2008 , 29, 106-114	27
1965	Expression of cardiac myosin light chain 2 during embryonic heart development in medaka fish, <i>Oryzias latipes</i> , and phylogenetic relationship with other myosin light chains. 2009 , 51, 1-16	10
1964	Resource shifts in Malagasy dung beetles: contrasting processes revealed by dissimilar spatial genetic patterns. 2008 , 11, 1208-1215	25
1963	Prevalence of highly host-specific cyanophages in the estuarine environment. 2008 , 10, 300-12	86
1962	Methanogen community in Zoige wetland of Tibetan plateau and phenotypic characterization of a dominant uncultured methanogen cluster ZC-I. 2008 , 10, 1850-60	95
1961	Diversity of microbes associated with the marine sponge, <i>Haliclona simulans</i> , isolated from Irish waters and identification of polyketide synthase genes from the sponge metagenome. 2008 , 10, 1888-902	75
1960	Novel DNA ligase with broad nucleotide cofactor specificity from the hyperthermophilic crenarchaeon <i>Sulfophobococcus zilligii</i> : influence of ancestral DNA ligase on cofactor utilization. 2008 , 10, 3212-24	14
1959	The mitochondrial and nuclear genetic structure of <i>Myotis capaccinii</i> (Chiroptera: Vespertilionidae) in the Eurasian transition, and its taxonomic implications. 2008 , 37, 253-262	19
1958	Phytoene desaturase is present in a large protein complex in the plastid membrane. 2008 , 133, 190-8	43
1957	Genetic diversity of <i>Francisella tularensis</i> subspecies <i>holarctica</i> strains isolated in Japan. 2008 , 52, 270-6	14

1956	Identification of odorant-binding proteins of the yellow fever mosquito <i>Aedes aegypti</i> : genome annotation and comparative analyses. 2008 , 17, 147-63	133
1955	In silico prediction and characterization of microRNAs from red flour beetle (<i>Tribolium castaneum</i>). 2008 , 17, 427-36	50
1954	Identification and characterization of multiple Spidroin 1 genes encoding major ampullate silk proteins in <i>Nephila clavipes</i> . 2008 , 17, 465-74	42
1953	Redescription and molecular characterization of <i>Myxobolus kisutchi</i> Yasutake & Wood, 1957. 2008 , 31, 707-12	6
1952	Cryptic ecological diversification of a planktonic estuarine copepod, <i>Acartia tonsa</i> . 2008 , 17, 1451-68	70
1951	Mitochondrial DNA under siege in avian phylogeography. 2008 , 17, 2107-21	648
1950	Contrasting patterns of variation in MHC loci in the Alpine newt. 2008 , 17, 2339-55	54
1949	Evolution of mating isolation between populations of <i>Drosophila ananassae</i> . 2008 , 17, 2706-21	22
1948	Phylogeography and local endemism of the native Mediterranean brine shrimp <i>Artemia salina</i> (Branchiopoda: Anostraca). 2008 , 17, 3160-77	85
1947	Revealing the hidden complexities of mtDNA inheritance. 2008 , 17, 4925-42	189
1946	A cryptic invasion within an invasion and widespread introgression in the European water frog complex: consequences of uncontrolled commercial trade and weak international legislation. 2008 , 17, 5023-35	49
1945	The evolution of sexual and parthenogenetic <i>Warramaba</i> : a window onto Plio-Pleistocene diversification processes in an arid biome. 2008 , 17, 5257-75	22
1944	Inferring the history of speciation in house mice from autosomal, X-linked, Y-linked and mitochondrial genes. 2008 , 17, 5349-63	159
1943	The novel <i>Cladosporium fulvum</i> lysin motif effector Ecp6 is a virulence factor with orthologues in other fungal species. 2008 , 69, 119-36	208
1942	PigZ, a TetR/AcrR family repressor, modulates secondary metabolism via the expression of a putative four-component resistance-nodulation-cell-division efflux pump, ZrpADBC, in <i>Serratia</i> sp. ATCC 39006. 2008 , 69, 418-35	33
1941	Evidence of multiple retrotransposons in two litopenaeid species. 2008 , 39, 363-73	5
1940	Evidence for two transferrin loci in the <i>Salmo trutta</i> genome. 2008 , 39, 577-85	3
1939	Rapid detection and identification of the bacterium <i>Pantoea stewartii</i> in maize by TaqMan real-time PCR assay targeting the cpsD gene. 2008 , 104, 1525-37	29

1938	Isolation of an unusual strain of <i>Edwardsiella tarda</i> from turbot and establish a PCR detection technique with the <i>gyrB</i> gene. 2008 , 105, 644-51	57
1937	Development and comparison of SYBR Green quantitative real-time PCR assays for detection and enumeration of sulfate-reducing bacteria in stored swine manure. 2008 , 105, 2143-52	29
1936	Archaea diversity within a commercial biogas plant utilizing herbal biomass determined by 16S rDNA and <i>mcrA</i> analysis. 2008 , 105, 1835-50	103
1935	SsTypA1, a chloroplast-specific TypA/BipA-type GTPase from the halophytic plant <i>Suaeda salsa</i> , plays a role in oxidative stress tolerance. 2008 , 31, 982-94	32
1934	Inositol methyl transferase from a halophytic wild rice, <i>Porteresia coarctata</i> Roxb. (Tateoka): regulation of pinitol synthesis under abiotic stress. 2008 , 31, 1442-59	71
1933	Identification and characterization of Cor413im proteins as novel components of the chloroplast inner envelope. 2008 , 31, 1470-83	46
1932	Nucleotide sequence analysis and detection of a Greek isolate of Tomato chlorosis virus. 2008 , 57, 819-824	21
1931	Phylogenetic analyses of highly pathogenic avian influenza virus isolates from Germany in 2006 and 2007 suggest at least three separate introductions of H5N1 virus. 2008 , 128, 243-52	95
1930	Molecular detection and typing of duck hepatitis A virus directly from clinical specimens. 2008 , 131, 247-57	71
1929	Identification of a natural multi-recombinant of Newcastle disease virus. 2008 , 371, 54-60	46
1928	Fine-scale genetic variation and evolution of West Nile Virus in a transmission "hot spot" in suburban Chicago, USA. 2008 , 374, 381-9	59
1927	Evolutionary mechanisms involved in the virulence of infectious salmon anaemia virus (ISAV), a piscine orthomyxovirus. 2008 , 374, 515-27	64
1926	Identification of new subtype of astrovirus type 3 from an infant with diarrhea in Wuhan, China. 2008 , 375, 301-6	13
1925	Detection of a novel intergenogroup recombinant Norovirus from Kolkata, India. 2008 , 377, 117-23	46
1924	Homologous recombination evidence in human and swine influenza A viruses. 2008 , 380, 12-20	29
1923	Molecular cloning, expression pattern, and immunocytochemical localization of a gonadotropin-releasing hormone-like molecule in the gastropod mollusk, <i>Aplysia californica</i> . 2008 , 156, 201-9	91
1922	Genetic variation in eight Chinese cattle breeds based on the analysis of microsatellite markers. 2008 , 40, 681-92	7
1921	Enhancing the prediction of protein pairings between interacting families using orthology information. 2008 , 9, 35	15

1920	TOBFAC: the database of tobacco transcription factors. 2008 , 9, 53	67
1919	Roots of angiosperm formins: the evolutionary history of plant FH2 domain-containing proteins. 2008 , 8, 115	65
1918	The complete plastid genome sequence of <i>Welwitschia mirabilis</i> : an unusually compact plastome with accelerated divergence rates. 2008 , 8, 130	80
1917	Molecular evolution of Cide family proteins: novel domain formation in early vertebrates and the subsequent divergence. 2008 , 8, 159	38
1916	Adaptive evolution of SCML1 in primates, a gene involved in male reproduction. 2008 , 8, 192	10
1915	The origin and evolution of plant cystatins and their target cysteine proteinases indicate a complex functional relationship. 2008 , 8, 198	111
1914	Protein evolution of ANTP and PRD homeobox genes. 2008 , 8, 200	6
1913	Complex population genetic and demographic history of the Salangid, <i>Neosalanx taihuensis</i> , based on cytochrome b sequences. 2008 , 8, 201	27
1912	The molecular basis of color vision in colorful fish: four long wave-sensitive (LWS) opsins in guppies (<i>Poecilia reticulata</i>) are defined by amino acid substitutions at key functional sites. 2008 , 8, 210	54
1911	Tracking the evolution of a cold stress associated gene family in cold tolerant grasses. 2008 , 8, 245	62
1910	Ultraconserved coding regions outside the homeobox of mammalian Hox genes. 2008 , 8, 260	15
1909	Gene conversion and purifying selection of a placenta-specific ERV-V envelope gene during simian evolution. 2008 , 8, 266	23
1908	D- and L-lactate dehydrogenases during invertebrate evolution. 2008 , 8, 268	31
1907	Evolutionary analysis of the highly dynamic CHEK2 duplicon in anthropoids. 2008 , 8, 269	5
1906	The IGS-ETS in <i>Bacillus</i> (Insecta Phasmida): molecular characterization and the relevance of sex in ribosomal DNA evolution. 2008 , 8, 278	3
1905	The <i>Caenorhabditis</i> globin gene family reveals extensive nematode-specific radiation and diversification. 2008 , 8, 279	28
1904	The Bet v 1 fold: an ancient, versatile scaffold for binding of large, hydrophobic ligands. 2008 , 8, 286	182
1903	Evolutionary history of histone demethylase families: distinct evolutionary patterns suggest functional divergence. 2008 , 8, 294	58

1902	A homogenous nature of native Chinese duck matrilineal pool. 2008 , 8, 298	22
1901	Conflicting phylogenetic signals in the <i>Slx1/Y1</i> gene in <i>Silene</i> . 2008 , 8, 299	19
1900	Phylogeography and genetic diversity of a widespread Old World butterfly, <i>Lampides boeticus</i> (Lepidoptera: Lycaenidae). 2008 , 8, 301	45
1899	Gypsy endogenous retrovirus maintains potential infectivity in several species of Drosophilids. 2008 , 8, 302	17
1898	Divergent evolution and molecular adaptation in the <i>Drosophila</i> odorant-binding protein family: inferences from sequence variation at the OS-E and OS-F genes. 2008 , 8, 323	17
1897	Assembling an arsenal, the scorpion way. 2008 , 8, 333	49
1896	Assessment of codivergence of mastreviruses with their plant hosts. 2008 , 8, 335	36
1895	Oceanic dispersal barriers, adaptation and larval retention: an interdisciplinary assessment of potential factors maintaining a phylogeographic break between sister lineages of an African prawn. 2008 , 8, 341	57
1894	Structural and functional diversification in the teleost S100 family of calcium-binding proteins. 2008 , 8, 48	41
1893	Muller's Ratchet and compensatory mutation in <i>Caenorhabditis briggsae</i> mitochondrial genome evolution. 2008 , 8, 62	60
1892	Revealing pancrustacean relationships: phylogenetic analysis of ribosomal protein genes places Collembola (springtails) in a monophyletic Hexapoda and reinforces the discrepancy between mitochondrial and nuclear DNA markers. 2008 , 8, 83	39
1891	Transcriptome architecture across tissues in the pig. 2008 , 9, 173	35
1890	The complete mitochondrial genome sequence of the hydrothermal vent galatheid crab <i>Shinkaia crosnieri</i> (Crustacea: Decapoda: Anomura): a novel arrangement and incomplete tRNA suite. 2008 , 9, 257	59
1889	The complete mitochondrial genome of the bag-shelter moth <i>Ochrogaster lunifer</i> (Lepidoptera, Notodontidae). 2008 , 9, 331	166
1888	LTR retrotransposon landscape in <i>Medicago truncatula</i> : more rapid removal than in rice. 2008 , 9, 382	45
1887	Complete genome of <i>Phenylobacterium zucineum</i> --a novel facultative intracellular bacterium isolated from human erythroleukemia cell line K562. 2008 , 9, 386	12
1886	The information highways of a biotechnological workhorse--signal transduction in <i>Hypocrea jecorina</i> . 2008 , 9, 430	61
1885	Deciphering the genetic basis for polyketide variation among mycobacteria producing mycolactones. 2008 , 9, 462	48

1884	A comparative computational analysis of nonautonomous helitron elements between maize and rice. 2008 , 9, 467	27
1883	Genome-wide survey of prokaryotic serine proteases: analysis of distribution and domain architectures of five serine protease families in prokaryotes. 2008 , 9, 549	49
1882	Exploring the mialome of ticks: an annotated catalogue of midgut transcripts from the hard tick, <i>Dermacentor variabilis</i> (Acari: Ixodidae). 2008 , 9, 552	99
1881	Phylogenetic and genomic diversity of human bacteremic <i>Escherichia coli</i> strains. 2008 , 9, 560	221
1880	The UDP-glucosyltransferase multigene family in <i>Bombyx mori</i> . 2008 , 9, 563	73
1879	LTR retrotransposons reveal recent extensive inter-subspecies nonreciprocal recombination in Asian cultivated rice. 2008 , 9, 565	3
1878	Comparative genomic analysis of carbon and nitrogen assimilation mechanisms in three indigenous bioleaching bacteria: predictions and validations. 2008 , 9, 581	86
1877	Comparative genomic analysis of novel conserved peptide upstream open reading frames in <i>Drosophila melanogaster</i> and other dipteran species. 2008 , 9, 61	43
1876	Human glycolipid transfer protein (GLTP) genes: organization, transcriptional status and evolution. 2008 , 9, 72	18
1875	Developmentally regulated expression, alternative splicing and distinct sub-groupings in members of the <i>Schistosoma mansoni</i> venom allergen-like (SmVAL) gene family. 2008 , 9, 89	98
1874	Specific genetic markers for detecting subtypes of dengue virus serotype-2 in isolates from the states of Oaxaca and Veracruz, Mexico. 2008 , 8, 117	11
1873	Morphology and molecular phylogeny of a marine interstitial tetraflagellate with putative endosymbionts: <i>Auranticordis quadriverberis</i> n. gen. et sp. (Cercozoa). 2008 , 8, 123	18
1872	Lack of genomic evidence of AI-2 receptors suggests a non-quorum sensing role for luxS in most bacteria. 2008 , 8, 154	122
1871	Plant growth promotion and <i>Penicillium citrinum</i> . 2008 , 8, 231	195
1870	The presence of the pilus locus is a clonal property among pneumococcal invasive isolates. 2008 , 8, 41	66
1869	Distribution of transferrin binding protein B gene (<i>tbpB</i>) variants among <i>Neisseria</i> species. 2008 , 8, 66	22
1868	Human methanogen diversity and incidence in healthy and diseased colonic groups using <i>mcrA</i> gene analysis. 2008 , 8, 79	129
1867	Selection of internal control genes for quantitative real-time RT-PCR studies during tomato development process. 2008 , 8, 131	553

1866	Analysis of the grape MYB R2R3 subfamily reveals expanded wine quality-related clades and conserved gene structure organization across <i>Vitis</i> and <i>Arabidopsis</i> genomes. 2008 , 8, 83	284
1865	Arena3D: visualization of biological networks in 3D. 2008 , 2, 104	73
1864	Vitamin K epoxide reductase complex subunit 1 (<i>Vkorc1</i>) haplotype diversity in mouse priority strains. 2008 , 1, 125	4
1863	Applicability of random cloning method to analyze microbial community in full-scale anaerobic digesters. 2008 , 106, 134-40	22
1862	Solventogenic-cellulolytic clostridia from 4-step-screening process in agricultural waste and cow intestinal tract. 2008 , 14, 109-17	11
1861	Phenotypic and genotypic analyses of clinical <i>Fusobacterium nucleatum</i> and <i>Fusobacterium periodonticum</i> isolates from the human gut. 2008 , 14, 301-9	48
1860	Molecular Identification of <i>Adoxophyes orana</i> complex (Lepidoptera: Tortricidae) in Korea and Japan. 2008 , 11, 49-52	10
1859	<i>hOLFML1</i> , a novel secreted glycoprotein, enhances the proliferation of human cancer cell lines in vitro. 2008 , 582, 3185-92	13
1858	Evolutionary substitution of two amino acids in chloroplast <i>SRP54</i> of higher plants cause its inability to bind <i>SRP RNA</i> . 2008 , 582, 3223-9	17
1857	Embryonic expression patterns of <i>Drosophila</i> <i>ACS</i> family genes related to the human <i>sialin</i> gene. 2008 , 8, 275-83	7
1856	Lytic activity of the recombinant staphylococcal bacteriophage <i>PhiH5</i> endolysin active against <i>Staphylococcus aureus</i> in milk. 2008 , 128, 212-8	133
1855	Extracellular calcium-sensing receptors in fishes. 2008 , 149, 225-45	51
1854	Histone lysine methyltransferases and demethylases in <i>Plasmodium falciparum</i> . 2008 , 38, 1083-97	91
1853	Viral and cellular <i>MARCH</i> ubiquitin ligases and cancer. 2008 , 18, 441-50	36
1852	Actinomycete integrative and conjugative <i>pMEA</i> -like elements of <i>Amycolatopsis</i> and <i>Saccharopolyspora</i> decoded. 2008 , 59, 202-16	12
1851	Morphological variability and genetic diversity in five species of <i>Skeletonema</i> (Bacillariophyta). 2008 , 18, 1345-1355	13
1850	Sequencing and analysis of the complete mitochondrial DNA of Russell's snapper (<i>L. russellii</i>). 2008 , 18, 1233-1238	9
1849	A protocol for the rapid isolation of full geminivirus genomes from dried plant tissue. 2008 , 149, 97-102	98

1848	Design of a multiplex nested PCR for genotyping of the NSP4 from group A rotavirus. 2008 , 149, 240-5	11
1847	The use of lumpy skin disease virus genome termini for detection and phylogenetic analysis. 2008 , 151, 225-229	38
1846	Sequence analysis of C18L gene of buffalopox virus: PCR strategy for specific detection and differentiation of buffalopox from orthopoxviruses. 2008 , 154, 146-53	26
1845	Host strain mediated selection for an effective nitrogen-fixing symbiosis between <i>Trifolium</i> spp. and <i>Rhizobium leguminosarum</i> biovar <i>trifolii</i> . 2008 , 40, 822-833	28
1844	Bacterial communities and biogeochemical transformations of iron and sulfur in a high saltmarsh soil profile. 2008 , 40, 2854-2864	13
1843	Characterization of the methanogenic Archaea within two-phase biogas reactor systems operated with plant biomass. 2008 , 31, 190-205	84
1842	Vibrios dominate as culturable nitrogen-fixing bacteria of the Brazilian coral <i>Mussismilia hispida</i> . 2008 , 31, 312-9	86
1841	IRSp53: crossing the road of membrane and actin dynamics in the formation of membrane protrusions. 2008 , 18, 52-60	185
1840	<i>Fasciola hepatica</i> expresses multiple alpha- and beta-tubulin isoforms. 2008 , 159, 73-8	42
1839	Identification and characterization of a cathepsin L-like cysteine protease from <i>Gnathostoma spinigerum</i> . 2008 , 160, 129-37	13
1838	An unusual <i>Xanthophyllomyces</i> strain from leaves of <i>Eucalyptus globulus</i> in Chile. 2008 , 112, 861-7	17
1837	<i>Chryseobacterium oranense</i> sp. nov., a psychrotolerant, proteolytic and lipolytic bacterium isolated from raw cow's milk. 2008 , 58, 2635-9	48
1836	Cassidix retrotransposons carry independently transcribed 5S RNA. 2008 , 105, 5833-8	103
1835	Fluorescent in situ hybridization and characterization of the Sall family of satellite repeats in the <i>Haliotis L. species</i> (abalone) of the Northeast Pacific. 2008 , 51, 570-9	7
1834	Genetic diversity and admixture analysis of Sanfratellano and three other Italian horse breeds assessed by microsatellite markers. 2008 , 2, 991-8	18
1833	Genomic organization and characterization of two vomeronasal 1 receptor-like genes (<i>ora1</i> and <i>ora2</i>) in Atlantic salmon <i>Salmo salar</i> . 2008 , 1, 23-31	21
1832	Whole genome survey of the glutathione transferase family in the brown algal model <i>Ectocarpus siliculosus</i> . 2008 , 1, 135-48	16
1831	Predicting Selectivity and Druggability in Drug Discovery. 2008 , 23-37	7

1830	Highly diversified multiply drug-resistant HIV-1 quasispecies in PBMCs: a case report. 2008 , 5, 43	10
1829	The role of the humoral immune response in the molecular evolution of the envelope C2, V3 and C3 regions in chronically HIV-2 infected patients. 2008 , 5, 78	18
1828	Plasmodium knowlesi in humans, macaques and mosquitoes in peninsular Malaysia. 2008 , 1, 26	153
1827	Absence of Wolbachia endobacteria in the non-filariid nematodes Angiostrongylus cantonensis and A. costaricensis. 2008 , 1, 31	15
1826	Molecular identification and functional characterization of the kisspeptin/kisspeptin receptor system in lower vertebrates. 2008 , 79, 776-86	186
1825	Molecular Phylogeny Reconstruction. 2008 ,	3
1824	A threat to coral reefs multiplied? Four species of crown-of-thorns starfish. 2008 , 4, 696-9	86
1823	Leishmanicidal metabolites from Cochliobolus sp., an endophytic fungus isolated from Piptadenia adiantoides (Fabaceae). 2008 , 2, e348	43
1822	Oregano: a source for peroxisome proliferator-activated receptor gamma antagonists. 2008 , 56, 11621-30	68
1821	Complete genomic sequence analysis of infectious bronchitis virus Ark DPI strain and its evolution by recombination. 2008 , 5, 157	30
1820	Avian reovirus L2 genome segment sequences and predicted structure/function of the encoded RNA-dependent RNA polymerase protein. 2008 , 5, 153	14
1819	Phylogenetic analysis of the non-structural (NS) gene of influenza A viruses isolated from mallards in Northern Europe in 2005. 2008 , 5, 147	26
1818	Detection and characterization of chicken anemia virus from commercial broiler breeder chickens. 2008 , 5, 128	26
1817	Widespread distribution and a new recombinant species of Brazilian virus associated with cotton blue disease. 2008 , 5, 123	31
1816	Molecular characterization of highly pathogenic H5N1 avian influenza viruses isolated in Sweden in 2006. 2008 , 5, 113	38
1815	Correlating novel variable and conserved motifs in the Hemagglutinin protein with significant biological functions. 2008 , 5, 91	4
1814	Complete genome of a European hepatitis C virus subtype 1g isolate: phylogenetic and genetic analyses. 2008 , 5, 72	17
1813	Homologous recombination is unlikely to play a major role in influenza B virus evolution. 2008 , 5, 65	7

1812	Constancy and diversity in the flavivirus fusion peptide. 2008 , 5, 27	31
1811	Identification of a contemporary human parechovirus type 1 by VIDISCA and characterisation of its full genome. 2008 , 5, 26	24
1810	Cell death upon epigenetic genome methylation: a novel function of methyl-specific deoxyribonucleases. 2008 , 9, R163	42
1809	Whole proteome identification of plant candidate G-protein coupled receptors in Arabidopsis, rice, and poplar: computational prediction and in-vivo protein coupling. 2008 , 9, R120	70
1808	Neo-sex chromosomes in the black muntjac recapitulate incipient evolution of mammalian sex chromosomes. 2008 , 9, R98	34
1807	Glypicans. 2008 , 9, 224	398
1806	A novel Henneguya species from channel catfish described by morphological, histological, and molecular characterization. 2008 , 20, 127-35	40
1805	Comparative and phylogenomic studies on the mitochondrial genomes of Pentatomomorpha (Insecta: Hemiptera: Heteroptera). 2008 , 9, 610	119
1804	Genetic diversity among phytoplasmas infecting Opuntia species: virtual RFLP analysis identifies new subgroups in the peanut witches'-broom phytoplasma group. 2008 , 58, 1448-57	60
1803	Function and distribution of bilin biosynthesis enzymes in photosynthetic organisms. 2008 , 7, 1121-30	63
1802	Electricity generation by Rhodospseudomonas palustris DX-1. 2008 , 42, 4146-51	323
1801	Identification of mating type genes in the bipolar basidiomycetous yeast Rhodosporidium toruloides: first insight into the MAT locus structure of the Sporidiobolales. 2008 , 7, 1053-61	31
1800	Identifying the fundamental units of bacterial diversity: a paradigm shift to incorporate ecology into bacterial systematics. 2008 , 105, 2504-9	248
1799	Raf kinase inhibitory protein (RKIP): a physiological regulator and future therapeutic target. 2008 , 12, 1275-87	90
1798	Phylogenetic analysis of Polyomaviruses Based on Their Complete Genomes. 2008 ,	2
1797	Ticks (Acari: Ixodidae) infesting wild birds in an Atlantic forest area in the state of S̃ Paulo, Brazil, with isolation of rickettsia from the tick Amblyomma longirostre. 2008 , 45, 770-4	18
1796	Actinomycetes from Sediments in the Trondheim Fjord, Norway: Diversity and Biological Activity. 2008 , 6, 12-24	106
1795	Characterization of the major histocompatibility complex class II DQB (MhcMamu-DQB1) alleles in a cohort of Chinese rhesus macaques (Macaca mulatta). 2008 , 69, 513-21	14

1794	Genome-wide identification of cuticular protein genes in the silkworm, <i>Bombyx mori</i> . 2008 , 38, 1138-46	122
1793	Genome-wide screening and characterization of transposable elements and their distribution analysis in the silkworm, <i>Bombyx mori</i> . 2008 , 38, 1046-57	80
1792	Identification, genomic organization and expression pattern of glutathione S-transferase in the silkworm, <i>Bombyx mori</i> . 2008 , 38, 1158-64	102
1791	Species-specific expansion of C2H2 zinc-finger genes and their expression profiles in silkworm, <i>Bombyx mori</i> . 2008 , 38, 1121-9	10
1790	Nuclear receptors in <i>Bombyx mori</i> : insights into genomic structure and developmental expression. 2008 , 38, 1130-7	36
1789	The ADAM metalloproteinases. 2008 , 29, 258-89	810
1788	NR4A2 controls the differentiation of selective dopaminergic nuclei in the zebrafish brain. 2008 , 39, 592-604	55
1787	Genetic and electron-microscopic characterization of <i>Rickettsiella tipulae</i> , an intracellular bacterial pathogen of the crane fly, <i>Tipula paludosa</i> . 2008 , 98, 329-34	17
1786	<i>Perkinsus marinus</i> in pleasure oyster <i>Crassostrea corteziensis</i> from Nayarit, Pacific coast of Mexico. 2008 , 99, 66-73	37
1785	PmLT, a C-type lectin specific to hepatopancreas is involved in the innate defense of the shrimp <i>Penaeus monodon</i> . 2008 , 99, 332-41	90
1784	Crystal structure of the <i>Escherichia coli</i> 23S rRNA:m5C methyltransferase RlmI (YccW) reveals evolutionary links between RNA modification enzymes. 2008 , 383, 652-66	27
1783	Molecular characterization of a novel CC chemokine in large yellow croaker (<i>Pseudosciaena crocea</i>) and its involvement in modulation of MHC class I antigen processing and presentation pathway. 2008 , 45, 2076-86	28
1782	Anti-lipopolysaccharide factor in <i>Litopenaeus vannamei</i> (LvALF): a broad spectrum antimicrobial peptide essential for shrimp immunity against bacterial and fungal infection. 2008 , 45, 1916-25	154
1781	Identification of MHC class IIbeta resistance/susceptibility alleles to <i>Aeromonas salmonicida</i> in brook charr (<i>Salvelinus fontinalis</i>). 2008 , 45, 3107-16	49
1780	Dynamic evolutionary pattern of alpha2-macroglobulin in a model organism, the zebrafish (<i>Danio rerio</i>). 2008 , 45, 3312-8	7
1779	Characterisation of cathelicidin gene family members in divergent fish species. 2008 , 45, 3723-30	89
1778	Human rhinoviruses: the cold wars resume. 2008 , 42, 297-320	90
1777	A single whey acidic protein domain (SWD)-containing peptide from fleshy prawn with antimicrobial and proteinase inhibitory activities. 2008 , 284, 246-259	55

1776	Cloning and molecular characterization of apical efflux transporters (ABCB1, ABCB11 and ABCC2) in rainbow trout (<i>Oncorhynchus mykiss</i>) hepatocytes. 2008 , 90, 322-32	59
1775	Aerobic metabolism of vitamin E by marine bacteria: Interaction with free radical oxidation (autoxidation) processes. 2008 , 39, 676-688	10
1774	A novel serine protease from the snake venom of <i>Agkistrodon blomhoffii ussurensis</i> . 2008 , 52, 760-8	17
1773	Expression of mRNAs coding for VAP1/crotastatin-like metalloproteases in the venom glands of three South American pit vipers assessed by quantitative real-time PCR. 2008 , 52, 897-907	9
1772	[Rapid enterovirus genotyping in cerebrospinal fluids: a two-year prospective study in a virology laboratory setting]. 2008 , 56, 471-81	1
1771	Purification, characterization and molecular cloning of a novel mannose-binding lectin from rhizomes of <i>Ophiopogon japonicus</i> with antiviral and antifungal activities. 2008 , 175, 877-884	34
1770	Genetic characterisation of attenuated SAD rabies virus strains used for oral vaccination of wildlife. 2008 , 26, 3227-35	50
1769	Genetic diversity of Group A Streptococcus M protein: implications for typing and vaccine development. 2008 , 26, 5835-42	54
1768	Molecular cloning, sequencing and characterization of channel catfish (<i>Ictalurus punctatus</i> , Rafinesque 1818) cathepsin S gene. 2008 , 126, 382-7	22
1767	Complete genome sequence analysis of dengue virus type 2 isolated in Brunei. 2008 , 135, 48-52	9
1766	Characterisation of the first complete genome sequence of the roe deer (<i>Capreolus capreolus</i>) papillomavirus. 2008 , 135, 307-11	25
1765	Emerging G9 rotavirus strains in the northwest of China. 2008 , 137, 157-62	10
1764	The circulation of subgenogroups B5 and C5 of enterovirus 71 in Taiwan from 2006 to 2007. 2008 , 137, 206-12	54
1763	A novel genomic constellation (G10P[3]) of group A rotavirus detected from buffalo calves in northern India. 2008 , 138, 36-42	17
1762	A pathogenic picorna-like virus from the endoparasitoid wasp, <i>Pteromalus puparum</i> : initial discovery and partial genomic characterization. 2008 , 138, 144-9	14
1761	Analysis of leukemia inhibitory factor and leukemia inhibitory factor receptor in embryonic and adult zebrafish (<i>Danio rerio</i>). 2008 , 314, 250-60	19
1760	Genomewide comparative phylogenetic and molecular evolutionary analysis of tubby-like protein family in Arabidopsis, rice, and poplar. 2008 , 92, 246-53	48
1759	Duplication of phospholipase C-delta gene family in fish genomes. 2008 , 92, 366-71	8

1758	Life in the extreme: thermoacidophilic methanotrophy. 2008 , 16, 190-3	39
1757	Genetic organization of <i>Bungarus multicinctus</i> protease inhibitor-like proteins. 2008 , 51, 1490-5	14
1756	Recovery of divergent avian bornaviruses from cases of proventricular dilatation disease: identification of a candidate etiologic agent. 2008 , 5, 88	195
1755	Identities of <i>Arthrobacter</i> spp. and <i>Arthrobacter</i> -like bacteria encountered in human clinical specimens. 2008 , 46, 2980-6	42
1754	Evaluation of matrix-assisted laser desorption ionization-time-of-flight mass spectrometry in comparison to 16S rRNA gene sequencing for species identification of nonfermenting bacteria. 2008 , 46, 1946-54	300
1753	Comparative analysis of teleost fish genomes reveals preservation of different ancient clock duplicates in different fishes. 2008 , 1, 69-78	46
1752	African swine fever virus isolate, Georgia, 2007. 2008 , 14, 1870-4	264
1751	Molecular cloning, expression and characterization of a novel apoplastic invertase inhibitor from tomato (<i>Solanum lycopersicum</i>) and its use to purify a vacuolar invertase. 2008 , 90, 1611-23	32
1750	Community structure of arbuscular mycorrhizal fungi associated to <i>Veronica rechingeri</i> at the Anguran zinc and lead mining region. 2008 , 156, 1277-83	75
1749	Development of a MLST-biased SNP microarray for <i>Candida albicans</i> . 2008 , 45, 803-11	9
1748	MgLig4, a homolog of <i>Neurospora crassa</i> Mus-53 (DNA ligase IV), is involved in, but not essential for, non-homologous end-joining events in <i>Magnaporthe grisea</i> . 2008 , 45, 1543-51	25
1747	Identification, biochemical characterization, and evolution of the <i>Rhizopus oryzae</i> 99-880 polygalacturonase gene family. 2008 , 45, 1616-24	16
1746	Kank proteins: a new family of ankyrin-repeat domain-containing proteins. 2008 , 1780, 128-33	32
1745	Genome-wide analysis of the AP2/ERF gene family in <i>Populus trichocarpa</i> . 2008 , 371, 468-74	209
1744	Identification and characterization of a new <i>Leishmania major</i> specific 3' nucleotidase/nuclease protein. 2008 , 375, 54-8	13
1743	trans-Dienelactone hydrolase from <i>Pseudomonas reinekei</i> MT1, a novel zinc-dependent hydrolase. 2008 , 376, 423-8	13
1742	The ectomycorrhizal status of European larch (<i>Larix decidua</i> Mill.) seedlings from bare-root forest nurseries. 2008 , 256, 2136-2144	15
1741	Identification, cloning and expression analysis of a hepcidin cDNA of the Atlantic cod (<i>Gadus morhua</i> L.). 2008 , 25, 298-310	59

1740	Molecular and functional characterization of a novel CC chemokine in large yellow croaker (<i>Pseudosciaena crocea</i>). 2008 , 25, 664-71	21
1739	Positive selection on the <i>Plasmodium falciparum</i> sporozoite threonine-asparagine-rich protein: analysis of isolates mainly from low endemic areas. 2008 , 410, 139-46	8
1738	Mitochondrial genome of <i>Suberites domuncula</i> : palindromes and inverted repeats are abundant in non-coding regions. 2008 , 412, 1-11	19
1737	Conservation of a vitellogenin gene cluster in oviparous vertebrates and identification of its traces in the platypus genome. 2008 , 413, 76-82	52
1736	Molecular evolution and characterization of hepcidin gene products in vertebrates. 2008 , 415, 40-8	83
1735	<i>Plasmodium vivax</i> : sequence polymorphism and effect of natural selection at apical membrane antigen 1 (PvAMA1) among Indian population. 2008 , 419, 35-42	28
1734	Expression study of an alpha-l-fucosidase gene in the Drosophilidae family. 2008 , 420, 23-33	11
1733	Cloning, characterization, and gene expression analysis of a novel cadmium metallothionein gene in <i>Tetrahymena pigmentosa</i> . 2008 , 423, 29-35	18
1732	Topi, an IS630/Tc1/mariner-type transposable element in the African malaria mosquito, <i>Anopheles gambiae</i> . 2008 , 423, 63-71	5
1731	Complete mitochondrial genome of the grass carp (<i>Ctenopharyngodon idella</i> , Teleostei): insight into its phylogenetic position within Cyprinidae. 2008 , 424, 96-101	141
1730	SRWD: a novel WD40 protein subfamily regulated by salt stress in rice (<i>OryzasativaL.</i>). 2008 , 424, 71-9	32
1729	Accelerated evolution of small serum proteins (SSPs)-The PSP94 family proteins in a Japanese viper. 2008 , 426, 7-14	14
1728	Differential selective pressures on the merozoite surface protein 2 locus of <i>Plasmodium falciparum</i> in a low endemic area. 2008 , 427, 51-7	10
1727	Simple approach to reduce PCR artefact formation leads to reliable genotyping of MHC and other highly polymorphic loci--implications for evolutionary analysis. 2008 , 427, 117-23	130
1726	Molecular evolution of the vertebrate hexokinase gene family: Identification of a conserved fifth vertebrate hexokinase gene. 2008 , 3, 96-107	42
1725	Anti-lipopolysaccharide factors in the American lobster <i>Homarus americanus</i> : molecular characterization and transcriptional response to <i>Vibrio fluvialis</i> challenge. 2008 , 3, 263-9	42
1724	Single IB domain (SIBD) protein from <i>Litopenaeus vannamei</i> , a novel member for the IGFBP family. 2008 , 3, 270-4	11
1723	Comparison of pig, sheep and chicken SCD5 homologs: Evidence for an early gene duplication event. 2008 , 150, 440-6	27

1722	Pancreatic lipase-related protein (PY-PLRP) highly expressed in the vitellogenic ovary of the scallop, <i>Patinopecten yessoensis</i> . 2008 , 151, 52-8	19
1721	Have wing morphology or flight kinematics evolved for extreme high altitude migration in the bar-headed goose?. 2008 , 148, 324-31	14
1720	Contributions of fermentative acidogenic bacteria and sulfate-reducing bacteria to lactate degradation and sulfate reduction. 2008 , 72, 233-42	64
1719	Evolution of polydom-like molecules: identification and characterization of cnidarian polydom (Cnpolydom) in the basal metazoan <i>Hydractinia</i> . 2008 , 32, 1192-210	13
1718	A duplex real-time reverse transcriptase polymerase chain reaction assay for the detection of St. Louis encephalitis and eastern equine encephalitis viruses. 2008 , 62, 272-9	19
1717	Differential Space-Time Expression of StLTPb1 Gene Between Resistant and Susceptible Potato Genotypes in Response to <i>Ralstonia solanacearum</i> . 2008 , 7, 713-725	4
1716	Genetic polymorphism of mitochondrial DNA HVS-I and HVS-II of Chinese Tu ethnic minority group. 2008 , 35, 225-32	6
1715	Nitrification in terrestrial hot springs of Iceland and Kamchatka. 2008 , 64, 167-74	138
1714	Molecular characterization of medically important viruses of the genus Orthobunyavirus. 2008 , 89, 2580-2585	32
1713	Molecular evidence of the evolutionary origin of a Bonin Islands endemic, <i>Stenomelania boninensis</i> . 2008 , 74, 199-202	8
1712	Phylogenetic relationships of <i>Phytophthora andina</i> , a new species from the highlands of Ecuador that is closely related to the Irish potato famine pathogen <i>Phytophthora infestans</i> . 2008 , 100, 590-602	31
1711	. 2008 , 47, 225-235	16
1710	Short communication: new alleles of the bovine kappa-casein gene revealed by resequencing and haplotype inference analysis. 2008 , 91, 3682-6	8
1709	Adaptive evolution of hepcidin genes in antarctic notothenioid fishes. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1099-112	8.3 55
1708	Molecular characterization of <i>Lolium</i> latent virus, proposed type member of a new genus in the family Flexiviridae. 2008 , 153, 1263-70	12
1707	DNA barcoding discriminates echinoderm species. 2008 , 8, 1202-11	89
1706	Taxonomy and molecular phylogeny of <i>Arthrobotrys mangrovispora</i> , a new marine nematode-trapping fungal species. 2008 , 51,	15
1705	Heterocystous versus non-heterocystous cyanobacteria in saline soil of rice fields of Eastern Uttar Pradesh, India: A molecular investigation. 2008 , 136, S616-S617	

1704	Population genetic structure of savannah elephants in Kenya: conservation and management implications. 2008 , 99, 443-52	30
1703	Molecular and cytological characterization of 5S rDNA in <i>Oryza</i> species: genomic organization and phylogenetic implications. 2008 , 51, 332-40	8
1702	Getting a handle on the role of coenzyme M in alkene metabolism. 2008 , 72, 445-56	37
1701	Redefinition of <i>Aureobasidium pullulans</i> and its varieties. 2008 , 61, 21-38	210
1700	The FLOWERING LOCUS T/TERMINAL FLOWER 1 family in Lombardy poplar. 2008 , 49, 291-300	88
1699	Demographic history and interspecific hybridization of four <i>Shorea</i> species (Dipterocarpaceae) from Peninsular Malaysia inferred from nucleotide polymorphism in nuclear gene regions. 2008 , 38, 996-1007	17
1698	Microbial diversity and population dynamics of activated sludge microbial communities participating in electricity generation in microbial fuel cells. 2008 , 58, 2195-201	24
1697	Intense transpositional activity of insertion sequences in an ancient obligate endosymbiont. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1889-96	8.3 43
1696	Comparison of the mitochondrial genomes of East Asian <i>Pseudolabrus</i> fishes. 2008 , 19, 453-460	3
1695	<i>Leptospira wolffii</i> sp. nov., isolated from a human with suspected leptospirosis in Thailand. 2008 , 58, 2305-8	59
1694	Comparative analysis of degradomes in unicellular malaria parasite and free-living ciliates. 2008 ,	
1693	Risk factors for acute hepatitis B and its progression to chronic hepatitis in Shanghai, China. 2008 , 57, 1713-20	97
1692	A class II histone deacetylase acts on newly synthesized histones in <i>Tetrahymena</i> . 2008 , 7, 471-82	11
1691	Community Structure of Ammonia Oxidizing Bacteria and Their Potential to Produce Nitrous Oxide and Carbon Dioxide in Acid Tea Soils. 2008 , 25, 381-389	9
1690	Analysis of Genetic Diversity and Phylogenetic Relationships in <i>Crocus</i> Genus of Iran Using Inter-Retrotransposon Amplified Polymorphism. 2008 , 22, 795-800	49
1689	Detection and Quantification of Dehalococoides-Related Bacteria in a Chlorinated Ethene-Contaminated Aquifer Undergoing Natural Attenuation. 2008 , 12, 193-209	5
1688	Phylogenomic and functional analysis of pterin-4a-carbinolamine dehydratase family (COG2154) proteins in plants and microorganisms. 2008 , 146, 1515-27	30
1687	Apratoxin D, a potent cytotoxic cyclodepsipeptide from papua new guinea collections of the marine cyanobacteria <i>Lyngbya majuscula</i> and <i>Lyngbya sordida</i> . 2008 , 71, 1099-103	117

1686	Reidentification of the recombination map of CRF03_AB: evidence for a new additional mosaic a subtype segment. 2008 , 24, 1337-9	1
1685	Selective isolation and rapid identification of members of the genus <i>Micromonospora</i> . 2008 , 74, 5593-7	37
1684	Rapid large-scale evolutionary divergence in morphology and performance associated with exploitation of a different dietary resource. 2008 , 105, 4792-5	175
1683	Global occurrence of archaeal <i>amoA</i> genes in terrestrial hot springs. 2008 , 74, 6417-26	156
1682	The beta-glucosidases responsible for bioactivation of hydroxynitrile glucosides in <i>Lotus japonicus</i> . 2008 , 147, 1072-91	52
1681	Genome analysis of a <i>Glossina pallidipes</i> salivary gland hypertrophy virus reveals a novel, large, double-stranded circular DNA virus. 2008 , 82, 4595-611	66
1680	Multiple sex pheromone genes are expressed in the abdominal glands of the smooth newt (<i>Lissotriton vulgaris</i>) and Montandon's Newt (<i>L. montandoni</i>) (Salamandridae). 2008 , 25, 587-92	10
1679	Genetic structure of <i>Octopus vulgaris</i> around the Iberian Peninsula and Canary Islands as indicated by microsatellite DNA variation. 2008 , 65, 12-16	44
1678	The probiotic <i>Lactobacillus johnsonii</i> NCC 533 produces high-molecular-mass inulin from sucrose by using an inulosucrase enzyme. 2008 , 74, 3426-33	62
1677	Quantitative exploration of the catalytic landscape separating divergent plant sesquiterpene synthases. 2008 , 4, 617-23	158
1676	Sperm polymorphism within the sea urchin <i>Strongylocentrotus droebachiensis</i> : divergence between Pacific and Atlantic oceans. 2008 , 215, 115-25	15
1675	Characterization of the microbial community and polyketide biosynthetic potential in the palmerolide-producing tunicate <i>Synoicum adareanum</i> . 2008 , 71, 1812-8	45
1674	<i>Claviceps nigricans</i> and <i>Claviceps grohii</i> : their alkaloids and phylogenetic placement. 2008 , 71, 1085-8	11
1673	<i>Mesorhizobium caraganae</i> sp. nov., a novel rhizobial species nodulated with <i>Caragana</i> spp. in China. 2008 , 58, 2646-53	39
1672	The microbiome of the cloacal openings of the urogenital and anal tracts of the tammar wallaby,. 2008 , 154, 1535-1543	12
1671	Identification of novel porcine and bovine parvoviruses closely related to human parvovirus 4. 2008 , 89, 1840-1848	131
1670	A226V mutation in virus during the 2007 chikungunya outbreak in Kerala, India. 2008 , 89, 1945-1948	124
1669	Natural selection on gene function drives the evolution of LTR retrotransposon families in the rice genome. 2009 , 19, 243-54	68

1668	Analysis of a horizontally transferred pathway involved in vitamin B6 biosynthesis from the soybean cyst nematode <i>Heterodera glycines</i> . <i>Molecular Biology and Evolution</i> , 2008 , 25, 2085-98	8.3	40
1667	Large number of ultraconserved elements were already present in the jawed vertebrate ancestor. <i>Molecular Biology and Evolution</i> , 2009 , 26, 487-90	8.3	30
1666	Niche adaptation and genome expansion in the chlorophyll d-producing cyanobacterium <i>Acaryochloris marina</i> . 2008 , 105, 2005-10		171
1665	Genomic evidence for independent origins of beta-like globin genes in monotremes and therian mammals. 2008 , 105, 1590-5		49
1664	Large-scale phosphorylation mapping reveals the extent of tyrosine phosphorylation in <i>Arabidopsis</i> . 2008 , 4, 193		302
1663	Biased genotype distributions of <i>Candida albicans</i> strains associated with vulvovaginal candidosis and candidal balanoposthitis in China. 2008 , 47, 1119-25		31
1662	Diversity of Tn1546 and its role in the dissemination of vancomycin-resistant enterococci in Portugal. 2008 , 52, 1001-8		56
1661	Reduction of uranium(VI) to uranium(IV) by clostridia. 2008 , 74, 4580-4		70
1660	Frequent occurrence of human-associated microsporidia in fecal droppings of urban pigeons in amsterdam, the Netherlands. 2008 , 74, 7056-8		40
1659	Dimethylsulfoniopropionate-dependent demethylase (DmdA) from <i>Pelagibacter ubique</i> and <i>Silicibacter pomeroyi</i> . 2008 , 190, 8018-24		89
1658	The carriage population of <i>Staphylococcus aureus</i> from Mali is composed of a combination of pandemic clones and the divergent Panton-Valentine leukocidin-positive genotype ST152. 2008 , 190, 3962-8		118
1657	Characterization of clonal relatedness among the natural population of <i>Staphylococcus aureus</i> strains by using spa sequence typing and the BURP (based upon repeat patterns) algorithm. 2008 , 46, 2805-8		80
1656	Selenate-dependent anaerobic arsenite oxidation by a bacterium from Mono Lake, California. 2008 , 74, 2588-94		42
1655	Variations in stress sensitivity and genomic expression in diverse <i>S. cerevisiae</i> isolates. 2008 , 4, e1000223		150
1654	Near neutrality, rate heterogeneity, and linkage govern mitochondrial genome evolution in Atlantic cod (<i>Gadus morhua</i>) and other gadine fish. <i>Molecular Biology and Evolution</i> , 2009 , 26, 579-89	8.3	23
1653	<i>Oceaniserpentilla haliotis</i> gen. nov., sp. nov., a marine bacterium isolated from haemolymph serum of blacklip abalone. 2008 , 58, 2122-5		12
1652	Two macrophage colony-stimulating factor genes exist in fish that differ in gene organization and are differentially expressed. 2008 , 181, 3310-22		89
1651	Evolutionary patterns of MHC class II B in owls and their implications for the understanding of avian MHC evolution. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1180-91	8.3	62

1650	Bacteriophage prevalence in the genus <i>Azospirillum</i> and analysis of the first genome sequence of an <i>Azospirillum brasilense</i> integrative phage. 2008 , 74, 861-74		21
1649	Phylogenetic analysis of the species <i>Theilovirus</i> : emerging murine and human pathogens. 2008 , 82, 11545-54		55
1648	<i>Lactobacillus hordei</i> sp. nov., a bacteriocinogenic strain isolated from malted barley. 2008 , 58, 2013-7		20
1647	Identification of a cellobiose utilization gene cluster with cryptic beta-galactosidase activity in <i>Vibrio fischeri</i> . 2008 , 74, 4059-69		18
1646	RAPD and mitochondrial DNA analysis of the soybean stalk weevil, <i>Sternechus subsignatus</i> (Coleoptera: Curculionidae). 2008 , 98, 475-81		4
1645	Reclassification of <i>Clostridium proteoclasticum</i> as <i>Butyrivibrio proteoclasticus</i> comb. nov., a butyrate-producing ruminal bacterium. 2008 , 58, 2041-5		70
1644	Identification of the minus-dominance gene ortholog in the mating-type locus of <i>Gonium pectorale</i> . 2008 , 178, 283-94		33
1643	The Complete Mitochondrial Genome of the Bristletail <i>Pedetontus silvestrii</i> (Archaeognatha: Machilidae) and an Examination of Mitochondrial Gene Variability within Four Bristletails. 2008 , 101, 1131-1136		14
1642	Methanogenesis from methanol at low temperatures by a novel psychrophilic methanogen, " <i>Methanolobus psychrophilus</i> " sp. nov., prevalent in Zoige wetland of the Tibetan plateau. 2008 , 74, 6114-20		99
1641	Phylogenetic comparison of huntingtin homologues reveals the appearance of a primitive polyQ in sea urchin. <i>Molecular Biology and Evolution</i> , 2008 , 25, 330-8	8.3	65
1640	RNase A ribonucleases and host defense: an evolving story. 2008 , 83, 1079-87		131
1639	Clinical features and molecular diagnosis of Chikungunya fever from South India. 2008 , 46, 1436-42		100
1638	Emergence of polyproline II-like structure at early stages of experimental evolution from random polypeptides. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1113-9	8.3	5
1637	The <i>Sinorhizobium meliloti</i> MsbA2 protein is essential for the legume symbiosis. 2008 , 154, 1258-1270		18
1636	Multiple genome comparison within a bacterial species reveals a unit of evolution spanning two adjacent genes in a tandem paralog cluster. <i>Molecular Biology and Evolution</i> , 2008 , 25, 2457-73	8.3	26
1635	Abnormal Rostrum in <i>Polycheles Typhlops</i> Heller, 1862 (Decapoda: Polychelidae) from the Central Western Mediterranean. 2008 , 28, 731-734		12
1634	Phylogeny, gene structures, and expression patterns of the ERF gene family in soybean (<i>Glycine max</i> L.). 2008 , 59, 4095-107		182
1633	Lignin degradation in wood-feeding insects. 2008 , 105, 12932-7		230

1632	Tobacco transcription factors: novel insights into transcriptional regulation in the Solanaceae. 2008 , 147, 280-95	178
1631	Duplication and functional diversification of HAP3 genes leading to the origin of the seed-developmental regulatory gene, LEAFY COTYLEDON1 (LEC1), in nonseed plant genomes. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1581-92	8,3 41
1630	Arabidopsis PUB22 and PUB23 are homologous U-Box E3 ubiquitin ligases that play combinatory roles in response to drought stress. 2008 , 20, 1899-914	169
1629	The Plant Cytoskeleton: a Key Tool for Agro-Biotechnology. 2008 ,	15
1628	Multiplex sequencing of plant chloroplast genomes using Solexa sequencing-by-synthesis technology. 2008 , 36, e122	291
1627	dnaJ is a useful phylogenetic marker for alphaproteobacteria. 2008 , 58, 2839-49	33
1626	Substrate-specific clades of active marine methylophs associated with a phytoplankton bloom in a temperate coastal environment. 2008 , 74, 7321-8	50
1625	Genetic and biochemical characterization of the poly(3-hydroxybutyrate-co-3-hydroxyvalerate) synthase in <i>Haloferax mediterranei</i> . 2008 , 190, 4173-80	94
1624	Genome-wide analysis of ruminant <i>Staphylococcus aureus</i> reveals diversification of the core genome. 2008 , 190, 6302-17	53
1623	<i>Leptospira weilii</i> serovar Topaz, a new member of the Tarassovi serogroup isolated from a bovine source in Queensland, Australia. 2008 , 58, 2249-52	15
1622	Automated RFLP pattern comparison and similarity coefficient calculation for rapid delineation of new and distinct phytoplasma 16Sr subgroup lineages. 2008 , 58, 2368-77	107
1621	<i>Dialister succinatiphilus</i> sp. nov. and <i>Barnesiella intestinihominis</i> sp. nov., isolated from human faeces. 2008 , 58, 2716-20	80
1620	<i>Chryseobacterium hungaricum</i> sp. nov., isolated from hydrocarbon-contaminated soil. 2008 , 58, 2748-54	34
1619	Nocturnal behavior and rhythmic period gene expression in a lancelet, <i>Branchiostoma lanceolatum</i> . 2008 , 23, 170-81	9
1618	Null mutations in human and mouse orthologs frequently result in different phenotypes. 2008 , 105, 6987-92	182
1617	Ancient, recurrent phage attacks and recombination shaped dynamic sequence-variable mosaics at the root of phytoplasma genome evolution. 2008 , 105, 11827-32	72
1616	Assistance for a chaperone: <i>Chlamydomonas</i> HEP2 activates plastidic HSP70B for cochaperone binding. 2008 , 283, 16363-73	24
1615	Molecular method for <i>Bartonella</i> species identification in clinical and environmental samples. 2008 , 46, 776-9	32

1614	Characterization of a <i>Streptococcus</i> sp.- <i>Veillonella</i> sp. community micromanipulated from dental plaque. 2008 , 190, 8145-54	114
1613	<i>Ruminococcus gauvreauii</i> sp. nov., a glycopeptide-resistant species isolated from a human faecal specimen. 2008 , 58, 1393-7	32
1612	Molecular cloning, characterization, and expression analysis of a QM homologue in the ant <i>Polyrhachis vicina</i> (Hymenoptera: Formicidae). 2008 , 140, 312-323	4
1611	Phylogenetic profiles reveal evolutionary relationships within the "twilight zone" of sequence similarity. 2008 , 105, 13474-9	32
1610	HIV rebounds from latently infected cells, rather than from continuing low-level replication. 2008 , 105, 16725-30	224
1609	Evolution of polyketide synthases in bacteria. 2008 , 105, 4595-600	133
1608	A gene duplication affecting expression of the ovine ASIP gene is responsible for white and black sheep. 2008 , 18, 1282-93	167
1607	Chromosomal toxin-antitoxin systems may act as antiaddiction modules. 2008 , 190, 4603-9	96
1606	Centrins, cell cycle regulation proteins in human malaria parasite <i>Plasmodium falciparum</i> . 2008 , 283, 31871-83	45
1605	<i>Lactobacillus</i> strain diversity based on partial hsp60 gene sequences and design of PCR-restriction fragment length polymorphism assays for species identification and differentiation. 2008 , 74, 208-15	72
1604	Evolution and differentiation of the prion protein gene (PRNP) among species. 2008 , 99, 647-52	15
1603	Divergence among genes encoding the elongation factor Tu of <i>Yersinia</i> Species. 2008 , 190, 7548-58	13
1602	<i>Mucilaginibacter kameinonensis</i> sp., nov., isolated from garden soil. 2008 , 58, 2046-50	68
1601	Haploinsufficiency of the germ cell-specific nuclear RNA binding protein hnRNP G-T prevents functional spermatogenesis in the mouse. 2008 , 17, 2803-18	21
1600	The <i>tufB</i> - <i>secE</i> - <i>nusG</i> - <i>rplKAJL</i> - <i>rpoB</i> gene cluster of the liberibacters: sequence comparisons, phylogeny and speciation. 2008 , 58, 1414-21	21
1599	Intraspecific patterns of mitochondrial variation in natural population fragments of a localized desert dung beetle species, <i>Pachysoma gariepium</i> (Coleoptera: Scarabaeidae). 2008 , 99, 464-75	2
1598	Distribution, hosts, 16S rDNA sequences and phylogenetic position of the Neotropical tick <i>Amblyomma parvum</i> (Acari: Ixodidae). 2008 , 102, 409-25	43
1597	<i>Paenibacillus taichungensis</i> sp. nov., from soil in Taiwan. 2008 , 58, 2640-5	14

1596	Evolutionary diversification of plant shikimate kinase gene duplicates. 2008 , 4, e1000292	32
1595	A novel class of gibberellin 2-oxidases control semidwarfism, tillering, and root development in rice. 2008 , 20, 2603-18	287
1594	Ticks (Acari: Ixodidae) Infesting Wild Birds in an Atlantic Forest Area in the State of S Paulo, Brazil, with Isolation of Rickettsia from the Tick Amblyomma longirostre. 2008 , 45, 770-774	49
1593	Comparative analysis of fatty acid desaturases in cyanobacterial genomes. 2008 , 284508	42
1592	ABC- and ABCC-type transporters confer multidrug resistance and form an environment-tissue barrier in bivalve gills. 2008 , 294, R1919-29	71
1591	Evidence of infection by H5N2 highly pathogenic avian influenza viruses in healthy wild waterfowl. 2008 , 4, e1000127	82
1590	Repeated adaptive introgression at a gene under multiallelic balancing selection. 2008 , 4, e1000168	105
1589	Molecular method for discrimination between Francisella tularensis and Francisella-like endosymbionts. 2008 , 46, 3139-43	29
1588	Partial genome sequence analysis of parvoviruses associated with enteric disease in poultry. 2008 , 37, 435-41	49
1587	Mild reductions in mitochondrial citrate synthase activity result in a compromised nitrate assimilation and reduced leaf pigmentation but have no effect on photosynthetic performance or growth. 2008 , 147, 115-27	78
1586	A variable gene in a conserved region of the Helicobacter pylori genome: isotopic gene replacement or rapid evolution?. 2008 , 15, 163-8	3
1585	Biogenic Trace Amine-Associated Receptors (TAARS) are encoded in avian genomes: evidence and possible implications. 2008 , 99, 174-6	12
1584	Expression of Xhdsi-1VOC, a novel member of the vicinal oxygen chelate (VOC) metalloenzyme superfamily, is up-regulated in leaves and roots during desiccation in the resurrection plant Xerophyta humilis (Bak) Dur and Schinz. 2008 , 59, 3885-901	18
1583	Complex rearrangements lead to novel chimeric gene fusion polymorphisms at the Arabidopsis thaliana MAF2-5 flowering time gene cluster. <i>Molecular Biology and Evolution</i> , 2009 , 26, 699-711	8.3 35
1582	Characterization of gibberellin receptor mutants of barley (Hordeum vulgare L.). 2008 , 1, 285-94	39
1581	Diverged copies of the seed regulatory Opaque-2 gene by a segmental duplication in the progenitor genome of rice, sorghum, and maize. 2008 , 1, 760-9	24
1580	Adaptive evolution of 5'HoxD genes in the origin and diversification of the cetacean flipper. <i>Molecular Biology and Evolution</i> , 2009 , 26, 613-22	8.3 42
1579	Mechanisms of GII.4 norovirus persistence in human populations. 2008 , 5, e31	420

1578	Four new species of <i>Emericella</i> from the Mediterranean region of Europe. 2008 , 100, 779-95		43
1577	Genome size reduction in the chicken has involved massive loss of ancestral protein-coding genes. <i>Molecular Biology and Evolution</i> , 2008 , 25, 2681-8	8.3	39
1576	Classification, expression pattern, and E3 ligase activity assay of rice U-box-containing proteins. 2008 , 1, 800-15		93
1575	Ion channel clustering at the axon initial segment and node of Ranvier evolved sequentially in early chordates. 2008 , 4, e1000317		105
1574	Structural and functional diversity of Nudix fold. 2008 , 15, 108-12		8
1573	Structure and function of inter-alpha-trypsin inhibitor heavy chains. 2008 , 49, 311-20		75
1572	Characterization of the peptidase activity of recombinant porcine pregnancy-associated glycoprotein-2. 2008 , 144, 725-32		11
1571	A unique combination of genetic systems for the synthesis of trehalose in <i>Rubrobacter xylanophilus</i> : properties of a rare actinobacterial TreT. 2008 , 190, 7939-46		30
1570	<i>Photorhabdus temperata</i> subsp. <i>cinerea</i> subsp. nov., isolated from <i>Heterorhabditis</i> nematodes. 2008 , 58, 2579-81		27
1569	The <i>hmsHF</i> RS operon of <i>Xenorhabdus nematophila</i> is required for biofilm attachment to <i>Caenorhabditis elegans</i> . 2008 , 74, 4509-15		22
1568	Equine infectious anemia virus resists the antiretroviral activity of equine APOBEC3 proteins through a packaging-independent mechanism. 2008 , 82, 11889-901		34
1567	A second species of <i>Pyrgulopsis</i> (Hydrobiidae) from the Missouri River basin, with molecular evidence supporting faunal origin through Pliocene stream capture across the northern continental divide. 2008 , 74, 403-413		15
1566	Origins and evolution of the formin multigene family that is involved in the formation of actin filaments. <i>Molecular Biology and Evolution</i> , 2008 , 25, 2717-33	8.3	55
1565	16S rDNA and 16S-23S internal transcribed spacer sequence analyses reveal inter- and intraspecific <i>Acidithiobacillus</i> phylogeny. 2008 , 154, 2397-2407		12
1564	The population genetics of dN/dS. 2008 , 4, e1000304		547
1563	Molecular cloning, characterization, and evolutionary analysis of estrogen receptors from phylogenetically ancient fish. 2008 , 149, 6300-10		43
1562	High functional diversity in <i>Mycobacterium tuberculosis</i> driven by genetic drift and human demography. 2008 , 6, e311		421
1561	<i>Adlercreutzia equolifaciens</i> gen. nov., sp. nov., an equol-producing bacterium isolated from human faeces, and emended description of the genus <i>Eggerthella</i> . 2008 , 58, 1221-7		188

1560	Homologous recombination as an evolutionary force in the avian influenza A virus. <i>Molecular Biology and Evolution</i> , 2009 , 26, 177-87	8.3	62
1559	Diversity of IncP-9 plasmids of <i>Pseudomonas</i> . 2008 , 154, 2929-2941		40
1558	First report of isolation and characterization of <i>Aurantimonas altamirensis</i> from clinical samples. 2008 , 46, 2435-7		15
1557	<i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> and <i>M. avium</i> subsp. <i>avium</i> are independently evolved pathogenic clones of a much broader group of <i>M. avium</i> organisms. 2008 , 190, 2479-87		106
1556	Independent origins of syringyl lignin in vascular plants. 2008 , 105, 7887-92		124
1555	Rapid sequence change and geographical spread of human parvovirus B19: comparison of B19 virus evolution in acute and persistent infections. 2008 , 82, 6427-33		50
1554	<i>Streptomyces lunalinharesii</i> sp. nov., a chitinolytic streptomycete isolated from cerrado soil in Brazil. 2008 , 58, 2774-8		16
1553	<i>Arabidopsis</i> ARC6 coordinates the division machineries of the inner and outer chloroplast membranes through interaction with PDV2 in the intermembrane space. 2008 , 20, 2460-70		101
1552	Proportions of <i>Mycobacterium massiliense</i> and <i>Mycobacterium bolletii</i> strains among Korean <i>Mycobacterium chelonae</i> - <i>Mycobacterium abscessus</i> group isolates. 2008 , 46, 3384-90		117
1551	XAP5 CIRCADIAN TIMEKEEPER coordinates light signals for proper timing of photomorphogenesis and the circadian clock in <i>Arabidopsis</i> . 2008 , 20, 1244-59		44
1550	<i>Halobacterium piscisalsi</i> sp. nov., from fermented fish (pla-ra) in Thailand. 2008 , 58, 2136-40		27
1549	The Dscam homologue of the crustacean <i>Daphnia</i> is diversified by alternative splicing like in insects. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1429-39	8.3	120
1548	Defining the specificity space of the human SRC homology 2 domain. 2008 , 7, 768-84		164
1547	Molecular characterization of the basidiomycete isolate <i>Nematoloma frowardii</i> b19 and its manganese peroxidase places the fungus in the corticioid genus <i>Phlebia</i> . 2008 , 154, 2371-2379		33
1546	<i>Natrinema gari</i> sp. nov., a halophilic archaeon isolated from fish sauce in Thailand. 2008 , 58, 2378-83		39
1545	OsWRKY62 is a negative regulator of basal and Xa21-mediated defense against <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> in rice. 2008 , 1, 446-58		187
1544	Novel astroviruses in insectivorous bats. 2008 , 82, 9107-14		205
1543	<i>Pseudochrobactrum glaciei</i> sp. nov., isolated from sea ice collected from Peter the Great Bay of the Sea of Japan. 2008 , 58, 2454-8		16

1542	Hepatitis B virus genotype G epidemiology and co-infection with genotype A in Canada. 2008 , 89, 3009-3015	64
1541	Chitin hydrolysis by <i>Listeria</i> spp., including <i>L. monocytogenes</i> . 2008 , 74, 3823-30	38
1540	<i>Veillonella magna</i> sp. nov., isolated from the jejunal mucosa of a healthy pig, and emended description of <i>Veillonella ratti</i> . 2008 , 58, 2755-61	23
1539	<i>Sutterella parvirubra</i> sp. nov. and <i>Megamonas funiformis</i> sp. nov., isolated from human faeces. 2008 , 58, 970-5	71
1538	Phylogenetic and evolutionary relationships of RubisCO and the RubisCO-like proteins and the functional lessons provided by diverse molecular forms. 2008 , 363, 2629-40	110
1537	<i>Metarhizopsis microspora</i> gen. et sp. nov. associated with the elongate hemlock scale. 2008 , 100, 460-6	4
1536	Evolutionary redefinition of immunoglobulin light chain isotypes in tetrapods using molecular markers. 2008 , 105, 16647-52	49
1535	Prevalence, types, and RNA concentrations of human parechoviruses, including a sixth parechovirus type, in stool samples from patients with acute enteritis. 2008 , 46, 242-8	102
1534	<i>Phaeobacter</i> and <i>Ruegeria</i> species of the <i>Roseobacter</i> clade colonize separate niches in a Danish Turbot (<i>Scophthalmus maximus</i>)-rearing farm and antagonize <i>Vibrio anguillarum</i> under different growth conditions. 2008 , 74, 7356-64	136
1533	Phylogenetic evidence for homologous recombination within the family Birnaviridae. 2008 , 89, 3156-3164	39
1532	Molecular characterization of porcine picobirnaviruses and development of a specific reverse transcription-PCR assay. 2008 , 46, 2402-5	35
1531	Molecular epidemiology of the African horse sickness virus S10 gene. 2008 , 89, 1159-1168	26
1530	Contribution of mutation, recombination, and gene conversion to chicken MHC-B haplotype diversity. 2008 , 181, 3393-9	72
1529	A recently active miniature inverted-repeat transposable element, Chunjie, inserted into an operon without disturbing the operon structure in <i>Geobacter uraniireducens</i> Rf4. 2008 , 179, 2291-7	20
1528	Isolation of surfactant-resistant bacteria from natural, surfactant-rich marine habitats. 2008 , 74, 5093-9	18
1527	Rapidly evolving mitochondrial genome and directional selection in mitochondrial genes in the parasitic wasp <i>nasonia</i> (hymenoptera: pteromalidae). <i>Molecular Biology and Evolution</i> , 2008 , 25, 2167-80 ^{8,3}	170
1526	<i>Kazachstania hellenica</i> sp. nov., a novel ascomycetous yeast from a Botrytis-affected grape must fermentation. 2008 , 58, 1263-7	15
1525	Simple chordates exhibit a proton-independent function of acid-sensing ion channels. 2008 , 22, 1914-23	23

1524	Prevalence and genetic characterization of <i>Cryptosporidium</i> isolates from common brushtail possums (<i>Trichosurus vulpecula</i>) adapted to urban settings. 2008 , 74, 5549-55	32
1523	Distinctive pattern of sequence polymorphism in the NS3 protein of hepatitis C virus type 1b reflects conflicting evolutionary pressures. 2008 , 89, 1921-1929	11
1522	Frequent compartmentalization of hepatitis C virus with leukocyte-related amino acids in the setting of liver transplantation. 2008 , 198, 1656-66	18
1521	Phylogeographical structure and evolutionary history of two Buggy Creek virus lineages in the western Great Plains of North America. 2008 , 89, 2122-2131	24
1520	Toxic introns and parasitic intein in <i>Coxiella burnetii</i> : legacies of a promiscuous past. 2008 , 190, 5934-43	28
1519	Diverse contexts of zoonotic transmission of simian foamy viruses in Asia. 2008 , 14, 1200-8	90
1518	Circulation of 3 lineages of a novel Saffold cardiovirus in humans. 2008 , 14, 1398-405	101
1517	Genetic characterization of toggenburg orbivirus, a new bluetongue virus, from goats, Switzerland. 2008 , 14, 1855-61	223
1516	Host range and genetic diversity of arenaviruses in rodents, United Kingdom. 2008 , 14, 1455-8	18
1515	Molecular and Morphometrical Revision of the <i>Zaprionus tuberculatus</i> Species Subgroup (Diptera: Drosophilidae), with Descriptions of Two Cryptic Species. 2008 , 101, 978-988	9
1514	A novel nuclear-encoded protein, NDH-dependent cyclic electron flow 5, is essential for the accumulation of chloroplast NAD(P)H dehydrogenase complexes. 2009 , 50, 383-93	25
1513	Response of feline immunodeficiency virus (FIV) to tipranavir may provide new clues for development of broad-based inhibitors of retroviral proteases acting on drug-resistant HIV-1. 2008 , 6, 306-17	11
1512	Manganese efficiency in barley: identification and characterization of the metal ion transporter HvIRT1. 2008 , 148, 455-66	150
1511	The F-box gene family is expanded in herbaceous annual plants relative to woody perennial plants. 2008 , 148, 1189-200	106
1510	The chloroplast DnaJ homolog CDJ1 of <i>Chlamydomonas reinhardtii</i> is part of a multichaperone complex containing HSP70B, CGE1, and HSP90C. 2008 , 148, 2070-82	50
1509	Independent losses of function in a polyphenol oxidase in rice: differentiation in grain discoloration between subspecies and the role of positive selection under domestication. 2008 , 20, 2946-59	58
1508	Dolichol biosynthesis and its effects on the unfolded protein response and abiotic stress resistance in <i>Arabidopsis</i> . 2008 , 20, 1879-98	77
1507	<i>Bacillus polygoni</i> sp. nov., a moderately halophilic, non-motile obligate alkaliphile isolated from indigo balls. 2008 , 58, 120-4	36

1506	A new species of <i>Trimorphomyces</i> (Basidiomycota, Tremellales) from Taiwan. 2008 , 87, 445-455	5
1505	Isolation of fungal cellobiohydrolase I genes from sporocarps and forest soils by PCR. 2008 , 74, 3481-9	81
1504	Oil-removal enhancement in media with keratinous or chitinous wastes by hydrocarbon-degrading bacteria isolated from oil-polluted soils. 2008 , 29, 171-82	16
1503	Molecular cloning, characterization, and differential expression of a farnesyl-diphosphate synthase gene from the basidiomycetous fungus <i>Ganoderma lucidum</i> . 2008 , 72, 1571-9	46
1502	Microalgae and cyanobacteria of the Dead Sea and its surrounding springs. 2008 , 56, 1-13	8
1501	Profile of primary resistance in HIV-1-infected treatment-naive individuals from Western India. 2008 , 24, 987-90	37
1500	Mutations in topoisomerase I as a self-resistance mechanism coevolved with the production of the anticancer alkaloid camptothecin in plants. 2008 , 105, 6782-6	76
1499	Evolution of catalases from bacteria to humans. 2008 , 10, 1527-48	292
1498	A new microsporidian parasite, <i>Potamorphaphis morhaphis</i> n. gen., n. sp. (Microsporidia) infecting the Teleostean fish, <i>Potamorphaphis guianensis</i> from the River Amazon. Morphological, ultrastructural and molecular characterization. 2008 , 135, 1053-64	27
1497	First report of <i>Echinococcus granulosus</i> G8 in Eurasia and a reappraisal of the phylogenetic relationships of 'genotypes' G5-G10. 2008 , 135, 647-54	92
1496	On the origin of HIV-1 subtype C in South America. 2008 , 22, 2001-11	31
1495	A phytoplasma closely related to the pigeon pea witches'-broom phytoplasma (16Sr IX) is associated with citrus huanglongbing symptoms in the state of S Paulo, Brazil. 2008 , 98, 977-84	64
1494	Phylogenetic relationships of the genus <i>Taxus</i> inferred from chloroplast intergenic spacer and nuclear coding DNA. 2008 , 31, 260-5	50
1493	Update on the olfactory receptor (OR) gene superfamily. 2008 , 3, 87-97	116
1492	Dynamic characteristics of bacterial community in a sulphate-reducing bioreactor fed with acetate and intermittent ethanol. 2008 , 10, 3	3
1491	Strawberry disease lesions in rainbow trout from southern Idaho are associated with DNA from a Rickettsia-like organism. 2008 , 82, 111-8	41
1490	Biochemical function of typical and variant <i>Arabidopsis thaliana</i> U-box E3 ubiquitin-protein ligases. 2008 , 413, 447-57	80
1489	[Molecular and morphological characterisation of two closely related species belonging to the subgenus <i>Phlebotomus chabaudi</i> Croset, Abonnenc & Rioux, 1970 et <i>P. riouxi</i> Depaquit, Killick-Kendrick & Lger, 1998 (Diptera: Psychodidae)]. 2008 , 15, 565-71	18

1488	Evolutionary dynamics of wheat mitochondrial gene structure with special remarks on the origin and effects of RNA editing in cereals. 2008 , 83, 301-20	6
1487	Identification of Sulfate- and Arsenate-Reducing Bacteria in Sheep Manure as Permeable Reactive Materials after Arsenic Immobilization in Groundwater. 2008 , 49, 2275-2282	2
1486	Phylogenetic Analysis of Bean yellow mosaic virus Isolates from Four Continents: Relationship Between the Seven Groups Found and Their Hosts and Origins. 2008 , 92, 1596-1603	37
1485	In silico study of whey-acidic-protein domain containing oral protease inhibitors. 2008 ,	1
1484	Three newly recognised species of <i>Hypericum</i> (Clusiaceae) from New Zealand. 2008 , 46, 547-558	9
1483	<i>Cortinarius mahiquesii</i> , a new subhypogeous species from Catalonia (Iberian Peninsula). 2008 , 21, 153-7	2
1482	Mammalian cytosolic glutathione transferases. 2008 , 9, 325-37	59
1481	Quantification of tomato expansins in nematode feeding sites of cyst and root-knot nematodes. 2008 , 115, 263-272	4
1480	<i>Plasmodium falciparum</i> serine/threonine phosphoprotein phosphatases (PPP): from housekeeper to the 'holy grail'. 2008 , 9, 997-1012	20
1479	Bayesian, maximum parsimony and UPGMA models for inferring the phylogenies of antelopes using mitochondrial markers. 2008 , 4, 263-70	16
1478	Population genetic structure of <i>Anopheles hinesorum</i> on Guadalcanal and Malaita of the Solomon Islands. 2008 , 59, 283-295	1
1477	First report of phytoplasma ' <i>Candidatusphytoplasma asteris</i> ' (16Srl) from <i>Parthenium hysterophorus</i> L. showing symptoms of virescence and witches' broom in India. 2008 , 3, 44	8
1476	Origin and evolutionary history of HIV-1 subtype C in Brazil. 2008 , 22, 1993-2000	70
1475	Genome-wide analysis of transposon insertion polymorphisms reveals intraspecific variation in cultivated rice. 2008 , 148, 25-40	76
1474	Black aspergilli in tropical infections. 2008 , 19, 65-78	7
1473	Integrase polymorphism and HIV-1 group O diversity. 2008 , 22, 1239-43	21
1472	. 2008 ,	6
1471	Descriptions of two new species of Hemileucinae (Lepidoptera: Saturniidae) from the region of Muzo in Colombia?evidence from morphology and DNA barcodes. 2008 , 1944, 34-52	11

1470	AUTHENTICATION OF COMMERCIAL CHILEAN MOLLUSKS USING RIBOSOMAL INTERNAL TRANSCRIBED SPACER (ITS) AS SPECIE-SPECIFIC DNA MARKER. 2008 , 72,	6
1469	Detection and prevalence patterns of group I coronaviruses in bats, northern Germany. 2008 , 14, 626-31	124
1468	Avalia de populas de possveis rizobactrias em solos sob espcies florestais. 2008 , 32, 1921-1927	1
1467	<i>Gluconobacter sphaericus</i> (Ameyama 1975) comb. nov., a brown pigment-producing acetic acid bacterium in the Alphaproteobacteria. 2008 , 54, 211-20	17
1466	Picoplankton diversity in the South-East Pacific Ocean from cultures. 2008 , 5, 203-214	39
1465	Characterization of the 3-HKT gene in important malaria vectors in India, viz: <i>Anopheles culicifacies</i> and <i>Anopheles stephensi</i> (Diptera: Culicidae). 2008 , 103, 595-7	0
1464	Cloning and Characterization of a CAP Gene Expressed in <i>Gossypium arboreum</i> Fuzzless Mutant. 2008 , 48, 2314-2320	5
1463	Phylogenetic analysis of <i>Troglodytella abrossarti</i> isolated from Chimpanzees (<i>Pan troglodytes verus</i>) in the wild and in captivity. 2008 , 54, 409-13	16
1462	Sequence and phylogenetic analysis of chicken anaemia virus obtained from backyard and commercial chickens in Nigeria. 2008 , 75, 353-7	10
1461	Evidence for positive selection in putative virulence factors within the <i>Paracoccidioides brasiliensis</i> species complex. 2008 , 2, e296	32
1460	An update on MyoD evolution in teleosts and a proposed consensus nomenclature to accommodate the tetraploidization of different vertebrate genomes. 2008 , 3, e1567	29
1459	Deciphering the ubiquitin-mediated pathway in apicomplexan parasites: a potential strategy to interfere with parasite virulence. 2008 , 3, e2386	66
1458	Substantial alterations of the cutaneous bacterial biota in psoriatic lesions. 2008 , 3, e2719	298
1457	Emergence of Xin demarcates a key innovation in heart evolution. 2008 , 3, e2857	18
1456	Quorum sensing primes the oxidative stress response in the insect endosymbiont, <i>Sodalis glossinidius</i> . 2008 , 3, e3541	30
1455	Pilus operon evolution in <i>Streptococcus pneumoniae</i> is driven by positive selection and recombination. 2008 , 3, e3660	19
1454	A constructed alkaline consortium and its dynamics in treating alkaline black liquor with very high pollution load. 2008 , 3, e3777	25
1453	Large differences in aging phenotype between strains of the short-lived annual fish <i>Nothobranchius furzeri</i> . 2008 , 3, e3866	125

1452	Ixodes ricinus tick lipocalins: identification, cloning, phylogenetic analysis and biochemical characterization. 2008 , 3, e3941	36
1451	Fine-scale phylogeographic structure of <i>Borrelia lusitaniae</i> revealed by multilocus sequence typing. 2008 , 3, e4002	36
1450	Reconstructing a radiation: the chiton genus <i>Mopalia</i> in the north Pacific. 2008 , 22, 17	22
1449	Phylogenetic analyses: A toolbox expanding towards Bayesian methods. 2008 , 2008, 683509	5
1448	Evolutionary analysis of two plastid DNA sequences in cultivated and wild species of <i>Oryza</i> . 2008 , 58, 225-233	20
1447	Analysis of additional virulence genes and virulence gene regions in <i>Listeria monocytogenes</i> confirms the epidemiologic relevance of multi-virulence-locus sequence typing. 2008 , 71, 2559-66	23
1446	Candidate new species of Kobuvirus in porcine hosts. 2008 , 14, 1968-70	107
1445	Morphology and DNA barcoding reveal three cryptic species within the <i>Xylophanes neoptolemus</i> and <i>loelia</i> species-groups (Lepidoptera: Sphingidae). 2008 , 1923, 18-36	35
1444	First molecular identification of a begomovirus in India that is closely related to Cassava mosaic virus and causes mosaic and stunting of <i>Jatropha curcas</i> L.. 2008 , 3, 69	27
1443	Phylogenetic relationships of <i>Nocardiopsis</i> species based on partial <i>gyrB</i> and 16S rRNA gene sequences. 2008 , 22, 6-11	4
1442	Cryptic variation and recent bipolar range expansion within the Stumped-Toed Gecko <i>Gehyra mutilata</i> across Indian and Pacific Ocean islands. 2009 , 78, 1-8	10
1441	Effect of organic farming on spore diversity of arbuscular mycorrhizal fungi and glomalin in soil. 2009 , 37, 272-6	12
1440	Genetic and biological characterisation of a Grapevine virus A isolate from the Czech Republic. 2009 , 44, 121-126	
1439	RAPD Markers Reveal Genetic Diversity in <i>Salix purpurea</i> L.. 2009 , 49, 857-863	11
1438	A new hidden species of the <i>Cymothoe caenis</i> -complex (Lepidoptera: Nymphalidae) from western Africa. 2009 , 2197, 53-63	14
1437	<i>Gluconobacter kanchanaburiensis</i> sp. nov., a brown pigment-producing acetic acid bacterium for Thai isolates in the Alphaproteobacteria. 2009 , 55, 247-54	14
1436	Review of the genus <i>Onconeura</i> Andersen et Sæther (Diptera: Chironomidae), with the description of four new species from Brazil. 2009 , 2265, 1-26	10
1435	High haplotype diversity in a microendemic Malagasy gecko species, <i>Lygodactylus mirabilis</i> (Pasteur, 1962). 2009 , 2269, 43-52	

1434	New species and records of <i>Pyrgulopsis</i> (Gastropoda: Hydrobiidae) from the Snake River basin, southeastern Oregon: further delineation of a highly imperiled fauna. 2009 , 2006, 1-22	4
1433	Molecular phylogeny and divergence time estimates of Penaeid Shrimp Lineages (Decapoda: Penaeidae). 2009 , 2107, 41-52	6
1432	Redescription and mitochondrial identification of <i>Chiromantes boulengeri</i> (Calman, 1920) (Decapoda: Brachyura: Sesamidae) based on fresh material from the Persian Gulf, Iran. 2009 , 2128, 61-68	13
1431	Taxonomy and molecular phylogeny of the <i>Amiota nagatai</i> species group (Diptera: Drosophilidae). 2009 , 2193, 53-61	6
1430	A new subspecies of <i>Batagur affinis</i> (Cantor, 1847), one of the world's most critically endangered chelonians (Testudines: Geoemydidae). 2009 , 2233, 57-68	15
1429	Description of <i>Poecilia (Acanthophaelus) obscura</i> n. sp., (Teleostei: Poeciliidae), a new guppy species from western Trinidad, with remarks on <i>P. wingei</i> and the status of the 'Endler's guppy'. 2009 , 2266, 35-50	20
1428	A new frog family (Anura: Terrarana) from South America and an expanded direct-developing clade revealed by molecular phylogeny. 2009 , 2211, 1-35	91
1427	Revision of the Australian <i>Oenochroma vinaria</i> Guenée, 1858 species-complex (Lepidoptera: Geometridae, Oenochrominae): DNA barcoding reveals cryptic diversity and assesses status of type specimen without dissection. 2009 , 2239, 1-21	51
1426	Sex attractant, distribution and DNA barcodes for the Afrotropical leaf-mining moth <i>Phyllonorycter melanosparta</i> (Lepidoptera: Gracillariidae). 2009 , 2281, 53-67	7
1425	Taxonomic revision of <i>Rhyacophila aquitanica</i> (Trichoptera: Rhyacophilidae), based on molecular and morphological evidence and change of taxon status of <i>Rhyacophila aquitanica</i> ssp. <i>carpathica</i> to <i>Rhyacophila carpathica</i> stat. n.. 2009 , 2148, 39-48	16
1424	Species limits in <i>Pteruthius</i> (Aves: Corvidae) shrike-babblers: a comparison between the Biological and Phylogenetic Species Concepts. 2009 , 2301, 29-54	5
1423	Novel human rotavirus genotype G5P[7] from child with diarrhea, Cameroon. 2009 , 15, 83-6	50
1422	Epidemiologic study of <i>Vibrio vulnificus</i> infections by using variable number tandem repeats. 2009 , 15, 1282-5	24
1421	Porcine kobuvirus in piglets, Thailand. 2009 , 15, 2075-6	59
1420	Genetic variation and population structure of Italian native sheep breeds undergoing in situ conservation. 2009 , 87, 3837-44	29
1419	Stress response of a boreo-alpine species of tardigrade, <i>Borealibus zetlandicus</i> (Eutardigrada, Hypsibiidae). 2009 , 68, 64	22
1418	Immunogenicity characterization of two ancient wheat gliadin peptides related to coeliac disease. 2009 , 1, 276-90	27
1417	Phylogeny and evolution of the aspartyl protease family from clinically relevant <i>Candida</i> species. 2009 , 104, 505-12	47

1416	Dengue virus type 3 in Brazil: a phylogenetic perspective. 2009 , 104, 526-9	13
1415	Genotypes and clinical data of respiratory syncytial virus and metapneumovirus in brazilian infants: a new perspective. 2009 , 13, 35-9	15
1414	Sporosarcina luteola sp. nov. isolated from soy sauce production equipment in Japan. 2009 , 55, 217-23	16
1413	Bacterial populations in epilithic biofilms along two oligotrophic rivers in the Tohoku region in Japan. 2009 , 55, 359-71	4
1412	Slave trade and hepatitis B virus genotypes and subgenotypes in Haiti and Africa. 2009 , 15, 1222-8	91
1411	Genomic analyses reveal a conserved glutathione homeostasis pathway in the invertebrate chordate <i>Ciona intestinalis</i> . 2009 , 39, 183-94	17
1410	Characterization of photoautotrophic picoplankton assemblages in turbid, alkaline lakes of the Carpathian Basin (Central Europe). 2009 , 68, 385	40
1409	Molecular and biochemical characterization of three bacterial symbionts of fruit fly, <i>Bactrocera tau</i> (Tephritidae: Diptera). 2009 , 55, 479-87	27
1408	A receptor and binding protein interplay in the detection of a distinct pheromone component in the silkworm <i>Antheraea polyphemus</i> . 2009 , 5, 745-57	130
1407	Molecular monitoring of African swine fever virus using surveys targeted at adult ornithodoros ticks: a re-evaluation of Mkuze game reserve, South Africa. 2009 , 76, 385-92	15
1406	Molecular cloning and characterization of pigeon (<i>Columba livia</i>) ubiquitin and ubiquitin-conjugating enzyme genes from pituitary gland library. 2009 , 5, 34-43	2
1405	Characterization of the complete mitochondrial genome of the giant silkworm moth, <i>Eriogyna pyretorum</i> (Lepidoptera: Saturniidae). 2009 , 5, 351-65	96
1404	Population structure of the <i>Monocelis lineata</i> (Proseriata, Monocelididae) species complex assessed by phylogenetic analysis of the mitochondrial Cytochrome c Oxidase subunit I (COI) gene. 2009 , 32, 864-7	22
1403	Use of cytochrome c oxidase subunit i (COI) nucleotide sequences for identification of the Korean Luciliinae fly species (Diptera: Calliphoridae) in forensic investigations. 2009 , 24, 1058-63	24
1402	Intra-specific differentiation of <i>Paramecium bursaria</i> strains by molecular methods--preliminary studies. 2010 , 58, 35-45	7
1401	Karyotypic variation and geographic distribution of <i>Anopheles campestris</i> -like (Diptera: Culicidae) in Thailand. 2009 , 104, 558-66	16
1400	On calculating the probability of a set of orthologous sequences. 2009 , 2, 37-48	
1399	Cloning of putative ureG genes from <i>Glomus intraradices</i> and urease activities in tobacco arbuscular mycorrhizal roots. 2009 , 66, 258-266	1

1398	MOLECULAR ANALYSIS IN CHILEAN COMMERCIAL GASTROPODS BASED ON 16S rRNA, COI AND ITS1-5.8S rDNA-ITS2 SEQUENCES. 2009 , 73,	2
1397	Variabilidade genética de populações naturais de carolípor meio de marcadores RAPD. 2009 , 44, 283-290	6
1396	<i>Thermaerobacter composti</i> sp. nov., a novel extremely thermophilic bacterium isolated from compost. 2009 , 55, 323-8	16
1395	Population structure of <i>Streptococcus oralis</i> . 2009 , 155, 2593-2602	50
1394	Characterization of <i>Streptomyces</i> strain SLO-105 isolated from Lake Oubeira sediments in North-East of Algeria. 2009 , 8, 6332-6336	7
1393	Effect of DNA methylation on 18S rRNA gene sequences during culture of <i>Taxus chinensis</i> cells. 2009 , 64, 418-20	
1392	Infecção por <i>Hepatozoon canis</i> em canino doméstico na região Sul do Brasil confirmada por técnicas moleculares. 2009 , 39, 2135-2140	8
1391	[Molecular characterization of HTLV-1/2 among blood donors in Belém, State of Pará—first description of HTLV-2b subtype in the Amazon region]. 2009 , 42, 271-6	19
1390	Molecular and antigenic characterisation of ribosomal phosphoprotein P0 from <i>Babesia bovis</i> . 2009 , 104, 998-1002	5
1389	Construction of an interactive online phytoplasma classification tool, iPhyClassifier, and its application in analysis of the peach X-disease phytoplasma group (16SrIII). 2009 , 59, 2582-93	368
1388	High levels of genetic variability and differentiation in hilsa shad, <i>Tenualosa ilisha</i> (Clupeidae, Clupeiformes) populations revealed by PCR-RFLP analysis of the mitochondrial DNA D-loop region. 2009 , 32, 190-6	9
1387	Variability of Bean yellow mosaic virus isolates in the Czech Republic. 2009 , 53, 277-80	8
1386	Chikungunya virus and central nervous system infections in children, India. 2009 , 15, 329-31	72
1385	<i>Paramecium sexaurelia</i> --intra-specific polymorphism and relationships with other <i>Paramecium aurelia</i> spp., revealed by cytochrome b sequence data. 2010 , 58, 55-60	6
1384	Effects of HIV type-1 immune selection on susceptibility to integrase inhibitor resistance. 2009 , 14, 953-64	4
1383	Introduction into Nigeria of a distinct genotype of avian influenza virus (H5N1). 2009 , 15, 445-7	32
1382	Diversity of <i>Anaplasma phagocytophilum</i> strains, USA. 2009 , 15, 928-31	29
1381	Marine <i>Pseudomonas putida</i> : a potential source of antimicrobial substances against antibiotic-resistant bacteria. 2009 , 104, 678-82	25

1380	Generic Diversity of Rare Actinomycetes from Thai Cave Soils and Their Possible Use as New Bioactive Compounds. 2009 , 23, 21-26	28
1379	Isolation of UV-B resistant bacteria from two high altitude Andean lakes (4,400 m) with saline and non saline conditions. 2009 , 55, 447-58	52
1378	Intraspecific Variation in <i>Commiphora wightii</i> Populations Based on Internal Transcribed Spacer (ITS1-5.8S-ITS2) Sequences of rDNA. 2009 , 1, 89-101	13
1377	Violacein-producing <i>Collimonas</i> sp. from the sea surface microlayer of costal waters in Tr�idlag, Norway. 2009 , 7, 576-88	60
1376	The pivotal roles of TIA proteins in 5' splice-site selection of alu exons and across evolution. 2009 , 5, e1000717	26
1375	The population structure of <i>Glossina palpalis gambiensis</i> from island and continental locations in Coastal Guinea. 2009 , 3, e392	40
1374	Giant panda genomic data provide insight into the birth-and-death process of mammalian major histocompatibility complex class II genes. 2009 , 4, e4147	25
1373	A rice gene of de novo origin negatively regulates pathogen-induced defense response. 2009 , 4, e4603	81
1372	Highly pathogenic avian influenza virus subtype H5N1 in Africa: a comprehensive phylogenetic analysis and molecular characterization of isolates. 2009 , 4, e4842	90
1371	Mitochondrial variants in schizophrenia, bipolar disorder, and major depressive disorder. 2009 , 4, e4913	158
1370	Panorama phylogenetic diversity and distribution of Type A influenza virus. 2009 , 4, e5022	74
1369	The EG95 antigen of <i>Echinococcus</i> spp. contains positively selected amino acids, which may influence host specificity and vaccine efficacy. 2009 , 4, e5362	24
1368	A new family of receptor tyrosine kinases with a venus flytrap binding domain in insects and other invertebrates activated by aminoacids. 2009 , 4, e5651	47
1367	Novel genotypes of H9N2 influenza A viruses isolated from poultry in Pakistan containing NS genes similar to highly pathogenic H7N3 and H5N1 viruses. 2009 , 4, e5788	126
1366	Gene order phylogeny and the evolution of methanogens. 2009 , 4, e6069	27
1365	Discovery of a novel prolactin in non-mammalian vertebrates: evolutionary perspectives and its involvement in teleost retina development. 2009 , 4, e6163	42
1364	Biogeography and virulence of <i>Staphylococcus aureus</i> . 2009 , 4, e6216	43
1363	Genome analysis and expression patterns of odorant-binding proteins from the Southern House mosquito <i>Culex pipiens quinquefasciatus</i> . 2009 , 4, e6237	67

1362	Sex determination in the <i>Squalius alburnoides</i> complex: an initial characterization of sex cascade elements in the context of a hybrid polyploid genome. 2009 , 4, e6401	16
1361	Isolation and characterization of a replication-competent molecular clone of an HIV-1 circulating recombinant form (CRF33_01B). 2009 , 4, e6666	6
1360	Identifying and characterizing a novel protein kinase STK35L1 and deciphering its orthologs and close-homologs in vertebrates. 2009 , 4, e6981	6
1359	A family of diverse Kunitz inhibitors from <i>Echinococcus granulosus</i> potentially involved in host-parasite cross-talk. 2009 , 4, e7009	30
1358	New genotype of dengue type 3 virus circulating in Brazil and Colombia showed a close relationship to old Asian viruses. 2009 , 4, e7299	22
1357	The transposon Galileo generates natural chromosomal inversions in <i>Drosophila</i> by ectopic recombination. 2009 , 4, e7883	52
1356	Haplotype distribution and evolutionary pattern of miR-17 and miR-124 families based on population analysis. 2009 , 4, e7944	24
1355	Phasevarions mediate random switching of gene expression in pathogenic <i>Neisseria</i> . 2009 , 5, e1000400	125
1354	Hatching time for monotreme immunology. 2009 , 57, 185	9
1353	Systematics and evolutionary history of the circum-Mediterranean genus <i>Anagyris</i> L. (Fabaceae) based on morphological and molecular data. 2009 , 58, 1290-1306	12
1352	<i>Aegilops</i> section <i>Sitopsis</i> species contains the introgressive <i>PolA1</i> gene with a closer relationship to that of <i>Hordeum</i> than <i>Triticum</i> - <i>Aegilops</i> species. 2009 , 59, 602-610	5
1351	Molecular phylogenies and evolutionary behavior of AhR (aryl hydrocarbon receptor) pathway genes in aquatic animals. 2009 ,	
1350	16S rRNA based identification of <i>Aeromonas</i> sp. kumar by constructing phylogenetic tree and identification of regulatory elements from the harmful Red Tide bloom, Gulf of Mannar. 2009 ,	
1349	Cloning of a novel acidic phospholipase A2 from the venom gland of <i>Crotalus durissus cascavella</i> (Brazilian northeastern rattlesnake). 2009 , 15, 745-761	6
1348	Rapid identification of lactic acid bacteria isolated from home-made fermented milk in Tibet. 2009 , 55, 181-90	23
1347	First Record of the Isolation, Identification and Biological Activity of a New Strain of <i>Spirillospora albida</i> from Thai Cave Soil. 2009 , 23, 1-7	10
1346	<i>Oceanobacillus soja</i> sp. nov. isolated from soy sauce production equipment in Japan. 2009 , 55, 225-32	31
1345	A novel rearrangement in the mitochondrial genome of tongue sole, <i>Cynoglossus semilaevis</i> : control region translocation and a tRNA gene inversion. 2009 , 52, 975-84	58

1344	Pnigalio agraulis (Walker) and Pnigalio mediterraneus Ferrière and Delucchi (Hymenoptera: Eulophidae): two closely related valid species. 2009 , 43, 2465-2480	32
1343	Identification and characterization of maize and barley Lsi2-like silicon efflux transporters reveals a distinct silicon uptake system from that in rice. 2009 , 21, 2133-42	197
1342	High level of multidrug resistance mutations in HIV type 1 pol gene and resistance-associated mutations to enfuvirtide (T-20) among antiretroviral-experienced patients from central Brazil. 2009 , 25, 943-50	15
1341	Pup, a prokaryotic ubiquitin-like protein, is an intrinsically disordered protein. 2009 , 422, 207-15	83
1340	Evidence of co-specificity between Tetranychus evansi and Tetranychus takafujii (Acari: Prostigmata, Tetranychidae): comments on taxonomic and agricultural aspects. 2009 , 35, 485-501	41
1339	HIV type 1 in Fiji is caused by subtypes C and B. 2009 , 25, 1355-8	1
1338	'Candidatus Planktophilia limnetica', an actinobacterium representing one of the most numerically important taxa in freshwater bacterioplankton. 2009 , 59, 2864-9	53
1337	First Records of Deermice (Peromyscus maniculatus) in the Copper River Basin, Southcentral Alaska. 2009 , 90, 243-247	3
1336	Mitochondrial DNA Phylogeography of Black Bears (Ursus americanus) in Central and Southern North America: Conservation Implications. 2009 , 90, 1075-1082	19
1335	Longitudinal survey of avian metapneumoviruses in poultry in Israel: infiltration of field strains into vaccinated flocks. 2009 , 53, 184-9	18
1334	Evaluation of PCR and DNA sequencing for direct detection of Clostridium perfringens in the intestinal tract of broilers. 2009 , 53, 441-8	4
1333	Morphological and molecular classifications of genus pholis. 2009 , 13, 453-460	
1332	Rapid Range Expansion of the Wool-Carder Bee, Anthidium manicatum (Linnaeus) (Hymenoptera: Megachilidae), in North America. 2009 , 82, 21-29	39
1331	Identification and characterization of a duck enteritis virus US3-like gene. 2009 , 53, 363-9	15
1330	Ethylene regulates phosphorus remobilization and expression of a phosphate transporter (PhPT1) during petunia corolla senescence. 2009 , 60, 2179-90	54
1329	Changes in drug resistance patterns following the introduction of HIV type 1 non-B subtypes in Spain. 2009 , 25, 967-72	14
1328	Transformed hairy roots of Arachis hypogea: a tool for studying root nodule symbiosis in a non-infection thread legume of the Aeschynomeneae tribe. 2009 , 22, 132-42	44
1327	A novel mutation (C1425Y) in the FBN2 gene in a father and son with congenital contractural arachnodactyly. 2009 , 13, 295-300	5

1326	Genetic and morphologic characterization of four putative cylindrospermopsin producing species of the cyanobacterial genera <i>Anabaena</i> and <i>Aphanizomenon</i> . 2009 , 31, 465-480	49
1325	A bacterial-type ABC transporter is involved in aluminum tolerance in rice. 2009 , 21, 655-67	290
1324	. 2009 ,	
1323	Genotypic characterization of CRF01_AE env genes derived from human immunodeficiency virus type 1-infected patients residing in central Thailand. 2009 , 25, 229-36	18
1322	<i>Arabidopsis</i> FtsZ2-1 and FtsZ2-2 are functionally redundant, but FtsZ-based plastid division is not essential for chloroplast partitioning or plant growth and development. 2009 , 2, 1211-22	74
1321	Pathogenomics of the virulence plasmids of <i>Escherichia coli</i> . 2009 , 73, 750-74	280
1320	Comparison of full <i>gyrA</i> , <i>gyrB</i> , <i>parC</i> and <i>parE</i> gene sequences between all <i>Ureaplasma parvum</i> and <i>Ureaplasma urealyticum</i> serovars to separate true fluoroquinolone antibiotic resistance mutations from non-resistance polymorphism. 2009 , 64, 529-38	41
1319	<i>Gracilimonas tropica</i> gen. nov., sp. nov., isolated from a <i>Synechococcus</i> culture. 2009 , 59, 1167-72	24
1318	<i>Sciscionella marina</i> gen. nov., sp. nov., a marine actinomycete isolated from a sediment in the northern South China Sea. 2009 , 59, 222-8	57
1317	Recent spread of a retrotransposon in the <i>Silene latifolia</i> genome, apart from the Y chromosome. 2009 , 181, 811-7	26
1316	The modern concept of the procaryote. 2009 , 191, 2000-5; discussion 2006-7	35
1315	Novel subfamily of mitochondrial HMG box-containing proteins: functional analysis of Gcf1p from <i>Candida albicans</i> . 2009 , 155, 1226-1240	24
1314	<i>Pelagibius litoralis</i> gen. nov., sp. nov., a marine bacterium in the family Rhodospirillaceae isolated from coastal seawater. 2009 , 59, 818-23	26
1313	Complex nature of the genome in a wine spoilage yeast, <i>Dekkera bruxellensis</i> . 2009 , 8, 1739-49	66
1312	The EmsB tandemly repeated multilocus microsatellite: a new tool to investigate genetic diversity of <i>Echinococcus granulosus sensu lato</i> . 2009 , 47, 3608-16	24
1311	<i>Streptomyces atriruber</i> sp. nov. and <i>Streptomyces silaceus</i> sp. nov., two novel species of equine origin. 2009 , 59, 2899-903	10
1310	<i>Arabidopsis</i> GRI is involved in the regulation of cell death induced by extracellular ROS. 2009 , 106, 5412-7	54
1309	<i>Corynebacterium timonense</i> sp. nov. and <i>Corynebacterium massiliense</i> sp. nov., isolated from human blood and human articular hip fluid. 2009 , 59, 1953-9	12

1308	A new <i>Neotyphodium</i> species from <i>Festuca parvigluma</i> Steud. grown in China. 2009 , 101, 681-5	11
1307	Assessing genetic diversity in three wild <i>Brachymystax lenok</i> populations using AFLP markers. 2009 , 6, 241-247	
1306	Reconstitution of authentic nanovirus from multiple cloned DNAs. 2009 , 83, 10778-87	50
1305	Characterization of a beta-glucoside operon (bgc) prevalent in septicemic and uropathogenic <i>Escherichia coli</i> strains. 2009 , 75, 2284-93	9
1304	A small GTPase of the Rab family is required for root hair formation and preinfection stages of the common bean-Rhizobium symbiotic association. 2009 , 21, 2797-810	50
1303	<i>Brachymonas chironomi</i> sp. nov., isolated from a chironomid egg mass, and emended description of the genus <i>Brachymonas</i> . 2009 , 59, 3025-9	11
1302	<i>Saccharopolyspora tripterygii</i> sp. nov., an endophytic actinomycete isolated from the stem of <i>Tripterygium hypoglaucum</i> . 2009 , 59, 3040-4	22
1301	<i>Trypanosoma caninum</i> n. sp. (Protozoa: Kinetoplastida) isolated from intact skin of a domestic dog (<i>Canis familiaris</i>) captured in Rio de Janeiro, Brazil. 2009 , 136, 411-23	37
1300	'Candidatus <i>Phytoplasma tamaricis</i> ', a novel taxon discovered in witches'-broom-diseased salt cedar (<i>Tamarix chinensis</i> Lour.). 2009 , 59, 2496-504	38
1299	The CELLULOSE-SYNTHASE LIKE C (CSLC) family of barley includes members that are integral membrane proteins targeted to the plasma membrane. 2009 , 2, 1025-39	32
1298	Rapid electrochemical identification of pathogenic <i>Candida</i> species. 2009 , 58, 1182-1189	9
1297	<i>Glaciibacter superstes</i> gen. nov., sp. nov., a novel member of the family Microbacteriaceae isolated from a permafrost ice wedge. 2009 , 59, 482-6	33
1296	Pathway evolution by horizontal transfer and positive selection is accommodated by relaxed negative selection upon upstream pathway genes in purple bacterial carotenoid biosynthesis. 2009 , 191, 7500-8	15
1295	<i>Paenibacillus siamensis</i> sp. nov., <i>Paenibacillus septentrionalis</i> sp. nov. and <i>Paenibacillus montaniterrae</i> sp. nov., xylanase-producing bacteria from Thai soils. 2009 , 59, 130-4	12
1294	Reclassification of <i>Pediococcus dextrinicus</i> (Coster and White 1964) back 1978 (Approved Lists 1980) as <i>Lactobacillus dextrinicus</i> comb. nov., and emended description of the genus <i>Lactobacillus</i> . 2009 , 59, 615-21	46
1293	Functional and structural characterization of a flavonoid glucoside 1,6-glucosyltransferase from <i>Catharanthus roseus</i> . 2009 , 50, 1401-15	42
1292	Characterization of arrangement and expression of the T cell receptor gamma locus in the sandbar shark. 2009 , 106, 8591-6	48
1291	Confirmation of the sequence of 'Candidatus <i>Liberibacter asiaticus</i> ' and assessment of microbial diversity in Huanglongbing-infected citrus phloem using a metagenomic approach. 2009 , 22, 1624-34	75

1290	Sequencing and analyses of all known human rhinovirus genomes reveal structure and evolution. 2009 , 324, 55-9	359
1289	Natural variability of NS3 protease in patients infected with genotype 4 hepatitis C virus (HCV): implications for antiviral treatment using specifically targeted antiviral therapy for HCV. 2009 , 200, 524-7	10
1288	Phylogenetic analysis of rubella virus strains from an outbreak in Madrid, Spain, from 2004 to 2005. 2009 , 47, 158-63	13
1287	Near full-length genetic analysis of HIV sequences derived from Cyprus: evidence of a highly polyphyletic and evolving infection. 2009 , 25, 727-40	12
1286	Comparative genomics reveal the mechanism of the parallel evolution of O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> . 2009 , 106, 17939-44	273
1285	Molecular phylogeny of the scuticociliate, <i>Philaster</i> (Protozoa, Ciliophora), with a description of a new species, <i>P. apodigitiformis</i> sp. nov.. 2009 , 7, 381-388	16
1284	<i>Arabidopsis</i> L-type lectin receptor kinases: phylogeny, classification, and expression profiles. 2009 , 60, 4383-96	132
1283	Development of EST-SSR markers for the study of population structure in lettuce (<i>Lactuca sativa</i> L.). 2009 , 100, 256-62	80
1282	Near full-length genome characterization of HIV type 1 unique BC recombinant forms from Southern Brazil. 2009 , 25, 1339-44	13
1281	Functional analysis of three sulfide:quinone oxidoreductase homologs in <i>Chlorobaculum tepidum</i> . 2009 , 191, 1026-34	58
1280	Evolution of seahorses' upright posture was linked to Oligocene expansion of seagrass habitats. 2009 , 5, 521-3	42
1279	Thioredoxins in redox maintenance and survival during oxidative stress of <i>Bacteroides fragilis</i> . 2009 , 191, 3384-91	38
1278	A mycorrhizal-specific ammonium transporter from <i>Lotus japonicus</i> acquires nitrogen released by arbuscular mycorrhizal fungi. 2009 , 150, 73-83	224
1277	<i>Vogesella lacus</i> sp. nov., isolated from a soft-shell turtle culture pond. 2009 , 59, 2629-32	12
1276	Structure and expression strategy of the genome of <i>Culex pipiens</i> densovirus, a mosquito densovirus with an ambisense organization. 2009 , 83, 6863-73	19
1275	<i>Streptomyces sedi</i> sp. nov., isolated from surface-sterilized roots of <i>Sedum</i> sp. 2009 , 59, 1492-6	21
1274	Molecular identification and hidden diversity of novel <i>Daphnia</i> parasites from European lakes. 2009 , 75, 7051-9	62
1273	Detection and quantification of human bocavirus in river water. 2009 , 90, 2634-2637	34

1272	Alcanivorax hongdengensis sp. nov., an alkane-degrading bacterium isolated from surface seawater of the straits of Malacca and Singapore, producing a lipopeptide as its biosurfactant. 2009 , 59, 1474-9	36
1271	Survey of wastewater indicators and human pathogen genomes in biosolids produced by class A and class B stabilization treatments. 2009 , 75, 164-74	85
1270	Kocuria gwangalliensis sp. nov., an actinobacterium isolated from seawater. 2009 , 59, 2769-72	30
1269	Assignment of the group A rotavirus NSP4 gene into genotypes using a hemi-nested multiplex PCR assay: a rapid and reproducible assay for strain surveillance studies. 2009 , 58, 303-311	9
1268	Evidence for horizontal gene transfer of two antigenically distinct O antigens in Bordetella bronchiseptica. 2009 , 77, 3249-57	16
1267	Occurrence, phylogeny, structure, and function of catalases and peroxidases in cyanobacteria. 2009 , 60, 423-40	87
1266	Defining the potassium binding region in an apple terpene synthase. 2009 , 284, 8661-9	34
1265	Clostridium lavalense sp. nov., a glycopeptide-resistant species isolated from human faeces. 2009 , 59, 498-503	19
1264	Marinactinospora thermotolerans gen. nov., sp. nov., a marine actinomycete isolated from a sediment in the northern South China Sea. 2009 , 59, 948-52	49
1263	Phocaeicola abscessus gen. nov., sp. nov., an anaerobic bacterium isolated from a human brain abscess sample. 2009 , 59, 2232-7	20
1262	Predominance and circulation of enteric viruses in the region of Greater Cairo, Egypt. 2009 , 47, 1037-45	85
1261	Novel begomovirus species of recombinant nature in sweet potato (Ipomoea batatas) and Ipomoea indica: taxonomic and phylogenetic implications. 2009 , 90, 2550-2562	56
1260	African lungfish, Protopterus annectens, possess an arginine vasotocin receptor homologous to the tetrapod V2-type receptor. 2009 , 212, 2183-93	37
1259	Lactobacillus nodensis sp. nov., isolated from rice bran. 2009 , 59, 83-6	19
1258	Linking microbial community function to phylogeny of sulfate-reducing Deltaproteobacteria in marine sediments by combining stable isotope probing with magnetic-bead capture hybridization of 16S rRNA. 2009 , 75, 4927-35	40
1257	Spontaneous quinolone resistance in the zoonotic serovar of Vibrio vulnificus. 2009 , 75, 2577-80	9
1256	Spectrum of zygomycete species identified in clinically significant specimens in the United States. 2009 , 47, 1650-6	116
1255	Bowmanella pacifica sp. nov., isolated from a pyrene-degrading consortium. 2009 , 59, 1579-82	15

1254	<i>Carnobacterium jeotgali</i> sp. nov., isolated from a Korean traditional fermented food. 2009 , 59, 3168-71	11
1253	Genetic diversity and abundance of flavobacterial proteorhodopsin in China seas. 2009 , 75, 529-33	13
1252	<i>Verrucosipora lutea</i> sp. nov., isolated from a mangrove sediment sample. 2009 , 59, 2269-73	22
1251	Dynamic functional evolution of an odorant receptor for sex-steroid-derived odors in primates. 2009 , 106, 21247-51	34
1250	Detection and characterization of the fimbrial <i>sfp</i> cluster in enterohemorrhagic <i>Escherichia coli</i> O165:H25/NM isolates from humans and cattle. 2009 , 75, 64-71	24
1249	<i>Leptospira kmetyi</i> sp. nov., isolated from an environmental source in Malaysia. 2009 , 59, 705-8	56
1248	Identification and characterization of heat shock 70 genes in <i>Aedes aegypti</i> (Diptera: Culicidae). 2009 , 46, 496-504	29
1247	<i>Altererythrobacter marinus</i> sp. nov., isolated from deep seawater. 2009 , 59, 2973-6	36
1246	Gene silencing in the marine diatom <i>Phaeodactylum tricornutum</i> . 2009 , 37, e96	229
1245	A novel activating chicken IgY FcR is related to leukocyte receptor complex (LRC) genes but is located on a chromosomal region distinct from the LRC and FcR gene clusters. 2009 , 182, 1533-40	33
1244	Age at first reproduction explains rate variation in the strepsirrhine molecular clock. 2009 , 106, 18165-70	25
1243	Candidicin-producing <i>Streptomyces</i> support leaf-cutting ants to protect their fungus garden against the pathogenic fungus <i>Escovopsis</i> . 2009 , 106, 4742-6	222
1242	The fifth class of Galpha proteins. 2009 , 106, 1484-9	31
1241	Characterization of Nda2, a plastoquinone-reducing type II NAD(P)H dehydrogenase in <i>Chlamydomonas</i> chloroplasts. 2009 , 284, 4148-57	116
1240	The chicken leukocyte receptor complex encodes a family of different affinity FcY receptors. 2009 , 182, 6985-92	37
1239	Functions of <i>Manduca sexta</i> hemolymph proteinases HP6 and HP8 in two innate immune pathways. 2009 , 284, 19716-26	116
1238	Phylogeny and primary structure analysis of fiber shafts of all human adenovirus types for rational design of adenoviral gene-therapy vectors. 2009 , 90, 2849-2854	20
1237	Drought stress-induced Rma1H1, a RING membrane-anchor E3 ubiquitin ligase homolog, regulates aquaporin levels via ubiquitination in transgenic <i>Arabidopsis</i> plants. 2009 , 21, 622-41	226

1236	A chloroplastic UDP-glucose pyrophosphorylase from Arabidopsis is the committed enzyme for the first step of sulfolipid biosynthesis. 2009 , 21, 892-909	174
1235	The nuclear interactor PYL8/RCAR3 of <i>Fagus sylvatica</i> FsPP2C1 is a positive regulator of abscisic acid signaling in seeds and stress. 2010 , 152, 133-50	86
1234	<i>Bacillus neizhouensis</i> sp. nov., a halophilic marine bacterium isolated from a sea anemone. 2009 , 59, 3035-9	28
1233	Outbreak of Newcastle disease due to pigeon paramyxovirus type 1 in grey partridges (<i>Perdix perdix</i>) in Scotland in October 2006. 2009 , 165, 531-5	33
1232	The evolution of irradiance detection: melanopsin and the non-visual opsins. 2009 , 364, 2849-65	171
1231	Genome diversity and intra- and interspecies recombination events in Grapevine fanleaf virus. 2009 , 99, 1394-402	48
1230	A zinc finger transcription factor ART1 regulates multiple genes implicated in aluminum tolerance in rice. 2009 , 21, 3339-49	270
1229	Epidemiology of human influenza A and B viruses in Myanmar from 2005 to 2007. 2009 , 52, 310-20	42
1228	A marsupial, <i>Trichosurus vulpecula</i> , DDX4/VASAGene (TvDDX4) of the DEAD box protein family: molecular conservation and germline expression. 2009 , 126, 348-58	4
1227	Transcriptional wiring of cell wall-related genes in Arabidopsis. 2009 , 2, 1015-24	35
1226	<i>Lysobacter oryzae</i> sp. nov., isolated from the rhizosphere of rice (<i>Oryza sativa</i> L.). 2009 , 59, 675-80	35
1225	<i>Salinivibrio siamensis</i> sp. nov., from fermented fish (pla-ra) in Thailand. 2009 , 59, 880-5	23
1224	<i>Spirosoma panaciterrae</i> sp. nov., isolated from soil. 2009 , 59, 331-5	46
1223	Plant-derived sucrose is a key element in the symbiotic association between <i>Trichoderma virens</i> and maize plants. 2009 , 151, 792-808	155
1222	SHALLOT-LIKE1 is a KANADI transcription factor that modulates rice leaf rolling by regulating leaf abaxial cell development. 2009 , 21, 719-35	164
1221	Multilocus sequence typing of <i>Oenococcus oeni</i> : detection of two subpopulations shaped by intergenic recombination. 2009 , 75, 1291-300	70
1220	Mixed infections of Pepino mosaic virus strains modulate the evolutionary dynamics of this emergent virus. 2009 , 83, 12378-87	84
1219	Pegylated interferon and ribavirin promote early evolution of nonstructural 5A protein in individuals with hepatitis C who demonstrate a response to treatment. 2009 , 200, 866-76	6

1218	Pigmentation pathway evolution after whole-genome duplication in fish. 2009 , 1, 479-93	84
1217	Emended description of the genus <i>Polynucleobacter</i> and the species <i>Polynucleobacter necessarius</i> and proposal of two subspecies, <i>P. necessarius</i> subsp. <i>necessarius</i> subsp. nov. and <i>P. necessarius</i> subsp. <i>asymbioticus</i> subsp. nov. 2009 , 59, 2002-9	74
1216	Bacterial diversity in persistent periapical lesions on root-filled teeth. 2009 , 1,	20
1215	Phylogenetic analyses and detection of viridans streptococci based on sequences and denaturing gradient gel electrophoresis of the rod shape-determining protein gene. 2009 , 1,	8
1214	Dealing wildlife offences in India: role of the hair as physical evidence. 2009 , 1, 18-26	8
1213	The novel protein kinase Vlk is essential for stromal function of mesenchymal cells. 2009 , 136, 2069-79	24
1212	Validation of partial <i>rpoB</i> gene sequence analysis for the identification of clinically important and emerging <i>Acinetobacter</i> species. 2009 , 155, 2333-2341	144
1211	Functional and genetic diversity of mycorrhizal fungi from single plants of <i>Caladenia formosa</i> (Orchidaceae). 2009 , 104, 757-65	31
1210	Origin and diversification of land plant CC-type glutaredoxins. 2009 , 1, 265-77	39
1209	Evolutionary conservation levels of subunits of histone-modifying protein complexes in fungi. 2009 , 379317	11
1208	Novel staphylococcal cassette chromosome <i>mec</i> type, tentatively designated type VIII, harboring class A <i>mec</i> and type 4 <i>ccr</i> gene complexes in a Canadian epidemic strain of methicillin-resistant <i>Staphylococcus aureus</i> . 2009 , 53, 531-40	141
1207	Worldwide prevalence of class 2 integrases outside the clinical setting is associated with human impact. 2009 , 75, 5100-10	25
1206	<i>rhs</i> genes are potential markers for multilocus sequence typing of <i>Escherichia coli</i> O157:H7 strains. 2009 , 75, 5853-62	23
1205	Dominant bacteria and biomass in the Kuytun 51 Glacier. 2009 , 75, 7287-90	33
1204	Linking sequence to function in soil bacteria: sequence-directed isolation of novel bacteria contributing to soilborne plant disease suppression. 2009 , 75, 915-24	53
1203	Detection and characterization of waterborne gastroenteritis viruses in urban sewage and sewage-polluted river waters in Caracas, Venezuela. 2009 , 75, 387-94	66
1202	Production of the phytohormone indole-3-acetic acid by estuarine species of the genus <i>Vibrio</i> . 2009 , 75, 2253-8	56
1201	6-pyruvoyltetrahydropterin synthase paralogs replace the folate synthesis enzyme dihydroneopterin aldolase in diverse bacteria. 2009 , 191, 4158-65	20

1200	A unique beta-1,2-mannosyltransferase of <i>Thermotoga maritima</i> that uses di-myo-inositol phosphate as the mannosyl acceptor. 2009 , 191, 6105-15	16
1199	Region of difference 1 in nontuberculous <i>Mycobacterium</i> species adds a phylogenetic and taxonomical character. 2009 , 191, 5865-7	83
1198	Identification of the site-specific DNA invertase responsible for the phase variation of SusC/SusD family outer membrane proteins in <i>Bacteroides fragilis</i> . 2009 , 191, 6003-11	29
1197	Macroamphiphilic components of thermophilic actinomycetes: identification of lipoteichoic acid in <i>Thermobifida fusca</i> . 2009 , 191, 152-60	22
1196	Mutations in ampG and lytic transglycosylase genes affect the net release of peptidoglycan monomers from <i>Vibrio fischeri</i> . 2009 , 191, 2012-22	36
1195	Identification of an rsh gene from a <i>Novosphingobium</i> sp. necessary for quorum-sensing signal accumulation. 2009 , 191, 2551-60	18
1194	Census and analysis of persistent false-negative results in serological diagnosis of human immunodeficiency virus type 1 group O infections. 2009 , 47, 2906-11	38
1193	Screening respiratory samples for detection of human rhinoviruses (HRVs) and enteroviruses: comprehensive VP4-VP2 typing reveals high incidence and genetic diversity of HRV species C. 2009 , 47, 3958-67	119
1192	Cassava brown streak virus (Potyviridae) encodes a putative Maf/HAM1 pyrophosphatase implicated in reduction of mutations and a P1 proteinase that suppresses RNA silencing but contains no HC-Pro. 2009 , 83, 6934-40	86
1191	A novel genotype H9N2 influenza virus possessing human H5N1 internal genomes has been circulating in poultry in eastern China since 1998. 2009 , 83, 8428-38	90
1190	Identification of amino acid residues critical for the anti-interferon activity of the nucleoprotein of the prototypic arenavirus lymphocytic choriomeningitis virus. 2009 , 83, 11330-40	96
1189	The closest relatives of icosahedral viruses of thermophilic bacteria are among viruses and plasmids of the halophilic archaea. 2009 , 83, 9388-97	41
1188	Transmission networks and population turnover of echovirus 30. 2009 , 83, 2109-18	87
1187	<i>Prevotella micans</i> sp. nov., isolated from the human oral cavity. 2009 , 59, 771-4	15
1186	<i>Mycobacterium insubricum</i> sp. nov. 2009 , 59, 1518-23	13
1185	<i>Halomonas fontilapidosi</i> sp. nov., a moderately halophilic, denitrifying bacterium. 2009 , 59, 1290-6	35
1184	<i>Kocuria halotolerans</i> sp. nov., an actinobacterium isolated from a saline soil in China. 2009 , 59, 1316-20	60
1183	<i>Zhihengliuella alba</i> sp. nov., and emended description of the genus <i>Zhihengliuella</i> . 2009 , 59, 2025-31	237

1182	Streptosporangium canum sp. nov., isolated from soil. 2009 , 59, 1715-9	9
1181	Muricauda olearia sp. nov., isolated from crude-oil-contaminated seawater, and emended description of the genus Muricauda. 2009 , 59, 1856-61	37
1180	Brevibacterium massiliense sp. nov., isolated from a human ankle discharge. 2009 , 59, 1960-4	20
1179	Flavobacterium chungangense sp. nov., isolated from a freshwater lake. 2009 , 59, 1754-8	35
1178	Pseudomonas pelagia sp. nov., isolated from a culture of the Antarctic green alga Pyramimonas gelidicola. 2009 , 59, 3019-24	34
1177	Halomonas zhanjiangensis sp. nov., a halophilic bacterium isolated from a sea urchin. 2009 , 59, 2888-93	28
1176	Distribution of the leptospiral immunoglobulin-like (lig) genes in pathogenic Leptospira species and application of ligB to typing leptospiral isolates. 2009 , 58, 1173-1181	40
1175	Evolution of colicin BM plasmids: the loss of the colicin B activity gene. 2009 , 155, 1645-1655	21
1174	Diversity and evolution of the Cydia pomonella granulovirus. 2009 , 90, 662-671	45
1173	Molecular characterization of human rhinovirus field strains isolated during surveillance of enteroviruses. 2009 , 90, 1371-1381	19
1172	High prevalence of amantadine resistance among circulating European porcine influenza A viruses. 2009 , 90, 900-908	70
1171	Tracking the past: interspersed repeats in an extinct Afrotherian mammal, Mammuthus primigenius. 2009 , 19, 1384-92	18
1170	Expansion and diversification of the Populus R2R3-MYB family of transcription factors. 2009 , 149, 981-93	346
1169	The NBPF1 promoter has been recruited from the unrelated EVI5 gene before simian radiation. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1321-32	8.3 13
1168	Genome sequence comparison of Col and Ler lines reveals the dynamic nature of Arabidopsis chromosomes. 2009 , 37, 3189-201	38
1167	TARGeT: a web-based pipeline for retrieving and characterizing gene and transposable element families from genomic sequences. 2009 , 37, e78	29
1166	Sequence diversity of the factor H binding protein vaccine candidate in epidemiologically relevant strains of serogroup B Neisseria meningitidis. 2009 , 200, 379-89	162
1165	Evolution of F-box genes in plants: different modes of sequence divergence and their relationships with functional diversification. 2009 , 106, 835-40	215

1164	Characterization and distribution of retrotransposons and simple sequence repeats in the bovine genome. 2009 , 106, 12855-60	75
1163	High frequency of hotspot mutations in core genes of <i>Escherichia coli</i> due to short-term positive selection. 2009 , 106, 12412-7	71
1162	Excretory/secretory proteome of the adult developmental stage of human blood fluke, <i>Schistosoma japonicum</i> . 2009 , 8, 1236-51	138
1161	Using morphological and molecular tools to identify megalopae larvae collected in the field: the case of sympatric Cancer crabs. 2009 , 89, 481-490	27
1160	<i>Angiostrongylus vasorum</i> from South America and Europe represent distinct lineages. 2009 , 136, 107-15	58
1159	RNA-interference methods for gene-knockdown in the sea louse, <i>Lepeophtheirus salmonis</i> : studies on a putative prostaglandin E synthase. 2009 , 136, 867-74	21
1158	How selection affects phenotypic fluctuation. 2009 , 5, 264	34
1157	Genetic structure of Japanese populations of <i>Xylosandrus brevis</i> (Curculionidae: Scolytinae). 2009 , 38, 1324-35	1
1156	Characterization of a phenazine and hexanoyl homoserine lactone producing <i>Pseudomonas aurantiaca</i> strain PB-St2, isolated from sugarcane stem. 2009 , 19, 1688-94	30
1155	Natural polymorphisms of human immunodeficiency virus type 1 integrase and inherent susceptibilities to a panel of integrase inhibitors. 2009 , 53, 4275-82	73
1154	Nonstationary evolution and compositional heterogeneity in beetle mitochondrial phylogenomics. 2009 , 58, 381-94	134
1153	<i>Arcobacter mytili</i> sp. nov., an indoxyl acetate-hydrolysis-negative bacterium isolated from mussels. 2009 , 59, 1391-6	96
1152	qnrD, a novel gene conferring transferable quinolone resistance in <i>Salmonella enterica</i> serovar Kentucky and Bovismorbificans strains of human origin. 2009 , 53, 603-8	335
1151	Direct detection of salmonella cells in the air of livestock stables by real-time PCR. 2009 , 53, 859-68	27
1150	Sharing of endogenous lentiviral gene fragments among leporid lineages separated for more than 12 million years. 2009 , 83, 2386-8	45
1149	Quantitating the multiplicity of infection with human immunodeficiency virus type 1 subtype C reveals a non-poisson distribution of transmitted variants. 2009 , 83, 3556-67	306
1148	Homologs of the small RNA SgrS are broadly distributed in enteric bacteria but have diverged in size and sequence. 2009 , 37, 5465-76	70
1147	Viremia, resuppression, and time to resistance in human immunodeficiency virus (HIV) subtype C during first-line antiretroviral therapy in South Africa. 2009 , 49, 1928-35	98

1146	Composite likelihood modeling of neighboring site correlations of DNA sequence substitution rates. 2009 , 8, Article 6		4
1145	Phylogenetic analysis of <i>Mycobacterium aurum</i> and <i>Mycobacterium neoaurum</i> with redescription of <i>M. aurum</i> culture collection strains. 2009 , 59, 1371-5		19
1144	Isolation and Characterization of the Eicosapentaenoic Acid Biosynthesis Gene Cluster from <i>Shewanella</i> sp. BR-2. 2009 ,		
1143	Allelic variation of bile salt hydrolase genes in <i>Lactobacillus salivarius</i> does not determine bile resistance levels. 2009 , 191, 5743-57		62
1142	The Fruitless gene in <i>Nasonia</i> displays complex sex-specific splicing and contains new zinc finger domains. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1557-69	8.3	43
1141	Identification of Amazonian trees with DNA barcodes. 2009 , 4, e7483		152
1140	Amino acid covariation in a functionally important human immunodeficiency virus type 1 protein region is associated with population subdivision. 2009 , 182, 265-75		3
1139	<i>Oceanicola pacificus</i> sp. nov., isolated from a deep-sea pyrene-degrading consortium. 2009 , 59, 1158-61		24
1138	Ecophysiology of " <i>Halarsenatibacter silvermanii</i> " strain SLAS-1T, gen. nov., sp. nov., a facultative chemoautotrophic arsenate respirer from salt-saturated Searles Lake, California. 2009 , 75, 1950-60		42
1137	Origin and distribution of tick-borne encephalitis virus strains of the Siberian subtype in the Middle Urals, the north-west of Russia and the Baltic countries. 2009 , 90, 2884-2892		45
1136	NAD biosynthesis evolution in bacteria: lateral gene transfer of kynurenine pathway in Xanthomonadales and Flavobacteriales. <i>Molecular Biology and Evolution</i> , 2009 , 26, 399-406	8.3	36
1135	<i>Maribacter antarcticus</i> sp. nov., a psychrophilic bacterium isolated from a culture of the Antarctic green alga <i>Pyramimonas gelidicola</i> . 2009 , 59, 1455-9		30
1134	<i>Streptomonospora amylolytica</i> sp. nov. and <i>Streptomonospora flavalba</i> sp. nov., two novel halophilic actinomycetes isolated from a salt lake. 2009 , 59, 2471-5		25
1133	Novel anellovirus discovered from a mortality event of captive California sea lions. 2009 , 90, 1256-1261		74
1132	<i>Bradyrhizobia</i> nodulating the <i>Acacia mangium</i> x <i>A. auriculiformis</i> interspecific hybrid are specific and differ from those associated with both parental species. 2009 , 75, 7752-9		20
1131	Trimeric autotransporters of <i>Haemophilus parasuis</i> : generation of an extensive passenger domain repertoire specific for pathogenic strains. 2009 , 191, 576-87		45
1130	The complete nucleotide sequence of the mitochondrial genome of the cabbage butterfly, <i>Artogeia melete</i> (Lepidoptera: Pieridae). 2009 , 41, 446-55		79
1129	Intercistronic heterogeneity of the 16S-23S rRNA spacer region among <i>Pseudomonas</i> strains isolated from subterranean seeds of hog peanut (<i>Amphicarpa bracteata</i>). 2009 , 155, 2630-2640		8

1128	Nucleotide and copy-number polymorphism at the odorant receptor genes Or22a and Or22b in <i>Drosophila melanogaster</i> . <i>Molecular Biology and Evolution</i> , 2009 , 26, 61-70	8.3	23
1127	<i>Deinococcus gobiensis</i> sp. nov., an extremely radiation-resistant bacterium. 2009 , 59, 1513-7		43
1126	The real maccoyii: identifying tuna sushi with DNA barcodes--contrasting characteristic attributes and genetic distances. 2009 , 4, e7866		129
1125	The modular architecture of meningococcal factor H-binding protein. 2009 , 155, 2873-2883		59
1124	<i>Herbidospira osyris</i> sp. nov., isolated from surface-sterilized tissue of <i>Osyris wightiana</i> Wall. ex Wight. 2009 , 59, 3123-7		12
1123	Utility of molecular sequence analysis of the ITS rRNA region for identification of <i>Fusarium</i> spp. from ocular sources. 2009 , 50, 2230-6		22
1122	Embryonic temperature affects muscle fibre recruitment in adult zebrafish: genome-wide changes in gene and microRNA expression associated with the transition from hyperplastic to hypertrophic growth phenotypes. 2009 , 212, 1781-93		118
1121	Identification and comparative analysis of telomerase RNAs from <i>Candida</i> species reveal conservation of functional elements. 2009 , 15, 546-59		80
1120	Epidermodysplasia- verruciformis-like eruption associated with gamma-papillomavirus infection in a patient with adult T-cell leukemia. 2009 , 219, 274-8		5
1119	Pathogenomics of mycobacteria. 2009 , 6, 198-210		10
1118	Molecular and phylogenetic analysis of HIV type 1 vpr sequences of South African strains. 2009 , 25, 357-62		8
1117	Genetic diversity and drug resistance of HIV type 1 circulating recombinant Form_BC among drug users in Guangdong Province. 2009 , 25, 869-75		10
1116	Microbial diversity in endostromatolites (cf. Fissure Calcretes) and in the surrounding permafrost landscape, Houghton impact structure region, Devon Island, Canada. 2009 , 9, 807-22		15
1115	Rickettsial infection in <i>Amblyomma nodosum</i> ticks (Acari: Ixodidae) from Brazil. 2009 , 103, 413-25		55
1114	Genomic organization and evolution of the vomeronasal type 2 receptor-like (OlFC) gene clusters in Atlantic salmon, <i>Salmo salar</i> . <i>Molecular Biology and Evolution</i> , 2009 , 26, 1117-25	8.3	24
1113	At4g24160, a soluble acyl-coenzyme A-dependent lysophosphatidic acid acyltransferase. 2009 , 151, 869-81		51
1112	The Gibberellic Acid Stimulated-Like gene family in maize and its role in lateral root development. 2010 , 152, 356-65		52
1111	The Yfr2 ncRNA family, a group of abundant RNA molecules widely conserved in cyanobacteria. 2009 , 6, 222-7		23

1110	Rapidly increasing prevalence of HIV and syphilis and HIV-1 subtype characterization among men who have sex with men in Jiangsu, China. 2009 , 36, 120-5	76
1109	Lack of primary mutations associated with integrase inhibitors among HIV-1 subtypes B, C, and F circulating in Brazil. 2009 , 51, 7-12	37
1108	Molecular characterization of a full-length genome of a HIV-2 isolate from India. 2009 , 52, 329-35	2
1107	Variations in archaeal and bacterial diversity associated with the sulfate-methane transition zone in continental margin sediments (Santa Barbara Basin, California). 2009 , 75, 1487-99	126
1106	Functional characteristics of HIV-1 subtype C compatible with increased heterosexual transmissibility. 2009 , 23, 1047-57	18
1105	Canine distemper epizootic in Everglades mink. 2009 , 45, 1150-7	6
1104	Prevalence and phylogenetic analysis of hepatitis B virus among nonhuman primates in Taiwan. 2009 , 40, 519-28	4
1103	Paramyxoviruses infecting humans: the old, the new and the unknown. 2009 , 4, 537-54	22
1102	Severe dengue epidemics in Sri Lanka, 2003-2006. 2009 , 15, 192-9	93
1101	Isolation of genotype V St. Louis encephalitis virus in Florida. 2009 , 15, 604-6	11
1100	Exotic small mammals as potential reservoirs of zoonotic Bartonella spp. 2009 , 15, 526-32	49
1099	Bovine kobuvirus in europe. 2009 , 15, 822-3	40
1098	Lineage 2 west nile virus as cause of fatal neurologic disease in horses, South Africa. 2009 , 15, 877-84	75
1097	Arcanobacterium pyogenes sepsis in farmer, Brazil. 2009 , 15, 1131-2	16
1096	Multiple origins of foot-and-mouth disease virus serotype Asia 1 outbreaks, 2003-2007. 2009 , 15, 1046-51	64
1095	Human rhinovirus group C in hospitalized children, Singapore. 2009 , 15, 1318-20	15
1094	West Nile virus from blood donors, vertebrates, and mosquitoes, Puerto Rico, 2007. 2009 , 15, 1298-300	19
1093	Nondominant hemisphere encephalitis in patient with signs of viral meningitis, New York, USA. 2009 , 15, 1320-1	2

1092	Fatal borreliosis in bat caused by relapsing fever spirochete, United Kingdom. 2009 , 15, 1331-3	49
1091	Highly pathogenic avian influenza virus A (H7N3) in domestic poultry, Saskatchewan, Canada, 2007. 2009 , 15, 1492-5	57
1090	Saffold cardiovirus in children with acute gastroenteritis, Beijing, China. 2009 , 15, 1509-11	37
1089	Predicting phenotype and emerging strains among Chlamydia trachomatis infections. 2009 , 15, 1385-94	72
1088	Human infection with G12 rotaviruses, Germany. 2009 , 15, 1512-5	28
1087	Novel rickettsia in ticks, Tasmania, Australia. 2009 , 15, 1654-6	21
1086	Epidemiology of hepatitis A virus infections, Germany, 2007-2008. 2009 , 15, 1760-8	46
1085	Outbreak of antiviral drug-resistant influenza a in long-term care facility, Illinois, USA, 2008. 2009 , 15, 1973-6	10
1084	Phylogeography of Coptotermes gestroi and Coptotermes formosanus (Isoptera: Rhinotermitidae) in Taiwan. 2009 , 102, 684-693	33
1083	Genetically diverse coronaviruses in wild bird populations of northern England. 2009 , 15, 1091-4	53
1082	Genetic characterization of foot-and-mouth disease viruses, Ethiopia, 1981-2007. 2009 , 15, 1409-17	83
1081	Genomic diversity of oseltamivir-resistant influenza virus A (H1N1), Luxembourg, 2007-08. 2009 , 15, 1523-4	8
1080	Molecular differentiation and diversity of Forcipomyia taiwana (Diptera: Ceratopogonidae) based on the mitochondrial cytochrome oxidase II sequence. 2009 , 46, 249-56	6
1079	Fatal case of deer tick virus encephalitis. 2009 , 360, 2099-107	88
1078	Phylogeographic patterns in reptiles on the New England Tablelands at the south-western boundary of the McPherson Macleay Overlap. 2009 , 57, 317	20
1077	Epidemiology, pathology, and genetic analysis of a canine distemper epidemic in Namibia. 2009 , 45, 1008-20	26
1076	Genome-wide analysis of MIKCC-type MADS box genes in grapevine. 2009 , 149, 354-69	146
1075	Molecular and biochemical characterization of the parvulin-type PPIases in Lotus japonicus. 2009 , 150, 1160-73	13

1074	Identification and functional characterization of inhibitor-3, a regulatory subunit of protein phosphatase 1 in plants. 2009 , 150, 144-56	25
1073	Two cys or not two cys? That is the question; alternative oxidase in the thermogenic plant sacred Lotus. 2009 , 150, 987-95	37
1072	Native plant and microbial contributions to a negative plant-plant interaction. 2009 , 151, 2145-51	37
1071	Partial atlE sequencing of Staphylococcus epidermidis strains from prosthetic joint infections. 2009 , 47, 2321-4	5
1070	The O-mannosyltransferase PMT4 is essential for normal appressorium formation and penetration in Ustilago maydis. 2009 , 21, 3397-412	46
1069	Inhibition of Oligomerization of Aerolysin from Aeromonas Hydrophila: Homology Modeling and Docking Approach for Exploration of Hemorrhagic Septicemia. 2009 , 6, 215-223	16
1068	Italian Autochthonous Chicken Breeds Conservation: Evaluation of Biodiversity in Valdarnese Bianca Breed (Gallus Gallus Gallus Domesticus). 2009 , 2, 229-233	8
1067	Co-occurrence of two tadpole shrimp, Triops cf. australiensis (Branchiopoda:Notostraca), lineages in middle Paroo, north-western New South Wales, with the first record of Triops hermaphrodites for the Australian continent. 2009 , 57, 77	12
1066	Molecular phylogenetics of nearly full-length HIV type 2 envelope gene sequences from West India. 2009 , 25, 115-21	4
1065	Processing and population genetic analysis of multigenic datasets with ProSeq3 software. 2009 , 25, 3189-90	67
1064	Molecular epidemiology of HIV type 2 infections in South India. 2009 , 25, 363-72	9
1063	Comparison of laboratory colonies and field populations of Tamarixia radiata, an ectoparasitoid of the Asian citrus psyllid, using internal transcribed spacer and cytochrome oxidase subunit I DNA sequences. 2009 , 102, 2325-32	18
1062	Isolation of Buggy Creek virus (Togaviridae: Alphavirus) from field-collected eggs of Oeciacus vicarius (Hemiptera: Cimicidae). 2009 , 46, 375-9	17
1061	Is interlineage recombination responsible for low divergence of mitochondrial nad3 genes in Mytilus galloprovincialis?. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1441-5	8.3 20
1060	Complete nucleotide analysis of the structural genome of the infectious bronchitis virus strain md27 reveals its mosaic nature. 2009 , 1, 1166-77	7
1059	Drug resistant mutations detected by genotypic drug resistance testing in patients failing therapy in clade C HIV-1 infected individuals from India. 2009 , 27, 231-6	13
1058	The global spread of hepatitis C virus 1a and 1b: a phylodynamic and phylogeographic analysis. 2009 , 6, e1000198	152
1057	Change of gene structure and function by non-homologous end-joining, homologous recombination, and transposition of DNA. 2009 , 5, e1000516	23

1056	Sharp phylogeographic breaks and patterns of genealogical concordance in the brine shrimp <i>Artemia franciscana</i> . 2009 , 10, 5455-70		21
1055	Molecular evolutionary consequences of niche restriction in <i>Francisella tularensis</i> , a facultative intracellular pathogen. 2009 , 5, e1000472		103
1054	Divergence in <i>Zygodontomys</i> (rodentia: Sigmodontinae) and distribution of amazonian savannas. 2009 , 100, 322-8		17
1053	Quantification and identification of culturable airborne bacteria from duck houses. 2010 , 54, 217-27		29
1052	Contrasting mode of evolution at a coat color locus in wild and domestic pigs. 2009 , 5, e1000341		154
1051	Adaptations to submarine hydrothermal environments exemplified by the genome of <i>Nautilia profundicola</i> . 2009 , 5, e1000362		105
1050	Parallel germline infiltration of a lentivirus in two Malagasy lemurs. 2009 , 5, e1000425		83
1049	Comparative genomic characterization of <i>Francisella tularensis</i> strains belonging to low and high virulence subspecies. 2009 , 5, e1000459		100
1048	Population genetic analysis infers migration pathways of <i>Phytophthora ramorum</i> in US nurseries. 2009 , 5, e1000583		113
1047	Highly Endangered African Wild Dogs (<i>Lycaon pictus</i>) Lack Variation at the Major Histocompatibility Complex. 2009 , 100, S54-S65		38
1046	Comparative inference of illegitimate recombination between rice and sorghum duplicated genes produced by polyploidization. 2009 , 19, 1026-32		66
1045	Nickel and Cobalt Removal Capacities of Native Metal-Resistant Bacteria. 2009 , 71-73, 617-620		3
1044	The endothelin system: evolution of vertebrate-specific ligand-receptor interactions by three rounds of genome duplication. <i>Molecular Biology and Evolution</i> , 2009 , 26, 783-99	8.3	68
1043	Evolution of mutation rates: phylogenomic analysis of the photolyase/cryptochrome family. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1143-53	8.3	62
1042	The eyes have it: regulatory and structural changes both underlie cichlid visual pigment diversity. 2009 , 7, e1000266		116
1041	Limited neutralizing antibody specificities drive neutralization escape in early HIV-1 subtype C infection. 2009 , 5, e1000598		184
1040	Evolutionary origin and genomic organization of micro-RNA genes in immunoglobulin lambda variable region gene family. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1179-89	8.3	20
1039	Comparative evolutionary analysis of the major structural subunit of <i>Vibrio vulnificus</i> type IV pili. <i>Molecular Biology and Evolution</i> , 2009 , 26, 2185-96	8.3	10

1038	Identifying currents in the gene pool for bacterial populations using an integrative approach. 2009 , 5, e1000455	78
1037	Mouse HORMAD1 and HORMAD2, two conserved meiotic chromosomal proteins, are depleted from synapsed chromosome axes with the help of TRIP13 AAA-ATPase. 2009 , 5, e1000702	274
1036	Identification of the <i>Schistosoma mansoni</i> TNF-alpha receptor gene and the effect of human TNF-alpha on the parasite gene expression profile. 2009 , 3, e556	27
1035	Bidirectional introgressive hybridization between a cattle and human schistosome species. 2009 , 5, e1000571	132
1034	Prediction of proteins putatively involved in the thiol: disulfide redox metabolism of a bacterium (<i>Listeria</i>): the CXXC motif as query sequence. 2009 , 9, 407-14	12
1033	<i>Phytophthora x pelgrandis</i> , a new natural hybrid pathogenic to <i>Pelargonium grandiflorum</i> hort. 2009 , 101, 220-31	25
1032	All known human rhinovirus species are present in sputum specimens of military recruits during respiratory infection. 2009 , 1, 1178-89	21
1031	Subgingival microflora in chronic obstructive pulmonary disease. 2009 , 21, 183-192	2
1030	Partial sequence comparison of the rpoB, sodA, groEL and gyrB genes within the genus <i>Streptococcus</i> . 2009 , 59, 2317-22	88
1029	Assessing the Mycorrhizal Diversity of Soils and Identification of Fungus Fruiting Bodies and Axenic Cultures. 2009 , 159-188	1
1028	Isolation and characterization of a novel facultative anaerobic filamentous fungus from Japanese rice field soil. 2009 , 2009, 571383	6
1027	Deep rooting in-situ expansion of mtDNA Haplogroup R8 in South Asia. 2009 , 4, e6545	18
1026	C-5(6) sterol desaturase from <i>tetrahymena thermophila</i> : Gene identification and knockout, sequence analysis, and comparison to other C-5(6) sterol desaturases. 2009 , 8, 1287-97	11
1025	Lineage-specific adaptive evolution of the centromeric protein CENH3 in diploid and allotetraploid <i>Oryza</i> species. <i>Molecular Biology and Evolution</i> , 2009 , 26, 2877-85	8.3 46
1024	Surveillance for avirulent Newcastle disease viruses in domestic ducks (<i>Anas platyrhynchos</i> and <i>Cairina moschata</i>) at live bird markets in Eastern China and characterization of the viruses isolated. 2009 , 38, 377-91	48
1023	Expression, imprinting, and evolution of rice homologs of the polycomb group genes. 2009 , 2, 711-723	153
1022	Temporal trails of natural selection in human mitogenomes. <i>Molecular Biology and Evolution</i> , 2009 , 26, 715-7	8.3 23
1021	Blood sources of mosquitoes collected from urban and peri-urban environments in eastern Australia with species-specific molecular analysis of avian blood meals. 2009 , 81, 849-57	60

1020	Systematics of Scorpaeniformes species in the Mediterranean Sea inferred from mitochondrial 16S rDNA sequence and morphological data. 2009 , 57, 219-26		8
1019	Mechanisms of Population Heterogeneity Among Molting Common Mergansers on Kodiak Island, Alaska: Implications for Genetic Assessments of Migratory Connectivity. 2009 , 111, 283-293		8
1018	Comparative genomic study of the thioredoxin family in photosynthetic organisms with emphasis on <i>Populus trichocarpa</i> . 2009 , 2, 308-22		74
1017	Calcium-activated potassium (BK) channels are encoded by duplicate slo1 genes in teleost fishes. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1509-21	8.3	26
1016	Using a mutual information-based site transition network to map the genetic evolution of influenza A/H3N2 virus. 2009 , 25, 2309-17		25
1015	The peptidoglycan biosynthesis genes MurA and MraY are related to chloroplast division in the moss <i>Physcomitrella patens</i> . 2009 , 50, 2047-56		23
1014	Candicidin biosynthesis gene cluster is widely distributed among <i>Streptomyces</i> spp. isolated from the sediments and the neuston layer of the Trondheim fjord, Norway. 2009 , 75, 3296-303		32
1013	Expression pattern of four storage xyloglucan mobilization-related genes during seedling development of the rain forest tree <i>Hymenaea courbaril</i> L. 2009 , 60, 1191-206		9
1012	<i>Blastodinium galatheanum</i> sp. nov. (Dinophyceae) a parasite of the planktonic copepod <i>Acartia negligens</i> (Crustacea, Calanoida) in the central Atlantic Ocean. 2009 , 44, 425-438		9
1011	Identification and expression pattern of putative odorant-binding proteins and chemosensory proteins in antennae of the <i>Microplitis mediator</i> (Hymenoptera: Braconidae). 2009 , 34, 503-12		49
1010	The complete plastid genome sequence of the secondarily nonphotosynthetic alga <i>Cryptomonas paramecium</i> : reduction, compaction, and accelerated evolutionary rate. 2009 , 1, 439-48		49
1009	Detection of cytonuclear genomic dissociation in the North American captive African elephant collection. 2009 , 100, 675-80		11
1008	Parallel evolution between aromatase and androgen receptor in the animal kingdom. <i>Molecular Biology and Evolution</i> , 2009 , 26, 123-9	8.3	13
1007	New superfamilies of eukaryotic DNA transposons and their internal divisions. <i>Molecular Biology and Evolution</i> , 2009 , 26, 983-93	8.3	43
1006	Evolution and biochemistry of family 4 glycosidases: implications for assigning enzyme function in sequence annotations. <i>Molecular Biology and Evolution</i> , 2009 , 26, 2487-97	8.3	18
1005	In vivo studies on the roles of Tic55-related proteins in chloroplast protein import in <i>Arabidopsis thaliana</i> . 2009 , 2, 1397-409		22
1004	CVTree update: a newly designed phylogenetic study platform using composition vectors and whole genomes. 2009 , 37, W174-8		143
1003	<i>Saccharopolyspora qijiaojiangensis</i> sp. nov., a halophilic actinomycete isolated from a salt lake. 2009 , 59, 2166-70		23

1002	Characterization of the DraT/DraG system for posttranslational regulation of nitrogenase in the endophytic betaproteobacterium <i>Azoarcus</i> sp. strain BH72. 2009 , 191, 3726-35		12
1001	Gene expression divergence and evolutionary analysis of the drosomycin gene family in <i>Drosophila melanogaster</i> . 2009 , 2009, 315423		11
1000	Prevalence and genotyping of <i>Trichomonas gallinae</i> in pigeons and birds of prey. 2009 , 38, 201-7		56
999	Accurate real-time PCR strategy for monitoring bloodstream parasitic loads in chagas disease patients. 2009 , 3, e419		192
998	The evolutionarily dynamic IFN-inducible GTPase proteins play conserved immune functions in vertebrates and cephalochordates. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1619-30	8.3	62
997	Aquaporin gene expression and apoplastic water flow in bur oak (<i>Quercus macrocarpa</i>) leaves in relation to the light response of leaf hydraulic conductance. 2009 , 60, 4063-75		46
996	<i>Desulfurococcus kamchatkensis</i> sp. nov., a novel hyperthermophilic protein-degrading archaeon isolated from a Kamchatka hot spring. 2009 , 59, 1743-7		30
995	Striking diversity of <i>vmp1</i> , a variable gene encoding a putative membrane protein of the stolbur phytoplasma. 2009 , 75, 2951-7		78
994	Phylogeography of the European Whip Snake, <i>Hierophis viridiflavus</i> (Colubridae), using mtDNA and nuclear DNA sequences. 2009 , 30, 283-289		14
993	Genomic diversity and evolution of <i>Mycobacterium ulcerans</i> revealed by next-generation sequencing. 2009 , 5, e1000580		58
992	The evolutionary dynamics of autonomous non-LTR retrotransposons in the lizard <i>Anolis carolinensis</i> shows more similarity to fish than mammals. <i>Molecular Biology and Evolution</i> , 2009 , 26, 1811-22	8.3	51
991	Comparative analysis between homoeologous genome segments of <i>Brassica napus</i> and its progenitor species reveals extensive sequence-level divergence. 2009 , 21, 1912-28		146
990	Life on arginine for <i>Mycoplasma hominis</i> : clues from its minimal genome and comparison with other human urogenital mycoplasmas. 2009 , 5, e1000677		110
989	Endosymbiotic bacteria in the parasitic ciliate <i>Ichthyophthirius multifiliis</i> . 2009 , 75, 7445-52		54
988	<i>Kineosporia mesophila</i> sp. nov., isolated from surface-sterilized stems of <i>Tripterygium wilfordii</i> . 2009 , 59, 3150-4		11
987	Outbreak of acute respiratory disease in China caused by B2 species of adenovirus type 11. 2009 , 47, 697-703		95
986	Divergence in the face of gene flow: the case of two newts (amphibia: salamandridae). <i>Molecular Biology and Evolution</i> , 2009 , 26, 829-41	8.3	69
985	Cloning and functional expression of the first eukaryotic Na ⁺ -tryptophan symporter, AgNAT6. 2009 , 212, 1559-67		20

984	Diversity of beta-propeller phytase genes in the intestinal contents of grass carp provides insight into the release of major phosphorus from phytate in nature. 2009 , 75, 1508-16	85
983	Identification of nevirapine-resistant HIV-1 in the latent reservoir after single-dose nevirapine to prevent mother-to-child transmission of HIV-1. 2009 , 199, 1301-9	32
982	<i>Vibrio hangzhouensis</i> sp. nov., isolated from sediment of the East China Sea. 2009 , 59, 2099-103	7
981	Genetic characterization of dengue virus type 1 isolated in Brunei in 2005-2006. 2009 , 90, 678-686	8
980	Two viruses that cause salivary gland hypertrophy in <i>Glossina pallidipes</i> and <i>Musca domestica</i> are related and form a distinct phylogenetic clade. 2009 , 90, 334-346	43
979	A polymerase chain reaction strategy for the diagnosis of camelpox. 2009 , 21, 231-7	36
978	Evolutionary dynamics of the genomic region around the blast resistance gene Pi-ta in AA genome <i>Oryza</i> species. 2009 , 183, 1315-25	41
977	Identification of mitochondrial markers for genetic traceability of European wild boars and Iberian and Duroc pigs. 2009 , 3, 1216-23	14
976	Detection, distribution, and organohalogen compound discovery implications of the reduced flavin adenine dinucleotide-dependent halogenase gene in major filamentous actinomycete taxonomic groups. 2009 , 75, 4813-20	22
975	Plasmid diversity in <i>Vibrio vulnificus</i> biotypes. 2009 , 155, 489-497	21
974	<i>Proteocatella sphenisci</i> gen. nov., sp. nov., a psychrotolerant, spore-forming anaerobe isolated from penguin guano. 2009 , 59, 2302-7	36
973	Novel electrochemically active bacterium phylogenetically related to <i>Arcobacter butzleri</i> , isolated from a microbial fuel cell. 2009 , 75, 7326-34	138
972	<i>Halobacillus salsuginis</i> sp. nov., a moderately halophilic bacterium from a subterranean brine. 2009 , 59, 2505-9	10
971	A serine carboxypeptidase-like acyltransferase is required for synthesis of antimicrobial compounds and disease resistance in oats. 2009 , 21, 2473-84	123
970	<i>Corynebacterium freiburgense</i> sp. nov., isolated from a wound obtained from a dog bite. 2009 , 59, 2054-7	20
969	<i>Parasutterella excrementihominis</i> gen. nov., sp. nov., a member of the family Alcaligenaceae isolated from human faeces. 2009 , 59, 1793-7	45
968	<i>Helcobacillus massiliensis</i> gen. nov., sp. nov., a novel representative of the family Dermabacteraceae isolated from a patient with a cutaneous discharge. 2009 , 59, 2346-51	14
967	<i>Spongiibacter tropicus</i> sp. nov., isolated from a <i>Synechococcus</i> culture. 2009 , 59, 2176-9	12

966	Genetic characterization of Bagaza virus (BAGV) isolated in India and evidence of anti-BAGV antibodies in sera collected from encephalitis patients. 2009 , 90, 2644-2649		36
965	Phylogenetic and chemical diversity of three chemotypes of bloom-forming lyngbya species (Cyanobacteria: Oscillatoriales) from reefs of southeastern Florida. 2009 , 75, 2879-88		54
964	Cervid herpesvirus 2 causes respiratory and fetal infections in semidomesticated reindeer. 2009 , 47, 1309-13		16
963	Detection of chicken astrovirus by reverse transcriptase-polymerase chain reaction. 2009 , 38, 293-9		44
962	Novel clonal complexes with an unknown animal reservoir dominate <i>Campylobacter jejuni</i> isolates from river water in New Zealand. 2009 , 75, 6038-46		27
961	Ultrastructural and phylogenetic data of <i>Chloromyxum riorajum</i> sp. nov. (Myxozoa), a parasite of the stingray <i>Rioraja agassizii</i> in Southern Brazil. 2009 , 85, 41-51		21
960	<i>Flavobacterium sasangense</i> sp. nov., isolated from a wastewater stream polluted with heavy metals. 2009 , 59, 1162-6		16
959	Species richness and species composition of fungal communities associated with cellulose decomposition at different altitudes on the Tibetan Plateau. 2009 , 2, 217-224		6
958	Evolution of the capsular regulatory genes in <i>Streptococcus pneumoniae</i> . 2009 , 200, 1144-51		18
957	Molecular markers reveal no genetic differentiation between <i>Myrica rivas-martinezii</i> and <i>M. faya</i> (Myricaceae). 2009 , 103, 79-86		23
956	<i>Shewanella vesiculosa</i> sp. nov., a psychrotolerant bacterium isolated from an Antarctic coastal area. 2009 , 59, 336-40		23
955	<i>Streptomyces nanshensis</i> sp. nov., isolated from the Nansha Islands in the South China Sea. 2009 , 59, 745-9		9
954	A profound role for the expansion of trypsin-like serine protease family in the evolution of hematophagy in mosquito. <i>Molecular Biology and Evolution</i> , 2009 , 26, 2333-41	8.3	35
953	Phenotypic and molecular diversity among landraces of snapmelon (<i>Cucumis melo</i> var. <i>momordica</i>) adapted to the hot and humid tropics of eastern India. 2009 , 7, 291-300		24
952	Pathology, isolation and molecular characterisation of a ranavirus from the common midwife toad <i>Alytes obstetricans</i> on the Iberian Peninsula. 2009 , 84, 95-104		46
951	Rin4 causes hybrid necrosis and race-specific resistance in an interspecific lettuce hybrid. 2009 , 21, 3368-78		125
950	<i>Propionibacterium acidifaciens</i> sp. nov., isolated from the human mouth. 2009 , 59, 2778-81		29
949	Proteomic discovery of previously unannotated, rapidly evolving seminal fluid genes in <i>Drosophila</i> . 2009 , 19, 886-96		114

948	Complete nucleotide sequence of <i>Dendrocalamus latiflorus</i> and <i>Bambusa oldhamii</i> chloroplast genomes. 2009 , 29, 847-56	62
947	Distribution of lag-1 alleles and sequence-based types among <i>Legionella pneumophila</i> serogroup 1 clinical and environmental isolates in the United States. 2009 , 47, 2525-35	61
946	Molecular phylogeny and genetic identification of populations of two species of <i>Feirana</i> frogs (Amphibia: Anura, Ranidae, Dicroglossinae, Paini) endemic to China. 2009 , 26, 500-9	11
945	Phylogenomics and protein signatures elucidating the evolutionary relationships among the Gammaproteobacteria. 2009 , 59, 234-47	82
944	<i>Paenibacillus thailandensis</i> sp. nov. and <i>Paenibacillus nanensis</i> sp. nov., xylanase-producing bacteria isolated from soil. 2009 , 59, 564-8	27
943	Biphenyl-metabolizing bacteria in the rhizosphere of horseradish and bulk soil contaminated by polychlorinated biphenyls as revealed by stable isotope probing. 2009 , 75, 6471-7	75
942	Genome sequences of three agrobacterium biovars help elucidate the evolution of multichromosome genomes in bacteria. 2009 , 191, 2501-11	184
941	hetR and patS, two genes necessary for heterocyst pattern formation, are widespread in filamentous nonheterocyst-forming cyanobacteria. 2009 , 155, 1418-1426	30
940	<i>Pseudomonas caeni</i> sp. nov., a denitrifying bacterium isolated from the sludge of an anaerobic ammonium-oxidizing bioreactor. 2009 , 59, 2594-8	43
939	Diverse enterotoxin gene profiles among clonal complexes of <i>Staphylococcus aureus</i> isolates from the Bronx, New York. 2009 , 75, 6839-49	85
938	<i>Vibrio breoganii</i> sp. nov., a non-motile, alginolytic, marine bacterium within the <i>Vibrio haliotocoli</i> clade. 2009 , 59, 1589-94	12
937	<i>Deinococcus piscis</i> sp. nov., a radiation-resistant bacterium isolated from a marine fish. 2009 , 59, 2714-7	25
936	Tangled trios?: Characterizing a hybrid zone in <i>Castilleja</i> (Orobanchaceae). 2009 , 96, 1519-31	14
935	Unexpected dynamic gene family evolution in algal actins. <i>Molecular Biology and Evolution</i> , 2009 , 26, 249-53	8.3 7
934	<i>Actinomyces massiliensis</i> sp. nov., isolated from a patient blood culture. 2009 , 59, 540-4	19
933	Description of a new hepatitis B virus C6 subgenotype found in the Papua province of Indonesia and suggested renaming of a tentative C6 subgenotype found in the Philippines as subgenotype C7. 2009 , 47, 3068-9	7
932	The diversity, distribution and host-parasite associations of trypanosomes in Western Australian wildlife. 2009 , 136, 1269-79	41
931	Social interactions and distribution of <i>Bacillus subtilis</i> phenotypes at microscale. 2009 , 191, 1756-64	69

930	Gene duplication and differential gene expression play an important role in the diversification of visual pigments in fish. 2009 , 49, 630-43	97
929	<i>Nesterenkonia alba</i> sp. nov., an alkaliphilic actinobacterium isolated from the black liquor treatment system of a cotton pulp mill. 2009 , 59, 863-8	31
928	Spatial distribution of opsin-encoding mRNAs in the tiered larval retinas of the sunburst diving beetle <i>Thermonectus marmoratus</i> (Coleoptera: Dytiscidae). 2009 , 212, 3781-94	20
927	<i>Gordonibacter pamelaee</i> gen. nov., sp. nov., a new member of the Coriobacteriaceae isolated from a patient with Crohn's disease, and reclassification of <i>Eggerthella hongkongensis</i> Lau et al. 2006 as <i>Paraeggerthella hongkongensis</i> gen. nov., comb. nov. 2009 , 59, 1405-15	60
926	A major clade of prokaryotes with ancient adaptations to life on land. <i>Molecular Biology and Evolution</i> , 2009 , 26, 335-43	8.3 205
925	Characterization of mycobacteria from a major Brazilian outbreak suggests that revision of the taxonomic status of members of the <i>Mycobacterium chelonae</i> - <i>M. abscessus</i> group is needed. 2009 , 47, 2691-8	105
924	Evolution of vertebrate rod and cone phototransduction genes. 2009 , 364, 2867-80	77
923	Several deep-sea mussels and their associated symbionts are able to live both on wood and on whale falls. 2009 , 276, 177-85	72
922	Of mice and (Viking?) men: phylogeography of British and Irish house mice. 2009 , 276, 201-7	69
921	Polymorphic social organization in an ant. 2009 , 276, 4423-31	15
920	The diverse origins of New Zealand house mice. 2009 , 276, 209-17	52
919	<i>Arabidopsis</i> replication protein A 70a is required for DNA damage response and telomere length homeostasis. 2009 , 50, 1965-76	25
918	Selection, recombination, and virulence gene diversity among group B streptococcal genotypes. 2009 , 191, 5419-27	45
917	Description of 'Synergistetes' phyl. nov. and emended description of the phylum 'Deferribacteres' and of the family Syntrophomonadaceae, phylum 'Firmicutes'. 2009 , 59, 1028-35	114
916	A new stromata-producing <i>Neotyphodium</i> species symbiotic with clonal grass <i>Calamagrostis epigeios</i> (L.) Roth. grown in China. 2009 , 101, 200-5	19
915	<i>Paenibacillus cellulositrophicus</i> sp. nov., a cellulolytic bacterium from Thai soil. 2009 , 59, 2680-4	20
914	<i>Caldanaerovirga acetigignens</i> gen. nov., sp. nov., an anaerobic xylanolytic, alkalithermophilic bacterium isolated from Trego Hot Spring, Nevada, USA. 2009 , 59, 2685-91	8
913	Enrichment and molecular detection of denitrifying methanotrophic bacteria of the NC10 phylum. 2009 , 75, 3656-62	366

912	Multilocus sequence types associated with neonatal group B streptococcal sepsis and meningitis in Canada. 2009 , 47, 1143-8		138
911	Cercosporiella and Ramularia. 2009 , 101, 110-9		19
910	Prauserella salsuginis sp. nov., Prauserella flava sp. nov., Prauserella aidingensis sp. nov. and Prauserella sediminis sp. nov., isolated from a salt lake. 2009 , 59, 2923-8		24
909	The complete mitochondrial genome sequence of Geisha distinctissima (Hemiptera: Flatidae) and comparison with other hemipteran insects. 2009 , 41, 206-16		27
908	A candidate pheromone receptor and two odorant receptors of the hawkmoth Manduca sexta. 2009 , 34, 305-16		50
907	Characterization of fHbp, nhba (gna2132), nadA, porA, sequence type (ST), and genomic presence of IS1301 in group B meningococcal ST269 clonal complex isolates from England and Wales. 2009 , 47, 3577-85		68
906	Cystofilobasidium lacus-mascardii sp. nov., a basidiomycetous yeast species isolated from aquatic environments of the Patagonian Andes, and Cystofilobasidium macerans sp. nov., the sexual stage of Cryptococcus macerans. 2009 , 59, 622-30		24
905	Selection of Sphingomonadaceae at the base of Laccaria proxima and Russula exalbicans fruiting bodies. 2009 , 75, 1979-89		37
904	Molecular characterization of a novel Ljungan virus (Parechovirus; Picornaviridae) reveals a fourth genotype and indicates ancestral recombination. 2009 , 90, 843-853		23
903	Degradation of chloroaromatics by Pseudomonas putida GJ31: assembled route for chlorobenzene degradation encoded by clusters on plasmid pKW1 and the chromosome. 2009 , 155, 4069-4083		27
902	Scrub typhus: the geographic distribution of phenotypic and genotypic variants of Orientia tsutsugamushi. 2009 , 48 Suppl 3, S203-30		296
901	Comparative sequence analysis of MONOCULM1-orthologous regions in 14 Oryza genomes. 2009 , 106, 2071-6		94
900	Large gene family expansions and adaptive evolution for odorant and gustatory receptors in the pea aphid, Acyrthosiphon pisum. <i>Molecular Biology and Evolution</i> , 2009 , 26, 2073-86	8.3	140
899	Cohesion group approach for evolutionary analysis of aspartokinase, an enzyme that feeds a branched network of many biochemical pathways. 2009 , 73, 594-651		52
898	Medicago N2-fixing symbiosomes acquire the endocytic identity marker Rab7 but delay the acquisition of vacuolar identity. 2009 , 21, 2811-28		116
897	Phylogenetically distinct Staphylococcus aureus lineage prevalent among indigenous communities in northern Australia. 2009 , 47, 2295-300		52
896	Multilocus patterns of nucleotide diversity, population structure and linkage disequilibrium in Boechera stricta, a wild relative of Arabidopsis. 2009 , 181, 1021-33		50
895	A cell wall-degrading esterase of Xanthomonas oryzae requires a unique substrate recognition module for pathogenesis on rice. 2009 , 21, 1860-73		51

- 894 A novel plant leucine-rich repeat receptor kinase regulates the response of *Medicago truncatula* roots to salt stress. **2009**, 21, 668-80 124
- 893 Identification of ongoing human immunodeficiency virus type 1 (HIV-1) replication in residual viremia during recombinant HIV-1 poxvirus immunizations in patients with clinically undetectable viral loads on durable suppressive highly active antiretroviral therapy. **2009**, 83, 9731-42 37
- 892 Distribution of endogenous retroviruses in crocodylians. **2009**, 83, 10305-8 11
- 891 Cervid herpesvirus 2, the primary agent in an outbreak of infectious keratoconjunctivitis in semidomesticated reindeer. **2009**, 47, 3707-13 35
- 890 Characterization of sulphonamide-resistant *Escherichia coli* using comparison of *sul2* gene sequences and multilocus sequence typing. **2009**, 155, 831-836 31
- 889 *Rhizobium etli* HrpW is a pectin-degrading enzyme and differs from phytopathogenic homologues in enzymically crucial tryptophan and glycine residues. **2009**, 155, 3045-3054 20
- 888 *Haloterrigena jeotgali* sp. nov., an extremely halophilic archaeon from salt-fermented food. **2009**, 59, 2359-63 27
- 887 Phylogenetically close group I introns with different positions among *Paramecium bursaria* photobionts imply a primitive stage of intron diversification. *Molecular Biology and Evolution*, **2009**, 26, 1309-19 8.3 16
- 886 A nomadic subtelomeric disease resistance gene cluster in common bean. **2009**, 151, 1048-65 83
- 885 *Hoyosella altamirensis* gen. nov., sp. nov., a new member of the order Actinomycetales isolated from a cave biofilm. **2009**, 59, 3105-10 33
- 884 Organization, evolution, and expression analysis of the biosynthetic gene cluster for scytonemin, a cyanobacterial UV-absorbing pigment. **2009**, 75, 4861-9 66
- 883 Predominance of hepatitis C virus genotype 4 infection and rapid transmission between 1935 and 1965 in the Central African Republic. **2009**, 90, 2452-2456 39
- 882 Uncultivated bacteria as etiologic agents of intra-amniotic inflammation leading to preterm birth. **2009**, 47, 38-47 248
- 881 Evolution and conservation in human parechovirus genomes. **2009**, 90, 1702-1712 41
- 880 *Pseudonocardia parietis* sp. nov., from the indoor environment. **2009**, 59, 2449-52 10
- 879 The MYB305 transcription factor regulates expression of nectarin genes in the ornamental tobacco floral nectary. **2009**, 21, 2672-87 53
- 878 *Cryptococcus terrestris* sp. nov., a tremellaceous, anamorphic yeast phylogenetically related to *Cryptococcus flavescens*. **2009**, 59, 631-6 12
- 877 Identification of two isoforms of the Kisspeptin-1 receptor (*kiss1r*) generated by alternative splicing in a modern teleost, the Senegalese sole (*Solea senegalensis*). **2009**, 80, 60-9 57

876	Use of inorganic and organic nitrogen by <i>Synechococcus</i> spp. and diatoms on the west Florida shelf as measured using stable isotope probing. 2009 , 75, 6662-70	52
875	<i>Psychrobacter fulvigenes</i> sp. nov., isolated from a marine crustacean from the Sea of Japan. 2009 , 59, 1480-6	14
874	Cryptic lineages of the genus <i>Escherichia</i> . 2009 , 75, 6534-44	179
873	Isolation and identification of novel microcystin-degrading bacteria. 2009 , 75, 6924-8	111
872	Cardioviruses are genetically diverse and cause common enteric infections in South Asian children. 2009 , 83, 4631-41	113
871	<i>Parasegetibacter luojiensis</i> gen. nov., sp. nov., a member of the phylum Bacteroidetes isolated from a forest soil. 2009 , 59, 3058-62	30
870	Eukaryote-to-eukaryote gene transfer events revealed by the genome sequence of the wine yeast <i>Saccharomyces cerevisiae</i> EC1118. 2009 , 106, 16333-8	307
869	Phylogenetic relationships of gadfly petrels <i>Pterodroma</i> spp. from the Northeastern Atlantic Ocean: molecular evidence for specific status of Bugio and Cape Verde petrels and implications for conservation. 2009 , 19, 199	19
868	17beta-hydroxysteroid dehydrogenase type 8 and carbonyl reductase type 4 assemble as a ketoacyl reductase of human mitochondrial FAS. 2009 , 23, 3682-91	40
867	Evolution of teleost fish retroviruses: characterization of new retroviruses with cellular genes. 2009 , 83, 10152-62	20
866	Substrate oxidation sites in versatile peroxidase and other basidiomycete peroxidases. 2009 , 60, 441-52	206
865	Dehalogenation activities and distribution of reductive dehalogenase homologous genes in marine subsurface sediments. 2009 , 75, 6905-9	82
864	Dating the origins of the maize-adapted strain of maize streak virus, MSV-A. 2009 , 90, 3066-3074	46
863	Role of the type III secretion system in a hypervirulent lineage of <i>Bordetella bronchiseptica</i> . 2009 , 77, 3969-77	32
862	<i>Leucobacter chironomi</i> sp. nov., a chromate-resistant bacterium isolated from a chironomid egg mass. 2009 , 59, 665-70	46
861	Differential prevalence of <i>Plasmodium</i> infections and cryptic <i>Plasmodium knowlesi</i> malaria in humans in Thailand. 2009 , 199, 1143-50	135
860	<i>Marinomonas arenicola</i> sp. nov., isolated from marine sediment. 2009 , 59, 2834-8	17
859	Integrating Y-chromosome, mitochondrial, and autosomal data to analyze the origin of pig breeds. <i>Molecular Biology and Evolution</i> , 2009 , 26, 2061-72	8.3 89

858	Gibberellin modulates anther development in rice via the transcriptional regulation of GAMYB. 2009 , 21, 1453-72	264
857	<i>Mycobacterium mantenii</i> sp. nov., a pathogenic, slowly growing, scotochromogenic species. 2009 , 59, 2782-7	25
856	Genetic diversity and multihost pathogenicity of clinical and environmental strains of <i>Burkholderia cenocepacia</i> . 2009 , 75, 5250-60	20
855	<i>Maribaculum marinum</i> gen. nov., sp. nov., isolated from deep seawater. 2009 , 59, 3083-7	11
854	Segregation of <i>Leptatherum</i> from <i>Microstegium</i> (Andropogoneae, Poaceae) confirmed by Internal Transcribed Spacer DNA sequences. 2009 , 54, 175-180	5
853	Tissue-specific expression patterns of <i>Arabidopsis</i> NF-Y transcription factors suggest potential for extensive combinatorial complexity. 2009 , 149, 625-41	183
852	Phylogenetic ubiquity and shuffling of the bacterial RecBCD and AddAB recombination complexes. 2009 , 191, 5076-84	39
851	Proposal to elevate <i>Mycobacterium avium</i> complex ITS sequevar MAC-Q to <i>Mycobacterium vulneris</i> sp. nov. 2009 , 59, 2277-82	56
850	Diversity and distribution of anaeromyxobacter strains in a uranium-contaminated subsurface environment with a nonuniform groundwater flow. 2009 , 75, 3679-87	40
849	A recent adaptive transposable element insertion near highly conserved developmental loci in <i>Drosophila melanogaster</i> . <i>Molecular Biology and Evolution</i> , 2009 , 26, 1949-61	8,3 52
848	Population dynamics and rates of molecular evolution of a recently emerged paramyxovirus, avian metapneumovirus subtype C. 2009 , 83, 2015-9	10
847	<i>Mycobacterium riyadhense</i> sp. nov., a non-tuberculous species identified as <i>Mycobacterium tuberculosis</i> complex by a commercial line-probe assay. 2009 , 59, 1049-53	35
846	Cloning and expression of <i>kiss2</i> in the zebrafish and medaka. 2009 , 150, 821-31	239
845	<i>Streptomyces alni</i> sp. nov., a daidzein-producing endophyte isolated from a root of <i>Alnus nepalensis</i> D. Don. 2009 , 59, 254-8	27
844	<i>Alishewanella jeotgali</i> sp. nov., isolated from traditional fermented food, and emended description of the genus <i>Alishewanella</i> . 2009 , 59, 2313-6	25
843	Differential recruitment of limb patterning genes during development and diversification of beetle horns. 2009 , 106, 8992-7	156
842	Characterization and comparative analysis of the genes encoding <i>Haemophilus parasuis</i> outer membrane proteins P2 and P5. 2009 , 191, 5988-6002	26
841	Emerging genotypes of human respiratory syncytial virus subgroup A among patients in Japan. 2009 , 47, 2475-82	114

840	Aidingimonas halophila gen. nov., sp. nov., a moderately halophilic bacterium isolated from a salt lake. 2009 , 59, 3088-94	31
839	Evolutionary relationships, interisland biogeography, and molecular evolution in the Hawaiian violets (<i>Viola</i> : Violaceae). 2009 , 96, 2087-99	22
838	MERE1, a low-copy-number copia-type retroelement in <i>Medicago truncatula</i> active during tissue culture. 2009 , 151, 1250-63	42
837	Homology, paralogy and function of DGF-1, a highly dispersed <i>Trypanosoma cruzi</i> specific gene family and its implications for information entropy of its encoded proteins. 2009 , 165, 19-31	25
836	<i>Toxocara vitulorum</i> (Ascaridida: Nematoda): mitochondrial gene content, arrangement and composition compared with other <i>Toxocara</i> species. 2009 , 166, 89-92	21
835	The enzymes of the 10-formyl-tetrahydrofolate synthetic pathway are found exclusively in the cytosol of the trypanosomatid parasite <i>Leishmania major</i> . 2009 , 166, 142-52	9
834	<i>Biomphalaria glabrata</i> peroxiredoxin: effect of <i>Schistosoma mansoni</i> infection on differential gene regulation. 2009 , 167, 20-31	25
833	Identity of the downy mildew pathogens of basil, coleus, and sage with implications for quarantine measures. 2009 , 113, 532-40	97
832	Putative natural hybrid between <i>Puccinia lagenophorae</i> and an unknown rust fungus on <i>Senecio madagascariensis</i> in KwaZulu-Natal, South Africa. 2009 , 113, 725-36	25
831	Cloning, expression and biochemical characterization of mitochondrial and cytosolic malate dehydrogenase from <i>Phytophthora infestans</i> . 2009 , 113, 771-81	14
830	Characterization of three endophytic, indole-3-acetic acid-producing yeasts occurring in <i>Populus</i> trees. 2009 , 113, 973-80	106
829	Occurrence of fungi in combs of fungus-growing termites (Isoptera: Termitidae, Macrotermitinae). 2009 , 113, 1039-45	16
828	Study on <i>Cortinarius</i> subgenus <i>Telamonia</i> section <i>Hydrocybe</i> in Europe, with especial emphasis on Mediterranean taxa. 2009 , 113, 1070-90	20
827	Identity and specificity of the fungi forming mycorrhizas with the rare mycoheterotrophic orchid <i>Rhizanthella gardneri</i> . 2009 , 113, 1097-106	47
826	Alternative splicing and developmental regulation of glutathione transferases in <i>Culex quinquefasciatus</i> Say. 2009 , 94, 21-29	10
825	Bioinformatics analyses of the mannose-binding lectins from <i>Polygonatum cyrtoneura</i> , <i>Ophiopogon japonicus</i> and <i>Liparis novosa</i> with antiproliferative and apoptosis-inducing activities. 2009 , 16, 601-8	35
824	Tn7 elements: engendering diversity from chromosomes to episomes. 2009 , 61, 1-14	42
823	Cloning and evolutionary analysis of cyclin B gene introns in cyprinids with different ploidy levels. 2009 , 19, 1103-1108	1

822	Comparative analysis and evolutionary significance of the HMG1 gene in crucian carp, blunt snout bream, and their polyploid progeny. 2009 , 19, 1691-1697	0
821	Traditional descriptive analysis and novel visual representation of diagnostic repeatability and reproducibility: application to an infectious salmon anaemia virus RT-PCR assay. 2009 , 92, 9-19	8
820	Application of temporal temperature gradient gel electrophoresis for characterisation of fungal endophyte communities of <i>Salix caprea</i> L. in a heavy metal polluted soil. 2009 , 407, 6179-87	36
819	Novel strains of nodulating <i>Burkholderia</i> have a role in nitrogen fixation with papilionoid herbaceous legumes adapted to acid, infertile soils. 2009 , 41, 125-134	114
818	Structure and activity of soil-inhabiting methanotrophic communities in northern forest of Japan. 2009 , 41, 403-408	9
817	Abundance and community structure of sulfate reducing prokaryotes in a paddy soil of southern China under different fertilization regimes. 2009 , 41, 687-694	67
816	Detection of expressed fungal Type I polyketide synthase genes in a forest soil. 2009 , 41, 1344-1347	8
815	Diversity of halophytes and identification of arbuscular mycorrhizal fungi colonising their roots in an abandoned and sustained part of Seövlje salterns. 2009 , 41, 1847-1856	46
814	Archaeal populations in biological soil crusts from arid lands in North America. 2009 , 41, 2069-2074	59
813	Endophytic occupation of peanut root nodules by opportunistic Gammaproteobacteria. 2009 , 32, 49-55	98
812	Genetic diversity and biogeography of rhizobia associated with <i>Caragana</i> species in three ecological regions of China. 2009 , 32, 351-61	48
811	Description of <i>Dietzia lutea</i> sp. nov., isolated from a desert soil in Egypt. 2009 , 32, 118-23	19
810	<i>Stenotrophomonas chelatiphaga</i> sp. nov., a new aerobic EDTA-degrading bacterium. 2009 , 32, 157-62	38
809	Diversity of frankiae in root nodules of <i>Morella pensylvanica</i> grown in soils from five continents. 2009 , 32, 201-10	28
808	<i>Ancylobacter dichloromethanicus</i> sp. nov.--a new aerobic facultatively methylotrophic bacterium utilizing dichloromethane. 2009 , 32, 227-32	21
807	<i>Acinetobacter</i> strains IH9 and OCI1, two rhizospheric phosphate solubilizing isolates able to promote plant growth, constitute a new genomovar of <i>Acinetobacter calcoaceticus</i> . 2009 , 32, 334-41	16
806	Molecular detection and phylogenetic analysis of the catechol 1,2-dioxygenase gene from <i>Gordonia</i> spp. 2009 , 32, 291-300	26
805	<i>Ensifer meliloti</i> bv. <i>lancerottense</i> establishes nitrogen-fixing symbiosis with <i>Lotus</i> endemic to the Canary Islands and shows distinctive symbiotic genotypes and host range. 2009 , 32, 413-20	34

804	Kytococcus aerolatus sp. nov., isolated from indoor air in a room colonized with moulds. 2009 , 32, 301-5	19
803	Multilocus sequence analysis of bradyrhizobia isolated from Aeschynomene species in Senegal. 2009 , 32, 400-12	51
802	Aeromonas piscicola sp. nov., isolated from diseased fish. 2009 , 32, 471-9	59
801	Symbiotic diversity of Ensifer meliloti strains recovered from various legume species in Tunisia. 2009 , 32, 583-92	25
800	Diversity of frankiae in soils from five continents. 2009 , 32, 558-70	22
799	Development of an asymmetric PCR-ELISA typing method for citrus tristeza virus based on the coat protein gene. 2009 , 155, 97-108	32
798	Development of a real-time duplex TaqMan-PCR for the detection of Equine rhinitis A and B viruses in clinical specimens. 2009 , 155, 175-81	11
797	Broadly targeted multiprobe QPCR for detection of coronaviruses: Coronavirus is common among mallard ducks (Anas platyrhynchos). 2009 , 159, 277-87	35
796	Unequal distribution of RT-PCR artifacts along the E1-E2 region of Hepatitis C virus. 2009 , 161, 136-40	3
795	One-step real-time quantitative PCR assays for the detection and field study of Sacbrood honeybee and Acute bee paralysis viruses. 2009 , 161, 240-6	23
794	Heme-binding storage proteins in the Chelicerata. 2009 , 55, 287-96	40
793	Two novel defensin-encoding genes of the Chagas disease vector Triatoma brasiliensis (Reduviidae, Triatominae): gene expression and peptide-structure modeling. 2009 , 55, 840-8	29
792	Functional characterization of a salivary apyrase from the sand fly, Phlebotomus duboscqi, a vector of Leishmania major. 2009 , 55, 1044-9	25
791	Inferring within-patient HIV-1 evolutionary dynamics under anti-HIV therapy using serial virus samples with vSPA. 2009 , 10, 360	3
790	Evolution of prokaryotic SPFH proteins. 2009 , 9, 10	39
789	Geminiviruses: a tale of a plasmid becoming a virus. 2009 , 9, 112	77
788	Evidence for increased olfactory receptor gene repertoire size in two nocturnal bird species with well-developed olfactory ability. 2009 , 9, 117	27
787	Insights into the evolution of sialic acid catabolism among bacteria. 2009 , 9, 118	127

786	Phylogenetic analysis of the true water bugs (Insecta: Hemiptera: Heteroptera: Nepomorpha): evidence from mitochondrial genomes. 2009 , 9, 134	82
785	Evolution of a subtilisin-like protease gene family in the grass endophytic fungus <i>Epichloa festucae</i> . 2009 , 9, 168	30
784	Domain duplication, divergence, and loss events in vertebrate <i>Msx</i> paralogs reveal phylogenomically informed disease markers. 2009 , 9, 18	27
783	The sea lamprey <i>Petromyzon marinus</i> genome reveals the early origin of several chemosensory receptor families in the vertebrate lineage. 2009 , 9, 180	51
782	Did genome duplication drive the origin of teleosts? A comparative study of diversification in ray-finned fishes. 2009 , 9, 194	219
781	Phylogenetic detection of horizontal gene transfer during the step-wise genesis of <i>Mycobacterium tuberculosis</i> . 2009 , 9, 196	72
780	Evolution and functional divergence of NLRP genes in mammalian reproductive systems. 2009 , 9, 202	110
779	Multiple gains of spliceosomal introns in a superfamily of vertebrate protease inhibitor genes. 2009 , 9, 208	23
778	The small heat shock protein (sHSP) genes in the silkworm, <i>Bombyx mori</i> , and comparative analysis with other insect sHSP genes. 2009 , 9, 215	83
777	The identification and functional implications of human-specific "fixed" amino acid substitutions in the glutamate receptor family. 2009 , 9, 224	13
776	Conserved repertoire of orthologous vomeronasal type 1 receptor genes in ruminant species. 2009 , 9, 233	28
775	Polyploid evolution in <i>Oryza officinalis</i> complex of the genus <i>Oryza</i> . 2009 , 9, 250	22
774	Genomic taxonomy of <i>Vibrios</i> . 2009 , 9, 258	132
773	Phylogenetic analysis of mitochondrial substitution rate variation in the angiosperm tribe <i>Sileneae</i> . 2009 , 9, 260	90
772	Ribosomal protein L10 is encoded in the mitochondrial genome of many land plants and green algae. 2009 , 9, 265	30
771	Phylogenomic analysis of the cystatin superfamily in eukaryotes and prokaryotes. 2009 , 9, 266	75
770	Diversification of the cullin family. 2009 , 9, 267	38
769	Diverse MHC IIB allele repertoire increases parasite resistance and body condition in the Long-tailed giant rat (<i>Leopoldamys sabanus</i>). 2009 , 9, 269	44

768	The evolution of <i>Brassica napus</i> FLOWERING LOCUS T paralogues in the context of inverted chromosomal duplication blocks. 2009 , 9, 271	66
767	Multiple invasions of Gypsy and Microopia retroelements in genus <i>Zaprionus</i> and melanogaster subgroup of the genus <i>Drosophila</i> . 2009 , 9, 279	17
766	The taxonomic status of the endangered thin-spined porcupine, <i>Chaetomys subspinosus</i> (Olfers, 1818), based on molecular and karyologic data. 2009 , 9, 29	29
765	Genetic diversity of <i>Ophiocordyceps sinensis</i> , a medicinal fungus endemic to the Tibetan Plateau: implications for its evolution and conservation. 2009 , 9, 290	62
764	Phylogeography of the common vampire bat (<i>Desmodus rotundus</i>): marked population structure, Neotropical Pleistocene vicariance and incongruence between nuclear and mtDNA markers. 2009 , 9, 294	70
763	ITS2 secondary structure improves phylogeny estimation in a radiation of blue butterflies of the subgenus <i>Agrodiaetus</i> (Lepidoptera: Lycaenidae: <i>Polyommatus</i>). 2009 , 9, 300	62
762	Molecular evolution of the pDo500 satellite DNA family in Dolichopoda cave crickets (Rhaphidophoridae). 2009 , 9, 301	11
761	The evolutionary differentiation of two histone H2A.Z variants in chordates (H2A.Z-1 and H2A.Z-2) is mediated by a stepwise mutation process that affects three amino acid residues. 2009 , 9, 31	60
760	Evolution of the multifaceted eukaryotic akirin gene family. 2009 , 9, 34	72
759	Expression and evolutionary divergence of the non-conventional olfactory receptor in four species of fig wasp associated with one species of fig. 2009 , 9, 43	16
758	Shape-shifting corals: molecular markers show morphology is evolutionarily plastic in <i>Porites</i> . 2009 , 9, 45	145
757	Allopatric speciation in ticks: genetic and reproductive divergence between geographic strains of <i>Rhipicephalus (Boophilus) microplus</i> . 2009 , 9, 46	66
756	RSCA genotyping of MHC for high-throughput evolutionary studies in the model organism three-spined stickleback <i>Gasterosteus aculeatus</i> . 2009 , 9, 57	36
755	Evolution of MIR168 paralogs in Brassicaceae. 2009 , 9, 62	20
754	Evolution based on domain combinations: the case of glutaredoxins. 2009 , 9, 66	27
753	Evolution of the class C GPCR Venus flytrap modules involved positive selected functional divergence. 2009 , 9, 67	28
752	The chemoreceptor genes of the waterflea <i>Daphnia pulex</i> : many Grs but no Ors. 2009 , 9, 79	96
751	Origin and evolution of the RIG-I like RNA helicase gene family. 2009 , 9, 85	191

750	DIRS1-like retrotransposons are widely distributed among Decapoda and are particularly present in hydrothermal vent organisms. 2009 , 9, 86	13
749	Discovering genes associated with dormancy in the monogonont rotifer <i>Brachionus plicatilis</i> . 2009 , 10, 108	77
748	Sugarcane genes associated with sucrose content. 2009 , 10, 120	104
747	The complete mitochondrial genomes of two band-winged grasshoppers, <i>Gastrimargus marmoratus</i> and <i>Oedaleus asiaticus</i> . 2009 , 10, 156	58
746	Conservation in the face of diversity: multistrain analysis of an intracellular bacterium. 2009 , 10, 16	45
745	The ABC transporter gene family of <i>Daphnia pulex</i> . 2009 , 10, 170	93
744	Functional genomics of HMGN3a and SMARCAL1 in early mammalian embryogenesis. 2009 , 10, 183	8
743	Characterization of the bovine pregnancy-associated glycoprotein gene family--analysis of gene sequences, regulatory regions within the promoter and expression of selected genes. 2009 , 10, 185	58
742	Characterization of the bovine type I IFN locus: rearrangements, expansions, and novel subfamilies. 2009 , 10, 187	49
741	Cross-species mapping of bidirectional promoters enables prediction of unannotated 5' UTRs and identification of species-specific transcripts. 2009 , 10, 189	23
740	Genomic organization and classification of the bovine WC1 genes and expression by peripheral blood gamma delta T cells. 2009 , 10, 191	44
739	Genomic analysis reveals extensive gene duplication within the bovine TRB locus. 2009 , 10, 192	30
738	Genome-wide identification and characterization of cytochrome P450 monooxygenase genes in the ciliate <i>Tetrahymena thermophila</i> . 2009 , 10, 208	27
737	Computational prediction of cAMP receptor protein (CRP) binding sites in cyanobacterial genomes. 2009 , 10, 23	24
736	Recent dermatophyte divergence revealed by comparative and phylogenetic analysis of mitochondrial genomes. 2009 , 10, 238	38
735	Organization and evolution of two SIDER retroposon subfamilies and their impact on the <i>Leishmania</i> genome. 2009 , 10, 240	38
734	Primate phylogenomics: developing numerous nuclear non-coding, non-repetitive markers for ecological and phylogenetic applications and analysis of evolutionary rate variation. 2009 , 10, 247	24
733	The repertoire of G-protein-coupled receptors in <i>Xenopus tropicalis</i> . 2009 , 10, 263	31

732	Analysis of salivary transcripts and antigens of the sand fly <i>Phlebotomus arabicus</i> . 2009 , 10, 282	57
731	Transcriptome analysis of the venom gland of the scorpion <i>Scorpiops jendeki</i> : implication for the evolution of the scorpion venom arsenal. 2009 , 10, 290	74
730	Genome sequence analysis of <i>Helicobacter pylori</i> strains associated with gastric ulceration and gastric cancer. 2009 , 10, 3	86
729	Divergence in function and expression of the NOD26-like intrinsic proteins in plants. 2009 , 10, 313	59
728	The protist <i>Trichomonas vaginalis</i> harbors multiple lineages of transcriptionally active Mutator-like elements. 2009 , 10, 330	13
727	The odorant binding protein gene family from the genome of silkworm, <i>Bombyx mori</i> . 2009 , 10, 332	183
726	Comprehensive EST analysis of the symbiotic sea anemone, <i>Anemonia viridis</i> . 2009 , 10, 333	41
725	Comparative genomic analysis uncovers 3 novel loci encoding type six secretion systems differentially distributed in <i>Salmonella</i> serotypes. 2009 , 10, 354	125
724	Complexity of the MSG gene family of <i>Pneumocystis carinii</i> . 2009 , 10, 367	28
723	Generation and analysis of expressed sequence tags from six developing xylem libraries in <i>Pinus radiata</i> D. Don. 2009 , 10, 41	63
722	Isolation and sequence analysis of the wheat B genome subtelomeric DNA. 2009 , 10, 414	20
721	A comparison of reptilian and avian olfactory receptor gene repertoires: species-specific expansion of group gamma genes in birds. 2009 , 10, 446	51
720	Identification and analysis of serpin-family genes by homology and synteny across the 12 sequenced <i>Drosophilid</i> genomes. 2009 , 10, 489	23
719	Target gene approaches: Gene expression in <i>Daphnia magna</i> exposed to predator-borne kairomones or to microcystin-producing and microcystin-free <i>Microcystis aeruginosa</i> . 2009 , 10, 527	60
718	Novel motifs distinguish multiple homologues of Polycomb in vertebrates: expansion and diversification of the epigenetic toolkit. 2009 , 10, 549	51
717	Annotation and expression of carboxylesterases in the silkworm, <i>Bombyx mori</i> . 2009 , 10, 553	99
716	454 pyrosequencing based transcriptome analysis of <i>Zygaena filipendulae</i> with focus on genes involved in biosynthesis of cyanogenic glucosides. 2009 , 10, 574	55
715	Identification of novel aspartic proteases from <i>Strongyloides ratti</i> and characterisation of their evolutionary relationships, stage-specific expression and molecular structure. 2009 , 10, 611	14

714	Large-scale identification of odorant-binding proteins and chemosensory proteins from expressed sequence tags in insects. 2009 , 10, 632	155
713	Comprehensive in silico prediction and analysis of chlamydial outer membrane proteins reflects evolution and life style of the Chlamydiae. 2009 , 10, 634	26
712	Bead-probe complex capture a couple of SINE and LINE family from genomes of two closely related species of East Asian cyprinid directly using magnetic separation. 2009 , 10, 83	4
711	Genomic and systems evolution in Vibrionaceae species. 2009 , 10 Suppl 1, S11	13
710	Phylogenetic reconstruction using secondary structures and sequence motifs of ITS2 rDNA of <i>Paragonimus westermani</i> (Kerbert, 1878) Braun, 1899 (Digenea: Paragonimidae) and related species. 2009 , 10 Suppl 3, S25	15
709	The highly conserved serine threonine kinase StkP of <i>Streptococcus pneumoniae</i> contributes to penicillin susceptibility independently from genes encoding penicillin-binding proteins. 2009 , 9, 121	25
708	Early development of <i>Moniliophthora perniciosa</i> basidiomata and developmentally regulated genes. 2009 , 9, 158	31
707	First multi-locus sequence typing scheme for <i>Arcobacter</i> spp. 2009 , 9, 196	48
706	Genotypic comparison of <i>Pantoea agglomerans</i> plant and clinical strains. 2009 , 9, 204	94
705	Development of a multi-locus sequence typing scheme for <i>Laribacter hongkongensis</i> , a novel bacterium associated with freshwater fish-borne gastroenteritis and traveler's diarrhea. 2009 , 9, 21	18
704	Novel Tn4371-ICE like element in <i>Ralstonia pickettii</i> and genome mining for comparative elements. 2009 , 9, 242	45
703	Diversity of pneumococcal surface protein A (PspA) among prevalent clones in Spain. 2009 , 9, 80	27
702	A recent duplication revisited: phylogenetic analysis reveals an ancestral duplication highly-conserved throughout the <i>Oryza</i> genus and beyond. 2009 , 9, 146	24
701	Characterization and comparative analysis of HMW glutenin 1Ay alleles with differential expressions. 2009 , 9, 16	41
700	Evolution of ribosomal DNA-derived satellite repeat in tomato genome. 2009 , 9, 42	37
699	Identification and expression analysis of WRKY transcription factor genes in canola (<i>Brassica napus</i> L.) in response to fungal pathogens and hormone treatments. 2009 , 9, 68	120
698	Phylogenetic analysis and molecular evolution of the dormancy associated MADS-box genes from peach. 2009 , 9, 81	67
697	A set of EST-SNPs for map saturation and cultivar identification in melon. 2009 , 9, 90	82

696	The cellulose synthase superfamily in fully sequenced plants and algae. 2009 , 9, 99	110
695	The opsin repertoire of <i>Jenynsia onca</i> : a new perspective on gene duplication and divergence in livebearers. 2009 , 2, 159	11
694	Medaka: a promising model animal for comparative population genomics. 2009 , 2, 88	14
693	Molecular detection of norovirus in sheep and pigs in New Zealand farms. 2009 , 133, 184-9	68
692	Detection of <i>Helicobacter</i> and <i>Campylobacter</i> spp. from the aquatic environment of marine mammals. 2009 , 133, 287-91	11
691	Molecular and phylogenetic analysis of the H5N1 avian influenza virus caused the first highly pathogenic avian influenza outbreak in poultry in the Czech Republic in 2007. 2009 , 133, 257-63	20
690	Identification of genes associated with prophage-like gene transfer agents in the pathogenic intestinal spirochaetes <i>Brachyspira hyodysenteriae</i> , <i>Brachyspira pilosicoli</i> and <i>Brachyspira intermedia</i> . 2009 , 134, 340-5	34
689	Systems Biology Approach to Screen and Identify Algae-Based Alkaline Phosphatases as Heavy Metal-Detecting Biosensors. 2021 , 431-437	
688	Investigation on the Genetic Signatures of Antibiotic Resistance in Multi-Drug-Resistant <i>Klebsiella Pneumoniae</i> Isolates From National Guard Hospital, Riyadh. 2020 , 12, e11288	
687	Molecular Characterization and Expression Patterns of Shabby-Related Kinase (MmSK) Gene of Mulberry (<i>Morus multicaulis</i>). 2020 , 46, 768-777	0
686	Genetic variation at the species and population levels in the Rocky Mountain ridged mussel (<i>Gonidea angulata</i>).	
685	Identification and inactivation of <i>Gordonia</i> , a new chlorine-resistant bacterium isolated from a drinking water distribution system. 2020 , 18, 995-1008	
684	Bioremoval of Acephate by biofilm-forming <i>Enterobacter cloacae</i> TITDAJ8 in a vertical packed bed biofilm bioreactor. 68-80	
683	Genetic characterization and pathogenicity analysis of recently isolated Fowl adenovirus 8b in Korea. 2020 ,	1
682	Detection of White Sturgeon Iridovirus (WSIV) in Wild Sturgeons in Poland. 2020 , 64, 363-368	1
681	<i>Lithocalla</i> (Ascomycota, Lecanorales), a new genus of leprose lichens containing usnic acid. 2020 , 52, 425-435	1
680	Colour polymorphism and genetic structure in the cannonball jellyfish (<i>Stomolophus meleagris</i> , L. Agassiz, 1860) in the Gulf of California. 2020 , 16, 714-728	0
679	Human immunodeficiency virus/human parvovirus B19 co-infection in blood donors and AIDS patients in Sichuan, China. 2012 , 10, 502-14	16

- 678 Actinomycetes from sediments in the Trondheim fjord, Norway: diversity and biological activity. **2008**, 6, 12-24 47
- 677 Molecular Phylogeny of Geographical Isolates of *Bursaphelenchus xylophilus*: Implications on the Origin and Spread of this Species in China and Worldwide. **2008**, 40, 127-37 9
- 676 Genetic variation among *Plasmodium vivax* isolates adapted to non-human primates and the implication for vaccine development. **2009**, 80, 218-27 12
- 675 The zebrafish lens proteome during development and aging. **2009**, 15, 2313-25 36
- 674 The new influenza A H1N1 virus: balancing on the interface of humans and animals. **2010**, 51, 56-62 10
- 673 Surveillance of equine respiratory viruses in Ontario. **2010**, 74, 271-8 17
- 672 Molecular analysis of swine hepatitis E virus from north India. **2010**, 132, 504-8 8
- 671 Polymorphisms in CTNNB1 in relation to colorectal cancer with evolutionary implications. **2011**, 2, 36-50 2
- 670 Detection and molecular characterization of multiple strains of Picobirnavirus causing mixed infection in a diarrhoeic child: Emergence of prototype Genogroup II-like strain in Kolkata, India. **2011**, 2, 61-72 19
- 669 Molecular Diversity Within *Melanomys caliginosus* (Rodentia: Oryzomyini): Evidence for Multiple Species. **2008**, 275, 1-11 3
- 668 Emergence of novel Norovirus recombinants with NVGII.1/NVGII.5 RdRp gene and NVGII.13 capsid gene among children and adults in Kolkata, India. **2011**, 2, 130-7 4
- 667 Emergence of unique variants and inter-genotype recombinants of human astroviruses infecting infants, children and adults in Kolkata, India. **2011**, 2, 228-35 9
- 666 Periparturient infection with bovine viral diarrhoea virus type 1 causes hemorrhagic proctocolitis in a cow. **2011**, 52, 1135-9 2
- 665 Epidemiologic Investigation of Extra-intestinal pathogenic *E. coli* (ExPEC) based on PCR phylogenetic group and fimH single nucleotide polymorphisms (SNPs) in China. **2011**, 2, 339-53 13
- 664 Genetic and antigenic changes in porcine rubulavirus. **2012**, 76, 33-7 5
- 663 Molecular epidemiology of zoonotic streptococcosis/lactococcosis in rainbow trout (*Oncorhynchus mykiss*) aquaculture in Iran. **2010**, 2, 198-209 17
- 662 Isolation and identification of a novel, lipase-producing bacterium, *Pseudomonas aeruginosa* KM110. **2011**, 3, 92-8 33
- 661 Comparison of HIV-1 resistance profiles in plasma RNA versus PBMC DNA in heavily treated patients in Honduras, a resource-limited country. **2012**, 3, 56-65 6

660	Screening and characterization of proline dehydrogenase flavoenzyme producing <i>Pseudomonas entomophila</i> . 2011 , 3, 201-9	3
659	Genomic analysis and pathogenic characteristics of lymphocytic choriomeningitis virus strains isolated in Japan. 2012 , 62, 185-92	6
658	Characterization of human herpes virus 8 genotypes in Kaposi's sarcoma patients in Tehran, Iran. 2012 , 3, 144-52	4
657	Molecular and Morphological Characterization and Biological Control Capabilities of a <i>Pasteuria</i> ssp. Parasitizing <i>Rotylenchulus reniformis</i> , the Reniform Nematode. 2010 , 42, 207-17	5
656	Identification of fungi associated with <i>rotylenchulus reniformis</i> . 2010 , 42, 313-8	4
655	Identification and molecular characterization of a β 1,4-endoglucanase gene (Rr-eng-1) from <i>Rotylenchulus reniformis</i> . 2010 , 42, 342-51	12
654	The first reported case of rabbit hemorrhagic disease in Canada. 2012 , 53, 998-1002	6
653	Insights to the evolution of Nucleobase-Ascorbate Transporters (NAT/NCS2 family) from the Cys-scanning analysis of xanthine permease XanQ. 2012 , 3, 250-72	24
652	Identification of Hepatitis B Virus Surface Antigen (HBsAg) Genotypes and Variations in Chronic Carriers from Isfahan Province, Iran. 2012 , 41, 104-11	8
651	Rapid Detection of <i>Escherichia coli</i> O157: H7 by Fluorescent Amplification-Based Specific Hybridization (FLASH) PCR. 2012 , 14, 594-8	2
650	Outbreak of dengue virus serotype-2 (DENV-2) of Cambodian origin in Manipur, India - association with meteorological factors. 2012 , 136, 649-55	10
649	In vivo evaluation of vaccine efficacy against challenge with a contemporary field isolate from the β cluster of H1N1 swine influenza virus. 2013 , 77, 24-32	8
648	Genetic Variation of MSP-1 Gene in <i>Plasmodium vivax</i> Isolated from Patients in Hormozgan Province, Iran using SSCP-PCR. 2012 , 7, 1-7	58
647	Confirmation of Two Sibling Species among <i>Anopheles fluviatilis</i> Mosquitoes in South and Southeastern Iran by Analysis of Cytochrome Oxidase I Gene. 2012 , 6, 144-50	15
646	Phylogenetic Comparison of Influenza Virus Isolates from Three Medical Centers in Tehran with the Vaccine Strains during 2008-2009. 2011 , 36, 172-7	1
645	Molecular characterization of Chittoor (Batai) virus isolates from India. 2012 , 136, 792-8	5
644	Characterization of nasopharyngeal isolates of type b <i>Haemophilus influenzae</i> from Delhi. 2012 , 136, 855-61	3
643	Molecular Identification of Rare Clinical Mycobacteria by Application of 16S-23S Spacer Region Sequencing. 2012 , 15, 661-8	2

- 642 *Heterorhabditoides rugaoensis* n. sp. (Rhabditida: Rhabditidae), a Novel Highly Pathogenic Entomopathogenic Nematode Member of Rhabditidae. **2012**, 44, 348-60 12
- 641 A Comparison of Three Molecular Markers for the Identification of Populations of *Globodera pallida*. **2012**, 44, 7-17 4
- 640 Screening of SDS-degrading bacteria from car wash wastewater and study of the alkylsulfatase enzyme activity. **2013**, 5, 153-8 8
- 639 Isolation and characterization of a thermophilic *Bacillus* sp. with protease activity isolated from hot spring of Tarabalo, Odisha, India. **2013**, 5, 159-65 24
- 638 Multiple locus sequence typing of *Salmonella* Typhi, isolated in north India - a preliminary study. **2013**, 137, 957-62 6
- 637 Phylogenetic relationships between *Bacillus* species and related genera inferred from 16s rDNA sequences. **2009**, 40, 505-21 8
- 636 Characterization of *Leptospira borgpetersenii* isolates from field rats (*Rattus norvegicus*) by 16s rRNA and *lipL32* gene sequencing. **2010**, 41, 150-7 8
- 635 Leishmanicidal, trypanocidal, and cytotoxic activities of endophytic fungi associated with bioactive plants in Brazil. **2010**, 41, 420-30 13
- 634 Molecular detection of *Anaplasma platys* in a naturally-infected cat in Brazil. **2010**, 41, 381-5 18
- 633 Phylogenetic characterization of bovine parainfluenza 3 from contaminated cell cultures and field isolates from Brazil. **2011**, 42, 1440-4 8
- 632 Growth, fatty acid profile in major lipid classes and lipid fluidity of *Aurantiochytrium mangrovei* SK-02 As a function of growth temperature. **2012**, 43, 187-200 5
- 631 Pseudorabies virus can be classified into five genotypes using partial sequences of UL44. **2012**, 43, 1632-40 5
- 630 'Synthetic lipase' production from a newly isolated *Sporidiobolus pararoseus* strain by submerged fermentation. **2012**, 43, 1490-8 5
- 629 Establishment of cell line from embryonic tissue of *Pipistrellus ceylonicus* bat species from India & its susceptibility to different viruses. **2013**, 138, 224-31 9
- 628 *Bacillus licheniformis* BT5.9 Isolated from Changar Hot Spring, Malang, Indonesia, as a Potential Producer of Thermostable α -amylase. **2013**, 24, 71-84 6
- 627 Use of Growing Cells of *Pseudomonas aeruginosa* for Synthesis of the Natural Vanillin via Conversion of Isoeugenol. **2011**, 10, 749-57 2
- 626 MtDNA CytB Structure of *Rhombomys opimus* (Rodentia: Gerbillidae), the Main Reservoir of Cutaneous Leishmaniasis in the Borderline of Iran-Turkmenistan. **2013**, 7, 173-84 4
- 625 Isolation and characterization of Leucine dehydrogenase from a thermophilic *Citrobacter freundii* JK-91 strain Isolated from Jask Port. **2013**, 5, 278-84 2

624	Sarcocystis cruzi: First Molecular Identification from Cattle in Iran. 2013 , 2, 125-30	8
623	Alpha 1 antitrypsin deficiency in infants with neonatal cholestasis. 2013 , 23, 501-7	3
622	Antiviral drug profile of human influenza A & B viruses circulating in India: 2004-2011. 2014 , 140, 244-51	5
621	Genetic Variation and Selection of Domain I of the Plasmodium vivax Apical Membrane Antigen-1(AMA-1) Gene in Clinical Isolates from Iran. 2013 , 8, 536-44	7
620	Intravascular hemolysis associated with Candidatus Mycoplasma hematoparvum in a non-splenectomized dog in the south region of Iran. 2014 , 5, 243-6	2
619	Molecular characteristics of canine parainfluenza viruses type 5 (CPIV-5) isolated in Korea. 2015 , 79, 64-7	3
618	Genetic variation analyses of porcine epidemic diarrhea virus isolated in mid-eastern China from 2011 to 2013. 2015 , 79, 8-15	4
617	Detection of tetracycline resistance genes in bacteria isolated from fish farms using polymerase chain reaction. 2014 , 5, 269-75	9
616	Phytoplanktons and DNA barcoding: Characterization and molecular analysis of phytoplanktons on the Persian Gulf. 2014 , 6, 296-302	4
615	Cryptic diversity of caddisflies in the Balkans: the curious case of species (Trichoptera: Limnephilidae). 2014 , 72, 309-329	23
614	Isolation and molecular identification of deteriorating fungi from Cyrus the Great tomb stones. 2014 , 6, 361-70	7
613	Isolation and identification of naegleria species from environmental water in changchun, northeastern china. 2014 , 9, 254-9	11
612	Morphological and molecular discrimination of fasciola species isolated from domestic ruminants of urmia city, iran. 2015 , 10, 46-55	11
611	Molecular Differentiation of Fasciola Species and Characterization of Genetic Diversity of F. gigantica Using NADH Dehydrogenase I (ND1) Gene in the Endemic Areas of Iran. 2015 , 10, 9-18	6
610	Molecular characterization of a new microvariant of the G3 genotype for Echinococcus granulosus in water buffalo in Iran. 2015 , 6, 83-7	2
609	Identification of Chlorophyceae based on 18S rDNA sequences from Persian Gulf. 2014 , 6, 437-42	3
608	Heterogeneity of Iranian clinical isolates of Mycobacterium fortuitum. 2014 , 6, 1-7	1
607	Emergence of highly virulent pseudorabies virus in southern China. 2015 , 79, 221-8	15

606	Characterization of Specific RAPD Markers of Virulence in <i>Trichomonas vaginalis</i> Isolates. 2015 , 10, 448-56	2
605	Mixed group of Rhizobiales microbes in lung and blood of a patient with fatal pulmonary illness. 2015 , 8, 13834-52	5
604	Genetic Characterization of <i>Fasciola</i> Isolates from West Azerbaijan Province Iran Based on ITS1 and ITS2 Sequence of Ribosomal DNA. 2016 , 11, 52-64	9
603	Expression of a Mutant <i>kcnj2</i> Gene Transcript in Zebrafish. 2013 , 2013, 324839	5
602	In Silico Analysis of Glutaminase from Different Species of <i>Escherichia</i> and <i>Bacillus</i> . 2016 , 41, 406-14	8
601	Description of a myxozoan parasite sp.n PKB2014 from an edible fish, with emphasis on its molecular characterization. 2015 , 4, 207-216	2
600	L-asparaginase production in the <i>pseudomonas pseudoalcaligenes</i> strain JHS-71 isolated from Jooshan Hot-spring. 2016 , 5, 1-10	8
599	Characterization and expression of sweetfish (<i>Pleco glossus altivelis</i>) cathepsin D. 2014 , 35, 294-9	
598	Mitochondrial DNA sequence-based phylogenetic relationship of (Perciformes: Trichiuridae) from the Persian Gulf. 2016 , 17, 194-199	0
597	Purification and biochemical properties of a thermostable, haloalkaline cellulase from AMF-07 and its application for hydrolysis of different cellulosic substrates to bioethanol production. 2016 , 5, 143-155	16
596	Antimicrobial activity of endophytic bacterial populations isolated from medical plants of Iran. 2017 , 9, 11-18	11
595	Morphologic and molecular (28S rDNA) characterization of spp. in and in Mashhad, Iran. 2017 , 81, 280-284	
594	Genetic Variation of the β tubulin Gene of Strains. 2017 , 11, 344-353	1
593	Chemical Signals of Vector Beetle Facilitate the Prevalence of a Native Fungus and the Invasive Pinewood Nematode. 2017 , 49, 341-347	1
592	Analysis of Apical Membrane Antigen-1 (PvAMA-1) Haplotypes among Iranian Isolates. 2017 , 6, 222-234	1
591	Airborne <i>Pseudomonas</i> species in Healthcare Facilities in a Tropical Setting. 2015 , 41, 95-103	
590	Cytogenetics of Two Species in Taiwan by Ag-NOR and 18S rDNA Profiles. 2017 , 56, e25	
589	Molecular Characterization of spp. from Some Parts of Iran. 2020 , 49, 157-166	1

588	Serotypes, virulence genes and polymorphism of capsule gene cluster in isolated from diseased rainbow trout () and mugger crocodile () in Iran. 2020 , 21, 26-32	1
587	Degradation and Transformation of Lignin by a Fungus Strain F-1. 2020 , 18, e2461	
586	Identification of a G8P[14] rotavirus isolate obtained from a Taiwanese child: evidence for a relationship with bovine rotaviruses. 2012 , 65, 455-7	5
585	Genetic and Antigenic Evaluation of Foot-and-mouth Disease Virus Type A in the Endemic Area of Iran within 2014-2015. 2020 , 75, 349-357	
584	Identification and analysis of the origin recognition complex in the human fungal pathogen. 2021 , 2021,	
583	Characterization, Stress Response and Functional Analyses of Giant River Prawn () Glucose-Regulated Protein 78 (Mr-grp78) under Temperature Stress and during Infection. 2021 , 11,	
582	Computational molecular phylogeny: concepts and applications. 2022 , 67-89	
581	Phenotyping and Identification of Reduced Height (Rht) Alleles (Rht-B1b and Rht-D1b) in a Nepali Spring Wheat (<i>Triticum aestivum</i> L.) Diversity Panel to Enable Seedling Vigor Selection. 2021 , 11, 2412	0
580	Novel mechanism and degradation kinetics of pesticides mixture using <i>Bacillus</i> sp. strain 3C in contaminated sites.. 2022 , 181, 104996	5
579	Prevalence and strain composition of potato virus Y circulating in potato fields in China's north-central province Shanxi. 2021 ,	
578	Comparative genome sequence and phylogenetic analysis of chloroplast for evolutionary relationship among species.. 2022 , 29, 1618-1627	1
577	Functional Characterization of Aluminum (Al)-Responsive Membrane-Bound NAC Transcription Factors in Soybean Roots. 2021 , 22,	0
576	Molecular characterization of Cucumber mosaic virus subgroup II isolate associated with cucumber in Bangladesh. 1	
575	Reproductive Ability of Hybrids between Japanese Pond Turtle () and Reeves' Pond Turtle ().. 2022 , 39, 186-192	
574	Genetic Polymorphism and Natural Selection of Apical Membrane Antigen-1 in Isolates from Vietnam.. 2021 , 12,	0
573	Water-Covered Depth with the Freeze-Thaw Cycle Influences Fungal Communities on Rice Straw Decomposition. 2021 , 11, 1113	0
572	Morphological Characterization and DNA Barcoding of Duckweed Species in Saudi Arabia. 2021 , 10,	1
571	Box-Behnken design for the optimization of bioethanol production from rice straw and sugarcane bagasse by newly isolated <i>Pichia occidentalis</i> strain AS.2. 0958305X2110450	0

- 570 *Aspergillus nidulans* AmyG Functions as an Intracellular α -Amylase to Promote β -Glucan Synthesis. **2021**, e0064421 0
- 569 sp. nov., isolated from cow faeces. **2021**, 71, 1
- 568 Population Divergence and Evolution of the Hawaiian Endemic *Sesbania tomentosa* (Fabaceae). **2021**, 75, 1
- 567 CRISPR-Cas9-mediated editing of starch branching enzymes results in altered starch structure in *Brassica napus*. **2021**, 2
- 566 Molecular interaction of nitrate transporter proteins with recombinant glycinebetaine results in efficient nitrate uptake in the cyanobacterium *Anabaena* PCC 7120. **2021**, 16, e0257870
- 565 Even more oak species in Mexico? Genetic structure and morphological differentiation support the presence of at least two specific entities within *Quercus laeta*.
- 564 Prevalence of enterotoxin genes (SEA to SEE) and antibacterial resistant pattern of *Staphylococcus aureus* isolated from clinical specimens in Assiut city of Egypt. **2021**, 22, 0
- 563 DNA RECOVERY AND ANALYSIS FROM HELMETED HORNBILL (*RHINOPLAX VIGIL*) CASQUES AND ITS POTENTIAL APPLICATION IN WILDLIFE LAW ENFORCEMENT. **2021**, 100037 0
- 562 DNA Recovery and Analysis from Helmeted Hornbill (*Rhinoplax Vigil*) Casques and its Potential Application in Wildlife Law Enforcement.
- 561 Bacterial Community Composition Dynamics in Rice Rhizosphere: A Metagenomic Approaches. **2021**, 133-152
- 560 DNA Recovery and Analysis from Helmeted Hornbill (*Rhinoplax Vigil*) Casques and its Potential Application in Wildlife Law Enforcement.
- 559 Omics Technology for Plant Stress Management. **2021**, 375-412
- 558 Functional Characterization of Transcription Factor Win1 Genes Associated with Oil Biosynthesis and Stress Tolerance in Soybean (*Glycine Max*).
- 557 Application of Bioinformatic Tools for Phylogenetic Analysis. **2022**, 187-191
- 556 The rhizosphere of *Sulla spinosissima* growing in abandoned mining soils is a reservoir of heavy metals tolerant plant growth-promoting rhizobacteria. **2022**, 39, 102236 1
- 555 Role of *Anopheles* Mosquitoes in Cache Valley Virus Lineage Displacement, New York, USA.. **2022**, 28, 303-313 1
- 554 StRAV1 negatively regulates anthocyanin accumulation in potato. **2022**, 295, 110817
- 553 Validation of mating type-related markers in *Ulva prolifera* (Ulvophyceae, Chlorophyta) and their detection during various reproductive modes. **2022**, 62, 102611 1

552	Heterotrophy-coordinated diazotrophy is associated with significant changes of rare taxa in soil microbiome. 2022 , 32, 402-413	0
551	A New Putative Chitinase from <i>Reticulitermes speratus</i> KMT001. 2019 , 47, 371-380	
550	<i>Acanthophysium</i> sp. KMF001, a New Strain with High Cellulase Activity. 2019 , 47, 751-760	1
549	Smuts of poaceous plants in Markazi and Lorestan Provinces of Iran. 2021 , 10, 42-63	
548	Genetic diversity of the chloroplast genome of <i>Vaccinium oxycoccos</i> L. in Bibai and Nemuro cities, Hokkaido, Japan. 2021 , 47, 199-202	
547	Characterization, Stress Response and Functional Analyses of Giant River Prawn (<i>Macrobrachium rosenbergii</i>) Glucose-Regulated Protein 78 (Mr-grp78) under Temperature Stress and during <i>Aeromonas hydrophila</i> Infection. 2021 , 11, 3004	
546	[Management of Food Hygiene and Safety by Hazard Analysis and Critical Control Point (HACCAP)]. 2022 , 142, 27-31	0
545	Yeast <i>Meyerozyma guilliermondii</i> inoculation in mature and heterotrophic biofloc systems for <i>Litopenaeus vannamei</i> nursery rearing exhibits bioremediation potential and improvement of shrimp survival.	
544	<i>Dickeya solani</i> , <i>Pectobacterium atrosepticum</i> and <i>Pseudomonas asplenii</i> : causal agents of bacterial soft rot in cyclamen plants (<i>Cyclamen persicum</i> Mill.) in Colombia.	
543	-Containing Enrichment Cultures Transform Two Chlorinated Organophosphate Esters.. 2022 ,	2
542	Allelic variation for alpha-Glucan Water Dikinase is associated with starch phosphate content in tetraploid potato.. 2022 , 108, 469	1
541	Novel insights into <i>Pinus</i> species plastids genome through phylogenetic relationships and repeat sequence analysis.. 2022 , 17, e0262040	1
540	Analysis of NIA and GSNOR family genes and nitric oxide homeostasis in response to wheat-leaf rust interaction.. 2022 , 12, 803	0
539	Identification and characterization of plant resistance genes (R genes) in sorghum and their involvement in plant defense against aphids. 2022 , 96, 443	0
538	Production, Optimization, Characterization and Drought Stress Resistance by β -Glucan-Rich Heteropolysaccharide From an Endophytic Fungi <i>Colletotrichum alatae</i> LCS1 Isolated From Clubmoss (<i>Lycopodium clavatum</i>). 2022 , 2,	1
537	Doublesex regulates male-specific differentiation during distinct developmental time windows in a parasitoid wasp.. 2022 , 103724	0
536	The R2R3-MYB gene CgMYB4 is involved in the regulation of cell differentiation and fiber development in the stamens of <i>Chelone glabra</i> L.. 2022 , 1	0
535	StWRKY13 promotes anthocyanin biosynthesis in potato (<i>Solanum tuberosum</i>) tubers. 2021 ,	2

- 534 Molecular identification of native Egyptian Actinobacteria: Screening for lignin utilization and degradation of lignin model compounds. **2022**, 40, 102289
- 533 Gut fungal community and its probiotic effect on *Bactrocera dorsalis*.. **2021**, 3
- 532 Intra species diversity of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) in relation to geography and host plants affiliation in Uttarakhand Himalayan population, India. 1 0
- 531 Importance, etiology and management of the tear stain disease symptoms of mango fruits in Ghana. 1
- 530 Infection-induced molecular pattern recognition proteins in larvae of *Protaetia brevitarsis seulensis* (Coleoptera: Cetoniidae). 119, 77-84 0
- 529 An ARF1-binding factor triggering programmed cell death and periderm development in pear russet fruit skin.. **2022**, 0
- 528 Enterococci as Dominant Xylose Utilizing Lactic Acid Bacteria in Eri Silkworm Midgut and the Potential Use of as Probiotic for Eri Culture.. **2022**, 13, 0
- 527 Anaerobic biofilm enriched with an ammonia tolerant methanogenic consortium to improve wastewater treatment in the fishing industry.. **2022**, 44, 239
- 526 Molecular Characterization and Phylogeny of *Clerodendrum* Species Occuring in North Eastern Region of India by Internal Transcribed Spacer 2 of Nuclear DNA. **2022**, 237-250
- 525 Genome-Wide Identification and Characterization of Gene Family in .. **2021**, 12, 768942 0
- 524 Exploring single nucleotide polymorphisms in GH, IGF-I, MC4R and DGAT1 genes as predictors for growth performance in dromedary camel using multiple linear regression analysis. **2022**, 207, 106619
- 523 Molecular characterization and antibacterial immunity functional analysis of the antimicrobial peptide hepcidin from *Coregonus ussuriensis* berg.. **2022**, 122, 78-78 0
- 522 Identification of TabZIP family members with possible roles in the response to auxin in wheat roots.. **2022**, 196, 113103 0
- 521 Identification and function analysis of BmPxtA in the immune response regulated by PGE of silkworm, *Bombyx mori*.. **2022**, 104358 0
- 520 Eco-Friendly Biogenic Synthesis of Metallic MgO Nanoparticles as Potent Antibacterial and Antibiofilm. **2022**, 63-70
- 519 Mediation of Zinc and Iron Accumulation in Maize by ZmIRT2, A Novel Iron-Regulated Transporter.. **2022**, 0
- 518 Characterization of 260 Isolates of Section Flavi Obtained from Sesame Seeds in Punjab, Pakistan.. **2022**, 14, 0
- 517 High-speed rail model reveals the gene tandem amplification mediated by short repeated sequence in eukaryote.. **2022**, 12, 2289

516	Deletion and Overexpression of the Gene, a Positive Regulator of Ochratoxin A Biosynthesis in .. 2022,	1
515	Molecular Characterization and Pathogenicity of a Novel Soybean-Infecting Monopartite Geminivirus in China.. 2022, 14,	0
514	Chloroplast Genes Are Involved in The Male-Sterility of K-Type CMS in Wheat.. 2022, 13,	1
513	Redescription of <i>Agamali</i> and <i>Alekperov</i> , 1976 (Protozoa, Hypotrichia), With Notes on Its Morphology, Morphogenesis, and Molecular Phylogeny.. 2021, 12, 774226	
512	Bioprocess development for bacterial cellulose biosynthesis by novel <i>Lactiplantibacillus plantarum</i> isolate along with characterization and antimicrobial assessment of fabricated membrane.. 2022, 12, 2181	2
511	Identification and characterization of 20S proteasome genes and their relevance to heat/drought tolerance in bread wheat. 2022, 101552	0
510	Anaerobic metabolism in <i>Hevea brasiliensis</i> laticifers is relevant to rubber synthesis when tapping is initiated. 2022, 178, 114663	
509	Does ancient permafrost-derived organic carbon affect lake zooplankton growth? An experimental study on <i>Daphnia magna</i> .. 2022, 300, 118968	1
508	Isolation and characterization of the major histocompatibility complex DQA1 and DQA2 genes in gayal (<i>Bos frontalis</i>). 2018, 97, 121-126	1
507	Variability of the antigen-coding gene of in animal and human origin: implications for vaccine development. 2019, 98,	
506	Functional Analysis of a Pistillata -Like Gene 'Ccpi' Involved in Floral Organs Specification in Citrus.	
505	Phylogeography of oat cyst nematode: <i>Heterodera avenae</i> . 2022, 50, 6-13	
504	Isolation, Enrichment, and Characterization of Fungi for the Degradation of Organic Contaminants. 2022, 1-11	0
503	Elemental Composition of Medicinal Plants Under Changing Environmental and Edaphic Conditions. 2022, 135-161	
502	First Report of the Parasitic Nematode <i>Pseudoterranova</i> spp. Found in Mediterranean Monk Seal (<i>Monachus monachus</i>) in Greece: Conservation Implications. 2022, 2, 122-133	
501	Characterization and biological activities of melanin pigment from root endophytic fungus, <i>Phoma</i> sp. RDSE17.. 2022, 204, 171	0
500	Is a Raffinose Synthase Involved in Cold Acclimation in Grapevine Woody Tissues.. 2021, 12, 754537	1
499	Sustained software development, not number of citations or journal choice, is indicative of accurate bioinformatic software.. 2022, 23, 56	2

- 498 Isolation and Genetic Characterization of Parvoviruses From Dogs, Cats, Minks, and Raccoon Dogs in the Eastern Region of Shandong Province, China.. **2022**, 13, 862352
- 497 Phylogeography of the Kura Barbel *Barbus cyri* De Filippi as Inferred from mtDNA Data. **2022**, 15, 11-22 0
- 496 Biological cellulose saccharification using a coculture of *Clostridium thermocellum* and *Thermobrachium celere* strain A9.. **2022**, 106, 2133 0
- 495 Characterization and Identification of a Ripening-Related Gene in .. **2022**, 23, 1
- 494 Production of Bioactive Compounds with Broad Spectrum Bactericidal Action, Bio-Film Inhibition and Antilarval Potential by the Secondary Metabolites of the Endophytic Fungus sp. APS1 Isolated from the Indian Medicinal Herb .. **2022**, 27, 3
- 493 Molecular Identification and Virulence of Four Strains of Entomopathogenic Fungi Against the Whitefly, *Bemisia tabaci* (Hemiptera: Aleyrodidae).. **2022**, 0
- 492 Glyphosate-induced GhAG2 is involved in resistance to salt stress in cotton.. **2022**, 41, 1131
- 491 Associating life stages and sexes of Nearctic *Curtis*, 1835 (Trichoptera: Polycentropodidae) using mitochondrial DNA barcoding.. **2022**, 12, e8741 1
- 490 Multikingdom interactions govern the microbiome in subterranean cultural heritage sites.. **2022**, 119, e2121141119 0
- 489 Exploring a blue-light-sensing transcription factor to double the peak productivity of oil in *Nannochloropsis oceanica*.. **2022**, 13, 1664 0
- 488 Diet composition and diversity does not explain fewer, smaller urban nestlings.. **2022**, 17, e0264381
- 487 Identification of spp. from garbage dump soils in Surabaya, Indonesia.. **2022**, 15, 634-639 0
- 486 DNA Barcode and Phylogenetic Analysis of Serranidae Fish (subfamily: Epinephelinae) From a Tropical Island Ecosystem of the Indian Ocean. 1
- 485 DNA barcoding and population genetic structure of the red palm weevil, *Rhynchophorus ferrugineus* (Coleoptera: Curculionidae) in Egypt based on mtDNA sequencing. **2022**, 77, 1017-1025 1
- 484 Extensive introgression at late stages of species formation: Insights from grasshopper hybrid zones.. **2022**, 1
- 483 Features of Diversity of Polyketide Synthase Genes in the Community of Freshwater Sponge *Baikalospongia fungiformis*. **2022**, 58, 336-346 0
- 482 Alginate/Chitosan oral microcapsules loaded with *Agaricus bisporus* polysaccharides MH751906 for natural killer cells mediated colon cancer immunotherapy.. **2022**, 205, 385-395 5
- 481 Metallothionein (MT1): A molecular stress marker in chickpea enhances drought and heavy metal stress adaptive efficacy in transgenic plants. **2022**, 104871 0

480	Population Source of Third-Generation Oriental Armyworm in Jilin, China, Determined by Entomology Radar, Trajectory Analysis, and Mitochondrial COI Sequences.. 2022,	0
479	Biohardening of Banana cv. Karpooravalli (ABB; Pisang Awak) With <i>Bacillus velezensis</i> YEBBR6 Promotes Plant Growth and Reprograms the Innate Immune Response Against <i>Fusarium oxysporum</i> f.sp. cubense. 2022, 6,	
478	and its associated epiphytic sp. A promising molecule supplier to discover new natural product approaches.. 2022, 29, 2532-2540	
477	Identification and Characterization of Two Bibenzyl Glycosyltransferases from the Liverwort .. 2022 , 11,	0
476	Functional analysis of a PISTILLATA-like gene CcMADS20 involved in floral organs specification in citrus.. 2022, 319, 111263	1
475	Infection with HIV-1 subtype D among acutely infected Ugandans is associated with higher median concentration of cytokines compared to subtype A. 2022, 3, 89-95	0
474	GENETIC CHARACTERIZATION OF SOME SPECIES OF VETCH (<i>VICIA L.</i>) GROWN IN TURKEY WITH SSR MARKERS.	
473	Phylogeographic study of the species complex, with emphasis on Northeast Asia.. 2021, 25, 434-444	2
472	Bioluminescence capability and intensity in the dinoflagellate <i>Alexandrium</i> species. 2021, 36, 299-314	0
471	Myxobacteria from animal dung pellets collected from northwestern Himalayas: A new source of di-isobutyl phthalate.. 2021,	
470	Evaluation of tolerance to artificial gastroenteric juice and fermentation characteristics of strains isolated from human.. 2022, 10, 227-238	1
469	Evolutionary Relationships and Divergence of KNOTTED1-Like Family Genes Involved in Salt Tolerance and Development in Cotton (<i>L.</i>).. 2021, 12, 774161	0
468	Six Newly Sequenced Chloroplast Genomes From Trentepohliales: The Inflated Genomes, Alternative Genetic Code and Dynamic Evolution.. 2021, 12, 780054	0
467	Co-existing neuropeptide FF and gonadotropin-releasing hormone 3 coordinately modulate male sexual behavior.. 2021,	3
466	Survey for ' <i>Liberibacter</i> ' and ' <i>Phytoplasma</i> ' in Citrus in Chile.. 2021, 11,	0
465	Regional epidemiology and associated risk factors of PPR in Asia-A Review. 178-190	
464	Molecular diagnosis of dermatophyte isolates from canine and feline dermatophytosis in Northeast Iran.. 2021,	2
463	Anti- <i>Vibrio</i> activity of <i>Pseudoalteromonas xiamenensis</i> STKMTI.2, a new potential vibriosis biocontrol bacterium in marine aquaculture. 2022, 53, 1800-1813	0

462 Influence of Pink Pigmented Facultative methylotrophic bacteria (PPFM) as a foliar spraying on the growth and productivity of strawberry (*Fragaria xananassa* Duch.).

461 VKM A2618D-an Effective Producer of Tacrolimus.. **2021**, 57, 939-948

0

460 Learning From Biological and Computational Machines: Importance of SARS-CoV-2 Genomic Surveillance, Mutations and Risk Stratification.. **2021**, 11, 783961

1

459 The transmission of drug-resistant strains of HIV in heterosexual populations based on genetic sequences. **2021**, 16, e0259023

458 Ecophysiology of the kleptoplastidic dinoflagellate *Shimiella gracilenta*: I. spatiotemporal distribution in Korean coastal waters and growth and ingestion rates. **2021**, 36, 263-283

1

457 The biology of *Simulium erythrocephalum* and *S. chelevini* (Diptera, Simuliidae): Morpho-logical, ecological and molecular data. **2022**, 30, 3-11

456 Anopheline mosquitoes are protected against parasite infection by tryptophan catabolism in gut microbiota.. **2022**,

0

455 Data_Sheet_1.xlsx. **2020**,

454 Image_1.TIF. **2020**,

453 Image_2.TIF. **2020**,

452 Image_1.jpeg. **2019**,

451 Image_1.PDF. **2018**,

450 Table_1.docx. **2018**,

449 Image_1.TIF. **2018**,

448 Image_2.TIF. **2018**,

447 Image_3.TIF. **2018**,

446 Image_4.TIF. **2018**,

445 Image_5.TIF. **2018**,

444 Table_1.doc. **2018**,

443 Image_1.JPEG. **2019**,

442 Image_2.JPEG. **2019**,

441 Image_3.JPEG. **2019**,

440 Image_4.JPEG. **2019**,

439 Image_5.JPEG. **2019**,

438 Image_6.JPEG. **2019**,

437 Image_7.JPEG. **2019**,

436 Image_8.JPEG. **2019**,

435 Image_9.JPEG. **2019**,

434 Table_1.docx. **2019**,

433 Table_2.docx. **2019**,

432 Table_3.docx. **2019**,

431 Table_4.xlsx. **2019**,

430 Image_1.JPEG. **2019**,

429 Image_2.JPEG. **2019**,

428 Table_1.XLSX. **2019**,

427 Table_2.XLSX. **2019**,

426 Table_3.XLSX. 2019,

425 Table_4.XLSX. 2019,

424 Table_5.XLSX. 2019,

423 Table_6.XLSX. 2019,

422 Table_7.XLSX. 2019,

421 Table_8.XLSX. 2019,

420 Data_Sheet_1.DOCX. 2020,

419 Data_Sheet_1.PDF. 2019,

418 Data_Sheet_1.FASTA. 2018,

417 Data_Sheet_10.FASTA. 2018,

416 Data_Sheet_2.FASTA. 2018,

415 Data_Sheet_3.FASTA. 2018,

414 Data_Sheet_4.FASTA. 2018,

413 Data_Sheet_5.FASTA. 2018,

412 Data_Sheet_6.FASTA. 2018,

411 Data_Sheet_7.FASTA. 2018,

410 Data_Sheet_8.FASTA. 2018,

409 Data_Sheet_9.FASTA. 2018,

408 Image_1.PDF. 2018,

407 Table_1.XLSX. 2018,

406 Table_2.XLSX. 2018,

405 Table_3.XLSX. 2018,

404 Presentation_1.ZIP. 2018,

403 Image_1.PDF. 2018,

402 Data_Sheet_1.PDF. 2020,

401 Image_1.TIF. 2018,

400 Image_2.TIF. 2018,

399 Image_3.TIF. 2018,

398 Table_1.XLSX. 2018,

397 Table_2.XLSX. 2018,

396 Table_1.DOC. 2019,

395 Image_1.pdf. 2020,

394 Image_2.pdf. 2020,

393 Image_3.pdf. 2020,

392 Image_4.pdf. 2020,

391 Table_1.XLSX. 2020,

390 Data_Sheet_1.docx. **2020**,

389 Image_1.JPEG. **2020**,

388 Image_2.JPEG. **2020**,

387 Image_3.JPEG. **2020**,

386 Data_Sheet_1.fasta. **2018**,

385 Data_Sheet_2.fasta. **2018**,

384 Data_Sheet_3.fasta. **2018**,

383 Data_Sheet_4.fasta. **2018**,

382 Image_1.pdf. **2018**,

381 Image_2.pdf. **2018**,

380 Image_3.pdf. **2018**,

379 Image_4.pdf. **2018**,

378 Image_5.pdf. **2018**,

377 Table_1.pdf. **2018**,

376 Table_2.pdf. **2018**,

375 Data_Sheet_1.PDF. **2019**,

374 Data_Sheet_1.PDF. **2020**,

373 DataSheet1.DOC. **2018**,

372 Data_Sheet_1.docx. **2020**,

371 Table_1.DOCX. **2019**,

370 Data_Sheet_1.xlsx. **2019**,

369 Presentation_1.pdf. **2019**,

368 Data_Sheet_1.doc. **2020**,

367 Presentation_1.pdf. **2018**,

366 Data_Sheet_1.ZIP. **2018**,

365 Image_1.PDF. **2018**,

364 Table_1.DOCX. **2018**,

363 Image_1.JPEG. **2018**,

362 Table_1.DOCX. **2018**,

361 Table_2.XLSX. **2018**,

360 Table_3.XLSX. **2018**,

359 Data_Sheet_1.DOCX. **2020**,

358 Data_Sheet_2.XLSX. **2020**,

357 Data_Sheet_3.DOCX. **2020**,

356 Data_Sheet_4.XLSX. **2020**,

355 Data_Sheet_5.ZIP. **2020**,

354 Image_1.PDF. 2020,

353 Table_1.XLSX. 2020,

352 Table_2.DOCX. 2020,

351 Image_1.JPEG. 2018,

350 Image_2.JPEG. 2018,

349 Image_3.JPEG. 2018,

348 Image_4.JPEG. 2018,

347 Image_5.JPEG. 2018,

346 Table_1.XLS. 2018,

345 Table_10.XLS. 2018,

344 Table_2.XLS. 2018,

343 Table_3.XLS. 2018,

342 Table_4.XLS. 2018,

341 Table_5.XLSX. 2018,

340 Table_6.XLS. 2018,

339 Table_7.XLS. 2018,

338 Table_8.XLS. 2018,

337 Table_9.XLS. 2018,

336 Data_Sheet_1.PDF. **2019,**

335 DataSheet_1.pdf. **2020,**

334 DataSheet_2.pdf. **2020,**

333 Data_Sheet_1.docx. **2018,**

332 Table_3.XLSX. **2018,**

331 Table_4.xlsx. **2018,**

330 Image_1.tif. **2020,**

329 Table_1.docx. **2020,**

328 Data_Sheet_1.pdf. **2018,**

327 Table_1.docx. **2020,**

326 Image_1.tif. **2019,**

325 Image_2.tif. **2019,**

324 Image_3.tif. **2019,**

323 Table_1.docx. **2019,**

322 Image_1.JPEG. **2018,**

321 Image_10.JPEG. **2018,**

320 Image_11.JPEG. **2018,**

319 Image_12.JPEG. **2018,**

318 Image_13.JPEG. 2018,

317 Image_14.JPEG. 2018,

316 Image_15.JPEG. 2018,

315 Image_2.JPEG. 2018,

314 Image_3.JPEG. 2018,

313 Image_4.JPEG. 2018,

312 Image_5.JPEG. 2018,

311 Image_6.JPEG. 2018,

310 Image_7.JPEG. 2018,

309 Image_8.JPEG. 2018,

308 Image_9.JPEG. 2018,

307 Presentation_1.pdf. 2018,

306 Table_1.doc. 2018,

305 Table_2.doc. 2018,

304 Table_3.doc. 2018,

303 Table_4.doc. 2018,

302 Data_Sheet_1.docx. 2020,

301 Table_1.XLSX. 2020,

300 Table_2.XLSX. 2020,

299 Data_Sheet_1.docx. 2019,

298 Image_1.JPEG. 2019,

297 Image_2.JPEG. 2019,

296 Table_1.doc. 2019,

295 Data_Sheet_1.PDF. 2019,

294 Table_1.XLSX. 2019,

293 Image_1.tif. 2020,

292 Image_2.tif. 2020,

291 Image_3.tif. 2020,

290 Image_4.tif. 2020,

289 Image_5.tif. 2020,

288 Image_6.tif. 2020,

287 Image_7.tif. 2020,

286 Image_8.tif. 2020,

285 Image_9.tif. 2020,

284 Table_1.docx. 2020,

283 Table_2.docx. 2020,

282 Table_3.docx. **2020**,

281 Table_4.docx. **2020**,

280 Table_5.docx. **2020**,

279 Table_6.docx. **2020**,

278 Table_7.docx. **2020**,

277 Table_8.docx. **2020**,

276 Table_1.pdf. **2019**,

275 Table_2.pdf. **2019**,

274 Table_3.xlsx. **2019**,

273 Table_4.pdf. **2019**,

272 Table_5.pdf. **2019**,

271 Effects of Aquatic Acidification on Microbially Mediated Nitrogen Removal in Estuarine and Coastal Environments.. **2022**,

1

270 Characterization and diversity of native spp. isolated from semi-arid agroecosystems of Eastern Kenya.. **2022**, 18, 20210612

1

269 Molecular characterization and incidence of new tospovirus: Soybean Vein Necrosis Virus (SVNV) in Egypt. **2021**, 84, e246460

0

268 New substitutions on NS1 protein from influenza A (H1N1) virus: Bioinformatics analyses of Indian strains isolated from 2009 to 2020.. **2022**, 5, e626

267 Morphometric characteristics and microsatellite markers based diversity and differentiation recognizes the first prospective cattle breed from the Jharkhand state of India.. **2022**, 1-13

266 Characterisation of the *Mentha canadensis* R2R3-MYB transcription factor gene McMIXTA and its involvement in peltate glandular trichome development.. **2022**, 22, 219

265 First report of a *Candidatus Phytoplasma australasia* (16SrII-D) strain associated with witches' broom and little leaf symptoms of *Martynia annua* in India. **2022**, 45,

264	Microbial consortium with nitrogen fixing and mineral solubilizing attributes for growth of barley (L).. 2022 , 8, e09326	3
263	Characterization of the complete mitochondrial genome of <i>Dendroctonus valens</i> and elimination of nuclear mitochondrial pseudogene interference.	1
262	Genetic stability of cryopreserved ornamental <i>Lilium</i> germplasm. 1-3	0
261	Transcriptomic profile of the predatory mite <i>Amblyseius swirskii</i> (Acari: Phytoseiidae) on different host plants.. 2022 , 86, 479-498	0
260	OsQHB Improves Salt Tolerance by Scavenging Reactive Oxygen Species in Rice. 2022 , 13,	0
259	Overexpressing PpBURP2 in Rice Increases Plant Defense to Abiotic Stress and Bacterial Leaf Blight. 2022 , 13,	
258	Production, Bioprocessing and Anti-Proliferative Activity of Camptothecin from , "An Endozoic of Marine Sponge, sp.", as a Metabolically Stable Camptothecin Producing Isolate.. 2022 , 27,	0
257	Bioremediation of lead-contaminated soil by inorganic phosphate-solubilizing bacteria immobilized on biochar.. 2022 , 237, 113524	1
256	First Report on <i>Purpureocillium lilacinum</i> Infection of Indoor-Cultivated Morel Primordia. 2022 , 12, 695	1
255	Biocontrol effect of <i>Bacillus amyloliquefaciens</i> combined with un-irradiated and irradiated beet root as a preservative coating for pomegranate arils. 2022 , 15, 33-45	
254	Immunological responses during a virologically failing antiretroviral regimen are associated with in vivo synonymous mutation rates of HIV type-1 env. 2009 , 14, 413-422	
253	Mapping Natural Polymorphisms of Hepatitis C virus NS3/4A Protease and Antiviral Resistance to Inhibitors in Worldwide Isolates. 2008 , 13, 481-494	44
252	First molecular identification of a begomovirus associated with yellow vein net disease in grain amaranth (<i>Amaranthus cruentus</i> L.) in India. 2008 , 3, 129-131	1
251	Natural occurrence of Cucumber mosaic virus associated with mottling and mosaic disease on <i>Salvia splendens</i> , a new record from India. 2008 , 3, 118-120	0
250	First molecular identification of a begomovirus in India that is closely related to Cassava mosaic virus and causes mosaic and stunting of <i>Jatropha curcas</i> L.. 2008 , 3, 69-72	2
249	First report of phytoplasma <i>Candidatus phytoplasma asteris</i> [(16SrI)] from <i>Parthenium hysterophorus</i> L. showing symptoms of virescence and witches broom in India. 2008 , 3, 44-45	0
248	First report of <i>Candidatus Phytoplasma asteris</i> [(16SrI)] associated with little leaf of cotton and luffa in India. 2010 , 5, 117-119	0
247	Heterologous Expression, Purification, and Immunomodulatory Effects of Recombinant Lipoprotein GUDIV-103 Isolated from <i>Ureaplasma diversum</i> . 2022 , 10, 1032	

- 246 Origin of novel coronavirus causing COVID-19: A computational biology study using artificial intelligence. **2022**, 100328 0
- 245 Suppressive Effect of *Bacillus amyloliquefaciens* KL87 on *Alternaria* Blight of Ginseng. **2018**, 51, 491-498
- 244 Natural variation MeMYB108 associated with tolerance to stress-induced leaf abscission linked to enhanced protection against reactive oxygen species in cassava. 0
- 243 Endophytic *Klebsiella* sp. San01 promotes growth performance and induces salinity and drought tolerance in sweet potato (*Ipomoea batatas* L.). **2022**, 17, 608-619 2
- 242 Nitrilase gene detection and nitrile metabolism in two bacterial strains associated with waste streams in Lagos, Nigeria. **2022**, 46, 1
- 241 Potential applications of mineral solubilizing rhizospheric and nitrogen fixing endophytic bacteria as microbial consortium for the growth promotion of chilli (*Capsicum annum* L.). 0
- 240 Genome-Wide Identification and Expression Analyses of the Aquaporin Gene Family in Passion Fruit (*Passiflora edulis*), Revealing PeTIP3-2 to Be Involved in Drought Stress. **2022**, 23, 5720 3
- 239 Molecular identification and putative role of insulin growth factor binding protein-related protein (IGFBP-rp) in the swimming crab *Portunus trituberculatus*. **2022**, 833, 146551 1
- 238 Characterization and functional analysis of the MADS-box EgAGL9 transcription factor from the mesocarp of oil palm (*Elaeis guineensis* Jacq.). **2022**, 321, 111317 0
- 237 Functional characterization of transcription factor WIN1 genes associated with lipid biosynthesis and stress tolerance in soybean (*Glycine max*). **2022**, 200, 104916 0
- 236 Carbamazepine degradation and genome sequencing of a novel exoelectrogen isolated from microbial fuel cells. **2022**, 838, 156161 0
- 235 *Strongwellsea Selandia* and *Strongwellsea Gefion* (Entomophthorales Entomophthoraceae), Two New Species Infecting Adult Flies from Genus. 0
- 234 Identification, Variability and Phylogeny of *Alternaria linicola* Associated with Linseed in Egypt. **2022**, 21, 33-40
- 233 Cloning of Grass Carp Chemokine XC Receptor 1 (XCR1) Gene and Evaluation of Its Expression in Various Organs after GCRV Infection. **2022**, 7, 130
- 232 Protistan Communities Within the Galápagos Archipelago With an Emphasis on Micrograzers. **2022**, 9,
- 231 Comparative genomic analysis reveals cellulase plays an important role in the pathogenicity of *Setosphaeria turcica* f. sp. zeae. **2022**,
- 230 Integrated Expression Analysis of Small RNA, Degradome and Microarray Reveals Complex Regulatory Action of miRNA during Prolonged Shade in Swarnaprabha Rice. **2022**, 11, 798 0
- 229 Sooty mould caused by *Capnodium alfenasii* on *Azadirachta indica*. 0

- 228 Exploring the culturable bacterial diversity and its hydrocarbon degrading potentiality isolated from the Oxygen Minimum Zone Sediments of Bay of Bengal. 0
- 227 Occurrence and Characterization of Wheat Streak Mosaic Virus Found in Mono- and Mixed Infection with High Plains Wheat Mosaic Virus in Winter Wheat in Ukraine. **2022**, 14, 1220 1
- 226 PhyloHerb: A high-throughput phylogenomic pipeline for processing genome skimming data. 1
- 225 Functional characterization of novel phosphate solubilizing bacteria, *Chryseomicrobium imtechense*, for enhanced strawberry growth and yield parameters. **2022**, 15, 0
- 224 Recovery of metagenome-assembled genomes from the phyllosphere of 110 rice genotypes. **2022**, 9, 0
- 223 Differential MC5R loss in whales and manatees reveals convergent evolution to the marine environment. 0
- 222 Hybridization as a result of spatial and reproductive interactions between species within the group of Yellow Wagtails (Aves, Motacillidae) in areas of sympatry. **2021**, 2021, 125-152 0
- 221 FUNGI OF THE BOTRYOSPHAERIACEAE FAMILY CAUSE DIFFERENT LEVELS OF STEM CANKER ON PECAN TREES (*Carya illinoensis*) IN BRAZIL. 46, 0
- 220 *Plasmodium* spp. in macaques, *Macaca fascicularis*, in Malaysia, and their potential role in zoonotic malaria transmission. **2022**, 29, 32 0
- 219 First report of a *Candidatus Phytoplasma asteris* (16Sr I-B) associated with phyllody disease of *Panicum sumatrense* in India. **2022**, 45, 0
- 218 Nuclear Ribosomal Internal Transcribed Spacer 1 (ITS1) variation in Lady Bird Beetles (Coccinellidae). 0
- 217 Genetic typing of isolates of *Rickettsia typhi*. **2022**, 16, e0010354 0
- 216 Haemosporidian parasite diversity and prevalence in the songbird genus *Junco* across Central and North America. 0
- 215 Isolation, Identification and Analysis of Novel Metabolites from Soil Samples (Microbial Co Culture) of Cardamom Plantations Western Ghats, India. **2022**, 1953-1959 0
- 214 DNA polymorphisms and expression profile of immune and antioxidant genes as biomarkers for reproductive disorders tolerance/susceptibility in Baladi goat. 1-12 0
- 213 SsAGM1-Mediated Uridine Diphosphate-N-Acetylglucosamine Synthesis Is Essential for Development, Stress Response, and Pathogenicity of *Sclerotinia sclerotiorum*. 13, 1
- 212 Enzymatic browning and genome-wide polyphenol oxidase gene identification in three contrasting avocado accessions. 0
- 211 Genomic Insights Into the Unique Demographic History and Genetic Structure of Five Hmong-Mien-Speaking Miao and Yao Populations in Southwest China. 10, 0

- 210 Broad-Spectrum Antimicrobial Action of Cell-Free Culture Extracts and Volatile Organic Compounds Produced by Endophytic Fungi *Curvularia Eragrostidis*. 13, ○
- 209 Molecular Cloning of Heat Shock Protein 60 (SpHSP60) from *Schizothorax prenanti* and the Gene Expressions of Four SpHSPs during Lipopolysaccharide (LPS) Infection. **2022**, 7, 139 ○
- 208 Single Nucleotide Polymorphisms, Gene Expression and Economic Evaluation of Parameters Associated with Mastitis Susceptibility in European Cattle Breeds. **2022**, 9, 294 ○
- 207 Comparative analysis of the catalysis and stability of the native, recombinant and metagenomic alkaline proteases in organic solvents. ○
- 206 Heterologous Expression and Characterization of Plant Wax Ester Producing Enzymes. **2022**, 12, 577
- 205 Genome-Wide Identification and Characterization of CPR5 Genes in *Gossypium* Reveals Their Potential Role in Trichome Development. 13, ○
- 204 Characterization and Genomic Analysis of a Nitrate Reducing Bacterium from Shale Oil in the Ordos Basin and the Associated Biosurfactant Production. ○
- 203 Evaluation, Characterization and Molecular Analysis of Cellulolytic Bacteria from Soil in Peshawar, Pakistan. **2022**, 50, 245-254
- 202 *Paramyrothecium foliicola* causes crown dry rot of melon (*Cucumis melo*) in Iran. 1
- 201 Positive Selection and Adaptive Introgression of Haplotypes from *Bos indicus* Improve the Modern *Bos taurus* Cattle. **2022**, 12, 844 1
- 200 Genetic Diversity and Gene Flow Observed in Two Cereal Aphid (Hemiptera: Aphididae) Species and Populations in the Chinese Corn Belt Region. **2022**, 57, 363-379
- 199 Morphological and Genetic Variability in *Radix auricularia* (Mollusca: Gastropoda: Lymnaeidae) of Lake Baikal, Siberia: The Story of an Unfinished Invasion into the Ancient Deepest Lake. **2022**, 14, 527 1
- 198 Exploring Functional Diversity and Community Structure of Diazotrophic Endophytic Bacteria Associated with *Pennisetum glaucum* Growing under Field in a Semi-Arid Region. **2022**, 11, 991 ○
- 197 Comparative transcriptome and metabolome analyses of four *Panax* species explore the dynamics of metabolite biosynthesis. **2022**, ○
- 196 Historical genetic diversity and population structure of wild red pandas (*Ailurus fulgens*) in Nepal. ○
- 195 Identification of cellulolytic lactic acid bacteria from the intestines of laying hens given AKBISprob based on 16S ribosomal ribonucleic acid gene analysis. 1650-1656 ○
- 194 Corpse decay of wild animals leads to the divergent succession of *nrfA*-type microbial communities. ○
- 193 Genome-Wide Characterization and Expression Analysis of GeBP Family Genes in Soybean. **2022**, 11, 1848 1

- 192 Strongwellsea selandia and Strongwellsea gefion (Entomophthorales: Entomophthoraceae), two new species infecting adult flies from genus *Helina* (Diptera: Muscidae). **2022**, 107797
- 191 Microbial consortium of mineral solubilizing and nitrogen fixing bacteria for plant growth promotion of amaranth (*Amaranthus hypochondrius* L.). **2022**, 43, 102404 1
- 190 Comparative genomic analysis reveals cellulase plays an important role in the pathogenicity of *Setosphaeria turcica* f. sp. *zeae*. 13, 0
- 189 Nitrogen removal by a strengthened comprehensive floating bed with embedded pellets made by a newly isolated *Pseudomonas* sp. Y1. 1-28
- 188 Purification and characterization of a robust thermostable protease isolated from *Bacillus subtilis* strain HR02 as an extremozyme. 0
- 187 The effect of mineral fertilizers on reproduction of soil saprophytic bacteria. **2022**, 1061, 012008
- 186 The first study on analysis of the codon usage bias and evolutionary analysis of the glycoprotein envelope E2 gene of seven Pestiviruses. 1857-1868
- 185 Cloning, heterologous expression and characterization of o-phthalyl-CoA decarboxylase from phthalate degrading denitrifying bacterium.
- 184 Independent Circulation of *Leishmania major* and *Leishmania tropica* in Their Respective Sandfly Vectors for Transmission of Zoonotic and Chronic Cutaneous Leishmaniasis Co-Existing in a Mixed Focus of Central Tunisia. **2022**, 11, 855 0
- 183 Verrucariaceae from Nepal. **2022**, 54, 139-174 1
- 182 Molecular Characterization of a New *Nosema bombycis* Strain Detected in Iranian Silkworm Farms. **2022**, 67, 1364-1371
- 181 Interaction of PKR with STCS1 : an indispensable step in the biosynthesis of lunularic acid in *Marchantia polymorpha*. 1
- 180 *Schizothorax prenanti* Heat Shock Protein 27 Gene: Cloning, Expression, and Comparison with Other Heat Shock Protein Genes after Poly (I:C) Induction. **2022**, 12, 2034
- 179 First Report of Leaf Spot on water convolvulus Caused by *Stemphylium solani* in Yunnan Province, China.
- 178 Alleviation of Cadmium and Nickel Toxicity and Phyto-Stimulation of Tomato Plant L. by Endophytic *Micrococcus luteus* and *Enterobacter cloacae*. **2022**, 11, 2018 1
- 177 Genetic diversity and structure of superior spring frost tolerant genotypes of Persian walnut (*Juglans regia* L.) in East Azerbaijan province of Iran, characterized using inter simple sequence repeat (ISSR) markers. 0
- 176 First report on *Rahnella* sp. strain EU-A3SNfb, a plant growth promoting endophytic bacterium from wild wheat relative *Aegilops kotschy*. 0
- 175 Molecular and structural characterization of a promiscuous chalcone synthase from the fern species *Stenoloma chusanum*.

- 174 Complex Evolutionary History of the South American Fox Genus *Lycalopex* (Mammalia, Carnivora, Canidae) Inferred from Multiple Mitochondrial and Nuclear Markers. **2022**, 14, 642 ○
- 173 Functional Analysis of the Anthocyanin-Associated Glutathione S-Transferase Gene *StGST1* in Potato.
- 172 Halophilic and Halotolerant Actinomycetes of Sambhar Salt Lake, India: Screening and Optimization of Cellulolytic Activity.
- 171 Effect of Changing Conditions on the Composition of the Bacterial Community of Mine Waters. **2022**, 15, 489-496 ○
- 170 Genetic diversity, lineage divergence, and demography of *Diaphanosoma dubium* (Crustacea: Cladocera) on Hainan Island, China. ○
- 169 High throughput screening of the potential biosurfactants production by extremophiles isolated from vinasse and black liquor. **2022**, 100587 ○
- 168 Genome-Wide Expression Profiling Analysis of Kiwifruit *GolS* and *RFS* Genes and Identification of *AcRFS4* Function in Raffinose Accumulation. **2022**, 23, 8836 ○
- 167 Nuclear genetic diversity of head lice sheds light on human dispersal around the world.
- 166 Ethyl acetate produced by *Hanseniaspora uvarum* is a potential biocontrol agent against tomato fruit rot caused by *Phytophthora nicotianae*. 13, ○
- 165 Tempo-spatial distribution and species composition of green algae micro-propagules in the coastal waters of Qinhuangdao, China. **2022**, 108054
- 164 A study on fluoride bioremediation via a novel bacterium *Bacillus megaterium* (JF273850) isolated from agricultural soil. **2022**, 131,
- 163 *NANOGP1*, a tandem duplicate of *NANOG*, exhibits partial functional conservation in human naïve pluripotent stem cells.
- 162 Destinations of third-generation *Mythimna separata* (Lepidoptera: Noctuidae) moths in Jilin and its effects on population genetic diversity. ○
- 161 Chlorate as a comammox *Nitrospira* specific inhibitor reveals nitrification and N_2O production activity in coastal wetland. **2022**, 173, 108782 ○
- 160 Biochemical and molecular characterization of a new heme peroxidase from *Aspergillus niger* CTM10002, and its application in textile reactive dye decolorization. **2022**, 121, 619-634 ○
- 159 Oxidative potential of two Brazilian endophytic fungi from *Handroanthus impetiginosus* towards progesterone. **2022**, 187, 109101
- 158 An overview of Potyviruses infecting daffodil and their disease management. **2022**, ○
- 157 Reproductive capacity in *Adelphocoris suturalis* (Hemiptera: Miridae) is regulated by the insulin signaling pathway. **2022**, 187, 105195 ○

- 156 Comparison of two willow genotypes reveals potential roles of iron-regulated transporter 9 and heavy-metal ATPase 1 in cadmium accumulation and resistance in *Salix suchowensis*. **2022**, 244, 114065 ○
- 155 Structural insights of a putative β 1,4-xylosidase (PsGH43F) of glycoside hydrolase family 43 from *Pseudopedobacter saltans*. **2022**, 221, 751-762 ○
- 154 Assessing the utility of mitochondrial gene markers in the family Suessiaceae (Dinophyta) with phylogenomic validation. **2022**, 177, 107625 ○
- 153 Sugar Beet Cyst Nematode (*Heterodera schachtii* Schmidt): Identification and Antagonists. **2022**, 751-776 ○
- 152 Codon Usage Bias and Evolutionary Studies of NS5 and E Genes of Powassan Virus. ○
- 151 Molecular characterization and association studies of CYP19 (aromatase) allelic variants with reproduction and production traits in Sahiwal and Haryana cattle. **2022**, 92, 202-207 ○
- 150 Unusual Morphological Changes of *Rugositalea oryzae*, A Novel Wrinkled Bacterium Isolated from The Rice Rhizosphere, Under Nutrient Stress. ○
- 149 The Genetic Characterization of the First Detected Bat Coronaviruses in Poland Revealed SARS-Related Types and Alphacoronaviruses. **2022**, 14, 1914 1
- 148 Screening and Characterization of New *Acetobacter fabarum* and *Acetobacter pasteurianus* Strains with High Ethanol β thermo Tolerance and the Optimization of Acetic Acid Production. **2022**, 10, 1741 ○
- 147 Tandem Mass Tags Quantitative Proteome Identification and Function Analysis of ABC Transporters in *Neofusicoccum parvum*. **2022**, 23, 9908 ○
- 146 Molecular identification of scale insect (*Eulecanium giganteum*) in *Hibiscus rosa-sinensis*. **2022**, 10, 797-804 ○
- 145 *Candida guilliermondii* as an agent of postpartum subacute mastitis in Rio de Janeiro, Brazil: Case report. 13, ○
- 144 TrpR-like protein PXO_00831, regulated by the sigma factor RpoD, is involved in motility, oxidative stress tolerance, and virulence in *Xanthomonas oryzae* pv. *oryzae*. ○
- 143 Long-term humoral immunogenicity, safety and protective efficacy of inactivated vaccine against reindeer rabies. 13, ○
- 142 The first molecular identification and phylogenetic analysis of tick-borne pathogens in captive wild animals from Lohi Bher zoo, Pakistan. ○
- 141 Phycocyanin purified from *Westiellopsis* sp. induces caspase 3 mediated apoptosis in breast cancer cell line MDA-231. **2022**, 102852 ○
- 140 Functional divergence of GLP genes between *G. barbadense* and *G. hirsutum* in response to *Verticillium dahliae* infection. **2022**, 114, 110470 1
- 139 Genetic structure and differentiation from early bronze age in the mediterranean island of sicily: Insights from ancient mitochondrial genomes. 13, ○

- 138 Characterization and statistical optimization of biosurfactant production using *Bacillus subtilis* isolated from automotive oil-contaminated soil in Yola, Nigeria. **2022**, 17, e01357 ○
- 137 Investigation of potential tea polyphenols against SARS-CoV-2 targets: A Computational approach. ○
- 136 Population genetic structure of fringe-lipped carp, *Labeo fimbriatus* from the peninsular rivers of India. **2022**, 12, ○
- 135 VvSUN may act in the auxin pathway to regulate fruit shape in grape. 1
- 134 Effect of bacterial toxin identified from the *Bacillus subtilis* against the *Cnaphalocrocis medinalis* Guenée (Lepidoptera: Crambidae). 1-11 ○
- 133 Genome-Wide Diversity Analysis of African Swine Fever Virus Based on a Curated Dataset. **2022**, 12, 2446 2
- 132 Distribution and Biodiversity of Seed-Borne Pathogenic and Toxigenic Fungi of Maize in Egypt and Their Correlations with Weather Variables. **2022**, 11, 2347 1
- 131 *Aspergillus flavus* YRB2 from *Thymelaea hirsuta* (L.) Endl., a non-aflatoxigenic endophyte with ability to overexpress defense-related genes against *Fusarium* root rot of maize. **2022**, 22, ○
- 130 *Fusarium verticillioides* NAT1 (FDB2) N -malonyltransferase is structurally, functionally and phylogenetically distinct from its N -acetyltransferase (NAT) homologues. ○
- 129 An activated form of NB-ARC protein RLS1 functions with cysteine-rich receptor-like protein RMC to trigger cell death in rice. **2022**, 100459 ○
- 128 Actin cytoskeleton dynamics affect replication of Human Metapneumovirus. ○
- 127 Bioprocess development for biosurfactant production by *Natrialba* sp. M6 with effective direct virucidal and anti-replicative potential against HCV and HSV. **2022**, 12, ○
- 126 GhALKBH10 negatively regulates salt tolerance in cotton. **2022**, 192, 87-100 ○
- 125 Microsatellite markers based genetic diversity and differentiation of Balangir goat population of Odisha. **2022**, 91, ○
- 124 Migratory connectivity in a Newfoundland population of the American Redstart (*Setophaga ruticilla*). **2022**, 134, ○
- 123 Effect of short-term warming and drought on the methanogenic communities in degraded peatlands in Zoige Plateau. 13, ○
- 122 Heterologous Expression of the Apple MdbZIP26 Gene in *Arabidopsis thaliana* Improves Resistance to High Salinity and Drought Stress. **2022**, 12, 2624 ○
- 121 Cloning of Toll-like Receptor 3 Gene from *Schizothorax prenanti* (SpTLR3), and Expressions of Seven SpTLRs and SpMyD88 after Lipopolysaccharide Induction. **2022**, 13, 1862 ○

- 120 Identification of a flavonoid C-glycosyltransferase from fern species *Stenoloma chusanum* and the application in synthesizing flavonoid C-glycosides in *Escherichia coli*. **2022**, 21, 0
- 119 Genetic characterization and population structure analysis among different horticultural groups of muskmelon (*Cucumis melo* L.) using microsatellite markers. 1-8 0
- 118 Haplotype study of the mitochondrial control region of broiler breeds with different growth rates. 1-9 0
- 117 Potential of mineral-solubilizing bacteria for physiology and growth promotion of *Chenopodium quinoa* Willd. 13, 1
- 116 Tempo-spatial distribution of *Ulva* spp. micro-propagules in the Yellow Sea during and after green tide in 2019. 1
- 115 Genome-Wide Analysis of the MYB-Related Transcription Factor Family in Pepper and Functional Studies of CaMYB37 Involvement in Capsaicin Biosynthesis. **2022**, 23, 11667 2
- 114 Cross-reactive neutralizing human monoclonal antibodies mapping to variable antigenic sites on the norovirus major capsid protein. 13, 0
- 113 Population genetic analyses inferred a limited genetic diversity across the pvama-1 DI domain among *Plasmodium vivax* isolates from Khyber Pakhtunkhwa regions of Pakistan. **2022**, 22, 0
- 112 Breeding Asian seabass to increase survival against big belly disease and growth. **2022**, 0
- 111 Molecular surveillance of rubella virus in Beijing, China during 2010-2021: Progress and challenges in rubella elimination. **2022**, 40, 6857-6863 0
- 110 Genetic variability in the *Crocidura kegoensis* *C. zaitsevi* group (Mammalia, Eulipotyphla) and re-evaluation of *C. zaitsevi* from Vietnam. 0
- 109 Characterization and genomic analysis of a nitrate reducing bacterium from shale oil in the Ordos Basin and the associated biosurfactant production. **2022**, 10, 108776 0
- 108 New species of red-backed vole (Mammalia: Rodentia: Cricetidae) in fauna of Russia: molecular and morphological evidences. **2009**, 313, 3-9 0
- 107 Diferenciación genética de las poblaciones de *Felis catus* en los municipios de Restrepo y Darién del Valle del Cauca, Colombia. **2019**, 36-44 0
- 106 Wheat (*Triticum aestivum* L.) inoculation through characterization and identification of soil bacteria. 1-14 0
- 105 Population structure of sumac (*Rhus coriaria* L.) from Türkiye based on transcriptome-developed SSR marker. 0
- 104 Microbes-Assisted Arsenate Reduction Activity in Bangladesh Drinking Water Wells as Revealed by Enrichment Cultivation. 1-11 0
- 103 An *Enterobacter cloacae* strain NG-33 that can solubilize phosphate and promote maize growth. 13, 0

- 102 Mitigation of low temperature stress and plant growth promotion in barley (*Hordeum vulgare* L.) by inoculation of psychrotrophic P-solubilizing *Serratia nematodiphila* EU-PW75. ○
- 101 Minimum Core Genome Sequence Typing of *Brucella* From China. Publish Ahead of Print, ○
- 100 Bioformulation Containing Cohorts of *Ensifer adhaerens* MSN12 and *Bacillus cereus* MEN8 for the Nutrient Enhancement of *Cicer arietinum* L. **2022**, 11, 3123 ○
- 99 Bacterial communities associated with mushrooms in the Qinghai-Tibet Plateau are shaped by soil parameters. ○
- 98 Genome-wide identification and expression analysis of PIN gene family under phytohormone and abiotic stresses in *Vitis Vinifera* L.. ○
- 97 Production and statistical optimization of cholesterol-oxidase generated by *Streptomyces* sp. AN strain. **2022**, 20, ○
- 96 Screening for agroactive and bioactive metabolites production by actinobacteria isolated from rhizospheric soils. ○
- 95 Hormone Regulation of CCCH Zinc Finger Proteins in Plants. **2022**, 23, 14288 ○
- 94 Isolation and Characterization of *Bacillus velezensis* from Lake Bogoria as a Potential Biocontrol of *Fusarium solani* in *Phaseolus vulgaris* L.. **2022**, 1, 279-293 1
- 93 Nitrogen loss from anaerobic ammonium oxidation coupled to Iron(III) reduction activity across estuarine and coastal wetlands of China: Spatial variations, controlling factors, and environmental implications. **2023**, 222, 106805 ○
- 92 DNA barcoding of *Cynoglossus arel* using mitochondrial COI and 16S rRNA genes. **2022**, 90, 1074-1079 ○
- 91 Genetic variation of chloroplast genome and morphological characteristics of *Primula cuneifolia* Ledeb. var. *cuneifolia* at Yoichidake in Hokkaido, Japan. **2022**, 48, 51-55 ○
- 90 Genome-Wide Identification and Analysis of FKBP Gene Family in Wheat (*Triticum aestivum*). **2022**, 23, 14501 ○
- 89 *Chlamydia abortus* Isolation and Identification in Aborted Ovine Fetus in Mari El Republic of Russia. **2022**, 11, 1408 ○
- 88 Discovery and biosynthetic assessment of *Streptomyces ortus* sp. nov. isolated from a deep-sea sponge. ○
- 87 Nitrogen Acquisition and Transport in the Ectomycorrhizal Symbiosis Insights from the Interaction between an Oak Tree and *Pisolithus tinctorius*. **2023**, 12, 10 ○
- 86 Plant growth promotion of pearl millet (*Pennisetum glaucum* L.) by novel bacterial consortium with multifunctional attributes. ○
- 85 The rice blast fungus SR protein 1 regulates alternative splicing with unique mechanisms. **2022**, 18, e1011036 ○

- 84 Microbiological Characterization of *Actinotignum schaalii* Strains Causing Invasive Infections during a Multiyear Period in a Large Canadian Health Care Region. **2022**, 10, ○
- 83 Genetic variation of the candidate loci controlling twinning in the beef and dairy cattle breeds in Indonesia. 55-64 ○
- 82 Low level of DNA variation in blast resistance Pi-ta gene of wild, weedy rice and Thai jasmine rice Khao Dawk Mali 105. ○
- 81 Simultaneous heterotrophic nitrification and aerobic denitrification potential of *Paenibacillus* sp. strain GLM-08 isolated from lignite mine waste and its role ammonia removal from mine waste water. ○
- 80 Evolutionary Relationships and Divergence of Filamin Gene Family Involved in Development and Stress in Cotton (*Gossypium hirsutum* L.). **2022**, 13, 2313 ○
- 79 Assessment of nitrogen-fixing endophytic and mineral solubilizing rhizospheric bacteria as multifunctional microbial consortium for growth promotion of wheat and wild wheat relative *Aegilops kotschy*. **2022**, e12579 ○
- 78 Diverse functions of GmNLA1 members in controlling phosphorus homeostasis highlight coordinate response of soybean to nitrogen and phosphorus availability. **2022**, ○
- 77 Synergistic Effect of Endophytic and Rhizospheric Microbes for Plant Growth Promotion of Foxtail Millet (*Setaria italica* L.). ○
- 76 Cryptochrome-mediated blue-light signal contributes to carotenoids biosynthesis in microalgae. 13, ○
- 75 Genetic diversity of the Chinese medicinal plant *Astragali Radix* based on transcriptome-derived SSR markers. **2022**, ○
- 74 Genetic diversity and population structure of a threatened tree species *Azelia africana* Sm. ex Pers. among climatic zones for conservation challenges in Benin (West Africa). ○
- 73 Phylogenetic analysis of sheep pox virus (SPPV) virion core protein P4a gene revealed extensive sequence conservation among capripox viruses. **2018**, 88, 21-24 ○
- 72 OsPRD2 is essential for double-strand break formation, but not spindle assembly during rice meiosis. 13, ○
- 71 New Insights on Nucleotide Sequence Variants and mRNA Levels of Candidate Genes Assessing Resistance/Susceptibility to Mastitis in Holstein and Montb[ar]arde Dairy Cows. **2023**, 10, 35 ○
- 70 Exploring the forensic effectiveness and population genetic differentiation by self-constructed 41 multi-InDel panel in Yunnan Zhuang group. **2023**, 147180 ○
- 69 Molecular insights into the genetic diversity and population structure of *Artemisia annua* L. as revealed by insertional polymorphisms. ○
- 68 Effects of temperature on the autotrophic and mixotrophic growth rates of the dinoflagellate *Biecheleria cincta* and its spatiotemporal distributions under current temperature and global warming conditions. **2023**, 170, ○
- 67 Phylogeography and population structure of the Rock Darter species complex, *Etheostoma rupestre* (Teleostomi: Percidae) across the Mobile River Basin. ○

- 66 Indigenous Yeasts from Rose Oil Distillation Wastewater and Their Capacity for Biotransformation of Phenolics. **2023**, 11, 201 ○
- 65 Before Direct-Acting Antivirals for Hepatitis C Virus: Evaluation of Core Protein R70Q and L/C91M Substitutions in Chronically Infected Brazilian Patients Unresponsive to IFN and/or RBV. **2023**, 15, 187 ○
- 64 Overexpression the BnLACS9 could increase the chlorophyll and oil content in Brassica napus. **2023**, 16, ○
- 63 Population genetic differentiation of *Daphnia sinensis* in a lasting high-phosphorus Chinese lake, Lake Chaohu. 10, ○
- 62 *Curtobacterium uspiensis* sp. nov., an endophytic bacterium isolated from *Citrus sinensis* (sweet orange) in Brazil. ○
- 61 The `phrutaR` package and `balphycon3hiny` app: increasing access, reproducibility, and transparency in phylogenetic analyses. ○
- 60 NANOGP1, a tandem duplicate of NANOG, exhibits partial functional conservation in human naïve pluripotent stem cells. **2023**, 150, ○
- 59 Identification of *Laporteia bulbifera* using the complete chloroplast genome as a potentially effective super-barcode. ○
- 58 New Insights on Coding Mutations and mRNA Levels of Candidate Genes Associated with Diarrhea Susceptibility in Baladi Goat. **2023**, 13, 143 ○
- 57 Characterization of *Fusarium* spp. causal agent of wilt in pecan. **2022**, 69, 720-730 ○
- 56 Genetic Diversity and Differences among Three F1 Families and Two Wild Populations of Genus *Scylla* Using Microsatellite Markers. **2023**, 8, 18 ○
- 55 Potensi Probiotik Bakteri Asam Laktat Asal Madu dari Tiga Jenis Lebah yang Berbeda. **2022**, 33, 189-199 ○
- 54 High-Quality Genomes of Pangolins: Insights into the Molecular Basis of Scale Formation and Adaption to Myrmecophagous Diet. **2023**, 40, 1
- 53 An exploration of mechanism of high quality and yield of *Gastrodia elata* Bl. f. *glauca* by the isolation, identification and evaluation of *Armillaria*. **2022**, 22, ○
- 52 Filogenia de los cánidos actuales (Carnivora: Canidae) mediante análisis de congruencia de caracteres bajo parsimonia. **2017**, 34, 85-102 ○
- 51 Helminth Community Structure of Tits *Cyanistes caeruleus* and Parus major (Paridae) during Their Autumn Migration on the Southern Baltic Coast. **2023**, 13, 421 ○
- 50 Pathometagenomics reveals susceptibility to intestinal infection by *Morganella* to be mediated by the blood group-related B4galnt2 gene in wild mice. **2023**, 15, ○
- 49 Antifouling efficiency of latex producing plant species distributed in tidal and terrestrial regions of Coromandel Coast. ○

- 48 Complete chloroplast genome molecular structure, comparative and phylogenetic analyses of *Sphaeropteris lepifera* of Cyatheaceae family: a tree fern from China. **2023**, 13, ○
- 47 Analysis of Potential Genes and Economic Parameters Associated with Growth and Heat Tolerance in Sheep (*Ovis aries*). **2023**, 13, 353 ○
- 46 Isolation and characterization of lactic acid bacteria with potential probiotic activity and further investigation of their activity by α-amylase and α-glucosidase inhibitions of fermented batters. 13, 1
- 45 Field isolates of *Monilinia fructicola* Change resistance pattern to greater sensitivity to thiophanate-methyl in recent populations. ○
- 44 Rapid and low-cost identification of common sole (*Solea solea*) in the field using a fast DNA isolation protocol and loop-mediated isothermal amplification (LAMP). **2023**, 118, 105166 ○
- 43 An insight into current trends of *Trichoderma* genetic diversity assessment. **2023**, 81-106 ○
- 42 Screening and isolation of maximal lipid accumulating fungi from oil contaminated site for biodiesel production. **2023**, ○
- 41 Molecular characteristics and pathogenicity of a Tibet-origin mutant avian leukosis virus subgroup J isolated from Tibetan chickens in China. **2023**, 109, 105415 ○
- 40 Valorization of banana peel into α-amylase using one factor at a time (OFAT) assisted artificial neural network (ANN) and its partial purification, characterization, and kinetics study. **2023**, 53, 102533 ○
- 39 Isolation and characterization of an As(III) oxidizing bacterium, *Acinetobacter* sp. TMKU4 from paddy field for possible arsenic decontamination. **2023**, 10, 100289 ○
- 38 bZIPs regulate laminarin metabolism via the circadian rhythms in diatom *Phaeodactylum tricornutum*. **2023**, 150, 110210 ○
- 37 Association of Palm gene mutations with structure and function of paralemmin proteins in Lori-Bakhtiari and Zel sheep Breeds. 45, e57287 ○
- 36 Effects of the dual inoculation of dark septate endophytes and *Trichoderma koningiopsis* on blueberry growth and rhizosphere soil microorganisms. **2023**, 99, ○
- 35 Differential responses of canonical nitrifiers and comammox *Nitrospira* to long-term fertilization in an Alfisol of Northeast China. 14, ○
- 34 ZmTIFY16, a novel maize TIFY transcription factor gene, promotes root growth and development and enhances drought and salt tolerance in *Arabidopsis* and *Zea mays*. **2023**, 100, 149-160 ○
- 33 Beta Diversity of Arbuscular Mycorrhizal Communities Increases in Time after Crop Establishment of Peruvian Sacha Inchi (*Plukenetia volubilis*). **2023**, 9, 194 ○
- 32 Biodegradation of Aflatoxin B1 in Maize Grains and Suppression of Its Biosynthesis-Related Genes Using Endophytic *Trichoderma harzianum* AYM3. **2023**, 9, 209 ○
- 31 Dengue incidence and length of viremia by RT-PCR in a prospective observational community contact cluster study from 2005-2009 in Indonesia. **2023**, 17, e0011104 ○

- 30 Expression patterns of Cytochrome P4501A gene induced by environmental conditions and glucocorticoid response elements (GRE) in wild fish lagoon *Fundulus* species. **2023**, 61, 102865 ○
- 29 Evaluation of the Presence of Arbuscular Mycorrhizae and Cadmium Content in the Plants and Soils of Cocoa Plantations in San Martin, Peru. **2023**, 15, 246 ○
- 28 Dark Fermentation of *Arundo donax*: Characterization of the Anaerobic Microbial Consortium. **2023**, 16, 1813 ○
- 27 Molecular characterization, developmental biology, and life table of ladybird beetle, *Micraspis discolor* and its predatory potential against *Aphis gossypii*. 1-11 ○
- 26 Biochemical Characterization and Functional Analysis of Glucose Regulated Protein 78 from the Silkworm *Bombyx mori*. **2023**, 24, 3964 ○
- 25 Aqueous Geochemical Controls on the Sestonic Microbial Community in Lakes Michigan and Superior. **2023**, 11, 504 ○
- 24 Characterization of the Passion Fruit (*Passiflora edulis* Sim) bHLH Family in Fruit Development and Abiotic Stress and Functional Analysis of PebHLH56 in Cold Stress. **2023**, 9, 272 ○
- 23 Genetic diversity monitoring of *Fenneropenaeus chinensis* in the Bohai Sea in the past decade: A study on the effect of release on the natural population. **2023**, 61, 102823 ○
- 22 Individual Genomic Loci and mRNA Levels of Immune Biomarkers Associated with Pneumonia Susceptibility in Baladi Goats. **2023**, 10, 185 ○
- 21 VILLIN2 regulates cotton defense against *Verticillium dahliae* by modulating actin cytoskeleton remodeling. ○
- 20 Isolation and characterization of *Priestia megaterium* KD7 for the biological control of pear fire blight. 14, ○
- 19 Combined effect of physico-chemical and microbial quality of breeding habitat water on oviposition of malarial vector *Anopheles subpictus*. **2023**, 18, e0282825 ○
- 18 Characterization of culture condition dependent, growth responses of phosphate solubilizing bacteria (*Bacillus subtilis* DR2) on plant growth promotion of *Hordeum vulgare*. ○
- 17 Hepatitis E Virus in Finland: Epidemiology and Risk in Blood Donors and in the General Population. **2023**, 12, 484 ○
- 16 Fungal Screening for Potential PET Depolymerization. **2023**, 15, 1581 ○
- 15 Characterization of the NAC Transcription Factor in Passion Fruit (*Passiflora edulis*) and Functional Identification of PeNAC-19 in Cold Stress. **2023**, 12, 1393 ○
- 14 Some Volatile Metabolites Produced by the Antifungal-*Trichoderma Asperellum* UZ-A4 Micromycete. **2022**, 11, 239-251 ○
- 13 Blue Shark (*Prionace glauca*) Distribution in the Pacific Ocean: A Look at Continuity and Size Differences. **2023**, 15, 1324 ○

- 12 Molecular and morphological analyses disclose the existence of three species of Dolichopoda (Orthoptera: Rhaphidophoridae) in the Calabria region (Italy). **2023**, 57, 372-394 ○
- 11 Identification of Pathogen of Skin Rot of *Rana spinosa* and Study on Immune Effect of Vaccine. **2023**, 12, 33-44 ○
- 10 Morphological and molecular comparison as a useful tool for identification of the three centric marine diatoms (Bacillariophyceae: Chaetoceros). **2023**, 205, ○
- 9 Mutualistic Effect of Macronutrients Availing Microbes on the Plant Growth Promotion of Finger Millet (*Eleusine coracana* L.). **2023**, 80, ○
- 8 Membrane Potential-requiring Succinate Dehydrogenase Constitutes the Key to Propionate Oxidation and Is Unique to Syntrophic Propionate-oxidizing Bacteria. **2023**, 38, n/a ○
- 7 Natural product nanofibers derived from *Trichoderma hamatum* K01 to control citrus anthracnose caused by *Colletotrichum gloeosporioides*. **2023**, 8, ○
- 6 Tolerance, taxonomic and phylogenetic studies of some bacterial isolates involved in bioremediation of crude oil polluted soil in the southern region of Nigeria. **2023**, 9, e15639 ○
- 5 The Role of the *Leishmania infantum* Infected Dogs as a Potential Reservoir Host for Toscana Virus in a Zoonotic Visceral Leishmaniasis Focus of Northern Tunisia. **2023**, 15, 1012 ○
- 4 Phytoplasma diseases in Korea. **2023**, 233-248 ○
- 3 Characterization of an antimicrobial pentapeptide produced by a drug-sensitive *Pseudomonas aeruginosa* strain PAST18. **2023**, ○
- 2 Microbiome: Impact of sex on function and characteristics of gut microbiome. **2023**, 313-329 ○
- 1 The translocase of the inner mitochondrial membrane 22-2 is required for mitochondrial membrane function during *Arabidopsis* seed development. ○