

CITATION REPORT

List of articles citing

Ubiquity and dominance of oxygenated species in organic aerosols in anthropogenically-influenced Northern Hemisphere midlatitudes

DOI: 10.1029/2007gl029979

Geophysical Research Letters, 2007, 34, n/a-n/a.

Source: <https://exaly.com/paper-pdf/42101894/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1656	PM speciation and sources in Mexico during the MILAGRO-2006 Campaign. 2007 ,		3
1655	Closure study between chemical composition and hygroscopic growth of aerosol particles during TORCH2. 2007 , 7, 6131-6144		206
1654	Effect of hydrophobic primary organic aerosols on secondary organic aerosol formation from ozonolysis of pinene. <i>Geophysical Research Letters</i> , 2007 , 34,	4.9	90
1653	Interference of organic signals in highly time resolved nitrate measurements by low mass resolution aerosol mass spectrometry. 2007 , 112,		31
1652	Long-range transport of particulate polycyclic aromatic hydrocarbons at Cape Hedo remote island site in the East China Sea between 2005 and 2008. 2008 , 61, 243-257		16
1651	Chemical analysis of atmospheric aerosols. 2008 , 390, 277-80		18
1650	Simulating secondary organic aerosol formation using the volatility basis-set approach in a chemical transport model. 2008 , 42, 7439-7451		241
1649	Secondary aerosol formation from the oxidation of toluene by chlorine atoms. 2008 , 42, 7348-7359		28
1648	Aerosol-cloud-precipitation interactions. Part 1. The nature and sources of cloud-active aerosols. 2008 , 89, 13-41		1079
1647	Submicron particles at Thompson Farm during ICARTT measured using aerosol mass spectrometry. 2008 , 113,		30
1646	Sources of particulate matter in the northeastern United States in summer: 1. Direct emissions and secondary formation of organic matter in urban plumes. 2008 , 113,		158
1645	Photochemical evolution of submicron aerosol chemical composition in the Tokyo megacity region in summer. 2008 , 113,		22
1644	Effects of gas particle partitioning and aging of primary emissions on urban and regional organic aerosol concentrations. 2008 , 113,		196
1643	Chemical aging of ambient organic aerosol from heterogeneous reaction with hydroxyl radicals. <i>Geophysical Research Letters</i> , 2008 , 35,	4.9	66
1642	Correlation of secondary organic aerosol with odd oxygen in Mexico City. <i>Geophysical Research Letters</i> , 2008 , 35,	4.9	131
1641	Significant formation of water-insoluble secondary organic aerosols in semi-arid urban environment. <i>Geophysical Research Letters</i> , 2008 , 35,	4.9	46
1640	Aging of biomass burning aerosols over West Africa: Aircraft measurements of chemical composition, microphysical properties, and emission ratios. 2008 , 113,		209

1639	Boundary layer aerosol chemistry during TexAQS/GoMACCS 2006: Insights into aerosol sources and transformation processes. 2008 , 113,	65
1638	O/C and OM/OC ratios of primary, secondary, and ambient organic aerosols with high-resolution time-of-flight aerosol mass spectrometry. 2008 , 42, 4478-85	1324
1637	Time-resolved chemical composition of individual nanoparticles in urban air. 2008 , 42, 6631-6	32
1636	Apportionment of primary and secondary organic aerosols in southern California during the 2005 study of organic aerosols in riverside (SOAR-1). 2008 , 42, 7655-62	244
1635	A new real-time method for determining particles' sphericity and density: application to secondary organic aerosol formed by ozonolysis of alpha-pinene. 2008 , 42, 8033-8	54
1634	Single-parameter estimates of aerosol water content. 2008 , 3, 035002	84
1633	Size Distribution Measurement of Carbonaceous Particulate Matter Using a Low Pressure Impactor with Quartz Fiber Substrates. 2008 , 42, 603-612	16
1632	The U.S. Environmental Protection Agency's Particulate Matter Supersites Program: an integrated synthesis of scientific findings and policy- and health-relevant insights. 2008 , 58, S1-2	6
1631	A computationally-efficient secondary organic aerosol module for three-dimensional air quality models. 2008 ,	
1630	Boreal forests, aerosols and the impacts on clouds and climate. 2008 , 366, 4613-26	166
1629	PM speciation and sources in Mexico during the MILAGRO-2006 Campaign. 2008 , 8, 111-128	188
1628	Clouds and aerosols in Puerto Rico: a new evaluation. 2008 , 8, 1293-1309	56
1627	The influence of chemical composition and mixing state of Los Angeles urban aerosol on CCN number and cloud properties. 2008 , 8, 5649-5667	151
1626	Evolving mass spectra of the oxidized component of organic aerosol: results from aerosol mass spectrometer analyses of aged diesel emissions. 2008 , 8, 1139-1152	95
1625	Total observed organic carbon (TOOC) in the atmosphere: a synthesis of North American observations. 2008 , 8, 2007-2025	81
1624	Particle mass yield in secondary organic aerosol formed by the dark ozonolysis of α -pinene. 2008 , 8, 2073-2088	149
1623	A computationally-efficient secondary organic aerosol module for three-dimensional air quality models. 2008 , 8, 3985-3998	4
1622	Chemical composition of free tropospheric aerosol for PM1 and coarse mode at the high alpine site Jungfrauoch. 2008 , 8, 407-423	125

1621	Hygroscopicity of the submicrometer aerosol at the high-alpine site Jungfraujoch, 3580 m a.s.l., Switzerland. 2008 , 8, 5715-5729	84
1620	Effects of aerosol organics on cloud condensation nucleus (CCN) concentration and first indirect aerosol effect. 2008 , 8, 6325-6339	108
1619	Investigating the sources and atmospheric processing of fine particles from Asia and the Northwestern United States measured during INTEX B. 2008 , 8, 1835-1853	48
1618	Joint cluster and non-negative least squares analysis for aerosol mass spectrum data. 2008 , 125, 012026	1
1617	Biogenic carbon and anthropogenic pollutants combine to form a cooling haze over the southeastern United States. 2009 , 106, 8835-40	251
1616	Atmospheric science. A new look at aging aerosols. 2009 , 326, 1493-4	55
1615	On the evaporation of ammonium sulfate solution. 2009 , 106, 18897-901	23
1614	Measurement of Aerosol Organic Compounds Using a Novel Collection/Thermal-Desorption PTR-ITMS Instrument. 2009 , 43, 486-501	29
1613	Atmospheric organic particulate matter: From smoke to secondary organic aerosol. 2009 , 43, 94-106	292
1612	Aqueous-phase reactive uptake of dicarbonyls as a source of organic aerosol over eastern North America. 2009 , 43, 1814-1822	101
1611	Carbonaceous and inorganic composition in long-range transported aerosols over northern Japan: Implication for aging of water-soluble organic fraction. 2009 , 43, 2532-2540	94
1610	Formation of submicron sulfate and organic aerosols in the outflow from the urban region of the Pearl River Delta in China. 2009 , 43, 3754-3763	53
1609	The contribution of biological particles to observed particulate organic carbon at a remote high altitude site. 2009 , 43, 4278-4282	36
1608	Measuring atmospheric composition change. 2009 , 43, 5351-5414	130
1607	Atmospheric composition change [g]lobal and regional air quality. 2009 , 43, 5268-5350	592
1606	Comparison between mass spectra of individual organic particles generated by UV laser ablation and in the IR/UV two-step mode. 2009 , 282, 6-12	17
1605	Continuous observations of water-soluble ions in PM _{2.5} at Mount Tai (1534 m a.s.l.) in central-eastern China. 2009 , 64, 107-127	63
1604	Aerosol mass spectrometric features of biogenic SOA: observations from a plant chamber and in rural atmospheric environments. 2009 , 43, 8166-72	64

1603	Role of molecular size in cloud droplet activation. <i>Geophysical Research Letters</i> , 2009 , 36,	4.9	63
1602	Direct observations of N ₂ O ₅ reactivity on ambient aerosol particles. <i>Geophysical Research Letters</i> , 2009 , 36,	4.9	109
1601	Inferring the composition and concentration of aerosols by combining AERONET and MPLNET data: Comparison with other measurements and utilization to evaluate GCM output. 2009 , 114,		27
1600	Evolution of organic aerosols in the atmosphere. 2009 , 326, 1525-9		2767
1599	Influence of gas-to-particle partitioning on the hygroscopic and droplet activation behaviour of alpha-pinene secondary organic aerosol. 2009 , 11, 8091-7		53
1598	Kinetics of the heterogeneous conversion of 1,4-hydroxycarbonyls to cyclic hemiacetals and dihydrofurans on organic aerosol particles. 2009 , 11, 8029-39		49
1597	Secondary organic aerosol formation in urban air: Temporal variations and possible contributions from unidentified hydrocarbons. 2009 , 114,		65
1596	Variability of submicron aerosol observed at a rural site in Beijing in the summer of 2006. 2009 , 114,		68
1595	Sensitivity of aerosol properties to new particle formation mechanism and to primary emissions in a continental-scale chemical transport model. 2009 , 114,		15
1594	Oxygenated fraction and mass of organic aerosol from direct emission and atmospheric processing measured on the R/V Ronald Brown during TEXAQS/GoMACCS 2006. 2009 , 114,		113
1593	Organic aerosol formation in urban and industrial plumes near Houston and Dallas, Texas. 2009 , 114,		196
1592	Carbonyl sulfide as an inverse tracer for biogenic organic carbon in gas and aerosol phases. <i>Geophysical Research Letters</i> , 2009 , 36,	4.9	11
1591	Organic nitrate and secondary organic aerosol yield from NO ₂ ; oxidation of Pinene evaluated using a gas-phase kinetics/aerosol partitioning model. 2009 , 9, 1431-1449		218
1590	Primary and secondary contributions to aerosol light scattering and absorption in Mexico City during the MILAGRO 2006 campaign. 2009 , 9, 3721-3730		71
1589	Modeling organic aerosols during MILAGRO: importance of biogenic secondary organic aerosols. 2009 , 9, 6949-6981		109
1588	Glyoxal uptake on ammonium sulphate seed aerosol: reaction products and reversibility of uptake under dark and irradiated conditions. 2009 , 9, 3331-3345		327
1587	Emission and chemistry of organic carbon in the gas and aerosol phase at a sub-urban site near Mexico City in March 2006 during the MILAGRO study. 2009 , 9, 3425-3442		97
1586	The formation, properties and impact of secondary organic aerosol: current and emerging issues. 2009 , 9, 5155-5236		2861

1585	Secondary Organic Aerosol Formation from Acetylene (C ₂ H ₂): seed effect on SOA yields due to organic photochemistry in the aerosol aqueous phase. 2009 , 9, 1907-1928	292
1584	Interpretation of organic components from Positive Matrix Factorization of aerosol mass spectrometric data. 2009 , 9, 2891-2918	1016
1583	High formation of secondary organic aerosol from the photo-oxidation of toluene. 2009 , 9, 2973-2986	221
1582	The heterogeneous reaction of hydroxyl radicals with sub-micron squalane particles: a model system for understanding the oxidative aging of ambient aerosols. 2009 , 9, 3209-3222	182
1581	Secondary organic aerosol from biogenic VOCs over West Africa during AMMA. 2009 , 9, 3841-3850	74
1580	A review of Secondary Organic Aerosol (SOA) formation from isoprene. 2009 , 9, 4987-5005	626
1579	Vertical distribution of sub-micron aerosol chemical composition from North-Western Europe and the North-East Atlantic. 2009 , 9, 5389-5401	80
1578	Characterization of organic ambient aerosol during MIRAGE 2006 on three platforms. 2009 , 9, 5417-5432	95
1577	Organic composition of single and submicron particles in different regions of western North America and the eastern Pacific during INTEX-B 2006. 2009 , 9, 5433-5446	21
1576	Mexico City aerosol analysis during MILAGRO using high resolution aerosol mass spectrometry at the urban supersite (T0) [Part 1: Fine particle composition and organic source apportionment. 2009 , 9, 6633-6653	440
1575	Chemically-resolved aerosol volatility measurements from two megacity field studies. 2009 , 9, 7161-7182	246
1574	Evolution of Asian aerosols during transpacific transport in INTEX-B. 2009 , 9, 7257-7287	155
1573	Loading-dependent elemental composition of α -pinene SOA particles. 2009 , 9, 771-782	230
1572	The representation of dust transport and missing urban sources as major issues for the simulation of PM episodes in a Mediterranean area. 2009 , 9, 8091-8101	24
1571	Optical properties of internally mixed aerosol particles composed of dicarboxylic acids and ammonium sulfate. 2009 , 113, 13584-92	69
1570	Highly time-resolved chemical characterization of atmospheric submicron particles during 2008 Beijing Olympic Games using an Aerodyne High-Resolution Aerosol Mass Spectrometer. 2010 , 10, 8933-8945	269
1569	The effect of metal salts on quantification of elemental and organic carbon in diesel exhaust particles using thermal-optical evolved gas analysis. 2010 , 10, 11447-11457	40
1568	Absorption Angstrom Exponent in AERONET and related data as an indicator of aerosol composition. 2010 , 10, 1155-1169	463

1567	Simultaneous factor analysis of organic particle and gas mass spectra: AMS and PTR-MS measurements at an urban site. 2010 , 10, 1969-1988	77
1566	Impact of brown and clear carbon on light absorption enhancement, single scatter albedo and absorption wavelength dependence of black carbon. 2010 , 10, 4207-4220	333
1565	Role of aldehyde chemistry and NO _x concentrations in secondary organic aerosol formation. 2010 , 10, 7169-7188	162
1564	Computation of liquid-liquid equilibria and phase stabilities: implications for RH-dependent gas/particle partitioning of organic-inorganic aerosols. 2010 , 10, 7795-7820	152
1563	Enhancement of the aerosol direct radiative effect by semi-volatile aerosol components: airborne measurements in North-Western Europe. 2010 , 10, 8151-8171	91
1562	Investigation of the correlation between odd oxygen and secondary organic aerosol in Mexico City and Houston. 2010 , 10, 8947-8968	80
1561	The sensitivity of secondary organic aerosol component partitioning to the predictions of component properties [Part 1: A systematic evaluation of some available estimation techniques]. 2010 , 10, 10255-10272	40
1560	An overview of the Amazonian Aerosol Characterization Experiment 2008 (AMAZE-08). 2010 , 10, 11415-11438	143
1559	Characterization of high-resolution aerosol mass spectra of primary organic aerosol emissions from Chinese cooking and biomass burning. 2010 , 10, 11535-11543	154
1558	The vapor pressures and activities of dicarboxylic acids reconsidered: the impact of the physical state of the aerosol. 2010 , 10, 11753-11767	58
1557	Long-term record of aerosol optical properties and chemical composition from a high-altitude site (Manora Peak) in Central Himalaya. 2010 , 10, 11791-11803	148
1556	A review of natural aerosol interactions and feedbacks within the Earth system. 2010 , 10, 1701-1737	409
1555	Aerosol analysis using a Thermal-Desorption Proton-Transfer-Reaction Mass Spectrometer (TD-PTR-MS): a new approach to study processing of organic aerosols. 2010 , 10, 2257-2267	77
1554	Observations of OM/OC and specific attenuation coefficients (SAC) in ambient fine PM at a rural site in central Ontario, Canada. 2010 , 10, 2393-2411	65
1553	Widening the gap between measurement and modelling of secondary organic aerosol properties?. 2010 , 10, 2577-2593	54
1552	Slower CCN growth kinetics of anthropogenic aerosol compared to biogenic aerosol observed at a rural site. 2010 , 10, 299-312	49
1551	Temperature effect on physical and chemical properties of secondary organic aerosol from <i>m</i> -xylene photooxidation. 2010 , 10, 3847-3854	28
1550	Airborne measurements of the spatial distribution of aerosol chemical composition across Europe and evolution of the organic fraction. 2010 , 10, 4065-4083	162

1549	Elemental analysis of chamber organic aerosol using an aerodyne high-resolution aerosol mass spectrometer. 2010 , 10, 4111-4131	139
1548	Aged organic aerosol in the Eastern Mediterranean: the Finokalia Aerosol Measurement Experiment I2008. 2010 , 10, 4167-4186	109
1547	A global perspective on aerosol from low-volatility organic compounds. 2010 , 10, 4377-4401	209
1546	The hygroscopicity parameter (κ) of ambient organic aerosol at a field site subject to biogenic and anthropogenic influences: relationship to degree of aerosol oxidation. 2010 , 10, 5047-5064	200
1545	Evaluation of the volatility basis-set approach for the simulation of organic aerosol formation in the Mexico City metropolitan area. 2010 , 10, 525-546	266
1544	Quantitative estimates of the volatility of ambient organic aerosol. 2010 , 10, 5409-5424	191
1543	Chemical evolution of secondary organic aerosol from OH-initiated heterogeneous oxidation. 2010 , 10, 5551-5563	74
1542	Contributions from transport, solid fuel burning and cooking to primary organic aerosols in two UK cities. 2010 , 10, 647-668	308
1541	Oxidative capacity of the Mexico City atmosphere IPart 1: A radical source perspective. 2010 , 10, 6969-6991	124
1540	The importance of aerosol mixing state and size-resolved composition on CCN concentration and the variation of the importance with atmospheric aging of aerosols. 2010 , 10, 7267-7283	164
1539	Sensitivity of a global model to the uptake of N_2O_5 by tropospheric aerosol. 2010 , 10, 7409-7414	66
1538	Measured and modelled cloud condensation nuclei number concentration at the high alpine site Jungfraujoch. 2010 , 10, 7891-7906	80
1537	Short-term variation in near-highway air pollutant gradients on a winter morning. 2010 , 10, 8341-8352	41
1536	Microscopic characterization of carbonaceous aerosol particle aging in the outflow from Mexico City. 2010 , 10, 961-976	74
1535	Aqueous chemistry and its role in secondary organic aerosol (SOA) formation. 2010 , 10, 10521-10539	412
1534	The effect of fatty acid surfactants on the uptake of ozone to aqueous halogenide particles. 2010 , 10, 11489-11500	39
1533	Major components of atmospheric organic aerosol in southern California as determined by hourly measurements of source marker compounds. 2010 , 10, 11577-11603	96
1532	Physicochemical properties and origin of organic groups detected in boreal forest using an aerosol mass spectrometer. 2010 , 10, 2063-2077	73

1531	Modeling organic aerosols in a megacity: potential contribution of semi-volatile and intermediate volatility primary organic compounds to secondary organic aerosol formation. 2010 , 10, 5491-5514	292
1530	Chemical and aerosol characterisation of the troposphere over West Africa during the monsoon period as part of AMMA. 2010 , 10, 7575-7601	80
1529	Recent developments in aerosol measurement techniques and the metrological issues. 2010 , 25, 165-189	7
1528	Highly time- and size-resolved characterization of submicron aerosol particles in Beijing using an Aerodyne Aerosol Mass Spectrometer. 2010 , 44, 131-140	217
1527	Mass spectrometric study of secondary organic aerosol formed from the photo-oxidation of aromatic hydrocarbons. 2010 , 44, 1080-1087	69
1526	Can secondary organic aerosol formed in an atmospheric simulation chamber continuously age?. 2010 , 44, 2990-2996	33
1525	Oxidation of ketone groups in transported biomass burning aerosol from the 2008 Northern California Lightning Series fires. 2010 , 44, 4142-4154	64
1524	Particle-into-liquid sampler on-line coupled with solid-phase extraction-liquid chromatography-mass spectrometry for the determination of organic acids in atmospheric aerosols. 2010 , 1217, 5427-33	17
1523	A large atomic chlorine source inferred from mid-continental reactive nitrogen chemistry. 2010 , 464, 271-4	471
1522	Atmospheric chemistry: phase matters for aerosols. 2010 , 467, 797-8	12
1521	Description and evaluation of GMXe: a new aerosol submodel for global simulations (v1). 2010 , 3, 391-412	142
1520	The multi-scale aerosol-climate model PNNL-MMF: model description and evaluation. 2010 ,	2
1519	Gas-phase water-mediated equilibrium between methylglyoxal and its geminal diol. 2010 , 107, 6687-92	69
1518	In situ measurements of gas/particle-phase transitions for atmospheric semivolatile organic compounds. 2010 , 107, 6676-81	70
1517	Morphology of mixed primary and secondary organic particles and the adsorption of spectator organic gases during aerosol formation. 2010 , 107, 6658-63	95
1516	Polysaccharides, Proteins, and Phytoplankton Fragments: Four Chemically Distinct Types of Marine Primary Organic Aerosol Classified by Single Particle Spectromicroscopy. 2010 , 2010, 1-14	111
1515	Solid state and sub-cooled liquid vapour pressures of substituted dicarboxylic acids using Knudsen Effusion Mass Spectrometry (KEMS) and Differential Scanning Calorimetry. 2010 , 10, 4879-4892	68
1514	Radical-initiated formation of organosulfates and surfactants in atmospheric aerosols. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4.9 133

1513	Effect of sulfates and chlorides on electrification by a noninductive process applicable to stratiform clouds. 2010 , 115,		1
1512	Characterization of aerosol associated with enhanced small particle number concentrations in a suburban forested environment. 2010 , 115,		7
1511	Modeling global secondary organic aerosol formation and processing with the volatility basis set: Implications for anthropogenic secondary organic aerosol. 2010 , 115,		127
1510	Size-segregated measurements of cloud condensation nucleus activity and hygroscopic growth for aerosols at Cape Hedo, Japan, in spring 2008. 2010 , 115,		49
1509	Carboxylic acids, sulfates, and organosulfates in processed continental organic aerosol over the southeast Pacific Ocean during VOCALS-REx 2008. 2010 , 115,		162
1508	A simplified description of the evolution of organic aerosol composition in the atmosphere. <i>Geophysical Research Letters</i> , 2010 , 37,	4-9	352
1507	Influence of the external mixing state of atmospheric aerosol on derived CCN number concentrations. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4-9	66
1506	Heterogeneous nucleation of ice on anthropogenic organic particles collected in Mexico City. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4-9	74
1505	Satellite observations cap the atmospheric organic aerosol budget. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4-9	75
1504	Formation of highly oxygenated organic aerosol in the atmosphere: Insights from the Finokalia Aerosol Measurement Experiments. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4-9	38
1503	Relationship between aerosol oxidation level and hygroscopic properties of laboratory generated secondary organic aerosol (SOA) particles. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4-9	227
1502	Exploring summertime organic aerosol formation in the eastern United States using a regional-scale budget approach and ambient measurements. 2010 , 115,		45
1501	Primary and secondary organic aerosols in urban air masses intercepted at a rural site. 2010 , 115,		26
1500	Contrasting diurnal variations in fossil and nonfossil secondary organic aerosol in urban outflow, Japan. 2010 , 44, 8581-86		16
1499	Kinetics of N(2)O(5) hydrolysis on secondary organic aerosol and mixed ammonium bisulfate-secondary organic aerosol particles. 2010 , 114, 13113-21		38
1498	High-resolution desorption electrospray ionization mass spectrometry for chemical characterization of organic aerosols. 2010 , 82, 2048-58		140
1497	Chemical characterisation of marine aerosol at Amsterdam Island during the austral summer of 2006-2007. 2010 , 41, 13-22		82
1496	MECCO: A method to estimate concentrations of condensing organics-Description and evaluation of a Markov chain Monte Carlo application. 2010 , 41, 1080-1089		3

1495	Why Hasn't Earth Warmed as Much as Expected?. 2010 , 23, 2453-2464	68
1494	From water clustering to osmotic coefficients. 2010 , 114, 11933-42	11
1493	Inhibition of efflorescence in mixed organic-inorganic particles at temperatures less than 250 K. 2010 , 12, 12259-66	59
1492	Inorganic ammonium salts and carbonate salts are efficient catalysts for aldol condensation in atmospheric aerosols. 2010 , 12, 3864-72	62
1491	Secondary organic aerosol from photooxidation of polycyclic aromatic hydrocarbons. 2010 , 44, 8134-9	83
1490	Response of an aerosol mass spectrometer to organonitrates and organosulfates and implications for atmospheric chemistry. 2010 , 107, 6670-5	366
1489	Pressure dependent mechanistic branching in the formation pathways of secondary organic aerosol from cyclic-alkene gas-phase ozonolysis. 2011 , 13, 10952-64	15
1488	Characterization and source apportionment of water-soluble organic matter in atmospheric fine particles (PM _{2.5}) with high-resolution aerosol mass spectrometry and GC-MS. 2011 , 45, 4854-61	96
1487	Reactive uptake kinetics of NO ₃ on multicomponent and multiphase organic mixtures containing unsaturated and saturated organics. 2011 , 13, 6628-36	19
1486	Potentially important nighttime heterogeneous chemistry: NO ₃ with aldehydes and N ₂ O ₅ with alcohols. 2011 , 13, 10214-23	5
1485	Changes in air quality and tropospheric composition due to depletion of stratospheric ozone and interactions with climate. 2011 , 10, 280-91	36
1484	Heterogeneous oxidation kinetics of organic biomass burning aerosol surrogates by O ₃ , NO ₂ , N ₂ O ₅ , and NO ₃ . 2011 , 13, 21050-62	70
1483	Radiocarbon (¹⁴ C) diurnal variations in fine particles at sites downwind from Tokyo, Japan in summer. 2011 , 45, 6784-92	27
1482	Aqueous-phase OH oxidation of glyoxal: application of a novel analytical approach employing aerosol mass spectrometry and complementary off-line techniques. 2011 , 115, 10517-26	42
1481	Evaluating the mixing of organic aerosol components using high-resolution aerosol mass spectrometry. 2011 , 45, 6329-35	41
1480	Submicron aerosol analysis and organic source apportionment in an urban atmosphere in Pearl River Delta of China using high-resolution aerosol mass spectrometry. 2011 , 116,	156
1479	Heterogeneous ice nucleation on particles composed of humic-like substances impacted by O ₃ . 2011 , 116,	61
1478	Oxidation of ambient biogenic secondary organic aerosol by hydroxyl radicals: Effects on cloud condensation nuclei activity. <i>Geophysical Research Letters</i> , 2011 , 38, n/a-n/a	4.9 39

1477	Large contribution of water-insoluble secondary organic aerosols in the region of Paris (France) during wintertime. 2011 , 116, n/a-n/a	100
1476	Variations in organic aerosol optical and hygroscopic properties upon heterogeneous OH oxidation. 2011 , 116,	117
1475	Organic aerosol formation downwind from the Deepwater Horizon oil spill. 2011 , 331, 1295-9	138
1474	Thermal desorption/tunable vacuum-ultraviolet time-of-flight photoionization aerosol mass spectrometry for investigating secondary organic aerosols in chamber experiments. 2011 , 83, 9024-32	27
1473	Effects of molecular structure on the chemistry of aerosol formation from the OH-radical-initiated oxidation of alkanes and alkenes. 2011 , 30, 161-195	44
1472	Cloud Processing of Gases and Aerosols in Air Quality Modeling. 2011 , 2, 567-616	48
1471	Evaluation of a three-dimensional chemical transport model (PMCAMx) in the European domain during the EUCAARI May 2008 campaign. 2011 , 11, 10331-10347	96
1470	A secondary organic aerosol formation model considering successive oxidation aging and kinetic condensation of organic compounds: global scale implications. 2011 , 11, 1083-1099	88
1469	Effects of aging on organic aerosol from open biomass burning smoke in aircraft and laboratory studies. 2011 , 11, 12049-12064	418
1468	Aerosol mass spectrometer constraint on the global secondary organic aerosol budget. 2011 , 11, 12109-12136	349
1467	Chemical, physical, and optical evolution of biomass burning aerosols: a case study. 2011 , 11, 1491-1503	109
1466	Dependence of SOA oxidation on organic aerosol mass concentration and OH exposure: experimental PAM chamber studies. 2011 , 11, 1837-1852	90
1465	Characterization of submicron aerosols at a rural site in Pearl River Delta of China using an Aerodyne High-Resolution Aerosol Mass Spectrometer. 2011 , 11, 1865-1877	134
1464	Understanding evolution of product composition and volatility distribution through in-situ GC & GC analysis: a case study of longifolene ozonolysis. 2011 , 11, 5335-5346	32
1463	Better constraints on sources of carbonaceous aerosols using a combined ¹⁴ C tracer analysis in a European rural background site. 2011 , 11, 5685-5700	111
1462	Characterization and source apportionment of submicron aerosol with aerosol mass spectrometer during the PRIDE-PRD 2006 campaign. 2011 , 11, 6911-6929	61
1461	Black carbon aerosol mixing state, organic aerosols and aerosol optical properties over the United Kingdom. 2011 , 11, 9037-9052	73
1460	The optical, physical and chemical properties of the products of glyoxal uptake on ammonium sulfate seed aerosols. 2011 , 11, 9697-9707	77

1459	Origins and composition of fine atmospheric carbonaceous aerosol in the Sierra Nevada Mountains, California. 2011 , 11, 10219-10241	71
1458	Predicting the relative humidities of liquid-liquid phase separation, efflorescence, and deliquescence of mixed particles of ammonium sulfate, organic material, and water using the organic-to-sulfate mass ratio of the particle and the oxygen-to-carbon elemental ratio of the organic component. 2011 , 11, 10995-11006	244
1457	The 2005 Study of Organic Aerosols at Riverside (SOAR-1): instrumental intercomparisons and fine particle composition. 2011 , 11, 12387-12420	111
1456	Sources of carbonaceous aerosols and deposited black carbon in the Arctic in winter-spring: implications for radiative forcing. 2011 , 11, 12453-12473	236
1455	Sources and atmospheric processing of organic aerosol in the Mediterranean: insights from aerosol mass spectrometer factor analysis. 2011 , 11, 12499-12515	37
1454	Seasonal and diurnal variations of particulate nitrate and organic matter at the IfT research station Melpitz. 2011 , 11, 12579-12599	67
1453	Exploring the vertical profile of atmospheric organic aerosol: comparing 17 aircraft field campaigns with a global model. 2011 , 11, 12673-12696	199
1452	A case study of aerosol processing and evolution in summer in New York City. 2011 , 11, 12737-12750	38
1451	Explicit modeling of organic chemistry and secondary organic aerosol partitioning for Mexico City and its outflow plume. 2011 , 11, 13219-13241	57
1450	Evolution of organic aerosol mass spectra upon heating: implications for OA phase and partitioning behavior. 2011 , 11, 1895-1911	183
1449	Sources of carbonaceous aerosol in the Amazon basin. 2011 , 11, 2747-2764	39
1448	Determining the spatial and seasonal variability in OM/OC ratios across the US using multiple regression. 2011 , 11, 2933-2949	62
1447	Impact of model grid spacing on regional- and urban- scale air quality predictions of organic aerosol. 2011 , 11, 3107-3118	47
1446	A simple representation of surface active organic aerosol in cloud droplet formation. 2011 , 11, 4073-4083	38
1445	Sources and production of organic aerosol in Mexico City: insights from the combination of a chemical transport model (PMCAMx-2008) and measurements during MILAGRO. 2011 , 11, 5153-5168	41
1444	In-cloud oxalate formation in the global troposphere: a 3-D modeling study. 2011 , 11, 5761-5782	179
1443	Investigating the use of secondary organic aerosol as seed particles in simulation chamber experiments. 2011 , 11, 5917-5929	34
1442	Development of a simple unified volatility-based scheme (SUVS) for secondary organic aerosol formation using genetic algorithms. 2011 , 11, 6185-6205	2

1441	Solid state and sub-cooled liquid vapour pressures of cyclic aliphatic dicarboxylic acids. 2011 , 11, 655-665	43
1440	The Pasadena Aerosol Characterization Observatory (PACO): chemical and physical analysis of the Western Los Angeles basin aerosol. 2011 , 11, 7417-7443	87
1439	The influence of semi-volatile and reactive primary emissions on the abundance and properties of global organic aerosol. 2011 , 11, 7727-7746	71
1438	Simulating the oxygen content of ambient organic aerosol with the 2D volatility basis set. 2011 , 11, 7859-7873	71
1437	Ozone-driven daytime formation of secondary organic aerosol containing carboxylic acid groups and alkane groups. 2011 , 11, 8321-8341	49
1436	Size-resolved CCN distributions and activation kinetics of aged continental and marine aerosol. 2011 , 11, 8791-8808	74
1435	Elemental composition and oxidation of chamber organic aerosol. 2011 , 11, 8827-8845	156
1434	Source attribution of Bornean air masses by back trajectory analysis during the OP3 project. 2011 , 11, 9605-9630	28
1433	First direct measurements of formaldehyde flux via eddy covariance: implications for missing in-canopy formaldehyde sources. 2011 , 11, 10565-10578	85
1432	Hygroscopic behavior of atmospherically relevant water-soluble carboxylic salts and their influence on the water uptake of ammonium sulfate. 2011 , 11, 12617-12626	72
1431	A two-dimensional volatility basis set: 1. organic-aerosol mixing thermodynamics. 2011 , 11, 3303-3318	421
1430	Modeling organic aerosols in a megacity: comparison of simple and complex representations of the volatility basis set approach. 2011 , 11, 6639-6662	184
1429	Temperature-induced volatility of molecular markers in ambient airborne particulate matter. 2011 , 11, 67-76	16
1428	Photochemical modeling of glyoxal at a rural site: observations and analysis from BEARPEX 2007. 2011 , 11, 8883-8897	39
1427	Modeling secondary organic aerosol formation from isoprene oxidation under dry and humid conditions. 2011 , 11, 893-909	42
1426	Source apportionment of size and time resolved trace elements and organic aerosols from an urban courtyard site in Switzerland. 2011 , 11, 8945-8963	84
1425	New and extended parameterization of the thermodynamic model AIOMFAC: calculation of activity coefficients for organic-inorganic mixtures containing carboxyl, hydroxyl, carbonyl, ether, ester, alkenyl, alkyl, and aromatic functional groups. 2011 , 11, 9155-9206	240
1424	Visibility degradation during foggy period due to anthropogenic urban aerosol at Delhi, India. 2011 , 2, 116-120	41

1423	The glyoxal budget and its contribution to organic aerosol for Los Angeles, California, during CalNex 2010. 2011 , 116,	89
1422	Characteristics of summertime PM2.5 organic and elemental carbon in four major Chinese cities: Implications of high acidity for water-soluble organic carbon (WSOC). 2011 , 45, 318-325	117
1421	Application of 14C analyses to source apportionment of carbonaceous PM2.5 in the UK. 2011 , 45, 2341-2348	63
1420	Fine particle and organic vapor emissions from staged tests of an in-use aircraft engine. 2011 , 45, 3603-3612	55
1419	Seasonal variation of fine particulate composition in the centre of a UK city. 2011 , 45, 4379-4389	17
1418	Semi-continuous measurement of water-soluble ions in PM2.5 in Jinan, China: Temporal variations and source apportionments. 2011 , 45, 6048-6056	120
1417	Simulation of aerosol direct radiative forcing with RAMS-CMAQ in East Asia. 2011 , 45, 6576-6592	32
1416	Characterization of water-soluble organic aerosol in coastal New England: Implications of variations in size distribution. 2011 , 45, 7319-7329	19
1415	Temperature response of the submicron organic aerosol from temperate forests. 2011 , 45, 6696-6704	50
1414	Glass transition and phase state of organic compounds: dependency on molecular properties and implications for secondary organic aerosols in the atmosphere. 2011 , 13, 19238-55	465
1413	Development and validation of a selective HPLC-ESI-MS/MS method for the quantification of glyoxal and methylglyoxal in atmospheric aerosols (PM2.5). 2011 , 401, 3115-24	22
1412	Understanding atmospheric organic aerosols via factor analysis of aerosol mass spectrometry: a review. 2011 , 401, 3045-67	589
1411	In situ aerosol measurements taken during the 2007 COPS field campaign at the Hornisgrinde ground site. 2011 , 137, 252-266	7
1410	Thermal desorption metastable atom bombardment ionization aerosol mass spectrometer. 2011 , 303, 164-172	4
1409	Secondary Organic Material Produced by the Dark Ozonolysis of Pinene Minimally Affects the Deliquescence and Efflorescence of Ammonium Sulfate. 2011 , 45, 244-261	64
1408	Atmospheric science. Aerosol chemistry and the Deepwater Horizon spill. 2011 , 331, 1273-4	7
1407	Investigations of primary and secondary particulate matter of different wood combustion appliances with a high-resolution time-of-flight aerosol mass spectrometer. 2011 , 11, 5945-5957	188
1406	A review of the anthropogenic influence on biogenic secondary organic aerosol. 2011 , 11, 321-343	246

1405	Towards an online-coupled chemistry-climate model: evaluation of COSMO-ART. 2011 ,	1
1404	Toward a minimal representation of aerosol direct and indirect effects: model description and evaluation. 2011 ,	19
1403	Towards an online-coupled chemistry-climate model: evaluation of trace gases and aerosols in COSMO-ART. 2011 , 4, 1077-1102	68
1402	The multi-scale aerosol-climate model PNNL-MMF: model description and evaluation. 2011 , 4, 137-168	83
1401	Evaporation kinetics and phase of laboratory and ambient secondary organic aerosol. 2011 , 108, 2190-5	310
1400	Carbonaceous aerosols contributed by traffic and solid fuel burning at a polluted rural site in Northwestern England. 2011 , 11, 1603-1619	31
1399	Diurnally resolved particulate and VOC measurements at a rural site: indication of significant biogenic secondary organic aerosol formation. 2011 , 11, 5745-5760	21
1398	An Aerosol Chemical Speciation Monitor (ACSM) for Routine Monitoring of the Composition and Mass Concentrations of Ambient Aerosol. 2011 , 45, 780-794	524
1397	Development and characterization of a single particle laser ablation mass spectrometer (SPLAM) for organic aerosol studies. 2011 ,	
1396	Retrieval of sulphur dioxide from the infrared atmospheric sounding interferometer (IASI). 2011 ,	1
1395	Alternative pathway for atmospheric particles growth. 2012 , 109, 6840-4	78
1394	Three-dimensional factorization of size-resolved organic aerosol mass spectra from Mexico City. 2012 , 5, 195-224	34
1393	Development and characterization of a single particle laser ablation mass spectrometer (SPLAM) for organic aerosol studies. 2012 , 5, 225-241	11
1392	Retrieval of sulphur dioxide from the infrared atmospheric sounding interferometer (IASI). 2012 , 5, 581-594	121
1391	Roles of the Phase State and Water Content in Ozonolysis of Internal Mixtures of Maleic Acid and Ammonium Sulfate Particles. 2012 , 46, 781-793	8
1390	Aging of secondary organic aerosol from alpha-pinene ozonolysis: roles of hydroxyl and nitrate radicals. 2012 , 62, 1359-69	14
1389	Aerosol Acidity Measurement Using Colorimetry Coupled With a Reflectance UV-Visible Spectrometer. 2012 , 46, 833-842	21
1388	The science of smog: a chemical understanding of ground level ozone and fine particulate matter. 2012 , 205-230	5

- 1387 Images reveal that atmospheric particles can undergo liquid-liquid phase separations. **2012**, 109, 13188-93 166
- 1386 Evaluation of Composition-Dependent Collection Efficiencies for the Aerodyne Aerosol Mass Spectrometer using Field Data. **2012**, 46, 258-271 578
- 1385 Online atmospheric pressure chemical ionization ion trap mass spectrometry (APCI-IT-MSⁿ) for measuring organic acids in concentrated bulk aerosol in laboratory and field study. **2012**,
- 1384 Toward a minimal representation of aerosols in climate models: description and evaluation in the Community Atmosphere Model CAM5. **2012**, 5, 709-739 648
- 1383 Liquid-liquid phase separation and morphology of internally mixed dicarboxylic acids/ammonium sulfate/water particles. **2012**, 12, 2691-2712 131
- 1382 The atmospheric potential of biogenic volatile organic compounds from needles of white pine (*Pinus strobus*) in Northern Michigan. **2012**, 12, 2245-2252 5
- 1381 First measurements of reactive dicarbonyl concentrations on PM_{2.5} aerosol over the Boreal forest in Finland during HUMPPA-COPEC 2010: source apportionment and links to aerosol aging. **2012**, 12, 6145-6155 12
- 1380 Characterization of aerosol and cloud water at a mountain site during WACS 2010: secondary organic aerosol formation through oxidative cloud processing. **2012**, 12, 7103-7116 91
- 1379 Characterization of submicron particles influenced by mixed biogenic and anthropogenic emissions using high-resolution aerosol mass spectrometry: results from CARES. **2012**, 12, 8131-8156 121
- 1378 Evaluation of chemical transport model predictions of primary organic aerosol for air masses classified by particle component-based factor analysis. **2012**, 12, 8297-8321 9
- 1377 Chemical characterization of springtime submicrometer aerosol in Po Valley, Italy. **2012**, 12, 8401-8421 79
- 1376 Factor analysis of combined organic and inorganic aerosol mass spectra from high resolution aerosol mass spectrometer measurements. **2012**, 12, 8537-8551 89
- 1375 Long-term volatility measurements of submicron atmospheric aerosol in Hyytiälä, Finland. **2012**, 12, 10771-10786 65
- 1374 Functionalization and fragmentation during ambient organic aerosol aging: application of the 2-D volatility basis set to field studies. **2012**, 12, 10797-10816 71
- 1373 Uncertainties in SOA simulations due to meteorological uncertainties in Mexico City during MILAGRO-2006 field campaign. **2012**, 12, 11295-11308 33
- 1372 Surface/bulk partitioning and acid/base speciation of aqueous decanoate: direct observations and atmospheric implications. **2012**, 12, 12227-12242 30
- 1371 Characterization of near-highway submicron aerosols in New York City with a high-resolution aerosol mass spectrometer. **2012**, 12, 2215-2227 47
- 1370 AMS and LC/MS analyses of SOA from the photooxidation of benzene and 1,3,5-trimethylbenzene in the presence of NO_x: effects of chemical structure on SOA aging. **2012**, 12, 4667-4682 85

1369	Aerosol chemical composition at Cabauw, The Netherlands as observed in two intensive periods in May 2008 and March 2009. 2012 , 12, 4723-4742	51
1368	Global modeling of SOA formation from dicarbonyls, epoxides, organic nitrates and peroxides. 2012 , 12, 4743-4774	87
1367	Gas phase formation of extremely oxidized pinene reaction products in chamber and ambient air. 2012 , 12, 5113-5127	173
1366	A closure study of cloud condensation nuclei in the North China Plain using droplet kinetic condensational growth model. 2012 , 12, 5399-5411	5
1365	A two-dimensional volatility basis set IPart 2: Diagnostics of organic-aerosol evolution. 2012 , 12, 615-634	365
1364	Identification and characterization of aging products in the glyoxal/ammonium sulfate system □ implications for light-absorbing material in atmospheric aerosols. 2012 , 12, 6323-6333	109
1363	Overview of the 2010 Carbonaceous Aerosols and Radiative Effects Study (CARES). 2012 , 12, 7647-7687	79
1362	Model investigation of NO ₃ secondary organic aerosol (SOA) source and heterogeneous organic aerosol (OA) sink in the western United States. 2012 , 12, 8797-8811	12
1361	Modeling the formation and properties of traditional and non-traditional secondary organic aerosol: problem formulation and application to aircraft exhaust. 2012 , 12, 9025-9040	23
1360	Impacts of near-future cultivation of biofuel feedstocks on atmospheric composition and local air quality. 2012 , 12, 919-939	50
1359	Determination of the biogenic secondary organic aerosol fraction in the boreal forest by NMR spectroscopy. 2012 , 12, 941-959	42
1358	Aerosol cloud activation in summer and winter at puy-de-Dôme high altitude site in France. 2012 , 12, 11589-11607	45
1357	Chemical aging of <i>m</i> -xylene secondary organic aerosol: laboratory chamber study. 2012 , 12, 151-167	71
1356	A new method to discriminate secondary organic aerosols from different sources using high-resolution aerosol mass spectra. 2012 , 12, 2189-2203	27
1355	Urban organic aerosols measured by single particle mass spectrometry in the megacity of London. 2012 , 12, 4127-4142	32
1354	Modeling SOA formation from the oxidation of intermediate volatility <i>n</i> -alkanes. 2012 , 12, 7577-7589	68
1353	Carbonaceous content and water-soluble organic functionality of atmospheric aerosols at a semi-rural New England location. 2012 , 117, n/a-n/a	26
1352	Effect of aqueous-phase processing on aerosol chemistry and size distributions in Fresno, California, during wintertime. 2012 , 9, 221	134

1351	Summertime formaldehyde observations in New York City: Ambient levels, sources and its contribution to HOx radicals. 2012 , 117, n/a-n/a		29
1350	Particles, air quality, policy and health. 2012 , 41, 6606-30		454
1349	Equilibration timescale of atmospheric secondary organic aerosol partitioning. <i>Geophysical Research Letters</i> , 2012 , 39,	4.9	167
1348	Organic aerosol yields from pinene oxidation: bridging the gap between first-generation yields and aging chemistry. 2012 , 46, 12347-54		27
1347	On the gas-particle partitioning of soluble organic aerosol in two urban atmospheres with contrasting emissions: 1. Bulk water-soluble organic carbon. 2012 , 117, n/a-n/a		50
1346	Time-resolved variations in the distributions of inorganic ions, carbonaceous components, dicarboxylic acids and related compounds in atmospheric aerosols from Sapporo, northern Japan during summertime. 2012 , 62, 622-630		10
1345	Nighttime radical observations and chemistry. 2012 , 41, 6405-47		272
1344	Temporal trends in atmospheric PM ₁₀ /PM _{2.5} elemental carbon, organic carbon, water-soluble organic carbon, and optical properties: impact of biomass burning emissions in the Indo-Gangetic Plain. 2012 , 46, 686-95		154
1343	Evidence for NO(x) control over nighttime SOA formation. 2012 , 337, 1210-2		200
1342	Molecular distribution and stable carbon isotopic composition of dicarboxylic acids, ketocarboxylic acids, and dicarbonyls in size-resolved atmospheric particles from Xi'an City, China. 2012 , 46, 4783-91		95
1341	Influence of ozone and radical chemistry on limonene organic aerosol production and thermal characteristics. 2012 , 46, 11660-9		25
1340	Secondary organic aerosol formation from intermediate-volatility organic compounds: cyclic, linear, and branched alkanes. 2012 , 46, 8773-81		134
1339	Laboratory studies of organic peroxy radical chemistry: an overview with emphasis on recent issues of atmospheric significance. 2012 , 41, 6294-317		295
1338	Thresholds of secondary organic aerosol formation by ozonolysis of monoterpenes measured in a laminar flow aerosol reactor. 2012 , 43, 14-30		16
1337	Gasoline emissions dominate over diesel in formation of secondary organic aerosol mass. <i>Geophysical Research Letters</i> , 2012 , 39, n/a-n/a	4.9	163
1336	Isotopic constraints on the formation pathways of sulfate aerosol in the marine boundary layer of the subtropical northeast Atlantic Ocean. 2012 , 117, n/a-n/a		58
1335	A volatility basis set model for summertime secondary organic aerosols over the eastern United States in 2006. 2012 , 117, n/a-n/a		159
1334	An annual cycle of size-resolved aerosol hygroscopicity at a forested site in Colorado. 2012 , 117, n/a-n/a		58

1333	Isotopic characterization of aerosol organic carbon components over the eastern United States. 2012 , 117, n/a-n/a	16
1332	A hydrophilic/hydrophobic organic (H ₂ O) aerosol model: Development, evaluation and sensitivity analysis. 2012 , 117, n/a-n/a	67
1331	Black carbon aerosol over the Los Angeles Basin during CalNex. 2012 , 117, n/a-n/a	70
1330	Simultaneous three-dimensional variational assimilation of surface fine particulate matter and MODIS aerosol optical depth. 2012 , 117, n/a-n/a	84
1329	Liquid-liquid phase separation in aerosol particles: Dependence on O:C, organic functionalities, and compositional complexity. <i>Geophysical Research Letters</i> , 2012 , 39, n/a-n/a	4-9 74
1328	Heterogeneous ice nucleation and water uptake by field-collected atmospheric particles below 273 K. 2012 , 117, n/a-n/a	44
1327	Global in-cloud production of secondary organic aerosols: Implementation of a detailed chemical mechanism in the GFDL atmospheric model AM3. 2012 , 117, n/a-n/a	52
1326	Primary and secondary organic aerosols in Fresno, California during wintertime: Results from high resolution aerosol mass spectrometry. 2012 , 117, n/a-n/a	112
1325	Secondary organic aerosol formation from fossil fuel sources contribute majority of summertime organic mass at Bakersfield. 2012 , 117, n/a-n/a	62
1324	Exploring the complexity of aerosol particle properties and processes using single particle techniques. 2012 , 41, 6631-62	224
1323	Kinetics, products, and mechanisms of secondary organic aerosol formation. 2012 , 41, 6582-605	387
1322	Chemistry and composition of atmospheric aerosol particles. 2012 , 63, 471-91	65
1321	Characterization of summer organic and inorganic aerosols in Beijing, China with an Aerosol Chemical Speciation Monitor. 2012 , 51, 250-259	245
1320	Characterization of urban aerosol using aerosol mass spectrometry and proton nuclear magnetic resonance spectroscopy. 2012 , 54, 511-518	31
1319	Characterization of carbonaceous aerosol by the stepwise-extraction thermal-optical-transmittance (SE-TOT) method. 2012 , 59, 551-558	14
1318	Mass spectrometry of atmospheric aerosols--recent developments and applications. Part II: On-line mass spectrometry techniques. 2012 , 31, 17-48	149
1317	In situ measurement of PM ₁ organic aerosol in Beijing winter using a high-resolution aerosol mass spectrometer. 2012 , 57, 819-826	29
1316	Effects of the meteorological variability on regional air quality in East Asia. 2013 , 69, 46-55	63

1315	Seasonal characterization of components and size distributions for submicron aerosols in Beijing. 2013 , 56, 890-900	39
1314	Size-resolved aerosol ionic composition and secondary formation at Mount Heng in South Central China. 2013 , 7, 815-826	5
1313	Characteristics, sources and water-solubility of ambient submicron organic aerosol in springtime in Helsinki, Finland. 2013 , 56, 61-77	67
1312	Critical review and meta-analysis of ambient particulate matter source apportionment using receptor models in Europe. 2013 , 69, 94-108	382
1311	Molecular characterization of organic aerosol using nanospray desorption/electrospray ionization mass spectrometry: CalNex 2010 field study. 2013 , 68, 265-272	49
1310	The impact of relative humidity on aerosol composition and evolution processes during wintertime in Beijing, China. 2013 , 77, 927-934	270
1309	Seasonal characteristics of submicrometer organic aerosols in urban Gwangju, Korea using an aerosol mass spectrometer. 2013 , 80, 445-454	5
1308	Closure study on measured and modeled optical properties for dry and hydrated laboratory inorganic aerosols with mixtures of dicarboxylic acids. 2013 , 81, 177-187	2
1307	Atmospheric aerosol water-soluble organic carbon measurement: a theoretical analysis. 2013 , 47, 9791-8	34
1306	Atmospheric nanoparticles and climate change. 2013 , 59, 4006-4019	8
1305	Emissions and indoor concentrations of particulate matter and its specific chemical components from cooking: A review. 2013 , 71, 260-294	270
1304	Physical and chemical characterization of ambient aerosol by HR-ToF-AMS at a suburban site in Hong Kong during springtime 2011. 2013 , 118, 8625-8639	48
1303	Droplet activation properties of organic aerosols observed at an urban site during CalNex-LA. 2013 , 118, 2903-2917	65
1302	Average chemical properties and potential formation pathways of highly oxidized organic aerosol. 2013 , 165, 181-202	33
1301	Modeling the influence of alkane molecular structure on secondary organic aerosol formation. 2013 , 165, 105-22	23
1300	Introductory lecture: atmospheric organic aerosols: insights from the combination of measurements and chemical transport models. 2013 , 165, 9-24	24
1299	Experimental determination of chemical diffusion within secondary organic aerosol particles. 2013 , 15, 2983-91	147
1298	N ₂ O ₅ uptake coefficients and nocturnal NO ₂ removal rates determined from ambient wintertime measurements. 2013 , 118, 9331-9350	72

1297	Including phase separation in a unified model to calculate partitioning of vapours to mixed inorganic-organic aerosol particles. 2013 , 165, 273-88	24
1296	HITRAN 2012 refractive indices. 2013 , 130, 373-380	24
1295	Research on aerosol sources and chemical composition: Past, current and emerging issues. 2013 , 120-121, 1-28	230
1294	Resolving sources of water-soluble organic carbon in fine particulate matter measured at an urban site during winter. 2013 , 15, 524-34	20
1293	Bounding the role of black carbon in the climate system: A scientific assessment. 2013 , 118, 5380-5552	3330
1292	Contribution of nitrated phenols to wood burning brown carbon light absorption in Detling, United Kingdom during winter time. 2013 , 47, 6316-24	219
1291	Dissolved organic matter and inorganic ions in a central Himalayan glacier--insights into chemical composition and atmospheric sources. 2013 , 47, 6181-8	44
1290	Influence of oxygenated organic aerosols (OOAs) on the oxidative potential of diesel and biodiesel particulate matter. 2013 , 47, 7655-62	51
1289	Probing molecular associations of field-collected and laboratory-generated SOA with nano-DESI high-resolution mass spectrometry. 2013 , 118, 1042-1051	17
1288	Atmospheric behaviour of particulate oxalate at UK urban background and rural sites. 2013 , 71, 319-326	24
1287	Submicron organic aerosol in Tijuana, Mexico, from local and Southern California sources during the CalMex campaign. 2013 , 70, 500-512	31
1286	Effects of chemical aging on global secondary organic aerosol using the volatility basis set approach. 2013 , 81, 230-244	47
1285	Effective Henry's law partitioning and the salting constant of glyoxal in aerosols containing sulfate. 2013 , 47, 4236-44	91
1284	Sources of organic aerosol investigated using organic compounds as tracers measured during CalNex in Bakersfield. 2013 , 118, 11,388-11,398	21
1283	Determination of a lower bound on Earth's climate sensitivity. 2013 , 65, 21533	14
1282	Quantitative single-particle analysis with the Aerodyne aerosol mass spectrometer: development of a new classification algorithm and its application to field data. 2013 , 6, 3131-3145	22
1281	High-resolution chemical ionization mass spectrometry (ToF-CIMS): application to study SOA composition and processing. 2013 , 6, 3211-3224	85
1280	Online atmospheric pressure chemical ionization ion trap mass spectrometry (APCI-IT-MSⁿ</sup>) for measuring organic acids in concentrated bulk aerosol in laboratory and field study. 2013 , 6, 431-443	36

1279	Application of high resolution Chemical Ionization Mass Spectrometry (CI-ToFMS) to study SOA composition: focus on formation of oxygenated species via aqueous phase processing. 2013,	1
1278	Improving the representation of secondary organic aerosol (SOA) in the MOZART-4 global chemical transport model. 2013, 6, 961-980	10
1277	Los Angeles Basin airborne organic aerosol characterization during CalNex. 2013, 118, 11,453-11,467	7
1276	Insights on organic aerosol aging and the influence of coal combustion at a regional receptor site of Central Eastern China. 2013,	8
1275	Tropospheric aerosols: size-differentiated chemistry and large-scale spatial distributions. 2013, 63, 377-404	2
1274	Detailed chemical characterization of unresolved complex mixtures in atmospheric organics: Insights into emission sources, atmospheric processing, and secondary organic aerosol formation. 2013, 118, 6783-6796	63
1273	Insights on organic aerosol aging and the influence of coal combustion at a regional receptor site of central eastern China. 2013, 13, 10095-10112	115
1272	Enhanced SOA formation from mixed anthropogenic and biogenic emissions during the CARES campaign. 2013, 13, 2091-2113	120
1271	A unified approach to infrared aerosol remote sensing and type specification. 2013, 13, 2195-2221	92
1270	State transformations and ice nucleation in amorphous (semi-)solid organic aerosol. 2013, 13, 5615-5628	73
1269	Semi-empirical parameterization of size-dependent atmospheric nanoparticle growth in continental environments. 2013, 13, 7665-7682	21
1268	The analysis of size-segregated cloud condensation nuclei counter (CCNC) data and its implications for cloud droplet activation. 2013, 13, 10285-10301	51
1267	In situ submicron organic aerosol characterization at a boreal forest research station during HUMPPA-COPEC 2010 using soft and hard ionization mass spectrometry. 2013, 13, 10933-10950	22
1266	Overview of aerosol properties associated with air masses sampled by the ATR-42 during the EUCAARI campaign (2008). 2013, 13, 4877-4893	10
1265	Updated aerosol module and its application to simulate secondary organic aerosols during IMPACT campaign May 2008. 2013, 13, 6289-6304	19
1264	Aerosol decadal trends [Part 1: In-situ optical measurements at GAW and IMPROVE stations. 2013, 13, 869-894	102
1263	Biogenic VOC oxidation and organic aerosol formation in an urban nocturnal boundary layer: aircraft vertical profiles in Houston, TX. 2013, 13, 11317-11337	44
1262	Secondary organic aerosol formation and primary organic aerosol oxidation from biomass-burning smoke in a flow reactor during FLAME-3. 2013, 13, 11551-11571	186

1261	Liquid-liquid phase separation in particles containing organics mixed with ammonium sulfate, ammonium bisulfate, ammonium nitrate or sodium chloride. 2013 , 13, 11723-11734	81
1260	CCN activity of organic aerosols observed downwind of urban emissions during CARES. 2013 , 13, 12155-12169	71
1259	Biogenic and biomass burning organic aerosol in a boreal forest at Hyytiälä, Finland, during HUMPPA-COPEC 2010. 2013 , 13, 12233-12256	46
1258	Application of the Statistical Oxidation Model (SOM) to Secondary Organic Aerosol formation from photooxidation of C ₁₂ alkanes. 2013 , 13, 1591-1606	38
1257	A new source of oxygenated organic aerosol and oligomers. 2013 , 13, 2989-3002	14
1256	Heated submicron particle fluxes using an optical particle counter in urban environment. 2013 , 13, 3087-3096	3
1255	Response of fine particulate matter concentrations to changes of emissions and temperature in Europe. 2013 , 13, 3423-3443	93
1254	The physical and chemical characteristics of marine primary organic aerosol: a review. 2013 , 13, 3979-3996	171
1253	Organic and inorganic markers and stable C-, N-isotopic compositions of tropical coastal aerosols from megacity Mumbai: sources of organic aerosols and atmospheric processing. 2013 , 13, 4667-4680	64
1252	Modeling the meteorological and chemical effects of secondary organic aerosols during an EUCAARI campaign. 2013 , 13, 625-645	59
1251	Hygroscopic mixing state of urban aerosol derived from size-resolved cloud condensation nuclei measurements during the MEGAPOLI campaign in Paris. 2013 , 13, 6431-6446	35
1250	Photosensitized heterogeneous oxidation kinetics of biomass burning aerosol surrogates by ozone using an irradiated rectangular channel flow reactor. 2013 , 13, 6507-6522	5
1249	Dependence of particle nucleation and growth on high-molecular-weight gas-phase products during ozonolysis of α -pinene. 2013 , 13, 7631-7644	58
1248	Relating particle hygroscopicity and CCN activity to chemical composition during the HCCT-2010 field campaign. 2013 , 13, 7983-7996	78
1247	Primary and secondary organic aerosol origin by combined gas-particle phase source apportionment. 2013 , 13, 8411-8426	75
1246	Organic aerosol composition and sources in Pasadena, California, during the 2010 CalNex campaign. 2013 , 118, 9233-9257	201
1245	Composition and hygroscopicity of the Los Angeles Aerosol: CalNex. 2013 , 118, 3016-3036	78
1244	Gas-particle partitioning of primary organic aerosol emissions: 3. Biomass burning. 2013 , 118, 11,327-11,338	144

1243	Implications of low volatility SOA and gas-phase fragmentation reactions on SOA loadings and their spatial and temporal evolution in the atmosphere. 2013 , 118, 3328-3342	62
1242	Identification of marine and continental aerosol sources in Paris using high resolution aerosol mass spectrometry. 2013 , 118, 1950-1963	126
1241	Glyoxal secondary organic aerosol chemistry: effects of dilute nitrate and ammonium and support for organic radical-radical oligomer formation. 2013 , 10, 158	19
1240	Vertically resolved chemical characteristics and sources of submicron aerosols measured on a Tall Tower in a suburban area near Denver, Colorado in winter. 2013 , 118, 13,591-13,605	15
1239	Analysis of passive-sampler monitored atmospheric ammonia at 74 sites across southern Ontario, Canada. 2013 , 10, 7913-7925	12
1238	Public health impacts of secondary particulate formation from aromatic hydrocarbons in gasoline. 2013 , 12, 19	26
1237	Modeling aerosols and their interactions with shallow cumuli during the 2007 CHAPS field study. 2013 , 118, 1343-1360	23
1236	Measuring the atmospheric organic aerosol volatility distribution: a theoretical analysis. 2014 , 7, 2953-2965	30
1235	Reactions between water-soluble organic acids and nitrates in atmospheric aerosols: Recycling of nitric acid and formation of organic salts. 2014 , 119, 3335-3351	50
1234	On-line derivatization for hourly measurements of gas- and particle-phase Semi-Volatile oxygenated organic compounds by Thermal desorption Aerosol Gas chromatography (SV-TAG). 2014 ,	1
1233	ORACLE (v1.0): module to simulate the organic aerosol composition and evolution in the atmosphere. 2014 , 7, 3153-3172	46
1232	Online derivatization for hourly measurements of gas- and particle-phase semi-volatile oxygenated organic compounds by thermal desorption aerosol gas chromatography (SV-TAG). 2014 , 7, 4417-4429	76
1231	Characterization of submicron aerosols during a month of serious pollution in Beijing, 2013. 2014 , 14, 2887-2903	257
1230	Radiative forcing of organic aerosol in the atmosphere and on snow: Effects of SOA and brown carbon. 2014 , 119, 7453-7476	155
1229	Improving the quantification of secondary organic aerosol using a microflow reactor coupled to HPLC-MS and NMR to manufacture ad hoc calibration standards. 2014 , 86, 11238-45	13
1228	Intermediate-volatility organic compounds: a large source of secondary organic aerosol. 2014 , 48, 13743-50	154
1227	Unspeciated organic emissions from combustion sources and their influence on the secondary organic aerosol budget in the United States. 2014 , 111, 10473-8	148
1226	Measuring Organic Carbon and Black Carbon in Rainwater: Evaluation of Methods. 2014 , 48, 239-250	52

1225	Modeling kinetic partitioning of secondary organic aerosol and size distribution dynamics: representing effects of volatility, phase state, and particle-phase reaction. 2014 , 14, 5153-5181	97
1224	The application of carbon-14 analyses to the source apportionment of atmospheric carbonaceous particulate matter: a review. 2014 , 406, 81-98	44
1223	Air quality modeling in East Asia: present issues and future directions. 2014 , 50, 105-120	27
1222	Measuring and modeling the salting-out effect in ammonium sulfate solutions. 2014 , 48, 13238-45	46
1221	Aerosol oxalate and its implication to haze pollution in Shanghai, China. 2014 , 59, 227-238	10
1220	Apportionment of urban aerosol sources in Cork (Ireland) by synergistic measurement techniques. 2014 , 493, 197-208	15
1219	Diagnostic air quality model evaluation of source-specific primary and secondary fine particulate carbon. 2014 , 48, 464-73	6
1218	1.5-Dimensional volatility basis set approach for modeling organic aerosol in CAMx and CMAQ. 2014 , 95, 158-164	90
1217	Secondary organic aerosol production from aqueous reactions of atmospheric phenols with an organic triplet excited state. 2014 , 48, 1049-57	94
1216	Shifts in the Gas-Particle Partitioning of Ambient Organics with Transport into the Indoor Environment. 2014 , 48, 271-281	19
1215	Using multidimensional gas chromatography to group secondary organic aerosol species by functionality. 2014 , 96, 310-321	7
1214	Transboundary secondary organic aerosol in western Japan indicated by the $\delta^{13}C$ of water-soluble organic carbon and the m/z 44 signal in organic aerosol mass spectra. 2014 , 48, 6273-81	15
1213	An Analytic Equation for the Volume Fraction of Condensationally Grown Mixed Particles and Applications to Secondary Organic Material Produced in Continuously Mixed Flow Reactors. 2014 , 48, 803-812	5
1212	n-Alkanoic monocarboxylic acid concentrations in urban and rural aerosols: Seasonal dependence and major sources. 2014 , 143, 228-237	7
1211	Determination of organic matter and organic matter to organic carbon ratios by infrared spectroscopy with application to selected sites in the IMPROVE network. 2014 , 86, 47-57	46
1210	Gas- and particle-phase primary emissions from in-use, on-road gasoline and diesel vehicles. 2014 , 88, 247-260	165
1209	Liquid-liquid phase separation in atmospherically relevant particles consisting of organic species and inorganic salts. 2014 , 33, 43-77	132
1208	Formation and evolution of biogenic secondary organic aerosol over a forest site in Japan. 2014 , 119, 259-273	15

1207	Influence of functional groups on organic aerosol cloud condensation nucleus activity. 2014 , 48, 10182-90		79
1206	Direct photolysis of Pinene ozonolysis secondary organic aerosol: effect on particle mass and peroxide content. 2014 , 48, 11251-8		84
1205	Photochemical evolution of organic aerosols observed in urban plumes from Hong Kong and the Pearl River Delta of China. 2014 , 88, 219-229		28
1204	Contribution of particulate water to the measured aerosol optical properties of aged aerosol. 2014 , 82, 144-153		7
1203	Spatially and seasonally resolved estimate of the ratio of organic mass to organic carbon. 2014 , 87, 34-40		53
1202	Fire risk, atmospheric chemistry and radiative forcing assessment of wildfires in eastern Mediterranean. 2014 , 95, 113-125		18
1201	Volatility dependence of Henry's law constants of condensable organics: Application to estimate depositional loss of secondary organic aerosols. <i>Geophysical Research Letters</i> , 2014 , 41, 4795-4804	4-9	57
1200	Effects of sources and meteorology on particulate matter in the Western Mediterranean Basin: An overview of the DAURE campaign. 2014 , 119, 4978-5010		33
1199	Ammonia emissions in the United States, European Union, and China derived by high-resolution inversion of ammonium wet deposition data: Interpretation with a new agricultural emissions inventory (MASAGE_NH3). 2014 , 119, 4343-4364		250
1198	Microspectroscopic imaging and characterization of individually identified ice nucleating particles from a case field study. 2014 , 119, 10,365-10,381		48
1197	Physical properties of ambient and laboratory-generated secondary organic aerosol. <i>Geophysical Research Letters</i> , 2014 , 41, 4347-4353	4-9	42
1196	Secondary organic aerosol model intercomparison based on secondary organic aerosol to odd oxygen ratio in Tokyo. 2014 , 119, 13,489-13,505		16
1195	Linking climate and air quality over Europe: effects of meteorology on PM _{2.5} concentrations. 2014 , 14, 10283-10298		60
1194	The AeroCom evaluation and intercomparison of organic aerosol in global models. 2014 , 14, 10845-10895		280
1193	Chemical composition, sources, and processes of urban aerosols during summertime in northwest China: insights from high-resolution aerosol mass spectrometry. 2014 , 14, 12593-12611		108
1192	Atmospheric submicron aerosol composition and particulate organic nitrate formation in a boreal forestland-urban mixed region. 2014 , 14, 13483-13495		39
1191	Chemical characterization of SOA formed from aqueous-phase reactions of phenols with the triplet excited state of carbonyl and hydroxyl radical. 2014 , 14, 13801-13816		131
1190	Source apportionment of PM ₁₀ in a north-western Europe regional urban background site (Lens, France) using positive matrix factorization and including primary biogenic emissions. 2014 , 14, 3325-3346		157

1189	Kinetic measurements of the reactivity of hydrogen peroxide and ozone towards small atmospherically relevant aldehydes, ketones and organic acids in aqueous solutions. 2014 , 14, 4503-4514	53
1188	Global modeling of SOA: the use of different mechanisms for aqueous-phase formation. 2014 , 14, 5451-5475	73
1187	Chemical mass balance of 300 °C non-volatile particles at the tropospheric research site Melpitz, Germany. 2014 , 14, 10145-10162	39
1186	The influence of physical state on shikimic acid ozonolysis: a case for in situ microspectroscopy. 2014 , 14, 10761-10772	32
1185	Novel methods for predicting gas/particle partitioning during the formation of secondary organic aerosol. 2014 , 14, 13189-13204	24
1184	Submicron aerosol source apportionment of wintertime pollution in Paris, France by double positive matrix factorization (PMF ²) using an aerosol chemical speciation monitor (ACSM) and a multi-wavelength Aethalometer. 2014 , 14, 13773-13787	56
1183	Chemical composition, main sources and temporal variability of PM ₁ aerosols in southern African grassland. 2014 , 14, 1909-1927	62
1182	Emission factor ratios, SOA mass yields, and the impact of vehicular emissions on SOA formation. 2014 , 14, 2383-2397	67
1181	Identification of humic-like substances (HULIS) in oxygenated organic aerosols using NMR and AMS factor analyses and liquid chromatographic techniques. 2014 , 14, 25-45	43
1180	Aircraft measurements of polar organic tracer compounds in tropospheric particles (PM ₁₀) over central China. 2014 , 14, 4185-4199	23
1179	The direct and indirect radiative effects of biogenic secondary organic aerosol. 2014 , 14, 447-470	146
1178	Hygroscopicity, CCN and volatility properties of submicron atmospheric aerosol in a boreal forest environment during the summer of 2010. 2014 , 14, 4733-4748	41
1177	Processing of biomass-burning aerosol in the eastern Mediterranean during summertime. 2014 , 14, 4793-4807	111
1176	Reactive uptake of N ₂ O ₅ to internally mixed inorganic and organic particles: the role of organic carbon oxidation state and inferred organic phase separations. 2014 , 14, 5693-5707	70
1175	A naming convention for atmospheric organic aerosol. 2014 , 14, 5825-5839	68
1174	Chemistry of new particle growth in mixed urban and biogenic emissions [insights from CARES]. 2014 , 14, 6477-6494	42
1173	Single-particle characterization of the high-Arctic summertime aerosol. 2014 , 14, 7409-7430	19
1172	Enhancing non-refractory aerosol apportionment from an urban industrial site through receptor modeling of complete high time-resolution aerosol mass spectra. 2014 , 14, 8017-8042	11

1171	Organic aerosol concentration and composition over Europe: insights from comparison of regional model predictions with aerosol mass spectrometer factor analysis. 2014 , 14, 9061-9076	56
1170	Volatility basis-set approach simulation of organic aerosol formation in East Asia: implications for anthropogenic-biogenic interaction and controllable amounts. 2014 , 14, 9513-9535	35
1169	Development of an aerosol microphysical module: Aerosol Two-dimensional bin module for foRmation and Aging Simulation (ATRAS). 2014 , 14, 10315-10331	26
1168	Emissions of biogenic volatile organic compounds and subsequent photochemical production of secondary organic aerosol in mesocosm studies of temperate and tropical plant species. 2014 , 14, 12781-12801 ¹⁹	19
1167	Semicontinuous measurements of gas-particle partitioning of organic acids in a ponderosa pine forest using a MOVI-HRToF-CIMS. 2014 , 14, 1527-1546	76
1166	Estimation of cloud condensation nuclei concentration from aerosol optical quantities: influential factors and uncertainties. 2014 , 14, 471-483	57
1165	Organic aerosol components derived from 25 AMS data sets across Europe using a consistent ME-2 based source apportionment approach. 2014 , 14, 6159-6176	232
1164	Does the POA/BOA split matter for global CCN formation?. 2014 , 14, 995-1010	6
1163	Chemical amplification--cavity attenuated phase shift spectroscopy measurements of atmospheric peroxy radicals. 2014 , 86, 10266-73	8
1162	Chemical composition, sources and evolution processes of aerosol at an urban site in Yangtze River Delta, China during wintertime. 2015 , 123, 339-349	50
1161	Experimental study of particulate products for aging of 1,3,5-trimethylbenzene secondary organic aerosol. 2015 , 6, 209-219	12
1160	Global transformation and fate of SOA: Implications of low-volatility SOA and gas-phase fragmentation reactions. 2015 , 120, 4169-4195	96
1159	Redistribution of black carbon in aerosol particles undergoing liquid-liquid phase separation. <i>Geophysical Research Letters</i> , 2015 , 42, 2532-2539	4.9 18
1158	Organic aerosol processing in tropical deep convective clouds: Development of a new model (CRM-ORG) and implications for sources of particle number. 2015 , 120, 10,441	12
1157	Secondary organic aerosol over an urban environment in a semi-arid region of western India. 2015 , 6, 11-20	12
1156	Characteristics of submicron particulate matter at the urban roadside in downtown Hong Kong-Overview of 4 months of continuous high-resolution aerosol mass spectrometer measurements. 2015 , 120, 7040-7058	50
1155	Real-time measurements of ambient aerosols in a polluted Indian city: Sources, characteristics, and processing of organic aerosols during foggy and nonfoggy periods. 2015 , 120, 9006-9019	53
1154	Evaluations of tropospheric aerosol properties simulated by the community earth system model with a sectional aerosol microphysics scheme. 2015 , 7, 865-914	27

1153	Effects of a changing climate on summertime fine particulate matter levels in the eastern U.S.. 2015 , 120, 5706-5720	9
1152	Direct radiative effect by brown carbon over the Indo-Gangetic Plain. 2015 , 15, 12731-12740	17
1151	Investigating a two-component model of solid fuel organic aerosol in London: processes, PM₁ contributions, and seasonality. 2015 , 15, 2429-2443	25
1150	Two years of near real-time chemical composition of submicron aerosols in the region of Paris using an Aerosol Chemical Speciation Monitor (ACSM) and a multi-wavelength Aethalometer. 2015 , 15, 2985-3005	105
1149	Relative humidity-dependent viscosities of isoprene-derived secondary organic material and atmospheric implications for isoprene-dominant forests. 2015 , 15, 5145-5159	86
1148	Modeling the formation and aging of secondary organic aerosols in Los Angeles during CalNex 2010. 2015 , 15, 5773-5801	112
1147	Mixing state of carbonaceous aerosol in an urban environment: single particle characterization using the soot particle aerosol mass spectrometer (SP-AMS). 2015 , 15, 1823-1841	65
1146	How much is particulate matter near the ground influenced by upper-level processes within and above the PBL? A summertime case study in Milan (Italy) evidences the distinctive role of nitrate. 2015 , 15, 2629-2649	31
1145	Properties and evolution of biomass burning organic aerosol from Canadian boreal forest fires. 2015 , 15, 3077-3095	52
1144	Relating hygroscopicity and optical properties to chemical composition and structure of secondary organic aerosol particles generated from the ozonolysis of α -pinene. 2015 , 15, 3339-3358	25
1143	Complex chemical composition of colored surface films formed from reactions of propanal in sulfuric acid at upper troposphere/lower stratosphere aerosol acidities. 2015 , 15, 4225-4239	8
1142	Near-highway aerosol and gas-phase measurements in a high-diesel environment. 2015 , 15, 4373-4387	18
1141	Investigating the annual behaviour of submicron secondary inorganic and organic aerosols in London. 2015 , 15, 6351-6366	37
1140	Estimates of non-traditional secondary organic aerosols from aircraft SVOC and IVOC emissions using CMAQ. 2015 , 15, 6929-6942	24
1139	Investigating types and sources of organic aerosol in Rocky Mountain National Park using aerosol mass spectrometry. 2015 , 15, 737-752	14
1138	Mapping gas-phase organic reactivity and concomitant secondary organic aerosol formation: chemometric dimension reduction techniques for the deconvolution of complex atmospheric data sets. 2015 , 15, 8077-8100	8
1137	Particulate matter, air quality and climate: lessons learned and future needs. 2015 , 15, 8217-8299	462
1136	Formation and aging of secondary organic aerosol from toluene: changes in chemical composition, volatility, and hygroscopicity. 2015 , 15, 8301-8313	27

1135	Aqueous-phase oligomerization of methyl vinyl ketone through photooxidation [Part 2: Development of the chemical mechanism and atmospheric implications. 2015 , 15, 9109-9127	19
1134	Particulate organic nitrates observed in an oil and natural gas production region during wintertime. 2015 , 15, 9313-9325	11
1133	In situ, satellite measurement and model evidence on the dominant regional contribution to fine particulate matter levels in the Paris megacity. 2015 , 15, 9577-9591	72
1132	Atmospheric Heterogeneous Reaction Chemistry and Theoretical Molecular Science. 2015 , 9, A0079	
1131	Sources, seasonality, and trends of southeast US aerosol: an integrated analysis of surface, aircraft, and satellite observations with the GEOS-Chem chemical transport model. 2015 , 15, 10411-10433	168
1130	Chemical characterization of submicron aerosol and particle growth events at a national background site (3295 m a.s.l.) on the Tibetan Plateau. 2015 , 15, 10811-10824	27
1129	Organic aerosol evolution and transport observed at Mt. Cimone (2165 m a.s.l.), Italy, during the PEGASOS campaign. 2015 , 15, 11327-11340	17
1128	Fourteen months of on-line measurements of the non-refractory submicron aerosol at the Jungfraujoch (3580 m a.s.l.) [chemical composition, origins and organic aerosol sources. 2015 , 15, 11373-11398 ⁴⁵	
1127	Laboratory evidence of organic peroxide and peroxyhemiacetal formation in the aqueous phase and implications for aqueous OH. 2015 , 15, 12867-12877	41
1126	Impact of gas-to-particle partitioning approaches on the simulated radiative effects of biogenic secondary organic aerosol. 2015 , 15, 12989-13001	28
1125	Insights into characteristics, sources, and evolution of submicron aerosols during harvest seasons in the Yangtze River delta region, China. 2015 , 15, 1331-1349	92
1124	Organic nitrate aerosol formation via $\text{NO}_3 + \text{biogenic volatile organic compounds}$ in the southeastern United States. 2015 , 15, 13377-13392	90
1123	Limited effect of anthropogenic nitrogen oxides on secondary organic aerosol formation. 2015 , 15, 13487-13506	
1122	Viscosity controls humidity dependence of N_2O_5 uptake to citric acid aerosol. 2015 , 15, 13615-13625	34
1121	Chemical aging of single and multicomponent biomass burning aerosol surrogate particles by OH: implications for cloud condensation nucleus activity. 2015 , 15, 10183-10201	19
1120	Sources and chemical characterization of organic aerosol during the summer in the eastern Mediterranean. 2015 , 15, 11355-11371	42
1119	Aerosol size distribution and new particle formation in the western Yangtze River Delta of China: 2 years of measurements at the SORPES station. 2015 , 15, 12445-12464	77
1118	Gaseous products and secondary organic aerosol formation during long term oxidation of isoprene and methacrolein. 2015 , 15, 2953-2968	36

1117	Effect of oxidant concentration, exposure time, and seed particles on secondary organic aerosol chemical composition and yield. 2015 , 15, 3063-3075	134
1116	Aging of secondary organic aerosol generated from the ozonolysis of α -pinene: effects of ozone, light and temperature. 2015 , 15, 883-897	21
1115	Hygroscopic and phase separation properties of ammonium sulfate/organics/water ternary solutions. 2015 , 15, 8975-8986	16
1114	Secondary organic aerosol formation from photochemical aging of light-duty gasoline vehicle exhausts in a smog chamber. 2015 , 15, 9049-9062	64
1113	Elemental composition of organic aerosol: The gap between ambient and laboratory measurements. <i>Geophysical Research Letters</i> , 2015 , 42, 4182-4189	4-9 63
1112	CESM/CAM5 improvement and application: comparison and evaluation of updated CB05_GE and MOZART-4 gas-phase mechanisms and associated impacts on global air quality and climate. 2015 , 8, 3999-4025 ¹⁰	
1111	Application of a global nonhydrostatic model with a stretched-grid system to regional aerosol simulations around Japan. 2015 , 8, 235-259	29
1110	The CU 2-D-MAX-DOAS instrument [Part 1: Retrieval of 3-D distributions of NO_2 and azimuth-dependent OVOC ratios. 2015 , 8, 2371-2395	32
1109	Application of high-resolution time-of-flight chemical ionization mass spectrometry measurements to estimate volatility distributions of α -pinene and naphthalene oxidation products. 2015 , 8, 1-18	55
1108	Peak-fitting and integration imprecision in the Aerodyne aerosol mass spectrometer: effects of mass accuracy on location-constrained fits. 2015 , 8, 4615-4636	14
1107	Inter-comparison of laboratory smog chamber and flow reactor systems on organic aerosol yield and composition. 2015 , 8, 2315-2332	90
1106	Organic PM Emissions from Vehicles: Composition, O/C Ratio, and Dependence on PM Concentration. 2015 , 49, 86-97	34
1105	Direct measurements of the optical cross sections and refractive indices of individual volatile and hygroscopic aerosol particles. 2015 , 119, 5701-13	26
1104	Multiday production of condensing organic aerosol mass in urban and forest outflow. 2015 , 15, 595-615	22
1103	Airborne measurements of organosulfates over the continental U.S. 2015 , 120, 2990-3005	77
1102	Long-term real-time chemical characterization of submicron aerosols at Montsec (southern Pyrenees, 1570 m a.s.l.). 2015 , 15, 2935-2951	54
1101	Peak fitting and integration uncertainties for the Aerodyne Aerosol Mass Spectrometer. 2015 ,	2
1100	The Secondary Organic Aerosol Processor (SOAP v1.0) model: a unified model with different ranges of complexity based on the molecular surrogate approach. 2015 , 8, 1111-1138	38

1099	Large enhancement in the heterogeneous oxidation rate of organic aerosols by hydroxyl radicals in the presence of nitric oxide. 2015 , 6, 4451-5	24
1098	Long-term measurements of submicrometer aerosol chemistry at the Southern Great Plains (SGP) using an Aerosol Chemical Speciation Monitor (ACSM). 2015 , 106, 43-55	65
1097	Uptake of epoxydiol isomers accounts for half of the particle-phase material produced from isoprene photooxidation via the HO ₂ pathway. 2015 , 49, 250-8	45
1096	Chemical composition and size distribution of summertime PM _{2.5} at a high altitude remote location in the northeast of the Qinghai-Tibet Plateau: insights into aerosol sources and processing in free troposphere. 2015 , 15, 5069-5081	65
1095	Inter-comparison of laboratory smog chamber and flow reactor systems on organic aerosol yield and composition. 2015 ,	2
1094	The Campaign on Atmospheric Aerosol Research Network of China: CARE-China. 2015 , 96, 1137-1155	98
1093	A study of summer and winter highly time-resolved submicron aerosol composition measured at a suburban site in Prague. 2015 , 118, 45-57	21
1092	Characteristics of PM _{2.5} emitted from different cooking activities in China. 2015 , 166, 83-91	60
1091	Evaluation of the ability of the EC tracer method to estimate secondary organic carbon. 2015 , 112, 317-325	26
1090	Use of proton elastic scattering techniques to determine carbonaceous fractions in atmospheric aerosols collected on Teflon filters. 2015 , 89, 85-95	9
1089	Sources and formation pathways of organic aerosol in a subtropical metropolis during summer. 2015 , 117, 51-60	7
1088	Molecular characterization of free tropospheric aerosol collected at the Pico Mountain Observatory: a case study with a long-range transported biomass burning plume. 2015 , 15, 5047-5068	42
1087	Measurements of the HO ₂ uptake coefficients onto single component organic aerosols. 2015 , 49, 4878-85	23
1086	Long-term trends in California mobile source emissions and ambient concentrations of black carbon and organic aerosol. 2015 , 49, 5178-88	78
1085	Transport, biomass burning, and in-situ formation contribute to fine particle concentrations at a remote site near Grand Teton National Park. 2015 , 112, 257-268	11
1084	Temporal variations of PM ₁ major components in an urban street canyon. 2015 , 22, 13328-35	22
1083	A characterization of volatile organic compounds and secondary organic aerosol at a mountain site in the Southeastern United States. 2015 , 72, 81-104	8
1082	Land use change impacts on air quality and climate. 2015 , 115, 4476-96	71

1081	Unraveling the structural features of organic aerosols by NMR spectroscopy: a review. 2015 , 53, 658-66	15
1080	Heterogeneous Oxidation of Atmospheric Organic Aerosol: Kinetics of Changes to the Amount and Oxidation State of Particle-Phase Organic Carbon. 2015 , 119, 10767-83	94
1079	Substrate-Deposited Sea Spray Aerosol Particles: Influence of Analytical Method, Substrate, and Storage Conditions on Particle Size, Phase, and Morphology. 2015 , 49, 13447-53	27
1078	Insights into the Formation and Evolution of Individual Compounds in the Particulate Phase during Aromatic Photo-Oxidation. 2015 , 49, 13168-78	28
1077	Spatial Variation of Aerosol Chemical Composition and Organic Components Identified by Positive Matrix Factorization in the Barcelona Region. 2015 , 49, 10421-30	16
1076	Products and Mechanism of the Reaction of 1-Pentadecene with NO ₃ Radicals and the Effect of a -ONO ₂ Group on Alkoxy Radical Decomposition. 2015 , 119, 10684-96	16
1075	Glyoxal and Methylglyoxal Setschenow Salting Constants in Sulfate, Nitrate, and Chloride Solutions: Measurements and Gibbs Energies. 2015 , 49, 11500-8	55
1074	Molecular view modeling of atmospheric organic particulate matter: Incorporating molecular structure and co-condensation of water. 2015 , 122, 400-408	19
1073	On the Origin of AMS "Cooking Organic Aerosol" at a Rural Site. 2015 , 49, 13964-72	28
1072	Atmospheric carbonaceous aerosols from Indo-Gangetic Plain and Central Himalaya: impact of anthropogenic sources. 2015 , 148, 153-63	40
1071	Equilibrium absorptive partitioning theory between multiple aerosol particle modes. 2016 , 9, 3617-3637	
1070	The composition of ambient and fresh biomass burning aerosols at a savannah site, South Africa. 2016 , Volume 112,	12
1069	Oligomer formation in the troposphere: from experimental knowledge to 3-D modeling. 2016 , 9, 1361-1382	5
1068	An 11-year global gridded aerosol optical thickness reanalysis (v1.0) for atmospheric and climate sciences. 2016 , 9, 1489-1522	99
1067	GIST-PM-Asia v1: development of a numerical system to improve particulate matter forecasts in South Korea using geostationary satellite-retrieved aerosol optical data over Northeast Asia. 2016 , 9, 17-39	20
1066	An automated baseline correction protocol for infrared spectra of atmospheric aerosols collected on polytetrafluoroethylene (Teflon) filters. 2016 , 9, 2615-2631	14
1065	Influence of Trans-Boundary Air Pollution on the Urban Atmosphere in Fukuoka, Japan. 2016 , 7, 51	14
1064	Photochemical organonitrate formation in wet aerosols. 2016 , 16, 12631-12647	15

1063	Ion mobility spectrometry-mass spectrometry (IMS/MS) for on- and offline analysis of atmospheric gas and aerosol species. 2016 , 9, 3245-3262	42
1062	Aerosols, Chemistry, and Climate. 606-627	
1061	Plants and Atmospheric Aerosols. 2016 , 369-406	6
1060	Microscale spectrophotometric methods for quantification of functional groups in oxidized organic aerosol. 2016 , 50, 881-892	11
1059	Spatial and seasonal variations of secondary organic aerosol from terpenoids over China. 2016 , 121, 14,661-14,678	14
1058	Fine particle pH and the partitioning of nitric acid during winter in the northeastern United States. 2016 , 121, 10,355	129
1057	Hygroscopicity and CCN activity of atmospheric aerosol particles and their relation to organics: Characteristics of urban aerosols in Nagoya, Japan. 2016 , 121, 4100-4121	20
1056	Drying-Induced Evaporation of Secondary Organic Aerosol during Summer. 2016 , 50, 3626-33	27
1055	Organics Substantially Reduce HO ₂ Uptake onto Aerosols Containing Transition Metal ions. 2016 , 120, 1421-30	13
1054	Interfacial Tensions of Aged Organic Aerosol Particle Mimics Using a Biphasic Microfluidic Platform. 2016 , 50, 1251-9	27
1053	Exploring Divergent Volatility Properties from Yield and Thermogravimetric Measurements of Secondary Organic Aerosol from α -Pinene Ozonolysis. 2016 , 50, 5740-9	34
1052	Airmass aging metrics derived from particle and other measurements near Fort Worth. 2016 , 126, 45-54	3
1051	Public Health Costs of Primary PM _{2.5} and Inorganic PM _{2.5} Precursor Emissions in the United States. 2016 , 50, 6061-70	72
1050	Chemical composition and characteristics of ambient aerosols and rainwater residues during Indian summer monsoon: Insight from aerosol mass spectrometry. 2016 , 136, 144-155	28
1049	Seasonal variations of biogenic secondary organic aerosol tracers in Cape Hedo, Okinawa. 2016 , 130, 113-119	24
1048	Light absorption of organic aerosol from pyrolysis of corn stalk. 2016 , 144, 249-256	21
1047	Characterization of sampling artifacts in the measurement of carbonaceous particles using high- and low-volume samplers in Daejeon, Korea. 2016 , 139, 157-166	6
1046	Effect of typhoon on atmospheric aerosol particle pollutants accumulation over Xiamen, China. 2016 , 159, 244-255	26

1045	Intense secondary aerosol formation due to strong atmospheric photochemical reactions in summer: observations at a rural site in eastern Yangtze River Delta of China. 2016 , 571, 1454-66		72
1044	Dose-dependent intracellular reactive oxygen and nitrogen species (ROS/RNS) production from particulate matter exposure: comparison to oxidative potential and chemical composition. 2016 , 144, 335-344		48
1043	Aerosol Chemistry Resolved by Mass Spectrometry: Linking Field Measurements of Cloud Condensation Nuclei Activity to Organic Aerosol Composition. 2016 , 50, 10823-10832		14
1042	Herbivory by an Outbreking Moth Increases Emissions of Biogenic Volatiles and Leads to Enhanced Secondary Organic Aerosol Formation Capacity. 2016 , 50, 11501-11510		27
1041	Attributes of aerosol bound water soluble ions and carbon, and their relationships with AOD over the Brahmaputra Valley. 2016 , 142, 194-209		16
1040	Signatures of Biomass Burning Aerosols in the Plume of a Saltmarsh Wildfire in South Texas. 2016 , 50, 9308-14		24
1039	Direct observation of aqueous secondary organic aerosol from biomass-burning emissions. 2016 , 113, 10013-8		170
1038	Advanced aerosol optical tweezers chamber design to facilitate phase-separation and equilibration timescale experiments on complex droplets. 2016 , 50, 1327-1341		31
1037	The Two-Column Aerosol Project: Phase I Overview and impact of elevated aerosol layers on aerosol optical depth. 2016 , 121, 336-361		22
1036	Radiative forcing from anthropogenic sulfur and organic emissions reaching the stratosphere. <i>Geophysical Research Letters</i> , 2016 , 43, 9361-9367	4.9	18
1035	Characterization of the organic matter in submicron urban aerosols using a Thermo-Desorption Proton-Transfer-Reaction Time-of-Flight Mass Spectrometer (TD-PTR-TOF-MS). 2016 , 140, 565-575		13
1034	Characteristics of dimethylammonium and trimethylammonium in atmospheric particles ranging from supermicron to nanometer sizes over eutrophic marginal seas of China and oligotrophic open oceans. 2016 , 572, 813-824		22
1033	Effect of the Keto Group on Yields and Composition of Organic Aerosol Formed from OH Radical-Initiated Reactions of Ketones in the Presence of NOx. 2016 , 120, 6978-89		12
1032	Sensitivity analysis of simulated SOA loadings using a variance-based statistical approach. 2016 , 8, 499-519		10
1031	Inorganic Salt Interference on CO in Aerodyne AMS and ACSM Organic Aerosol Composition Studies. 2016 , 50, 10494-10503		70
1030	Ubiquity of organic nitrates from nighttime chemistry in the European submicron aerosol. <i>Geophysical Research Letters</i> , 2016 , 43, 7735-7744	4.9	119
1029	Chemical composition, sources, and aging process of submicron aerosols in Beijing: Contrast between summer and winter. 2016 , 121, 1955-1977		197
1028	Chemical Composition of Aerosols of Different Origin. 2016 , 183-221		2

1027	Estimation of columnar concentrations of absorbing and scattering fine mode aerosol components using AERONET data. 2016 , 121, 13,628-13,640	8
1026	Wintertime aerosol chemical composition, volatility, and spatial variability in the greater London area. 2016 , 16, 1139-1160	25
1025	A two-dimensional volatility basis set [Part 3: Prognostic modeling and NO ₂ dependence. 2016 , 16, 123-134	20
1024	Screening of cloud microorganisms isolated at the Puy de Dôme (France) station for the production of biosurfactants. 2016 , 16, 12347-12358	32
1023	Organic aerosol source apportionment in London 2013 with ME-2: exploring the solution space with annual and seasonal analysis. 2016 , 16, 15545-15559	21
1022	Secondary organic aerosol formation from isoprene photooxidation during cloud condensation–evaporation cycles. 2016 , 16, 1747-1760	23
1021	In situ secondary organic aerosol formation from ambient pine forest air using an oxidation flow reactor. 2016 , 16, 2943-2970	98
1020	Simulating secondary organic aerosol in a regional air quality model using the statistical oxidation model [Part 2: Assessing the influence of vapor wall losses. 2016 , 16, 3041-3059	46
1019	Technical Note: Development of chemoinformatic tools to enumerate functional groups in molecules for organic aerosol characterization. 2016 , 16, 4401-4422	11
1018	Aerosol optical properties in the southeastern United States in summer [Part I]: Hygroscopic growth. 2016 , 16, 4987-5007	71
1017	Seasonal characterization of submicron aerosol chemical composition and organic aerosol sources in the southeastern United States: Atlanta, Georgia, and Look Rock, Tennessee. 2016 , 16, 5171-5189	57
1016	What do correlations tell us about anthropogenic–biogenic interactions and SOA formation in the Sacramento plume during CARES?. 2016 , 16, 1729-1746	4
1015	Phase, composition, and growth mechanism for secondary organic aerosol from the ozonolysis of α -pinene. 2016 , 16, 3245-3264	25
1014	Molecular transformations of phenolic SOA during photochemical aging in the aqueous phase: competition among oligomerization, functionalization, and fragmentation. 2016 , 16, 4511-4527	63
1013	Formation of secondary aerosols from gasoline vehicle exhaust when mixing with SO ₂ . 2016 , 16, 675-689	52
1012	Simulations of organic aerosol concentrations during springtime in the Guanzhong Basin, China. 2016 , 16, 10045-10061	36
1011	Inverse modelling of Köhler theory [Part 1: A response surface analysis of CCN spectra with respect to surface-active organic species. 2016 , 16, 10941-10963	10
1010	Volatility and lifetime against OH heterogeneous reaction of ambient isoprene-epoxydiols-derived secondary organic aerosol (IEPOX-SOA). 2016 , 16, 11563-11580	60

1009	Variations in the chemical composition of the submicron aerosol and in the sources of the organic fraction at a regional background site of the Po Valley (Italy). 2016 , 16, 12875-12896	24
1008	Characterization of submicron aerosols influenced by biomass burning at a site in the Sichuan Basin, southwestern China. 2016 , 16, 13213-13230	35
1007	The effect of particle acidity on secondary organic aerosol formation from α -pinene photooxidation under atmospherically relevant conditions. 2016 , 16, 13929-13944	20
1006	Aqueous-phase mechanism for secondary organic aerosol formation from isoprene: application to the Southeast United States and co-benefit of SO emission controls. 2016 , 16, 1603-1618	197
1005	Volatility of organic aerosol and its components in the megacity of Paris. 2016 , 16, 2013-2023	25
1004	Simulating the formation of carbonaceous aerosol in a European Megacity (Paris) during the MEGAPOLI summer and winter campaigns. 2016 , 16, 3727-3741	25
1003	Understanding sources of organic aerosol during CalNex-2010 using the CMAQ-VBS. 2016 , 16, 4081-4100	66
1002	Hygroscopic behavior of multicomponent organic aerosols and their internal mixtures with ammonium sulfate. 2016 , 16, 4101-4118	59
1001	Influences of emission sources and meteorology on aerosol chemistry in a polluted urban environment: results from DISCOVER-AQ California. 2016 , 16, 5427-5451	58
1000	A sub-decadal trend in diacids in atmospheric aerosols in eastern Asia. 2016 , 16, 585-596	12
999	Aircraft observations of water-soluble dicarboxylic acids in the aerosols over China. 2016 , 16, 6407-6419	10
998	Real-time measurements of secondary organic aerosol formation and aging from ambient air in an oxidation flow reactor in the Los Angeles area. 2016 , 16, 7411-7433	97
997	Fungal spores overwhelm biogenic organic aerosols in a midlatitudinal forest. 2016 , 16, 7497-7506	30
996	Rethinking the global secondary organic aerosol (SOA) budget: stronger production, faster removal, shorter lifetime. 2016 , 16, 7917-7941	137
995	Observations and implications of liquid-liquid phase separation at high relative humidities in secondary organic material produced by α -pinene ozonolysis without inorganic salts. 2016 , 16, 7969-7979	72
994	Relative humidity-dependent viscosity of secondary organic material from toluene photo-oxidation and possible implications for organic particulate matter over megacities. 2016 , 16, 8817-8830	71
993	Global combustion sources of organic aerosols: model comparison with 84-AMS factor-analysis data sets. 2016 , 16, 8939-8962	38
992	Highly time-resolved urban aerosol characteristics during springtime in Yangtze River Delta, China: insights from soot particle aerosol mass spectrometry. 2016 , 16, 9109-9127	77

991	Model analysis of secondary organic aerosol over China with a regional air quality modeling system (RAMS-CMAQ). 2016 , 9, 443-450	4
990	Stable carbon isotopic compositions of low-molecular-weight dicarboxylic acids, oxocarboxylic acids, dicarbonyls, and fatty acids: Implications for atmospheric processing of organic aerosols. 2016 , 121, 3707-3717	29
989	Lightning NO _x and Impacts on Air Quality. 2016 , 2, 115-133	66
988	Comment on "The effects of molecular weight and thermal decomposition on the sensitivity of a thermal desorption aerosol mass spectrometer" 2016 , 50, i-xv	33
987	Weekly variability of precipitation induced by anthropogenic aerosols: A case study in Korea in summer 2004. 2016 , 541, 1531-1539	1
986	Characterization of submicron aerosols at a suburban site in central China. 2016 , 131, 115-123	31
985	Incorporation of new particle formation and early growth treatments into WRF/Chem: Model improvement, evaluation, and impacts of anthropogenic aerosols over East Asia. 2016 , 124, 262-284	27
984	The "Parade Blue": effects of short-term emission control on aerosol chemistry. 2016 , 189, 317-35	26
983	Liquid Water: Ubiquitous Contributor to Aerosol Mass. 2016 , 3, 257-263	86
982	A review of dicarboxylic acids and related compounds in atmospheric aerosols: Molecular distributions, sources and transformation. 2016 , 170, 140-160	195
981	Sulfur Dioxide Accelerates the Heterogeneous Oxidation Rate of Organic Aerosol by Hydroxyl Radicals. 2016 , 50, 3554-61	28
980	Estimating ambient particulate organic carbon concentrations and partitioning using thermal optical measurements and the volatility basis set. 2016 , 50, 638-651	9
979	Development of a volatility and polarity separator (VAPS) for volatility- and polarity-resolved organic aerosol measurement. 2016 , 50, 255-271	17
978	Chemical Structural Characteristics of HULIS and Other Fractionated Organic Matter in Urban Aerosols: Results from Mass Spectral and FT-IR Analysis. 2016 , 50, 1721-30	59
977	Uptake of Semivolatile Secondary Organic Aerosol Formed from Pinene into Nonvolatile Polyethylene Glycol Probe Particles. 2016 , 120, 1459-67	6
976	Comparison of physicochemical properties between fine (PM _{2.5}) and coarse airborne particles at cold season in Korea. 2016 , 541, 1132-1138	12
975	Regional contribution to PM ₁ pollution during winter haze in Yangtze River Delta, China. 2016 , 541, 161-166	47
974	Optical and thermal characteristics of carbonaceous aerosols measured at an urban site in Gwangju, Korea, in the winter of 2011. 2016 , 66, 151-63	2

973	Local and distant source contributions to secondary organic aerosol in the Beijing urban area in summer. 2016 , 124, 176-185	27
972	Fine particles sampled at an urban background site and an industrialized coastal site in Northern France - Part 1: Seasonal variations and chemical characterization. 2017 , 578, 203-218	13
971	Potentiometric perchlorate determination at nanomolar concentrations in vegetables. 2017 , 227, 166-172	7
970	Impacts of increasing aridity and wildfires on aerosol loading in the intermountain Western US. 2017 , 12, 014006	24
969	Impact of future climate policy scenarios on air quality and aerosol-cloud interactions using an advanced version of CESM/CAM5: Part I. model evaluation for the current decadal simulations. 2017 , 152, 222-239	22
968	Chinese province-scale source apportionments for sulfate aerosol in 2005 evaluated by the tagged tracer method. 2017 , 220, 1366-1375	28
967	Role of Aerosol Liquid Water in Secondary Organic Aerosol Formation from Volatile Organic Compounds. 2017 , 51, 1405-1413	68
966	Oxygenate-Induced Tuning of Aldehyde-Amine Reactivity and Its Atmospheric Implications. 2017 , 121, 1022-1031	11
965	Wintertime water-soluble aerosol composition and particle water content in Fresno, California. 2017 , 122, 3155-3170	31
964	Real-time chemical characterization of atmospheric particulate matter in China: A review. 2017 , 158, 270-304	142
963	Hygroscopic properties of urban aerosols and their cloud condensation nuclei activities measured in Seoul during the MAPS-Seoul campaign. 2017 , 153, 217-232	17
962	Hygroscopic properties of potassium chloride and its internal mixtures with organic compounds relevant to biomass burning aerosol particles. 2017 , 7, 43572	31
961	Finely Resolved On-Road PM and Estimated Premature Mortality in Central North Carolina. 2017 , 37, 2420-2434	4
960	Sulphuric acid-catalysed formation of hemiacetal from glyoxal and ethanol. 2017 , 675, 27-34	5
959	Sources and composition of PM _{2.5} in the Colorado Front Range during the DISCOVER-AQ study. 2017 , 122, 566-582	10
958	Simulating Aqueous-Phase Isoprene-Epoxydiol (IEPOX) Secondary Organic Aerosol Production During the 2013 Southern Oxidant and Aerosol Study (SOAS). 2017 , 51, 5026-5034	64
957	Volatility of source apportioned wintertime organic aerosol in the city of Athens. 2017 , 158, 138-147	20
956	Structural signatures of water-soluble organic aerosols in contrasting environments in South America and Western Europe. 2017 , 227, 513-525	23

955	A dual-chamber method for quantifying the effects of atmospheric perturbations on secondary organic aerosol formation from biomass burning emissions. 2017 , 122, 6043-6058	32
954	Air pollution characteristics and health risks in Henan Province, China. 2017 , 156, 625-634	74
953	Field intercomparison of the gas/particle partitioning of oxygenated organics during the Southern Oxidant and Aerosol Study (SOAS) in 2013. 2017 , 51, 30-56	31
952	Hygroscopicity of Organic Compounds as a Function of Carbon Chain Length and Carboxyl, Hydroperoxy, and Carbonyl Functional Groups. 2017 , 121, 5164-5174	14
951	Effect of VOC Emissions from Vegetation on Air Quality in Berlin during a Heatwave. 2017 , 51, 6120-6130	103
950	Secondary organic aerosol from VOC mixtures in an oxidation flow reactor. 2017 , 161, 210-220	33
949	Structural and Light-Absorption Characteristics of Complex Water-Insoluble Organic Mixtures in Urban Submicrometer Aerosols. 2017 , 51, 8293-8303	31
948	Chemical characterization and oxidative potential of particles emitted from open burning of cereal straws and rice husk under flaming and smoldering conditions. 2017 , 163, 118-127	39
947	Investigation of submicron aerosol characteristics in Changzhou, China: Composition, source, and comparison with co-collected PM. 2017 , 183, 176-185	34
946	A modeling study of secondary organic aerosol formation from sesquiterpenes using the STOCHEM global chemistry and transport model. 2017 , 122, 4426-4439	23
945	Secondary Organic Aerosol Formation over Coastal Ocean: Inferences from Atmospheric Water-Soluble Low Molecular Weight Organic Compounds. 2017 , 51, 4347-4357	28
944	Sophisticated Clean Air Strategies Required to Mitigate Against Particulate Organic Pollution. 2017 , 7, 44737	6
943	Atmospheric particle composition-hygroscopic growth measurements using an in-series hybrid tandem differential mobility analyzer and aerosol mass spectrometer. 2017 , 51, 694-703	3
942	Aerosol characteristics and sources in Yangzhou, China resolved by offline aerosol mass spectrometry and other techniques. 2017 , 225, 74-85	62
941	Isomerization of Second-Generation Isoprene Peroxy Radicals: Epoxide Formation and Implications for Secondary Organic Aerosol Yields. 2017 , 51, 4978-4987	39
940	Rapid heterogeneous oxidation of organic coatings on submicron aerosols. <i>Geophysical Research Letters</i> , 2017 , 44, 2949-2957	4.9 16
939	Review of Urban Secondary Organic Aerosol Formation from Gasoline and Diesel Motor Vehicle Emissions. 2017 , 51, 1074-1093	229
938	Effects of Aqueous-Phase and Photochemical Processing on Secondary Organic Aerosol Formation and Evolution in Beijing, China. 2017 , 51, 762-770	127

937	Molecular Characterization of Organosulfur Compounds in Biodiesel and Diesel Fuel Secondary Organic Aerosol. 2017 , 51, 119-127	48
936	Secondary organic aerosol formation from photo-oxidation of toluene with NO _x and SO ₂ : Chamber simulation with purified air versus urban ambient air as matrix. 2017 , 150, 67-76	29
935	Identification and quantification of oxidized organic aerosol compounds using derivatization, liquid chromatography, and chemical ionization mass spectrometry. 2017 , 51, 342-353	11
934	Distinct high molecular weight organic compound (HMW-OC) types in aerosol particles collected at a coastal urban site. 2017 , 171, 118-125	2
933	Fatty Acid Surfactant Photochemistry Results in New Particle Formation. 2017 , 7, 12693	23
932	Atmospheric Photooxidation Diminishes Light Absorption by Primary Brown Carbon Aerosol from Biomass Burning. 2017 , 4, 540-545	92
931	Investigating the role of chemical and physical processes on organic aerosol modelling with CAMx in the Po Valley during a winter episode. 2017 , 171, 126-142	13
930	Effect of the Urban Heat Island on Aerosol pH. 2017 , 51, 13095-13103	30
929	Sources and Chemical Composition of Particulate Matter During Haze Pollution Events in China. 2017 , 49-68	2
928	Chemical characteristics of dicarboxylic acids and related organic compounds in PM _{2.5} during biomass-burning and non-biomass-burning seasons at a rural site of Northeast China. 2017 , 231, 654-662	50
927	Development of a global aerosol model using a two-dimensional sectional method: 2. Evaluation and sensitivity simulations. 2017 , 9, 1887-1920	26
926	Group Contribution Approach To Predict the Refractive Index of Pure Organic Components in Ambient Organic Aerosol. 2017 , 51, 9683-9690	8
925	Influence of local production and vertical transport on the organic aerosol budget over Paris. 2017 , 122, 8276-8296	9
924	Source apportionment of submicron organic aerosol collected from Atlanta, Georgia, during 2014-2015 using the aerosol chemical speciation monitor (ACSM). 2017 , 167, 389-402	17
923	Sensitivities of Simulated Source Contributions and Health Impacts of PM to Aerosol Models. 2017 , 51, 14273-14282	12
922	Linking Air Quality and Human Health Effects Models: An Application to the Los Angeles Air Basin. 2017 , 11, 1178630217737551	26
921	High Contribution of Nonfossil Sources to Submicrometer Organic Aerosols in Beijing, China. 2017 , 51, 7842-7852	49
920	Ultraviolet Spectroscopy of the Gas Phase Hydration of Methylglyoxal. 2017 , 1, 345-352	16

919	Characteristics, sources and evolution of fine aerosol (PM ₁) at urban, coastal and forest background sites in Lithuania. 2017 , 148, 62-76	19
918	Chemical characterization and source apportionment of atmospheric submicron particles on the western coast of Taiwan Strait, China. 2017 , 52, 293-304	8
917	Airborne particulate matter pollution in urban China: a chemical mixture perspective from sources to impacts. 2017 , 4, 593-610	48
916	A comparison study of carbonaceous aerosols in a typical North China Plain urban atmosphere: Seasonal variability, sources and implications to haze formation. 2017 , 149, 95-103	28
915	Contributions and source identification of biogenic and anthropogenic hydrocarbons to secondary organic aerosols at Mt. Tai in 2014. 2017 , 220, 863-872	34
914	Chemical and cellular oxidant production induced by naphthalene secondary organic aerosol (SOA): effect of redox-active metals and photochemical aging. 2017 , 7, 15157	21
913	Strong influence of deposition and vertical mixing on secondary organic aerosol concentrations in CMAQ and CAMx. 2017 , 171, 317-329	3
912	Long-term measurements (2010-2014) of carbonaceous aerosol and carbon monoxide at the Zotino Tall Tower Observatory (ZOTTO) in central Siberia. 2017 , 17, 14365-14392	27
911	Sources and atmospheric processing of winter aerosols in Seoul, Korea: insights from real-time measurements using a high-resolution aerosol mass spectrometer. 2017 , 17, 2009-2033	30
910	Influence of urban pollution on the production of organic particulate matter from isoprene epoxydiols in central Amazonia. 2017 , 17, 6611-6629	40
909	Enhanced toxicity of aerosol in fog conditions in the Po Valley, Italy. 2017 , 17, 7721-7731	30
908	Characterizing source fingerprints and ageing processes in laboratory-generated secondary organic aerosols using proton-nuclear magnetic resonance (¹ H-NMR) analysis and HPLC HULIS determination. 2017 , 17, 10405-10421	8
907	Inflammatory responses to secondary organic aerosols (SOA) generated from biogenic and anthropogenic precursors. 2017 , 17, 11423-11440	43
906	Molecular composition and volatility of isoprene photochemical oxidation secondary organic aerosol under low- and high-NO conditions. 2017 , 17, 159-174	53
905	Nitrate radicals and biogenic volatile organic compounds: oxidation, mechanisms, and organic aerosol. 2017 , 17, 2103-2162	206
904	Volatility of mixed atmospheric humic-like substances and ammonium sulfate particles. 2017 , 17, 3659-3672	6
903	Characterization of fresh and aged organic aerosol emissions from meat charbroiling. 2017 , 17, 7143-7155	39
902	Chemical oxidative potential of secondary organic aerosol (SOA) generated from the photooxidation of biogenic and anthropogenic volatile organic compounds. 2017 , 17, 839-853	97

901	A missing source of aerosols in Antarctica [beyond long-range transport, phytoplankton, and photochemistry. 2017 , 17, 1-20	156
900	Chemical characterization and source apportionment of submicron aerosols measured in Senegal during the 2015 SHADOW campaign. 2017 , 17, 10291-10314	14
899	Semivolatile POA and parameterized total combustion SOA in CMAQv5.2: impacts on source strength and partitioning. 2017 , 17, 11107-11133	67
898	Liquid-liquid phase separation in particles containing secondary organic material free of inorganic salts. 2017 , 17, 11261-11271	34
897	CCN activity and organic hygroscopicity of aerosols downwind of an urban region in central Amazonia: seasonal and diel variations and impact of anthropogenic emissions. 2017 , 17, 11779-11801	47
896	Field characterization of the PM _{2.5} ; Aerosol Chemical Speciation Monitor: insights into the composition, sources, and processes of fine-particles in eastern China. 2017 , 17, 14501-14517 ³²	32
895	Differences in BVOC oxidation and SOA formation above and below the forest canopy. 2017 , 17, 1805-1828	11
894	Diffusion coefficients of organic molecules in sucrose-water solutions and comparison with Stokes-Einstein predictions. 2017 , 17, 2423-2435	49
893	Chemical characterization of fine particulate matter in Changzhou, China, and source apportionment with offline aerosol mass spectrometry. 2017 , 17, 2573-2592	64
892	The contribution of wood burning and other pollution sources to wintertime organic aerosol levels in two Greek cities. 2017 , 17, 3145-3163	53
891	Biomass burning and biogenic aerosols in northern Australia during the SAFIRED campaign. 2017 , 17, 3945-3961	9
890	Chemical transport model simulations of organic aerosol in southern California: model evaluation and gasoline and diesel source contributions. 2017 , 17, 4305-4318	39
889	Quantifying the volatility of organic aerosol in the southeastern US. 2017 , 17, 501-520	21
888	Inconsistency of ammonium-sulfate aerosol ratios with thermodynamic models in the eastern US: a possible role of organic aerosol. 2017 , 17, 5107-5118	38
887	Secondary organic aerosol formation from in situ OH, O ₃ , and NO ₃ ; oxidation of ambient forest air in an oxidation flow reactor. 2017 , 17, 5331-5354	46
886	Long-term particulate matter modeling for health effect studies in California [Part 2: Concentrations and sources of ultrafine organic aerosols. 2017 , 17, 5379-5391	22
885	Fine particle pH and gas-particle phase partitioning of inorganic species in Pasadena, California, during the 2010 CalNex campaign. 2017 , 17, 5703-5719	128
884	Online single particle analysis of ice particle residuals from mountain-top mixed-phase clouds using laboratory derived particle type assignment. 2017 , 17, 575-594	30

883	Sensitivity of black carbon concentrations and climate impact to aging and scavenging in OsloCTM2M7. 2017 , 17, 6003-6022	16
882	Formation of secondary organic aerosols from gas-phase emissions of heated cooking oils. 2017 , 17, 7333-7344	47
881	Evaluating the impact of new observational constraints on P-S/IVOC emissions, multi-generation oxidation, and chamber wall losses on SOA modeling for Los Angeles, CA. 2017 , 17, 9237-9259	29
880	Improving organic aerosol treatments in CESM/CAM5: Development, application, and evaluation. 2017 , 9, 1506-1539	14
879	Evolution of Multispectral Aerosol Absorption Properties in a Biogenically-Influenced Urban Environment during the CARES Campaign. 2017 , 8, 217	5
878	MATRIX-VBS (v1.0): implementing an evolving organic aerosol volatility in an aerosol microphysics model. 2017 , 10, 751-764	7
877	Direct observations of organic aerosols in common wintertime hazes in North China: insights into direct emissions from Chinese residential stoves. 2017 , 17, 1259-1270	43
876	Modeling regional air quality and climate: improving organic aerosol and aerosol activation processes in WRF/Chem version B.7.1. 2017 , 10, 2333-2363	10
875	The CU mobile Solar Occultation Flux instrument: structure functions and emission rates of NH ₃ , NO ₂ and C ₂ H ₆ . 2017 , 10, 373-392	17
874	A technique for the measurement of organic aerosol hygroscopicity, oxidation level, and volatility distributions. 2017 , 10, 4865-4876	9
873	Estimation of the volatility distribution of organic aerosol combining thermodenuder and isothermal dilution measurements. 2017 , 10, 3909-3918	16
872	Summertime Day-Night Differences of PM _{2.5} Components (Inorganic Ions, OC, EC, WSOC, WSON, HULIS, and PAHs) in Changzhou, China. 2017 , 8, 189	24
871	New insights into atmospherically relevant reaction systems using direct analysis in real-time mass spectrometry (DART-MS). 2017 , 10, 1373-1386	15
870	Single-particle measurements of bouncing particles and in situ collection efficiency from an airborne aerosol mass spectrometer (AMS) with light-scattering detection. 2017 , 10, 3801-3820	7
869	Evolution of the Complex Refractive Index of Secondary Organic Aerosols during Atmospheric Aging. 2018 , 52, 3456-3465	28
868	Seasonal variability in chemical composition and source apportionment of sub-micron aerosol over a high altitude site in Western Ghats, India. 2018 , 180, 79-92	30
867	Long-term cloud condensation nuclei number concentration, particle number size distribution and chemical composition measurements at regionally representative observatories. 2018 , 18, 2853-2881	62
866	Sources of PM _{2.5} ; carbonaceous aerosol in Riyadh, Saudi Arabia. 2018 , 18, 3969-3985	19

865	Chemical characterization of long-range transport biomass burning emissions to the Himalayas: insights from high-resolution aerosol mass spectrometry. 2018 , 18, 4617-4638	24
864	Secondary organic aerosol formation from ambient air in an oxidation flow reactor in central Amazonia. 2018 , 18, 467-493	49
863	Heterogeneous N ₂ O ₅ Uptake During Winter: Aircraft Measurements During the 2015 WINTER Campaign and Critical Evaluation of Current Parameterizations. 2018 , 123, 4345-4372	69
862	Effect of Heterogeneous Chemical Reactions on the Köhler Activation of Aqueous Organic Aerosols. 2018 , 122, 4322-4337	6
861	Photochemical Conversion of Surrogate Emissions for Use in Toxicological Studies: Role of Particulate- and Gas-Phase Products. 2018 , 52, 3037-3044	5
860	Assimilating AOD retrievals from GOCI and VIIRS to forecast surface PM _{2.5} episodes over Eastern China. 2018 , 179, 288-304	36
859	Monoterpenes are the largest source of summertime organic aerosol in the southeastern United States. 2018 , 115, 2038-2043	117
858	Highly Viscous States Affect the Browning of Atmospheric Organic Particulate Matter. 2018 , 4, 207-215	39
857	The Role of Organic Aerosol in Atmospheric Ice Nucleation: A Review. 2018 , 2, 168-202	135
856	Phase Behavior of Ammonium Sulfate with Organic Acid Solutions in Aqueous Aerosol Mimics Using Microfluidic Traps. 2018 , 122, 3480-3490	18
855	Effects of diesel exhaust-derived secondary organic aerosol (SOA) on oocytes: Potential risks to meiotic maturation. 2018 , 75, 56-64	6
854	Characterization of air pollutant concentrations, fleet emission factors, and dispersion near a North Carolina interstate freeway across two seasons. 2018 , 177, 143-153	45
853	Air Pollution and Air Quality. 2018 , 151-176	7
852	Insights into the formation of secondary organic carbon in the summertime in urban Shanghai. 2018 , 72, 118-132	15
851	Synthesis of the Southeast Atmosphere Studies: Investigating Fundamental Atmospheric Chemistry Questions. 2018 , 99, 547-567	50
850	Impact of Biomass Burning Aerosols on the Diurnal Cycle of Convective Clouds and Precipitation Over a Tropical Island. 2018 , 123, 1017-1036	17
849	Hygroscopicity of organic surrogate compounds from biomass burning and their effect on the efflorescence of ammonium sulfate in mixed aerosol particles. 2018 , 18, 1045-1064	16
848	Volatility measurement of atmospheric submicron aerosols in an urban atmosphere in southern China. 2018 , 18, 1729-1743	21

847	Multiphase oxidation of SO ₂ by NO ₂ on CaCO ₃ particles. 2018 , 18, 2481-2493	40
846	Uncertainty in aerosol hygroscopicity resulting from semi-volatile organic compounds. 2018 , 18, 275-287	0
845	α -Pinene secondary organic aerosol at low temperature: chemical composition and implications for particle viscosity. 2018 , 18, 2883-2898	43
844	Multi-generation chemical aging of α -pinene ozonolysis products by reactions with OH. 2018 , 18, 3589-3601	8
843	Large contribution of fossil fuel derived secondary organic carbon to water soluble organic aerosols in winter haze in China. 2018 , 18, 4005-4017	32
842	Long-term (2001-2012) trends of carbonaceous aerosols from a remote island in the western North Pacific: an outflow region of Asian pollutants. 2018 , 18, 1291-1306	30
841	Bulk and molecular-level characterization of laboratory-aged biomass burning organic aerosol from oak leaf and heartwood fuels. 2018 , 18, 2199-2224	21
840	Characterization and source apportionment of organic aerosol at 260 m on a meteorological tower in Beijing, China. 2018 , 18, 3951-3968	23
839	The Present and Future of Secondary Organic Aerosol Direct Forcing on Climate. 2018 , 4, 84-98	31
838	Effect of relative humidity on non-refractory submicron aerosol evolution during summertime in Hangzhou, China. 2018 , 19, 45-59	2
837	Evaluation of the new capture vaporizer for aerosol mass spectrometers: Characterization of organic aerosol mass spectra. 2018 , 52, 725-739	17
836	Emission of intermediate, semi and low volatile organic compounds from traffic and their impact on secondary organic aerosol concentrations over Greater Paris. 2018 , 180, 126-137	20
835	Pollutants identification of ambient aerosols by two types of aerosol mass spectrometers over southeast coastal area, China. 2018 , 64, 252-263	5
834	Realtime chemical characterization of post monsoon organic aerosols in a polluted urban city: Sources, composition, and comparison with other seasons. 2018 , 232, 310-321	16
833	Variability in the primary emissions and secondary gas and particle formation from vehicles using bioethanol mixtures. 2018 , 68, 329-346	11
832	Urban Organic Aerosol Exposure: Spatial Variations in Composition and Source Impacts. 2018 , 52, 415-426	13
831	Growth Kinetics and Size Distribution Dynamics of Viscous Secondary Organic Aerosol. 2018 , 52, 1191-1199	63
830	Significant Production of Secondary Organic Aerosol from Emissions of Heated Cooking Oils. 2018 , 5, 32-37	43

829	Source apportionment of particulate matter and trace gases near a major refinery near the Houston Ship Channel. 2018 , 173, 16-29	25
828	Fine particles sampled at an urban background site and an industrialized coastal site in Northern France Part 2: Comparison of offline and online analyses for carbonaceous aerosols. 2018 , 52, 287-299	7
827	Source apportionment of secondary organic aerosol in China using a regional source-oriented chemical transport model and two emission inventories. 2018 , 237, 756-766	38
826	Simulation of atmospheric organic aerosol using its volatility-oxygen-content distribution during the PEGASOS 2012 campaign. 2018 , 18, 10759-10772	1
825	Chlorine-initiated oxidation of <i>n</i> -alkanes under high-NO _x conditions: insights into secondary organic aerosol composition and volatility using a FIGAERO-IMS. 2018 , 18, 15535-15553	22
824	Studying volatility from composition, dilution, and heating measurements of secondary organic aerosols formed during <i>α</i> -pinene ozonolysis. 2018 , 18, 5455-5466	9
823	Simulating secondary organic aerosol from anthropogenic and biogenic precursors: comparison to outdoor chamber experiments, effect of oligomerization on SOA formation and reactive uptake of aldehydes. 2018 , 18, 15743-15766	6
822	Aircraft-based observations of isoprene-epoxydiol-derived secondary organic aerosol (IEPOX-SOA) in the tropical upper troposphere over the Amazon region. 2018 , 18, 14979-15001	25
821	High-spatial-resolution mapping and source apportionment of aerosol composition in Oakland, California, using mobile aerosol mass spectrometry. 2018 , 18, 16325-16344	26
820	Dominant contribution of oxygenated organic aerosol to haze particles from real-time observation in Singapore during an Indonesian wildfire event in 2015. 2018 , 18, 16481-16498	15
819	Associations of Exposure to Air Pollution with Insulin Resistance: A Systematic Review and Meta-Analysis. 2018 , 15,	20
818	Comparison of Measurement-Based Methodologies to Apportion Secondary Organic Carbon (SOC) in PM _{2.5} : A Review of Recent Studies. 2018 , 9, 452	26
817	Laser ablation aerosol particle time-of-flight mass spectrometer (LAAPTOF): performance, reference spectra and classification of atmospheric samples. 2018 , 11, 2325-2343	14
816	Influence of relative humidity on the heterogeneous oxidation of secondary organic aerosol. 2018 , 18, 14585-14608	25
815	Secondary organic aerosol production from local emissions dominates the organic aerosol budget over Seoul, South Korea, during KORUS-AQ. 2018 , 18, 17769-17800	71
814	The Recent Development and Application of Chemical Ionization Mass Spectrometry in Atmospheric Chemistry. 2018 , 1-33	2
813	Organic aerosol in the summertime southeastern United States: components and their link to volatility distribution, oxidation state and hygroscopicity. 2018 , 18, 5799-5819	12
812	Wintertime study on bulk composition and stable carbon isotope analysis of ambient aerosols from North India. 2018 , 126, 231-241	7

811	Physical Properties of Aerosol Internally Mixed With Soot Particles in a Biogenically Dominated Environment in California. <i>Geophysical Research Letters</i> , 2018 , 45, 11,473	4.9	10
810	Viscosity of erythritol and erythritol-water particles as a function of water activity: new results and an intercomparison of techniques for measuring the viscosity of particles. 2018 , 11, 4809-4822		2
809	Constraining nucleation, condensation, and chemistry in oxidation flow reactors using size-distribution measurements and aerosol microphysical modeling. 2018 , 18, 12433-12460		10
808	Molecular insights on aging and aqueous-phase processing from ambient biomass burning emissions-influenced Po Valley fog and aerosol. 2018 , 18, 13197-13214		35
807	Molecular and physical characteristics of aerosol at a remote free troposphere site: implications for atmospheric aging. 2018 , 18, 14017-14036		24
806	Experimental and model estimates of the contributions from biogenic monoterpenes and sesquiterpenes to secondary organic aerosol in the southeastern United States. 2018 , 18, 12613-12637		40
805	Shortwave radiative impact of liquid-liquid phase separation in brown carbon aerosols. 2018 , 18, 13511-13530	9	
804	A parameterisation for the co-condensation of semi-volatile organics into multiple aerosol particle modes. 2018 , 11, 3261-3278		3
803	Nitrogen Oxides Emissions, Chemistry, Deposition, and Export Over the Northeast United States During the WINTER Aircraft Campaign. 2018 , 123, 12,368		32
802	Functional Group Composition of Secondary Organic Aerosol Formed from Ozonolysis of α -Pinene Under High VOC and Autoxidation Conditions. 2018 , 2, 1196-1210		34
801	High-resolution inversion of OMI formaldehyde columns to quantify isoprene emission on ecosystem-relevant scales: application to the southeast US. 2018 , 18, 5483-5497		43
800	Isoprene-derived secondary organic aerosol in the global aerosol-chemistry-climate model ECHAM6.3.0-HAM2.3-MOZ1.0. 2018 , 11, 3235-3260		22
799	libcloudph++ 2.0: aqueous-phase chemistry extension of the particle-based cloud microphysics scheme. 2018 , 11, 3623-3645		12
798	Fast particulate nitrate formation via N_2O_5 uptake aloft in winter in Beijing. 2018 , 18, 10483-10495		51
797	Liquid-liquid phase separation in organic particles containing one and two organic species: importance of the average O : C. 2018 , 18, 12075-12084		26
796	Effectiveness of ammonia reduction on control of fine particle nitrate. 2018 , 18, 12241-12256		78
795	Simulating Biogenic Secondary Organic Aerosol During Summertime in China. 2018 , 123, 11,100		6
794	Responses of secondary aerosols to relative humidity and photochemical activities in an industrialized environment during late winter. 2018 , 193, 66-78		39

793	Isothermal Evaporation of Pinene Ozonolysis SOA: Volatility, Phase State, and Oligomeric Composition. 2018 , 2, 1058-1067	35
792	Black Carbon Aerosol in Rome (Italy): Inference of a Long-Term (2001–2017) Record and Related Trends from AERONET Sun-Photometry Data. 2018 , 9, 81	7
791	Characterization of aerosol nitroaromatic compounds: Validation of an experimental method. 2018 , 53, 680-692	3
790	Observational evidence of cloud processes contributing to daytime elevated nitrate in an urban atmosphere. 2018 , 186, 209-215	24
789	Seasonally Varying Secondary Organic Aerosol Formation From In-Situ Oxidation of Near-Highway Air. 2018 , 52, 7192-7202	21
788	Mass concentration, optical depth and carbon composition of particulate matter in the major southern West African cities of Cotonou (Benin) and Abidjan (Côte d'Ivoire). 2018 , 18, 6275-6291	22
787	Impact of urban aerosol properties on cloud condensation nuclei (CCN) activity during the KORUS-AQ field campaign. 2018 , 185, 221-236	12
786	Comparison of primary aerosol emission and secondary aerosol formation from gasoline direct injection and port fuel injection vehicles. 2018 , 18, 9011-9023	37
785	Improved source apportionment of organic aerosols in complex urban air pollution using the multilinear engine (ME-2). 2018 , 11, 1049-1060	17
784	Development of an inorganic and organic aerosol model (CHIMERE 2017 <i>v1.0</i>): seasonal and spatial evaluation over Europe. 2018 , 11, 165-194	32
783	Sources and characteristics of summertime organic aerosol in the Colorado Front Range: perspective from measurements and WRF-Chem modeling. 2018 , 18, 8293-8312	9
782	Characterization and source apportionment of carbonaceous PM _{2.5} particles in China - A review. 2018 , 189, 187-212	56
781	Typical polar organic aerosol tracers in PM over the North China Plain: Spatial distribution, seasonal variations, contribution and sources. 2018 , 209, 758-766	14
780	Decadal Changes in Seasonal Variation of Atmospheric Haze over the Eastern United States: Connections with Anthropogenic Emissions and Implications for Aerosol Composition. 2018 , 5, 413-418	5
779	Criegee Intermediate Reactions with Carboxylic Acids: A Potential Source of Secondary Organic Aerosol in the Atmosphere. 2018 , 2, 833-842	66
778	Spatial Distribution of Secondary Organic Aerosol Formation Potential in China Derived from Speciated Anthropogenic Volatile Organic Compound Emissions. 2018 , 52, 8146-8156	54
777	Overprediction of aerosol nitrate by chemical transport models: The role of grid resolution. 2018 , 187, 390-400	8
776	Organic molecular tracers in atmospheric PM ₁ at urban intensive traffic and background sites in two high-insolation European cities. 2018 , 188, 71-81	10

775	Organic Aerosol Particle Chemical Properties Associated With Residential Burning and Fog in Wintertime San Joaquin Valley (Fresno) and With Vehicle and Firework Emissions in Summertime South Coast Air Basin (Fontana). 2018 , 123, 10,707	17
774	Aircraft observations of the chemical composition and aging of aerosol in the Manaus urban plume during GoAmazon 2014/5. 2018 , 18, 10773-10797	20
773	Source apportionment of organic aerosol from 2-year highly time-resolved measurements by an aerosol chemical speciation monitor in Beijing, China. 2018 , 18, 8469-8489	70
772	An exhaustive classification for the seasonal variation of organic peaks in the atmospheric fine particles obtained by a gas chromatography/mass spectrometry. 2018 , 12, 14-26	1
771	Modeling the formation of traditional and non-traditional secondary organic aerosols from in-use, on-road gasoline and diesel vehicles exhaust. 2018 , 124, 68-82	2
770	Global radiative effects of solid fuel cookstove aerosol emissions. 2018 , 18, 5219-5233	10
769	Heating-Induced Transformations of Atmospheric Particles: Environmental Transmission Electron Microscopy Study. 2018 , 90, 9761-9768	4
768	Formation and Evolution of aqSOA from Aqueous-Phase Reactions of Phenolic Carbonyls: Comparison between Ammonium Sulfate and Ammonium Nitrate Solutions. 2018 , 52, 9215-9224	44
767	Secondary organic aerosol production from pinanediol, a semi-volatile surrogate for first-generation oxidation products of monoterpenes. 2018 , 18, 6171-6186	7
766	The impact of biogenic, anthropogenic, and biomass burning volatile organic compound emissions on regional and seasonal variations in secondary organic aerosol. 2018 , 18, 7393-7422	43
765	Considering the future of anthropogenic gas-phase organic compound emissions and the increasing influence of non-combustion sources on urban air quality. 2018 , 18, 5391-5413	38
764	Simulated sensitivity of secondary organic aerosol in the South Coast Air Basin of California to nitrogen oxides and other chemical parameters. 2018 , 52, 679-692	3
763	Trends in the oxidation and relative volatility of chamber-generated secondary organic aerosol. 2018 , 52, 992-1004	8
762	Sources and Secondary Production of Organic Aerosols in the Northeastern United States during WINTER. 2018 , 123, 7771-7796	57
761	ORACLE 2-D(v2.0): an efficient module to compute the volatility and oxygen content of organic aerosol with a global chemistry climate model. 2018 , 11, 3369-3389	15
760	Temperature-dependent hygroscopic behaviors of atmospherically relevant water-soluble carboxylic acid salts studied by ATR-FTIR spectroscopy. 2018 , 191, 312-319	12
759	Repartitioning of glycerol between levitated and surrounding deposited glycerol/NaNO ₂ /HO droplets. 2018 , 5, 170819	5
758	Characterization of humic-like substances in PM _{2.5} during biomass burning episodes on Weizhou Island, China. 2018 , 191, 258-266	11

757	Nighttime particle growth observed during spring in New Delhi: Evidences for the aqueous phase oxidation of SO ₂ . 2018 , 188, 82-96		10
756	Heterogeneous Reactions in Aerosol. 2018 , 403-433		0
755	Comparative study of atmospheric water-soluble organic aerosols composition in contrasting suburban environments in the Iberian Peninsula Coast. 2019 , 648, 430-441		14
754	Volatility and Viscosity Are Correlated in Terpene Secondary Organic Aerosol Formed in a Flow Reactor. 2019 , 6, 513-519		19
753	Effects of inorganic salts on the heterogeneous OH oxidation of organic compounds: insights from methylglutaric acid–ammonium sulfate. 2019 , 19, 9581-9593		5
752	Relationship between Structure, Functionality, and Viscosity for Aerosol-Mimicking Solutions Containing Ammonium Sulfate, Glyoxal, and a Series of Oxidized C ₁₀ Compounds. 2019 , 3, 1492-1498		1
751	Loading characteristics of nanofiber coated air intake filter media by potassium chloride, ammonium sulfate, and ammonium nitrate fine particles and the comparison with conventional cellulose filter media. 2019 , 228, 115734		5
750	Constraining the Impact of Bacteria on the Aqueous Atmospheric Chemistry of Small Organic Compounds. 2019 , 3, 1485-1491		6
749	A Black Carbon-Tracer Method for Estimating Cooking Organic Aerosol From Aerosol Mass Spectrometer Measurements. <i>Geophysical Research Letters</i> , 2019 , 46, 8474-8483	4-9	11
748	Low-volatility compounds contribute significantly to isoprene secondary organic aerosol (SOA) under high-NO _x conditions. 2019 , 19, 7255-7278		28
747	Analysis and determination of secondary organic aerosol (SOA) tracers (markers) in particulate matter standard reference material (SRM 1649b, urban dust). 2019 , 411, 5975-5983		8
746	Sources and Geographical Origins of PM ₁₀ in Metz (France) Using Oxalate as a Marker of Secondary Organic Aerosols by Positive Matrix Factorization Analysis. 2019 , 10, 370		9
745	Impacts of SO ₂ , Relative Humidity, and Seed Acidity on Secondary Organic Aerosol Formation in the Ozonolysis of Butyl Vinyl Ether. 2019 , 53, 8845-8853		11
744	Global Modeling of Secondary Organic Aerosol With Organic Nucleation. 2019 , 124, 8260-8286		10
743	SO Emission Estimates Using OMI SO Retrievals for 2005-2017. 2019 , 124, 8336-8359		28
742	In Situ Surface Tension Measurements of Hanging Droplet Methylglyoxal/Ammonium Sulfate Aerosol Mimics under Photooxidative Conditions. 2019 , 3, 1208-1215		4
741	Ionization efficiency of evolved gas molecules from aerosol particles in a thermal desorption aerosol mass spectrometer: Numerical simulations. 2019 , 53, 843-852		5
740	Secondary organic aerosol formation from β -methylstyrene atmospheric degradation: Role of NO _x level, relative humidity and inorganic seed aerosol. 2019 , 230, 104631		11

739	No Particle Mass Enhancement from Induced Atmospheric Ageing at a Rural Site in Northern Europe. 2019 , 10, 408	4
738	Emission inventory of semi-volatile and intermediate-volatility organic compounds and their effects on secondary organic aerosol over the Pearl River Delta region. 2019 , 19, 8141-8161	25
737	A novel approach for simple statistical analysis of high-resolution mass spectra. 2019 , 12, 3761-3776	10
736	The roles of volatile organic compound deposition and oxidation mechanisms in determining secondary organic aerosol production: a global perspective using the UKCA chemistry climate model (v8.4). 2019 , 12, 2539-2569	4
735	A simplified parameterization of isoprene-epoxydiol-derived secondary organic aerosol (IEPOX-SOA) for global chemistry and climate models: a case study with GEOS-Chem v11-02-rc. 2019 , 12, 2983-3000	13
734	Characterization of carbonaceous aerosols in Asian outflow in the spring of 2015: Importance of non-fossil fuel sources. 2019 , 214, 116858	9
733	A Significant Portion of Water-Soluble Organic Matter in Fresh Biomass Burning Particles Does Not Contribute to Hygroscopic Growth: An Application of Polarity Segregation by 1-Octanol-Water Partitioning Method. 2019 , 53, 10034-10042	5
732	Long-term aerosol optical hygroscopicity study at the ACTRIS SARTA observatory: synergy between ceilometer and in situ measurements. 2019 , 19, 7883-7896	2
731	Effect of temperature on the formation of highly oxygenated organic molecules (HOMs) from alpha-pinene ozonolysis. 2019 , 19, 7609-7625	24
730	Molecular characterization of dissolved organic matters in winter atmospheric fine particulate matters (PM) from a coastal city of northeast China. 2019 , 689, 312-321	14
729	A review of experimental techniques for aerosol hygroscopicity studies. 2019 , 19, 12631-12686	46
728	Primary particulate matter emissions and estimates of secondary organic aerosol formation potential from the exhaust of a China V diesel engine. 2019 , 218, 116987	4
727	Quantifying the Role of the Relative Humidity-Dependent Physical State of Organic Particulate Matter in the Uptake of Semivolatile Organic Molecules. 2019 , 53, 13209-13218	6
726	Photochemical Aging Alters Secondary Organic Aerosol Partitioning Behavior. 2019 , 3, 2704-2716	10
725	Influence of High Relative Humidity on Secondary Organic Carbon: Observations at a Background Site in East China. 2019 , 33, 905-913	6
724	Summertime surface PM _{2.5} aerosol composition and size by source region at the Lampedusa island in the central Mediterranean Sea. 2019 , 19, 11123-11142	14
723	Direct measurements of semi-volatile organic compound dynamics show near-unity mass accommodation coefficients for diverse aerosols. 2019 , 2,	29
722	Physicochemical Properties of Pinic, Pinonic, Norpinic, and Norpinonic Acids as Relevant Pinene Oxidation Products. 2019 , 123, 8261-8267	9

7 ²¹	Molecular characteristics and diurnal variations of organic aerosols at a rural site in the North China Plain with implications for the influence of regional biomass burning. 2019 , 19, 10481-10496	15
7 ²⁰	The sensitivity of PM _{2.5} acidity to meteorological parameters and chemical composition changes: 10-year records from six Canadian monitoring sites. 2019 , 19, 9309-9320	22
7 ¹⁹	Liquid-liquid phase separation in secondary organic aerosol particles produced from α -pinene ozonolysis and α -pinene photooxidation with/without ammonia. 2019 , 19, 9321-9331	11
7 ¹⁸	Determination of n-alkanes, polycyclic aromatic hydrocarbons and hopanes in atmospheric aerosol: evaluation and comparison of thermal desorption GC-MS and solvent extraction GC-MS approaches. 2019 , 12, 4779-4789	9
7 ¹⁷	Biogenic and anthropogenic sources of aerosols at the High Arctic site Villum Research Station. 2019 , 19, 10239-10256	14
7 ¹⁶	Seasonal characteristics of organic aerosol chemical composition and volatility in Stuttgart, Germany. 2019 , 19, 11687-11700	14
7 ¹⁵	100 Years of Progress in Cloud Physics, Aerosols, and Aerosol Chemistry Research. 2019 , 59, 11.1-11.72	16
7 ¹⁴	Complex refractive index, single scattering albedo, and mass absorption coefficient of secondary organic aerosols generated from oxidation of biogenic and anthropogenic precursors. 2019 , 53, 449-463	10
7 ¹³	Biogenic emissions and land-atmosphere interactions as drivers of the daytime evolution of secondary organic aerosol in the southeastern US. 2019 , 19, 701-729	6
7 ¹²	Diel variation in mercury stable isotope ratios records photoreduction of PM _{2.5} -bound mercury. 2019 , 19, 315-325	18
7 ¹¹	Positive matrix factorization of organic aerosol: insights from a chemical transport model. 2019 , 19, 973-986	6
7 ¹⁰	Characterization of submicron aerosol chemical composition and sources in the coastal area of Central Chile. 2019 , 199, 391-401	7
7 ⁰⁹	Effect of air masses motion on the rapid change of aerosols in marine atmosphere. 2019 , 83, 217-228	1
7 ⁰⁸	A Review of Aerosol Chemical Composition and Sources in Representative Regions of China during Wintertime. 2019 , 10, 277	17
7 ⁰⁷	Summertime particulate matter and its composition in Greece. 2019 , 213, 597-607	11
7 ⁰⁶	Polarity-Dependent Chemical Characteristics of Water-Soluble Organic Matter from Laboratory-Generated Biomass-Burning Revealed by 1-Octanol-Water Partitioning. 2019 , 53, 8047-8056	13
7 ⁰⁵	Products and Secondary Organic Aerosol Yields from the OH and NO ₃ Radical-Initiated Oxidation of Resorcinol. 2019 , 3, 1248-1259	10
7 ⁰⁴	Using Lidar Technology To Assess Urban Air Pollution and Improve Estimates of Greenhouse Gas Emissions in Boston. 2019 , 53, 8957-8966	4

703	Free tropospheric aerosols at the Mt. Bachelor Observatory: more oxidized and higher sulfate content compared to boundary layer aerosols. 2019 , 19, 1571-1585	10
702	The EMEP Intensive Measurement Period campaign, 2008-2009: characterizing carbonaceous aerosol at nine rural sites in Europe. 2019 , 19, 4211-4233	12
701	Analysis of sulfate aerosols over Austria: a case study. 2019 , 19, 6235-6250	2
700	Submicron aerosol composition in the world's most polluted megacity: the Delhi Aerosol Supersite study. 2019 , 19, 6843-6859	76
699	Analysis of functional groups in atmospheric aerosols by infrared spectroscopy: systematic intercomparison of calibration methods for US measurement network samples. 2019 , 12, 2287-2312	12
698	Secondary organic aerosol enhanced by increasing atmospheric oxidizing capacity in Beijing-Tianjin-Hebei (BTH), China. 2019 , 19, 7429-7443	36
697	Influence of semi- and intermediate-volatile organic compounds (S/IVOC) parameterizations, volatility distributions and aging schemes on organic aerosol modelling in winter conditions. 2019 , 213, 11-24	9
696	Investigating secondary organic aerosol formation pathways in China during 2014. 2019 , 213, 133-147	20
695	Assessment of dicarbonyl contributions to secondary organic aerosols over China using RAMS-CMAQ. 2019 , 19, 6481-6495	4
694	Simulating secondary organic aerosol in a regional air quality model using the statistical oxidation model [Part 3: Assessing the influence of semi-volatile and intermediate-volatility organic compounds and NO _x]. 2019 , 19, 4561-4594	18
693	Increased secondary aerosol contribution and possible processing on polluted winter days in China. 2019 , 127, 78-84	32
692	Insights into the morphology of multicomponent organic and inorganic aerosols from molecular dynamics simulations. 2019 , 19, 5571-5587	10
691	Aqueous reactions of organic triplet excited states with atmospheric alkenes. 2019 , 19, 5021-5032	10
690	Spatial trends and sources of PM _{2.5} organic carbon volatility fractions (OC _x) across the Los Angeles Basin. 2019 , 209, 201-211	17
689	The second ACTRIS inter-comparison (2016) for Aerosol Chemical Speciation Monitors (ACSM): Calibration protocols and instrument performance evaluations. 2019 , 53, 830-842	25
688	Madden-Julian Oscillation Enhances Phytoplankton Biomass in the Maritime Continent. 2019 , 9, 5421	1
687	The Dependence of Radius on Relative Humidity and Solute Mass at High Relative Humidities Up to and Including 100%. 2019 , 124, 2105-2126	1
686	Effect of heterogeneous oxidative aging on light absorption by biomass burning organic aerosol. 2019 , 53, 663-674	33

685	Improving new particle formation simulation by coupling a volatility-basis set (VBS) organic aerosol module in NAQPMS+APM. 2019 , 204, 1-11	18
684	Urban pollution greatly enhances formation of natural aerosols over the Amazon rainforest. 2019 , 10, 1046	72
683	Effect of salt seed particle surface area, composition and phase on secondary organic aerosol mass yields in oxidation flow reactors. 2019 , 19, 2701-2712	8
682	Characteristics and sources of fine organic aerosol over a big semi-arid urban city of western India using HR-ToF-AMS. 2019 , 208, 103-112	19
681	Computational fluid dynamics simulation of reactive fine particulate matter in a street canyon. 2019 , 209, 54-66	7
680	Cloud droplet activation of secondary organic aerosol is mainly controlled by molecular weight, not water solubility. 2019 , 19, 941-954	22
679	Aerosol monitoring in Siberia using an 808 nm automatic compact lidar. 2019 , 12, 147-168	5
678	Evolution of Aerosol Size and Composition in the Indo-Gangetic Plain: Size-Resolved Analysis of High-Resolution Aerosol Mass Spectra. 2019 , 3, 823-832	6
677	The Impact of Changes in Cloud Water pH on Aerosol Radiative Forcing. <i>Geophysical Research Letters</i> , 2019 , 46, 4039-4048	4-9 17
676	Catalyzed Gasoline Particulate Filters Reduce Secondary Organic Aerosol Production from Gasoline Direct Injection Vehicles. 2019 , 53, 3037-3047	9
675	Wintertime secondary organic aerosol formation in Beijing-Tianjin-Hebei (BTH): contributions of HONO sources and heterogeneous reactions. 2019 , 19, 2343-2359	60
674	Estimation and Uncertainty Analysis of Secondary Organic Carbon Using 1-Year of Hourly Organic and Elemental Carbon Data. 2019 , 124, 2774-2795	24
673	Organic Surfactants Protect Dissolved Aerosol Components against Heterogeneous Oxidation. 2019 , 123, 2114-2124	3
672	Widespread Pollution From Secondary Sources of Organic Aerosols During Winter in the Northeastern United States. <i>Geophysical Research Letters</i> , 2019 , 46, 2974-2983	4-9 17
671	Effect of the Hydroxyl Group on Yields and Composition of Organic Aerosol Formed from OH Radical-Initiated Reactions of Alcohols in the Presence of NO _x . 2019 , 3, 413-423	6
670	Organic aerosol source apportionment in Zurich using an extractive electrospray ionization time-of-flight mass spectrometer (EESI-TOF-MS) [Part I]: Biogenic influences and day/night chemistry in summer. 2019 , 19, 14825-14848	24
669	Impact of Aerosol-Cloud Cycling on Aqueous Secondary Organic Aerosol Formation. 2019 , 10, 666	11
668	Six-year source apportionment of submicron organic aerosols from near-continuous highly time-resolved measurements at SIRTa (Paris area, France). 2019 , 19, 14755-14776	29

667	A study of volatility by composition, heating, and dilution measurements of secondary organic aerosol from 1,3,5-trimethylbenzene. 2019 , 19, 14901-14915	8
666	Interfacial Dimerization by Organic Radical Reactions during Heterogeneous Oxidative Aging of Oxygenated Organic Aerosols. 2019 , 123, 10782-10792	12
665	Interactions between aerosol organic components and liquid water content during haze episodes in Beijing. 2019 , 19, 12163-12174	13
664	Role of pH in Aerosol Processes and Measurement Challenges. 2019 , 123, 1275-1284	44
663	Calibration of a particle mass spectrometer using polydispersed aerosol particles. 2019 , 53, 1-7	5
662	Photochemical reaction playing a key role in particulate matter pollution over Central France: Insight from the aerosol optical properties. 2019 , 657, 1074-1084	6
661	Long-term trends (2005-2016) of source apportioned PM _{2.5} across New York State. 2019 , 201, 110-120	22
660	Temporal and spatial variability of traffic-related PM _{2.5} sources: Comparison of exhaust and non-exhaust emissions. 2019 , 198, 55-69	81
659	Source apportionment of organic aerosol and ozone and the effects of emission reductions. 2019 , 198, 89-101	5
658	Interfacial Structure and Partitioning of Nitrate Ions in Reverse Micelles. 2019 , 123, 336-342	2
657	Black carbon linked aerosol hygroscopic growth: Size and mixing state are crucial. 2019 , 200, 110-118	14
656	Ionization efficiency of evolved gas molecules from aerosol particles in a thermal desorption aerosol mass spectrometer: Laboratory experiments. 2019 , 53, 86-93	5
655	Simulation of fresh and chemically-aged biomass burning organic aerosol. 2019 , 196, 27-37	6
654	Insights into characteristics of light absorbing carbonaceous aerosols over an urban location in Southeast Asia. 2020 , 257, 113425	18
653	Current situation of polycyclic aromatic hydrocarbons (PAH) in PM in a receptor site in Mexico City and estimation of carcinogenic PAH by combining non-real-time and real-time measurement techniques. 2020 , 703, 134526	13
652	Structural Features and Pro-Inflammatory Effects of Water-Soluble Organic Matter in Inhalable Fine Urban Air Particles. 2020 , 54, 1082-1091	9
651	Real-time quantification of the total HO ₂ reactivity of ambient air and HO ₂ uptake kinetics onto ambient aerosols in Kyoto (Japan). 2020 , 223, 117189	5
650	Aerosols in the E3SM Version 1: New Developments and Their Impacts on Radiative Forcing. 2020 , 12, e2019MS001851	27

- 649 Diverse Reactions in Highly Functionalized Organic Aerosols during Thermal Desorption. **2020**, 4, 283-296 7
- 648 Molecular characteristics and stable carbon isotope compositions of dicarboxylic acids and related compounds in the urban atmosphere of the North China Plain: Implications for aqueous phase formation of SOA during the haze periods. **2020**, 705, 135256 14
- 647 Abundant Biogenic Oxygenated Organic Aerosol in Atmospheric Coarse Particles: Plausible Sources and Atmospheric Implications. **2020**, 54, 1425-1430 9
- 646 Chemical components and distributions of aerosols in the Third Pole. **2020**, 43-67 2
- 645 Enhanced aqueous-phase formation of secondary organic aerosols due to the regional biomass burning over North China Plain. **2020**, 256, 113401 17
- 644 A high-time resolution study of PM_{2.5}, organic carbon, and elemental carbon at an urban traffic site in Istanbul. **2020**, 223, 117241 8
- 643 Solubility and Activity Coefficients of Atmospheric Surfactants in Aqueous Solution Evaluated Using COSMO. **2020**, 124, 430-443 5
- 642 Urban Oxidation Flow Reactor Measurements Reveal Significant Secondary Organic Aerosol Contributions from Volatile Emissions of Emerging Importance. **2020**, 54, 714-725 27
- 641 Secondary Organic Aerosols from Aromatic Hydrocarbons and their Contribution to Fine Particulate Matter in Atlanta, Georgia. **2020**, 223, 117227-117227 21
- 640 Chemical composition of inorganic and organic species in snow/ice in the glaciers of western China. **2020**, 706, 135351 4
- 639 A perspective on the development of gas-phase chemical mechanisms for Eulerian air quality models. **2020**, 70, 44-70 10
- 638 Aerosol Optical Tweezers Constrain the Morphology Evolution of Liquid-Liquid Phase-Separated Atmospheric Particles. **2020**, 6, 204-220 30
- 637 Significant Changes in Chemistry of Fine Particles in Wintertime Beijing from 2007 to 2017: Impact of Clean Air Actions. **2020**, 54, 1344-1352 42
- 636 Sensitivity of Simulated PM_{2.5} Concentrations over Northeast Asia to Different Secondary Organic Aerosol Modules during the KORUS-AQ Campaign. **2020**, 11, 1004 8
- 635 A Review on Laboratory Studies and Field Measurements of Atmospheric Organic Aerosol Hygroscopicity and Its Parameterization Based on Oxidation Levels. **2020**, 6, 410-424 14
- 634 Polybrominated diphenyl ethers and organochloride pesticides in the organic matter of air suspended particles in Mexico valley: A diagnostic to evaluate public policies. **2020**, 267, 115637 3
- 633 Modeling the Effects of Dimerization and Bulk Diffusion on the Evaporative Behavior of Secondary Organic Aerosol Formed from α -Pinene and 1,3,5-Trimethylbenzene. **2020**, 4, 1931-1946 5
- 632 Parametric analysis for global single scattering albedo calculations. **2020**, 234, 117616 1

631	Substantial brown carbon emissions from wintertime residential wood burning over France. 2020 , 743, 140752	20
630	Exploring Volatility Properties of Discrete Secondary Organic Aerosol Constituents of Pinene and Polycyclic Aromatic Hydrocarbons. 2020 , 4, 2299-2311	4
629	Aerosol Acidity: Novel Measurements and Implications for Atmospheric Chemistry. 2020 , 53, 1703-1714	9
628	Enhanced Gas Uptake during Pinene Ozonolysis Points to a Burying Mechanism. 2020 , 4, 1435-1447	1
627	Large difference in aerosol radiative effects from BVOC-SOA treatment in three Earth system models. 2020 , 20, 8953-8973	11
626	Dynamic assessment of the impacts of global warming on nitrate losses from a subsurface-drained rainfed-canola field. 2020 , 242, 106420	0
625	Lifetime of Triplet Photosensitizers in Aerosol Using Time-Resolved Photoelectric Activity. 2020 , 4, 1424-1434	2
624	Criegee intermediates: production, detection and reactivity. 2020 , 39, 385-424	26
623	Light Absorbing Properties of Primary and Secondary Brown Carbon in a Tropical Urban Environment. 2020 , 54, 10808-10819	14
622	Sources and atmospheric processing of brown carbon and HULIS in the Indo-Gangetic Plain: Insights from compositional analysis. 2020 , 267, 115440	9
621	Black Carbon Absorption Efficiency Under Preindustrial and Present-Day Conditions Simulated by a Size- and Mixing-State-Resolved Global Aerosol Model. 2020 , 125, e2019JD032316	3
620	A Novel Ensemble Design for Probabilistic Predictions of Fine Particulate Matter Over the Contiguous United States (CONUS). 2020 , 125, e2020JD032554	1
619	Unprecedented Temporary Reduction in Global Air Pollution Associated with COVID-19 Forced Confinement: A Continental and City Scale Analysis. 2020 , 12, 2420	30
618	High PM _{2.5} Concentrations in a Small Residential City with Low Anthropogenic Emissions in South Korea. 2020 , 11, 1159	4
617	Changing Nature of Organic Carbon over the United States. 2020 , 54, 10524-10532	5
616	Vertical characteristics of aerosol hygroscopicity and impacts on optical properties over the North China Plain during winter. 2020 , 20, 3931-3944	14
615	Impact of volatile organic compounds and photochemical activities on particulate matters during a high ozone episode at urban, suburb and regional background stations in Beijing. 2020 , 236, 117629	5
614	Chemical nature and sources of fine particles in urban Beijing: Seasonality and formation mechanisms. 2020 , 140, 105732	13

613	Seasonal and Long-Term Trend of on-Road Gasoline and Diesel Vehicle Emission Factors Measured in Traffic Tunnels. 2020 , 10, 2458	7
612	Significant Contribution of Primary Sources to Water-Soluble Organic Carbon During Spring in Beijing, China. 2020 , 11, 395	2
611	Field Observations of Secondary Organic Aerosols. 2020 , 453-508	
610	Light Absorption Properties of Organic Aerosol from Wood Pyrolysis: Measurement Method Comparison and Radiative Implications. 2020 , 54, 7156-7164	7
609	Effect of the nitrate group on yields and composition of secondary organic aerosol formed from reactions of alkyl nitrates with OH radicals in the presence of NO _x . 2020 , 54, 1070-1082	2
608	Volatility Dependence of the Aerosol Size Distributions of Nonpolar Organic Compounds: A Case Study in Shanghai. 2020 , 125, e2019JD031894	0
607	Effect of pH on α -OH-induced degradation progress of syringol/syringaldehyde and health effect. 2020 , 255, 126893	7
606	Effects of Sources and Meteorology on Ambient Particulate Matter in Austin, Texas. 2020 , 4, 602-613	4
605	Photolysis Controls Atmospheric Budgets of Biogenic Secondary Organic Aerosol. 2020 , 54, 3861-3870	17
604	Efficient Nighttime Biogenic SOA Formation in a Polluted Residual Layer. 2020 , 125, e2019JD031583	7
603	Seasonal changes of sources and volatility of carbonaceous aerosol at urban, coastal and forest sites in Eastern Europe (Lithuania). 2020 , 225, 117374	8
602	Global Climate and Human Health Effects of the Gasoline and Diesel Vehicle Fleets. 2020 , 4, e2019GH000240	16
601	Aerosol pH and liquid water content determine when particulate matter is sensitive to ammonia and nitrate availability. 2020 , 20, 3249-3258	39
600	Challenges in determining atmospheric organic aerosol volatility distributions using thermal evaporation techniques. 2020 , 54, 941-957	3
599	The impact of biomass burning and aqueous-phase processing on air quality: a multi-year source apportionment study in the Po Valley, Italy. 2020 , 20, 1233-1254	26
598	How Has the Hazard to Humans of Microorganisms Found in Atmospheric Aerosol in the South of Western Siberia Changed over 10 Years?. 2020 , 17,	1
597	Photochemical Aqueous-Phase Reactions Induce Rapid Daytime Formation of Oxygenated Organic Aerosol on the North China Plain. 2020 , 54, 3849-3860	42
596	Characterization of carbonaceous aerosols in Singapore: insight from black carbon fragments and trace metal ions detected by a soot particle aerosol mass spectrometer. 2020 , 20, 5977-5993	13

595	Characterization of organic aerosol across the global remote troposphere: a comparison of ATom measurements and global chemistry models. 2020 , 20, 4607-4635		38
594	Direct links between hygroscopicity and mixing state of ambient aerosols: estimating particle hygroscopicity from their single-particle mass spectra. 2020 , 20, 6273-6290		6
593	Identification of wintertime carbonaceous fine particulate matter (PM _{2.5}) sources in Kaunas, Lithuania using polycyclic aromatic hydrocarbons and stable carbon isotope analysis. 2020 , 237, 117673		3
592	Impact of air transport and secondary formation on haze pollution in the Yangtze River Delta: In situ online observations in Shanghai and Nanjing. 2020 , 225, 117350		18
591	Oxidation Enhances Aerosol Nucleation: Measurement of Kinetic Pickup Probability of Organic Molecules on Hydrated Acid Clusters. 2020 , 11, 2101-2105		6
590	Chemical Differences Between PM ₁ and PM _{2.5} in Highly Polluted Environment and Implications in Air Pollution Studies. <i>Geophysical Research Letters</i> , 2020 , 47, e2019GL086288	4-9	43
589	Ambient Quantification and Size Distributions for Organic Aerosol in Aerosol Mass Spectrometers with the New Capture Vaporizer. 2020 , 4, 676-689		7
588	Light absorption properties of elemental carbon (EC) and water-soluble brown carbon (WS-BrC) in the Kathmandu Valley, Nepal: A 5-year study. 2020 , 261, 114239		18
587	Aerosol optical depth assimilation for a modal aerosol model: Implementation and application in AOD forecasts over East Asia. 2020 , 719, 137430		6
586	Mass Accommodation Coefficients of Water on Organics from Complementary Photoacoustic and Light Scattering Measurements on Laser-Trapped Droplets. 2020 , 124, 2481-2489		9
585	Resolving ambient organic aerosol formation and aging pathways with simultaneous molecular composition and volatility observations. 2020 , 4, 391-402		8
584	Impacts of Mixed Gaseous and Particulate Pollutants on Secondary Particle Formation during Ozonolysis of Butyl Vinyl Ether. 2020 , 54, 3909-3919		3
583	NO _x enhances secondary organic aerosol formation from nighttime β -pinene ozonolysis. 2020 , 225, 117375		11
582	Prominent Contribution of Hydrogen Peroxide to Intracellular Reactive Oxygen Species Generated upon Exposure to Naphthalene Secondary Organic Aerosols. 2020 , 7, 171-177		10
581	Experimental investigation into the volatilities of highly oxygenated organic molecules (HOMs). 2020 , 20, 649-669		21
580	Chemical characterization of submicron aerosol in summertime Beijing: A case study in southern suburbs in 2018. 2020 , 247, 125918		11
579	Particle-Phase Diffusion Modulates Partitioning of Semivolatile Organic Compounds to Aged Secondary Organic Aerosol. 2020 , 54, 2595-2605		19
578	The fuel of atmospheric chemistry: Toward a complete description of reactive organic carbon. 2020 , 6, eaay8967		25

577	Contribution of biogenic sources to secondary organic aerosol in the summertime in Shaanxi, China. 2020 , 254, 126815	2
576	Hygroscopic behavior of inorganic-organic aerosol systems including ammonium sulfate, dicarboxylic acids, and oligomer. 2020 , 229, 117481	7
575	A new perspective of probing the level of pollution in the megacity Delhi affected by crop residue burning using the triple oxygen isotope technique in atmospheric CO. 2020 , 263, 114542	8
574	Online Chemical Characterization and Source Identification of Summer and Winter Aerosols in Murele, Romania. 2020 , 11, 385	3
573	Long-term sub-micrometer aerosol chemical composition in the boreal forest: inter- and intra-annual variability. 2020 , 20, 3151-3180	15
572	Free Energy and Dynamics of Organic-Coated Water Droplet Coalescence. 2020 , 124, 8749-8757	4
571	Physicochemical Properties of Terebic Acid, MBTCA, Diaterpenylic Acid Acetate, and Pinanediol as Relevant Pinene Oxidation Products. 2020 , 5, 7919-7927	6
570	Relative contributions of selected multigeneration products to chamber SOA formed from photooxidation of a range (C-C) of -alkanes under high NO conditions. 2021 , 244,	2
569	Effects of temperature and relative humidity on laboratory air filter loading test by hygroscopic salts. 2021 , 255, 117679	11
568	A gridded emission inventory of semi-volatile and intermediate volatility organic compounds in China. 2021 , 761, 143295	10
567	Influence of forest fires on the formation processes of low molecular weight dicarboxylic acids, monocarboxylic acids, pyruvic acid and dicarbonyls in springtime fine (PM _{2.5}) aerosols over Southeast Asia. 2021 , 246, 118065	3
566	Characterization of ice nucleating particles in rainwater, cloud water, and aerosol samples at two different tropical latitudes. 2021 , 250, 105356	3
565	Characteristics, evolution, and potential source regions of submicron aerosol in Beijing, China. 2021 , 246, 118061	1
564	First surface measurement of variation of Cloud Condensation Nuclei (CCN) concentration over the Pristine Himalayan region of Garhwal, Uttarakhand, India. 2021 , 246, 118123	5
563	Exploring analog-based schemes for aerosol optical depth forecasting with WRF-Chem. 2021 , 246, 118134	0
562	How Do Indoor Environments Affect Air Pollution Exposure?. 2021 , 55, 100-108	16
561	Simulation of secondary organic aerosol over the Yangtze River Delta region: The impacts from the emissions of intermediate volatility organic compounds and the SOA modeling framework. 2021 , 246, 118079	10
560	One-year measurements of secondary organic aerosol (SOA) markers in the Paris region (France): Concentrations, gas/particle partitioning and SOA source apportionment. 2021 , 757, 143921	10

559	Development of a novel particle mass spectrometer for online measurements of refractory sulfate aerosols. 2021 , 55, 371-386		1
558	Characteristics of aerosol chemical components and their impacts on direct radiative forcing at urban and suburban locations in Southeast Texas. 2021 , 246, 118151		4
557	Outdoor air pollutants. 2021 , 491-554		0
556	Comparison of five methodologies to apportion organic aerosol sources during a PM pollution event. 2021 , 757, 143168		11
555	Tracer-based characterization of source variations of PM and organic carbon in Shanghai influenced by the COVID-19 lockdown. 2021 , 226, 112-137		6
554	The formation mechanism and radiative effect of secondary organic aerosols. 2021 , 57-100		
553	Effect of Wet Deposition on Secondary Inorganic Aerosols Using an Urban-Scale Air Quality Model. 2021 , 12, 168		2
552	Laboratory Investigation of Renoxification from the Photolysis of Inorganic Particulate Nitrate. 2021 , 55, 854-861		16
551	Near real-time PM1 chemical composition measurements at a French urban background and coastal site under industrial influence over more than a year: Temporal variability and assessment of sulfur-containing emissions. 2021 , 244, 117960		4
550	Multifunctional Products of Isoprene Oxidation in Polluted Atmosphere and Their Contribution to SOA. <i>Geophysical Research Letters</i> , 2021 , 48, e2020GL089276	4.9	8
549	Aqueous production of secondary organic aerosol from fossil-fuel emissions in winter Beijing haze. 2021 , 118,		23
548	Overview of the French Operational Network for In Situ Observation of PM Chemical Composition and Sources in Urban Environments (CARA Program). 2021 , 12, 207		8
547	Organosulfates from Dark Aqueous Reactions of Isoprene-Derived Epoxydiols Under Cloud and Fog Conditions: Kinetics, Mechanism, and Effect of Reaction Environment on Regioselectivity of Sulfate Addition. 2021 , 5, 474-486		4
546	Measurement report: Distinct emissions and volatility distribution of intermediate-volatility organic compounds from on-road Chinese gasoline vehicles: implication of high secondary organic aerosol formation potential. 2021 , 21, 2569-2583		16
545	A global model perturbed parameter ensemble study of secondary organic aerosol formation. 2021 , 21, 2693-2723		4
544	Future changes in isoprene-epoxydiol-derived secondary organic aerosol (IEPOX SOA) under the Shared Socioeconomic Pathways: the importance of physicochemical dependency. 2021 , 21, 3395-3425		4
543	Impacts of Chemical Degradation on the Global Budget of Atmospheric Levoglucosan and Its Use As a Biomass Burning Tracer. 2021 , 55, 5525-5536		8
542	Aerosol pH indicator and organosulfate detectability from aerosol mass spectrometry measurements. 2021 , 14, 2237-2260		6

541	Shining New Light on the Kinetics of Water Uptake by Organic Aerosol Particles. 2021 , 125, 3528-3548	3
540	Distinctive Sources Govern Organic Aerosol Fractions with Different Degrees of Oxygenation in the Urban Atmosphere. 2021 , 55, 4494-4503	3
539	Refractive index confidence explorer (RICE): A tool for propagating uncertainties through complex refractive index retrievals from aerosol particles. 2021 , 55, 703-717	0
538	Reactive organic carbon emissions from volatile chemical products. 2021 , 21, 5079-5100	7
537	Contribution of Local and Transboundary Air Pollution to the Urban Air Quality of Fukuoka, Japan. 2021 , 12, 431	6
536	Characteristics, secondary transformation, and health risk assessment of ambient volatile organic compounds (VOCs) in urban Beijing, China. 2021 , 12, 33-46	10
535	Altitude Aerosol Measurements in Central France: Seasonality, Sources and Free-Troposphere/Boundary Layer Segregation. 2021 , 8, e2019EA001018	
534	Characterization of Products from the Aqueous-Phase Photochemical Oxidation of Benzene-Diols. 2021 , 12, 534	0
533	Aerosol acidity and liquid water content regulate the dry deposition of inorganic reactive nitrogen. 2021 , 21, 6023-6033	10
532	Optical-Trapping Laser Techniques for Characterizing Airborne Aerosol Particles and Its Application in Chemical Aerosol Study. 2021 , 12,	5
531	Formation of secondary inorganic aerosol in a frigid urban atmosphere. 2021 , 16, 1	1
530	Acyclic Terpenes Reduce Secondary Organic Aerosol Formation from Emissions of a Riparian Shrub. 2021 , 5, 1242-1253	2
529	Low-Molecular-Weight Carboxylic Acids in the Southeastern U.S.: Formation, Partitioning, and Implications for Organic Aerosol Aging. 2021 , 55, 6688-6699	5
528	Nitrate Photolysis in Mixed Sucrose-Nitrate-Sulfate Particles at Different Relative Humidities. 2021 , 125, 3739-3747	6
527	Characteristics, formation mechanisms, and sources of non-refractory submicron aerosols in Guangzhou, China. 2021 , 250, 118255	1
526	Real-time characterization of aerosol particle composition, sources and influences of increased ventilation and humidity in an office. 2021 , 31, 1364-1376	5
525	Aircraft measurements of aerosol and trace gas chemistry in the eastern North Atlantic. 2021 , 21, 7983-8002	10
524	Secondary Formation of Aerosols Under Typical High-Humidity Conditions in Wintertime Sichuan Basin, China: A Contrast to the North China Plain. 2021 , 126, e2021JD034560	0

523	Increase in secondary organic aerosol in an urban environment. 2021 , 21, 8323-8339	5
522	Special Issue Editorial: Air Pollution Estimation. 2021 , 12, 655	
521	Intercomparison of thermal-optical carbon measurements by Sunset and Desert Research Institute (DRI) analyzers using the IMPROVE_A protocol. 2021 , 14, 3217-3231	2
520	Effect of COVID-19 lockdown on the concentration and composition of NR-PM _{2.5} over Ahmedabad, a big city in western India. 2021 , 37, 100818	2
519	Analysis of secondary organic aerosol simulation bias in the Community Earth System Model (CESM2.1). 2021 , 21, 8003-8021	3
518	Coupled Air Quality and Boundary-Layer Meteorology in Western U.S. Basins during Winter: Design and Rationale for a Comprehensive Study. 2021 , 1-94	3
517	Effect of chemical aging of monoterpene products on biogenic secondary organic aerosol concentrations. 2021 , 254, 118381	1
516	Observations on hygroscopic growth and phase transitions of mixed 1, 2, 6-hexanetriol [(NH ₄) ₂ SO ₄] particles: investigation of the liquid-liquid phase separation (LLPS) dynamic process and mechanism and secondary LLPS during the dehumidification. 2021 , 21, 9705-9717	1
515	Hygroscopicity and the water-polymer interaction parameter of nano-sized biodegradable hydrophilic substances. 2021 , 55, 1115-1124	0
514	Quantification of cooking organic aerosol in the indoor environment using aerodyne aerosol mass spectrometers. 2021 , 55, 1099-1114	9
513	Global-Regional nested simulation of particle number concentration by combing microphysical processes with an evolving organic aerosol module. 2021 , 21, 9343-9366	5
512	Size-dependent Molecular Characteristics and Possible Sources of Organic Aerosols at a Coastal New Particle Formation Hotspot of East China. 2021 , 126, e2021JD034610	
511	Source contributions to multiple toxic potentials of atmospheric organic aerosols. 2021 , 773, 145614	11
510	Formation and evolution of brown carbon during aqueous-phase nitrate-mediated photooxidation of guaiacol and 5-nitroguaiacol. 2021 , 254, 118401	6
509	Quantifying Atmospheric Parameter Ranges for Ambient Secondary Organic Aerosol Formation. 2021 , 5, 2380-2397	1
508	Measurement report: Emissions of intermediate-volatility organic compounds from vehicles under real-world driving conditions in an urban tunnel. 2021 , 21, 10005-10013	5
507	Characterization of thermal decomposition of oxygenated organic compounds in FIGAERO-CIMS. 1-22	3
506	Eight years of sub-micrometre organic aerosol composition data from the boreal forest characterized using a machine-learning approach. 2021 , 21, 10081-10109	2

505	Molecular composition and volatility of multi-generation products formed from isoprene oxidation by nitrate radical. 2021 , 21, 10799-10824	5
504	Viscosity and phase state of aerosol particles consisting of sucrose mixed with inorganic salts. 2021 , 21, 10215-10228	5
503	Estimating mean molecular weight, carbon number, and OMDC with mid-infrared spectroscopy in organic particulate matter samples from a monitoring network. 2021 , 14, 4805-4827	2
502	Secondary organic aerosols from anthropogenic volatile organic compounds contribute substantially to air pollution mortality. 2021 , 21, 11201-11224	12
501	Tracer-based source apportioning of atmospheric organic carbon and the influence of anthropogenic emissions on secondary organic aerosol formation in Hong Kong. 2021 , 21, 10589-10608	2
500	Naphthalene-Derived Secondary Organic Aerosols Interfacial Photosensitizing Properties. <i>Geophysical Research Letters</i> , 2021 , 48, e2021GL093465	4.9 0
499	Radiative Forcing of Nitrate Aerosols From 1975 to 2010 as Simulated by MOSAIC Module in CESM2-MAM4. 2021 , 126, e2021JD034809	3
498	Diel cycle impacts on the chemical and light absorption properties of organic carbon aerosol from wildfires in the western United States. 2021 , 21, 11843-11856	1
497	PM ₁ composition and source apportionment at two sites in Delhi, India, across multiple seasons. 2021 , 21, 11655-11667	2
496	Temperature and volatile organic compound concentrations as controlling factors for chemical composition of α -pinene-derived secondary organic aerosol. 2021 , 21, 11545-11562	
495	Screening for New Pathways in Atmospheric Oxidation Chemistry with Automated Mechanism Generation. 2021 , 125, 6772-6788	2
494	Real-Time Characterization of Aerosol Compositions, Sources, and Aging Processes in Guangzhou During PRIDE-GBA 2018 Campaign. 2021 , 126, e2021JD035114	6
493	Understanding Sources of Atmospheric Hydrogen Chloride in Coastal Spring and Continental Winter. 2021 , 5, 2507-2516	2
492	Opinion: Papers that shaped tropospheric chemistry. 2021 , 21, 12909-12948	2
491	Incorporation of volcanic SO emissions in the Hemispheric CMAQ (H-CMAQ) version 5.2 modeling system and assessing their impacts on sulfate aerosol over the Northern Hemisphere.. 2021 , 14, 5751-5768	1
490	Phase Behavior of Hydrocarbon-like Primary Organic Aerosol and Secondary Organic Aerosol Proxies Based on Their Elemental Oxygen-to-Carbon Ratio. 2021 , 55, 12202-12214	1
489	Measurement report: Cloud condensation nuclei activity and its variation with organic oxidation level and volatility observed during an aerosol life cycle intensive operational period (ALC-IOP). 2021 , 21, 13019-13029	0
488	Variation characteristics of fine particulate matter and its components in diesel vehicle emission plumes. 2021 , 107, 138-149	5

487	Hourly measurement of PM-bound nonpolar organic compounds in Shanghai: Characteristics, sources and health risk assessment. 2021 , 789, 148070	3
486	Role of ecosystem-atmosphere exchanges of semi-volatile organic compounds in organic aerosol formation. 2021 , 263, 118541	2
485	Regional modeling of secondary organic aerosol formation over eastern China: The impact of uptake coefficients of dicarbonyls and semivolatile process of primary organic aerosol. 2021 , 793, 148176	1
484	Vapor- and aerosol-phase atmospheric organic matter in urban air of the Midwest USA. 2021 , 264, 118705	1
483	Simulation of the cooking organic aerosol concentration variability in an urban area. 2021 , 265, 118710	2
482	Year-round modeling of sulfate aerosol over Asia through updates of aqueous-phase oxidation and gas-phase reactions with stabilized Criegee intermediates. 2021 , 12, 100123	2
481	Investigation of physico-chemical characteristics and associated CCN activation for different combustion sources through Chamber experiment approach. 2021 , 266, 118726	0
480	Evolution of size and composition of fine particulate matter in the Delhi megacity during later winter. 2021 , 267, 118752	1
479	Role of carbonaceous aerosols in Asian pollution. 2022 , 111-127	0
478	Toward closure between predicted and observed particle viscosity over a wide range of temperatures and relative humidity. 2021 , 21, 1127-1141	5
477	Sources and Dynamics of Submicron Aerosol during the Autumn Onset of the Air Pollution Season in Delhi, India. 2021 , 5, 118-128	9
476	Recent advances in understanding secondary organic aerosol: Implications for global climate forcing. 2017 , 55, 509-559	359
475	Global Modelling Of Secondary Organic Aerosol (Soa) Formation: Knowledge And Challenges. 2008 , 149-165	2
474	Arctic Aerosols. 2020 , 209-329	2
473	Synergistic Use of Retrieved Trace Constituent Distributions and Numerical Modelling. 2011 , 451-492	1
472	Ocean-Atmosphere Interactions of Particles. 2014 , 171-246	21
471	Global Modelling of Volatile Organic Compound Emissions. 2013 , 451-487	11
470	Emulsified and Liquid-Liquid Phase-Separated States of α -Pinene Secondary Organic Aerosol Determined Using Aerosol Optical Tweezers. 2017 , 51, 12154-12163	48

469	Atmospheric Aqueous Aerosol Surface Tensions: Isotherm-Based Modeling and Biphasic Microfluidic Measurements. 2017 , 121, 4733-4742	24
468	Rapid dark aging of biomass burning as an overlooked source of oxidized organic aerosol. 2020 , 117, 33028-33033	21
467	Overview of the CPOC Pilot Study at Whiteface Mountain, NY: Cloud Processing of Organics within Clouds (CPOC). 2020 , 101, E1820-E1841	4
466	Formation and Transport of Aerosols in Tokyo in Relation to Their Physical and Chemical Properties: A Review. 2010 , 88, 597-624	24
465	Chemical Characterization and Seasonality of Ambient Particles (PM) in the City Centre of Addis Ababa. 2020 , 17,	4
464	Characterization of aerosol sources at urban and background sites in Lithuania. 2011 , 51, 65-74	6
463	Chemical composition, concentration and source apportionment of atmospheric submicron aerosol particles at urban and background sites. 2015 , 54,	2
462	Applications of Infrared Spectroscopy in Analysis of Organic Aerosols. 2018 , 06, 12-32	4
461	Regulated Emissions and Detailed Particle Characterisation for Diesel and RME Biodiesel Fuel Combustion with Varying EGR in a Heavy-Duty Engine.	4
460	Hygroscopicity of urban aerosols and its link to size-resolved chemical composition during spring and summer in Seoul, Korea. 2020 , 20, 11245-11262	5
459	Characterization of submicron particles by time-of-flight aerosol chemical speciation monitor (ToF-ACSM) during wintertime: aerosol composition, sources, and chemical processes in Guangzhou, China. 2020 , 20, 7595-7615	16
458	Predicting secondary organic aerosol phase state and viscosity and its effect on multiphase chemistry in a regional-scale air quality model. 2020 , 20, 8201-8225	18
457	Chemical characterization of secondary organic aerosol at a rural site in the southeastern US: insights from simultaneous high-resolution time-of-flight aerosol mass spectrometer (HR-ToF-AMS) and FIGAERO chemical ionization mass spectrometer (CIMS) measurements. 2020 , 20, 8421-8440	16
456	Particle number concentrations and size distribution in a polluted megacity: the Delhi Aerosol Supersite study. 2020 , 20, 8533-8549	15
455	Oxygenated products formed from OH-initiated reactions of trimethylbenzene: autoxidation and accretion. 2020 , 20, 9563-9579	11
454	Role of aldehyde chemistry and NO ₂ concentrations in secondary organic aerosol formation.	2
453	Enhancement of the aerosol direct radiative effect by semi-volatile aerosol components: airborne measurements in North-Western Europe.	4
452	The importance of aerosol mixing state and size-resolved composition on CCN concentration and the variation of the importance with atmospheric aging of aerosols.	3

451	Computation of liquid-liquid equilibria and phase stabilities: implications for RH-dependent gas/particle partitioning of organic-inorganic aerosols.	2
450	Highly time-resolved chemical characterization of atmospheric submicron particles during 2008 Beijing Olympic Games using an Aerodyne High-Resolution Aerosol Mass Spectrometer.	4
449	Aqueous chemistry and its role in secondary organic aerosol (SOA) formation.	7
448	Quantitative estimates of the volatility of ambient organic aerosol.	9
447	Anthropogenic influence on biogenic secondary organic aerosol.	2
446	The vapor pressures and activities of dicarboxylic acids reconsidered: the impact of the physical state of the aerosol.	5
445	Characterization of high-resolution aerosol mass spectra of primary organic aerosol emissions from Chinese cooking and biomass burning.	7
444	Solid state and sub-cooled liquid vapour pressures of cyclic aliphatic dicarboxylic acids.	2
443	Chemical, physical, and optical evolution of biomass burning aerosols: a case study.	1
442	Determining the spatial and seasonal variability in OM/OC ratios across the US using multiple regression.	1
441	Characterization of submicron aerosols at a rural site in Pearl River Delta of China using an Aerodyne High-Resolution Aerosol Mass Spectrometer.	5
440	Diurnally resolved particulate and VOC measurements at a rural site: indication of significant biogenic secondary organic aerosol formation.	4
439	Evolution of organic aerosol mass spectra upon heating: implications for OA phase and partitioning behavior.	2
438	Modeling organic aerosols in a megacity: comparison of simple and complex representations of the volatility basis set approach.	6
437	Impact of model grid spacing on regional- and urban-scale air quality predictions of organic aerosol.	4
436	Chemical evolution of secondary organic aerosol from OH-initiated heterogeneous oxidation.	5
435	Investigation of the correlation between odd oxygen and secondary organic aerosol in Mexico City and Houston.	9
434	A global perspective on aerosol from low-volatility organic compounds.	2

433	Inter-comparison of source apportionment models for the estimation of wood burning aerosols during wintertime in an Alpine city (Grenoble, France).	5
432	Short-term variation in near-highway air pollutant gradients on a winter morning. 2010 , 10, 5599-5626	48
431	Major components of atmospheric organic aerosol in southern California as determined by hourly measurements of source marker compounds.	5
430	Potential contribution of semi-volatile and intermediate volatility primary organic compounds to secondary organic aerosol in the Mexico City region.	10
429	Chemical and aerosol characterisation of the troposphere over West Africa during the monsoon period as part of AMMA.	8
428	Long-term record of aerosol optical properties and chemical composition from a high-altitude site (Manora Peak) in Central Himalaya.	4
427	Impact of brown and clear carbon on light absorption enhancement, single scatter albedo and absorption wavelength dependence of black carbon.	6
426	Measured and modelled cloud condensation nuclei concentration at the high alpine site Jungfrauoch.	3
425	Elemental composition and oxidation of chamber organic aerosol.	6
424	Seasonal and diurnal variations of particulate nitrate and organic matter in the Central European atmospheric aerosol.	2
423	Effects of aging on organic aerosol from open biomass burning smoke in aircraft and lab studies.	20
422	Photochemical modeling of glyoxal at a rural site: observations and analysis from BEARPEX 2007.	2
421	Evaluation of a three-dimensional chemical transport model (PMCAMx) in the European domain during the EUCAARI May 2008 campaign.	5
420	Aerosol composition and sources in the Central Arctic Ocean during ASCOS.	1
419	Source attribution of Bornean air masses by back trajectory analysis during the OP3 project.	2
418	New and extended parameterization of the thermodynamic model AIOMFAC: calculation of activity coefficients for organic-inorganic mixtures containing carboxyl, hydroxyl, carbonyl, ether, ester, alkenyl, alkyl, and aromatic functional groups.	3
417	Explicit modeling of organic chemistry and secondary organic aerosol partitioning for Mexico City and its outflow plume.	7
416	Origins and composition of fine atmospheric carbonaceous aerosol in the Sierra Nevada Mountains, California.	3

415	Predicting the relative humidities of liquid-liquid phase separation, efflorescence, and deliquescence of mixed particles of ammonium sulfate, organic material, and water using the organic-to-sulfate mass ratio of the particle and the oxygen-to-carbon elemental ratio of the organic component.	6
414	First direct measurements of formaldehyde flux via eddy covariance: implications for missing in-canopy formaldehyde sources.	2
413	Characterization and source apportionment of submicron aerosol with aerosol mass spectrometer during the PRIDE-PRD 2006 campaign.	1
412	Sources of carbonaceous aerosols and deposited black carbon in the Arctic in winter/spring: implications for radiative forcing.	7
411	Sources and atmospheric processing of organic aerosol in the Mediterranean: insights from aerosol mass spectrometer factor analysis.	2
410	Reformulating the atmospheric lifecycle of SOA based on new field and laboratory data.	2
409	Characteristics, sources and formation of aerosol oxalate in an Eastern Asia megacity and its implication to haze pollution.	5
408	Determination of the biogenic secondary organic aerosol fraction in the boreal forest by AMS and NMR measurements.	1
407	A two-dimensional volatility basis set [Part 2: Diagnostics of organic-aerosol evolution.	5
406	Chemical aging of <i>m</i> -xylene secondary organic aerosol: laboratory chamber study.	2
405	Better constraints on sources of carbonaceous aerosols using a combined $\delta^{14}C$ tracer analysis in a European rural background site.	9
404	Exploring the vertical profile of atmospheric organic aerosol: comparing 17 aircraft field campaigns with a global model.	6
403	Sources and composition of urban aerosol particles.	1
402	The atmospheric potential of biogenic volatile organic compounds from needles of White Pine (<i>Pinus strobus</i>) in Northern Michigan.	1
401	Aerosol chemical composition at Cabauw, the Netherlands as observed in two intensive periods in May 2008 and March 2009.	3
400	Liquid-liquid phase separation and morphology of internally mixed dicarboxylic acids/ammonium sulfate/water particles.	4
399	Source apportionment of size and time resolved trace elements and organic aerosols from an urban courtyard site in Switzerland.	4
398	In-cloud oxalate formation in the global troposphere: a 3-D modeling study.	4

397	The influence of semi-volatile and reactive primary emissions on the abundance and properties of global organic aerosol.	4
396	Aerosol mass spectrometer constraint on the global secondary organic aerosol budget.	19
395	The Pasadena Aerosol Characterization Observatory (PACO): chemical and physical analysis of the Western Los Angeles Basin aerosol.	2
394	The 2005 Study of Organic Aerosols at Riverside (SOAR-1): instrumental intercomparisons and fine particle composition.	6
393	Investigations of primary and secondary particulate matter of different wood combustion appliances with a high-resolution time-of-flight aerosol mass spectrometer.	6
392	Simulating the oxygen content of ambient organic aerosol with the 2D volatility basis set.	1
391	Long-term volatility measurements of submicron atmospheric aerosol in Hyytiälä, Finland.	1
390	Overview of the 2010 Carbonaceous Aerosols and Radiative Effects Study (CARES).	10
389	Chemical and microphysical properties of the aerosol during foggy and nonfoggy episodes: a relationship between organic and inorganic content of the aerosol.	21
388	Atmospheric organic-phase photo-sensitized epoxidation of alkenes by α -dicarbonyls.	2
387	Organic and inorganic markers and stable C-, N-isotopic compositions of tropical coastal aerosols from megacity Mumbai: sources of organic aerosols and atmospheric processing.	1
386	Aerosol decadal trends [Part 1: In-situ optical measurements at GAW and IMPROVE stations.	3
385	Enhanced SOA formation from mixed anthropogenic and biogenic emissions during the CARES campaign.	1
384	A unified approach to aerosol remote sensing and type specification in the infrared.	2
383	State transformations and ice nucleation in glassy or (semi-)solid amorphous organic aerosol.	1
382	Gas phase formation of extremely oxidized pinene reaction products in chamber and ambient air.	3
381	Model evaluation of NO_x secondary organic aerosol (SOA) source and heterogeneous organic aerosol (OA) sink in the Western United States.	2
380	Submicron particles influenced by mixed biogenic and anthropogenic emissions: high-resolution aerosol mass spectrometry results from the Carbonaceous Aerosols and Radiative Effects Study (CARES).	3

379	Characterization of aerosol and cloud water at a mountain site during WACS 2010: secondary organic aerosol formation through oxidative cloud processing.	3
378	Chemical characterization of springtime submicrometer aerosol in Po Valley, Italy.	2
377	Functionalization and fragmentation during ambient organic aerosol aging: application of the 2-D volatility basis set to field studies.	1
376	Modeling the formation and properties of traditional and non-traditional secondary organic aerosol: problem formulation and application to aircraft exhaust.	3
375	Does the POA-SOA split matter for global CCN formation?.	2
374	Secondary organic aerosol formation and primary organic aerosol oxidation from biomass burning smoke in a flow reactor during FLAME-3.	4
373	Chemical composition, main sources and temporal variability of PM ₁₀ aerosols in southern African grassland.	2
372	Biogenic and biomass burning organic aerosol in a boreal forest at Hyytiälä, Finland, during HUMPPA-COPEC 2010.	1
371	The direct and indirect radiative effects of biogenic secondary organic aerosol.	6
370	Semi-continuous measurements of gas/particle partitioning of organic acids in a ponderosa pine forest using a MOVI-HRToF-CIMS.	2
369	Characterization of submicron aerosols during a serious pollution month in Beijing (2013) using an aerodyne high-resolution aerosol mass spectrometer.	14
368	Hygroscopic mixing state of urban aerosol derived from size-resolved cloud condensation nuclei measurements during the MEGAPOLI campaign in Paris.	1
367	Kinetic study of esterification of sulfuric acid with alcohols in aerosol bulk phase.	6
366	Organic aerosol components derived from 25 AMS datasets across Europe using a newly developed ME-2 based source apportionment strategy.	10
365	Source apportionment of PM ₁₀ in a North-Western Europe regional urban background site (Lens, France) using Positive Matrix Factorization and including primary biogenic emissions.	2
364	Kinetic measurements on the reactivity of hydrogen peroxide and ozone towards small atmospherically relevant aldehydes, ketones and organic acids in aqueous solution.	2
363	Processing of biomass burning aerosol in the Eastern Mediterranean during summertime.	2
362	Emission factor ratios, SOA mass yields, and the impact of vehicular emissions on SOA formation.	1

361	Modeling kinetic partitioning of secondary organic aerosol and size distribution dynamics: representing effects of volatility, phase state, and particle-phase reaction.	2
360	Reactive uptake of N_2O_5 to internally mixed inorganic and organic particles: the role of organic carbon oxidation state and inferred organic phase separations.	1
359	Updated aerosol module and its application to simulate secondary organic aerosols during IMPACT campaign May 2008.	1
358	Evolution of multispectral aerosol optical properties in a biogenically-influenced urban environment during the CARES campaign.	6
357	Relating particle hygroscopicity and CCN activity to chemical composition during the HCCT-2010 field campaign.	4
356	Primary and secondary organic aerosol origin by combined gas-particle phase source apportionment.	1
355	Dependence of particle nucleation and growth on high molecular weight gas phase products during ozonolysis of α -pinene.	5
354	CCN activity of organic aerosols observed downwind of urban emissions during CARES.	4
353	Linking climate and air quality over Europe: effects of meteorology on $\text{PM}_{2.5}$ concentrations.	3
352	Relating hygroscopicity and optical properties to chemical composition and structure of secondary organic aerosol particles generated from the ozonolysis of α -pinene.	4
351	Emissions of biogenic volatile organic compounds and subsequent photochemical production of secondary organic aerosol in mesocosm studies of temperate and tropical plant species.	1
350	Chemical composition and mass size distribution of $\text{PM}_{1.0}$ at an elevated site in central east China.	4
349	Single particle characterization using the soot particle aerosol mass spectrometer (SP-AMS).	3
348	Chemical composition, sources, and processes of urban aerosols during summertime in Northwest China: insights from High Resolution Aerosol Mass Spectrometry.	3
347	Multiday production of condensing organic aerosol mass in urban and forest outflow.	1
346	Investigating the annual behaviour of submicron secondary inorganic and organic aerosols in London.	10
345	Investigating the two-component model of solid fuel organic aerosol in London: processes, PM_{10} contributions, and seasonality.	3
344	Chemical characterization of SOA formed from aqueous-phase reactions of phenols with the triplet excited state of carbonyl and hydroxyl radical.	4

343	Novel methods for predicting gas-particle partitioning during the formation of secondary organic aerosol.	1
342	Aqueous phase oligomerization of methyl vinyl ketone through photooxidation [Part 2: Development of the chemical mechanism and atmospheric implications.	3
341	Gaseous products and Secondary Organic Aerosol formation during long term oxidation of isoprene and methacrolein.	3
340	Two years of near real-time chemical composition of submicron aerosols in the region of Paris using an Aerosol Chemical Speciation Monitor (ACSm) and a multi-wavelength Aethalometer.	5
339	Molecular characterization of free tropospheric aerosol collected at the Pico Mountain Observatory: a case study with long range transported biomass burning plumes.	1
338	Properties and evolution of biomass burning organic aerosol from Canadian boreal forest fires.	3
337	Chemical characterization of biogenic SOA generated from plant emissions under baseline and stressed conditions: inter- and intra-species variability for six coniferous species.	2
336	How much is particulate matter near the ground influenced by upper level processes within and above the PBL? A summertime case study in Milan (Italy).	1
335	Comparison of secondary organic aerosol formed with an aerosol flow reactor and environmental reaction chambers: effect of oxidant concentration, exposure time and seed particles on chemical composition and yield.	1
334	Aging of secondary organic aerosol from small aromatic VOCs: changes in chemical composition, mass yield, volatility and hygroscopicity.	8
333	Modeling the formation and aging of secondary organic aerosols in Los Angeles during CalNex 2010.	3
332	Enhancing non-refractory aerosol apportionment from an urban industrial site through receptor modelling of complete high time-resolution aerosol mass spectra.	2
331	The AeroCom evaluation and intercomparison of organic aerosol in global models.	11
330	Volatility basis-set approach simulation of organic aerosol formation in East Asia: implications for anthropogenic-biogenic interaction and controllable amounts.	3
329	Organic aerosol concentration and composition over Europe: insights from comparison of regional model predictions with aerosol mass spectrometer factor analysis.	3
328	Insights into characteristics, sources and evolution of submicron aerosols during harvest seasons in Yangtze River Delta (YRD) region, China.	5
327	Particulate organic nitrates observed in an oil and natural gas production region during wintertime.	1
326	Relative humidity-dependent viscosities of isoprene-derived secondary organic material and atmospheric implications for isoprene-dominant forests.	4

325	Aerosol size distribution and new particle formation in western Yangtze River Delta of China: two-year measurement at the SORPES station.	3
324	Organic nitrate aerosol formation via $\text{NO}_3 + \text{BVOC}$ in the Southeastern US.	5
323	Organic peroxide and OH formation in aerosol and cloud water: laboratory evidence for this aqueous chemistry.	2
322	Secondary Organic Aerosol formation from isoprene photooxidation during cloud condensation–evaporation cycles.	2
321	Real-time measurements of secondary organic aerosol formation and aging from ambient air in an oxidation flow reactor in the Los Angeles area.	10
320	Volatility of organic aerosol and its components in the Megacity of Paris.	2
319	Seasonal characterization of submicron aerosol chemical composition and organic aerosol sources in the southeastern United States: Atlanta, Georgia and Look Rock, Tennessee.	4
318	Characteristics and sources of submicron aerosols above the urban canopy (260 m) in Beijing, China during 2014 APEC summit.	3
317	Hygroscopic behavior of multicomponent organic aerosols and their internal mixtures with ammonium sulfate.	7
316	Aerosol optical properties in the southeastern United States in summer [Part 1: Hygroscopic growth.	5
315	Simulating secondary organic aerosol in a regional air quality model using the statistical oxidation model [Part 2: Assessing the influence of vapor wall losses.	3
314	In situ secondary organic aerosol formation from ambient pine forest air using an oxidation flow reactor.	4
313	Aqueous-phase mechanism for secondary organic aerosol formation from isoprene: application to the Southeast United States and co-benefit of SO_2 emission controls.	6
312	Rethinking the global secondary organic aerosol (SOA) budget: stronger production, faster removal, shorter lifetime.	5
311	Observations and implications of liquid–liquid phase separation at high relative humidities in secondary organic material produced by α -pinene ozonolysis without inorganic salts.	2
310	Technical Note: Development of chemoinformatic tools to enumerate functional groups in molecules for organic aerosol characterization.	1
309	Sources and chemical characterization of organic aerosol during the summer in the eastern Mediterranean.	3
308	Influences of emission sources and meteorology on aerosol chemistry in a polluted urban environment: results from DISCOVER-AQ California.	4

307	Particulate matter, air quality and climate: lessons learned and future needs.	12
306	Hygroscopic and phase separation properties of ammonium sulfate/organic/water ternary solutions.	1
305	In-situ, satellite measurement and model evidence for a~dominant regional contribution to fine particulate matter levels in the Paris Megacity.	4
304	Evolving mass spectra of the oxidized component of organic aerosol: results from aerosol mass spectrometer analyses of aged diesel emissions.	5
303	Chemical composition of free tropospheric aerosol for PM1 and coarse mode at the high alpine site Jungfraujoch.	4
302	Clouds and aerosols in Puerto Rico [a new evaluation.	2
301	Hygroscopicity of the submicrometer aerosol at the high-alpine site Jungfraujoch, 3580 m a.s.l., Switzerland.	5
300	Total Observed Organic Carbon (TOOC): A synthesis of North American observations.	1
299	Rural continental aerosol properties and processes observed during the Hohenpeissenberg Aerosol Characterization Experiment (HAZE2002).	2
298	Relating CCN activity, volatility, and droplet growth kinetics of Eucaryophyllene secondary organic aerosol.	5
297	Secondary organic aerosol formation from acetylene (C₂H₂): seed effect on SOA yields due to organic photochemistry in the aerosol aqueous phase.	11
296	Loading-dependent elemental composition of α -pinene SOA particles.	6
295	Evolution of Asian aerosols during transpacific transport in INTEX-B.	21
294	Laboratory investigation of photochemical oxidation of organic aerosol from wood fires [Part 2: Analysis of aerosol mass spectrometer data.	6
293	Size-resolved aerosol chemistry on Whistler Mountain, Canada with a High-Resolution Aerosol Mass Spectrometer during INTEX-B.	4
292	Glyoxal uptake on ammonium sulphate seed aerosol: reaction products and reversibility of uptake under dark and irradiated conditions.	7
291	Emission and chemistry of organic carbon in the gas and aerosol phase at a sub-urban site near Mexico City in March 2006 during the MILAGRO study.	1
290	Single particle characterization using a light scattering module coupled to a time-of-flight aerosol mass spectrometer.	2

289	The influence of chemical composition and mixing state of Los Angeles urban aerosol on CCN number and cloud properties.	5
288	Interpretation of organic components from positive matrix factorization of aerosol mass spectrometric data.	32
287	Effects of aerosol organics on cloud condensation nucleus (CCN) concentration and first indirect aerosol effect.	6
286	Atmospheric aerosols in the earth system: a review of interactions and feedbacks.	13
285	Modeling organic aerosols during MILAGRO: application of the CHIMERE model and importance of biogenic secondary organic aerosols.	7
284	Evaluation of the volatility basis-set approach for the simulation of organic aerosol formation in the Mexico City metropolitan area.	8
283	Slower CCN growth kinetics of anthropogenic aerosol compared to biogenic aerosol observed at a rural site.	3
282	Microscopic characterization of carbonaceous aerosol particle aging in the outflow from Mexico City.	1
281	Contributions from transport, solid fuel burning and cooking to primary organic aerosols in two UK cities.	6
280	Water-soluble atmospheric HULIS in urban environments.	2
279	Absorption Angstrom Exponent in AERONET and related data as an indicator of aerosol composition.	11
278	Secondary Organic Aerosol from biogenic VOCs over West Africa during AMMA.	1
277	Chemically-resolved aerosol volatility measurements from two megacity field studies.	19
276	Airborne measurements of the spatial distribution of aerosol chemical composition across Europe and evolution of the organic fraction.	4
275	The formation, properties and impact of secondary organic aerosol: current and emerging issues.	24
274	Characterization of organic ambient aerosol during MIRAGE 2006 on three platforms.	5
273	Simultaneous factor analysis of organic particle and gas mass spectra: AMS and PTR-MS measurements at an urban site.	5
272	High formation of secondary organic aerosol from the photo-oxidation of toluene.	3

271	A review of Secondary Organic Aerosol (SOA) formation from isoprene.	8
270	Mexico City aerosol analysis during MILAGRO using high resolution aerosol mass spectrometry at the urban supersite (T0) [Part 1: Fine particle composition and organic source apportionment.	4
269	Photophoretic spectroscopy in atmospheric chemistry [high-sensitivity measurements of light absorption by a single particle. 2020 , 13, 3191-3203	2
268	A global analysis of climate-relevant aerosol properties retrieved from the network of Global Atmosphere Watch (GAW) near-surface observatories. 2020 , 13, 4353-4392	32
267	A new approach for measuring the carbon and oxygen content of atmospherically relevant compounds and mixtures. 2020 , 13, 4911-4925	3
266	The CU 2-dimensional MAX-DOAS instrument [Part 1: Retrieval of NO ₂ in 3 dimensions and azimuth dependent OVOC ratios.	2
265	Chemistry of α -pinene and naphthalene oxidation products generated in a Potential Aerosol Mass (PAM) chamber as measured by acetate chemical ionization mass spectrometry.	3
264	Measuring the atmospheric organic aerosol volatility distribution: a theoretical analysis.	2
263	Comparison of PMCAMx aerosol optical depth predictions over Europe with AERONET and MODIS measurements. 2016 , 9, 4257-4272	1
262	Description and evaluation of GMXe: a new aerosol submodel for global simulations (v1).	2
261	The Secondary Organic Aerosol Processor (SOAP v1.0) model: a unified model with different ranges of complexity based on the molecular surrogate approach.	2
260	Development studies towards an 11-year global gridded aerosol optical thickness reanalysis for climate and applied applications.	1
259	Current Status and Development of Modeling Techniques for Forecasting and Monitoring of Air Quality over East Asia. 2013 , 29, 407-438	6
258	Development of an in situ dual-channel thermal desorption gas chromatography instrument for consistent quantification of volatile, intermediate-volatility and semivolatile organic compounds. 2021 , 14, 6533-6550	1
257	Chemical Characterization and Source Apportionment of Organic Aerosols in the Coastal City of Chennai, India: Impact of Marine Air Masses on Aerosol Chemical Composition and Potential for Secondary Organic Aerosol Formation.	1
256	Formation of condensable organic vapors from anthropogenic and biogenic volatile organic compounds (VOCs) is strongly perturbed by NO ₂ in eastern China. 2021 , 21, 14789-14814	3
255	Time-dependent source apportionment of submicron organic aerosol for a rural site in an alpine valley using a rolling positive matrix factorisation (PMF) window. 2021 , 21, 15081-15101	5
254	Reduced volatility of aerosols from surface emissions to the top of the planetary boundary layer. 2021 , 21, 14749-14760	2

- 253 Investigating the sources and atmospheric processing of fine particles from Asia and the Northwestern United States measured during INTEX B.
- 252 Particle mass yield in secondary organic aerosol formed by the dark ozonolysis of α -pinene.
- 251 Organic nitrate and secondary organic aerosol yield from NO_3 oxidation of α -pinene evaluated using a gas-phase kinetics/aerosol partitioning model. 0
- 250 Secondary organic aerosol formation from photooxidation of naphthalene and alkylnaphthalenes: implications for oxidation of intermediate volatility organic compounds (IVOCs).
- 249 Regional differences in organic composition of submicron and single particles during INTEX-B 2006.
- 248 Vertical distribution of sub-micron aerosol chemical composition from North-Western Europe and the North-East Atlantic.
- 247 Trans-Pacific transport and evolution of aerosols and trace gases from Asia during the INTEX-B field campaign. 1
- 246 Widening the gap between measurement and modelling of secondary organic aerosol properties?.
- 245 Physicochemical properties and origin of organic groups detected in boreal forest using an aerosol mass spectrometer. 2
- 244 Elemental analysis of chamber organic aerosol using an aerodyne high-resolution aerosol mass spectrometer. 1
- 243 Aerosol analysis using a Proton-Transfer-Reaction Thermo-Desorption Mass Spectrometer (PTR-TD-MS): a new approach to study processing of organic aerosols.
- 242 Temperature effect on physical and chemical properties of secondary organic aerosol from *m*-xylene photooxidation. 1
- 241 Aged organic aerosol in the Eastern Mediterranean: the Finokalia aerosol measurement experiment-2008. 2
- 240 Cloud albedo increase from carbonaceous aerosol.
- 239 Solid state and sub-cooled liquid vapour pressures of substituted dicarboxylic acids using Knudsen Effusion Mass Spectrometry (KEMS) and Differential Scanning Calorimetry.
- 238 The effect of fatty acid surfactants on the uptake of ozone to aqueous halogenide particles.
- 237 The sensitivity of secondary organic aerosol component partitioning to the predictions of component properties [Part 1: A systematic evaluation of some available estimation techniques.
- 236 The effect of metal salts on quantification of elemental and organic carbon in diesel exhaust particles using thermal-optical evolved gas analysis.

- 235 Modeling secondary organic aerosol formation from isoprene oxidation under dry and humid conditions.
- 234 An extended secondary organic aerosol formation model: effect of oxidation aging and implications. 0
- 233 Temperature-induced volatility of molecular markers in ambient airborne particulate matter.
- 232 Dependence of SOA oxidation on organic aerosol mass concentration and OH exposure: experimental PAM chamber studies.
- 231 A simple representation of surface active organic aerosol in cloud droplet formation.
- 230 Carbonaceous aerosols contributed by traffic and solid fuel burning at a polluted rural site in Northwestern England.
- 229 Investigating the use of secondary organic aerosol as seed particles in simulation chamber experiments.
- 228 Sources and production of organic aerosol in Mexico City: insights from the combination of a chemical transport model (PMCAMx-2008) and measurements during MILAGRO.
- 227 Sources of carbonaceous aerosol in the Amazon Basin. 1
- 226 Understanding evolution of product composition and volatility distribution through in situ GC GC analysis: a case study of longifolene ozonolysis.
- 225 Development of a simple unified volatility-based scheme (SUVS) for secondary organic aerosol formation using genetic algorithms. 0
- 224 Hygroscopic behavior of atmospherically relevant water-soluble carboxylic salts and their influence on the water uptake of ammonium sulfate.
- 223 Size-resolved CCN distributions and activation kinetics of aged continental and marine aerosol. 1
- 222 Black carbon aerosol mixing state, organic aerosols and aerosol optical properties over the UK. 1
- 221 The optical, physical and chemical properties of the products of glyoxal uptake on ammonium sulfate seed aerosols. 2
- 220 Global mechanistic model of SOA formation: effects of different chemical mechanisms. 1
- 219 A new method to discriminate secondary organic aerosols from different sources using high-resolution aerosol mass spectra.
- 218 A closure study of cloud condensation nuclei in the North China Plain using droplet kinetic condensational growth model.

- 217 Characterization of near-highway submicron aerosols in New York City with a high-resolution time-of-flight aerosol mass spectrometer.
- 216 AMS and LC/MS analyses of SOA from the photooxidation of benzene and 1,3,5-trimethylbenzene in the presence of NO_x; effects of chemical structure on SOA aging.
- 215 Urban Atmospheric Composition Processes. **2012**, 215-228
- 214 Encyclopedia of Sustainability Science and Technology. **2012**, 11311-11324
- 213 First measurements of reactive dicarbonyl concentrations on PM_{2.5} aerosol over the boreal forest in Finland during HUMPPA-COPEC 2010: source apportionment and links to aerosol aging.
- 212 Evaluation of chemical transport model predictions of primary organic aerosol for air masses classified by particle-component-based factor analysis.
- 211 Identification and characterization of aging products in the glyoxal/ammonium sulfate system - implications for light-absorbing material in atmospheric aerosols.
- 210 Factor analysis of combined organic and inorganic aerosol mass spectra from high resolution aerosol mass spectrometer measurements.
- 209 Surface/bulk partitioning and acid/base speciation of aqueous decanoate: direct observations and atmospheric implications.
- 208 Modeling SOA formation from the oxidation of intermediate volatility *n*-alkanes.
- 207 Modeling meteorological and chemical effects of secondary organic aerosol during an EUCAARI campaign.
- 206 Aerosol cloud activation in summer and winter at puy-de-Dôme high altitude site in France.
- 205 Application of the Statistical Oxidation Model (SOM) to secondary organic aerosol formation from photooxidation of C₁₂ Alkanes. 1
- 204 A new source of oxygenated organic aerosol and oligomers.
- 203 Photosensitized heterogeneous oxidation kinetics of biomass burning aerosol surrogates by ozone using an irradiated rectangular channel flow reactor.
- 202 Semi-empirical parameterization of size-dependent atmospheric nanoparticle growth in continental environments. 1
- 201 The analysis of size-segregated cloud condensation nuclei counter (CCNC) data and its implications for aerosol-cloud interactions. 3
- 200 Biogenic VOC oxidation and organic aerosol formation in an urban nocturnal boundary layer: aircraft vertical profiles in Houston, TX.

- 199 Identification of humic-like substances (HULIS) in oxygenated organic aerosols using NMR and AMS factor analyses and liquid chromatographic techniques. 1
- 198 Quantitative single particle analysis with the Aerodyne aerosol mass spectrometer: development of a new classification algorithm and its application to field data. 1
- 197 In-situ submicron organic aerosol characterization at a boreal forest research station during HUMPPA-COPEC 2010 using soft and hard ionization mass spectrometry.
- 196 Liquid-liquid phase separation in particles containing organics mixed with ammonium sulfate, ammonium bisulfate, ammonium nitrate or sodium chloride. 1
- 195 Analysis of passive-sampler monitored atmospheric ammonia at 74 sites across southern Ontario, Canada. 1
- 194 Aircraft measurements of polar organic tracer compounds in tropospheric particles (PM₁₀) over Central China.
- 193 Primary to secondary organic aerosol: evolution of organic emissions from mobile combustion sources.
- 192 Estimation of cloud condensation nuclei concentration from aerosol optical quantities: influential factors and uncertainties.
- 191 Chemical mass balance of refractory particles ($T=300\text{ }^{\circ}\text{C}$) at the tropospheric research site Melpitz, Germany.
- 190 Development of stratospheric Lidar for observation of volcano aerosols in the stratosphere over Korea. **2013**, 29, 581-588 2
- 189 Global modeling of SOA: the use of different mechanisms for aqueous phase formation.
- 188 A naming convention for atmospheric organic aerosol. 1
- 187 Hygroscopicity, CCN and volatility properties of submicron atmospheric aerosol in a boreal forest environment during the summer of 2010. 1
- 186 The Radiative Impact of Biogenic SOA. **2014**, 75-91
- 185 Chemistry of new particle growth in mixed urban and biogenic emissions Insights from CARES. 1
- 184 Single-particle characterization of the High Arctic summertime aerosol.
- 183 Introduction. **2014**, 1-34
- 182 The influence of physical state on shikimic acid ozonolysis: a case for in situ microspectroscopy.

- 181 Development of an aerosol microphysical module: Aerosol Two-dimensional bin module for foRmation and Aging Simulation (ATRAS).
- 180 Atmospheric submicron aerosol composition and particulate organic nitrate formation in a boreal forestlandUrban mixed region.
- 179 Submicron aerosol source apportionment of wintertime pollution in Paris, France by Double Positive Matrix Factorization (PMF²) using Aerosol Chemical Speciation Monitor (ACSM) and multi-wavelength Aethalometer. 2
- 178 Investigating types and sources of organic aerosol in Rocky Mountain National Park using aerosol mass spectrometry.
- 177 ORACLE: a module for the description of ORganic Aerosol Composition and Evolution in the atmosphere. 1
- 176 Aging of secondary organic aerosol generated from the ozonolysis of α -pinene: effects of ozone, light and temperature.
- 175 Complex chemical composition of colored surface films formed from reactions of propanal in sulfuric acid at upper troposphere/lower stratosphere aerosol acidities.
- 174 Long-term real-time chemical characterization of submicron aerosols at Montsec (Southern Pyrenees, 1570 m a.s.l.). 1
- 173 Estimates of non-traditional secondary organic aerosols from aircraft SVOC and IVOC emissions using CMAQ.
- 172 Insights into the chemical composition of summertime PM_{2.5} at the northeast of the Qinghai-Xizang (Tibet) Plateau.
- 171 Impact of gas-to-particle partitioning approaches on the simulated radiative effects of biogenic secondary organic aerosol.
- 170 Chemical aging of single and multicomponent biomass burning aerosol surrogate-particles by OH: implications for cloud condensation nucleus activity.
- 169 Secondary organic aerosol formation from photochemical aging of light-duty gasoline vehicle exhausts in a smog chamber.
- 168 Chemical characterization of submicron aerosol and particle growth events at a national background site (3295 m a.s.l.) in the Tibetan Plateau. 1
- 167 Organic aerosol evolution and transport observed at Mt. Cimone (2165 m a.s.l.), Italy, during the PEGASOS campaign. 1
- 166 Modeling organic aerosol composition at the puy de Dôme mountain (France) for two contrasted air masses with the WRF-Chem model. 1
- 165 A two-dimensional volatility basis set [Part 3: Prognostic modeling and NO_x dependence].
- 164 Development of a numerical system to improve particulate matter forecasts in South Korea using geostationary satellite-retrieved aerosol optical data over Northeast Asia.

- 163 Sources, seasonality, and trends of Southeast US aerosol: an integrated analysis of surface, aircraft, and satellite observations with the GEOS-Chem chemical transport model.
- 162 Fourteen months of on-line measurements of the non-refractory submicron aerosol at the Jungfraujoch (3580 m a.s.l.) [chemical composition, origins and organic aerosol sources.
- 161 CESM/CAM5 improvement and application: comparison and evaluation of updated CB05_GE and MOZART-4 gas-phase mechanisms and associated impacts on global air quality and climate.
- 160 Wintertime aerosol chemical composition, volatility, and spatial variability in the greater London area.
- 159 Limited effect of anthropogenic nitrogen oxides on Secondary Organic Aerosol formation.
- 158 A sub-decadal trend of diacids in atmospheric aerosols in East Asia.
- 157 Measurement-based direct radiative effect by brown carbon over Indo-Gangetic Plain. 0
- 156 Formation of secondary aerosols from gasoline vehicle exhausts when mixing with SO₂ and NO_x.
- 155 What do correlations tell us about anthropogenic/biogenic interactions and SOA formation in the Sacramento Plume during CARES?.
- 154 Understanding sources of organic aerosol during CalNex-2010 using the CMAQ-VBS.
- 153 Oligomer formation in the troposphere: from experimental knowledge to 3-D modeling.
- 152 Molecular transformations of phenolic SOA during photochemical aging in the aqueous phase: competition among oligomerization, functionalization, and fragmentation.
- 151 Phase, composition and growth mechanism for secondary organic aerosol from the ozonolysis of β-pinene. 1
- 150 Aerosol Chemical Composition at the Mt. Cimone WMO/GAW Global Station. **2018**, 99-118
- 149 Comparison of the concentration characteristics and optical properties of aerosol chemical components in different regions. **2019**, 28, 107-123 2
- 148 Organic Air Pollutants: Measurement, Properties & Control. **2020**, 107-130
- 147 Characteristics and Source Contribution of Particulate Matters Acidity in City of Atlanta. **2020**, 421-426
- 146 New SOA Treatments Within the Energy Exascale Earth System Model (E3SM): Strong Production and Sinks Govern Atmospheric SOA Distributions and Radiative Forcing. **2020**, 12, e2020MS002266 7

145	Quantifying ambient concentrations of primary and secondary organic aerosol in central Los Angeles using an integrated approach coupling source apportionment with regression analysis. 2022 , 268, 118807		1
144	Estimating organic aerosol emissions from cooking in winter over the Pearl River Delta region, China. 2022 , 292, 118266		0
143	Process-based and observation-constrained SOA simulations in China: the role of semivolatile and intermediate-volatility organic compounds and OH levels. 2021 , 21, 16183-16201		3
142	Composition And Chemistry Of Tropospheric Secondary Organic Aerosols: State Of The Art. 2008 , 135-148		
141	Comparing secondary organic aerosol (SOA) volatility distributions derived from isothermal SOA particle evaporation data and FIGAERO-CIMS measurements. 2020 , 20, 10441-10458		2
140	Liquid-Liquid phase separation and morphologies in organic particles consisting of α -pinene and β -caryophyllene ozonolysis products and mixtures with commercially available organic compounds. 2020 , 20, 11263-11273		3
139	Evaluation of Biogenic Organic Aerosols in the Amazon Rainforest Using WRF-Chem With MOSAIC. 2021 , 126, e2021JD034913		
138	Particulate Oxalate-To-Sulfate Ratio as an Aqueous Processing Marker: Similarity Across Field Campaigns and Limitations.. <i>Geophysical Research Letters</i> , 2021 , 48, e2021GL096520	4-9	0
137	Transport-driven aerosol differences above and below the canopy of a mixed deciduous forest. 2021 , 21, 17031-17050		
136	Can Online Aerosol Mass Spectrometry Analysis Classify Secondary Organic Aerosol (SOA) and Oxidized Primary Organic Aerosol (OPOA)? A Case Study of Laboratory and Field Studies of Indonesian Biomass Burning.		1
135	Partitioning of Ambient Organic Gases to Inorganic Salt Solutions: Influence of Salt Identity, Ionic Strength, and pH. <i>Geophysical Research Letters</i> , 2021 , 48, e2021GL095247	4-9	1
134	Temporal Variations of the Contribution of Combustion-Derived Water Vapor to Urban Humidity During Winter in Xi'an, China.		
133	Hygroscopic growth and CCN activity of secondary organic aerosol produced from dark ozonolysis of β -pinene.. 2022 , 817, 153010		1
132	Soil dust as a potential bridge from biogenic volatile organic compounds to secondary organic aerosol in a rural environment.. 2022 , 298, 118840		1
131	Rapid growth of anthropogenic organic nanoparticles greatly alters cloud life cycle in the Amazon rainforest.. 2022 , 8, eabj0329		4
130	Primary and secondary organic winter aerosols in Mediterranean cities under different mixing layer conditions (Barcelona and Granada).. 2022 , 1		0
129	Catalytic role of formaldehyde in particulate matter formation.. 2022 , 119,		1
128	Extension of the AIOMFAC model by iodine and carbonate species: applications for aerosol acidity and cloud droplet activation. 2022 , 22, 973-1013		1

127	Modelling the gasparticle partitioning and water uptake of isoprene-derived secondary organic aerosol at high and low relative humidity. 2022 , 22, 215-244	2
126	Characterisation of the Manchester Aerosol Chamber facility. 2022 , 15, 539-559	2
125	Evaluation of Secondary Organic Aerosol (SOA) Simulations for Seoul, Korea. 2022 , 14,	1
124	Description and evaluation of a secondary organic aerosol and new particle formation scheme within TM5-MP v1.2. 2022 , 15, 683-713	0
123	Human-health impacts of controlling secondary air pollution precursors.. 2022 , 9, 96-101	2
122	Inline coupling of simple and complex chemistry modules within the global weather forecast model FIM (FIM-Chem v1). 2022 , 15, 467-491	0
121	Suppression of anthropogenic secondary organic aerosol formation by isoprene. 2022 , 5,	0
120	Simulation of the effects of low-volatility organic compounds on aerosol number concentrations in Europe. 2022 , 22, 1689-1706	1
119	Pathways to Highly Oxidized Products in the β -Carene + OH System.. 2022 ,	2
118	Greenwashing in the US Metal Industry? A Novel Approach Combining SO ₂ Concentrations From Satellite Data, a Plant-Level Firm Database and Web Text Mining.	
117	Roles of semivolatile and intermediate-volatility organic compounds in secondary organic aerosol formation and its implication: A review.. 2022 , 114, 259-285	0
116	Aircraft Study of Secondary Aerosols in Long-Range Transported Air Masses From the North China Plain by a Mid-Latitude Cyclone. 2022 , 127,	1
115	Phase Behavior of Internal Mixtures of Hydrocarbon-like Primary Organic Aerosol and Secondary Aerosol Based on Their Differences in Oxygen-to-Carbon Ratios.. 2022 ,	1
114	Hygroscopicity of organic compounds as a function of organic functionality, water solubility, molecular weight, and oxidation level. 2022 , 22, 3985-4004	1
113	A predictive viscosity model for aqueous electrolytes and mixed organicinorganic aerosol phases. 2022 , 22, 3203-3233	3
112	Impact of Aerosol Mixing State and Hygroscopicity on the Lidar Ratio. 2022 , 14, 1554	1
111	Nontarget Screening Exhibits a Seasonal Cycle of PM Organic Aerosol Composition in Beijing.. 2022 ,	
110	On the evolution of sub- and super-saturated water uptake of secondary organic aerosol in chamber experiments from mixed precursors. 2022 , 22, 4149-4166	2

109	Formation of secondary organic aerosols from anthropogenic precursors in laboratory studies. 2022 , 5,	2
108	Isomer-Resolved Reactivity of Organic Peroxides in Monoterpene-Derived Secondary Organic Aerosol.. 2022 ,	1
107	Characterization of the organic functional group composition and sources of summertime aerosols in an eastern city of China. 2022 , 277, 119078	0
106	Background levels of black carbon over remote marine locations. 2022 , 271, 106119	0
105	Temporal variations of the contribution of combustion-derived water vapor to urban humidity during winter in Xi'an, China.. 2022 , 154711	0
104	The investigations on organic sources and inorganic formation processes and their implications on haze during late winter in Seoul, Korea.. 2022 , 212, 113174	0
103	In the Footsteps of My Countrymen: Atmospheric Chemistry in New England, Los Angeles, and the Southeast United States. 2021 , 2,	
102	Modeling secondary organic aerosol formation from volatile chemical products.. 2021 , 21, 18247-18261	3
101	Estimation of Column Aerosol Contribution in Seoul and Gangneung Using Machine Learning Clustering Technique. 2021 , 37, 931-945	0
100	Oxidation Flow Reactor Results in a Chinese Megacity Emphasize the Important Contribution of S/IVOCs to Ambient SOA Formation.. 2021 ,	3
99	Contribution of Organic Nitrates to Organic Aerosol over South Korea during KORUS-AQ. 2021 ,	1
98	Full-volatility emission framework corrects missing and underestimated secondary organic aerosol sources. 2022 , 5, 403-412	3
97	Modelling aerosol molecular markers in a 3D air quality model: Focus on anthropogenic organic markers.. 2022 , 155360	0
96	Development and application of a supervised pattern recognition algorithm for identification of fuel-specific emissions profiles. 2022 , 15, 2591-2606	0
95	Greenwashing in the US metal industry? A novel approach combining SO concentrations from satellite data, a plant-level firm database and web text mining.. 2022 , 155512	
94	Summertime high abundances of succinic, citric, and glyoxylic acids in Antarctic aerosols: Implications to secondary organic aerosol formation.	
93	Introduction to Airborne Particulate Matter: Source, Chemistry and Health. 2022 , 1-7	
92	Sources and processes of organic aerosol in non-refractory PM1 and PM2.5 during foggy and haze episodes in an urban environment of the Yangtze River Delta, China. 2022 , 113557	0

91	European Aerosol Phenomenology - 8: Harmonised Source Apportionment of Organic Aerosol using 22 Year-long ACSM/AMS Datasets. 2022 , 107325	1
90	Evolution of source attributed organic aerosols and gases in a megacity of central China. 2022 , 22, 6937-6951	1
89	Characteristics of volatile organic compounds in the metropolitan city of Seoul, South Korea: Diurnal variation, source identification, secondary formation of organic aerosol, and health risk. 2022 , 156344	0
88	Characteristics and Source Apportionment of Size-Fractionated Particulate Matter at Ground and above the Urban Canopy (380 m) in Nanjing, China. 2022 , 13, 883	
87	Effects of the VACES particle concentrator on secondary organic aerosol and ambient particle composition. 1-22	
86	Pre-monsoon Submicron Aerosol Composition and Source Contribution in the Kathmandu Valley, Nepal.	0
85	Real-time single particle characterization of oxidized organic aerosols in the East China Sea. 2022 , 5,	
84	Seasonal Aerosol Acidity, Liquid Water Content and Their Impact on Fine Urban Aerosol in SE Canada. 2022 , 13, 1012	
83	Pathogenic Mechanisms of Secondary Organic Aerosols.	1
82	Characterization of Atmospheric Fine Particles and Secondary Aerosol Estimated under the Different Photochemical Activities in Summertime Tianjin, China. 2022 , 19, 7956	0
81	Effects of Organic Matrices on Nucleophilic Aqueous Aerosol Chemistry: Yields and Mechanistic Insight for Brown Carbon Formation from Glyoxal and Ammonia.	0
80	Insect Herbivory Caused Plant Stress Emissions Increases the Negative Radiative Forcing of Aerosols. 2022 , 127,	0
79	Diurnal evolution of negative atmospheric ions above the boreal forest: from ground level to the free troposphere. 2022 , 22, 8547-8577	0
78	Quantifying the effects of mixing state on aerosol optical properties. 2022 , 22, 9265-9282	1
77	Roles of Relative Humidity and Particle Size on Chemical Aging of Tropical Peatland Burning Particles: Potential Influence of Phase State and Implications for Hygroscopic Property. 2022 , 127,	0
76	Aqueous OH Oxidation of Highly Substituted Phenols as a Source of Secondary Organic Aerosol. 2022 , 56, 9959-9967	1
75	Highly oxygenated organic molecules with high unsaturation formed upon photochemical aging of soot. 2022 ,	2
74	Viscosity and physical state of sucrose mixed with ammonium sulfate droplets. 2022 , 22, 8805-8817	2

- 73 NMVOC emissions and their formation into secondary organic aerosols over India using WRF-Chem model. **2022**, 287, 119254 0
- 72 Secondary organic carbon in different atmospheric environments of a continental region and seasons. **2022**, 106360
- 71 Aerosol processes. **2022**, 135-185
- 70 Acidity-Dependent Atmospheric Organosulfate Structures and Spectra: Exploration of Protonation State Effects via Raman and Infrared Spectroscopies Combined with Density Functional Theory. 3
- 69 Evidence for anthropogenic organic aerosols contributing to ice nucleation.
- 68 Characteristics and Source Analysis of PM₁ in a Typical Steel-Industry City, Southwest China. **2022**, 13, 1304 0
- 67 Seasonal variation in oxygenated organic molecules in urban Beijing and their contribution to secondary organic aerosol. **2022**, 22, 10077-10097 0
- 66 Comparisons of GC-Measured Carboxylic Acids and AMS m/z 44 Signals: Contributions of Organic Acids to m/z 44 Signals in Remote Aerosols from Okinawa Island. **2022**, 12, 8017
- 65 High temperature and pressure regime soot: Physical, optical and chemical signatures from high explosive detonations. 1-16
- 64 Watching Paint Dry: Organic Vapor Emissions from Architectural Coatings and their Impact on Secondary Organic Aerosol Formation. **2022**, 56, 11236-11245 1
- 63 Particle-Phase Uptake and Chemistry of Highly Oxygenated Organic Molecules (HOMs) From β -Pinene OH Oxidation. **2022**, 127, 1
- 62 Observations on the unique phase transitions of inorganics relevant due to gluconic acid in particles. **2022**, 288, 119313
- 61 Effects of atmospheric aging processes on carbonaceous species and water-soluble inorganic ions in biomass burning aerosols. **2022**, 288, 119322
- 60 Suppression of the phenolic SOA formation in the presence of electrolytic inorganic seed. **2022**, 851, 158082
- 59 Saccharides in atmospheric PM_{2.5} in tropical forest region of southwest China: Insights into impacts of biomass burning on organic carbon aerosols. **2022**, 308, 136251 0
- 58 Molecular characteristics, sources and influencing factors of isoprene and monoterpenes secondary organic aerosol tracers in the marine atmosphere over the Arctic Ocean. **2022**, 853, 158645 0
- 57 Global aerosol properties. **2022**, 101-133 0
- 56 Sulfur radical formation from the tropospheric irradiation of aqueous sulfate aerosols. **2022**, 119, 2

55	Evaluation of the Sources, Precursors, and Processing of Aerosols at a High-Altitude Tropical Site.	0
54	Atmospherically Relevant Chemistry and Aerosol box model IARCA box (version 1.2). 2022 , 15, 7257-7286	0
53	Gas-Particle Uptake and Hygroscopic Growth by Organosulfate Particles.	0
52	Acylperoxy Radicals as Key Intermediates in the Formation of Dimeric Compounds in α -Pinene Secondary Organic Aerosol.	0
51	The response of summertime organic aerosol composition to emission controls in the northeastern United States.	0
50	Effects of Nitrogen Oxides on the Production of Reactive Oxygen Species and Environmentally Persistent Free Radicals from α -Pinene and Naphthalene Secondary Organic Aerosols.	1
49	Source Diversity of Intermediate Volatility n-Alkanes Revealed by Compound-Specific $\delta^{13}C$ Isotopes.	0
48	Intermediate-Volatility Organic Compounds Observed in a Coastal Megacity: Importance of Non-Road Source Emissions. 2022 , 127,	0
47	Chemistry of Secondary Organic Aerosol Formation from Reactions of Monoterpenes with OH Radicals in the Presence of NO _x . 2022 , 126, 7719-7736	1
46	VOCs emitted by biopharmaceutical industries: Source profiles, health risks, and secondary pollution. 2022 ,	0
45	Phase State and Relative Humidity Regulate the Heterogeneous Oxidation Kinetics and Pathways of Organic-Inorganic Mixed Aerosols.	0
44	Examination of brown carbon absorption from wildfires in the western US during the WE-CAN study. 2022 , 22, 13389-13406	0
43	Unexpected significance of a minor reaction pathway in daytime formation of biogenic highly oxygenated organic compounds. 2022 , 8,	0
42	Real-Time Source Apportionment of Organic Aerosols in Three European Cities.	0
41	Building an oxidation reactor in Taiwan: From volatile organic compounds to secondary organic aerosols.	0
40	Effects of NO ₂ and SO ₂ on the secondary organic aerosol formation from beta-pinene photooxidation. 2022 ,	0
39	Real-world emission characteristics of semivolatile/intermediate-volatility organic compounds originating from nonroad construction machinery in the working process. 2023 , 858, 159970	0
38	Spatiotemporal distribution and influencing factors of secondary organic aerosols in the summer atmosphere from the Bering Sea to the western North Pacific. 2023 , 859, 160138	0

- 37 Water Solubility Distribution of Organic Matter Accounts for the Discrepancy in Hygroscopicity among Sub- and Supersaturated Humidity Regimes. ○
- 36 Thermal effects on dispersion of secondary inorganic aerosols in an urban street canyon. **2023**, 47, 101375 ○
- 35 New Particle Formation and Growth Dynamics for α -Pinene Ozonolysis in a Smog Chamber and Implications for Ambient Environments. **2022**, 6, 2826-2835 ○
- 34 Underestimated Contribution of Heavy Aromatics to Secondary Organic Aerosol Revealed by Comparative Assessments Using New and Traditional Methods. ○
- 33 Submicron Aerosol Composition and Source Contribution across the Kathmandu Valley, Nepal, in Winter. 1
- 32 Detecting and Characterizing Particulate Organic Nitrates with an Aerodyne Long-ToF Aerosol Mass Spectrometer. ○
- 31 Non-linear effects of secondary organic aerosol formation and properties in multi-precursor systems. **2022**, 13, ○
- 30 Relationships of the Hygroscopicity of HULIS With Their Degrees of Oxygenation and Sources in the Urban Atmosphere. **2022**, 127, ○
- 29 Molecular tracers, mass spectral tracers and oxidation of organic aerosols emitted from cooking and fossil fuel burning sources. **2023**, 161635 ○
- 28 Ring-opening yields and auto-oxidation rates of the resulting peroxy radicals from OH-oxidation of α -Pinene and β -Pinene. ○
- 27 Impact of aging on the sources, volatility, and viscosity of organic aerosols in Chinese outflows. **2023**, 23, 611-636 ○
- 26 Sources of organic aerosols in eastern China: a modeling study with high-resolution intermediate-volatility and semivolatile organic compound emissions. **2023**, 23, 323-344 ○
- 25 Secondary Organic Aerosol Formation from Semi-Volatile and Intermediate Volatility Organic Compounds in the Fall in Beijing. **2023**, 14, 94 ○
- 24 Current air quality monitoring methods. **2023**, 13-103 ○
- 23 Chemical Characteristics and Cytotoxicity to GC-2spd(ts) Cells of PM_{2.5} in Nanjing Jiangbei New Area from 2015 to 2019. **2023**, 11, 92 ○
- 22 Factors influencing ambient particulate matter in Delhi, India: Insights from machine learning. 1-16 ○
- 21 Chronic Exposure to Secondary Organic Aerosols Causes Lung Tissue Damage. ○
- 20 Sulfate-associated liquid water amplifies the formation of oxalic acid at a semi-arid tropical location over peninsular India during winter. **2023**, 874, 162365 ○

- 19 Real time measurements of the secondary organic aerosol formation and aging from ambient air using an oxidation flow reactor in seoul during winter. **2023**, 327, 121464 ○
- 18 The first balloon-borne sample analysis of atmospheric carbonaceous components reveals new insights into formation processes. **2023**, 326, 138421 ○
- 17 Contrasting the characteristics, sources, and evolution of organic aerosols between summer and winter in a megacity of China. **2023**, 877, 162937 ○
- 16 Size distributions of molecular markers for biogenic secondary organic aerosol in urban Beijing. **2023**, 327, 121569 ○
- 15 Characteristics of fine particle matter at the top of Shanghai Tower. **2023**, 23, 1329-1343 ○
- 14 Trends of Full-Volatility Organic Emissions in China from 2005 to 2019 and Their Organic Aerosol Formation Potentials. **2023**, 10, 137-144 1
- 13 Modeling of wintertime regional formation of secondary organic aerosols around Beijing: sensitivity analysis and anthropogenic contributions. **2023**, 2, 1 1
- 12 Missed Evaporation from Atmospherically Relevant Inorganic Mixtures Confounds Experimental Aerosol Studies. **2023**, 57, 2706-2714 ○
- 11 Molecular and Structural Characterization of Isomeric Compounds in Atmospheric Organic Aerosol Using Ion Mobility-Mass Spectrometry. **2023**, 127, 1656-1674 ○
- 10 Microphysics of liquid water in sub-10 nm ultrafine aerosol particles. **2023**, 23, 2525-2556 ○
- 9 Contrasting Influence of Nitrogen Oxides on the Cloud Condensation Nuclei Activity of Monoterpene-Derived Secondary Organic Aerosol in Daytime and Nighttime Oxidation. **2023**, 50, ○
- 8 CCN activation of ultrafine biogenic-WSOC under restricted anthropogenic emissions: A study over eastern Himalaya in India. **2023**, 287, 106704 ○
- 7 Detection of bioaerosols using hyperspectral LIF-LIDAR during S/K challenge II campaign at Dugway. **2023**, 14, 101723 ○
- 6 Marine Submicron Aerosols from the Gulf of Mexico: Polluted and Acidic with Rapid Production of Sulfate and Organosulfates. **2023**, 57, 5149-5159 ○
- 5 Sources of Organic Aerosol in China from 2005 to 2019: A Modeling Analysis. **2023**, 57, 5957-5966 ○
- 4 Drivers of High Concentrations of Secondary Organic Aerosols in Northern China during the COVID-19 Lockdowns. **2023**, 57, 5521-5531 ○
- 3 Investigating the impact of relative humidity and air tightness on PM sedimentation and concentration reduction. **2023**, 110270 ○
- 2 Fresh and Aged Organic Aerosol Emissions from Renewable Diesel-Like Fuels HVO and RME in a Heavy-Duty Compression Ignition Engine. ○

1 Unexpectedly Efficient Aging of Organic Aerosols Mediated by Autoxidation.

o