

Gas Sensors Based on Conducting Polymers

Sensors

7, 267-307

DOI: 10.3390/s7030267

Citation Report

#	ARTICLE	IF	CITATIONS
1	Electronic nose: A toxic gas sensor by polyaniline thin film conducting polymer. , 2007, , .		7
2	Development of QCM Trimethylamine Sensor Based on Water Soluble Polyaniline. Sensors, 2007, 7, 2378-2388.	2.1	42
3	Electrosynthesis of polypyrrole/sulfonated polyaniline composite films and their applications for ammonia gas sensing. Polymer, 2007, 48, 4015-4020.	1.8	73
4	Aligned three-dimensional microstructures of conducting polymer composites. Polymer, 2007, 48, 5259-5267.	1.8	36
5	Conducting polymers in chemical sensors and arrays. Analytica Chimica Acta, 2008, 614, 1-26.	2.6	802
6	Application of chemically synthesized conducting polymer-polypyrrole as a carbon dioxide gas sensor. Sensors and Actuators B: Chemical, 2008, 128, 366-373.	4.0	184
7	Polymeric films based on long-chain acetylenes as sensors for iodine vapour. Sensors and Actuators B: Chemical, 2008, 129, 171-175.	4.0	9
8	An integrated CMOS sensing chip for NO ₂ detection. Sensors and Actuators B: Chemical, 2008, 134, 585-590.	4.0	61
9	Electrical and humidity sensing properties of synthesized hydrophosphoric acid doped polyaniline. Polymers for Advanced Technologies, 2008, 19, 60-65.	1.6	15
10	Humidity sensitive poly(2,5-dimethoxyaniline)/WO ₃ composites. Sensors and Actuators B: Chemical, 2008, 132, 116-124.	4.0	52
11	A novel pH sensor based on hydroquinone monosulfonate-doped conducting polypyrrole. Sensors and Actuators B: Chemical, 2008, 135, 366-374.	4.0	39
12	Separated analysis of bulk and contact resistance of conducting polymers: Comparison of simultaneous two- and four-point measurements with impedance measurements. Journal of Electroanalytical Chemistry, 2008, 622, 246-251.	1.9	44
13	Composites of Intrinsically Conducting Polymers as Sensing Nanomaterials. Chemical Reviews, 2008, 108, 746-769.	23.0	609
14	Conductivity of Thin Polymer Films Containing Polyaniline. Molecular Crystals and Liquid Crystals, 2008, 485, 796-803.	0.4	8
15	Electrochemical Fabrication of Superhydrophobic Surfaces on Metal and Semiconductor Substrates. Journal of Adhesion Science and Technology, 2008, 22, 1819-1839.	1.4	15
16	Electrical Transport and Chemical Sensing Properties of Individual Conducting Polymer Nanowires. Nano Letters, 2008, 8, 4653-4658.	4.5	86
17	Electrochemical sensor for nitrite determination based on thin films of sulfamic acid doped polyaniline deposited on Si/SiO ₂ structures in electrolyte/insulator/semiconductor (E.I.S.) configuration. Synthetic Metals, 2008, 158, 722-726.	2.1	16
18	Development of gas sensor system based on the TiO ₂ /Pani composite thin film. , 2008, , .		1

#	ARTICLE	IF	CITATIONS
19	Combinatorial and High-Throughput Development of Sensing Materials: The First 10 Years. <i>Chemical Reviews</i> , 2008, 108, 770-813.	23.0	232
20	Alcohol vapor sensory properties of nanostructured conjugated polymers. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 474207.	0.7	25
21	NO gas sensor of PEDOT: PSS nanowires by using direct patterning DPN. , 2008, 2008, 3208-11.		0
22	ELECTRON SPIN RESONANCE STUDY OF POLY (ORTHO-ANISIDINE)/SINGLE-WALLED CARBON NANOTUBE COMPOSITE FILMS: SPIN DYNAMICS AND EFFECTS OF PHYSISORPTION PROCESSES. <i>Nano</i> , 2008, 03, 187-194.	0.5	4
23	Polyaniline-carbon nanotube composites. <i>Pure and Applied Chemistry</i> , 2008, 80, 2377-2395.	0.9	127
24	NH ₃ sensitive chemiresistor sensors using plasma functionalized multiwall carbon nanotubes/conducting polymer composites. , 2008, , .		1
25	Electronic Nose Technology in Food Analysis. , 2008, , .		3
26	Electropolymerization of polypyrrole films doped with sulfonated polyaniline. <i>EPJ Applied Physics</i> , 2008, 42, 141-144.	0.3	0
27	Electroanalysis of NADH Using Conducting and Redox Active Polymer/Carbon Nanotubes Modified Electrodes-A Review. <i>Sensors</i> , 2008, 8, 739-766.	2.1	123
28	Amperometric Sensor for Detection of Chloride Ions. <i>Sensors</i> , 2008, 8, 5619-5636.	2.1	30
29	Designing Polyaniline (PANI) and Polyvinyl Alcohol (PVA) Based Electrically Conductive Nanocomposites: Preparation, Characterization and Blood Compatible Study. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2009, 46, 774-782.	1.2	26
30	ROOM-TEMPERATURE NITRIC OXIDE GAS SENSING OF PEDOT THIN FILM USING SURFACE PLASMON RESONANCE. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2009, 21, 395-398.	0.3	1
31	Screening of polymer coatings for surface plasmon resonance sensing of ammonia vapor. <i>Proceedings of SPIE</i> , 2009, , .	0.8	0
32	Conducting Polymer Nanomaterials for High Performance Sensor Applications: Issues and Challenges. <i>Advanced Functional Materials</i> , 2009, 19, 1567-1576.	7.8	304
33	One-Dimensional Conducting Polymer Nanostructures: Bulk Synthesis and Applications. <i>Advanced Materials</i> , 2009, 21, 1487-1499.	11.1	465
34	Organic semiconductors in potentiometric gas sensors. <i>Journal of Solid State Electrochemistry</i> , 2009, 13, 41-49.	1.2	62
35	Low cost, portable, fast multiparameter data acquisition system for organic transistor odour sensors. <i>Sensors and Actuators B: Chemical</i> , 2009, 137, 586-591.	4.0	27
36	Morpholine doped poly(3,4-ethylenedioxy)thiophene-poly(styrenesulfonate) as a low temperature and quick carbon monoxide sensor. <i>Sensors and Actuators B: Chemical</i> , 2009, 142, 152-158.	4.0	13

#	ARTICLE	IF	CITATIONS
37	Nitrogen dioxide vapor detection using poly-o-toluidine. <i>Sensors and Actuators B: Chemical</i> , 2009, 143, 454-457.	4.0	18
38	Electrical properties of single and multiple poly(3,4-ethylenedioxythiophene) nanowires for sensing nitric oxide gas. <i>Analytica Chimica Acta</i> , 2009, 640, 68-74.	2.6	74
39	Conducting polymers for electrochemical DNA sensing. <i>Biomaterials</i> , 2009, 30, 2132-2148.	5.7	300
40	Characterization of Plasma-Polymerized Thiophene Thin Films and Nanoparticles Synthesized by a Double-Discharge Technique. <i>Plasma Processes and Polymers</i> , 2009, 6, 126-131.	1.6	10
41	Characterization of gas sensing behavior of multi walled carbon nanotube polyaniline composite films. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 8444-8450.	3.8	68
42	Using a PEDOT:PSS modified electrode for detecting nitric oxide gas. <i>Sensors and Actuators B: Chemical</i> , 2009, 140, 402-406.	4.0	63
43	Thin film polypyrrole/SWCNTs nanocomposites-based NH ₃ sensor operated at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2009, 140, 500-507.	4.0	99
44	Sensing properties of organised films based on a bithiophene derivative. <i>Sensors and Actuators B: Chemical</i> , 2009, 141, 625-633.	4.0	11
45	Optical VOCs detection using poly(3-alkylthiophenes) with different side-chain lengths. <i>Sensors and Actuators B: Chemical</i> , 2009, 142, 55-60.	4.0	19
46	Effects of O ₂ plasma treatment on NH ₃ sensing characteristics of multiwall carbon nanotube/polyaniline composite films. <i>Sensors and Actuators B: Chemical</i> , 2009, 143, 333-340.	4.0	115
47	Indentation modulus and hardness of viscoelastic thin films by atomic force microscopy: A case study. <i>Ultramicroscopy</i> , 2009, 109, 1417-1427.	0.8	37
48	Composite nanofibers of conducting polymers and hydrophobic insulating polymers: Preparation and sensing applications. <i>Polymer</i> , 2009, 50, 3292-3301.	1.8	88
49	Soluble semi-conductive chelate polymers containing Cr(III) in the backbone: Synthesis, characterization, optical, electrochemical, and electrical properties. <i>Polymer</i> , 2009, 50, 5653-5660.	1.8	32
50	Layered Surface Acoustic Wave Hydrogen Sensor Based on Polyethylaniline Nanofibers. <i>Procedia Chemistry</i> , 2009, 1, 220-223.	0.7	3
51	Application of sensor arrays based on thin films of conducting polymers for chemical recognition of volatile organic solvents. <i>Sensors and Actuators B: Chemical</i> , 2009, 135, 541-551.	4.0	71
52	Parts-per-billion level chlorine sensors with fast kinetics using ultrathin cobalt phthalocyanine films. <i>Chemical Physics Letters</i> , 2009, 480, 185-188.	1.2	35
53	The molecular structure of plasma polymerized thiophene and pyrrole thin films produced by double discharge technique. <i>Synthetic Metals</i> , 2009, 159, 2001-2008.	2.1	26
54	Conducting polymer nanomaterials: electrosynthesis and applications. <i>Chemical Society Reviews</i> , 2009, 38, 2397.	18.7	615

#	ARTICLE	IF	CITATIONS
55	Microfabricated Formaldehyde Gas Sensors. <i>Sensors</i> , 2009, 9, 9196-9215.	2.1	60
56	Combinatorial Methods for Chemical and Biological Sensors. , 2009, , .		14
57	ZnO-nanowires modified polypyrrole films as highly selective and sensitive chlorine sensors. <i>Applied Physics Letters</i> , 2009, 94, .	1.5	54
58	Soft, wet, and reactive polymers. Sensing artificial muscles and conformational energy. <i>Journal of Materials Chemistry</i> , 2009, 19, 681-689.	6.7	87
60	Electrical properties of PEDOT. , 2009, , .		1
61	Detecting insect infestation with poly3-hexylthiophenethin thin film sensor. , 2009, , .		0
62	Study on Sensing Properties of Electro-spun PEO/MWNT Non-woven Fabric. <i>Research Journal of Textile and Apparel</i> , 2010, 14, 89-96.	0.6	5
63	Electrical and gas sensing properties of polyaniline-chloroaluminium phthalocyanine composite thin films. <i>EPJ Applied Physics</i> , 2010, 52, 10402.	0.3	29
64	Gasâ€ Sensing Properties of Needleâ€ Shaped Niâ€ Doped SnO ₂ Nanocrystals Prepared by a Simple Solâ€ Gel Chemical Precipitation Method. <i>Chemistry - an Asian Journal</i> , 2010, 5, 2379-2385.	1.7	33
65	Improvement of ammonia sensing properties of Âpoly(pyrrole)â€ poly (n-methylpyrrole) composite by ÂionÂ irradiation. <i>Applied Physics A: Materials Science and Processing</i> , 2010, 100, 1083-1088.	1.1	22
66	A comparative study of DRL-lift and lift on integrated polyisobutylene polymer matrices. <i>Applied Physics A: Materials Science and Processing</i> , 2010, 101, 429-434.	1.1	17
67	Polymer pixel enhancement by laser-induced forward transfer for Âsensor applications. <i>Applied Physics A: Materials Science and Processing</i> , 2010, 101, 559-565.	1.1	20
68	Fabrication and ammonia gas sensing of palladium/polypyrrole nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2010, 145, 25-31.	4.0	89
69	Evaluation of polymer coatings for ammonia vapor sensing with surface plasmon resonance spectroscopy. <i>Sensors and Actuators B: Chemical</i> , 2010, 147, 255-262.	4.0	23
70	Design and fabrication of gas sensor based on nanostructure conductive polypyrrole for determination of volatile organic solvents. <i>Sensors and Actuators B: Chemical</i> , 2010, 147, 461-466.	4.0	65
71	Development and evaluation of chemoresistive polymer sensors for low concentration detection of volatile organic compounds related to food safety applications. <i>Sensing and Instrumentation for Food Quality and Safety</i> , 2010, 4, 20-34.	1.5	11
72	Development of a protein sensing device utilizing interactions between polyaniline and a polymer acid dopant. <i>Biomedical Microdevices</i> , 2010, 12, 435-442.	1.4	10
75	Forcefields based molecular modeling on the mechanical and physical properties of emeraldine base polyaniline. <i>Procedia Engineering</i> , 2010, 5, 1268-1271.	1.2	10

#	ARTICLE	IF	CITATIONS
76	Synthesis and characterization of fluorescent graft fluorene-co-polyphenol derivatives: The effect of substituent on solubility, thermal stability, conductivity, optical and electrochemical properties. <i>Reactive and Functional Polymers</i> , 2010, 70, 815-826.	2.0	54
77	Conducting polyaniline composite: From syntheses in waterborne systems to chemical sensor devices. <i>Polymer</i> , 2010, 51, 1716-1722.	1.8	29
78	Formation of nanostructured composites with environmentally-dependent electrical properties based on poly(vinylidene fluoride)-"polyaniline core"-shell latex system. <i>Polymer</i> , 2010, 51, 2000-2006.	1.8	29
79	A novel concept for humidity compensated sub-ppm ammonia detection. <i>Sensors and Actuators B: Chemical</i> , 2010, 145, 181-184.	4.0	21
80	Highly sensitive glucose biosensor based on CF ₄ -plasma-modified interdigital transducer array (IDA) microelectrode. <i>Sensors and Actuators B: Chemical</i> , 2010, 149, 59-66.	4.0	4
81	In situ spectroscopic studies to investigate uncharacteristic NH ₃ sensing behavior of polycarbazole Langmuir-Blodgett films. <i>Sensors and Actuators B: Chemical</i> , 2010, 150, 7-11.	4.0	15
82	Template mediated formation of shaped polypyrrole particles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 354, 368-376.	2.3	28
83	Biocompatible novel starch/polyaniline composites: Characterization, anti-cytotoxicity and antioxidant activity. <i>Colloids and Surfaces B: Biointerfaces</i> , 2010, 81, 158-164.	2.5	86
84	Detection of volatile organic compounds using a polythiophene derivative. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 1756-1759.	0.8	17
87	Preparaço e caracterizaço eltrica de sensores de metanol Å base de nanocompsitos hbridos de polipirrol/nanopartculas metlicas. <i>Polimeros</i> , 2010, 20, 253-257.	0.2	1
88	Intrinsically Conducting Polymers (ICPs). , 2010, , 361-424.		3
89	Humidity sensitive organic field effect transistor. <i>Journal of Semiconductors</i> , 2010, 31, 054001.	2.0	15
90	Antioxidant activity and haemolysis prevention efficiency of polyaniline nanofibers. <i>Nanotechnology</i> , 2010, 21, 045101.	1.3	61
91	Structure and properties of polymer core-shell systems: Helium ion microscopy and electrical conductivity studies. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010, 28, C6P59-C6P65.	0.6	5
92	Study on wireless intelligent surface acoustic wave CO gas sensor based on grid computing and Web service. , 2010, , .		0
94	Plasma Polymerized Calixarene Thin Films and their Sensing Properties to Chloroform Vapors. <i>Molecular Crystals and Liquid Crystals</i> , 2010, 521, 104-111.	0.4	6
95	Electrical resistance response of polyaniline films to water, ethanol, and nitric acid solution. <i>Chinese Physics B</i> , 2010, 19, 088105.	0.7	3
96	Development of a Chemiresistor Sensor Based on Polymers-Dye Blend for Detection of Ethanol Vapor. <i>Sensors</i> , 2010, 10, 2812-2820.	2.1	22

#	ARTICLE	IF	CITATIONS
97	Selective sensing of volatile organic compounds using novel conducting polymer-metal nanoparticle hybrids. <i>Nanotechnology</i> , 2010, 21, 125503.	1.3	57
98	Supercapacitors Based on Flexible Graphene/Polyaniline Nanofiber Composite Films. <i>ACS Nano</i> , 2010, 4, 1963-1970.	7.3	2,100
99	Mechanochemical preparation of conducting polymers and oligomers. <i>Synthetic Metals</i> , 2010, 160, 47-51.	2.1	22
100	Study of chemiresistor type CNT doped polyaniline gas sensor. <i>Synthetic Metals</i> , 2010, 160, 529-534.	2.1	101
101	Synthesis and characterization of fluorescent polyphenol species derived from methyl substituted aminopyridine based Schiff bases: The effect of substituent position on optical, electrical, electrochemical, and fluorescence properties. <i>Synthetic Metals</i> , 2010, 160, 911-920.	2.1	86
102	Preparation of one-dimensional (1D) polyaniline-polypyrrole coaxial nanofibers and their application in gas sensor. <i>Synthetic Metals</i> , 2010, 160, 1136-1142.	2.1	36
103	Electrospun PEDOT:PSS/PVP nanofibers as the chemiresistor in chemical vapour sensing. <i>Synthetic Metals</i> , 2010, 160, 1415-1421.	2.1	76
104	Effect of various parameters on the conductivity of free standing electro synthesized polypyrrole films. <i>Synthetic Metals</i> , 2010, 160, 2180-2185.	2.1	58
105	Redox behaviour of polyaniline-palladium catalytic system in the presence of formic acid. <i>Synthetic Metals</i> , 2010, 160, 2546-2551.	2.1	9
106	Fluorescence study of protein immobilization on poly(4-hydroxyphenyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 Td ₄ (thiophene)	3.8	4
107	Electrosynthesis of oligo(methoxyl pyrene) for turn-on fluorescence detection of volatile aromatic compounds. <i>Journal of Materials Chemistry</i> , 2010, 20, 2993.	6.7	23
108	Electrospun Electroactive Polymer and Metal Oxide Nanofibers for Chemical Sensor Applications. , 2010, , .		1
109	Silver nanoparticle polymer composite based humidity sensor. <i>Analyst, The</i> , 2010, 135, 1645.	1.7	47
110	Electrochemical Capacitance of Nanocomposite Polypyrrole/Cellulose Films. <i>Journal of Physical Chemistry C</i> , 2010, 114, 17926-17933.	1.5	109
111	Extraction of Electronic Parameters of PEDOT:PSS-PVA/n-Si Heterojunction Diode. , 2010, , .		3
112	Tobacco mosaic virus based thin film sensor for detection of volatile organic compounds. <i>Journal of Materials Chemistry</i> , 2010, 20, 5715.	6.7	39
113	Low-Power and High-Sensitivity Humidity Sensor Using Fe-Al-Polyaniline Blends. <i>IEEE Sensors Journal</i> , 2010, 10, 1142-1146.	2.4	8
114	Sensing gases with carbon nanotubes: a review of the actual situation. <i>Journal of Physics Condensed Matter</i> , 2010, 22, 013001.	0.7	79

#	ARTICLE	IF	CITATIONS
115	The effect of dipole moment and electron deficiency of analytes on the chemiresistive response of TiO ₂ (B) nanowires. <i>Analyst, The</i> , 2011, 136, 4179.	1.7	5
116	Gas discrimination by ZnO nanowire arrays with different metal oxide coatings. , 2011, , .		2
117	A Chemiresistor Sensor With a Poly3-Hexylthiophene Active Layer for the Detection of Insect Infestation at Early Stages. <i>IEEE Sensors Journal</i> , 2011, 11, 1617-1622.	2.4	11
118	Investigation of poly(o-anisidine)-SnO ₂ nanocomposites for fabrication of low temperature operative liquefied petroleum gas sensor. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	15
119	Conductive-carbon-black filled PDMS chemiresistor sensor for the detection of volatile organic compounds. , 2011, , .		3
120	Evaluation and selection of sensing materials for carbon dioxide (CO ₂) sensor by molecular modeling. <i>Procedia Engineering</i> , 2011, 25, 379-382.	1.2	6
121	Polythiophene composites: a review of selected applications. <i>Journal of Polymer Engineering</i> , 2011, 31, .	0.6	25
122	Electrochemical deposition of polyaniline nanosheets mediated by sulfonated polyaniline functionalized graphenes. <i>Journal of Materials Chemistry</i> , 2011, 21, 13978.	6.7	51
123	Three-Dimensional Nanoarchitectures. , 2011, , .		19
124	Multiparameter OFET sensor at low power. , 2011, , .		0
125	Polyaniline-tungsten oxide metacomposites with tunable electronic properties. <i>Journal of Materials Chemistry</i> , 2011, 21, 342-348.	6.7	153
126	Exploring the application of conjugated polymer nanoparticles in chemical sensing: detection of free radicals by a synergy between fluorescent nanoparticles of two conjugated polymers. <i>Journal of Materials Chemistry</i> , 2011, 21, 18696.	6.7	21
128	DC electrical conductivity of carbon black polymer composites at low temperatures. <i>Journal of Non-Crystalline Solids</i> , 2011, 357, 1741-1744.	1.5	31
129	Synthesis and characterization of a novel kind soluble, conjugated, and fluorescent chelate polymer containing fluorene ring in the backbone: Optical, electrical, and electrochemical properties. <i>Synthetic Metals</i> , 2011, 161, 13-22.	2.1	15
130	Discourse on the utilization of polyaniline coatings for surface plasmon resonance sensing of ammonia vapor. <i>Talanta</i> , 2011, 85, 1369-1375.	2.9	28
131	Validation of forcefields in predicting the physical and thermophysical properties of emeraldine base polyaniline. <i>Molecular Simulation</i> , 2011, 37, 990-996.	0.9	33
132	Highly Sensitive and Selective Gas Detection by 3D Metal Oxide Nanoarchitectures. , 2011, , 391-412.		1
133	Thin polyaniline and polyaniline/carbon nanocomposite films for gas sensing. <i>Thin Solid Films</i> , 2011, 519, 4123-4127.	0.8	54

#	ARTICLE	IF	CITATIONS
134	Malodor Detection Based on Electronic Nose. , O, , .		2
135	Optical and electrical properties of nanostructured heterojunction (Au PdPc ClAlPc Al) and using as O ₂ sensor. EPJ Applied Physics, 2011, 55, 30203.	0.3	12
136	Nanofibrous PANI-based conductive polymers for trace gas analysis. Thin Solid Films, 2011, 520, 978-985.	0.8	35
137	Formaldehyde sensor based on polypyrrole/ β -cyclodextrin. Journal of Controlled Release, 2011, 152, e211-e213.	4.8	9
138	Inhibition of platelet adhesion onto intrahepatically transplanted islets using PEGylation for attenuating instant blood-mediated inflammatory reaction (IBMIR). Journal of Controlled Release, 2011, 152, e213-e214.	4.8	8
139	Nanostructured polyaniline-based composites for ppb range ammonia sensing. Sensors and Actuators B: Chemical, 2011, 160, 1394-1403.	4.0	93
140	Hydrogen-Sensing Characteristics of a Pd/GaN Schottky Diode With a Simple Surface Roughness Approach. IEEE Transactions on Electron Devices, 2011, 58, 4079-4086.	1.6	8
141	Ammonia Sensing Characteristics of Sputtered Indium Tin Oxide (ITO) Thin Films on Quartz and Sapphire Substrates. IEEE Transactions on Electron Devices, 2011, 58, 4407-4413.	1.6	18
142	Complementary percolation characteristics of carbon fillers based electrically percolative thermoplastic elastomer composites. Composites Science and Technology, 2011, 72, 28-35.	3.8	83
143	Synthesis and electrochemical applications of the composites of conducting polymers and chemically converted graphene. Electrochimica Acta, 2011, 56, 10737-10743.	2.6	60
144	Electropolymerization and characterization of COOH-functionalized poly(3,4-ethylenedioxythiophene): Ionic exchanges. Electrochimica Acta, 2011, 56, 10238-10245.	2.6	13
145	Invited Review Article: An odor-sensing systemâ€”powerful technique for foodstuff studies. Review of Scientific Instruments, 2011, 82, 111101.	0.6	74
146	Graphene oxide/conducting polymer composite hydrogels. Journal of Materials Chemistry, 2011, 21, 18653.	6.7	283
147	Integrated electrochemical transistor as a fast recoverable gas sensor. Analytica Chimica Acta, 2011, 687, 7-11.	2.6	19
148	A new optochemical chlorine gas sensor based on the application of amphiphilic co-networks as matrices. Sensors and Actuators B: Chemical, 2011, 151, 327-332.	4.0	12
149	A polypyrrole based gas sensor for detection of volatile organic compounds (VOCs) produced from a wheat bread. Sensing and Instrumentation for Food Quality and Safety, 2011, 5, 128-136.	1.5	3
150	Theoretical study on the electronic, structural, properties and reactivity of a series of mono-, di-, tri- and tetrachlorothiophenes as well as corresponding radical cation forms as monomers for conducting polymers. Chemistry Central Journal, 2011, 5, 13.	2.6	4
151	Chemical Sensing with Polyaniline Coated Single-Walled Carbon Nanotubes. Advanced Materials, 2011, 23, 536-540.	11.1	101

#	ARTICLE	IF	CITATIONS
152	Paper Electronics. <i>Advanced Materials</i> , 2011, 23, 1935-1961.	11.1	1,141
153	Synthesis and characterization of the polyaminophenol derivatives containing thiophene in side chain: Thermal degradation, electrical conductivity, optical electrochemical, and fluorescent properties. <i>Journal of Applied Polymer Science</i> , 2011, 121, 3028-3040.	1.3	20
154	Electrical response of polypyrrole films doped with dodecylbenzene sulfonic acid to acetone vapor. <i>Journal of Applied Polymer Science</i> , 2011, 121, 2518-2525.	1.3	1
155	A novel method to prepare metal oxide electrode: Spin-coating with thermal decomposition. <i>Chinese Chemical Letters</i> , 2011, 22, 354-357.	4.8	7
156	Biomimetic sensing layer based on electrospun conductive polymer webs. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2460-2465.	5.3	46
157	Formation of carbon nanofilms on diamond for all-carbon based temperature and chemical sensor application. <i>Carbon</i> , 2011, 49, 1385-1394.	5.4	20
158	The estimations of ammonia concentration by using neural network SH-SAW sensors. <i>Expert Systems With Applications</i> , 2011, 38, 4774-4779.	4.4	5
159	Recent advances in synthesis, physical properties and applications of conducting polymer nanotubes and nanofibers. <i>Progress in Polymer Science</i> , 2011, 36, 1415-1442.	11.8	763
160	Enhancement in CO gas sensing properties of hydroxyapatite thick films: Effect of swift heavy ion irradiation. <i>Vacuum</i> , 2011, 86, 66-71.	1.6	33
161	Development and evaluation of piezoelectric-polymer thin film sensors for low concentration detection of volatile organic compounds related to food safety applications. <i>Sensors and Actuators B: Chemical</i> , 2011, 153, 1-10.	4.0	72
162	Poly(o-anisidine) polystyrene composite fibers via electrospinning process: Surface morphology and chemical vapor sensing. <i>Sensors and Actuators B: Chemical</i> , 2011, 151, 341-350.	4.0	17
163	Effect of soft hard segment structure on vapor responsiveness of polyurethane conducting composite thin films loaded with multi-walled carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2011, 156, 12-22.	4.0	14
164	Magneto-photonic crystal optical sensors with sensitive covers. <i>Applied Physics Letters</i> , 2011, 99, .	1.5	17
165	Novel porous polyimide film doped with carbon black for volatile organic compounds detection. , 2011, , .		0
166	Preparation of Conducting Polypyrrole in Gelatin Solution. <i>Advanced Materials Research</i> , 0, 306-307, 717-721.	0.3	0
167	Synthesis of Polypyrrole Using Ferric Chloride (FeCl_3) as Oxidant Together with Some Dopants for Use in Gas Sensors. <i>Journal of Sensor Technology</i> , 2011, 01, 47-56.	0.4	105
168	Dynamics of ion transport in a bio-derived ionic transistor. <i>Proceedings of SPIE</i> , 2011, , .	0.8	0
169	Conducting polymer supported bilayer lipid membrane reconstituted with alamethicin. <i>Smart Materials and Structures</i> , 2011, 20, 094020.	1.8	8

#	ARTICLE	IF	CITATIONS
170	Structure and CO Gas Sensing Properties of PPy/LaFeO ₃ Nanocomposites. Materials Science Forum, 0, 675-677, 375-378.	0.3	0
171	Synthesis of Polypyrrole Using Ammonium Peroxy Disulfate (APS) as Oxidant Together with Some Dopants for Use in Gas Sensors. Materials Sciences and Applications, 2011, 02, 1491-1498.	0.3	10
172	Low-cost hydrogen sulfide gas sensor on paper substrates; fabrication and demonstration. , 2011, , .		2
173	A Single Polyaniline Nanofiber Field Effect Transistor and Its Gas Sensing Mechanisms. Sensors, 2011, 11, 6509-6516.	2.1	72
174	Low-Cost Gas Sensors Produced by the Graphite Line-Patterning Technique Applied to Monitoring Banana Ripeness. Sensors, 2011, 11, 6425-6434.	2.1	52
175	Micro- and Nano-Air Vehicles: State of the Art. International Journal of Aerospace Engineering, 2011, 2011, 1-17.	0.5	99
176	Synergistic Effects in the Gas Sensitivity of Polypyrrole/Single Wall Carbon Nanotube Composites. Sensors, 2012, 12, 7965-7974.	2.1	73
177	Fabrication of Polyaniline-Coated Carbon Nanotubes Conducting Wire Nanocomposite for NH ₃ Gas Sensors at Room Temperature. Advanced Materials Research, 2012, 554-556, 661-666.	0.3	0
178	PEDOT/CNT Composite Microelectrodes for Recording and Electrostimulation Applications: Fabrication, Morphology, and Electrical Properties. Frontiers in Neuroengineering, 2012, 5, 8.	4.8	152
179	Sensitive gas sensor embedded in a vertical polymer space-charge-limited transistor. Applied Physics Letters, 2012, 101, .	1.5	14
180	Polyaniline Sensors for Early Detection of Insect Infestation. ECS Journal of Solid State Science and Technology, 2012, 1, Q100-Q105.	0.9	10
181	The Efficiency Development of Ammonia-Odor Sensor Based on PSE-Polymer/SWNT Nanocomposite. Advanced Materials Research, 0, 506, 579-582.	0.3	1
182	Study of ultrathin film of gold nanocomposite polyaniline for CO ₂ and NH ₃ gas sensing properties. EPJ Applied Physics, 2012, 60, 10202.	0.3	0
183	Deposition of Pristine and Functionalized MWCNTs in Alumina Matrix by Sol-Gel Technique and Investigation of their Ammonia Sensing Properties. Nanomaterials and Nanotechnology, 2012, 2, 4.	1.2	7
184	Advances in materials for room temperature hydrogen sensors. Analyst, The, 2012, 137, 2743.	1.7	74
185	A carbon monoxide gas sensor using oxygen plasma modified carbon nanotubes. Nanotechnology, 2012, 23, 425502.	1.3	35
186	Applications of Conducting Polymers. Monographs in Electrochemistry, 2012, , 245-293.	0.2	9
187	Impact of the functional group on the working range of polyaniline as carbon dioxide sensors. Sensors and Actuators B: Chemical, 2012, 175, 15-21.	4.0	54

#	ARTICLE	IF	CITATIONS
188	Molecular modeling of protonic acid doping of emeraldine base polyaniline for chemical sensors. <i>Sensors and Actuators B: Chemical</i> , 2012, 174, 210-216.	4.0	37
189	Energy and environmental applications of carbon nanotubes. <i>Environmental Chemistry Letters</i> , 2012, 10, 265-273.	8.3	125
190	A CMOS Gas Sensor Array Platform With Fourier Transform Based Impedance Spectroscopy. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2012, 59, 2507-2517.	3.5	23
191	Effects of improved porosity and electrical conductivity on pitch-based carbon nanofibers for high-performance gas sensors. <i>Journal of Porous Materials</i> , 2012, 19, 989-994.	1.3	10
192	Investigation of electroactive behaviour of polyaniline containing polyelectrolyte nanocomposite membranes. <i>Nanoscience Methods</i> , 2012, 1, 164-182.	1.0	5
193	Graphene quantum resistive sensing skin for the detection of alteration biomarkers. <i>Journal of Materials Chemistry</i> , 2012, 22, 21754.	6.7	115
194	Detecting insect infestation using a polymer based sensor array. <i>Sensors and Actuators B: Chemical</i> , 2012, 174, 506-512.	4.0	6
195	Polyaniline nanofiber reinforced nanocomposite coated quartz crystal microbalance based highly sensitive free radical sensors. <i>Sensors and Actuators B: Chemical</i> , 2012, 171-172, 924-931.	4.0	15
196	Development of gas sensors coatings by polyaniline using pressurized fluid. <i>Sensors and Actuators B: Chemical</i> , 2012, 171-172, 627-633.	4.0	29
197	CMOS Gas Sensor Array Platform with Fourier Transform Based Impedance Spectroscopy. , 2012, , .		3
198	Preparation and comparative study of polyaniline/copper and polyaniline/silver composites by electrical explosion of wire. , 2012, , .		1
199	The construction and application of a molecular wire piezoelectric urease-producing bacteria sensor. <i>Analytical Methods</i> , 2012, 4, 2145.	1.3	0
200	Fabrication and Characterization of MEMS-Based Resonant Organic Gas Sensors. <i>IEEE Sensors Journal</i> , 2012, 12, 1958-1964.	2.4	38
201	Quartz Resonator for Simultaneously Measuring Changes in the Mass and Electrical Resistance of a Polyaniline Film. <i>Analytical Chemistry</i> , 2012, 84, 8179-8183.	3.2	12
202	An extended floating gate gas sensor using polypyrrole as a sensing polymer. , 2012, , .		0
203	Flexible, All-Organic Chemiresistor for Detecting Chemically Aggressive Vapors. <i>Journal of the American Chemical Society</i> , 2012, 134, 4553-4556.	6.6	158
204	Alter the sheet resistance of carbon nanotube-coated cellulose fabric with argon plasma pretreatment. <i>Micro and Nano Letters</i> , 2012, 7, 850.	0.6	0
205	Low-Pressure Adsorption Isotherms of Aromatic Compounds on Polyisobutylene Gel Measured on a Quartz Crystal Microbalance. <i>Journal of Chemical & Engineering Data</i> , 2012, 57, 701-707.	1.0	11

#	ARTICLE	IF	CITATIONS
206	Polymer-doped UHF RFID tag for wireless-sensing of humidity. , 2012, , .		35
207	New conducting polymers functionalized with redox-active tetrazines. Journal of Electroanalytical Chemistry, 2012, 668, 26-29.	1.9	12
208	Biology and applications of olfactory sensing system: A review. Sensors and Actuators B: Chemical, 2012, 171-172, 1-17.	4.0	108
209	Synthesis and characterization of iminothiazole bearing polyphenol with adjustable whiteâ€“yellow photoluminescence color. Synthetic Metals, 2012, 162, 2443-2450.	2.1	9
210	Inkjet printing of chemiresistive sensors based on polymer and carbon nanotube networks. , 2012, , .		3
211	Development of a polyaniline nanofiber-based carbon monoxide sensor for hydrogen fuel cell application. International Journal of Hydrogen Energy, 2012, 37, 13529-13535.	3.8	31
212	Morphological characterization of innovative electroconductive polymers in early stages of growth. Surface and Coatings Technology, 2012, 207, 286-292.	2.2	13
213	Polypyrroleâ€“ZnO hybrid sensor: Effect of camphor sulfonic acid doping on physical and gas sensing properties. Synthetic Metals, 2012, 162, 1598-1603.	2.1	55
214	Conducting polymers in environmental analysis. TrAC - Trends in Analytical Chemistry, 2012, 39, 163-179.	5.8	105
215	Polymer-based sensor array for phytochemical detection. Proceedings of SPIE, 2012, , .	0.8	4
216	Humidity Sensing by Polymer-Loaded UHF RFID Antennas. IEEE Sensors Journal, 2012, 12, 2851-2858.	2.4	96
217	Poly-3-hexylthiophene based organic field-effect transistor: Detection of low concentration of ammonia. Sensors and Actuators B: Chemical, 2012, 171-172, 962-968.	4.0	116
218	CdSe quantum dots-poly(3-hexylthiophene) nanocomposite sensors for selective chloroform vapor detection at room temperature. Applied Physics Letters, 2012, 101, 173108.	1.5	19
219	A Survey on Gas Sensing Technology. Sensors, 2012, 12, 9635-9665.	2.1	1,116
221	Nerve agent simulant detection by solidly mounted resonators (SMRs) polymer coated using laser induced forward transfer (LIFT) technique. Sensors and Actuators B: Chemical, 2012, 173, 32-39.	4.0	30
223	Improved gas sensing activity in structurally defected bilayer graphene. Nanotechnology, 2012, 23, 505501.	1.3	61
224	Optical Fiber Sensors: An Overview. , 0, , .		12
225	Studies of optical, morphological and electrical properties of POMA/PMMA blends, using two different levels of doping with CSA. Polimeros, 2012, 22, 384-389.	0.2	4

#	ARTICLE	IF	CITATIONS
226	Ultra low field emission characteristics of chloride doped polypyrrole films. <i>Polymers for Advanced Technologies</i> , 2012, 23, 215-219.	1.6	8
227	Conducting Plasma Polymerized Polypyrrole Thin Films as Carbon Dioxide Gas Sensors. <i>Plasma Processes and Polymers</i> , 2012, 9, 485-490.	1.6	26
228	Large-scale production of two-dimensional nanosheets. <i>Journal of Materials Chemistry</i> , 2012, 22, 13494.	6.7	351
229	Spectroscopy of thin polyaniline films deposited during chemical oxidation of aniline. <i>Chemical Papers</i> , 2012, 66, .	1.0	127
230	Carbon Nanotubes Applications: Solar and Fuel Cells, Hydrogen Storage, Lithium Batteries, Supercapacitors, Nanocomposites, Gas, Pathogens, Dyes, Heavy Metals and Pesticides. <i>Environmental Chemistry for A Sustainable World</i> , 2012, , 3-46.	0.3	13
231	Flexible VOC sensors using conductive polymers and porous membranes for application to textiles. <i>Fibers and Polymers</i> , 2012, 13, 471-474.	1.1	14
232	Electrochemical synthesis of polyaniline nanowires on Pt interdigitated microelectrode for room temperature NH ₃ gas sensor application. <i>Current Applied Physics</i> , 2012, 12, 1011-1016.	1.1	60
233	Au nanoparticles decorated polyaniline nanofiber sensor for detecting volatile sulfur compounds in expired breath. <i>Sensors and Actuators B: Chemical</i> , 2012, 161, 504-509.	4.0	72
234	Dynamic response of ammonia sensors constructed from polyaniline nanofibre films with varying morphology. <i>Sensors and Actuators B: Chemical</i> , 2012, 161, 989-999.	4.0	49
235	Optical chemical sensors using polythiophene derivatives as active layer for detection of volatile organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2012, 162, 307-312.	4.0	59
236	Carbon dioxide sensing with sulfonated polyaniline. <i>Sensors and Actuators B: Chemical</i> , 2012, 168, 123-130.	4.0	32
237	MOF @ MEMS: Design optimization for high sensitivity chemical detection. <i>Sensors and Actuators B: Chemical</i> , 2012, 168, 256-262.	4.0	50
238	Low-Cost Hydrogen Sulfide Gas Sensor on Paper Substrates: Fabrication and Demonstration. <i>IEEE Sensors Journal</i> , 2012, 12, 1973-1978.	2.4	42
239	Influence of adsorbed oxygen on charge transport and chlorine gas-sensing characteristics of thin cobalt phthalocyanine films. <i>Chemical Papers</i> , 2012, 66, .	1.0	3
240	The Naked-Eye Detection of NH ₃ -HCl by Polyaniline-Infiltrated TiO ₂ Inverse Opal Photonic Crystals. <i>Macromolecular Rapid Communications</i> , 2012, 33, 380-385.	2.0	55
241	Charge Injection in Solution-Processed Organic Field-Effect Transistors: Physics, Models and Characterization Methods. <i>Advanced Materials</i> , 2012, 24, 1357-1387.	11.1	389
242	Polydiphenylamine-polyethylene oxide blends as methanol sensing materials. <i>Advances in Polymer Technology</i> , 2012, 31, 401-413.	0.8	11
243	Gas Sensing performance of composite materials using conducting polymer/single-walled carbon nanotubes. <i>Macromolecular Research</i> , 2012, 20, 143-146.	1.0	36

#	ARTICLE	IF	CITATIONS
244	Effect of chemical environments on palladium phthalocyanine thin film sensors for humidity analysis. Journal of Materials Science, 2012, 47, 1992-1999.	1.7	22
245	Application of melt-blown technology for the manufacture of temperature-sensitive nonwoven fabrics composed of polymer blends PP/PCL loaded with multiwall carbon nanotubes. Journal of Applied Polymer Science, 2013, 127, 869-878.	1.3	25
246	POMA/PMMA blends modified by dye: Spectroscopic and morphological properties. Journal of Applied Polymer Science, 2013, 127, 183-189.	1.3	0
247	Polyaniline, ethylene vinyl acetate semi-conductive composites as pressure sensitive sensor. Journal of Applied Polymer Science, 2013, 128, 161-168.	1.3	14
248	A facile one-pot synthesis of polyaniline/magnetite nanocomposites by micelles-assisted method. Applied Nanoscience (Switzerland), 2013, 3, 409-415.	1.6	29
249	PdCl ₂ -Polyaniline Composite for CO Detection Applications: Electrical and Optical Response. Journal of Inorganic and Organometallic Polymers and Materials, 2013, 23, 365-372.	1.9	7
250	Spectroscopic and electrical sensing mechanism in oxidant-mediated polypyrrole nanofibers/nanoparticles for ammonia gas. Journal of Nanoparticle Research, 2013, 15, 1.	0.8	26
251	CO ₂ sensing at room temperature using carbon nanotubes coated core fiber Bragg grating. Review of Scientific Instruments, 2013, 84, 065002.	0.6	56
252	Graphene-based gas sensors. Journal of Materials Chemistry A, 2013, 1, 10078.	5.2	938
253	Transparent electrodes based on conducting polymers for display applications. Displays, 2013, 34, 301-314.	2.0	78
254	Direct laser printing of thin-film polyaniline devices. Applied Physics A: Materials Science and Processing, 2013, 110, 623-628.	1.1	9
255	The effect of illumination on the parameters of the polymer layer deposited from solution onto a semiconductor substrate. Technical Physics Letters, 2013, 39, 656-659.	0.2	5
256	An optical ammonia (NH ₃) gas sensing by means of Pd/CuPc interferometric nanostructures based on white light interferometry. Sensors and Actuators B: Chemical, 2013, 189, 230-239.	4.0	21
257	A robust platform for textile integrated gas sensors. Sensors and Actuators B: Chemical, 2013, 177, 1053-1061.	4.0	21
258	Preparation and characterization of chemically synthesized polyaniline-polystyrene blends as a carbon dioxide gas sensor. Synthetic Metals, 2013, 181, 27-36.	2.1	22
259	Theoretical insight of polypyrrole ammonia gas sensor. Synthetic Metals, 2013, 172, 14-20.	2.1	105
260	Temperature sensing behavior of poly(3,4-ethylenedioxythiophene) thin film. Synthetic Metals, 2013, 185-186, 52-55.	2.1	4
261	DFT Study of Polyaniline NH ₃ , CO ₂ , and CO Gas Sensors: Comparison with Recent Experimental Data. Journal of Physical Chemistry C, 2013, 117, 23701-23711.	1.5	194

#	ARTICLE	IF	CITATIONS
262	Dodecylbenzenesulfonic acid micelles assisted in situ preparation and enhanced thermoelectric performance of semiconducting polyaniline-zirconium oxide nanocomposites. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 1653-1658.	2.9	26
263	Novel strategy to prepare polyaniline-Modified SiO ₂ /TiO ₂ composite particles. <i>Synthetic Metals</i> , 2013, 181, 104-109.	2.1	5
265	Development of an Optical Gas Leak Sensor for Detecting Ethylene, Dimethyl Ether and Methane. <i>Sensors</i> , 2013, 13, 4157-4169.	2.1	17
266	A united event grand canonical Monte Carlo study of partially doped polyaniline. <i>Journal of Chemical Physics</i> , 2013, 139, 244906.	1.2	6
267	PEDOT:PSS coated titania nanofibers for NO ₂ detection: Study of humidity effects. <i>Sensors and Actuators B: Chemical</i> , 2013, 179, 69-73.	4.0	12
268	Synthesis of mesoporous polypyrrole nanowires/nanoparticles for ammonia gas sensing application. <i>Sensors and Actuators A: Physical</i> , 2013, 203, 92-102.	2.0	48
269	Organic Semiconductors in Organic Thin-Film Transistor-Based Chemical and Biological Sensors. <i>Polymer Reviews</i> , 2013, 53, 352-406.	5.3	128
270	Current Trends in Sensors Based on Conducting Polymer Nanomaterials. <i>Nanomaterials</i> , 2013, 3, 524-549.	1.9	314
271	Multifunctional Fe ₃ O ₄ nanoparticles-embedded poly(styrene)/poly(thiophene) core/shell composite particles. <i>Synthetic Metals</i> , 2013, 175, 56-61.	2.1	22
272	Selectivity of organic nanocomposite sensor for detection of aldehydes. , 2013, , .		0
273	In-Situ Electrochemical Synthesis of Novel Sensitive Layer of Polyaniline/Multiwall Carbon Nanotube/Tin Oxide Hybrid Materials for Ethylene Gas Detection. <i>Polymer-Plastics Technology and Engineering</i> , 2013, 52, 189-194.	1.9	17
274	Synthesis of mesoporous Bi ₂ WO ₆ architectures and their gas sensitivity to ethanol. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4153.	2.7	86
275	Conducting Poly(<i>N</i> -propylaniline) Nanoparticles for Hydrogen Sulfide Gas Detection. <i>Macromolecular Symposia</i> , 2013, 327, 39-44.	0.4	8
276	Formation of nanoscale networks: selectively swelling amphiphilic block copolymers with CO ₂ -expanded liquids. <i>Nanoscale</i> , 2013, 5, 1195.	2.8	17
277	Chemiresistor Sensors Based on Conducting Polymers for Hypergolic Propellants and Acidic Vapors of Rocket Exhaust Plumes - A Review. <i>Propellants, Explosives, Pyrotechnics</i> , 2013, 38, 176-189.	1.0	12
278	Nanowire-based gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2013, 177, 178-195.	4.0	336
279	Structural details, electrical properties, and electromagnetic interference shielding response of processable copolymers of aniline. <i>Journal of Materials Science</i> , 2013, 48, 797-804.	1.7	49
280	Growth of graphene-like films for NO ₂ detection. <i>Sensors and Actuators B: Chemical</i> , 2013, 182, 66-70.	4.0	25

#	ARTICLE	IF	CITATIONS
281	Elaboration of ammonia gas sensors based on electrodeposited polypyrrole-Cobalt phthalocyanine hybrid films. <i>Talanta</i> , 2013, 117, 45-54.	2.9	37
282	Nanocomposite of Polyaniline with the photoadduct of potassium hexacyanoferrate and pyridine ligand: Structural, electrical, mechanical and thermal study. <i>Synthetic Metals</i> , 2013, 179, 60-66.	2.1	21
283	Improving sensing features of a nanocomposite PEDOT:PSS sensor for NO breath monitoring. <i>Sensors and Actuators B: Chemical</i> , 2013, 179, 87-94.	4.0	30
284	Gas Sensing Ability of a Nanostructured Conducting Polypyrrole Film Prepared by Catalytic Electropolymerization on Cu/Au Interdigital Electrodes. <i>Electroanalysis</i> , 2013, 25, 2181-2192.	1.5	8
285	Detection of volatile organic compounds as biomarkers in breath analysis by different analytical techniques. <i>Bioanalysis</i> , 2013, 5, 2287-2306.	0.6	79
286	Thermoelectrical characterization of new material based on PANI/zeolite HY composite, used for the detection of carbon dioxide. <i>Polymer Journal</i> , 2013, 45, 946-954.	1.3	14
287	Electrical conductivity and ammonia sensing studies on in situ polymerized poly(3-methylthiophene)-titanium(IV)molybdophosphate cation exchange nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2013, 177, 1089-1097.	4.0	39
288	Hybridized conducting polymer chemiresistive nano-sensors. <i>Nano Today</i> , 2013, 8, 39-55.	6.2	142
289	Enhanced sensitivity of ammonia sensor using graphene/polyaniline nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2013, 178, 485-493.	4.0	425
291	Core-shell structured bacterial cellulose/polypyrrole nanocomposites with excellent conductivity as supercapacitors. <i>Journal of Materials Chemistry A</i> , 2013, 1, 578-584.	5.2	175
292	Polymer-Based Chemicapacitor Sensor for 1-Octanol and Relative Humidity Detections at Different Temperatures and Frequencies. <i>IEEE Sensors Journal</i> , 2013, 13, 519-527.	2.4	7
293	NO ₂ gas sensing with SnO ₂ -ZnO/PANI composite thick film fabricated from porous nanosolid. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 166-173.	4.0	97
294	Applications and Technology of Electronic Nose for Clinical Diagnosis. <i>Open Journal of Applied Biosensor</i> , 2013, 02, 39-50.	1.6	30
295	Preparation of conducting polymer inverse opals and its application as ammonia sensor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 433, 59-63.	2.3	41
296	Colorimetric detection of gaseous ammonia by polyaniline nanocoating of natural cellulose substances. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 433, 166-172.	2.3	31
297	Recent progress in chemical modification of polyaniline. <i>Progress in Polymer Science</i> , 2013, 38, 1287-1306.	11.8	261
298	One-pot fabrication of uniform polypyrrole/Au nanocomposites and investigation for gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2013, 186, 695-700.	4.0	72
299	Material and NH ₃ -sensing properties of polypyrrole-coated tungsten oxide nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2013, 185, 523-529.	4.0	51

#	ARTICLE	IF	CITATIONS
300	Forced Assembly of Water-Dispersible Carbon Nanotubes Trapped in Paper for Cheap Gas Sensors. Small, 2013, 9, 3759-3764.	5.2	29
301	Synthesis and characterization of a new dyestuff polymer soluble in alkaline aqueous media. Chinese Journal of Polymer Science (English Edition), 2013, 31, 1632-1646.	2.0	2
303	Development of Polydiphenylamine/Zeolite Y Composite by Dealumination Process as a Sensing Material for Halogenated Solvents. Polymer-Plastics Technology and Engineering, 2013, 52, 907-920.	1.9	7
304	Flexible sensing fibers based on polyaniline-coated polyurethane for chloroform vapor detection. Journal of Materials Chemistry A, 2013, 1, 10327.	5.2	30
305	Ammonia sensing and electrical properties based on composite of poly(3-thiopheneacetic acid) and zeolite Y. Materials Technology, 2013, 28, 332-338.	1.5	9
306	Effect of nanodimensional polyethylenimine layer on surface potential barriers of hybrid structures based on silicon single crystal. Proceedings of SPIE, 2013, , .	0.8	2
307	Towards a Chemiresistive Sensor-Integrated Electronic Nose: A Review. Sensors, 2013, 13, 14214-14247.	2.1	173
308	PANI and Graphene/PANI Nanocomposite Films – Comparative Toluene Gas Sensing Behavior. Sensors, 2013, 13, 16611-16624.	2.1	71
309	Development of Amperometric Biosensors Based on Nanostructured Tyrosinase-Conducting Polymer Composite Electrodes. Sensors, 2013, 13, 6759-6774.	2.1	51
311	Effect of Polyaniline Doping on Structural and Vapor Sensing Properties of Tungsten Organometallic Thin Film. Advanced Materials Research, 0, 658, 237-241.	0.3	3
312	Ion Irradiation Effects in some Electro-Active and Engineering Polymers Studies by Conventional and Novel Techniques. Defect and Diffusion Forum, 0, 341, 1-49.	0.4	10
313	Polydiphenylamine/Zeolite Y composites and electrical conductivity responses toward halogenated hydrocarbons. Materials Research, 2013, 16, 1020-1029.	0.6	7
314	25th Anniversary Article: CVD Polymers: A New Paradigm for Surface Modification and Device Fabrication. Advanced Materials, 2013, 25, 5392-5423.	11.1	211
315	Effect of Transition Metal Ion-Exchanged into the Zeolite Y on Electrical Conductivity and Response of PEDOT-PSS/MY Composites toward SO ₂ . Advances in Polymer Technology, 2013, 32, .	0.8	19
316	Gas chromatography-olfactometry (GC-O), electronic noses (e-noses) and electronic tongues (e-tongues) for in vivo food flavour measurement. , 2013, , 195-229.		19
317	Plasma-polymerized elastomer/conducting polymer composite: Structural and optical characterization. Polymer Composites, 2013, 34, 1091-1098.	2.3	9
318	Enhancement in performance of polycarbazole-graphene nanocomposite Schottky diode. AIP Advances, 2013, 3, .	0.6	40
319	Polyaniline-functionalized polycarbonate filter as a flow-through gas sensor. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
320	A chemiresistive sensor based on conducting polymer/SWNT composite nanofibrillar matrixâ€™ effect of 100 MeV O ¹⁶⁺ ion irradiation on gas sensing properties. Smart Materials and Structures, 2013, 22, 035004.	1.8	12
321	A Chemo-Mechanical Constitutive Model for Conducting Polymers. , 2013, , .		0
322	The Application of Surface Acoustic Waves in Surface Semiconductor Investigations and Gas Sensors. , 0, , .		0
324	Sensitivity Improvement of Ammonia Gas Sensor Based on Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) by Employing Doping of Bromocresol Green. Journal of Nanotechnology, 2014, 2014, 1-5.	1.5	19
325	In situ polymerised polypyrrole films for sensors application. Microelectronics International, 2014, 31, 158-162.	0.4	1
327	Modeling and simulation of polymer-based chemiresistor sensors. , 2014, , .		0
328	A Low-Power Integrated Humidity CMOS Sensor by Printing-on-Chip Technology. Sensors, 2014, 14, 9247-9255.	2.1	8
329	Application of helium ion microscopy to nanostructured polymer materials. Nanotechnology Reviews, 2014, 3, .	2.6	7
330	Hybrid Integrated Label-Free Chemical and Biological Sensors. Sensors, 2014, 14, 5890-5928.	2.1	60
331	Remarks on a computational model of a mass-sensitive chemical sensor with plasma-organic-polymer-film-coated quartz crystal resonators. , 2014, , .		3
332	A gas sensor using double split-ring resonator coated with conducting polymer at microwave frequencies. , 2014, , .		22
333	Fabrication of free-standing PEDOT:PSS nanofiber mats using electrospinning. , 2014, , .		3
334	Development of a Novel Gas Sensing Algorithm Based on Impedance Spectroscopy. Procedia Engineering, 2014, 87, 1278-1281.	1.2	0
335	Investigation of selective sensing of a diamine for aldehyde by experimental and simulation studies. Analyst, The, 2014, 139, 6456-6466.	1.7	11
337	Individually Addressable Suspended Conductingâ€™ Polymer Wires in a Chemiresistive Gas Sensor. Macromolecular Chemistry and Physics, 2014, 215, 1633-1638.	1.1	20
338	Effect of Ammonia on Optical Absorption of Polyaniline Films. Molecular Crystals and Liquid Crystals, 2014, 589, 116-123.	0.4	10
339	Effect of distance from discharge to substrate on plasma-polymerized polythiophenes. Surface and Coatings Technology, 2014, 259, 27-32.	2.2	10
340	Investigations of the electrical conduction mechanisms of polyanilineâ€™DBSA/poly(acrylonitrileâ€™butadiene styrene) blends. Journal of Applied Polymer Science, 2014, 131, .	1.3	13

#	ARTICLE	IF	CITATIONS
341	One-Step Preparation of CoFe ₂ O ₄ /Polypyrrole/Pd Ternary Nanofibers and Their Catalytic Activity Toward <i>p</i> -Nitrophenol Hydrogenation Reaction. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 361-367.	1.7	26
342	Temperature dependent current-voltage characteristics of zinc oxide nanowire/polypyrrole nanocomposite. <i>Applied Physics Letters</i> , 2014, 105, 232112.	1.5	4
343	The role of metal contacts in the stability of n-type organic field effect transistors. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 117, 2235-2240.	1.1	6
344	Nanostructured carbon-based materials for Gas sensor applications. , 2014, , .		1
345	Function-Based Biologically Inspired Design. , 2014, , 95-125.		7
346	Bulk and Structure Modification of Polymers. <i>Integrated Analytical Systems</i> , 2014, , 341-357.	0.4	1
347	Alloy Hybrid Carbon Nanotube Yarn for Multifunctionality. , 2014, , 137-165.		0
348	in situ synthesis of graphene/SnO ₂ quantum dots composites for chemiresistive gas sensing. <i>Materials Science in Semiconductor Processing</i> , 2014, 24, 126-131.	1.9	28
349	Novel THTBN/MWNTs-OH polyurethane conducting composite thin films for applications in detection of volatile organic compounds. <i>Materials Chemistry and Physics</i> , 2014, 145, 222-231.	2.0	15
350	Studies on galvanostatically electropolymerised polypyrrole/polyaniline composite thin films on stainless steel. <i>Applied Surface Science</i> , 2014, 307, 129-135.	3.1	21
351	Carbon dioxide detection with polyethylenimine blended with polyelectrolytes. <i>Sensors and Actuators B: Chemical</i> , 2014, 201, 452-459.	4.0	30
352	Atomic force microscope microcantilevers used as sensors for monitoring humidity. <i>Microelectronic Engineering</i> , 2014, 113, 80-85.	1.1	25
353	Ammonia sensing properties of (SnO ₂ @ZnO)/polypyrrole coaxial nanocables. <i>Journal of Materials Science</i> , 2014, 49, 685-690.	1.7	22
354	A tunable microresonator sensor based on a photocrosslinking polymer microwire. <i>Applied Physics Letters</i> , 2014, 104, 053506.	1.5	7
355	Conducting polymer and reduced graphene oxide Langmuir-Blodgett films: a hybrid nanostructure for high performance electrode applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 1063-1071.	1.1	25
356	SnO ₂ nanoparticles-modified polyaniline films as highly selective, sensitive, reproducible and stable ammonia sensors. <i>Electronic Materials Letters</i> , 2014, 10, 191-197.	1.0	86
357	Graphene@Fe ₃ O ₄ /PIL@PEDOT for the design of sensitive and stable quantum chemo-resistive VOC sensors. <i>Carbon</i> , 2014, 74, 104-112.	5.4	59
358	Highly sensitive, reproducible, selective and stable CSA-polypyrrole NO ₂ sensor. <i>Synthetic Metals</i> , 2014, 189, 111-118.	2.1	48

#	ARTICLE	IF	CITATIONS
359	Low-cost conductometric transducers for use in thin polymer film chemical sensors. <i>Sensors and Actuators B: Chemical</i> , 2014, 193, 128-135.	4.0	7
361	A selective molecularly imprinted polymer-carbon nanotube sensor for cotinine sensing. <i>Journal of Molecular Recognition</i> , 2014, 27, 57-63.	1.1	18
362	Synthesis, characterization and liquefied petroleum gas sensing of cobalt acetylenedicarboxylate and its polymer. <i>Sensors and Actuators B: Chemical</i> , 2014, 192, 503-511.	4.0	7
363	New composite porphyrin-conductive polymer gas sensors for application in electronic noses. <i>Sensors and Actuators B: Chemical</i> , 2014, 193, 136-141.	4.0	46
364	Ammonia gas sensors based on ZnO/SiO ₂ bi-layer nanofilms on ST-cut quartz surface acoustic wave devices. <i>Sensors and Actuators B: Chemical</i> , 2014, 201, 114-121.	4.0	61
365	Polyaniline/poly(ϵ -caprolactone) composite electrospun nanofiber-based gas sensors: optimization of sensing properties by dopants and doping concentration. <i>Nanotechnology</i> , 2014, 25, 115501.	1.3	37
366	Conducting polymer-carbon black nanocomposite sensor for volatile organic compounds and correlating sensor response by molecular dynamics. <i>Sensors and Actuators B: Chemical</i> , 2014, 201, 308-320.	4.0	40
367	CO adsorption kinetics of ferrocene-conjugated polypyrrole using quartz microbalance technique. <i>Sensors and Actuators B: Chemical</i> , 2014, 200, 325-331.	4.0	8
368	Conducting polymer coated single-walled carbon nanotube gas sensors for the detection of volatile organic compounds. <i>Talanta</i> , 2014, 123, 109-114.	2.9	65
369	Handbook of Gas Sensor Materials. <i>Integrated Analytical Systems</i> , 2014, , .	0.4	48
370	Sensors and Microsystems. <i>Lecture Notes in Electrical Engineering</i> , 2014, , .	0.3	3
371	Review of recent trends in gas sensing technologies and their miniaturization potential. <i>Sensor Review</i> , 2014, 34, 24-35.	1.0	66
372	Directional reduction of graphene oxide sheets using photocatalytic activity of ZnO nanowires for the fabrication of a high sensitive oxygen sensor. <i>Sensors and Actuators B: Chemical</i> , 2014, 195, 92-97.	4.0	23
373	Smart fabric sensors and e-textile technologies: a review. <i>Smart Materials and Structures</i> , 2014, 23, 053001.	1.8	597
374	Synthesis and characterizations of poly(ether)/poly(phenol)s including azomethine coupled benzothiazole side chains: the effect of reaction conditions on the structure, optical, electrochemical, electrical and thermal properties. <i>Polymer Bulletin</i> , 2014, 71, 3067-3084.	1.7	13
375	Simultaneous Monitoring of Ammonia and Moisture Using a Single Fiber Optoelectrode as a Transducer. <i>IEEE Sensors Journal</i> , 2014, 14, 847-852.	2.4	9
376	An inductively coupled passive tag for remote basic volatile sensing. , 2014, , .		1
377	Porous conducting polymer and reduced graphene oxide nanocomposites for room temperature gas detection. <i>RSC Advances</i> , 2014, 4, 42546-42553.	1.7	40

#	ARTICLE	IF	CITATIONS
378	Metal Residues in Semiconducting Polymers: Impact on the Performance of Organic Electronic Devices. <i>ACS Macro Letters</i> , 2014, 3, 1134-1138.	2.3	102
379	In Situ Polymerization Deposition of Porous Conducting Polymer on Reduced Graphene Oxide for Gas Sensor. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 13807-13814.	4.0	145
380	Simultaneous synthesis of polyaniline nanorods and magnetite nanoparticles via self-assembly method. <i>Journal of Experimental Nanoscience</i> , 2014, 9, 491-500.	1.3	5
381	Fabrication of PA6/TiO ₂ /PANI composite nanofibers by electrospinning and electrospinning for ammonia sensor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 461, 113-118.	2.3	75
382	Gas-sensing properties of multi-walled carbon-nanotube sheet coated with NiO. <i>Carbon</i> , 2014, 78, 156-163.	5.4	27
383	Ultrasensitive QRS made by supramolecular assembly of functionalized cyclodextrins and graphene for the detection of lung cancer VOC biomarkers. <i>Journal of Materials Chemistry B</i> , 2014, 2, 6571-6579.	2.9	48
384	Intrinsically conducting polymer nanowires for biosensing. <i>Journal of Materials Chemistry B</i> , 2014, 2, 4593-4609.	2.9	42
385	Low-cost and flexible printed graphene PEDOT:PSS gas sensor for ammonia detection. <i>Organic Electronics</i> , 2014, 15, 2971-2981.	1.4	283
386	Terahertz split-ring metamaterials as transducers for chemical sensors based on conducting polymers: a feasibility study with sensing of acidic and basic gases using polyaniline chemosensitive layer. <i>Mikrochimica Acta</i> , 2014, 181, 1857-1862.	2.5	18
387	Printed electronic switch on flexible substrates using printed microcapsules. <i>Journal of Materials Science</i> , 2014, 49, 5831-5837.	1.7	13
388	Role of photoadduct of K ₄ Fe(CN) ₆ and C ₃ H ₄ N ₂ in improving thermal stability of polyaniline composite. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 117, 611-619.	2.0	12
389	Synthesis and Characterization of PEDOT Derivative with Carboxyl Group and Its Chemo/Bio Sensing Application as Nanocomposite, Immobilized Biological and Enhanced Optical Materials. <i>Electrochimica Acta</i> , 2014, 116, 343-354.	2.6	51
390	Resonantly excited ZnO nanowires for fabrication of high sensitivity gas sensor. <i>Current Applied Physics</i> , 2014, 14, 227-231.	1.1	16
391	Rapid Fabrication of Nanomaterial Electrodes Using Digitally Controlled Electrokinetics. <i>IEEE Nanotechnology Magazine</i> , 2014, 13, 245-253.	1.1	15
392	Camphor sulfonic acid doped PPy/Fe ₂ O ₃ hybrid nanocomposites as NO ₂ sensors. <i>RSC Advances</i> , 2014, 4, 27998-28004.	1.7	58
393	Polypyrrole/NiO hybrid nanocomposite films: highly selective, sensitive, and reproducible NO ₂ sensors. <i>Ionics</i> , 2014, 20, 1607-1616.	1.2	50
394	Synthesis and characterization of N-(4-Aminophenylethynylbenzotrile)-N ^ε -(1-naphthoyl)thiourea as single molecular chemosensor for carbon monoxide sensing. <i>Journal of Sulfur Chemistry</i> , 2014, 35, 691-699.	1.0	22
395	Effect of thermal treatment on conductometric response of hydrogen gas sensors integrated with HCl-doped polyaniline nanofibers. <i>Materials Chemistry and Physics</i> , 2014, 144, 155-161.	2.0	27

#	ARTICLE	IF	CITATIONS
396	A printed H ₂ S sensor with electro-optical response. <i>Sensors and Actuators B: Chemical</i> , 2014, 191, 821-827.	4.0	52
397	Bio-inspired sensor for insect pheromone analysis based on polyaniline functionalized AFM cantilever sensor. <i>Sensors and Actuators B: Chemical</i> , 2014, 191, 643-649.	4.0	30
398	Thickness measurement of soft thin films on periodically patterned magnetic substrates by phase difference magnetic force microscopy. <i>Ultramicroscopy</i> , 2014, 136, 96-106.	0.8	19
399	Chemical diversity in electrochemically deposited conducting polymer-based sensor arrays. <i>Sensors and Actuators B: Chemical</i> , 2014, 202, 600-608.	4.0	20
400	Pen-Writing Polypyrrole Arrays on Paper for Versatile Cheap Sensors. <i>ACS Macro Letters</i> , 2014, 3, 86-90.	2.3	78
401	Flexible H ₂ S sensor based on gold modified polycarbazole films. <i>Sensors and Actuators B: Chemical</i> , 2014, 200, 227-234.	4.0	78
402	Carbon nanotube (CNT) gas sensors for emissions from fossil fuel burning. <i>Sensors and Actuators B: Chemical</i> , 2014, 203, 349-362.	4.0	120
403	Polyaniline nanofiber reinforced nanocomposite based highly sensitive piezoelectric sensors for selective detection of hydrochloric acid: Analysis of response mechanism. <i>Sensors and Actuators B: Chemical</i> , 2014, 190, 199-207.	4.0	18
404	Effect of humidity on electrical conductivity of transparent polyaniline thin films. , 2014, , .		0
405	Polyaniline coated on tapered multimode fiber for ammonia sensing. , 2014, , .		0
406	Conductive elastomeric nanocomposites based on oxidation of aniline with silver nitrate via inverse emulsion polymerization. <i>Polymers for Advanced Technologies</i> , 2014, 25, 1446-1453.	1.6	5
407	Vertically Oriented Silica Mesochannels as the Template for Electrodeposition of Polyaniline Nanostructures and Their Electrocatalytic and Electroanalytical Applications. <i>Chemistry - A European Journal</i> , 2014, 20, 1829-1833.	1.7	35
408	Comparison of different types of electronic nose instruments for evaluation of odour nuisance from landfill. <i>Proceedings of SPIE</i> , 2014, , .	0.8	0
409	High-frequency characteristics of conducting polymer for gas-sensor. , 2014, , .		3
410	Effect of alkaline and alkaline earth ion exchanged Y zeolites on electrical conductivity and response of PEDOT-PSS/Y zeolite composites toward SO ₂ . <i>Materials Technology</i> , 2015, 30, 193-199.	1.5	6
411	Tuning nanostructured morphology in polymers based on heterocyclic aromatic amines using phenyl amines as additive initiators for the construction of porous functional materials. , 2015, , .		0
412	Synthesis and electrochemical properties of a novel poly(ether sulfone) with oligoaniline pendants. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 1066-1071.	1.3	2
413	Choice of Electrode Metal Influences the Chemoresistive Vapor Response of Brominated SWCNTs. <i>Macromolecular Symposia</i> , 2015, 351, 19-26.	0.4	3

#	ARTICLE	IF	CITATIONS
414	Carbon nanopowder based fragrance sensor. , 2015, , .		0
415	Core-shell nanostructured hybrid composites for volatile organic compound detection. International Journal of Nanomedicine, 2015, 10 Spec Iss, 203.	3.3	4
416	Ammonia Gas Sensing Behavior of Tanninsulfonic Acid Doped Polyaniline-TiO ₂ Composite. Sensors, 2015, 15, 26415-26429.	2.1	43
417	Ammonia Sensing by PANI-DBSA Based Gas Sensor Exploiting Kelvin Probe Technique. Journal of Nanoparticles, 2015, 2015, 1-6.	1.4	12
418	Investigation of QTF based gas sensors. Sensors and Actuators B: Chemical, 2015, 216, 586-594.	4.0	20
419	Photoconductive Electrospun Titania Nanofibres to Develop Gas Sensors Operating at Room Temperature. Nanoscience and Technology, 2015, , 115-128.	1.5	5
420	CO ₂ sensing of La _{0.875} Ca _{0.125} FeO ₃ in wet vapor: a comparison of experimental results and first-principles calculations. Physical Chemistry Chemical Physics, 2015, 17, 13733-13742.	1.3	17
421	Chemical Scanner for Mobile Robot Navigation. Journal of Automation, Mobile Robotics and Intelligent Systems, 2015, 9, 5-11.	0.4	1
422	A comparative study of the DC and AC model for thin film sensors for the detection of gases. , 2015, , .		0
423	QTF based methanol sensors. , 2015, , .		3
424	Development of effectively test chamber for SnCl ₂ gas detection sensor. , 2015, , .		2
426	Aging influence on sensing properties of porous silica films sensitized toward ammonia. Proceedings of SPIE, 2015, , .	0.8	0
427	Ionic liquids tailored for reaction-based gas sensing on quartz crystal microbalance. Reviews in Analytical Chemistry, 2015, 34, .	1.5	10
428	Monitoring acidic and basic volatile concentration using a pH-electrode based wireless passive sensor. Sensors and Actuators B: Chemical, 2015, 209, 803-810.	4.0	33
429	The Reduction of Oxygen on Iron(II) Oxide/Poly(3,4-ethylenedioxythiophene) Composite Thin Film Electrodes. Electrochimica Acta, 2015, 154, 142-148.	2.6	24
430	Electroactive polyurea bearing oligoaniline pendants: Electrochromic and anticorrosive properties. Polymer, 2015, 58, 60-66.	1.8	27
431	In Situ Preparation of Polypyrrole Nanorod Composite in the Presence of Phosphorylated Polyvinyl Alcohol. Advances in Polymer Technology, 2015, 34, .	0.8	1
432	Ammonia/amine electronic gas sensors based on hybrid polyaniline-TiO ₂ nanocomposites. The effects of titania and the surface active doping acid. RSC Advances, 2015, 5, 20218-20226.	1.7	45

#	ARTICLE	IF	CITATIONS
433	A unified bottom up multiscale strategy to model gas sensors based on conductive polymers. <i>Sensors and Actuators B: Chemical</i> , 2015, 211, 42-51.	4.0	12
434	Fabrication of novel redox-active poly (4,5-dihydro-1,3-thiazol-2-ylsulfanyl-3-methyl-1,2-benzenediol)-gold nanoparticles film on MWCNTs modified electrode: Application as the electrochemical sensor for the determination of hydrazine. <i>Sensors and Actuators B: Chemical</i> . 2015. 213. 82-91.	4.0	35
436	When Nanoparticles Meet Poly(Ionic Liquid)s: Chemoresistive CO ₂ Sensing at Room Temperature. <i>Advanced Functional Materials</i> , 2015, 25, 2537-2542.	7.8	85
437	Vocs Sensors Based on Polyaniline/Graphene-Nanosheets Bilayer. <i>Lecture Notes in Electrical Engineering</i> , 2015, , 197-201.	0.3	2
438	Counterpoise-corrected energies, NBO, HOMO and LUMO and interaction energies of poly(o-aminophenol) for ammonia sensing by DFT methods. <i>Synthetic Metals</i> , 2015, 209, 143-149.	2.1	17
439	Enhanced room temperature sulfur dioxide sensing behaviour of in situ polymerized polyaniline-tungsten oxide nanocomposite possessing honeycomb morphology. <i>RSC Advances</i> , 2015, 5, 73535-73544.	1.7	70
440	Polyaniline nanodiamond fibers resulting from the self-assembly of nano-fibrils: a nanomechanical study. <i>Nanoscale</i> , 2015, 7, 14358-14367.	2.8	26
441	Smart Sensors and Systems. , 2015, , .		11
442	The interaction of carbon monoxide to Fe(III)(salen)-PEDOT:PSS composite as a gas sensor. <i>Synthetic Metals</i> , 2015, 209, 192-199.	2.1	17
443	Development of Macroporous <i>co</i> -Polyesters of Glyceryl Methacrylate with Acrylonitrile and Styrene for Electrical Sensing of Ammonia Vapor. <i>Journal of Physical Chemistry C</i> , 2015, 119, 17260-17270.	1.5	13

444

#	ARTICLE	IF	CITATIONS
452	Humidity Sensor Based on PEDOT:PSS and Zinc Stannate Nano-composite. Journal of Electronic Materials, 2015, 44, 3992-3999.	1.0	37
453	Synthesis of Novel crosslinked Poly(azomethine-urethane)s: Photophysical and thermal properties. Materials Chemistry and Physics, 2015, 163, 301-310.	2.0	21
454	Sensitive detection of nitrogen dioxide gas at room temperature using poly(3,4-ethylenedioxythiophene) nanotubes. Journal of Environmental Chemical Engineering, 2015, 3, 1947-1952.	3.3	20
455	Molecular and Electronic Structure Elucidation of Polypyrrole Gas Sensors. Journal of Physical Chemistry C, 2015, 119, 15994-16003.	1.5	94
456	A room temperature volatile organic compound sensor with enhanced performance, fast response and recovery based on N-doped graphene quantum dots and poly(3,4-ethylenedioxythiophene)-poly(styrenesulfonate) nanocomposite. RSC Advances, 2015, 5, 57559-57567.	1.7	78
457	Chemically diverse sensor arrays based on electrochemically copolymerized pyrrole and styrene derivatives. Sensors and Actuators B: Chemical, 2015, 215, 510-517.	4.0	8
458	Synthesis and electrochemical properties of electroactive hyperbranched poly(aryl ether ketone) bearing oligoaniline segments. Synthetic Metals, 2015, 205, 42-47.	2.1	9
459	Organic-Inorganic Hybrid Nanocomposite-Based Gas Sensors for Environmental Monitoring. Chemical Reviews, 2015, 115, 4571-4606.	23.0	429
460	Fully gravure-printed NO ₂ gas sensor on a polyimide foil using WO ₃ -PEDOT:PSS nanocomposites and Ag electrodes. Sensors and Actuators B: Chemical, 2015, 216, 176-183.	4.0	80
461	High-performance diketopyrrolopyrrole-based organic field-effect transistors for flexible gas sensors. Organic Electronics, 2015, 23, 76-81.	1.4	44
462	Chemical oxidative polymerization, optical, electrochemical and kinetic studies of 8-amino-2-naphthol. Journal of Polymer Research, 2015, 22, 1.	1.2	7
463	Sensory properties of hybrid composites based on poly(3,4-ethylenedioxythiophene)-porous silicon-carbon nanotubes. Nanoscale Research Letters, 2015, 10, 187.	3.1	32
464	Polypyrrole Microwires as Toxic Gas Sensors for Ammonia and Hydrogen Sulphide. Journal of Sensors and Instrumentation, 0, , .	0.0	9
465	Electrospinning for High Performance Sensors. Nanoscience and Technology, 2015, , .	1.5	30
466	Wide range high speed relative humidity sensor based on PEDOT:PSS-PVA composite on an IDT printed on piezoelectric substrate. Sensors and Actuators A: Physical, 2015, 228, 40-49.	2.0	70
467	Graphene Filled Polymers for Vapor/Gas Sensor Applications. , 2015, , 253-275.		1
468	Luminescent Optical Detection of Volatile Electron Deficient Compounds by Conjugated Polymer Nanofibers. Analytical Chemistry, 2015, 87, 4421-4428.	3.2	12
469	Polyaniline proton doping for sensor application. , 2015, , .		4

#	ARTICLE	IF	CITATIONS
470	Design and Fabrication of Open-Tubular Array Gas Sensors Based on Conducting Polypyrrole Modified With Crown Ethers for Simultaneous Determination of Alkylamines. <i>IEEE Sensors Journal</i> , 2015, 15, 4130-4136.	2.4	35
471	Sensitive detection of ammonia by reduced graphene oxide/polypyrrole nanocomposites. <i>Synthetic Metals</i> , 2015, 203, 228-234.	2.1	97
472	Thiourea-treated graphene aerogel as a highly selective gas sensor for sensing of trace level of ammonia. <i>Analytica Chimica Acta</i> , 2015, 897, 87-95.	2.6	35
473	Room temperature ammonia sensing using tapered multimode fiber coated with polyaniline nanofibers. <i>Optics Express</i> , 2015, 23, 2837.	1.7	45
474	Molecular modeling design of polyaniline as carbon dioxide sensor. , 2015, , .		0
475	Ultrasensitive Gold Nanostarâ€“Polyaniline Composite for Ammonia Gas Sensing. <i>Langmuir</i> , 2015, 31, 13247-13256.	1.6	53
477	First-principles study of terpyrrole as a potential hydrogen cyanide sensor: DFT calculations. <i>Journal of Molecular Modeling</i> , 2015, 21, 273.	0.8	44
478	Simple and low-temperature polyaniline-based flexible ammonia sensor: a step towards laboratory synthesis to economical device design. <i>Journal of Materials Chemistry C</i> , 2015, 3, 9461-9468.	2.7	130
479	Electrochemical and surface characterization of composite material: Polyaniline/LiMn2O4. <i>Journal of Electroanalytical Chemistry</i> , 2015, 756, 179-185.	1.9	14
480	Polystyrene-block-poly(tert-butyl methacrylate)/multiwall carbon nanotube ternary conducting polymer nanocomposites based on compatibilizers: Preparation, characterization and vapor sensing applications. <i>Materials and Design</i> , 2015, 87, 149-156.	3.3	16
481	Polymer based fabrics as transducers in ammonia & ethanol gas sensing. <i>Fibers and Polymers</i> , 2015, 16, 1803-1811.	1.1	14
482	NiO nanosheets assembled into hollow microspheres for highly sensitive and fast-responding VOC sensors. <i>RSC Advances</i> , 2015, 5, 80786-80792.	1.7	14
483	Polyaniline/SnO2 Nanocomposite Sensor for NO2 Gas Sensing at Low Operating Temperature. <i>International Journal of Nanoscience</i> , 2015, 14, 1550011.	0.4	18
484	Vapour sensing of explosive materials. <i>Analytical Methods</i> , 2015, 7, 9005-9017.	1.3	35
485	Sorption Behavior of Compressed CO ₂ and CH ₄ on Ultrathin Hybrid Poly(POSS-imide) Layers. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 26977-26988.	4.0	20
486	A wearable and highly sensitive CO sensor with a macroscopic polyaniline nanofiber membrane. <i>Journal of Materials Chemistry A</i> , 2015, 3, 24333-24337.	5.2	30
487	Handbook of Polymer Nanocomposites. Processing, Performance and Application. , 2015, , .		61
488	Synthesis of polyaniline hybrid composite: A new and efficient sensor for the detection of total volatile basic nitrogen molecules. <i>Sensors and Actuators B: Chemical</i> , 2015, 208, 369-378.	4.0	20

#	ARTICLE	IF	CITATIONS
489	Breath analysis by nanostructured metal oxides as chemo-resistive gas sensors. <i>Materials Today</i> , 2015, 18, 163-171.	8.3	393
490	Hydrogen sensing by sol-gel grown NiO and NiO:Li thin films. <i>Journal of Alloys and Compounds</i> , 2015, 626, 87-92.	2.8	52
491	A fast-response/recovery ZnO hierarchical nanostructure based gas sensor with ultra-high room-temperature output response. <i>Sensors and Actuators B: Chemical</i> , 2015, 206, 764-771.	4.0	82
492	Flexible Organic Electronics in Biology: Materials and Devices. <i>Advanced Materials</i> , 2015, 27, 7493-7527.	11.1	353
493	A non-enzymatic hydrogen peroxide sensor based on platinum nanoparticle-polyaniline nanocomposites hosted in mesoporous silica film. <i>Journal of Electroanalytical Chemistry</i> , 2015, 736, 83-87.	1.9	48
494	Composition-dependent sensing mechanism of electrospun conductive polymer composite nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 235-242.	4.0	46
495	Titanium dioxide/conducting polymers composite pigments for corrosion protection of cold rolled steel. <i>Journal of Coatings Technology Research</i> , 2015, 12, 137-152.	1.2	19
496	Sensing Technology: Current Status and Future Trends III. <i>Smart Sensors, Measurement and Instrumentation</i> , 2015, , .	0.4	7
497	Chemical and Biological Sensors from Conducting and Semiconducting Polymers. , 2016, , .		4
498	Electrochemical Synthesis, Characterization and Gas Sensing Properties of Hybrid Ppy/CS Coated ZnO Nanospheres. <i>International Journal of Electrochemical Science</i> , 2016, 11, 9902-9916.	0.5	11
499	Impedimetric Humidity Sensor Based on Nanohybrid Composite of Conducting Poly(diphenylamine) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.6	17
500	Conductive Polymer Synthesis with Single-Crystallinity via a Novel Plasma Polymerization Technique for Gas Sensor Applications. <i>Materials</i> , 2016, 9, 812.	1.3	34
501	A Fast Response Ammonia Sensor Based on Coaxial PPy-PAN Nanofiber Yarn. <i>Nanomaterials</i> , 2016, 6, 121.	1.9	32
502	Poly(3-Methylthiophene) Thin Films Deposited Electrochemically on QCMs for the Sensing of Volatile Organic Compounds. <i>Sensors</i> , 2016, 16, 423.	2.1	26
503	Investigation of Gas-Sensing Property of Acid-Deposited Polyaniline Thin-Film Sensors for Detecting H ₂ S and SO ₂ . <i>Sensors</i> , 2016, 16, 1889.	2.1	18
504	Hybrids formed between polyvinylpyrrolidone and an A ₃ B porphyrin dye: behaviour in aqueous solutions and chemical response to CO ₂ presence. <i>Polymer International</i> , 2016, 65, 200-209.	1.6	14
506	Nanostructured Materials for Room-Temperature Gas Sensors. <i>Advanced Materials</i> , 2016, 28, 795-831.	11.1	1,192
507	Design and fabrication of capacitive nanosensor based on MOF nanoparticles as sensing layer for VOCs detection. <i>Sensors and Actuators B: Chemical</i> , 2016, 237, 776-786.	4.0	143

#	ARTICLE	IF	CITATIONS
508	Fabrication and Characterization of an Ammonia Gas Sensor Based on PEDOT-PSS With N-Doped Graphene Quantum Dots Dopant. IEEE Sensors Journal, 2016, 16, 6149-6154.	2.4	47
509	Recovery processes of optical properties of polymer sensor films. Molecular Crystals and Liquid Crystals, 2016, 639, 19-23.	0.4	6
510	Low working temperature operation of Layered Double Hydroxides sensors for air quality monitoring in smart cities. , 2016, , .		2
511	A PANIâ€“Cellulose acetate composite as a selective and sensitive chemomechanical actuator for acetone detection. International Journal of Higher Education Management, 2016, 2, 1-7.	1.0	13
512	Transparent biocompatible sensor patches for touch sensitive prosthetic limbs. , 2016, , .		11
513	Organic high-sensitive elements of gas sensors based on conducting polymer films. Molecular Crystals and Liquid Crystals, 2016, 639, 33-38.	0.4	11
514	Investigation into the Sensing Process of Highâ€“Performance H₂S Sensors Based on Polymer Transistors. Chemistry - A European Journal, 2016, 22, 3654-3659.	1.7	37
515	Electrical, electrochemical, and thermometric sensors for the detection of explosives. Journal of Analytical Chemistry, 2016, 71, 234-242.	0.4	10
516	Smart Textile Transducers: Design, Techniques, and Applications. , 2016, , 121-146.		5
517	Synthesis and characterization of conjugated polyphenols derived from azomethine formation containing terephthaldehyde via oxidative polycondensation. Journal of Macromolecular Science - Pure and Applied Chemistry, 2016, 53, 438-451.	1.2	20
518	Analyte discrimination with chemically diverse sensor array based on electrocopolymerized pyrrole and vinyl derivatives. RSC Advances, 2016, 6, 32549-32559.	1.7	2
519	Enhanced LPG sensing-performance at room temperature of poly(o-anisidine)â€“CeO₂ nanocomposites. RSC Advances, 2016, 6, 45768-45782.	1.7	19
520	Synthesis and sensing applications of polyaniline nanocomposites: a review. RSC Advances, 2016, 6, 42196-42222.	1.7	249
521	Ammonia gas-sensing based on polythiophene film prepared through electrophoretic deposition method. Journal of Polymer Research, 2016, 23, 1.	1.2	33
522	Swift heavy ion irradiated SnO2 thin film sensor for efficient detection of SO2 gas. Nuclear Instruments & Methods in Physics Research B, 2016, 379, 219-223.	0.6	18
523	The polythiophene molecular segment as a sensor model for H2O, HCN, NH3, SO3, and H2S: a density functional theory study. Journal of Molecular Modeling, 2016, 22, 127.	0.8	20
524	Fabrication of ZnSnO3 based humidity sensor onto arbitrary substrates by micro-Nano scale transfer printing. Sensors and Actuators A: Physical, 2016, 246, 1-8.	2.0	39
525	Study of optical and electrical properties of thin films of the conducting comb-like graft copolymer of polymethylsiloxane with poly(3-hexylthiophene) and poly(ethylene) glycol side chains for low temperature NO2 sensing. Thin Solid Films, 2016, 618, 277-285.	0.8	15

#	ARTICLE	IF	CITATIONS
526	Recent advances in engineered graphene and composites for detection of volatile organic compounds (VOCs) and non-invasive diseases diagnosis. <i>Carbon</i> , 2016, 110, 97-129.	5.4	128
527	Multivariable Sensors for Ubiquitous Monitoring of Gases in the Era of Internet of Things and Industrial Internet. <i>Chemical Reviews</i> , 2016, 116, 11877-11923.	23.0	305
528	Exploring Redox States, Doping and Ordering of Electroactive Star-Shaped Oligo(aniline)s. <i>Chemistry - A European Journal</i> , 2016, 22, 16950-16956.	1.7	15
529	Gas Sensors for Underground Mines and Hazardous Areas. , 2016, , 161-212.		10
530	Monolayer WS ₂ crossed with an electro-spun PEDOT-PSS nano-ribbon: Fabricating a Schottky diode. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2016, 214, 68-73.	1.7	7
531	Nanostructuring of PEDOT in Porous Coordination Polymers for Tunable Porosity and Conductivity. <i>Journal of the American Chemical Society</i> , 2016, 138, 10088-10091.	6.6	193
532	An efficient pure polyimide ammonia sensor. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7790-7797.	2.7	20
533	Three-Dimensional Nanoporous Conducting Polymer Poly(3,4-Ethylenedioxythiophene) (PEDOT) Decorated with Copper Nanoparticles: Electrochemical Preparation and Enhanced Nonenzymatic Glucose Sensing. <i>ChemElectroChem</i> , 2016, 3, 1799-1804.	1.7	20
534	The PANI-DBSA content and dispersing solvent as influencing parameters in sensing performances of TiO ₂ /PANI-DBSA hybrid nanocomposites to ammonia. <i>RSC Advances</i> , 2016, 6, 82625-82634.	1.7	11
535	A review of recent developments in tin dioxide composites for gas sensing application. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 44, 1-22.	2.9	106
536	Preparation of graphene nanoscroll/polyaniline composites and their use in high performance supercapacitors. <i>New Carbon Materials</i> , 2016, 31, 315-320.	2.9	29
537	Review on thin-film transistor technology, its applications, and possible new applications to biological cells. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 04EA08.	0.8	53
539	C ₅₄ Si ₆ heterofullerene as a potential gas sensor for CO, NO, and HCN detection. <i>RSC Advances</i> , 2016, 6, 89080-89088.	1.7	14
540	Elaboration and characterization of carboxylic acid-functionalized polypyrrole films. <i>Synthetic Metals</i> , 2016, 220, 247-254.	2.1	11
541	Vapor phase sensing response of doped polyaniline-poly (vinyl alcohol) composite membrane to different aliphatic alcohols. <i>Synthetic Metals</i> , 2016, 220, 410-420.	2.1	8
542	High-Oriented Polypyrrole Nanotubes for Next-Generation Gas Sensor. <i>Advanced Materials</i> , 2016, 28, 8265-8270.	11.1	128
543	Electronic properties of a pristine and NH ₃ /NO ₂ adsorbed buckled arsenene monolayer. <i>RSC Advances</i> , 2016, 6, 72634-72642.	1.7	27
544	Application of Chemical Sensors and Sensor Matrixes to Air Quality Evaluation. <i>Comprehensive Analytical Chemistry</i> , 2016, , 267-294.	0.7	6

#	ARTICLE	IF	CITATIONS
545	Sensitive stripping voltammetric determination of Cd(II) and Pb(II) by a Bi/multi-walled carbon nanotube-emeraldine base polyaniline-Nafion composite modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2016, 220, 267-275.	2.6	96
546	Polyaniline nanofibers and their self-assembly into a film to be used as ammonia sensor. <i>RSC Advances</i> , 2016, 6, 103185-103191.	1.7	13
547	Bio-compatible organic humidity sensor transferred to arbitrary surfaces fabricated using single-cell-thick onion membrane as both the substrate and sensing layer. <i>Scientific Reports</i> , 2016, 6, 30065.	1.6	29
548	Investigation of the room temperature gas sensing properties of metal-organic charge transfer complex CuTCNQF ₄ . <i>Journal of Materials Chemistry C</i> , 2016, 4, 11173-11179.	2.7	13
549	Highly sensitive and selective chemiresistor gas/vapor sensors based on polyaniline nanocomposite: A comprehensive review. <i>Journal of Science: Advanced Materials and Devices</i> , 2016, 1, 431-453.	1.5	184
550	Band alignment and depletion zone at ZnO/CdS and ZnO/CdSe hetero-structures for temperature independent ammonia vapor sensing. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 32057-32071.	1.3	18
551	Preparation and atomic force microscopy of CTAB stabilized polythiophene nanoparticles thin film. , 2016, , .		1
552	Poly(aryl ether) bearing electroactive tetraaniline pendants and allyl groups: Synthesis, photo-crosslinking and electrochemical properties. <i>Journal of Polymer Science Part A</i> , 2016, 54, 2321-2330.	2.5	15
553	Optical fiber detector for monitoring volatile hydrocarbons during electrokinetic treatment of polluted soil. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2162-2169.	1.6	4
554	NanodrÄhte in Chemo- und Biosensoren: aktueller Stand und Fahrplan fÄ¼r die Zukunft. <i>Angewandte Chemie</i> , 2016, 128, 1286-1302.	1.6	10
555	Nanowire Chemical/Biological Sensors: Status and a Roadmap for the Future. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1266-1281.	7.2	237
556	Photoluminescence analysis of a polythiophene derivative: Concentration and temperature effects. <i>Optical Materials</i> , 2016, 58, 93-101.	1.7	3
557	Ultrafast and Ultrasensitive Gas Sensors Derived from a Large Fermi-Level Shift in the Schottky Junction with Sieve-Layer Modulation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 17382-17388.	4.0	13
558	Synthesis and Characterization of Phthalocyaninosilicon With Bridging Ligands (L) (L = Dimethylsilane, Diphenylsilane, Methylphenylsilane). <i>Bulletin of the Korean Chemical Society</i> , 2016, 37, 207-212.	1.0	1
559	Enhanced electrochemical behavior and hydrophobicity of crystalline polyaniline@graphene nanocomposite synthesized at elevated temperature. <i>Composites Part B: Engineering</i> , 2016, 87, 281-290.	5.9	94
560	Reduced graphene oxide-rose bengal hybrid film for improved ammonia detection with low humidity interference at room temperature. <i>Materials Research Express</i> , 2016, 3, 025101.	0.8	10
561	Application of electrochemical sensors and sensor matrixes for measurement of odorous chemical compounds. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 77, 1-13.	5.8	90
562	Chemiresistive gas sensor for the sensitive detection of nitrogen dioxide based on nitrogen doped graphene nanosheets. <i>RSC Advances</i> , 2016, 6, 1527-1534.	1.7	70

#	ARTICLE	IF	CITATIONS
563	Estimation of multicomponent organic solvent vapor mixture composition with electroconducting polymer chemiresistors. <i>Sensors and Actuators B: Chemical</i> , 2016, 232, 203-218.	4.0	13
564	Humidity effects on a novel eco-friendly chemosensor based on electrospun PANi/PHB nanofibres. <i>Sensors and Actuators B: Chemical</i> , 2016, 232, 16-27.	4.0	34
565	Effect of oxidizing agent on ammonia sensing of DBSA doped polyaniline nanocomposite thin film. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 4109-4119.	1.1	26
566	Design Selective Gas Sensors Based on Nano-Sized Polypyrrole/Polytetrafluoroethylene and Polypropylene Membranes. <i>IEEE Sensors Journal</i> , 2016, 16, 2922-2928.	2.4	34
567	Low-cost gas sensors with polyaniline film for aroma detection. <i>Journal of Food Engineering</i> , 2016, 180, 16-21.	2.7	29
568	Food quality and safety monitoring using gas sensor array in intelligent packaging. <i>Sensor Review</i> , 2016, 36, 169-183.	1.0	107
569	Î±-Fe ₂ O ₃ based nanomaterials as gas sensors. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 3109-3144.	1.1	138
570	Visual detection of Al ³⁺ ions using conjugated copolymer-ATP supramolecular complex. <i>Analytica Chimica Acta</i> , 2016, 912, 105-110.	2.6	17
571	Weaving nanofibers by altering counter-electrode electrostatic signals. <i>Journal of Aerosol Science</i> , 2016, 95, 67-72.	1.8	7
572	Fabrication of ultrathin conductive protein-based fibrous films and their thermal sensing properties. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4711-4717.	5.2	7
573	Facile route to covalently-jointed graphene/polyaniline composite and its enhanced electrochemical performances for supercapacitors. <i>Applied Surface Science</i> , 2016, 376, 261-268.	3.1	52
574	NO ₂ -induced performance enhancement of PEDOT:PSS/Si hybrid solar cells with a high efficiency of 13.44%. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 7184-7189.	1.3	11
575	Fabrication of Nanocomposites of SnO ₂ and MgAl ₂ O ₄ for Gas Sensing Applications. <i>Journal of Electronic Materials</i> , 2016, 45, 2193-2205.	1.0	10
576	Selective enhancement of intra-chain charge transport to improve ammonia sensing performance in polyaniline layers. <i>Electronic Materials Letters</i> , 2016, 12, 107-112.	1.0	11
577	Improvement of the adhesion between polyaniline and commercial carbon paper by acid treatment and its application in supercapacitor electrodes. <i>Composite Interfaces</i> , 2016, 23, 133-143.	1.3	10
578	Novel amperometric xanthine biosensor based on xanthine oxidase immobilized on electrochemically polymerized 10-[4H-dithieno(3,2-b:2',3'-d)pyrrole-4-yl]decane-1-amine film. <i>Sensors and Actuators B: Chemical</i> , 2016, 225, 181-187.	4.0	46
579	Simultaneous Analysis of Aliphatic Alcohols Mixtures Using an Electronic Nose Based on Nano/Microstructured Conducting Polypyrrole Film Prepared by Catalytic Electropolymerization on Cu/Au Interdigital Electrodes Using Multivariate Calibration. <i>IEEE Sensors Journal</i> , 2016, 16, 418-425.	2.4	5
580	Preparation, characterization and CO ₂ gas sensitivity of Polyaniline doped with Sodium Superoxide (NaO ₂). <i>Materials Research Bulletin</i> , 2016, 73, 70-76.	2.7	31

#	ARTICLE	IF	CITATIONS
581	Use of array of conducting polymers for differentiation of coconut oil products. <i>Talanta</i> , 2016, 146, 75-82.	2.9	14
582	Ultra sensitive NO ₂ gas detection using the reduced graphene oxide coated etched fiber Bragg gratings. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 481-486.	4.0	59
583	Spray layer-by-layer assembly of POSS functionalized CNT quantum chemo-resistive sensors with tuneable selectivity and ppm resolution to VOC biomarkers. <i>Sensors and Actuators B: Chemical</i> , 2016, 222, 362-373.	4.0	42
584	Improving the conductivity of polyaniline-coated polyester textile by optimizing the synthesis conditions. <i>Journal of Industrial Textiles</i> , 2016, 46, 611-623.	1.1	13
585	Determination of Quality and Spoilage of Milk by Synthesized Polypyrrole Nanocomposite Fiber at Room Temperature. <i>Journal of Food Process Engineering</i> , 2016, 39, 266-272.	1.5	9
586	Highly stretchable polymer composite microtube chemical sensors produced by the meniscus-guided approach. <i>Current Applied Physics</i> , 2017, 17, 339-342.	1.1	5
587	Recent progress in interfacial polymerization. <i>Materials Chemistry Frontiers</i> , 2017, 1, 1028-1040.	3.2	116
588	Designing and adjusting the thickness of polyvinylpyrrolidone waveguide layer on plasmonic nanofilm for humidity sensing. <i>Optical Engineering</i> , 2017, 56, 016116.	0.5	0
589	Fabrication and gas sensing behavior of poly(3,4-ethylenedioxythiophene) coated polypropylene fiber with engineered interface. <i>Reactive and Functional Polymers</i> , 2017, 112, 74-80.	2.0	18
590	Understanding the gas sensing properties of polypyrrole coated tin oxide nanofiber mats. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 105302.	1.3	17
591	The use of graphene oxide-embedded superporous poly(2-hydroxyethylmethacrylate) cryogels for p(aniline) conductive polymer synthesis and their use in sensor applications. <i>Materials and Design</i> , 2017, 120, 47-55.	3.3	25
592	Ammonia gas sensor based on flexible polyaniline films for rapid detection of spoilage in protein-rich foods. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 7760-7768.	1.1	68
593	A highly sensitive ammonia sensor based on spinous core-shell PCL/PANI fibers. <i>Journal of Materials Science</i> , 2017, 52, 6554-6566.	1.7	16
594	Machine Olfaction. , 2017, , 55-56.		4
595	Highly sensitive BEHP-co-MEH:PPV + Poly(acrylic acid) partial sodium salt based relative humidity sensor. <i>Sensors and Actuators B: Chemical</i> , 2017, 246, 809-818.	4.0	35
596	Preparation of conductive, flexible and transparent films by in situ deposition of polypyrrole nanoparticles on polyethylene terephthalate. <i>Polymer Science - Series B</i> , 2017, 59, 308-319.	0.3	2
597	Investigation into the ring-substituted polyanilines and their application for the detection and adsorption of sulfur dioxide. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 423-430.	4.0	28
598	Room Temperature Sensing Achieved by GaAs Nanowires and oCVD Polymer Coating. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700055.	2.0	5

#	ARTICLE	IF	CITATIONS
599	Flexible Ammonia Sensor Based on PEDOT:PSS/Silver Nanowire Composite Film for Meat Freshness Monitoring. IEEE Electron Device Letters, 2017, 38, 975-978.	2.2	58
600	Micropatterning of metal oxide nanofibers by electrohydrodynamic (EHD) printing towards highly integrated and multiplexed gas sensor applications. Sensors and Actuators B: Chemical, 2017, 250, 574-583.	4.0	74
601	Electrospun polypyrrole-polyethylene oxide coated optical fiber sensor probe for detection of volatile compounds. Sensors and Actuators B: Chemical, 2017, 250, 52-60.	4.0	52
602	Gas Phase Sensing of Alcohols by Metal Organic Framework-Polymer Composite Materials. ACS Applied Materials & Interfaces, 2017, 9, 24926-24935.	4.0	51
603	An updated roadmap for the integration of metal-organic frameworks with electronic devices and chemical sensors. Chemical Society Reviews, 2017, 46, 3185-3241.	18.7	987
604	Preparation and investigation of soluble functionalized polyanilines. Physics of the Solid State, 2017, 59, 1253-1259.	0.2	15
605	Vapor sensing with color-tunable multilayered coatings of cellulose nanocrystals. Carbohydrate Polymers, 2017, 174, 39-47.	5.1	40
606	Design of a portable gas chromatography with a conducting polymer nanocomposite detector device and a method to analyze a gas mixture. Journal of Separation Science, 2017, 40, 1724-1730.	1.3	18
607	Directing Stem Cell Differentiation via Electrochemical Reversible Switching between Nanotubes and Nanotips of Polypyrrole Array. ACS Nano, 2017, 11, 5915-5924.	7.3	89
608	Tunable Enhancement of a Graphene/Polyaniline/Poly(ethylene oxide) Composite Electrospun Nanofiber Gas Sensor. Journal of Analysis and Testing, 2017, 1, 1.	2.5	10
609	Nanoporous carbon-composites as gas sensors: Importance of the specific adsorption forces for ammonia sensing mechanism. Carbon, 2017, 121, 114-126.	5.4	27
610	P(VDF-HFP) Polymer as Sensing Material for Capacitive Carbon Dioxide Sensors. IEEE Sensors Journal, 2017, 17, 4349-4356.	2.4	19
611	Core-shell structure of polypyrrole grown on W18O49 nanorods for high performance gas sensor operating at room temperature. Organic Electronics, 2017, 48, 254-261.	1.4	31
612	Linear humidity sensor fabrication using bi-layered active region of transition metal carbide and polymer thin films. Sensors and Actuators B: Chemical, 2017, 252, 725-734.	4.0	34
613	The use of p(4-VP) cryogel as template for in situ preparation of p(An), p(Py), and p(Th) conductive polymer and their potential sensor applications. Synthetic Metals, 2017, 227, 11-20.	2.1	17
614	Self-Regulated Bias Circuits for Efficient Adjustment of the Operating Temperature of Chemoresistive Gas Sensors. IEEE Sensors Journal, 2017, 17, 2984-2991.	2.4	2
615	Organic field effect transistor based on polyaniline - dodecylbenzene sulphonic acid for humidity sensor. , 2017, , .		7
616	Fabrication of PANI-ZnO nanocomposite thin film for room temperature methanol sensor. Journal of Materials Science: Materials in Electronics, 2017, 28, 10799-10805.	1.1	23

#	ARTICLE	IF	CITATIONS
617	Morphology, Structure, and Gas Sensing Performance of Conductive Polymers and Polymer/Carbon Black Composites Used for Volatile Compounds Detection. <i>IEEE Sensors Journal</i> , 2017, 17, 2992-3000.	2.4	8
618	Scalable fabrication of prototype sensor for selective and sub-ppm level ethanol sensing based on TiO ₂ nanotubes decorated porous silicon. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 602-610.	4.0	46
619	Quartz tuning fork based portable sensor for vapor phase detection of methanol adulteration of ethanol by using aniline-doped polystyrene microwires. <i>Mikrochimica Acta</i> , 2017, 184, 1659-1667.	2.5	20
620	Hydrogen sensing performance of a Pd nanoparticle/Pd film/GaN-based diode. <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 514-519.	4.0	23
621	Flexible camphor sulfonic acid-doped PANi/±-Fe ₂ O ₃ nanocomposite films and their room temperature ammonia sensing activity. <i>Materials Chemistry and Physics</i> , 2017, 189, 191-197.	2.0	45
622	Simulating charge transport in organic semiconductors and devices: a review. <i>Reports on Progress in Physics</i> , 2017, 80, 026502.	8.1	56
623	Survey on Langmuir-Blodgett Films of Polymer and Polymeric Composite. <i>Polymer-Plastics Technology and Engineering</i> , 2017, 56, 932-945.	1.9	18
624	PPy-Metal Oxide Hybrid Nanocomposite Sensor Array for Simultaneous Determination of Volatile Organic Amines in High Humid Atmosphere. <i>IEEE Sensors Journal</i> , 2017, 17, 8282-8289.	2.4	7
625	Cu ²⁺ -Doped SnO ₂ Nanograin/Polypyrrole Nanospheres with Synergic Enhanced Properties for Ultrasensitive Room-Temperature H ₂ S Gas Sensing. <i>Analytical Chemistry</i> , 2017, 89, 11135-11142.	3.2	122
626	Systematic Analysis of Poly(<i>o</i> -aminophenol) Humidity Sensors. <i>ACS Omega</i> , 2017, 2, 6380-6390.	1.6	26
627	Room-temperature gas sensing of ZnO-based gas sensor: A review. <i>Sensors and Actuators A: Physical</i> , 2017, 267, 242-261.	2.0	829
628	An accurate comparative theoretical study of the interaction of furan, pyrrole, and thiophene with various gaseous analytes. <i>Journal of Molecular Modeling</i> , 2017, 23, 295.	0.8	40
629	Gas sensing properties of SnO ₂ nanoparticles mixed with gold nanoparticles. <i>Transactions of Nonferrous Metals Society of China</i> , 2017, 27, 1777-1784.	1.7	16
630	Nanostructured polyaniline/poly(styrene-butadiene-styrene) composite fiber for use as highly sensitive and flexible ammonia sensor. <i>Synthetic Metals</i> , 2017, 233, 86-93.	2.1	37
631	Seed mediated copper nanoparticle synthesis for fabricating oxidation free interdigitated electrodes using intense pulse light sintering for flexible printed chemical sensors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11128-11137.	2.7	17
632	Recent Advances in Sensing Applications of Graphene Assemblies and Their Composites. <i>Advanced Functional Materials</i> , 2017, 27, 1702891.	7.8	209
633	The cooperative actuation of multistep electrochemical molecular machines senses the working temperature: voltammetric study. <i>Electrochimica Acta</i> , 2017, 257, 403-411.	2.6	13
634	High-Performance Schottky Diode Gas Sensor Based on the Heterojunction of Three-Dimensional Nanohybrids of Reduced Graphene Oxide-Vertical ZnO Nanorods on an AlGaIn/GaN Layer. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 30722-30732.	4.0	81

#	ARTICLE	IF	CITATIONS
635	Thermally modified amorphous polyethylene oxide thin films as highly sensitive linear humidity sensors. <i>Sensors and Actuators A: Physical</i> , 2017, 265, 102-110.	2.0	24
636	Chiroptical, morphological and conducting properties of chiral nematic mesoporous cellulose/polypyrrole composite films. <i>Journal of Materials Chemistry A</i> , 2017, 5, 19184-19194.	5.2	72
637	Conductive polymer based antenna for wireless green sensors Applications. <i>Microelectronic Engineering</i> , 2017, 182, 46-52.	1.1	35
638	UV-Printable and Flexible Humidity Sensors Based on Conducting/Insulating Semi-Interpenetrated Polymer Networks. <i>Macromolecular Materials and Engineering</i> , 2017, 302, 1700161.	1.7	17
639	Sensitive and selective gas/VOC detection using MOS sensor array for wearable and mobile applications. , 2017, , .		6
640	Superporous cryogel/conductive composite systems for potential sensor applications. <i>Journal of Polymer Research</i> , 2017, 24, 1.	1.2	8
641	Recent developments in conducting polymer based composites for sensing devices. <i>Materials Today: Proceedings</i> , 2017, 4, 5672-5681.	0.9	33
642	Gas sensing behaviour of cerium oxide and magnesium aluminate composites. <i>Bulletin of Materials Science</i> , 2017, 40, 667-682.	0.8	7
643	Electronic nose system based on polyaniline films sensor array with different dopants for discrimination of artificial aromas. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 43, 112-116.	2.7	35
644	Development of e-nose biosensors based on organic semiconductors towards low-cost health care diagnosis in gynecological diseases. <i>Materials Today: Proceedings</i> , 2017, 4, 11544-11553.	0.9	2
645	Interfacial Synthesis of Free-Standing Asymmetrical PPY-PEDOT Copolymer Film with 3D Network Structure for Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1820-A1825.	1.3	7
646	Detection of volatile organic compounds using electrospun P3HT/PMMA fibrous film. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017, 78, 552-560.	2.7	16
647	A room temperature methanol vapor sensor based on highly conducting carboxylated multi-walled carbon nanotube/polyaniline nanotube composite. <i>Sensors and Actuators B: Chemical</i> , 2017, 253, 977-986.	4.0	39
648	In situ preparation of graphene/polypyrrole nanocomposite via electrochemical co-deposition methodology for anti-corrosion application. <i>Journal of Materials Science</i> , 2017, 52, 12251-12265.	1.7	38
649	Polypyrrole capacitance characteristics with different doping ions and thicknesses. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 21165-21173.	1.3	44
650	Tuning the electrical properties of polyaniline by copolymerization with o-bromoaniline. <i>Functional Materials Letters</i> , 2017, 10, 1750039.	0.7	3
651	Carbon black and graphite filled conducting nanocomposite films for temperature sensor applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 9514-9518.	1.1	12
652	Inkjet printing of polymer functionalized CNT gas sensor with enhanced sensing properties. <i>Materials Letters</i> , 2017, 189, 299-302.	1.3	80

#	ARTICLE	IF	CITATIONS
653	Ionâ€¢Conjugation: Squaraine as an Ultrasensitive Ammonia Sensor Material. <i>Small</i> , 2017, 13, 1602190.	5.2	34
654	Piezo-resistive behaviour at high strain levels of PEDOT:PSS printed on a flexible polymeric substrate by a novel surface treatment. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 2563-2573.	1.1	7
655	Synthesis and characterization of semi-conductive, thermally stable imine polymers containing methyl silane group. <i>Polymer Bulletin</i> , 2017, 74, 1343-1369.	1.7	6
656	Designing polymeric sensing materials: what are we doing wrong?. <i>Polymers for Advanced Technologies</i> , 2017, 28, 319-344.	1.6	10
657	Spectral, morphological, and antibacterial studies of conducting copolymers, Ppyâ€¢MA, and their nanocomposites, Ag@Ppyâ€¢MA. <i>Polymers for Advanced Technologies</i> , 2017, 28, 10-19.	1.6	12
658	Inorganic and Organic Solution-Processed Thin Film Devices. <i>Nano-Micro Letters</i> , 2017, 9, 3.	14.4	152
659	Ammonia detection of 1-D ZnO/polypyrrole nanocomposite: Effect of CSA doping and their structural, chemical, thermal and gas sensing behavior. <i>Applied Surface Science</i> , 2017, 396, 1317-1325.	3.1	63
660	A semitransparent snake-like tactile and olfactory bionic sensor with reversibly stretchable properties. <i>NPG Asia Materials</i> , 2017, 9, e437-e437.	3.8	22
661	Associated Polymers, Solvents and Doping Agents to Make Polyaniline Electrospinnable. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 209, 012073.	0.3	7
662	Dual transduction Gas sensor based on a surface acoustic wave resonator. , 2017, , .		1
663	Freestanding flexible polypyrrole nanotube membrane for ammonia sensor. <i>Micro and Nano Letters</i> , 2017, 12, 997-999.	0.6	4
664	Fabrication of palladium functionalized sol-gel based SnO ₂ gas sensor for H ₂ and CO detection. , 2017, , .		0
665	Flexible humidity sensor based on PEDOT films. , 2017, , .		4
666	Flexible Pressure Sensor Based on PVDF Nanocomposites Containing Reduced Graphene Oxide-Titania Hybrid Nanolayers. <i>Polymers</i> , 2017, 9, 33.	2.0	108
667	Luminescent carbon dots assembled into mesoporous aluminas for oxygen sensing. <i>Optical Materials Express</i> , 2017, 7, 945.	1.6	12
668	Theoretical modeling and design of photonic structures in zeolite nanocomposites for gas sensing Part I: surface relief gratings. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2017, 34, 2110.	0.8	10
669	Nanostructured Polypyrrole-Based Ammonia and Volatile Organic Compound Sensors. <i>Sensors</i> , 2017, 17, 562.	2.1	99
670	Electro-Conductive Membranes for Permeation Enhancement and Fouling Mitigation: A Short Review. <i>Membranes</i> , 2017, 7, 39.	1.4	79

#	ARTICLE	IF	CITATIONS
671	Preparation of Electrospun Nanocomposite Nanofibers of Polyaniline/Poly(methyl methacrylate) with Amino-Functionalized Graphene. <i>Polymers</i> , 2017, 9, 453.	2.0	46
672	Cross-Selectivity Enhancement of Poly(vinylidene fluoride-hexafluoropropylene)-Based Sensor Arrays for Detecting Acetone and Ethanol. <i>Sensors</i> , 2017, 17, 595.	2.1	28
673	Array of Chemosensitive Resistors with Composites of Gas Chromatography (GC) Materials and Carbon Black for Detection and Recognition of VOCs: A Basic Study. <i>Sensors</i> , 2017, 17, 1606.	2.1	10
674	Drawing Sensors with Ball-Milled Blends of Metal-Organic Frameworks and Graphite. <i>Sensors</i> , 2017, 17, 2192.	2.1	90
675	Screen-Printed Graphite Electrodes as Low-Cost Devices for Oxygen Gas Detection in Room-Temperature Ionic Liquids. <i>Sensors</i> , 2017, 17, 2734.	2.1	15
676	Polymeric Materials for Printed-Based Electroanalytical (Bio)Applications. <i>Chemosensors</i> , 2017, 5, 31.	1.8	15
677	Currently Commercially Available Chemical Sensors Employed for Detection of Volatile Organic Compounds in Outdoor and Indoor Air. <i>Environments - MDPI</i> , 2017, 4, 21.	1.5	179
678	Effects of Operating Temperature on Droplet Casting of Flexible Polymer/Multi-Walled Carbon Nanotube Composite Gas Sensors. <i>Sensors</i> , 2017, 17, 4.	2.1	30
679	Development of Vapor/Gas Sensors From Biopolymer Composites. , 2017, , 385-403.		12
680	Polymethine Dye as Sensors of NH ₃ and CO. <i>Journal of Sensors</i> , 2017, 2017, 1-5.	0.6	2
681	Concentration dependent dielectric, AC conductivity and sensing study of ZnO-polyvinyl alcohol nanocomposite films. <i>International Journal of Nanotechnology</i> , 2017, 14, 961.	0.1	14
682	Hybrid Composites of Poly (diphenylamine sulfonic acid) and nano-Alumina for Impedimetric Humidity Sensors. <i>International Journal of Electrochemical Science</i> , 2017, , 2272-2284.	0.5	4
683	Sensitive detection of hydrocarbon gases using electrochemically Pd-modified ZnO chemiresistors. <i>Beilstein Journal of Nanotechnology</i> , 2017, 8, 82-90.	1.5	15
684	Study of the Nanostructure Effect on Polyalkylthiophene Derivatives Films Using Impedance Spectroscopy. <i>Materials Research</i> , 2017, 20, 874-881.	0.6	3
685	Electronic metal-organic framework sensors. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 979-998.	3.0	120
686	A review on chemiresistive room temperature gas sensors based on metal oxide nanostructures, graphene and 2D transition metal dichalcogenides. <i>Mikrochimica Acta</i> , 2018, 185, 213.	2.5	502
687	A novel MIL-53(Cr-Fe)/Ag/CNT nanocomposite based resistive sensor for sensing of volatile organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2018, 267, 381-391.	4.0	51
688	Enhancement of sensor response of as fabricated SWCNT sensor with gold decorated nanoparticles. <i>Sensors and Actuators A: Physical</i> , 2018, 274, 85-93.	2.0	13

#	ARTICLE	IF	CITATIONS
689	Ammonia Sensing Using a Composite of Graphene Oxide and Conducting Polymer. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018, 12, 1800037.	1.2	18
690	Fabrication and characterization of hollow nanofibrous PA6 yarn reinforced with CNTs. <i>Journal of Polymer Research</i> , 2018, 25, 1.	1.2	16
691	Recent progress on nanostructured conducting polymers and composites: synthesis, application and future aspects. <i>Science China Materials</i> , 2018, 61, 303-352.	3.5	184
692	To form layer by layer composite film in view of its application as supercapacitor electrode by exploiting the techniques of thin films formation just around the corner. <i>Electrochimica Acta</i> , 2018, 265, 556-568.	2.6	72
693	Electrical conductivity response of methanol sensor based on conductive polyindole. <i>Sensors and Actuators B: Chemical</i> , 2018, 262, 1013-1023.	4.0	37
694	Poly(vinylidene fluoride)/poly(3-methylthiophene) core-shell nanocomposites with improved structural and electronic properties of the conducting polymer component. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 6450-6461.	1.3	15
695	Bridging electrode gaps with conducting polymers around the electrical percolation threshold. <i>Electrochemistry Communications</i> , 2018, 87, 40-43.	2.3	25
696	Discrimination of selected fungi species based on their odour profile using prototypes of electronic nose instruments. <i>Measurement: Journal of the International Measurement Confederation</i> , 2018, 116, 307-313.	2.5	39
697	Influence of CuO nanoparticles and graphene nanoplatelets on the sensing behaviour of poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Science: Materials in Electronics, 2018, 29, 5186-5205.	1.1	40
698	Discriminative sensing performances of ZSM-5, Y, mordenite, ferrierite, beta, 3A, 4A, 5A, and 13X zeolites towards sulfur dioxide. <i>Ionics</i> , 2018, 24, 2829-2841.	1.2	12
699	Liquid-assisted exfoliation of 2D hBN flakes and their dispersion in PEO to fabricate highly specific and stable linear humidity sensors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 1421-1432.	2.7	42
700	An ultra-sensitive, flexible and transparent gas detection film based on well-ordered flat polypyrrole on single-layered graphene. <i>Journal of Materials Chemistry A</i> , 2018, 6, 2257-2263.	5.2	33
701	Graphene Oxide-Doped Conducting Polymer Nanowires Fabricated by Soft Lithography for Gas Sensing Applications. <i>IEEE Sensors Journal</i> , 2018, 18, 7765-7771.	2.4	15
702	Patterned Arrays of Functional Lateral Heterostructures via Sequential Template-Directed Printing. <i>Small</i> , 2018, 14, e1800792.	5.2	8
703	Improved Sensitivity of Inkjet-Printed PEDOT:PSS Ammonia Sensor With Nonideal Morphology. , 2018, 2, 1-4.		3
704	A simple and disposable carbon adhesive tape-based NO ₂ gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 485-492.	4.0	22
705	Performance Evaluation of Low-Cost Flexible Gas Sensor Array With Nanocomposite Polyaniline Films. <i>IEEE Sensors Journal</i> , 2018, 18, 3759-3766.	2.4	28
706	Structural, optical and thermal characterization of PVC/SnO ₂ nanocomposites. <i>Applied Physics A: Materials Science and Processing</i> , 2018, 124, 1.	1.1	47

#	ARTICLE	IF	CITATIONS
707	Improving EMI shielding effectiveness and dielectric properties of polyaniline-coated polyester fabric by effective doping and redoping procedures. <i>Journal of Industrial Textiles</i> , 2018, 47, 587-601.	1.1	18
708	Multiwall carbon nanotubes/polyaniline: Poly(ε-caprolactone)/polyaniline nanocomposites: Synthesis, properties & field emission. <i>Polymer Composites</i> , 2018, 39, E955.	2.3	4
709	Recent development in hybrid conducting polymers: Synthesis, applications and future prospects. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 60, 53-84.	2.9	120
710	A review on efficient self-heating in nanowire sensors: Prospects for very-low power devices. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 797-811.	4.0	59
711	Ambient temperature selective ammonia gas sensor based on SnO ₂ -APTES modifications. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 440-447.	4.0	48
712	Amplified spontaneous emission in action: Sub-ppm optical detection of acid vapors in poly[2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene] thin films. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1354-1361.	4.0	11
713	Enhanced electrochemical biosensing of alpha-fetoprotein based on three-dimensional macroporous conducting polymer polyaniline. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 2568-2574.	4.0	54
714	High sensitivity of polypyrrole sensor for uric acid over urea, acetamide and sulfonamide: A density functional theory study. <i>Synthetic Metals</i> , 2018, 235, 49-60.	2.1	66
715	Inducement of nanoscale Cu ²⁺ /BTC on nanocomposite of PPy/rGO and its performance in ammonia sensing. <i>Materials Research Bulletin</i> , 2018, 99, 152-160.	2.7	46
716	A review on advances in application of polyaniline for ammonia detection. <i>Sensors and Actuators B: Chemical</i> , 2018, 257, 1044-1064.	4.0	210
717	Printing Technologies on Flexible Substrates for Printed Electronics. , 0, , .		66
718	Humidity properties of Schiff base polymers. <i>Open Chemistry</i> , 2018, 16, 937-943.	1.0	0
719	Milk powder quality degradation detection using chitosan film based sensor. <i>Journal of Physics: Conference Series</i> , 2018, 1116, 042024.	0.3	1
720	Smart Materials for Wearable Healthcare Devices. , 0, , .		4
721	Formation Mechanism and Characterization of PANI Nanoparticles by Hybrid Chemical and Gamma Irradiation Technique. <i>American Journal of Applied Sciences</i> , 2018, 15, 519-531.	0.1	6
722	Crystal-controlled polymerization: recent advances in morphology design and control of organic polymer materials. <i>Journal of Materials Chemistry A</i> , 2018, 6, 23197-23219.	5.2	35
723	Hermetic All-Fiber Phase Modulators Using Joule Heating in Carbon-Coated Fibers. , 2018, , .		1
724	Conducting Polymers as Elements of Miniature Biocompatible Sensor. , 0, , .		1

#	ARTICLE	IF	CITATIONS
725	Flexible elements of gas sensors based on conjugated polyaminoarenes. <i>Molecular Crystals and Liquid Crystals</i> , 2018, 670, 3-10.	0.4	7
726	Polyacrylonitrile nanofiber as polar solvent N,N-dimethyl formamide sensor based on quartz crystal microbalance technique. <i>Journal of Physics: Conference Series</i> , 2018, 1011, 012067.	0.3	9
728	Modelling and simulation of surface plasmon resonance breathe acetone sensor based on doped polyanilineâ€“graphene composite. <i>Journal of Physics: Conference Series</i> , 2018, 1123, 012020.	0.3	2
729	Advances in meat spoilage detection: A short focus on rapid methods and technologies. <i>CYTA - Journal of Food</i> , 2018, 16, 1037-1044.	0.9	24
730	Nanocombing Effect Leads to Nanowire-Based, in-Plane, Uniaxial Thin Films. <i>ACS Nano</i> , 2018, 12, 12701-12712.	7.3	12
731	A PSE-Coated Interdigital Resonator Gas Sensor for Agricultural Applications. , 2018, , .		3
732	Calibration Update and Drift Correction for Electronic Noses and Tongues. <i>Frontiers in Chemistry</i> , 2018, 6, 433.	1.8	53
733	Affinity Ionic Liquids for Chemoselective Gas Sensing. <i>Molecules</i> , 2018, 23, 2380.	1.7	8
734	Transparent conductive polymer obtained by in-solution doping of PEDOT:PSS. <i>Polymer</i> , 2018, 155, 199-207.	1.8	10
735	Swelling Behavior in Solvent Vapor Sensing based on Quartz Crystal Microbalance (QCM) Coated Polyacrylonitrile (PAN) Nanofiber. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 367, 012020.	0.3	13
736	Preparation Poly 4-Bromoaniline Thin Films by Electro Deposition Technique for Hydrogen gas sensor. <i>Journal of Physics: Conference Series</i> , 2018, 1032, 012063.	0.3	1
737	Two-Dimensional Nanomaterials for Gas Sensing Applications: The Role of Theoretical Calculations. <i>Nanomaterials</i> , 2018, 8, 851.	1.9	90
738	2D Materials for Gas Sensing Applications: A Review on Graphene Oxide, MoS ₂ , WS ₂ and Phosphorene. <i>Sensors</i> , 2018, 18, 3638.	2.1	382
739	Dual Transduction Surface Acoustic Wave Gas Sensor for VOC Discrimination. <i>IEEE Electron Device Letters</i> , 2018, 39, 1920-1923.	2.2	28
740	Greenhouse Gas Sensors Fabricated with New Materials for Climatic Usage: A Review. <i>ChemEngineering</i> , 2018, 2, 38.	1.0	25
741	6.10 Electrically Conductive Nanocomposites. , 2018, , 248-314.		3
743	Polyaniline/palladium nanohybrids for moisture and hydrogen detection. <i>Chemistry Central Journal</i> , 2018, 12, 93.	2.6	12
744	Chitosan-Based Quartz Crystal Microbalance for Alcohol Sensing. <i>Electronics (Switzerland)</i> , 2018, 7, 181.	1.8	38

#	ARTICLE	IF	CITATIONS
745	Polyaniline-multiwalled carbon nanotube (PANI-MWCNT): Room temperature resistive carbon monoxide (CO) sensor. <i>Synthetic Metals</i> , 2018, 245, 182-189.	2.1	71
746	A three-phase copper MOF-graphene-polyaniline composite for effective sensing of ammonia. <i>Analytica Chimica Acta</i> , 2018, 1043, 89-97.	2.6	35
747	A chemiresistive sensor array from conductive polymer nanowires fabricated by nanoscale soft lithography. <i>Nanoscale</i> , 2018, 10, 20578-20586.	2.8	69
748	A Study on the Impact of Poly(3-hexylthiophene) Chain Length and Other Applied Side-Chains on the NO ₂ Sensing Properties of Conducting Graft Copolymers. <i>Sensors</i> , 2018, 18, 928.	2.1	15
749	The deposition characteristics of PAN/PPY on SiO ₂ substrate by density functional theory (DFT) calculations. <i>Applied Surface Science</i> , 2018, 462, 890-895.	3.1	7
750	A flexible VOCs sensor based on a 3D Mxene framework with a high sensing performance. <i>Journal of Materials Chemistry A</i> , 2018, 6, 18116-18124.	5.2	286
751	Ways to Improve the Sensitivity and Selectivity of Gas Sensors Based on Polyaniline. , 2018, , .		0
752	Highly sensitive ethylene glycol-doped PEDOTâ€PSS organic thin films for LPG sensing. <i>RSC Advances</i> , 2018, 8, 18074-18083.	1.7	40
753	Surface modification of polysquaraines to sense humidity within a second for breath monitoring. <i>Sensors and Actuators B: Chemical</i> , 2018, 271, 137-146.	4.0	44
754	Chemically Modified Polyaniline for the Detection of Volatile Biomarkers of Minimal Sensitivity to Humidity and Bending. <i>Advanced Healthcare Materials</i> , 2018, 7, e1800232.	3.9	23
755	Langmuir-Schaefer films of regioregular polythiophene derivatives as VOCs sensors. <i>Materials Chemistry and Physics</i> , 2018, 217, 421-426.	2.0	8
756	Synthesis of actinomorphic flower-like SnO ₂ nanorods decorated with CuO nanoparticles and their improved isopropanol sensing properties. <i>Applied Surface Science</i> , 2018, 456, 586-593.	3.1	50
757	MOFs-derived porous nanomaterials for gas sensing. <i>Polyhedron</i> , 2018, 152, 155-163.	1.0	67
758	Continuous amperometric hydrogen gas sensing in ionic liquids. <i>Analyst, The</i> , 2018, 143, 4136-4146.	1.7	22
759	Achieving humidity-insensitive ammonia sensor based on Poly(3,4-ethylene dioxythiophene): Poly(styrenesulfonate). <i>Organic Electronics</i> , 2018, 62, 234-240.	1.4	25
760	Development of a surface plasmon resonance acetone sensor for noninvasive screening and monitoring of diabetes. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 383, 012024.	0.3	5
761	Recent advances of conjugated polymer (CP) nanocomposite-based chemical sensors and their applications in food spoilage detection: A comprehensive review. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 1113-1138.	4.0	85
762	Polyacrylonitrile Nanofiber-Based Quartz Crystal Microbalance for Sensitive Detection of Safrole. <i>Sensors</i> , 2018, 18, 1150.	2.1	31

#	ARTICLE	IF	CITATIONS
763	3D Architected Graphene/Metal Oxide Hybrids for Gas Sensors: A Review. <i>Sensors</i> , 2018, 18, 1456.	2.1	83
764	Polyimide-Based Capacitive Humidity Sensor. <i>Sensors</i> , 2018, 18, 1516.	2.1	90
765	Lab-made electronic-nose with polyaniline sensor array used in classification of different aromas in gummy candies. <i>Food Research International</i> , 2018, 113, 309-315.	2.9	19
766	Thin film sensor materials for detection of Nitro-Aromatic explosives. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 323, 012003.	0.3	0
767	Studies on DC conductivity and LPG sensing behaviour of nanostructured polypyrrole-CeO ₂ composites. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	5
768	Highly sensitive and selective room-temperature nitrogen dioxide sensors based on porous graphene. <i>Sensors and Actuators B: Chemical</i> , 2018, 275, 78-85.	4.0	39
769	Conducting Polymer-Based Cantilever Sensors for Detection Humidity. <i>Scanning</i> , 2018, 2018, 1-6.	0.7	14
770	Recent development of fiber-optic chemical sensors and biosensors: Mechanisms, materials, micro/nano-fabrications and applications. <i>Coordination Chemistry Reviews</i> , 2018, 376, 348-392.	9.5	179
771	Synthesis and evaluation of gas sensing properties of PANI, PANI/SnO ₂ and PANI/SnO ₂ /rGO nanocomposites at room temperature. <i>Inorganic Chemistry Communication</i> , 2018, 96, 90-96.	1.8	34
772	Circuit arrangement to suppress crosstalk in chemo-resistive sensor arrays. <i>IET Science, Measurement and Technology</i> , 2018, 12, 1039-1046.	0.9	5
773	Aniline-Nonamer segmented polyurea: A facile electrocatalyst for detection of ascorbic acid. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46630.	1.3	3
774	Synthesis and characterization of nanocomposites consisting of polyaniline, chitosan and tin dioxide. <i>Materials Chemistry and Physics</i> , 2018, 216, 402-412.	2.0	20
775	Tools for detecting insect semiochemicals: a review. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 4091-4108.	1.9	42
776	Intelligent gas-sensing systems and their applications. <i>Journal of Micromechanics and Microengineering</i> , 2018, 28, 093001.	1.5	33
777	Functionalized conjugated polymers for sensing and molecular imprinting applications. <i>Progress in Polymer Science</i> , 2019, 88, 1-129.	11.8	173
778	Chemoresistive materials for electronic nose: Progress, perspectives, and challenges. <i>Informa-Materials</i> , 2019, 1, 289-316.	8.5	123
779	Enhanced flexible room temperature ammonia sensor based on PEDOT: PSS thin film with FeCl ₃ additives prepared by inkjet printing. <i>Sensors and Actuators B: Chemical</i> , 2019, 298, 126890.	4.0	75
780	Synthesis and characterization of substituted poly(naphthalene)s with imine bonding containing thiophene unit. <i>Materials Chemistry and Physics</i> , 2019, 237, 121876.	2.0	5

#	ARTICLE	IF	CITATIONS
781	Volatile Acid Responsiveness of Chiral Nematic Luminescent Cellulose Nanocrystal/9,10-Bis((Z)-2-phenyl-2-(pyridin-2-yl)vinyl)anthracene Composite Films. ACS Sustainable Chemistry and Engineering, 0, , .	3.2	5
782	Development of WO ₃ -PEDOT: PSS hybrid nanocomposites based devices for liquefied petroleum gas (LPG) sensor. Journal of Materials Science: Materials in Electronics, 2019, 30, 13593-13603.	1.1	35
783	Synthesis, Properties, and Applications of Graphene. , 2019, , 25-90.		10
784	Gas Sensors Based on Two-Dimensional Materials and Its Mechanisms. , 2019, , 205-258.		18
785	A self-powered gas sensor based on PDMS/Ppy triboelectric-gas-sensing arrays for the real-time monitoring of automotive exhaust gas at room temperature. Science China Materials, 2019, 62, 1433-1444.	3.5	37
786	Advances in Spectroscopy: Molecules to Materials. Springer Proceedings in Physics, 2019, , .	0.1	4
787	Properties of conductive polymer hydrogels and their application in sensors. Journal of Polymer Science, Part B: Polymer Physics, 2019, 57, 1606-1621.	2.4	71
788	Ti ₃ C ₂ MXene-Based Sensors with High Selectivity for NH ₃ Detection at Room Temperature. ACS Sensors, 2019, 4, 2763-2770.	4.0	355
789	Ultrasensitive Detection of Volatile Organic Compounds by a Freestanding Aligned Ag/CdSe@CdS/PMMA Texture with Double-Side UV-Ozone Treatment. ACS Applied Materials & Interfaces, 2019, 11, 34454-34462.	4.0	7
790	Impedimetric Study of Polypyrrole Coated Zinc Oxide Fibers for Ammonia Detection. , 2019, , .		4
791	Highly sensitive polyaniline-coated fiber gas sensors for real-time monitoring of ammonia gas. RSC Advances, 2019, 9, 26773-26779.	1.7	39
792	PSE-Coated Interdigital Resonator for Selective Detection of Ammonia Gas Sensor. IEEE Sensors Journal, 2019, 19, 11228-11235.	2.4	20
793	Review on Smart Gas Sensing Technology. Sensors, 2019, 19, 3760.	2.1	187
794	Sensor Drift Compensation Based on the Improved LSTM and SVM Multi-Class Ensemble Learning Models. Sensors, 2019, 19, 3844.	2.1	28
795	Anisotropic Polyaniline/SWCNT Composite Films Prepared by in Situ Electropolymerization on Highly Oriented Polyethylene for High-Efficiency Ammonia Sensor. ACS Applied Materials & Interfaces, 2019, 11, 38169-38176.	4.0	30
796	Electronic Noses in Medical Diagnostics. Current Medicinal Chemistry, 2019, 26, 197-215.	1.2	49
797	Quality level identification of West Lake Longjing green tea using electronic nose. Sensors and Actuators B: Chemical, 2019, 301, 127056.	4.0	29
798	Morphology and functional properties of electrospun expanded polystyrene (EPS)/reduced graphene oxide (RGO) nanofiber composite. Fullerenes Nanotubes and Carbon Nanostructures, 2019, 27, 939-946.	1.0	7

#	ARTICLE	IF	CITATIONS
799	Improved Ammonia Sensing by Solution Processed Dodecyl Benzene Sulfonic Acid Doped Polyaniline Nanorod Networks. IEEE Access, 2019, 7, 139571-139579.	2.6	14
800	Thin Films Sensor Devices for Mycotoxins Detection in Foods: Applications and Challenges. Chemosensors, 2019, 7, 3.	1.8	19
801	Pattern recognition of solid materials by multiple probe gases. Materials Horizons, 2019, 6, 580-586.	6.4	11
802	A rapid-response room-temperature planar type gas sensor based on DPA-Ph-DBPzDCN for the sensitive detection of NH ₃ . Journal of Materials Chemistry A, 2019, 7, 4744-4750.	5.2	37
803	Characterization and NO ₂ gas sensing performance of CdO:In ₂ O ₃ polycrystalline thin films prepared by spray pyrolysis technique. SN Applied Sciences, 2019, 1, 1.	1.5	7
804	Ultrasensitive and robust organic gas sensors through dual hydrogen bonding. Materials Horizons, 2019, 6, 554-562.	6.4	46
806	Ammonia gas sensors: A comprehensive review. Talanta, 2019, 204, 713-730.	2.9	359
807	Conducting Polymer Nanocomposites as Gas Sensors. Polymers and Polymeric Composites, 2019, , 911-940.	0.6	3
808	Synthesis and Characterization of Tungsten Trioxide/Polyaniline/Polyacrylonitrile Composite Nanofibers for Application as a Counter Electrode of DSSCs. Russian Journal of Electrochemistry, 2019, 55, 291-304.	0.3	12
809	Strain sensing behavior of multifunctional polyaniline-based thermoset polymer under static loading conditions. Polymer Testing, 2019, 77, 105916.	2.3	15
810	The synthesis and study of structural, optical and electrical behaviours of tin oxide/Polyaniline (SnO ₂ /PANI) nanocomposites. Pramana - Journal of Physics, 2019, 93, 1.	0.9	1
811	Novel Supported Nanostructured Sensors for Chemical Warfare Agents (CWAs) Detection. NATO Science for Peace and Security Series A: Chemistry and Biology, 2019, , 225-251.	0.5	2
812	Fabrication and Characterization of a 3D Printed, MicroElectrodes Platform With Functionalized Electrospun Nano-Scaffolds and Spin Coated 3D Insulation Towards Multi- Functional Biosystems. Journal of Microelectromechanical Systems, 2019, 28, 606-618.	1.7	17
813	Gas Sensing by Microwave Transduction: Review of Progress and Challenges. Frontiers in Materials, 2019, 6, .	1.2	36
814	Effect of Oxygen on the Conductive Properties of Thin Films of Nonconductive Polymer. Physics of the Solid State, 2019, 61, 450-455.	0.2	5
815	Room-temperature and flexible PEDOT:PSS/WO ₃ gas sensor for nitrogen dioxide detection. Modern Physics Letters B, 2019, 33, 1940013.	1.0	5
816	Organic vapor sensing properties and characterization of β -naphthylmethacrylate LB thin films. Journal of Macromolecular Science - Pure and Applied Chemistry, 2019, 56, 845-853.	1.2	3
817	Synchronous Polymerization of 3,4-Ethylendioxythiophene and Pyrrole by Plasma Enhanced Chemical Vapor Deposition (PECVD) for Conductive Thin Film with Tunable Energy Bandgap. Macromolecular Research, 2019, 27, 243-249.	1.0	10

#	ARTICLE	IF	CITATIONS
818	Comparative study on gas sensing by a Schottky diode electrode prepared with graphene-semiconductor-polymer nanocomposites. RSC Advances, 2019, 9, 11484-11492.	1.7	51
819	Comparative investigation of sensor application of polypyrrole for gaseous analytes. Journal of Physical Organic Chemistry, 2019, 32, e3960.	0.9	39
820	Cu-ZnO p-n junction enhanced oxygen sensing property of polypyrrole nanocomposite at room temperature. Journal of Materials Science: Materials in Electronics, 2019, 30, 9989-9998.	1.1	12
821	Design of supersensitive and selective ZnO-nanofiber-based sensors for H ₂ gas sensing by electron-beam irradiation. Sensors and Actuators B: Chemical, 2019, 293, 210-223.	4.0	103
822	A New Method of Mixed Gas Identification Based on a Convolutional Neural Network for Time Series Classification. Sensors, 2019, 19, 1960.	2.1	64
823	Tailored luminescent sensing of NH ₃ in biomethane productions. Sensors and Actuators B: Chemical, 2019, 292, 210-216.	4.0	8
824	Reprocessable 3D-Printed Conductive Elastomeric Composite Foams for Strain and Gas Sensing. ACS Applied Polymer Materials, 2019, 1, 885-892.	2.0	87
825	Room temperature ammonia gas sensing properties of polyaniline nanofibers. Journal of Materials Science: Materials in Electronics, 2019, 30, 8371-8380.	1.1	31
826	Composite multilayer films based on polyelectrolytes and in situ formed carbon nanostructures with enhanced photoluminescence and conductivity properties. Journal of Applied Polymer Science, 2019, 136, 47718.	1.3	9
827	Enhanced ammonia sensitive properties and mechanism research of PANI modified with hydroxylated single-walled nanotubes. Materials Chemistry and Physics, 2019, 226, 378-386.	2.0	19
828	Self-doped Na-propanesulfonic acid polyaniline-polyethylene terephthalate film used as active sensor element for humidity or gas detection. Journal of Applied Polymer Science, 2019, 136, 47743.	1.3	2
829	Advanced Micro- and Nano-Gas Sensor Technology: A Review. Sensors, 2019, 19, 1285.	2.1	375
830	Zinc-based zeolitic benzimidazolate framework/polyaniline nanocomposite for electrochemical sensing of hydrogen gas. Materials Chemistry and Physics, 2019, 230, 287-298.	2.0	26
831	Influence of Tert-Butylthiol and Tetrahydrofuran on the Holographic Characteristics of a Polymer Dispersed Liquid Crystal: A Research Line Toward a Specific Sensor for Natural Gas and Liquefied Petroleum Gas. Polymers, 2019, 11, 254.	2.0	4
832	Conducting Polymers Incorporated with Related Graphene Compound Films for Use for Humidity and NH ₃ Gas Sensing. , 2019, , .		0
833	One-step synthesis of Ag/SnO ₂ /rGO nanocomposites and their trimethylamine sensing properties. Materials Research Bulletin, 2019, 114, 61-67.	2.7	19
834	Hybrid polyaniline-WO ₃ flexible sensor: A room temperature competence towards NH ₃ gas. Sensors and Actuators B: Chemical, 2019, 288, 279-288.	4.0	135
835	The role of polyaniline and plasticizer on the development of the electrical conductivity of PHB composites. Journal of Composite Materials, 2019, 53, 2305-2314.	1.2	12

#	ARTICLE	IF	CITATIONS
836	DFT study of response mechanism and selectivity of poly(3,4-ethylenedioxythiophene) towards CO ₂ and SO ₂ as gas sensor. Structural Chemistry, 2019, 30, 1427-1436.	1.0	8
837	Sensitivity Optimization of a Microstructured Optical Fiber Ammonia Gas Sensor by Means of Tuning the Thickness of a Metal Oxide Nano-Coating. IEEE Sensors Journal, 2019, 19, 4982-4991.	2.4	15
838	Smith Matching for CMUTs-based Biochemical Resonant Sensor. , 2019, , .		0
839	Performance Analysis of Ammonia Sensors based on Nanostructured PANI-DBSA Synthesised by Template Free Direct Doping Route using Surfactant and Indirect Doping Route. , 2019, , .		0
840	Synthesis and Characterization of PANI-DBSA/MWCNT Nanocomposites for Ammonia Gas Sensing. , 2019, , .		0
841	The Improvement Of PANI Using Silver Nanoparticles Nanocomposite For Gas Sensor Application. , 2019, , .		1
842	A Microwave Gas Sensor Using Interdigital Resonator Coated with Conducting Polymer for Agricultural Applications. , 2019, , .		7
843	Recent advances in ion sensing with conducting polymers. BMC Materials, 2019, 1, .	6.8	9
844	Sensitivity range optimization of surface acoustic wave humidity ultrasonic sensors incorporating a polyvinyl alcohol (PVA) layer. , 2019, , .		4
845	Oxidative Copolymerization of <i>o</i>-<i>Hydroxy</i>-<i>m</i>-<i>Phenylenediamine and <i>O</i>-<i>Toluidine - Synthesis, Structure and Properties of Copolymers. Key Engineering Materials, 0, 816, 134-138.	0.4	0
846	Highly Sensitive Sensor for Trace Level Detection of <i>Euschistus heros</i> Pheromone. Industrial Biotechnology, 2019, 15, 357-364.	0.5	8
847	Enhanced Sensitivity of Surface Plasmon Resonance Biosensor Functionalized with Doped Polyaniline Composites for the Detection of Low-Concentration Acetone Vapour. Journal of Sensors, 2019, 2019, 1-13.	0.6	24
848	Hermetic Carbon Coatings for Electro-Thermal All-Fiber Phase Modulators. Journal of Lightwave Technology, 2019, 37, 4567-4572.	2.7	1
849	Calculation of conductive polymer-based SO ₂ and SO ₃ gas sensor mechanisms by using the DFT method. Journal of Molecular Modeling, 2019, 25, 367.	0.8	7
850	Progress and challenges in p-type oxide-based thin film transistors. Nanotechnology Reviews, 2019, 8, 422-443.	2.6	42
851	Graphene chemiresistors modified with functionalized triphenylene for highly sensitive and selective detection of dimethyl methylphosphonate. RSC Advances, 2019, 9, 33976-33980.	1.7	29
852	IoT-Enabled Gas Sensors: Technologies, Applications, and Opportunities. Journal of Sensor and Actuator Networks, 2019, 8, 57.	2.3	69
853	Dual transduction on a single sensor for gas identification. Sensors and Actuators B: Chemical, 2019, 278, 21-27.	4.0	28

#	ARTICLE	IF	CITATIONS
854	Recognition and sensing of organic compounds using analytical methods, chemical sensors, and pattern recognition approaches. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2019, 185, 18-31.	1.8	35
855	A fabrication process of flexible IDE capacitive chemical sensors using a two step lift-off method based on PVA patterning. <i>Sensors and Actuators B: Chemical</i> , 2019, 284, 7-12.	4.0	30
856	Rectify Effect of Pedot:PSS/WS ₂ Heterostructure. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800829.	0.8	10
857	Electrically-Transduced Chemical Sensors Based on Two-Dimensional Nanomaterials. <i>Chemical Reviews</i> , 2019, 119, 478-598.	23.0	521
858	A Review of Biosensors for Non-Invasive Diabetes Monitoring and Screening in Human Exhaled Breath. <i>IEEE Access</i> , 2019, 7, 5963-5974.	2.6	48
859	Functionalized polyethersulfone as PES-NH ₂ -metal oxide nanofilms for the detection of Y ³⁺ . <i>Polymer Bulletin</i> , 2019, 76, 4485-4506.	1.7	7
860	Understanding the sensing mechanism of carbon nanoparticles: MnO ₂ @PVP composites sensors using in situ FTIR online LCR meter in the detection of ethanol and methanol vapor. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 3552-3562.	1.1	8
861	Lactic acid gas sensor based on polypyrrole thin film. <i>Materials Letters</i> , 2019, 236, 175-178.	1.3	21
862	A Flexible, Highly Sensitive, and Selective Chemiresistive Gas Sensor Obtained by In Situ Photopolymerization of an Acrylic Resin in the Presence of MWCNTs. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1800453.	1.7	13
863	Conducting Nanomaterial Sensor Using Natural Receptors. <i>Chemical Reviews</i> , 2019, 119, 36-93.	23.0	159
864	Highly conductive polyaniline/graphene nano-platelet composite sensor towards detection of toluene and benzene gases. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.	1.1	36
865	Hydrogen sulfide sensors based on PANI/f-SWCNT polymer nanocomposite thin films prepared by electrochemical polymerization. <i>Journal of Science: Advanced Materials and Devices</i> , 2019, 4, 143-149.	1.5	48
866	Conducting Polymer Nanocomposites as Gas Sensors. <i>Polymers and Polymeric Composites</i> , 2019, , 1-30.	0.6	1
867	Multifunctional Nanocomposite Sensors for Environmental Monitoring. , 2019, , 157-174.		3
868	Electrochemical Properties and Band Gap Variation of Polyaniline Due to the Presence of ZnO. <i>Proceedings of the National Academy of Sciences India Section A - Physical Sciences</i> , 2020, 90, 309-318.	0.8	6
869	High-performance competence of polyaniline-based nanomaterials. <i>Materials Research Innovations</i> , 2020, 24, 113-122.	1.0	15
870	Fast facial smile detection using convolutional neural network in an intelligent working environment. <i>Infrared Physics and Technology</i> , 2020, 104, 103061.	1.3	9
871	Review of Conducting Polymers as Chemiresistive Gas Sensing Materials: A Review. <i>Journal of the Electrochemical Society</i> , 2020, 167, 037503.	1.3	162

#	ARTICLE	IF	CITATIONS
872	Graphene and Graphene/Polymer Composites as the Most Efficient Protective Coatings for Steel, Aluminum and Copper in Corrosive Media: A Review of Recent Studies. <i>Chemical Record</i> , 2020, 20, 467-493.	2.9	10
873	Carbonized Charcoal-Loaded PVDF Polymer Composite: A Promising EMI Shielding Material. <i>Arabian Journal for Science and Engineering</i> , 2020, 45, 465-474.	1.7	6
874	Modern concept and detection of spoilage in meat and meat products. , 2020, , 335-349.		7
875	Electronic Nose and Its Applications: A Survey. <i>International Journal of Automation and Computing</i> , 2020, 17, 179-209.	4.5	202
876	Structural characterization and optical constants of p-toluene sulfonic acid doped polyaniline and its composites of chitosan and reduced graphene-oxide. <i>Journal of Materials Research and Technology</i> , 2020, 9, 1468-1476.	2.6	24
877	3,7-Bis(2-oxindolin-3-ylidene)benzo[1,2-b:4,5-b']difuran-2,6-dione Dicyanides with Engineered Side Chains for Unipolar n-Type Transistors. <i>ACS Applied Electronic Materials</i> , 2020, 2, 103-110.	2.0	1
878	Effect of illumination on electrical parameters of Au/(P3DMTFT)/n-GaAs Schottky barrier diodes. <i>Indian Journal of Physics</i> , 2020, 94, 1901-1908.	0.9	25
879	Facile Synthesis of Nanofibrous Polyaniline Thin Films for Ammonia Gas Detection. <i>Journal of Electronic Materials</i> , 2020, 49, 1338-1347.	1.0	12
880	Compositing strategies to enhance the performance of chemiresistive CO ₂ gas sensors. <i>Materials Science in Semiconductor Processing</i> , 2020, 107, 104820.	1.9	54
881	Advances in sensing ammonia from agricultural sources. <i>Science of the Total Environment</i> , 2020, 706, 135124.	3.9	61
882	First-Principles Study of Adsorption of XCN (X = F, Cl, and Br) on Surfaces of Polyaniline. <i>Russian Journal of Physical Chemistry A</i> , 2020, 94, 2148-2154.	0.1	5
883	Electrical conductivity and ammonia sensing studies on polythiophene/MWCNTs nanocomposites. <i>Materialia</i> , 2020, 14, 100868.	1.3	35
884	High sensitivity room temperature sulfur dioxide sensor based on conductive poly(p-phenylene)/ZSM-5 nanocomposite. <i>Analytica Chimica Acta</i> , 2020, 1130, 80-90.	2.6	8
885	Graphene-polyaniline composite as superior electrochemical sensor for detection of cyano explosives. <i>European Polymer Journal</i> , 2020, 138, 109981.	2.6	28
886	Use of Surface Acoustic Wave (SAW) for Thermal Conductivity Sensing of Gases – a Review. <i>IETE Technical Review (Institution of Electronics and Telecommunication Engineers, India)</i> , 2021, 38, 611-621.	2.1	3
887	Chemoresistive Room-Temperature Sensing of Ammonia Using Zeolite Imidazole Framework and Reduced Graphene Oxide (ZIF-67/rGO) Composite. <i>ACS Omega</i> , 2020, 5, 27492-27501.	1.6	57
888	Polyindole batteries and supercapacitors. <i>Energy Storage Materials</i> , 2020, 33, 336-359.	9.5	66
889	Lanthanum Phosphate-Incorporated Organosilane Nanocomposites for Gas-Phase CO ₂ Detection. <i>ACS Applied Nano Materials</i> , 2020, 3, 10040-10048.	2.4	1

#	ARTICLE	IF	CITATIONS
890	Nanomaterials as Toxic Gas Sensors and Biosensors. <i>Nanotechnology in the Life Sciences</i> , 2020, , 389-430.	0.4	4
891	Polyaniline emeraldine salt as selective electrochemical sensor for HBr over HCl: a systematic density functional theory study through oligomer approach. <i>Journal of Molecular Modeling</i> , 2020, 26, 332.	0.8	3
892	Semiconductor Gas Sensors: Materials, Technology, Design, and Application. <i>Sensors</i> , 2020, 20, 6694.	2.1	215
893	Investigation of Acetone Vapour Sensing Properties of a Ternary Composite of Doped Polyaniline, Reduced Graphene Oxide and Chitosan Using Surface Plasmon Resonance Biosensor. <i>Polymers</i> , 2020, 12, 2750.	2.0	9
894	Polyfuran-based chemical sensors: Identification of promising derivatives via DFT calculations and fully atomistic reactive molecular dynamics. <i>European Polymer Journal</i> , 2020, 141, 110085.	2.6	14
895	Chemo-Mechanically Operating Palladium-Polymer Nanograting Film for a Self-Powered H ₂ Gas Sensor. <i>ACS Nano</i> , 2020, 14, 16813-16822.	7.3	40
896	NH ₃ Sensor Based on 2D Wormlike Polypyrrole/Graphene Heterostructures for a Self-Powered Integrated System. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 38674-38681.	4.0	38
897	Molecular-level electrochemical doping for fine discrimination of volatile organic compounds in organic chemiresistors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16884-16891.	5.2	8
898	Electrodeposition of thin films of polypyrrole-polyelectrolyte complexes and their ammonia-sensing properties. <i>Journal of Solid State Electrochemistry</i> , 2020, 24, 3091-3103.	1.2	11
899	Poly(3,4-ethylenedioxythiophene)/carbon-based nanocomposite for gas sensing. <i>Molecular Crystals and Liquid Crystals</i> , 2020, 701, 98-105.	0.4	6
900	Device Based on Polymer Schottky Junctions and Their Applications: A Review. <i>IEEE Access</i> , 2020, 8, 189646-189660.	2.6	9
901	Ways to improve the parameters of optical gas sensors of ammonia based on polyaniline. <i>Sensors and Actuators A: Physical</i> , 2020, 315, 112273.	2.0	11
902	All-organic, conductive and biodegradable yarns from core-shell nanofibers through electrospinning. <i>RSC Advances</i> , 2020, 10, 32875-32884.	1.7	7
903	Ammonia Gas Sensors: Comparison of Solid-State and Optical Methods. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5111.	1.3	46
904	Comparative study on sensing abilities of polyaniline and graphene polyaniline composite sensors toward methylamine and ammonia. <i>Polymers for Advanced Technologies</i> , 2020, 31, 3351-3360.	1.6	10
905	Detection and discrimination of volatile organic compounds by noble metal nanoparticle functionalized MoS ₂ coated biodegradable paper sensors. <i>New Journal of Chemistry</i> , 2020, 44, 16613-16625.	1.4	25
906	Gaussian Applications in Organic Structured Electronic Systems. , 2020, , .		0
907	Two-dimensional CoOOH as a Highly Sensitive and Selective H ₂ S, HCN and HF Gas Sensor: A Computational Investigation. <i>Electroanalysis</i> , 2020, 32, 2764-2774.	1.5	8

#	ARTICLE	IF	CITATIONS
908	Electrical Conductivity Based Ammonia Sensing Properties of Polypyrrole/MoS2 Nanocomposite. <i>Polymers</i> , 2020, 12, 3047.	2.0	59
909	Hydrogen Sulfide Detection by Sensors Based on Conductive Polymers: A Review. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	39
910	Study of NO2 Sensing Properties of UV-Activated Graft Comb Copolymer and ZnO Blends in ppm and Sub-ppm Range at Room Temperature. <i>Proceedings (mdpi)</i> , 2019, 42, .	0.2	0
911	Imidazole-based ionogel as room temperature benzene and formaldehyde sensor. <i>Mikrochimica Acta</i> , 2020, 187, 638.	2.5	14
912	Use of Palladium-Modified Polyaniline Electrode as a Sensitive Element of Fire Sensor. <i>Materials Science Forum</i> , 0, 1006, 245-252.	0.3	1
913	Investigation of chemical bonding and electronic network of rGO/PANI/PVA electrospun nanofiber. <i>Polymer Bulletin</i> , 2021, 78, 6613-6629.	1.7	26
914	Development of a Sensing Array for Human Breath Analysis Based on SWCNT Layers Functionalized with Semiconductor Organic Molecules. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000377.	3.9	44
915	Laser-engraved ammonia sensor integrating a natural deep eutectic solvent. <i>Microchemical Journal</i> , 2020, 157, 105067.	2.3	22
916	Ultra-sensitive, highly selective and completely reversible ammonia sensor based on polythiophene/SWCNT nanocomposite. <i>Materialia</i> , 2020, 10, 100704.	1.3	29
917	Polyfuran-based chemical sensors: reactivity analysis via Fukui indexes and reactive molecular dynamics. <i>MRS Advances</i> , 2020, 5, 497-503.	0.5	6
918	Dynamical and turbo TDDFT study of polyaniline emeraldine for CO, NH3, CO2 gas sensing. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	1.1	1
920	Highly porous, soft, and flexible vapor-phase polymerized polypyrrole- <i>styrene</i> - <i>ethylene</i> - <i>butylene</i> - <i>styrene</i> hybrid scaffold as ammonia and strain sensor. <i>RSC Advances</i> , 2020, 10, 22533-22541.	1.7	12
921	Ion beam engineering in WO3-PEDOT: PSS hybrid nanocomposite thin films for gas sensing measurement at room temperature. <i>Inorganic Chemistry Communication</i> , 2020, 119, 108000.	1.8	18
922	Synthesis and characterization of deoxyribonucleic acid (DNA) functionalized Multi-Walled Carbon Nanotube (MWCNT) doped Poly-Vinyl alcohol (PVA) nanocomposite film. <i>Polymer-Plastics Technology and Materials</i> , 2020, 59, 1715-1723.	0.6	0
923	Facile simultaneous synthesis of tetraaniline nanostructures/silver nanoparticles as heterogeneous catalyst for the efficient catalytic reduction of 4-nitrophenol to 4-aminophenol. <i>RSC Advances</i> , 2020, 10, 22043-22053.	1.7	13
924	Functional Nanomaterials. <i>Materials Horizons</i> , 2020, , .	0.3	16
925	Gas nanosensors. , 2020, , 267-283.		1
926	Fast sensing ammonia at room temperature with proline ionic liquid incorporated cellulose acetate membranes. <i>Journal of Molecular Liquids</i> , 2020, 305, 112820.	2.3	13

#	ARTICLE	IF	CITATIONS
927	Conductive polymers and metal oxide polymeric composites for nanostructures and nanodevices. , 2020, , 243-271.		9
928	An Efficient and Novel Ammonia Sensor Based on Polypyrrole/Tin Oxide/MWCNT Nanocomposite. Asian Journal of Chemistry, 2020, 32, 1505-1510.	0.1	5
929	Flexible fabric gas sensors based on PANI/WO ₃ p ⁿ heterojunction for high performance NH ₃ detection at room temperature. Science China Materials, 2020, 63, 2028-2039.	3.5	50
930	Electrospun (Nickel and palladium) tin(IV) oxide/polyaniline/polyhydroxy-3-butyrate biodegradable nanocomposite fibers for low temperature ethanol gas sensing. Nanotechnology, 2020, 31, 425503.	1.3	12
931	Selective Ultrasonic Gravimetric Sensors Based on Capacitive Micromachined Ultrasound Transducer Structureâ€”A Review. Sensors, 2020, 20, 3554.	2.1	1
932	Applications of electronic nose (e-nose) and electronic tongue (e-tongue) in food quality-related properties determination: A review. Artificial Intelligence in Agriculture, 2020, 4, 104-115.	4.4	184
933	Covalent triazine-based frameworks for NH ₃ gas sensing at room temperature. Sensors and Actuators B: Chemical, 2020, 321, 128513.	4.0	20
935	Amperometric H ₂ S sensor based on a Pt-Ni alloy electrode and a proton conducting membrane. Sensors and Actuators B: Chemical, 2020, 311, 127900.	4.0	13
936	Metal-phthalocyanine modified doped polyaniline for VOC sensing applications. Flexible and Printed Electronics, 2020, 5, 014014.	1.5	17
937	Printed gas sensors. Chemical Society Reviews, 2020, 49, 1756-1789.	18.7	216
938	UV-Enhanced Humidity Sensing of Chitosanâ€”SnO ₂ Hybrid Nanowires. Nanomaterials, 2020, 10, 329.	1.9	13
939	Hierarchical Ordered Dualâ€”Mesoporous Polypyrrole/Graphene Nanosheets as Biâ€”Functional Active Materials for Highâ€”Performance Planar Integrated System of Microâ€”Supercapacitor and Gas Sensor. Advanced Functional Materials, 2020, 30, 1909756.	7.8	106
940	Gasochromic response of optical sensing platform integrated with polyaniline and poly(3,4-ethylenedioxythiophene) exposed to NH ₃ gas. Polymer, 2020, 192, 122313.	1.8	11
941	Optical Index Prism Sensitivity of Surface Plasmon Resonance Imaging in Gas Phase: Experiment versus Theory. Journal of Physical Chemistry C, 2020, 124, 3756-3767.	1.5	12
942	Electrical conductivity and alcohol sensing studies on polythiophene/tin oxide nanocomposites. Journal of Science: Advanced Materials and Devices, 2020, 5, 84-94.	1.5	29
943	Surface plasmon resonance amplified efficient polarization-selective volatile organic compounds CdSe-CdS/Ag/PMMA sensing material. Sensors and Actuators B: Chemical, 2020, 309, 127760.	4.0	18
944	Material aspects of triboelectric energy generation and sensors. NPC Asia Materials, 2020, 12, .	3.8	200
946	Curating Metalâ€”Organic Frameworks To Compose Robust Gas Sensor Arrays in Dilute Conditions. ACS Applied Materials & Interfaces, 2020, 12, 6546-6564.	4.0	25

#	ARTICLE	IF	CITATIONS
948	DC electrical conductivity and liquefied petroleum gas sensing application of polythiophene/zinc oxide nanocomposite. <i>Materialia</i> , 2020, 9, 100599.	1.3	32
949	State-of-the-art of methane sensing materials: A review and perspectives. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 125, 115820.	5.8	29
950	CO ₂ sensing under ambient conditions using metal-organic frameworks. <i>Molecular Systems Design and Engineering</i> , 2020, 5, 1071-1076.	1.7	13
951	Fabrication of a Novel Electrochemical Sensor for Determination of Riboflavin in Different Drink Real Samples. <i>Russian Journal of Electrochemistry</i> , 2020, 56, 181-188.	0.3	15
952	Microwave Properties of Coplanar Waveguide-Based PEDOT:PSS Conducting Polymer Line in Ethanol Gas Atmosphere. <i>Materials</i> , 2020, 13, 1759.	1.3	3
953	A Surface Acoustic Wave Ethanol Sensor Based on Uniform ZnO Nanoparticles-reduced Graphene Oxide Composite Film. <i>IEEE Sensors Journal</i> , 2020, , 1-1.	2.4	8
954	Development of the PANI/MWCNT Nanocomposite-Based Fluorescent Sensor for Selective Detection of Aqueous Ammonia. <i>ACS Omega</i> , 2020, 5, 8414-8422.	1.6	30
955	A highly responsive methanol sensor based on graphene oxide/polyindole composites. <i>RSC Advances</i> , 2020, 10, 15206-15220.	1.7	39
956	Recent Progress and Perspectives on Polyurethane Membranes in the Development of Gas Sensors. <i>Critical Reviews in Analytical Chemistry</i> , 2020, , 1-12.	1.8	5
957	Polythiophene/graphene/zinc tungstate nanocomposite: Synthesis, characterization, DC electrical conductivity and cigarette smoke sensing application. <i>Polymers and Polymer Composites</i> , 2021, 29, 605-616.	1.0	15
958	Design of a test bench for gas leaks using CFD simulation and IR-thermography detection. <i>Environmental Technology (United Kingdom)</i> , 2021, 42, 531-544.	1.2	1
959	Plasma-Assisted Grafting of PPY on Polyester Fabric as Gas Transducer. <i>IEEE Transactions on Plasma Science</i> , 2021, 49, 604-614.	0.6	8
960	Conductive Biomaterials as Substrates for Neural Stem Cells Differentiation towards Neuronal Lineage Cells. <i>Macromolecular Bioscience</i> , 2021, 21, e2000123.	2.1	34
961	Metal-decorated carbon nanotubes-based sensor array for simultaneous detection of toxic gases. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104534.	3.3	9
962	Plasma-induced grafting of polyaniline on polyester fabric for gas sensing application. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 59-72.	1.1	11
963	Sonochemical synthesis of PEDOT:PSS intercalated ammonium vanadate nanofiber composite for room-temperature NH ₃ sensing. <i>Sensors and Actuators B: Chemical</i> , 2021, 327, 128924.	4.0	22
964	A flexible polypyrrole/silk-fiber ammonia sensor assisted by silica nanosphere template. <i>Sensors and Actuators A: Physical</i> , 2021, 317, 112436.	2.0	29
965	Differential Microwave Resonator Sensor for Real-Time Monitoring of Volatile Organic Compounds. <i>IEEE Sensors Journal</i> , 2021, 21, 6105-6114.	2.4	38

#	ARTICLE	IF	CITATIONS
966	Functionalization of zirconium-based metal-organic frameworks for gas sensing applications. <i>Journal of Hazardous Materials</i> , 2021, 403, 124104.	6.5	42
967	Recent advances in energy-saving chemiresistive gas sensors: A review. <i>Nano Energy</i> , 2021, 79, 105369.	8.2	282
968	Synthesis and characterization of WO ₃ -doped polyaniline to sense biomarker VOCs of Malaria. <i>Applied Nanoscience (Switzerland)</i> , 2021, 11, 29-44.	1.6	7
969	Effect of interaction between conjugated polymers and nanofillers on sensing properties. , 2021, , 237-263.		0
970	Polythiophene derivatives as chemical sensors: a DFT study on the influence of side groups. <i>Journal of Molecular Modeling</i> , 2021, 27, 17.	0.8	11
971	A review on metal-oxide based p-n and n-n heterostructured nano-materials for gas sensing applications. <i>Sensors International</i> , 2021, 2, 100085.	4.9	37
972	Gold-carbonaceous materials based heterostructures for gas sensing applications. <i>RSC Advances</i> , 2021, 11, 13674-13699.	1.7	6
973	Polyaniline-graphite nanocomposite based modified cladding optical fiber gas sensors. , 2021, , 545-570.		0
974	Advanced applications of green materials in wearable e-textiles. , 2021, , 239-263.		0
975	Thin-film devices for chemical, biological, and diagnostic applications. , 2021, , 369-405.		1
976	Electrohydrodynamic jet printed conducting polymer for enhanced chemiresistive gas sensors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 4591-4596.	2.7	31
977	Continuous and Patterned Conducting Polymer Coatings on Diverse Substrates: Rapid Fabrication by Oxidant-Intermediated Surface Polymerization and Application in Flexible Devices. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 5583-5591.	4.0	10
978	ANFO vapour detection with conducting polymer percolation network sensors and GC/MS. <i>Analyst, The</i> , 2021, 146, 2186-2193.	1.7	11
979	A Highly Stable Diketopyrrolopyrrole (DPP) Polymer for Chemiresistive Sensors. <i>Advanced Electronic Materials</i> , 2021, 7, 2000935.	2.6	13
980	Design and development of highly sensitive PEDOT-PSS/AuNP hybrid nanocomposite-based sensor towards room temperature detection of greenhouse methane gas at ppb level. <i>RSC Advances</i> , 2021, 11, 15017-15029.	1.7	5
981	Multi-solvent large stopband monitoring based on the insolubility/superoleophilicity of PEDOT inverse opals. <i>Nanoscale Advances</i> , 2021, 3, 4519-4527.	2.2	3
982	Sensing Materials: Nanostructured Platforms Based on Conducting Polymers for Sensing. , 2023, , 269-285.		2
983	VOCs Sensing by Metal Oxides, Conductive Polymers, and Carbon-Based Materials. <i>Nanomaterials</i> , 2021, 11, 552.	1.9	50

#	ARTICLE	IF	CITATIONS
984	Combined polymer sensitive elements for gas sensors. <i>Molecular Crystals and Liquid Crystals</i> , 2021, 716, 112-122.	0.4	1
985	Surfactant assisted synthesis of pH responsive polyaniline-cellulose biocomposite for sensor applications. <i>Polymer-Plastics Technology and Materials</i> , 2021, 60, 1135-1147.	0.6	5
986	Investigation of Adsorption behaviour of Acetone Vapour towards a Surface Plasmon Resonance Sensing Layer using Adsorption Isotherm Models. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021, 1092, 012054.	0.3	0
987	Ammonia Sensing Performance of Polyaniline-Coated Polyamide 6 Nanofibers. <i>ACS Omega</i> , 2021, 6, 8950-8957.	1.6	29
988	Novel trends in conductive polymeric nanocomposites, and bionanocomposites. <i>Synthetic Metals</i> , 2021, 273, 116674.	2.1	83
989	Poly (phenyl sulfone)/graphite composite as a robust low-cost, comb-type interdigitated sensor for detection of organic solvent vapors. <i>Journal of Polymer Research</i> , 2021, 28, 1.	1.2	0
990	DC electrical conductivity retention and acetone/acetaldehyde sensing on polythiophene/molybdenum disulphide composites. <i>Polymers and Polymer Composites</i> , 2021, 29, S422-S431.	1.0	7
991	A comparative study between vapor phase polymerized PPy and PEDOT - Thermoplastic polyurethane composites for ammonia sensing. <i>Polymer</i> , 2021, 217, 123463.	1.8	11
992	Review of Dissolved CO and H ₂ Measurement Methods for Syngas Fermentation. <i>Sensors</i> , 2021, 21, 2165.	2.1	6
993	Volatile Organic Compound Sensors Based on 2D Materials. <i>Advanced Electronic Materials</i> , 2021, 7, 2001071.	2.6	23
994	An Outlook of Recent Advances in Chemiresistive Sensor-Based Electronic Nose Systems for Food Quality and Environmental Monitoring. <i>Sensors</i> , 2021, 21, 2271.	2.1	48
995	Detection of the organic solvent vapors by the optical gas sensors based on polyaminoarenes. <i>Scientific Messenger of LNU of Veterinary Medicine and Biotechnologies</i> , 2021, 23, 20-24.	0.0	1
996	Multifunctional E-textiles Based on Biological Phytic Acid-Doped Polyaniline/Protein Fabric Nanocomposites. <i>Advanced Materials Technologies</i> , 2021, 6, 2100003.	3.0	17
997	Transfer Learning based Approach for Mixture Gas Classification. <i>Journal of Korean Institute of Industrial Engineers</i> , 2021, 47, 144-159.	0.1	0
998	Fabrication and testing of low-cost and flexible smart sensors based on conductive PEDOT-PSS nanocomposite films for the detection of liquefied petroleum gas (LPG) at room temperature. <i>Materials Chemistry and Physics</i> , 2021, 263, 124414.	2.0	15
999	H ₂ S-Sensing Studies Using Interdigitated Electrode with Spin-Coated Carbon Aerogel-Polyaniline Composites. <i>Polymers</i> , 2021, 13, 1457.	2.0	15
1000	Structure-Function Relationships of Nanocarbon/Polymer Composites for Chemiresistive Sensing: A Review. <i>Sensors</i> , 2021, 21, 3291.	2.1	21
1001	High-Sensitivity Micro-Gas Chromatograph-Photoionization Detector for Trace Vapor Detection. <i>ACS Sensors</i> , 2021, 6, 2348-2355.	4.0	30

#	ARTICLE	IF	CITATIONS
1002	Ultrafast Room Temperature Synthesis of Porous Polythiophene via Atmospheric Pressure Plasma Polymerization Technique and Its Application to NO ₂ Gas Sensors. <i>Polymers</i> , 2021, 13, 1783.	2.0	13
1003	Stimuli-Responsive Polymers for Sensing and Reacting to Environmental Conditions. <i>Progress in Polymer Science</i> , 2021, 116, 101386.	11.8	56
1004	Fabrication of Reproducible and Selective Ammonia Vapor Sensor-Pellet of Polypyrrole/Cerium Oxide Nanocomposite for Prompt Detection at Room Temperature. <i>Polymers</i> , 2021, 13, 1829.	2.0	18
1005	Polymer-based gas sensors to detect meat spoilage: A review. <i>Reactive and Functional Polymers</i> , 2021, 165, 104962.	2.0	32
1006	Development strategies of conducting polymer-based electrochemical biosensors for virus biomarkers: Potential for rapid COVID-19 detection. <i>Biosensors and Bioelectronics</i> , 2021, 182, 113192.	5.3	62
1007	Electrophoretic deposition of CuO particulate thick film for ethanol sensing. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 17324-17335.	1.1	1
1008	Modified Single Mode Optical Fiber Ammonia Sensors Deploying PANI Thin Films. , 0, , .		0
1009	An Overview of Artificial Olfaction Systems with a Focus on Surface Plasmon Resonance for the Analysis of Volatile Organic Compounds. <i>Biosensors</i> , 2021, 11, 244.	2.3	27
1010	Ammonia Gas Sensing Characteristic of P3HT-rGO-MWCNT Composite Films. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6675.	1.3	5
1011	Self-Powered Direct-current Type Pressure Sensor by Polypyrrole/Metal Schottky Junction. <i>Journal Physics D: Applied Physics</i> , 0, , .	1.3	3
1012	Layered Double Hydroxide-Based Gas Sensors for VOC Detection at Room Temperature. <i>ACS Omega</i> , 2021, 6, 20205-20217.	1.6	19
1013	1D Metal Oxide Semiconductor Materials for Chemiresistive Gas Sensors: A Review. <i>Advanced Electronic Materials</i> , 2021, 7, 2100271.	2.6	101
1014	Electrical conductivity based ammonia, methanol and acetone vapour sensing studies on newly synthesized polythiophene/molybdenum oxide nanocomposite. <i>Journal of Science: Advanced Materials and Devices</i> , 2021, 6, 528-537.	1.5	10
1015	A low-cost printed humidity sensor on cellulose substrate by EHD printing. <i>Journal of Materials Research</i> , 2021, 36, 3667-3678.	1.2	12
1016	Synthesis and characterization of polypyrrole/molybdenum oxide composite for ammonia vapour sensing at room temperature. <i>Polymers and Polymer Composites</i> , 2021, 29, S989-S999.	1.0	11
1017	Comparison of Optical Ammonia-Sensing Properties of Conducting Polymer Complexes with Polysulfonic Acids. <i>Chemosensors</i> , 2021, 9, 206.	1.8	4
1018	Carbon monoxide sensor based on polypyrrole-graphene oxide composite: a cost-effective approach. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	1.1	30
1019	Conjugated polymer-zeolite hybrids for robust gas sensors: Effect of zeolite surface area on NO ₂ sensing ability. <i>Chemical Engineering Journal</i> , 2021, 420, 129588.	6.6	28

#	ARTICLE	IF	CITATIONS
1020	Ultrathin PANI-Decorated, Highly Purified and Well Dispersed Array Cncs for Highly Sensitive HCHO Sensors. Chemosensors, 2021, 9, 276.	1.8	2
1021	Sodium metavanadate dispersed in Polyaniline composite matrix film for sensing application. Journal of Polymer Research, 2021, 28, 1.	1.2	2
1022	Lead-Free Halide Cs ₂ Pt ₆ Perovskite Favoring Pt-N Bonding for Trace NO Detection. ACS Sensors, 2021, 6, 3800-3807.	4.0	12
1024	Preparation of UV, LASER and white light sensitive conducting polymer poly (3, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622 Td	0.9	3
1025	Ammonia sensors manufactured by plasma enhanced grafting of conducting polymers on nylon-6 fabrics. Synthetic Metals, 2021, 279, 116840.	2.1	11
1026	Effect of dopants and morphology on the electrical properties of polyaniline for various applications. Journal of Materials Science: Materials in Electronics, 2021, 32, 24710-24725.	1.1	8
1027	Effect of oxidants and dopant on morphology, crystallinity and optical absorbance of nano structural polyindole. Materials Today: Proceedings, 2021, 49, 2161-2161.	0.9	3
1028	A direct relationship between the sensitivity of the sensors and the intensity of IR CO ₂ peak in <i>in situ</i> FTIR-LCR meter chemi-impedance SnO ₂ -carbon nanoparticles polymer-based sensors in the detection of organic compounds vapor. AIP Advances, 2021, 11, .	0.6	4
1029	Effect of moisture and molecular weight of polyaniline on H ₂ S sensing characteristics. Sensors and Actuators B: Chemical, 2021, 344, 130323.	4.0	10
1030	Review on the utilisation of sensing materials for intrinsic optical NH ₃ gas sensors. Synthetic Metals, 2021, 280, 116860.	2.1	14
1031	Recent progress in polyaniline composites for high capacity energy storage: A review. Journal of Energy Storage, 2021, 42, 103018.	3.9	49
1032	Metal-organic frameworks based nanostructure platforms for chemo-resistive sensing of gases. Coordination Chemistry Reviews, 2021, 445, 214073.	9.5	19
1033	Parts per billion sensitive, highly selective ambient operable, ammonia sensor with supramolecular nanofibres as active element. Sensors and Actuators B: Chemical, 2021, 347, 130634.	4.0	8
1034	A comprehensive review of template-synthesized multi-component nanowires: From interfacial design to sensing and actuation applications. Sensors and Actuators Reports, 2021, 3, 100029.	2.3	15
1035	Effect of polyaniline on the structural, conductivity, and dielectric properties of chitosan. Carbohydrate Polymer Technologies and Applications, 2021, 2, 100129.	1.6	7
1036	A critical review of AlGaN/GaN-heterostructure based Schottky diode/HEMT hydrogen (H ₂) sensors for aerospace and industrial applications. Measurement: Journal of the International Measurement Confederation, 2021, 186, 110100.	2.5	23
1037	Fabrication, structural, optical, and dielectric properties of PVC-PbO nanocomposites, as well as their gamma-ray shielding capability. Radiation Physics and Chemistry, 2021, 189, 109753.	1.4	42
1038	Se	1.4	6

#	ARTICLE	IF	CITATIONS
1039	Carbon-based conducting polymers aerogels and their sensing behavior. , 2021, , 259-274.		0
1040	Adsorption of atmospheric gas molecules (NH ₃ , H ₂ S, CO, H ₂ ,) Tj ETQq1 1 0.784314 rgBT /Over first-principles study. New Journal of Chemistry. 2021, 45, 5240-5251.	1.4	5
1041	Development of Environmental Nanosensors for Detection Monitoring and Assessment. , 2021, , 91-143.		5
1042	Structural evolution of imine-linked covalent organic frameworks and their NH ₃ sensing performance. Journal of Materials Chemistry C, 2021, 9, 8562-8569.	2.7	31
1043	Prominence of conjugated polymers. , 2021, , 1-25.		0
1044	The Most Common Methods for Breath Acetone Concentration Detection: A Review. IEEE Sensors Journal, 2021, 21, 14540-14558.	2.4	23
1045	in situ Chemical Synthesis of PANI by Using Aromatic Carboxylic Acid as Dopant for Detection of Ammonia at Room Temperature. Asian Journal of Chemistry, 2021, 33, 1805-1810.	0.1	1
1046	Flexible smart nanosensors. , 2021, , 145-182.		0
1048	Conducting Polymer Membranes and Their Applications. Engineering Materials, 2020, , 147-176.	0.3	7
1050	Handheld Gas Sensing System. , 2015, , 155-190.		3
1051	Photonic Materials for Holographic Sensing. Springer Series in Materials Science, 2016, , 315-359.	0.4	9
1052	Application of Nanofibers in Supercapacitors. Nanostructure Science and Technology, 2014, , 163-181.	0.1	8
1053	Nanofibers for the Detection of VOCs. NATO Science for Peace and Security Series A: Chemistry and Biology, 2015, , 159-165.	0.5	4
1054	Analysis of a Data Acquisition System for a Compact Electronic Nose. Lecture Notes in Electrical Engineering, 2020, , 615-628.	0.3	1
1055	Conducting Polymer Nanocomposite-Based Gas Sensors. Materials Horizons, 2020, , 399-431.	0.3	4
1056	Development of Molecularly Imprinted Conducting Polymer Composite Film-Based Electrochemical Sensor for Melamine Detection in Infant Formula. ACS Omega, 2020, 5, 4090-4099.	1.6	40
1057	Recent advancements in conducting polymer bionanocomposites and hydrogels for biomedical applications. International Journal of Polymeric Materials and Polymeric Biomaterials, 2022, 71, 513-530.	1.8	56
1058	Novel Zinc-Based Infinite Coordination Polymer for Highly Selective Ammonia Gas Sensing at Room Temperature. Bulletin of the Chemical Society of Japan, 2020, 93, 1070-1073.	2.0	11

#	ARTICLE	IF	CITATIONS
1059	Odor Adsorption Kinetics on Modified Textile Materials Using Quartz Microbalance Technique. <i>Acta Physica Polonica A</i> , 2012, 121, 243-246.	0.2	7
1060	Proposal for an integrated silicon-photonics terahertz gas detector using photoacoustics. <i>Optics Express</i> , 2020, 28, 22424.	1.7	6
1061	Synthesis, Characterization and Ammonia Sensing Studies on Novel Polypyrrole/Zinc Oxide/SWCNT Nanocomposite. <i>Asian Journal of Chemistry</i> , 2020, 32, 1961-1966.	0.1	5
1062	Highly Sensitive NO ₂ Detection and DMP Sensing at Room Temperature using Flexible SWNT Thick Film Sensor. <i>Defence Science Journal</i> , 2016, 66, 413.	0.5	3
1063	Characterization of NH ₃ Sensing Properties of P3HT+rGO+CNT Composite Films Made by Spin-coating. <i>Communications in Physics</i> , 2018, 28, 369.	0.0	4
1065	Facile Fabrication of an Ammonia-Gas Sensor Using Electrochemically Synthesised Polyaniline on Commercial Screen-Printed Three-Electrode Systems. <i>Sensors</i> , 2021, 21, 169.	2.1	22
1066	Chemiresistive Gas Sensors Based on Conducting Polymers. <i>Advances in Computer and Electrical Engineering Book Series</i> , 2017, , 150-180.	0.2	11
1067	Chemiresistive Gas Sensors Based on Conducting Polymers. , 2017, , 543-574.		9
1068	Spectroscopic, Kinetic Studies of Polyaniline-Flyash Composite. <i>Advances in Chemical Engineering and Science</i> , 2011, 01, 37-44.	0.2	39
1069	Development of NO ₂ Gas Sensor Based on Plasma Polymerized Nanostructure Polyaniline Thin Film. <i>Journal of Minerals and Materials Characterization and Engineering</i> , 2010, 09, 997-1006.	0.1	7
1070	Carbon Monoxide Sensor Based on a B2HDDT-doped PEDOT:PSS Layer. <i>Bulletin of the Korean Chemical Society</i> , 2013, 34, 2291-2296.	1.0	11
1071	P1.8.1 Low Temperature Carbon Monoxide Sensor Based on Co(salen) Doped PEDOT: PSS. , 2012, , .		3
1072	Overview on conductometric solid-state gas dosimeters. <i>Journal of Sensors and Sensor Systems</i> , 2014, 3, 29-46.	0.6	34
1073	Conducting Polymer Nanofibers based Sensors for Organic and Inorganic Gaseous Compounds. <i>Asian Journal of Atmospheric Environment</i> , 2020, 14, 85-104.	0.4	12
1074	Preparation and characteristics of conducting polymer-coated multiwalled carbon nanotubes for a gas sensor. <i>Carbon Letters</i> , 2011, 12, 162-166.	3.3	17
1075	Design of a Low Cost Instrumentation System for Oxygen Sensing Using Polyaniline/Cerium Oxide Composites. <i>IOSR Journal of Electrical and Electronics Engineering</i> , 2014, 9, 45-49.	0.0	1
1076	DeepSniffer: A meta-learning-based chemiresistive odor sensor for recognition and classification of aroma oils. <i>Sensors and Actuators B: Chemical</i> , 2022, 351, 130960.	4.0	8
1077	Graphene nanoplatelets can improve the performances of graphene oxide “ polyaniline composite gas sensing aerogels. <i>Carbon Trends</i> , 2021, 5, 100123.	1.4	5

#	ARTICLE	IF	CITATIONS
1078	Nanostructure-assisted solvent vapor annealing of conjugated polymer thin films for enhanced performance in volatile organic compound sensing. <i>Sensors and Actuators B: Chemical</i> , 2022, 351, 130951.	4.0	15
1079	Semiconductor Nanowire Arrays for High-Performance Miniaturized Chemical Sensing. <i>Advanced Functional Materials</i> , 2022, 32, 2107596.	7.8	16
1080	Graphene oxide/doped polyindole/hydroxypropyl cellulose coated on interdigitated electrode as methanol sensor. <i>Microchemical Journal</i> , 2021, 171, 106889.	2.3	4
1081	Detection of hydrogen sulfide using polyaniline incorporated with graphene oxide aerogel. <i>Synthetic Metals</i> , 2021, 282, 116934.	2.1	15
1082	Gas sensing properties of polypyrrole/poly(N-vinylpyrrolidone) nanorods/nanotubes-coated quartz-crystal microbalance sensor. <i>Synthetic Metals</i> , 2021, 282, 116935.	2.1	12
1083	Sensitivity Enhancement of Polyaniline Sensor to Volatile Organic Compounds. <i>Korean Journal of Materials Research</i> , 2007, 17, 433-436.	0.1	0
1084	Gas sensing properties of polyacrylonitrile/metal oxide nanofibrous mat prepared by electrospinning. <i>Journal of Sensor Science and Technology</i> , 2008, 17, 281-288.	0.1	1
1085	Combinatorial Development of Chemosensitive Conductive Polymers. , 2009, , 315-330.		0
1086	Hybrid Organic-Inorganic Composite Materials for Application in Chemical Sensors. <i>Chemistry Journal of Moldova</i> , 2009, 4, 100-104.	0.3	1
1087	Characterization of Polymeric Chemiresistors for Gas Sensor. <i>TELKOMNIKA Indonesian Journal of Electrical Engineering</i> , 2012, 10, .	0.1	7
1089	Fabrication of organic field effect transistor as ammonia gas sensor based on polyaniline channel. <i>International Journal of Chemical and Applied Biological Sciences</i> , 2014, 1, 48.	0.2	1
1090	Hybrid and Nano-composite Carbon Sensing Platforms. , 2015, , 105-132.		3
1091	Polymer/Carbon Composites for Sensing. , 2015, , 577-601.		0
1092	Synthesis and Characterization of Electrically Conducting Polyaniline Doped with Glacial Acetic Acid (CH ₃ COOH) at Room Temperature. <i>Journal of Research Updates in Polymer Science</i> , 2015, 4, 134-138.	0.3	1
1093	Electrochemical Microdevices. , 2016, , 505-516.		0
1094	Design of electrically conducting polymer hybrid composites based on polyvinyl chloride and polyethylene. <i>Eastern-European Journal of Enterprise Technologies</i> , 2016, 3, 26.	0.3	0
1095	Design and Development of Gas Sensor Based On Acoustic Resonance. <i>KnE Engineering</i> , 0, 1, .	0.1	0
1096	Study of blended conductive graft copolymer with graphite oxide thin films deposited using spin coating method for gas sensing and photovoltaic applications. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
1097	Study of the impact of UV radiation on NO ₂ sensing properties of graft comb copolymers of poly(3-hexylthiophene) at room temperature. , 2017, , .		1
1099	Conducting Polymer Composite-Based Sensors for Flexible Electronics. , 2018, , 1-32.		0
1100	Application of Electronic Nose to Ambient Air Quality Evaluation With Respect to Odour Nuisance in Vicinity of Municipal Landfills and Sewage Treatment. Advances in Computer and Electrical Engineering Book Series, 2018, , 175-201.	0.2	2
1101	Structural and Morphological Investigations on Coreshell Hybrid Microparticles. Scientific Bulletin of Valahia University: Materials and Mechanics, 2018, 16, 17-19.	0.1	0
1102	Dielectric Properties of PANi/ZnO Composite. Springer Proceedings in Physics, 2019, , 323-327.	0.1	0
1103	Conducting Polymer Composite-Based Sensors for Flexible Electronics. , 2019, , 1311-1341.		1
1105	Sensing of Airborne Infochemicals for Green Pest Management: What Is the Challenge?. ACS Sensors, 2021, 6, 3824-3840.	4.0	13
1106	CdSNPs@NPAN@CO@PAN electrospinning film with enhanced photocatalytic activity via adjusting the fiber dimension. Applied Organometallic Chemistry, 2022, 36, e6462.	1.7	3
1107	Simulation and fabrication of an ammonia gas sensor based on PEDOT:PSS. Sensor Review, 2021, ahead-of-print, .	1.0	1
1108	Spatially Directed Functionalization by Co-electropolymerization of Two 3,4-ethylenedioxythiophene Derivatives on Microelectrodes within an Array. Journal of the Electrochemical Society, 2020, 167, 166511.	1.3	0
1109	CO ₂ Gas Sensors Based on Hydrophilic Vanadium Oxide Thin Film Coated QCM. Springer Proceedings in Energy, 2020, , 633-638.	0.2	1
1110	Room Temperature Chemiresistive Gas Sensing Characteristics of Pristine Polyaniline and Polyaniline/TiO ₂ Nanocomposites. Materials Horizons, 2020, , 383-397.	0.3	0
1111	Hybrid Flexible Sensor. Materials Horizons, 2020, , 685-702.	0.3	0
1113	Synthesis of metal-PolyAniline composites by ion implantation. Indian Journal of Physics, 0, , 1.	0.9	0
1114	Applications of Conducting Polymers. , 2008, , 225-263.		0
1115	Sensitivity enhancement for NO ₂ gas sensor based on Alq ₃ :TiO ₂ . AIP Conference Proceedings, 2021, , .	0.3	0
1116	Self-assembled polyaniline nanostructures in situ deposited on silica optical fibers for ammonia gas sensing. Synthetic Metals, 2022, 283, 116962.	2.1	3
1117	High Sensitivity of Ammonia Sensor through 2D Black Phosphorus/Polyaniline Nanocomposite. Nanomaterials, 2021, 11, 3026.	1.9	11

#	ARTICLE	IF	CITATIONS
1118	Design of MoS ₂ /graphene heterostructure thin film sensors for high performance NO ₂ gas sensor applications. Journal of Physics: Conference Series, 2021, 2070, 012131.	0.3	4
1119	An efficient amperometric sensor for chloride ion detection through electroactive e-spun PVA-PANI-g-C ₃ N ₄ nanofiber. Journal of Materials Science: Materials in Electronics, 2022, 33, 9425-9437.	1.1	2
1120	Poly(3,4-ethylenedioxythiophene) Electrosynthesis in the Presence of Mixtures of Flexible-Chain and Rigid-Chain Polyelectrolytes. Polymers, 2021, 13, 3866.	2.0	8
1121	Gas-Sensitive Enhancement of rGO/HMWCNTs/PANI Ternary Composites. IEEE Sensors Journal, 2022, 22, 1905-1915.	2.4	2
1122	Polythiophene hybrid film with zirconium-“porphyrin metal”-organic framework for improved charge carrier transport and NO ₂ gas sensing. Materials Chemistry and Physics, 2022, 278, 125661.	2.0	8
1123	Statistical Analysis for Selective Identifications of VOCs by Using Surface Functionalized MoS ₂ Based Sensor Array. , 2021, 5, .		1
1124	The Impact of Interfacial Interactions on Structural, Electronic, and Sensing Properties of Poly(3-ethylthiophene) in Core-Shell Nanocomposites. Application for Chemical Warfare Agent Simulants Detection. Macromolecular Materials and Engineering, 2022, 307, .	1.7	6
1125	Nanosensors for detecting nutrient losses from soil (as gaseous ammonia and nitrous oxide, and/or) Tj ETQq1 1 0.784314 rgBT /Over		1
1126	MXene Heterostructures as Perspective Materials for Gas Sensing Applications. Sensors, 2022, 22, 972.	2.1	26
1127	Quasi Solid-Liquid Reaction Strategy to In Situ Synthesize the Conductive MOF Film with Ordered Submicron Macropores for Gas Sensing. Advanced Materials Interfaces, 2022, 9, .	1.9	6
1128	Recent progress in hydrogel-based sensors and energy harvesters. Sensors and Actuators A: Physical, 2022, 335, 113382.	2.0	20
1129	The Past and the Future of Langmuir and Langmuir-Blodgett Films. Chemical Reviews, 2022, 122, 6459-6513.	23.0	155
1130	Sensor-Embedded Face Masks for Detection of Volatiles in Breath: A Proof of Concept Study. Chemosensors, 2021, 9, 356.	1.8	6
1131	Thiophene as a Gas Sensor for the Adsorption of Carbonyl Sulfide: Dft Calculations. SSRN Electronic Journal, 0, , .	0.4	0
1132	Fabrication of Highly Sensitive Room Temperature Operated No ₂ Gas Sensor Using Back Gated 2d-MoS ₂ Fets. SSRN Electronic Journal, 0, , .	0.4	0
1134	Unexplored Potential of Polyaniline Embedded Barium Chloride Nanocomposite in the Synthesis of Styrylquinoxalin-2(1 <i>H</i>)-Ones. Polycyclic Aromatic Compounds, 2023, 43, 2104-2122.	1.4	1
1135	Impedimetric Chemosensing of Volatile Organic Compounds Released from Li-Ion Batteries. ACS Sensors, 2022, 7, 674-683.	4.0	11
1136	Metal-Organic-Framework-Decorated Carbon Nanofibers with Enhanced Gas Sensitivity When Incorporated into an Organic Semiconductor-Based Gas Sensor. ACS Applied Materials & Interfaces, 2022, 14, 10637-10647.	4.0	18

#	ARTICLE	IF	CITATIONS
1137	Electronic Noses and Their Applications for Sensory and Analytical Measurements in the Waste Management Plants—A Review. <i>Sensors</i> , 2022, 22, 1510.	2.1	19
1138	Nickel Oxide-Carbon Soot-Cellulose Acetate Nanocomposite for the Detection of Mesitylene Vapour: Investigating the Sensing Mechanism Using an LCR Meter Coupled to an FTIR Spectrometer. <i>Nanomaterials</i> , 2022, 12, 727.	1.9	11
1139	Highly Sensitive and Stable Humidity Sensor Based on the Bi-Layered PVA/Graphene Flower Composite Film. <i>Nanomaterials</i> , 2022, 12, 1026.	1.9	23
1140	Polypyrrole Percolation Network Gas Sensors: Improved Reproducibility through Conductance Monitoring during Polymer Growth. <i>ACS Applied Polymer Materials</i> , 2022, 4, 2536-2543.	2.0	2
1141	Review—Towards 5th Generation AI and IoT Driven Sustainable Intelligent Sensors Based on 2D MXenes and Borophene. , 2022, 1, 013601.		238
1143	A comparative study of the formation, and ion and solvent transport of polyaniline in protic liquid-based deep eutectic solvents and aqueous solutions using EQCM. <i>Electrochimica Acta</i> , 2022, 418, 140348.	2.6	6
1144	Room temperature NO ₂ gas sensor based on stain-etched porous silicon: Towards a low-cost gas sensor integrated on silicon. <i>Inorganic Chemistry Communication</i> , 2022, 139, 109325.	1.8	6
1145	Design of aluminium oxide (Al ₂ O ₃) fiber optic gas sensor based on detection of refracted light in evanescent mode from the side-polished modified clad region. <i>Sensors and Actuators B: Chemical</i> , 2022, 361, 131738.	4.0	13
1146	Conducting polymer-based nanostructures for gas sensors. <i>Coordination Chemistry Reviews</i> , 2022, 462, 214517.	9.5	88
1147	In situ Development of nanosized Poly-o-Toluidine (PoT) for sensing volatile Organic compounds. <i>International Journal of Advanced Research in Science, Communication and Technology</i> , 0, , 183-189.	0.0	0
1148	A sensitive electrochemical sensor based on metal cobalt wrapped conducting polymer polypyrrole nanocone arrays for the assay of nitrite. <i>Mikrochimica Acta</i> , 2022, 189, 26.	2.5	21
1149	High Crystalline Quality Conductive Polypyrrole Film Prepared by Interface Chemical Oxidation Polymerization Method. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 58.	1.3	7
1152	Calculated characterisation of a sensitive gas sensor based on PEDOT:PSS. <i>IET Circuits, Devices and Systems</i> , 0, , .	0.9	1
1153	Piezo/Triboelectric Effect Driven Self-Powered Gas Sensor for Environmental Sensor Networks. <i>Energy Technology</i> , 2022, 10, .	1.8	13
1154	Sensors for Volatile Organic Compounds. <i>ACS Nano</i> , 2022, 16, 7080-7115.	7.3	129
1155	Surface Functionalization and Texturing of Optical Metasurfaces for Sensing Applications. <i>Chemical Reviews</i> , 2022, 122, 14990-15030.	23.0	29
1156	Application of Conductive Polymer Nanocomposites. <i>ACS Symposium Series</i> , 0, , 313-344.	0.5	5
1157	Highly sensitive and selective room temperature ammonia sensor based on polyaniline thin film: in situ dip-coating polymerization. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 14071-14085.	1.1	4

#	ARTICLE	IF	CITATIONS
1158	Studies on the synthesis and characterization of zeolite-LTL/PPy composite for gas sensing application. Bulletin of Materials Science, 2022, 45, .	0.8	2
1159	Classifying Gas Data Measured Under Multiple Conditions Using Deep Learning. IEEE Access, 2022, 10, 68138-68150.	2.6	2
1160	Use of Conductive Polymers in Detection Stage of Analysis/Miniaturization Devices. ACS Symposium Series, 0, , 165-184.	0.5	6
1161	Fabrication of Va-Swcnt-Zno Hybrid Nanostructures for Enhancing Gas Sensing Response Towards (Nh3 & No2) and Field Emission Properties at Room Temperature. SSRN Electronic Journal, 0, , .	0.4	0
1163	Emergence of MXeneâ€“Polymer Hybrid Nanocomposites as Highâ€“Performance Nextâ€“Generation Chemiresistors for Efficient Air Quality Monitoring. Advanced Functional Materials, 2022, 32, .	7.8	77
1164	High-Performance Room-Temperature Conductometric Gas Sensors: Materials and Strategies. Chemosensors, 2022, 10, 227.	1.8	8
1165	Catechol sensor based on pristine and transition metal embedded holey graphyne: a first-principles density functional theory study. Journal of Materials Chemistry B, 2022, 10, 5958-5967.	2.9	14
1166	Current trends in flexible and wearable supercapacitors based on conjugated polymers. , 2022, , 219-242.		0
1167	Combination of machine learning and intelligent sensors in real-time quality control of alcoholic beverages. Food Science and Technology, 0, 42, .	0.8	1
1170	Acetone sensing in liquid and gas phases using cyclic voltammetry. Scientific Reports, 2022, 12, .	1.6	2
1171	Effect of TiO2 Nanoparticles on Structural and Optical Properties of Poly pyrrole, Poly vinyl alcohol Polymer Blend Thin Films. Oriental Journal of Chemistry, 2022, 38, 796-800.	0.1	0
1172	A Room-Temperature Surface Acoustic Wave Ammonia Sensor Based on rGO/DPP2T-TT Composite Films. Sensors, 2022, 22, 5280.	2.1	6
1173	Effect of multi-walled carbon nanotubes on DC electrical conductivity and acetone vapour sensing properties of polypyrrole. Carbon Trends, 2022, 9, 100193.	1.4	9
1174	Advances in conducting polymer nanocomposite based chemical sensors: An overview. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2022, 284, 115856.	1.7	13
1175	Synthesis and Characterization of Polyaniline, using Different Dopant, for Sensing Application of Pollutant Gases. Journal of Atomic Molecular Condensate and Nano Physics, 2016, 3, 27-33.	0.2	8
1178	Sn-PANI Synthesis and its Application as Ammonia Gas Sensor. Journal of Atomic Molecular Condensate and Nano Physics, 2016, 3, 73-80.	0.2	2
1179	Precursor Customized Assembly of Waferâ€“Scale Polymerized Aniline Thin Films for Ultrasensitive NH₃ Detection. Macromolecular Rapid Communications, 2022, 43, .	2.0	6
1180	Materials for Chemical Sensing: A Comprehensive Review on the Recent Advances and Outlook Using Ionic Liquids, Metalâ€“Organic Frameworks (MOFs), and MOF-Based Composites. Chemosensors, 2022, 10, 290.	1.8	7

#	ARTICLE	IF	CITATIONS
1181	Materials for Wearable Sensors. , 2022, 2, .		0
1182	Optimization of Printed Polyaniline Composites for Gas Sensing Applications. Sensors, 2022, 22, 5379.	2.1	4
1183	Additive manufacturing (3D printing) of electrically conductive polymers and polymer nanocomposites and their applications. EScience, 2022, 2, 365-381.	25.0	54
1184	Template Imprinting Versus Porogen Imprinting of Small Molecules: A Review of Molecularly Imprinted Polymers in Gas Sensing. International Journal of Molecular Sciences, 2022, 23, 9642.	1.8	12
1185	Quantumâ€chemical modeling of polypyrrole structure in neutral complexes with electron density acceptors. Journal of the Chinese Chemical Society, 2023, 70, 637-647.	0.8	1
1186	Molecularly Imprinted Polymer-Based Optical Sensor for Isopropanol Vapor. Journal of Sensor and Actuator Networks, 2022, 11, 46.	2.3	6
1187	Metal oxide nanofibers based chemiresistive H ₂ S gas sensors. Coordination Chemistry Reviews, 2022, 471, 214752.	9.5	28
1188	VOC s detection using resistive gas nanosensor based on MIL-101(Cr) as a metal organic framework. Sensors and Actuators A: Physical, 2022, 346, 113810.	2.0	4
1189	Impact of reduced graphene oxide on the sensing performance of Poly (3, 4â€ethyleneedioxythiophene) towards highly sensitive and selective CO sensor: A comprehensive study. Synthetic Metals, 2022, 291, 117166.	2.1	5
1190	Novel Janus MoSiGeN ₄ nanosheet: adsorption behaviour and sensing performance for NO and NO ₂ gas molecules. RSC Advances, 2022, 12, 24743-24751.	1.7	4
1191	H ₂ s Gas Sensor Based on Biodegradable-Electroactive Polyurethane-Urea and Activated Carbon Composite Derived from Coconut Shell Waste. SSRN Electronic Journal, 0, , .	0.4	1
1192	An In-Situ Synthesis of Polyaniline/Reduced Graphene Oxide Nanocomposite Flexible Thin Film on Pet for the Room Temperature Detection of Trace Level Ammonia at Ppb Level. SSRN Electronic Journal, 0, , .	0.4	0
1193	Low-concentration ammonia gas sensing using polyaniline nanofiber thin film grown by rapid polymerization technique. Journal of Materials Science: Materials in Electronics, 0, , .	1.1	0
1194	Room Temperature Operating, Fast and Reusable Polyaniline Sensor Synthesized Ultrasonically Using Organic and Inorganic Acid Dopants. Journal of Macromolecular Science - Physics, 0, , 1-16.	0.4	0
1195	Mechanism of NH ₃ gas sensing by SnO ₂ /PANI nanocomposites: charge transport and temperature dependence study. Flexible and Printed Electronics, 2022, 7, 035022.	1.5	5
1196	Substituted polythiophene-based sensor for detection of ammonia in gaseous and aqueous environment. Journal of Materials Science, 2022, 57, 17870-17882.	1.7	1
1197	Facile synthesis of nanogranular PPy thin films for sensitive and selective detection of toxic NO gas. Inorganic Chemistry Communication, 2022, 146, 110067.	1.8	11
1198	Environmental gas sensors based on electroactive hybrid organicâ€inorganic nanocomposites using nanostructured materials. Physical Chemistry Chemical Physics, 2022, 24, 28680-28699.	1.3	5

#	ARTICLE	IF	CITATIONS
1199	Recent Progress on Flexible Room-Temperature Gas Sensors Based on Metal Oxide Semiconductor. Nano-Micro Letters, 2022, 14, .	14.4	67
1200	Preparation of Mn ₂ O ₃ thin film doped with Cu by spray pyrolysis technique and using as acetaldehyde gas sensor. AIP Conference Proceedings, 2022, , .	0.3	0
1201	Polyaniline and its composites engineering: A class of multifunctional smart energy materials. Journal of Solid State Chemistry, 2023, 317, 123679.	1.4	26
1202	Nitrogen and boron-doped reduced graphene oxide chemiresistive sensor for real-time monitoring dissolved oxygen in biological processes. Sensors and Actuators Reports, 2022, 4, 100128.	2.3	0
1203	A flexible and wearable paper-based chemiresistive sensor modified with SWCNTs-PdNPs-polystyrene microspheres composite for the sensitive detection of ethylene gas: A new method for the determination of fruit ripeness and corruption. Analytica Chimica Acta, 2023, 1239, 340724.	2.6	2
1204	Innovations in the synthesis of graphene nanostructures for bio and gas sensors. , 2023, 145, 213234.		9
1205	Room temperature operable ultra-sensitive ammonia sensor based on polyaniline-silver (PANI-Ag) nanocomposites synthesized by ultra-sonication. Synthetic Metals, 2023, 293, 117237.	2.1	7
1206	Highly Sensitive Ammonia Sensor Based on Modified Nanostructured Polypyrrole Decorated With MAF-6 to Reduce the Effect of Humidity. IEEE Sensors Journal, 2023, 23, 1896-1907.	2.4	0
1207	Adsorption behaviors of the Sc ₂ C(OH) ₂ monolayer for small gas molecules: A first-principles study. Computational and Theoretical Chemistry, 2023, 1221, 113936.	1.1	0
1208	Recent Advances in Graphene-Based Nanocomposites for Ammonia Detection. Polymers, 2022, 14, 5125.	2.0	5
1209	Advances in Materials and Technologies for Gas Sensing from Environmental and Food Monitoring to Breath Analysis. Advanced Sustainable Systems, 2023, 7, .	2.7	10
1210	Graphene based Nano Gas Sensors: Mechanistic Study. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2022, 13, 043002.	0.7	1
1212	Plasma-Polymerized Thiophene-Reduced Graphene Oxide Composite Film Sensor for Ammonia/Amine Detection at Room Temperature. Chemosensors, 2023, 11, 42.	1.8	3
1213	A Damped Double Dipole Antenna for UHF RFID Sensing in the Frequency Domain. IEEE Sensors Journal, 2023, 23, 3710-3716.	2.4	0
1214	Synthesis of different inorganic acids doped polyaniline materials and behavior of enhancing NH ₃ gas sensing properties. Organic Electronics, 2023, 114, 106749.	1.4	7
1215	Polymer composites for gas sensors. , 2023, , 173-198.		0
1216	Conducting polymer-based gas sensors. , 2023, , 181-232.		2
1217	Valorization of Agricultural Waste as a Chemiresistor H ₂ S-Gas Sensor: A Composite of Biodegradable-Electroactive Polyurethane-Urea and Activated-Carbon Composite Derived from Coconut-Shell Waste. Polymers, 2023, 15, 685.	2.0	2

#	ARTICLE	IF	CITATIONS
1218	Polyaniline-Based Biological and Chemical Sensors: Sensing Mechanism, Configuration Design, and Perspective. <i>ACS Applied Electronic Materials</i> , 2023, 5, 593-611.	2.0	19
1219	Heterojunction metal oxide-based thin-film transistors for sensing. , 2023, , 391-415.		0
1220	Chemiresistive Polymer Percolation Network Gas Sensor Created with a Nanosphere Template. <i>Advanced Materials Interfaces</i> , 2023, 10, .	1.9	2
1221	Emerging applications of nanotechnology for e-nose. , 2023, , 57-100.		0
1222	Nanosensors for detection of volatile organic compounds. , 2023, , 273-296.		0
1223	A holistic review on the recent trends, advances, and challenges for high-precision room temperature liquefied petroleum gas sensors. <i>Analytica Chimica Acta</i> , 2023, 1253, 341033.	2.6	6
1224	A review of composite conducting polymer-based sensors for detection of industrial waste gases. <i>Sensors and Actuators Reports</i> , 2023, 5, 100143.	2.3	16
1225	Recent advances in electrochemical biosensors – A brief review. , 2023, 2, 100023.		23
1226	Detection of Kidney Complications Relevant Concentrations of Ammonia Gas Using Plasmonic Biosensors: A Review. <i>Chemosensors</i> , 2023, 11, 119.	1.8	1
1227	An in situ synthesis of polyaniline/reduced graphene oxide nanocomposite flexible thin film on PET for the room temperature detection of trace level ammonia at ppb level. <i>Journal of Materials Science</i> , 0, , .	1.7	3
1228	<scp>P3HT</scp> and <scp>PEDOT</scp>:<scp>PSS</scp> printed thin films on chemiresistors: An economic and versatile tool for ammonia and humidity monitoring applications. <i>Journal of Applied Polymer Science</i> , 2023, 140, .	1.3	3
1229	Conducting polymers as gas sensing material. , 2023, , 75-103.		1
1230	Carbon nanomaterial-based chemiresistive sensors. , 2023, , 107-131.		0
1231	Polymeric Nanofibriller Matrix on ITO Substrate for Flexible Chemical Sensing Applications. <i>Journal of Physics: Conference Series</i> , 2023, 2426, 012047.	0.3	0
1232	Tailoring Of Poly(N-Methyl Pyrrole) Thin Film Surface With Au-Nanoparticles For Selective Sensing Of H₂S. <i>Journal of Physics: Conference Series</i> , 2023, 2426, 012046.	0.3	0
1233	Recent advances in bioelectronic noses based on olfactory receptors. , 2023, , 125-141.		0
1234	Fabrication and characterization of a flexible and disposable impedance-type humidity sensor based on polyaniline (PAni). <i>RSC Advances</i> , 2023, 13, 6396-6411.	1.7	6
1235	Plasma-Polymerized and Iodine-Doped Polyvinyl Acetate for Volatile Organic Compound Gas Sensing Applications. <i>ACS Applied Polymer Materials</i> , 2023, 5, 1882-1890.	2.0	5

#	ARTICLE	IF	CITATIONS
1236	Classification of Beef and Lamb Patterns Using Conducting Polymer Sensor Series and Kohonen Algorithm Method. <i>Advances in Science and Technology</i> , 0, , .	0.2	1
1237	Highly sensitive and selective PANi-CeO ₂ nanohybrid for detection of NH ₃ biomarker at room temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2023, 34, .	1.1	2
1238	Molecularly Imprinted Chemiresistive Sensor for Specific Recognition of Furanol as a Biomarker of Strawberry Flavor Conditions. <i>ACS Sensors</i> , 2023, 8, 1542-1549.	4.0	1
1239	Synthesis, optical, mechanical characteristics, and gamma-ray shielding capacity of polyethylene-basalt mixture. <i>Radiation Physics and Chemistry</i> , 2023, 209, 110974.	1.4	5
1240	Functionalized nanofibers for gas and volatile organic compound sensing. , 2023, , 531-577.		1
1259	Advanced Approaches in Micro- and Nano-sensors for Harsh Environmental Applications: A Review. , 2023, , 585-612.		0
1262	Developments in semiconducting oxide based gas sensing materials. , 2023, , .		0
1266	Polyaniline for Smart Textile Applications. , 0, , .		0
1273	Research progress of electronic nose technology in exhaled breath disease analysis. <i>Microsystems and Nanoengineering</i> , 2023, 9, .	3.4	6
1279	A comprehensive review on material and techniques used for heavy metal detection in potable water. <i>AIP Conference Proceedings</i> , 2023, , .	0.3	0
1283	Advanced Nanomaterials for Humidity Sensing. , 2024, , 1-27.		0
1286	Ionic Liquids for Gas and Vapor Sensing Applications. , 2023, , 1-44.		0
1292	Influence of the Decoration of Copper Metal Nanoparticles on the Structural and Electronic Properties of Carbon Nanotubes. <i>Springer Proceedings in Materials</i> , 2024, , 407-413.	0.1	0
1296	Advances in Gas Sensors. , 2024, , 1-41.		0
1301	QCM and SAW gas and VOC sensors based on metal oxide composites (principles, fabrication, sensing) Tj ETQq0 0 0 rgBT /Oylock 10		0
1307	Porous materials as effective chemiresistive gas sensors. <i>Chemical Society Reviews</i> , 2024, 53, 2530-2577.	18.7	0
1309	Gas and Humidity Sensors. , 2024, , 1-34.		0
1313	Study the structural properties of prepared PANI/TiO ₂ nanocomposite for NH ₃ gas sensing applications. <i>AIP Conference Proceedings</i> , 2024, , .	0.3	0

#	ARTICLE	IF	CITATIONS
1317	Ammonia harms and diseases: ammonia corrosion hazards on human body systems (liver, muscles,) Tj ETQq0 0 0 rgBT /Overlgck 10 Tf 5		
1319	Volatile organic compound sensing. , 2024, , 163-192.		0