

CITATION REPORT

List of articles citing

Volumetric modulated arc therapy: IMRT in a single gantry arc

DOI: 10.1118/1.2818738

Medical Physics, 2008, 35, 310-7.

Source: <https://exaly.com/paper-pdf/42163292/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1336	Comments on: Intensity modulated radiation therapy treatment plan optimization. 2008 , 16, 253-255		
1335	The GLAaS algorithm for portal dosimetry and quality assurance of RapidArc, an intensity modulated rotational therapy. 2008 , 3, 24		69
1334	Intrafraction motion of the prostate during an IMRT session: a fiducial-based 3D measurement with Cone-beam CT. 2008 , 3, 37		35
1333	Volumetric modulated arc therapy for delivery of prostate radiotherapy: comparison with intensity-modulated radiotherapy and three-dimensional conformal radiotherapy. 2008 , 72, 996-1001		406
1332	Commissioning and quality assurance of RapidArc radiotherapy delivery system. 2008 , 72, 575-81		211
1331	Treatment of lung cancer using volumetric modulated arc therapy and image guidance: a case study. 2008 , 47, 1438-43		52
1330	Arc-modulated radiation therapy (AMRT): a single-arc form of intensity-modulated arc therapy. 2008 , 53, 6291-303		99
1329	Dosimetric characteristics of linear accelerator photon beams with small monitor unit settings. <i>Medical Physics</i> , 2008 , 35, 5172-8	4.4	16
1328	Planning and delivery of intensity-modulated radiation therapy. <i>Medical Physics</i> , 2008 , 35, 5233-41	4.4	46
1327	Investigation of intensity-modulated radiotherapy optimization with gEUD-based objectives by means of simulated annealing. <i>Medical Physics</i> , 2008 , 35, 2041-9	4.4	14
1326	Incorporating geometric ray tracing to generate initial conditions for intensity modulated arc therapy optimization. <i>Medical Physics</i> , 2008 , 35, 3137-50	4.4	10
1325	A treatment planning study comparing volumetric arc modulation with RapidArc and fixed field IMRT for cervix uteri radiotherapy. 2008 , 89, 180-91		322
1324	Intensity modulation with photons for benign intracranial tumours: a planning comparison of volumetric single arc, helical arc and fixed gantry techniques. 2008 , 89, 254-62		165
1323	The role of medical physicists and the AAPM in the development of treatment planning and optimization. <i>Medical Physics</i> , 2008 , 35, 4911-23	4.4	11
1322	Monte Carlo simulation of RapidArc radiotherapy delivery. 2008 , 53, N359-70		70
1321	Management of three-dimensional intrafraction motion through real-time DMLC tracking. <i>Medical Physics</i> , 2008 , 35, 2050-61	4.4	132
1320	Verification of dynamic radiotherapy: the potential for 3D dosimetry under respiratory-like motion using polymer gel. 2008 , 53, N387-96		24

1319	Stochastic versus deterministic kernel-based superposition approaches for dose calculation of intensity-modulated arcs. 2008 , 53, 4733-46		10
1318	A volumetric-modulated arc therapy using sub-conformal dynamic arc with a monotonic dynamic multileaf collimator modulation. 2008 , 53, 6395-417		10
1317	Experimental measurements and Monte Carlo simulations for dosimetric evaluations of intrafraction motion for gated and ungated intensity modulated arc therapy deliveries. 2008 , 53, 6419-36		6
1316	A Monte Carlo evaluation of RapidArc dose calculations for oropharynx radiotherapy. 2008 , 53, 7167-85		31
1315	Feasibility study for linac-based intensity modulated total marrow irradiation. <i>Medical Physics</i> , 2008 , 35, 5609-18	4.4	39
1314	Treatment planning for volumetric modulated arc therapy. <i>Medical Physics</i> , 2009 , 36, 5128-38	4.4	104
1313	An alternative VMAT with prior knowledge about the type of leaf motion utilizing projection method for concave targets. <i>Medical Physics</i> , 2009 , 36, 3764-74	4.4	5
1312	Variable dose rate single-arc IMAT delivered with a constant dose rate and variable angular spacing. 2009 , 54, 6439-56		23
1311	Tumor cell survival dependence on helical tomotherapy, continuous arc and segmented dose delivery. 2009 , 54, 6635-43		7
1310	Letter to the Editor on 'Single-Arc IMRT?'. 2009 , 54, L37-41; author reply L43-4		36
1309	Calibration of a novel four-dimensional diode array. <i>Medical Physics</i> , 2010 , 37, 108-15	4.4	48
1308	Integration of on-line imaging, plan adaptation and radiation delivery: proof of concept using digital tomosynthesis. 2009 , 54, 3803-19		12
1307	Evaluation of the interplay effect when using RapidArc to treat targets moving in the craniocaudal or right-left direction. <i>Medical Physics</i> , 2010 , 37, 4-11	4.4	54
1306	Real-time prostate trajectory estimation with a single imager in arc radiotherapy: a simulation study. 2009 , 54, 4019-35		43
1305	DMLC motion tracking of moving targets for intensity modulated arc therapy treatment: a feasibility study. 2009 , 48, 245-50		42
1304	A planning comparison of dose patterns in organs at risk and predicted risk for radiation induced malignancy in the contralateral breast following radiation therapy of primary breast using conventional, IMRT and volumetric modulated arc treatment techniques. 2009 , 48, 495-503		80
1303	The impact of treatment couch modelling on RapidArc. 2009 , 54, N157-66		52
1302	Volumetric modulated arc radiotherapy for vestibular schwannomas. 2009 , 74, 610-5		75

1301	Volumetric arc intensity-modulated therapy for spine body radiotherapy: comparison with static intensity-modulated treatment. 2009 , 75, 1596-604	101
1300	Quality Control of Portal Imaging with PTW EPID QC PHANTOM. 2009 , 185, 56-60	4
1299	Simultaneous integrated boost radiotherapy for bilateral breast: a treatment planning and dosimetric comparison for volumetric modulated arc and fixed field intensity modulated therapy. 2009 , 4, 27	83
1298	Target splitting in radiation therapy for lung cancer: further developments and exemplary treatment plans. 2009 , 4, 30	7
1297	A fast radiotherapy paradigm for anal cancer with volumetric modulated arc therapy (VMAT). 2009 , 4, 48	31
1296	Volumetric modulated Arc therapy and conventional intensity-modulated radiotherapy for simultaneous maximal intraprostatic boost: a planning comparison study. 2009 , 21, 401-7	65
1295	Commissioning of volumetric modulated arc therapy (VMAT). 2009 , 73, 537-45	148
1294	Volumetric intensity-modulated arc therapy vs. conventional IMRT in head-and-neck cancer: a comparative planning and dosimetric study. 2009 , 74, 252-9	340
1293	Scylla and Charybdis: Longer Beam-on Time or Lesser Conformality? The Dilemma of Tomotherapy. 2009 , 75, 8-9	11
1292	Commissioning and quality assurance of RapidArc radiotherapy delivery system: in regard to Ling et al. (Int J Radiat Oncol Biol Phys 2008;72;575-581): Absence of data does not constitute proof; the proof is in tasting the pudding. 2009 , 75, 4-6; discussion 8-9	12
1291	Whole-brain radiotherapy with simultaneous integrated boost to multiple brain metastases using volumetric modulated arc therapy. 2009 , 75, 253-9	85
1290	Beam's-eye-view Dosimetrics-guided inverse planning for aperture-modulated arc therapy. 2009 , 75, 1587-95	16
1289	Critical appraisal of volumetric modulated arc therapy in stereotactic body radiation therapy for metastases to abdominal lymph nodes. 2009 , 75, 1570-7	56
1288	Novel dosimetric phantom for quality assurance of volumetric modulated arc therapy. <i>Medical Physics</i> , 2009 , 36, 1813-21	4.4 98
1287	Quality assurance of volumetric modulated arc therapy using Elekta Synergy. 2009 , 48, 1193-7	37
1286	Comments on 'Single-Arc IMRT?'. 2009 , 54, L31-4; author reply L35-6	24
1285	Monte Carlo based, patient-specific RapidArc QA using Linac log files. <i>Medical Physics</i> , 2010 , 37, 116-23	4.4 70
1284	Evaluation of optimization strategies and the effect of initial conditions on IMAT optimization using a leaf position optimization algorithm. 2009 , 54, 3543-61	3

1283	Patient-specific quality assurance method for VMAT treatment delivery. <i>Medical Physics</i> , 2009 , 36, 4530-4	4	98
1282	Development and evaluation of an efficient approach to volumetric arc therapy planning. <i>Medical Physics</i> , 2009 , 36, 2328-39	4.4	179
1281	Dosimetric verification of RapidArc treatment delivery. 2009 , 48, 185-91		91
1280	Accelerated ray tracing for radiotherapy dose calculations on a GPU. <i>Medical Physics</i> , 2009 , 36, 4095-102	4.4	50
1279	Single-Arc IMRT?. 2009 , 54, N9-20		142
1278	A generalized inverse planning tool for volumetric-modulated arc therapy. 2009 , 54, 6725-38		47
1277	Molecular PET/CT imaging-guided radiation therapy treatment planning. 2009 , 16, 1108-33		56
1276	Treatment Planning: IMRT Optimization [Basic and Advanced Techniques. 2009 , 95-106		
1275	RapidArc volumetric modulated therapy planning for prostate cancer patients. 2009 , 48, 227-32		121
1274	An approach to multiobjective optimization of rotational therapy. <i>Medical Physics</i> , 2009 , 36, 3292-303	4.4	15
1273	Volumetric modulated arc radiotherapy for carcinomas of the oro-pharynx, hypo-pharynx and larynx: a treatment planning comparison with fixed field IMRT. 2009 , 92, 111-7		254
1272	Volumetric-modulated arc radiotherapy for carcinomas of the anal canal: A treatment planning comparison with fixed field IMRT. 2009 , 92, 118-24		161
1271	Rapid delivery of stereotactic radiotherapy for peripheral lung tumors using volumetric intensity-modulated arcs. 2009 , 93, 122-4		130
1270	Volumetric modulated arc therapy (VMAT) vs. serial tomotherapy, step-and-shoot IMRT and 3D-conformal RT for treatment of prostate cancer. 2009 , 93, 226-33		278
1269	Is a single arc sufficient in volumetric-modulated arc therapy (VMAT) for complex-shaped target volumes?. 2009 , 93, 259-65		171
1268	Radiotherapy of malignant gliomas: comparison of volumetric single arc technique (RapidArc), dynamic intensity-modulated technique and 3D conformal technique. 2009 , 93, 593-6		82
1267	18F-FDG PET/CT for image-guided and intensity-modulated radiotherapy. 2009 , 50, 1655-65		116
1266	Some considerations concerning volume-modulated arc therapy: a stepping stone towards a general theory. 2009 , 54, 4345-60		47

1265	RapidArc treatment verification using polymer gel dosimetry. 2009 , 164, 012052		2
1264	Comparing planning time, delivery time and plan quality for IMRT, RapidArc and Tomotherapy. 2009 , 10, 117-131		71
1263	Comparison of arc-modulated cone beam therapy and helical tomotherapy for three different types of cancer. <i>Medical Physics</i> , 2009 , 36, 4702-10	4.4	11
1262	Radiotherapy delivery during motion. 2010 , 250, 012087		
1261	Tumor-tracking radiotherapy of moving targets; verification using 3D polymer gel, 2D ion-chamber array and biplanar diode array. 2010 , 250, 012051		5
1260	Accuracy estimation for projection-to-volume targeting during rotational therapy: a feasibility study. <i>Medical Physics</i> , 2010 , 37, 2480-90	4.4	8
1259	Dose correction strategy for the optimization of volumetric modulated arc therapy. <i>Medical Physics</i> , 2010 , 37, 2441-4	4.4	4
1258	A method for optimizing LINAC treatment geometry for volumetric modulated arc therapy of multiple brain metastases. <i>Medical Physics</i> , 2010 , 37, 4146-54	4.4	43
1257	Target tracking using DMLC for volumetric modulated arc therapy: a simulation study. <i>Medical Physics</i> , 2010 , 37, 6116-24	4.4	10
1256	Quality assurance methodology for Varian RapidArc treatment plans. 2010 , 11, 3164		27
1255	Inverse planning for four-dimensional (4D) volumetric modulated arc therapy. <i>Medical Physics</i> , 2010 , 37, 5627-33	4.4	26
1254	Point/counterpoint. Radiotherapy physicists have become glorified technicians rather than clinical scientists. <i>Medical Physics</i> , 2010 , 37, 1379-81	4.4	6
1253	Collimator angle influence on dose distribution optimization for vertebral metastases using volumetric modulated arc therapy. <i>Medical Physics</i> , 2010 , 37, 4133-7	4.4	19
1252	On the impact of dose rate variation upon RapidArc implementation of volumetric modulated arc therapy. <i>Medical Physics</i> , 2011 , 38, 264-71	4.4	27
1251	Validation of Pinnacle treatment planning system for use with Novalis delivery unit. 2010 , 11, 3240		3
1250	Analysis of RapidArc optimization strategies using objective function values and dose-volume histograms. 2009 , 11, 3114		21
1249	References. 2010 , 10, 93-106		
1248	Clinical implementation of volumetric intensity-modulated arc therapy (VMAT) with ERGO++. 2010 , 186, 280-8		27

1247	Volumetric modulated arc therapy for advanced pancreatic cancer. 2010 , 186, 382-7	33
1246	A planning comparison of dynamic IMRT for different collimator leaf thicknesses with helical tomotherapy and RapidArc for prostate and head and neck tumors. 2010 , 186, 502-10	44
1245	[Personalized medicine and individual healthcare : Medical and information technology aspects]. 2010 , 53, 776-82	4
1244	A comparison of volumetric modulated arc therapy and conventional intensity-modulated radiotherapy for frontal and temporal high-grade gliomas. 2010 , 76, 1177-84	101
1243	Whole brain radiotherapy with hippocampal avoidance and simultaneous integrated boost for 1-3 brain metastases: a feasibility study using volumetric modulated arc therapy. 2010 , 76, 1480-5	82
1242	Comparing radiation treatments using intensity-modulated beams, multiple arcs, and single arcs. 2010 , 76, 1554-62	38
1241	Feasibility of single-isocenter volumetric modulated arc radiosurgery for treatment of multiple brain metastases. 2010 , 76, 296-302	176
1240	Radiotherapy treatment plans with RapidArc for prostate cancer involving seminal vesicles and lymph nodes. 2010 , 76, 935-42	136
1239	Dynamic multileaf collimator tracking of respiratory target motion based on a single kilovoltage imager during arc radiotherapy. 2010 , 77, 600-7	59
1238	Clinical applications of volumetric modulated arc therapy. 2010 , 77, 608-16	99
1237	Optimization of collimator trajectory in volumetric modulated arc therapy: development and evaluation for paraspinal SBRT. 2010 , 77, 591-9	54
1236	Avancés en radiothérapie externe des cancers du sein. 2010 , 12, 269-273	1
1235	Technological advances in radiation therapy for prostate cancer. 2010 , 11, 172-9	7
1234	Towards real-time radiation therapy: GPU accelerated superposition/convolution. 2010 , 98, 285-92	49
1233	EPID in vivo dosimetry in RapidArc technique. 2010 , 15, 8-14	19
1232	Improving the performance of direct Monte Carlo optimization for large tumor volumes. 2010 , 20, 197-205	1
1231	Volumetric modulated arc therapy: planning and evaluation for prostate cancer cases. 2010 , 76, 1456-62	174
1230	A prospective study of intrafraction prostate motion in the prone vs. supine position. 2010 , 77, 165-70	26

1229	Volumetric modulated arc therapy improves dosimetry and reduces treatment time compared to conventional intensity-modulated radiotherapy for locoregional radiotherapy of left-sided breast cancer and internal mammary nodes. 2010 , 76, 287-95	227	
1228	Implementation of a new method for dynamic multileaf collimator tracking of prostate motion in arc radiotherapy using a single kV imager. 2010 , 76, 914-23	58	
1227	RapidArc radiation therapy: first year experience at the University of Alabama at Birmingham. 2010 , 77, 932-41	29	
1226	Volumetric modulation arc radiotherapy compared with static gantry intensity-modulated radiotherapy for malignant pleural mesothelioma tumor: a feasibility study. 2010 , 77, 942-9	60	
1225	Impact of volumetric modulated arc therapy technique on treatment with partial breast irradiation. 2010 , 78, 288-96	46	
1224	Whole abdomen radiation therapy in ovarian cancers: a comparison between fixed beam and volumetric arc based intensity modulation. 2010 , 5, 106	11	
1223	Evaluation of volumetric modulated arc therapy (VMAT) with Oncentra MasterPlan [®] for the treatment of head and neck cancer. 2010 , 5, 110	48	
1222	Neo-adjuvant chemo-radiation of rectal cancer with volumetric modulated arc therapy: summary of technical and dosimetric features and early clinical experience. 2010 , 5, 14	40	
1221	Early clinical experience of radiotherapy of prostate cancer with volumetric modulated arc therapy. 2010 , 5, 54	31	
1220	Plan comparison of volumetric-modulated arc therapy (RapidArc) and conventional intensity-modulated radiation therapy (IMRT) in anal canal cancer. 2010 , 5, 92	54	
1219	Early clinical experience with volumetric modulated arc therapy in head and neck cancer patients. 2010 , 5, 93	29	
1218	Large volume unresectable locally advanced non-small cell lung cancer: acute toxicity and initial outcome results with rapid arc. 2010 , 5, 94	31	
1217	Application of volumetric modulated arc therapy (VMAT) in a dual-vendor environment. 2010 , 5, 95	16	
1216	Initial dosimetric evaluation of SmartArc - a novel VMAT treatment planning module implemented in a multi-vendor delivery chain. 2010 , 11, 3169	55	
1215	Semiautomatic method to identify the best phase for gated RT in lung region by 4D-PET/CT acquisitions. <i>Medical Physics</i> , 2011 , 38, 354-62	4.4	2
1214	Hybrid plan verification for intensity-modulated radiation therapy (IMRT) using the 2D ionization chamber array I'mRT MatriXX--a feasibility study. 2010 , 55, N39-55	37	
1213	Hypofractionated stereotactic radiotherapy for brain metastases: a dosimetric and treatment efficiency comparison between volumetric modulated arc therapy and intensity modulated radiotherapy. 2010 , 9, 499-507	18	
1212	Apparatus-dependent dosimetric differences in spine stereotactic body radiotherapy. 2010 , 9, 563-74	22	

1211	Fundamental properties of the delivery of volumetric modulated arc therapy (VMAT) to static patient anatomy. <i>Medical Physics</i> , 2010 , 37, 4056-67	4.4	12
1210	Measuring output factors of small fields formed by collimator jaws and multileaf collimator using plastic scintillation detectors. <i>Medical Physics</i> , 2010 , 37, 5541-9	4.4	48
1209	External beam radiotherapy for prostate cancer. 2010 , 24, 781-9		7
1208	Ultrafast treatment plan optimization for volumetric modulated arc therapy (VMAT). <i>Medical Physics</i> , 2010 , 37, 5787-91	4.4	55
1207	The number of beams in IMRT--theoretical investigations and implications for single-arc IMRT. 2010 , 55, 83-97		41
1206	A VMAT planning solution for prostate patients using a commercial treatment planning system. 2010 , 55, N395-404		11
1205	Fast intensity-modulated arc therapy based on 2-step beam segmentation. <i>Medical Physics</i> , 2011 , 38, 151-65	4.4	9
1204	A method incorporating 4DCT data for evaluating the dosimetric effects of respiratory motion in single-arc IMAT. 2010 , 55, 3479-97		8
1203	Pre-clinical evaluation of respiratory-gated delivery of volumetric modulated arc therapy with RapidArc. 2010 , 55, N347-57		46
1202	Generating arbitrary one-dimensional dose profiles using rotational therapy. 2010 , 55, 6263-77		6
1201	Similarities between static and rotational intensity-modulated plans. 2010 , 55, 33-43		10
1200	Monte Carlo investigations of the effect of beam divergence on thick, segmented crystalline scintillators for radiotherapy imaging. 2010 , 55, 3659-73		8
1199	Monte Carlo evaluation of RapidArc oropharynx treatment planning strategies for sparing of midline structures. 2010 , 55, 4465-79		12
1198	Comparison of anatomy-based, fluence-based and aperture-based treatment planning approaches for VMAT. 2010 , 55, 6475-90		11
1197	A non-voxel-based broad-beam (NVBB) framework for IMRT treatment planning. 2010 , 55, 7175-210		37
1196	[RapidArc technology: first year of experience at the Montpellier comprehensive cancer centre]. 2010 , 97, 769-78		2
1195	The effect of gantry and collimator angles on leaf limited velocity and position in dynamic multileaf collimator intensity-modulated radiation therapy. 2010 , 55, 3101-13		10
1194	Does the option to rotate the Elekta Beam Modulator MLC during VMAT IMRT delivery confer advantage?--a study of 'parked gaps'. 2010 , 55, N303-19		9

1193	A unified framework for 3D radiation therapy and IMRT planning: plan optimization in the beamlet domain by constraining or regularizing the fluence map variations. 2010 , 55, N521-31		6
1192	Arc-modulated radiation therapy based on linear models. 2010 , 55, 3873-83		2
1191	MapCHECK used for rotational IMRT measurements: step-and-shoot, TomoTherapy, RapidArc. <i>Medical Physics</i> , 2010 , 37, 2837-46	4.4	69
1190	Comparison of Elekta VMAT with helical tomotherapy and fixed field IMRT: plan quality, delivery efficiency and accuracy. <i>Medical Physics</i> , 2010 , 37, 1350-9	4.4	178
1189	Reduced Normal Tissue Doses Through Advanced Technology. 2010 , 59-84		
1188	Two new DOSXYZnrc sources for 4D Monte Carlo simulations of continuously variable beam configurations, with applications to RapidArc, VMAT, TomoTherapy and CyberKnife. 2010 , 55, 4431-43		56
1187	Dose reconstruction for volumetric modulated arc therapy (VMAT) using cone-beam CT and dynamic log files. 2010 , 55, 3597-610		48
1186	CT reconstruction from portal images acquired during volumetric-modulated arc therapy. 2010 , 55, 5635-51		12
1185	An approach to multiobjective optimization of rotational therapy. II. Pareto optimal surfaces and linear combinations of modulated blocked arcs for a prostate geometry. <i>Medical Physics</i> , 2010 , 37, 2606-16		13
1184	[High dose for prostate irradiation with image guided radiotherapy: contribution of intensity modulation arctherapy]. 2010 , 14, 679-89		4
1183	[Which intensity modulated radiation therapy? From "step and shoot" to volumetric modulated arc therapy, point of view of the radiation oncologist]. 2010 , 14, 550-3		3
1182	[Which IMRT? From "step and shoot" to VMAT: physicist point of view]. 2010 , 14, 539-49		2
1181	New developments in arc radiation therapy: a review. 2010 , 36, 393-9		91
1180	Rectal dose reduction with IMRT for prostate radiotherapy. 2010 , 54, 235-48		16
1179	Re-irradiation of metastatic spinal cord compression: a feasibility study by volumetric-modulated arc radiotherapy for in-field recurrence creating a dosimetric hole on the central canal. 2010 , 94, 67-70		32
1178	3D Dosimetric verification of volumetric-modulated arc therapy by portal dosimetry. 2010 , 94, 181-7		142
1177	Real-time dynamic MLC tracking for inversely optimized arc radiotherapy. 2010 , 94, 218-23		57
1176	Volumetric modulated arc therapy for delivery of hypofractionated stereotactic lung radiotherapy: A dosimetric and treatment efficiency analysis. 2010 , 95, 153-7		106

1175	Automated analysis of images acquired with electronic portal imaging device during delivery of quality assurance plans for inversely optimized arc therapy. 2010 , 94, 195-8		13
1174	Intra-fraction prostate displacement in radiotherapy estimated from pre- and post-treatment imaging of patients with implanted fiducial markers. 2010 , 95, 191-7		56
1173	Single Arc Volumetric Modulated Arc Therapy of head and neck cancer. 2010 , 95, 142-8		142
1172	Dose-rate effects in external beam radiotherapy redux. 2010 , 95, 261-8		80
1171	Boosting the tumor bed from deep-seated tumors in early-stage breast cancer: a planning study between electron, photon, and proton beams. 2010 , 96, 192-8		29
1170	Clinical significance of multi-leaf collimator positional errors for volumetric modulated arc therapy. 2010 , 97, 554-60		75
1169	Rotational radiotherapy for prostate cancer in clinical practice. 2010 , 97, 480-4		43
1168	Stereotactic radiotherapy for peripheral lung tumors: a comparison of volumetric modulated arc therapy with 3 other delivery techniques. 2010 , 97, 437-42		168
1167	Imaging of normal lung, liver and parotid gland function for radiotherapy. 2010 , 49, 997-1011		21
1166	Plan robustness of simultaneous integrated boost radiotherapy of prostate and lymph nodes for different image-guidance and delivery techniques. 2011 , 50, 926-34		17
1165	Optimal delivery of volumetric modulated arc therapy (VMAT) for moving target. 2011 ,		
1164	Bridging the gap between IMRT and VMAT: dense angularly sampled and sparse intensity modulated radiation therapy. <i>Medical Physics</i> , 2011 , 38, 4912-9	4.4	26
1163	Current status and future perspective of flattening filter free photon beams. <i>Medical Physics</i> , 2011 , 38, 1280-93	4.4	215
1162	Monte Carlo implementation, validation, and characterization of a 120 leaf MLC. <i>Medical Physics</i> , 2011 , 38, 5311-20	4.4	20
1161	The use of a realistic VMAT delivery emulator to optimize dynamic machine parameters for improved treatment efficiency. 2011 , 56, 4119-33		10
1160	Conversion of helical tomotherapy plans to step-and-shoot IMRT plans--Pareto front evaluation of plans from a new treatment planning system. <i>Medical Physics</i> , 2011 , 38, 3130-8	4.4	12
1159	Evaluation of a 2D detector array for patient-specific VMAT QA with different setups. 2011 , 56, 7163-77		39
1158	Comparative analysis of volumetric modulated arc therapy versus intensity modulated radiation therapy for radiotherapy of anal carcinoma. 2011 , 1, 163-72		7

1157	Using an EPID for patient-specific VMAT quality assurance. <i>Medical Physics</i> , 2011 , 38, 1366-73	4.4	63
1156	An Introduction to the Intensity-modulated Radiation Therapy (IMRT) Techniques, Tomotherapy, and VMAT. 2011 , 42, 37-43		19
1155	Dose comparisons for conformal, IMRT and VMAT prostate plans. 2011 , 55, 611-21		24
1154	Cranio-spinal irradiation with volumetric modulated arc therapy: a multi-institutional treatment experience. 2011 , 99, 79-85		57
1153	Commissioning of volumetric modulated arc therapy (VMAT) in a dual-vendor environment. 2011 , 99, 86-9		21
1152	Acquisition of MV-scatter-free kilovoltage CBCT images during RapidArc [®] VMAT. 2011 , 100, 145-9		42
1151	The superiority of hybrid-volumetric arc therapy (VMAT) technique over double arcs VMAT and 3D-conformal technique in the treatment of locally advanced non-small cell lung cancer--a planning study. 2011 , 101, 298-302		45
1150	A comparison of several modulated radiotherapy techniques for head and neck cancer and dosimetric validation of VMAT. 2011 , 101, 388-93		45
1149	Dosimetric comparison of helical tomotherapy, RapidArc, and a novel IMRT & Arc technique for esophageal carcinoma. 2011 , 101, 431-7		48
1148	Volumetric-modulated arc therapy for stereotactic body radiotherapy of lung tumors: a comparison with intensity-modulated radiotherapy techniques. 2011 , 81, 1560-7		113
1147	Total marrow irradiation with RapidArc volumetric arc therapy. 2011 , 81, 592-9		57
1146	RapidArc quality assurance through MapCHECK. 2011 , 12, 3251		26
1145	Consistency and reproducibility of the VMAT plan delivery using three independent validation methods. 2010 , 12, 3373		21
1144	The effect of gantry spacing resolution on plan quality in a single modulated arc optimization. 2011 , 12, 3603		6
1143	Advances in treatment techniques: arc-based and other intensity modulated therapies. 2011 , 17, 166-76		15
1142	Evaluation of volumetric modulated arc therapy for cranial radiosurgery using multiple noncoplanar arcs. <i>Medical Physics</i> , 2011 , 38, 5863-72	4.4	72
1141	Real-time dose computation: GPU-accelerated source modeling and superposition/convolution. <i>Medical Physics</i> , 2011 , 38, 294-305	4.4	43
1140	Real-time verification of multileaf collimator-driven radiotherapy using a novel optical attenuation-based fluence monitor. <i>Medical Physics</i> , 2011 , 38, 1459-67	4.4	23

1139	Dosimetric comparison of Acuros XB deterministic radiation transport method with Monte Carlo and model-based convolution methods in heterogeneous media. <i>Medical Physics</i> , 2011 , 38, 2651-64	4.4	141
1138	3-D fiducial motion tracking using limited MV projections in arc therapy. <i>Medical Physics</i> , 2011 , 38, 3222-31	4.4	11
1137	Applications of IMAT in cervical esophageal cancer radiotherapy: a comparison with fixed-field IMRT in dosimetry and implementation. 2011 , 12, 3343		17
1136	Verification of dose distribution for volumetric modulated arc therapy total marrow irradiation in a humanlike phantom. <i>Medical Physics</i> , 2012 , 39, 281-8	4.4	26
1135	Numbers of beam angles required for near-optimal IMRT: theoretical limits and numerical studies. <i>Medical Physics</i> , 2011 , 38, 4518-30	4.4	5
1134	Tolerance levels of EPID-based quality control for volumetric modulated arc therapy. <i>Medical Physics</i> , 2011 , 38, 1425-34	4.4	21
1133	Dynamic tomotherapy delivery. <i>Medical Physics</i> , 2011 , 38, 3013-24	4.4	24
1132	Comparative analysis of SmartArc-based dual arc volumetric-modulated arc radiotherapy (VMAT) versus intensity-modulated radiotherapy (IMRT) for nasopharyngeal carcinoma. 2011 , 12, 3587		49
1131	Comparison of four commercial devices for RapidArc and sliding window IMRT QA. 2011 , 12, 3367		54
1130	A RapidArc planning strategy for prostate with simultaneous integrated boost. 2010 , 12, 3320		15
1129	Understanding the impact of RapidArc therapy delivery errors for prostate cancer. 2011 , 12, 3409		31
1128	Stem cell transplantation strategies for the restoration of cognitive dysfunction caused by cranial radiotherapy. 2011 ,		5
1127	Imaging of moving fiducial markers during radiotherapy using a fast, efficient active pixel sensor based EPID. <i>Medical Physics</i> , 2011 , 38, 6152-9	4.4	3
1126	A new concept for non-invasive renal tumour ablation using real-time MRI-guided radiation therapy. 2011 , 107, 63-8		14
1125	Treatment and dosimetric advantages between VMAT, IMRT, and helical tomotherapy in prostate cancer. 2011 , 36, 264-71		76
1124	Comparison of prostate IMRT and VMAT biologically optimised treatment plans. 2011 , 36, 292-8		54
1123	Dosimetric comparison of 6 MV and 15 MV single arc rapidarc to helical TomoTherapy for the treatment of pancreatic cancer. 2011 , 36, 317-20		6
1122	VMAT vs. 7-field-IMRT: assessing the dosimetric parameters of prostate cancer treatment with a 292-patient sample. 2011 , 36, 365-72		48

1121	Investigation of pitch and jaw width to decrease delivery time of helical tomotherapy treatments for head and neck cancer. 2011 , 36, 397-403	11
1120	Dosimetric comparison of RapidArc with fixed gantry intensity-modulated radiotherapy treatment for multiple liver metastases radiotherapy. 2011 , 36, 448-54	8
1119	A study on dosimetric properties of electronic portal imaging device and its use as a quality assurance tool in Volumetric Modulated Arc Therapy. 2011 , 16, 248-55	14
1118	Fast IMRT by increasing the beam number and reducing the number of segments. 2011 , 6, 170	13
1117	Volumetric-modulated arc therapy in head and neck radiotherapy: a planning comparison using simultaneous integrated boost for nasopharynx and oropharynx carcinoma. 2011 , 23, 503-11	65
1116	Intensity-modulated arc therapy: principles, technologies and clinical implementation. 2011 , 56, R31-54	114
1115	Volumetric modulated arc therapy: a review of current literature and clinical use in practice. 2011 , 84, 967-96	364
1114	Planning strategies in volumetric modulated arc therapy for breast. <i>Medical Physics</i> , 2011 , 38, 4025-31	4.4 62
1113	Personalisierte Medizin und individuelle Gesundheitsversorgung. 2011 , 17, 413-419	
1112	Stereotactic body radiation therapy (SBRT) for adrenal metastases : a feasibility study of advanced techniques with modulated photons and protons. 2011 , 187, 238-44	34
1111	Curcumin decreases survival of Hep3B liver and MCF-7 breast cancer cells: the role of HIF. 2011 , 187, 393-400	48
1110	Impact of gantry rotation time on plan quality and dosimetric verification--volumetric modulated arc therapy (VMAT) vs. intensity modulated radiotherapy (IMRT). 2011 , 187, 812-9	22
1109	Dose sparing of brainstem and spinal cord for re-irradiating recurrent head and neck cancer with intensity-modulated radiotherapy. 2011 , 36, 21-7	6
1108	Dosimetry Comparison between Volumetric Modulated Arc Therapy with Rapid Arc and Fixed Field Dynamic IMRT for Local-Regionally Advanced Nasopharyngeal Carcinoma. 2011 , 23, 259-64	8
1107	Feasibility and early clinical assessment of flattening filter free (FFF) based stereotactic body radiotherapy (SBRT) treatments. 2011 , 6, 113	100
1106	Planning analysis for locally advanced lung cancer: dosimetric and efficiency comparisons between intensity-modulated radiotherapy (IMRT), single-arc/partial-arc volumetric modulated arc therapy (SA/PA-VMAT). 2011 , 6, 140	61
1105	Bilateral kidney preservation by volumetric-modulated arc therapy (RapidArc) compared to conventional radiation therapy (3D-CRT) in pancreatic and bile duct malignancies. 2011 , 6, 147	13
1104	Rotational IMRT techniques compared to fixed gantry IMRT and tomotherapy: multi-institutional planning study for head-and-neck cases. 2011 , 6, 20	64

1103	Two-step intensity modulated arc therapy (2-step IMAT) with segment weight and width optimization. 2011 , 6, 57	1
1102	A radiotherapy planning study of RapidArc, intensity modulated radiotherapy, three-dimensional conformal radiotherapy, and parallel opposed beams in the treatment of pediatric retroperitoneal tumors. 2011 , 56, 16-23	16
1101	RapidArc planning and delivery in patients with locally advanced head-and-neck cancer undergoing chemoradiotherapy. 2011 , 79, 429-35	69
1100	Dosimetric impact of interplay effect on RapidArc lung stereotactic treatment delivery. 2011 , 79, 305-11	85
1099	Continuous arc rotation of the couch therapy for the delivery of accelerated partial breast irradiation: a treatment planning analysis. 2011 , 80, 771-8	32
1098	SmartArc-based volumetric modulated arc therapy for oropharyngeal cancer: a dosimetric comparison with both intensity-modulated radiation therapy and helical tomotherapy. 2011 , 80, 1248-55	53
1097	Choreographing couch and collimator in volumetric modulated arc therapy. 2011 , 80, 1238-47	51
1096	Helical tomotherapy versus single-arc intensity-modulated arc therapy: a collaborative dosimetric comparison between two institutions. 2011 , 81, 284-96	28
1095	Preclinical assessment of volumetric modulated arc therapy for total marrow irradiation. 2011 , 80, 628-36	51
1094	A note on improving the performance of approximation algorithms for radiation therapy. 2011 , 111, 326-333	5
1093	A planning and delivery study of a rotational IMRT technique with burst delivery. <i>Medical Physics</i> , 2011 , 38, 5104-18	4-4 16
1092	Standardized evaluation of simultaneous integrated boost plans on volumetric modulated arc therapy. 2011 , 56, 327-39	7
1091	MLC tracking for Elekta VMAT: a modelling study. 2011 , 56, 7541-54	11
1090	Rotational IMRT delivery using a digital linear accelerator in very high dose rate 'burst mode'. 2011 , 56, 1931-46	26
1089	Quality assurance of RapidArc in clinical practice using portal dosimetry. 2011 , 84, 534-45	34
1088	Linac-Based Image Guided Intensity Modulated Radiation Therapy. 2011 , 275-312	
1087	Intensity-Modulated Radiation Therapy and Volumetric-Modulated Arc Therapy for Lung Cancer. 2011 , 691-713	
1086	The physical basis and future of radiation therapy. 2011 , 84, 485-98	45

1085	The concept and challenges of TomoTherapy accelerators. 2011 , 74, 086701		3
1084	Quality assurance of volumetric modulated arc therapy: evaluation and comparison of different dosimetric systems. <i>Medical Physics</i> , 2011 , 38, 612-21	4.4	61
1083	Impact of the calculation resolution of AAA for small fields and RapidArc treatment plans. <i>Medical Physics</i> , 2011 , 38, 4471-9	4.4	36
1082	Dynamic MLC leaf sequencing for integrated linear accelerator control systems. <i>Medical Physics</i> , 2011 , 38, 6039-45	4.4	8
1081	Direct impact analysis of multi-leaf collimator leaf position errors on dose distributions in volumetric modulated arc therapy: a pass rate calculation between measured planar doses with and without the position errors. 2011 , 56, N237-46		23
1080	Validation of a new control system for Elekta accelerators facilitating continuously variable dose rate. <i>Medical Physics</i> , 2011 , 38, 4802-10	4.4	18
1079	Ultra-fast digital tomosynthesis reconstruction using general-purpose GPU programming for image-guided radiation therapy. 2011 , 10, 295-306		21
1078	Implementing RapidArc into clinical routine: a comprehensive program from machine QA to TPS validation and patient QA. <i>Medical Physics</i> , 2011 , 38, 5146-66	4.4	63
1077	Impact of leaf motion constraints on IMAT plan quality, deliver accuracy, and efficiency. <i>Medical Physics</i> , 2011 , 38, 6106-18	4.4	16
1076	An efficient inverse radiotherapy planning method for VMAT using quadratic programming optimization. <i>Medical Physics</i> , 2012 , 39, 444-54	4.4	9
1075	Image guidance in the radiotherapy treatment room: Can ten years of rapid development prepare us for the future?. 2011 , 10, 71-75		2
1074	The effect of different control point sampling sequences on convergence of VMAT inverse planning. 2011 , 56, 2569-83		8
1073	On the role of the optimization algorithm of RapidArc(®) volumetric modulated arc therapy on plan quality and efficiency. <i>Medical Physics</i> , 2011 , 38, 5844-56	4.4	61
1072	Investigation of a novel algorithm for true 4D-VMAT planning with comparison to tracked, gated and static delivery. <i>Medical Physics</i> , 2011 , 38, 2698-707	4.4	22
1071	Biological-based optimization and volumetric modulated arc therapy delivery for stereotactic body radiation therapy. <i>Medical Physics</i> , 2012 , 39, 237-45	4.4	27
1070	Carbon fiber couch effects on skin dose for volumetric modulated arcs. <i>Medical Physics</i> , 2011 , 38, 2419-23	4.4	12
1069	A Monte Carlo model of the Varian IGRT couch top for RapidArc QA. 2011 , 56, N295-305		13
1068	Evaluation of the trade-offs encountered in planning and treating locally advanced head and neck cancer: intensity-modulated radiation therapy vs dual-arc volumetric-modulated arc therapy. 2012 , 85, 1539-45		6

1067	Volumetric modulated arc therapy planning for distal oesophageal malignancies. 2012 , 85, 44-52		22
1066	Single-arc volumetric-modulated arc therapy can provide dose distributions equivalent to fixed-beam intensity-modulated radiation therapy for prostatic irradiation with seminal vesicle and/or lymph node involvement. 2012 , 85, 231-6		20
1065	Radiation therapy for nasopharyngeal carcinoma using simultaneously integrated boost (SIB) protocol: a comparison planning study between intensity modulated arc radiotherapy vs. intensity modulated radiotherapy. 2012 , 11, 415-20		6
1064	Treatment planning and delivery evaluation of volumetric modulated arc therapy for stereotactic body radiotherapy of spinal tumours: impact of arc discretization in planning system. 2012 , 11, 599-606		7
1063	Does VMAT for treatment of NSCLC patients increase the risk of pneumonitis compared to IMRT? - a planning study. 2012 , 51, 752-8		17
1062	Impact of margin size on the predicted risk of radiogenic second cancers following proton arc therapy and volumetric modulated arc therapy for prostate cancer. 2012 , 57, N469-79		5
1061	Risk of radiogenic second cancers following volumetric modulated arc therapy and proton arc therapy for prostate cancer. 2012 , 57, 7117-32		39
1060	A novel 2D binary collimator for IMRT dose delivery: dosimetric characterization using Monte Carlo simulations. 2012 , 57, N345-64		1
1059	Quality assurance of dynamic parameters in volumetric modulated arc therapy. 2012 , 85, 1002-10		29
1058	Single arc volumetric modulated arc therapy for complex brain gliomas: is there an advantage as compared to intensity modulated radiotherapy or by adding a partial arc?. 2012 , 11, 211-20		17
1057	Small field segments surrounded by large areas only shielded by a multileaf collimator: comparison of experiments and dose calculation. <i>Medical Physics</i> , 2012 , 39, 7480-9	4-4	28
1056	Tomotherapy-like versus VMAT-like treatments: a multicriteria comparison for a prostate geometry. <i>Medical Physics</i> , 2012 , 39, 7418-29	4-4	3
1055	Total-variation regularization based inverse planning for intensity modulated arc therapy. 2012 , 11, 149-62		5
1054	Practical collimator optimization in the management of prostate IMRT planning: A feasibility study. 2012 , 11, 107-115		2
1053	(Radio)biological optimization of external-beam radiotherapy. 2012 , 2012, 329214		38
1052	Improving IMRT-plan quality with MLC leaf position refinement post plan optimization. <i>Medical Physics</i> , 2012 , 39, 5118-26	4-4	3
1051	Predicting dose-volume histograms for organs-at-risk in IMRT planning. <i>Medical Physics</i> , 2012 , 39, 7446-614		254
1050	Dosimetric and delivery characterizations of full-arc and half-arc volumetric-modulated arc therapy for maxillary cancer. 2012 , 53, 785-90		14

1049	The feasibility study of using multiple partial volumetric-modulated arcs therapy in early stage left-sided breast cancer patients. 2012 , 13, 3806		23
1048	Gantry angle determination during arc IMRT: evaluation of a simple EPID-based technique and two commercial inclinometers. 2012 , 13, 3981		14
1047	Impact of backscattered radiation from the bunker structure on EPID dosimetry. 2012 , 13, 4024		1
1046	The impact of continuously-variable dose rate VMAT on beam stability, MLC positioning, and overall plan dosimetry. 2012 , 13, 4023		7
1045	Sensitivity analysis of physics and planning SmartArc parameters for single and partial arc VMAT planning. 2012 , 13, 3760		15
1044	Treatment Planning for Stereotactic Body Radiation Therapy. 2012 , 91-114		
1043	Dose optimization with first-order total-variation minimization for dense angularly sampled and sparse intensity modulated radiation therapy (DASSIM-RT). <i>Medical Physics</i> , 2012 , 39, 4316-27	4-4	9
1042	A comprehensive dosimetric evaluation of using RapidArc volumetric-modulated arc therapy for the treatment of early-stage nasopharyngeal carcinoma. 2012 , 13, 3887		14
1041	Anatomy driven optimization strategy for total marrow irradiation with a volumetric modulated arc therapy technique. 2012 , 13, 3653		19
1040	Comparison of action levels for patient-specific quality assurance of intensity modulated radiation therapy and volumetric modulated arc therapy treatments. <i>Medical Physics</i> , 2012 , 39, 4378-85	4-4	33
1039	A real time dose monitoring and dose reconstruction tool for patient specific VMAT QA and delivery. <i>Medical Physics</i> , 2012 , 39, 7194-204	4-4	37
1038	Application of AAPM TG 119 to volumetric arc therapy (VMAT). 2012 , 13, 3382		30
1037	Angular dependence correction of MatriXX and its application to composite dose verification. 2012 , 13, 3856		22
1036	EPID dosimetry for pretreatment quality assurance with two commercial systems. 2012 , 13, 3736		56
1035	Development of a novel ArcCHECK insert for routine quality assurance of VMAT delivery including dose calculation with inhomogeneities. <i>Medical Physics</i> , 2012 , 39, 4203-8	4-4	21
1034	VMAT testing for an Elekta accelerator. 2012 , 13, 3725		17
1033	Moderate hypofractionation and simultaneous integrated boost with volumetric modulated arc therapy (RapidArc) for prostate cancer. Report of feasibility and acute toxicity. 2012 , 188, 990-6		34
1032	[Role of French teams in the development of clinical and translational research in radiation oncology]. 2012 , 16, 386-91		0

1031	Biological optimization in volumetric modulated arc radiotherapy for prostate carcinoma. 2012 , 82, 1292-8	10
1030	Development and evaluation of multiple isocentric volumetric modulated arc therapy technique for craniospinal axis radiotherapy planning. 2012 , 82, 1006-12	37
1029	Encouraging early clinical outcomes with helical tomotherapy-based image-guided intensity-modulated radiation therapy for residual, recurrent, and/or progressive benign/low-grade intracranial tumors: a comprehensive evaluation. 2012 , 82, 756-64	11
1028	Volumetric-modulated arc therapy: effective and efficient end-to-end patient-specific quality assurance. 2012 , 82, 1567-74	34
1027	Volumetric modulated arc-based hypofractionated stereotactic radiotherapy for the treatment of selected intracranial arteriovenous malformations: dosimetric report and early clinical experience. 2012 , 82, 1278-84	17
1026	Helical volumetric modulated arc therapy for treatment of craniospinal axis. 2012 , 83, 1047-54	16
1025	A treatment planning and acute toxicity comparison of two pelvic nodal volume delineation techniques and delivery comparison of intensity-modulated radiotherapy versus volumetric modulated arc therapy for hypofractionated high-risk prostate cancer radiotherapy. 2012 , 82, e657-62	26
1024	A comprehensive comparison of IMRT and VMAT plan quality for prostate cancer treatment. 2012 , 83, 1169-78	120
1023	Volumetric modulation arc radiotherapy with flattening filter-free beams compared with static gantry IMRT and 3D conformal radiotherapy for advanced esophageal cancer: a feasibility study. 2012 , 84, 553-60	79
1022	Image-based dynamic multileaf collimator tracking of moving targets during intensity-modulated arc therapy. 2012 , 83, e265-71	47
1021	Automated volumetric modulated Arc therapy treatment planning for stage III lung cancer: how does it compare with intensity-modulated radio therapy?. 2012 , 84, e69-76	44
1020	In-phantom dose verification of prostate IMRT and VMAT deliveries using plastic scintillation detectors. 2012 , 47, 921-929	20
1019	Dosimetric study of volumetric modulated arc therapy fields for total marrow irradiation. 2012 , 102, 315-20	38
1018	Vertebral metastases reirradiation with volumetric-modulated arc radiotherapy. 2012 , 102, 416-20	8
1017	A pooled analysis of arc-based image-guided simultaneous integrated boost radiation therapy for oligometastatic brain metastases. 2012 , 102, 180-6	31
1016	Exploring trade-offs between VMAT dose quality and delivery efficiency using a network optimization approach. 2012 , 57, 5587-600	18
1015	Optimal partial-arcs in VMAT treatment planning. 2012 , 57, 5861-74	11
1014	Volumetric modulated arc therapy for nasopharyngeal carcinoma: a dosimetric comparison with TomoTherapy and step-and-shoot IMRT. 2012 , 104, 324-30	77

1013	A study on conventional IMRT and RapidArc treatment planning techniques for head and neck cancers. 2012 , 17, 168-75		19
1012	Laser-driven beam lines for delivering intensity modulated radiation therapy with particle beams. 2012 , 5, 903-11		16
1011	Static and rotational step-and-shoot IMRT treatment plans for the prostate: a risk comparison study. <i>Medical Physics</i> , 2012 , 39, 1069-78	4.4	9
1010	[Is volumetric modulated arc therapy the final evolution of conformal radiotherapy?]. 2012 , 16, 398-403		2
1009	Intra-fraction motion during extreme hypofractionated radiotherapy of the prostate using pre- and post-treatment imaging. 2012 , 24, 640-5		24
1008	The Canadian Association of Radiation Oncology scope of practice guidelines for lung, liver and spine stereotactic body radiotherapy. 2012 , 24, 629-39		167
1007	Initial experience of hypofractionated radiation retreatment with true beam and flattening filter free beam in selected case reports of recurrent nasopharyngeal carcinoma. 2012 , 17, 262-8		10
1006	The use of RapidArc volumetric-modulated arc therapy to deliver stereotactic radiosurgery and stereotactic body radiotherapy to intracranial and extracranial targets. 2012 , 37, 257-64		39
1005	Dosimetric comparison of volumetric modulated arc therapy and intensity-modulated radiation therapy for pancreatic malignancies. 2012 , 37, 271-5		19
1004	Dosimetric research on intensity-modulated arc radiotherapy planning for left breast cancer after breast-preservation surgery. 2012 , 37, 287-92		22
1003	HybridArc: a novel radiation therapy technique combining optimized dynamic arcs and intensity modulation. 2012 , 37, 358-68		17
1002	Multicriteria VMAT optimization. <i>Medical Physics</i> , 2012 , 39, 686-96	4.4	82
1001	A new column-generation-based algorithm for VMAT treatment plan optimization. 2012 , 57, 4569-88		39
1000	EPID-based verification of the MLC performance for dynamic IMRT and VMAT. <i>Medical Physics</i> , 2012 , 39, 6192-207	4.4	38
999	RapidArc patient specific mechanical delivery accuracy under extreme mechanical limits using linac log files. <i>Medical Physics</i> , 2012 , 39, 1846-53	4.4	15
998	Volumetric modulated arc therapy planning method for supine craniospinal irradiation. 2012 , 1, 291-297		12
997	Experimental validation of deterministic Acuros XB algorithm for IMRT and VMAT dose calculations with the Radiological Physics Center's head and neck phantom. <i>Medical Physics</i> , 2012 , 39, 2193-202	4.4	55
996	Radiation treatment with volumetric modulated arc therapy of hepatocellular carcinoma patients. Early clinical outcome and toxicity profile from a retrospective analysis of 138 patients. 2012 , 7, 207		14

995	Volumetric modulated arc therapy with flattening filter free beams for isolated abdominal/pelvic lymph nodes: report of dosimetric and early clinical results in oligometastatic patients. 2012 , 7, 204		34
994	Accelerated large volume irradiation with dynamic Jaw/Dynamic Couch Helical Tomotherapy. 2012 , 7, 191		15
993	Phase I-II study of hypofractionated simultaneous integrated boost using volumetric modulated arc therapy for adjuvant radiation therapy in breast cancer patients: a report of feasibility and early toxicity results in the first 50 treatments. 2012 , 7, 145		60
992	Implementation of HybridArc treatment technique in preoperative radiotherapy of rectal cancer: dose patterns in target lesions and organs at risk as compared to helical Tomotherapy and RapidArc. 2012 , 7, 120		11
991	A dosimetric comparison of 3D conformal vs intensity modulated vs volumetric arc radiation therapy for muscle invasive bladder cancer. 2012 , 7, 111		25
990	Searching standard parameters for volumetric modulated arc therapy (VMAT) of prostate cancer. 2012 , 7, 108		21
989	Use of Volumetric Modulated arc Radiotherapy in Patients with Early Stage Glottic Cancer. 2012 , 98, 331-336		5
988	Feasibility of a remote, automated daily delivery verification of volumetric-modulated arc therapy treatments using a commercial record and verify system. 2012 , 13, 3606		4
987	Tomotherapy - a different way of dose delivery in radiotherapy. 2012 , 16, 16-25		15
986	The dosimetric impact of inversely optimized arc radiotherapy plan modulation for real-time dynamic MLC tracking delivery. <i>Medical Physics</i> , 2012 , 39, 1588-94	4.4	18
985	Generation of a novel phase-space-based cylindrical dose kernel for IMRT optimization. <i>Medical Physics</i> , 2012 , 39, 2518-23	4.4	5
984	High resolution 2D dose measurement device based on a few long scintillating fibers and tomographic reconstruction. <i>Medical Physics</i> , 2012 , 39, 4840-9	4.4	11
983	Chest wall radiotherapy with volumetric modulated arcs and the potential role of flattening filter free photon beams. 2012 , 188, 484-90		35
982	In-treatment 4D cone-beam CT with image-based respiratory phase recognition. 2012 , 5, 138-47		18
981	Dual arc volumetric-modulated arc radiotherapy (VMAT) of nasopharyngeal carcinomas: a simultaneous integrated boost treatment plan comparison with intensity-modulated radiotherapies and single arc VMAT. 2012 , 24, 196-207		67
980	Volumetric modulated arc therapy with simultaneous integrated boost for locally advanced rectal cancer. 2012 , 24, 261-8		28
979	From analytic inversion to contemporary IMRT optimization: radiation therapy planning revisited from a mathematical perspective. 2012 , 28, 109-18		9
978	Optimising the dosimetric quality and efficiency of post-prostatectomy radiotherapy: a planning study comparing the performance of volumetric-modulated arc therapy (VMAT) with an optimised seven-field intensity-modulated radiotherapy (IMRT) technique. 2012 , 56, 211-9		5

977	RapidArc radiotherapy planning for prostate cancer: single-arc and double-arc techniques vs. intensity-modulated radiotherapy. 2012 , 37, 87-91	38
976	Volumetric modulated arc radiotherapy for esophageal cancer. 2012 , 37, 108-13	19
975	Critical appraisal of the accuracy of Acuros-XB and Anisotropic Analytical Algorithm compared to measurement and calculations with the compass system in the delivery of RapidArc clinical plans. 2013 , 8, 140	30
974	Evaluation of inter-fraction and intra-fraction errors during volumetric modulated arc therapy in nasopharyngeal carcinoma patients. 2013 , 8, 78	12
973	Risk of second cancer from scattered radiation of intensity-modulated radiotherapies with lung cancer. 2013 , 8, 47	16
972	An approach in exploring the fundamental dosimetric characteristics for a long shelf life irradiated acrylamide-based gel. 2013 , 298, 1435-1445	12
971	Exposure to low dose ionising radiation: molecular and clinical consequences. 2013 , 338, 209-18	35
970	Dose verification of volumetric modulated arc therapy (VMAT) by use of in-treatment linac parameters. 2013 , 6, 335-42	5
969	Clinical simulations of prostate radiotherapy using BOMAB-like phantoms: Results for neutrons. 2013 , 57, 48-61	8
968	Comparison of two different IMRT planning techniques in the treatment of nasopharyngeal carcinoma. Effect on parotid gland radiation doses. 2013 , 189, 552-8	15
967	Radiotherapy with volumetric modulated arc therapy for hepatocellular carcinoma patients ineligible for surgery or ablative treatments. 2013 , 189, 301-7	18
966	Evaluation of the ArcCHECK QA system for IMRT and VMAT verification. 2013 , 29, 295-303	78
965	Dosimetry estimation on variations of patient size in prostate volumetric-modulated arc therapy. 2013 , 38, 42-7	19
964	A two-stage approach for VMAT treatment plan optimization. 2013 ,	3
963	Treatment efficiency of volumetric modulated arc therapy in comparison with intensity-modulated radiotherapy in the treatment of prostate cancer. 2013 , 10, 128-34	14
962	Reduced acute toxicity associated with the use of volumetric modulated arc therapy for the treatment of adenocarcinoma of the prostate. 2013 , 3, e157-64	8
961	Comparison of dosimetric variation between prostate IMRT and VMAT due to patient's weight loss: Patient and phantom study. 2013 , 18, 272-8	17
960	Dosimetric advantages and superior treatment delivery efficiency of RapidArc over conventional intensity-modulated radiotherapy in high-risk prostate cancer involving seminal vesicles and pelvic nodes. 2013 , 25, 706-12	12

959	A dosimetric comparative study: volumetric modulated arc therapy vs intensity-modulated radiation therapy in the treatment of nasal cavity carcinomas. 2013 , 38, 225-32		18
958	Single arc volumetric-modulated arc therapy is sufficient for nasopharyngeal carcinoma: a dosimetric comparison with dual arc VMAT and dynamic MLC and step-and-shoot intensity-modulated radiotherapy. 2013 , 8, 237		24
957	A novel implementation of mARC treatment for non-dedicated planning systems using converted IMRT plans. 2013 , 8, 193		8
956	3D EPID based dosimetry for pre-treatment verification of VMAT [methods and challenges. 2013 , 444, 012010		11
955	Respiration-phase-matched digital tomosynthesis imaging for moving target verification: a feasibility study. <i>Medical Physics</i> , 2013 , 40, 071723	4-4	10
954	Dosimetric comparison between VMAT with different dose calculation algorithms and protons for soft-tissue sarcoma radiotherapy. 2013 , 52, 545-52		27
953	Applicator-guided volumetric-modulated arc therapy for low-risk endometrial cancer. 2013 , 38, 5-11		11
952	Dosimetric effects of weight loss or gain during volumetric modulated arc therapy and intensity-modulated radiation therapy for prostate cancer. 2013 , 38, 251-4		16
951	Treatment planning and dosimetric comparison study on two different volumetric modulated arc therapy delivery techniques. 2012 , 18, 87-94		14
950	Four-Dimensional PET-CT in Radiation Oncology. 2013 , 8, 81-94		1
949	Trajectory optimization for dynamic couch rotation during volumetric modulated arc radiotherapy. 2013 , 58, 8163-77		40
948	Volumetric-modulated arc therapy vs conventional fixed-field intensity-modulated radiotherapy in a whole-ventricular irradiation: a planning comparison study. 2013 , 38, 204-8		6
947	A Retrospective Planning Analysis Comparing Volumetric-Modulated Arc Therapy (VMAT) to Intensity-Modulated Radiation Therapy (IMRT) for Radiotherapy Treatment of Prostate Cancer. 2013 , 44, 79-86		4
946	Treatment planning studies in radiotherapy. 2013 , 109, 342-3		7
945	Volumetric-modulated arc therapy (RapidArc) vs. conventional fixed-field intensity-modulated radiotherapy for ¹⁸ F-FDG-PET-guided dose escalation in oropharyngeal cancer: a planning study. 2013 , 38, 18-24		6
944	Use of volumetric-modulated arc therapy for treatment of Hodgkin lymphoma. 2013 , 38, 372-5		2
943	Volumetric-modulated arc therapy with RapidArc(®): An evaluation of treatment delivery efficiency. 2013 , 18, 383-6		9
942	Cumulative dose on fractional delivery of tomotherapy to periodically moving organ: a phantom QA suggestion. 2013 , 38, 359-65		2

941	Clinical simulations of prostate radiotherapy using BOMAB-like phantoms: Results for photons. 2013 , 57, 35-47	10
940	Quantitative dosimetric assessment for effect of gold nanoparticles as contrast media on radiotherapy planning. 2013 , 88, 14-20	10
939	Volumetric-modulated arc therapy in postprostatectomy radiotherapy patients: a planning comparison study. 2013 , 38, 262-7	8
938	Delivery quality assurance with ArcCHECK. 2013 , 38, 77-80	25
937	Treatment of lesions of the head and neck by single-arc VMAT. 2013 , 18, S377	
936	The effect of the target-organ geometric complexity on the choice of delivery between RapidArc and sliding-window IMRT for nasopharyngeal carcinoma. 2013 , 38, 337-43	1
935	Comparison of whole-field simultaneous integrated boost VMAT and IMRT in the treatment of nasopharyngeal cancer. 2013 , 38, 418-23	27
934	Interplay effects during Enhanced Dynamic Wedge deliveries. 2013 , 29, 323-32	7
933	Comparison of total MU and segment areas in VMAT and step-and-shoot IMRT plans. 2013 , 6, 14-20	10
932	Minimum requirements for commissioning and long-term quality assurance of Elekta multi-leaf collimator for volumetric modulated arc therapy. 2013 , 6, 98-106	1
931	4D VMAT, gated VMAT, and 3D VMAT for stereotactic body radiation therapy in lung. 2013 , 58, 749-70	34
930	Potential role of PET/MRI in radiotherapy treatment planning. 2013 , 1, 45-51	40
929	RapidArc radiotherapy for whole pelvic lymph node in cervical cancer with 6 and 15 MV: a treatment planning comparison with fixed field IMRT. 2013 , 54, 166-73	16
928	A methodology for dosimetry audit of rotational radiotherapy using a commercial detector array. 2013 , 108, 78-85	32
927	Volumetric modulated arc therapy with flattening filter free (FFF) beams for stereotactic body radiation therapy (SBRT) in patients with medically inoperable early stage non small cell lung cancer (NSCLC). 2013 , 107, 414-8	120
926	Investigation of pulsed IMRT and VMAT for re-irradiation treatments: dosimetric and delivery feasibilities. 2013 , 58, 8179-96	9
925	Marvin: an anatomical phantom for dosimetric evaluation of complex radiotherapy of the head and neck. 2013 , 58, 6915-29	7
924	Target contouring & treatment planning in lung SBRT. 2013 , 145-159	1

923	11C choline PET guided salvage radiotherapy with volumetric modulation arc therapy and hypofractionation for recurrent prostate cancer after HIFU failure: preliminary results of tolerability and acute toxicity. 2014 , 13, 395-401		5
922	3D tomodosimetry using long scintillating fibers: a feasibility study. <i>Medical Physics</i> , 2013 , 40, 101703	4.4	9
921	The impact of leaf width and plan complexity on DMLC tracking of prostate intensity modulated arc therapy. <i>Medical Physics</i> , 2013 , 40, 111717	4.4	9
920	On the sensitivity of common gamma-index evaluation methods to MLC misalignments in Rapidarc quality assurance. <i>Medical Physics</i> , 2013 , 40, 031702	4.4	100
919	Advantage of 3D volumetric dosimeter in delivery quality assurance of dynamic arc therapy: comparison of pencil beam and Monte Carlo calculations. 2013 , 86, 20130353		1
918	First clinical results of adaptive radiotherapy based on 3D portal dosimetry for lung cancer patients with atelectasis treated with volumetric-modulated arc therapy (VMAT). 2013 , 52, 1484-9		32
917	Stereotactic body radiotherapy: volumetric modulated arc therapy versus 3D non-coplanar conformal radiotherapy for the treatment of early stage lung cancer. 2013 , 12, 511-6		12
916	Critical appraisal of volumetric-modulated arc therapy compared with electrons for the radiotherapy of cutaneous Kaposi's sarcoma of lower extremities with bone sparing. 2013 , 86, 20120543		9
915	Impact of plan parameters on the dosimetric accuracy of volumetric modulated arc therapy. <i>Medical Physics</i> , 2013 , 40, 071718	4.4	137
914	A dose-volume intercomparison of volumetric-modulated arc therapy, 3D static conformal, and rotational conformal techniques for portal vein tumor thrombus in hepatocellular carcinoma. 2013 , 54, 697-705		1
913	Forcing lateral electron disequilibrium to spare lung tissue: a novel technique for stereotactic body radiation therapy of lung cancer. 2013 , 58, 6641-62		7
912	Towards real-time VMAT verification using a prototype, high-speed CMOS active pixel sensor. 2013 , 58, 3359-75		7
911	Reduction of prostate intrafractional motion from shortening the treatment time. 2013 , 58, 4921-32		24
910	A novel technique for VMAT QA with EPID in cine mode on a Varian TrueBeam linac. 2013 , 58, 6683-700		33
909	The potential of helical tomotherapy in the treatment of head and neck cancer. 2013 , 18, 697-706		17
908	Volumetric intensity-modulated arc therapy vs conventional intensity-modulated radiation therapy in nasopharyngeal carcinoma: a dosimetric study. 2013 , 54, 532-45		26
907	An experimental evaluation of the Agility MLC for motion-compensated VMAT delivery. 2013 , 58, 4643-57		22
906	A retrospective planning analysis comparing intensity modulated radiation therapy (IMRT) to volumetric modulated arc therapy (VMAT) using two optimization algorithms for the treatment of early-stage prostate cancer. 2013 , 60, 84-92		14

905	Binary Level-Set Shape Optimization Model and Algorithm for Volumetric Modulated Arc Therapy in Radiotherapy Treatment. 2013 , 35, B1321-B1340		5
904	Intensity modulated radiation therapy versus volumetric intensity modulated arc therapy. 2013 , 60, 81-3		17
903	Direct leaf trajectory optimization for volumetric modulated arc therapy planning with sliding window delivery. <i>Medical Physics</i> , 2014 , 41, 011701	4.4	38
902	Intensity-modulated arc therapy to improve radiation dose delivery in the treatment of abdominal neuroblastoma. 2013 , 9, 439-49		11
901	A linearized model and nested-partitions heuristics for VMAT radiation treatment planning optimization. 2013 ,		2
900	3D evaluation of 3DVH program using BANG3 polymer gel dosimeter. <i>Medical Physics</i> , 2013 , 40, 082101	4.4	26
899	A tutorial on optimization methods for cancer radiation treatment planning. 2013 ,		1
898	The impacts of dental filling materials on RapidArc treatment planning and dose delivery: challenges and solution. <i>Medical Physics</i> , 2013 , 40, 081714	4.4	25
897	Gantry-angle resolved VMAT pretreatment verification using EPID image prediction. <i>Medical Physics</i> , 2013 , 40, 081715	4.4	39
896	Beam controlled arc therapy--a delivery concept for stationary targets. 2013 , 58, 7117-29		2
895	A prototype fan-beam optical CT scanner for 3D dosimetry. <i>Medical Physics</i> , 2013 , 40, 061712	4.4	19
894	Three-dimensional radiochromic film dosimetry for volumetric modulated arc therapy using a spiral water phantom. 2013 , 54, 1153-9		8
893	A novel method for routine quality assurance of volumetric-modulated arc therapy. <i>Medical Physics</i> , 2013 , 40, 101712	4.4	18
892	Sinogram analysis of aperture optimization by iterative least-squares in volumetric modulated arc therapy. 2013 , 58, 1235-50		11
891	Relationship of segment area and monitor unit efficiency in aperture-based IMRT optimization. 2013 , 14, 4056		7
890	The Physics of Radiation Oncology. 2013 , 22-30		
889	A critical evaluation of the PTW 2D-ARRAY seven29 and OCTAVIUS II phantom for IMRT and VMAT verification. 2013 , 14, 4460		32
888	Assessing the role of volumetric-modulated arc therapy in hepatocellular carcinoma. 2013 , 14, 4162		1

887	Time-resolved dose distributions to moving targets during volumetric modulated arc therapy with and without dynamic MLC tracking. <i>Medical Physics</i> , 2013 , 40, 111723	4.4	22
886	Evaluation of breathing interplay effects during VMAT by using 3D gel measurements. 2013 , 444, 012098		8
885	Detecting VMAT delivery errors: A study on the sensitivity of the ArcCHECK-3D electronic dosimeter. 2013 , 444, 012019		5
884	Impact of MLC leaf width on volumetric-modulated arc therapy planning for head and neck cancers. 2013 , 14, 4074		15
883	Evaluation of the sensitivity of two 3D diode array dosimetry systems to setup error for quality assurance (QA) of volumetric-modulated arc therapy (VMAT). 2013 , 14, 13-24		16
882	Feasibility of the partial-single arc technique in RapidArc planning for prostate cancer treatment. 2013 , 32, 546-52		6
881	The performance of the progressive resolution optimizer (PRO) for RapidArc planning in targets with low-density media. 2013 , 14, 4382		8
880	Use of plan quality degradation to evaluate tradeoffs in delivery efficiency and clinical plan metrics arising from IMRT optimizer and sequencer compromises. <i>Medical Physics</i> , 2013 , 40, 071708	4.4	3
879	Volumetric-modulated arc radiotherapy for skull-base and non-skull-base head and neck cancer: a treatment planning comparison with fixed Beam IMRT. 2013 , 12, 11-8		3
878	A dosimetric evaluation of VMAT for the treatment of non-small cell lung cancer. 2012 , 14, 4110		34
877	Prostate volumetric-modulated arc therapy: dosimetry and radiobiological model variation between the single-arc and double-arc technique. 2013 , 14, 4053		11
876	Feasibility study on dosimetry verification of volumetric-modulated arc therapy-based total marrow irradiation. 2013 , 14, 3852		10
875	Using overlap volume histogram and IMRT plan data to guide and automate VMAT planning: a head-and-neck case study. <i>Medical Physics</i> , 2013 , 40, 021714	4.4	61
874	Monitor unit optimization in RapidArc plans for prostate cancer. 2013 , 14, 4114		10
873	Hippocampal-sparing whole-brain radiotherapy using Elekta equipment. 2013 , 14, 4205		16
872	[Electronic portal image device dosimetry for volumetric modulated arc therapy]. 2013 , 69, 11-8		2
871	Critical structure sparing in stereotactic ablative radiotherapy for central lung lesions: helical tomotherapy vs. volumetric modulated arc therapy. 2013 , 8, e59729		11
870	Delivery parameter variations and early clinical outcomes of volumetric modulated arc therapy for 31 prostate cancer patients: an intercomparison of three treatment planning systems. 2013 , 2013, 289809		2

869	Estimation of Secondary Scattered Dose from Intensity-modulated Radiotherapy for Liver Cancer Cases. 2013 , 24, 295			3
868	Comparative planning of flattening-filter-free and flat beam IMRT for hypopharynx cancer as a function of beam and segment number. 2014 , 9, e94371			8
867	Fast motion-including dose error reconstruction for VMAT with and without MLC tracking. 2014 , 59, 7279-96	19		
866	Modulation indices for volumetric modulated arc therapy. 2014 , 59, 7315-40			58
865	Dosimetric comparison between helical tomotherapy and volumetric modulated arc-therapy for non-anaplastic thyroid cancer treatment. 2014 , 9, 247			2
864	Feasibility of constant dose rate VMAT in the treatment of nasopharyngeal cancer patients. 2014 , 9, 235			5
863	A novel time dependent gamma evaluation function for dynamic 2D and 3D dose distributions. 2014 , 59, 5973-85			14
862	Point/Counterpoint. Because of the advantages of rotational techniques, conventional IMRT will soon become obsolete. <i>Medical Physics</i> , 2014 , 41, 100601	4-4		4
861	A treatment planning and delivery comparison of volumetric modulated arc therapy with or without flattening filter for gliomas, brain metastases, prostate, head/neck and early stage lung cancer. 2014 , 53, 1005-11			29
860	Adjuvant volumetric-modulated arc therapy with simultaneous integrated boost in endometrial cancer. Planning and toxicity comparison. 2014 , 53, 251-8			7
859	How well do elderly patients with cervical cancer tolerate definitive radiochemotherapy using RapidArc? Results from an institutional audit comparing elderly versus younger patients. 2014 , 8, 484			16
858	Dosimetric evaluation of the interplay effect in respiratory-gated RapidArc radiation therapy. <i>Medical Physics</i> , 2014 , 41, 011715	4-4		34
857	Motion management during IMAT treatment of mobile lung tumors--a comparison of MLC tracking and gated delivery. <i>Medical Physics</i> , 2014 , 41, 101707	4-4		16
856	Novel, full 3D scintillation dosimetry using a static plenoptic camera. <i>Medical Physics</i> , 2014 , 41, 082101	4-4		25
855	Dual-Gated Volumetric Modulated Arc Therapy. 2014 , 9, 209			1
854	Dynamic simulation of motion effects in IMAT lung SBRT. 2014 , 9, 225			23
853	Quality control procedures for dynamic treatment delivery techniques involving couch motion. <i>Medical Physics</i> , 2014 , 41, 081712	4-4		13
852	Quasi real time in vivo dosimetry for VMAT. <i>Medical Physics</i> , 2014 , 41, 062103	4-4		18

851 Modulated Arc Therapy Planning. **2014**, 395-400

850 Comparing four volumetric modulated arc therapy beam arrangements for the treatment of early-stage prostate cancer. **2014**, 61, 91-101 1

849 Automatic tracking of arbitrarily shaped implanted markers in kilovoltage projection images: a feasibility study. *Medical Physics*, **2014**, 41, 071906 4.4 21

848 Static and rotational intensity modulated techniques for head-neck cancer radiotherapy: a planning comparison. **2014**, 30, 973-9 19

847 Geometric and dosimetric accuracy of dynamic tumor-tracking conformal arc irradiation with a gimbaled x-ray head. *Medical Physics*, **2014**, 41, 031705 4.4 10

846 Spatial variation of dosimetric leaf gap and its impact on dose delivery. *Medical Physics*, **2014**, 41, 111711 4.4 21

845 Texture analysis on the fluence map to evaluate the degree of modulation for volumetric modulated arc therapy. *Medical Physics*, **2014**, 41, 111718 4.4 22

844 MCTP system model based on linear programming optimization of apertures obtained from sequencing patient image data maps. *Medical Physics*, **2014**, 41, 081719 4.4 8

843 Portal dosimetry for VMAT using integrated images obtained during treatment. *Medical Physics*, **2014**, 41, 021725 4.4 27

842 Dosimetric comparison of flattened and unflattened beams for stereotactic ablative radiotherapy of stage I non-small cell lung cancer. *Medical Physics*, **2014**, 41, 031709 4.4 38

841 Calculation of planning margins for different verification techniques in radical prostate radiotherapy. **2014**, 13, 149-158 1

840 Inverse planned constant dose rate volumetric modulated arc therapy (VMAT) as an efficient alternative to five-field intensity modulated radiation therapy (IMRT) for prostate. **2014**, 13, 68-78 6

839 Variation of PTV dose distribution on patient size in prostate VMAT and IMRT: a dosimetric evaluation using the PTV dose-volume factor. **2014**, 13, 189-194 5

838 Shared data for intensity modulated radiation therapy (IMRT) optimization research: the CORT dataset. **2014**, 3, 37 51

837 VMAT planning study in rectal cancer patients. **2014**, 9, 219 10

836 Intensity-modulated radiotherapy for lung cancer: current status and future developments. **2014**, 9, 1598-608 45

835 Optimal set of grid size and angular increment for practical dose calculation using the dynamic conformal arc technique: a systematic evaluation of the dosimetric effects in lung stereotactic body radiation therapy. **2014**, 9, 5 11

834 Utility of Smart Arc CDR for intensity-modulated radiation therapy for prostate cancer. **2014**, 55, 774-9 6

833	Highly cited papers in Medical Physics. <i>Medical Physics</i> , 2014 , 41, 080401	4.4	5
832	A dosimetric comparison of volumetric modulated arc therapy (VMAT) and non-coplanar intensity modulated radiotherapy (IMRT) for nasal cavity and paranasal sinus cancer. 2014 , 9, 193		13
831	Dosimetric comparison of 3D conformal, IMRT, and V-MAT techniques for accelerated partial-breast irradiation (APBI). 2014 , 39, 152-8		25
830	Multicriteria optimization informed VMAT planning. 2014 , 39, 64-73		20
829	Comparison between two treatment planning systems for volumetric modulated arc therapy optimization for prostate cancer. 2014 , 30, 2-9		19
828	Impact of machines on plan quality: volumetric modulated arc therapy and intensity modulated radiation therapy. 2014 , 16, 141-6		1
827	Local confidence limits for IMRT and VMAT techniques: a study based on TG119 test suite. 2014 , 37, 59-74		4
826	Planning study to compare dynamic and rapid arc techniques for postprostatectomy radiotherapy of prostate cancer. 2014 , 190, 569-74		11
825	A comparison of liver protection among 3-D conformal radiotherapy, intensity-modulated radiotherapy and RapidArc for hepatocellular carcinoma. 2014 , 9, 48		21
824	Dosimetric and efficiency comparison of high-dose radiotherapy for esophageal cancer: volumetric modulated arc therapy versus fixed-field intensity-modulated radiotherapy. 2014 , 27, 585-90		25
823	Plan averaging for multicriteria navigation of sliding window IMRT and VMAT. <i>Medical Physics</i> , 2014 , 41, 021709	4.4	8
822	Controversies in radiotherapy for meningioma. 2014 , 26, 51-64		46
821	Total monitor units influence on plan quality parameters in volumetric modulated arc therapy for breast case. 2014 , 30, 296-300		15
820	Generation of prostate IMAT plans adaptable to the inter-fractional changes of patient geometry. 2014 , 59, 1947-62		3
819	Quality assurance of rapid arc treatments: performances and pre-clinical verifications of a planar detector (MapCHECK2). 2014 , 30, 184-90		17
818	Anatomy- vs. fluence-based planning for prostate cancer treatments using VMAT. 2014 , 30, 202-8		7
817	A retrospective analysis for patient-specific quality assurance of volumetric-modulated arc therapy plans. 2014 , 39, 309-13		8
816	New conformity indices based on the calculation of distances between the target volume and the volume of reference isodose. 2014 , 87, 20140342		18

815	Radiosurgery of multiple brain metastases with single-isocenter dynamic conformal arcs (SIDCA). 2014 , 112, 128-32	57
814	Kilovoltage intrafraction motion monitoring and target dose reconstruction for stereotactic volumetric modulated arc therapy of tumors in the liver. 2014 , 111, 424-30	40
813	Initial experience of ArcCHECK and 3DVH software for RapidArc treatment plan verification. 2014 , 39, 276-81	15
812	Time dependent pre-treatment EPID dosimetry for standard and FFF VMAT. 2014 , 59, 4749-68	35
811	Simultaneous integrated boost to intraprostatic lesions using different energy levels of intensity-modulated radiotherapy and volumetric-arc therapy. 2014 , 87, 20130617	17
810	A treatment planning study comparing Elekta VMAT and fixed field IMRT using the varian treatment planning system eclipse. 2014 , 9, 153	26
809	A multi-institution evaluation of MLC log files and performance in IMRT delivery. 2014 , 9, 176	47
808	Commissioning and first clinical application of mARC treatment. 2014 , 190, 1046-52	7
807	Isogenic radiation resistant cell lines: development and validation strategies. 2014 , 90, 115-26	17
806	Comparison of IMRT and VMAT plans with different energy levels using Monte-Carlo algorithm for prostate cancer. 2014 , 32, 224-32	16
805	Risk of secondary cancers from scattered radiation during intensity-modulated radiotherapies for hepatocellular carcinoma. 2014 , 9, 109	20
804	Critical appraisal of RapidArc radiosurgery with flattening filter free photon beams for benign brain lesions in comparison to GammaKnife: a treatment planning study. 2014 , 9, 119	25
803	Real-time interactive treatment planning. 2014 , 59, 4845-59	16
802	Control point analysis comparison for 3 different treatment planning and delivery complexity levels using a commercial 3-dimensional diode array. 2014 , 39, 174-9	7
801	Clinically relevant quality assurance (QA) for prostate RapidArc plans: gamma maps and DVH-based evaluation. 2014 , 30, 462-72	20
800	Toxicity outcome in patients treated with modulated arc radiotherapy for localized prostate cancer. 2014 , 19, 234-8	4
799	A review of treatment planning for precision image-guided photon beam pre-clinical animal radiation studies. 2014 , 24, 323-34	49
798	Exposure to low dose ionising radiation: Molecular and clinical consequences. 2014 , 349, 98-106	28

797	Treatment plan comparison between stereotactic body radiation therapy techniques for prostate cancer: non-isocentric CyberKnife versus isocentric RapidArc. 2014 , 30, 654-61	30
796	Assessing the feasibility of volumetric-modulated arc therapy using simultaneous integrated boost (SIB-VMAT): An analysis for complex head-neck, high-risk prostate and rectal cancer cases. 2014 , 39, 108-16	22
795	A class solution for volumetric-modulated arc therapy planning in postprostatectomy radiotherapy. 2014 , 39, 261-5	7
794	Volumetric-modulated arc radiotherapy for pancreatic malignancies: dosimetric comparison with sliding-window intensity-modulated radiotherapy and 3-dimensional conformal radiotherapy. 2014 , 39, 256-60	12
793	Nonisocentric treatment strategy for breast radiation therapy: a proof of concept study. 2014 , 88, 920-6	7
792	Detector system dose verification comparisons for arc therapy: couch vs. gantry mount. 2014 , 15, 4495	9
791	Applying the technique of volume-modulated arc radiotherapy to upper esophageal carcinoma. 2014 , 15, 4732	15
790	Beamlet based direct aperture optimization for MERT using a photon MLC. <i>Medical Physics</i> , 2014 , 41, 121711	4-4 14
789	A bias-free, automated planning tool for technique comparison in radiotherapy - application to nasopharyngeal carcinoma treatments. 2014 , 15, 4530	12
788	Assessment of setup uncertainties for various tumor sites when using daily CBCT for more than 2200 VMAT treatments. 2014 , 15, 4418	19
787	Monte Carlo modeling of HD120 multileaf collimator on Varian TrueBeam linear accelerator for verification of 6X and 6X FFF VMAT SABR treatment plans. 2014 , 15, 4686	30
786	An investigation of gantry angle data accuracy for cine-mode EPID images acquired during arc IMRT. 2014 , 15, 4507	20
785	Commissioning and comprehensive evaluation of the ArcCHECK cylindrical diode array for VMAT pretreatment delivery QA. 2014 , 15, 4832	35
784	IMRT and RapidArc commissioning of a TrueBeam linear accelerator using TG-119 protocol cases. 2014 , 15, 4843	13
783	Dosimetric study of uniform scanning proton therapy planning for prostate cancer patients with a metal hip prosthesis, and comparison with volumetric-modulated arc therapy. 2014 , 15, 4611	20
782	Evaluation of a novel secondary check tool for intensity-modulated radiotherapy treatment planning. 2014 , 15, 4990	23
781	Assessment of potential jaw-tracking advantage using control point sequences of VMAT planning. 2014 , 15, 4625	21
780	The effect of multileaf collimator leaf width on the radiosurgery planning for spine lesion treatment in terms of the modulated techniques and target complexity. 2014 , 9, 72	20

779	VMAT for the treatment of gynecologic malignancies for patients unable to receive HDR brachytherapy. 2014 , 15, 4839		4
778	On using the dosimetric leaf gap to model the rounded leaf ends in VMAT/RapidArc plans. 2014 , 15, 4484		32
777	VMAT monthly QA using two techniques: 2D ion chamber array with an isocentric gantry mount and an in vivo dosimetric device attached to gantry. 2014 , 13, 240-246		5
776	Volumetric intensity modulated arc therapy for stereotactic body radiosurgery in oligometastatic breast and gynecological cancers: feasibility and clinical results. 2014 , 32, 2237-43		18
775	Evaluation of techniques for slice sensitivity profile measurement and analysis. 2014 , 15, 4042		10
774	Direct aperture optimization using an inverse form of back-projection. 2014 , 15, 4545		2
773	A comprehensive tool to analyse dynamic log files from an Elekta-Synergy accelerator. 2014 , 489, 012068		1
772	Inverse planning in the age of digital LINACs: station parameter optimized radiation therapy (SPORT). 2014 , 489, 012065		4
771	Exploration of risk factors for weight loss in head and neck cancer patients. 2015 , 14, 343-352		3
770	Single-Isocenter Frameless Volumetric Modulated Arc Radiosurgery for Multiple Intracranial Metastases. 2015 , 77, 233-40; discussion 240		35
769	Quality control of VMAT synchronization using portal imaging. 2015 , 16, 5238		6
768	An in vivo dose verification method for SBRT-VMAT delivery using the EPID. <i>Medical Physics</i> , 2015 , 42, 6955-63	4.4	20
767	Volumetric-modulated arc therapy planning using multicriteria optimization for localized prostate cancer. 2015 , 16, 5410		27
766	Potential for reduced radiation-induced toxicity using intensity-modulated arc therapy for whole-brain radiotherapy with hippocampal sparing. 2015 , 16, 131-141		16
765	Analysis of direct clinical consequences of MLC positional errors in volumetric-modulated arc therapy using 3D dosimetry system. 2015 , 16, 296-305		14
764	The effect of body contouring on the dose distribution delivered with volumetric-modulated arc therapy technique. 2015 , 16, 365-375		1
763	A comparison of the acute toxicities using moderate hypo-fractionated intensity-modulated radiation therapy or volumetric modulated arc therapy for the treatment of early-stage prostate cancer. 2015 , 1-11		
762	Gamma analysis dependence on specified low-dose thresholds for VMAT QA. 2015 , 16, 263-272		9

761	Dosimetric validation and clinical implementation of two 3D dose verification systems for quality assurance in volumetric-modulated arc therapy techniques. 2015 , 16, 5190		20
760	Robustness of sweeping-window arc therapy treatment sequences against intrafractional tumor motion. <i>Medical Physics</i> , 2015 , 42, 1538-45	4-4	4
759	Simultaneous beam sampling and aperture shape optimization for SPORT. <i>Medical Physics</i> , 2015 , 42, 1012-22	4-4	12
758	Independent calculation of monitor units for VMAT and SPORT. <i>Medical Physics</i> , 2015 , 42, 918-24	4-4	7
757	Frame average optimization of cine-mode EPID images used for routine clinical in vivo patient dose verification of VMAT deliveries. <i>Medical Physics</i> , 2016 , 43, 254	4-4	16
756	Effect of interfractional shoulder motion on low neck nodal targets for patients treated using volumetric-modulated arc therapy (VMAT). 2015 , 16, 40-51		4
755	Preliminary study of the dosimetric characteristics of 3D-printed materials with megavoltage photons. 2015 , 67, 189-194		6
754	VMAT to arclet plan conversion in a treatment planning system : Feasibility and dosimetric relationship between VMAT, arclet, and stationary fields. 2015 , 191, 961-9		2
753	Sensitivity of a helical diode array dosimeter to Volumetric Modulated Arc Therapy delivery errors. 2015 , 31, 1043-1054		15
752	Dosimetric impact of different CT datasets for stereotactic treatment planning using 3D conformal radiotherapy or volumetric modulated arc therapy. 2015 , 10, 249		12
751	Physical characterization of single convergent beam device for teletherapy: theoretical and Monte Carlo approach. 2015 , 60, 7191-206		6
750	Characterization of a fiber-taper charge-coupled device system for plastic scintillation dosimetry and comparison with the traditional lens system. 2015 , 73, 60-68		1
749	Double-arc volumetric modulated therapy improves dose distribution compared to static gantry IMRT and 3D conformal radiotherapy for adjuvant therapy of gastric cancer. 2015 , 10, 114		21
748	Sensitivity of collapsed arc QA method for delivery errors in Volumetric Modulated Arc Therapy (VMAT). 2015 , 573, 012021		1
747	Three dimensional dose verification of VMAT plans using the Octavius 4D dosimetric system. 2015 , 573, 012081		4
746	Dosimetric comparison of preoperative single-fraction partial breast radiotherapy techniques: 3D CRT, noncoplanar IMRT, coplanar IMRT, and VMAT. 2015 , 16, 5126		7
745	The importance of collimator angle error in volumetric-modulated arc therapy. 2015 , 1-8		
744	Physical and biological pretreatment quality assurance of the head and neck cancer plan with the volumetric modulated arc therapy. 2015 , 67, 946-955		2

743	Comparison between two different algorithms used for pretreatment QA via aSi portal images. 2015 , 16, 5202	5
742	Potential advantages of volumetric arc therapy in head and neck cancer. 2015 , 37, 909-14	13
741	Modulation index for VMAT considering both mechanical and dose calculation uncertainties. 2015 , 60, 7101-25	23
740	Four-dimensional computed tomography (4DCT): A review of the current status and applications. 2015 , 59, 545-54	34
739	Multicentre knowledge sharing and planning/dose audit on flattening filter free beams for SBRT lung. 2015 , 573, 012018	8
738	Benchmarking the gamma pass score using ArcCHECK for routine dosimetric QA of VMAT plans. 2015 , 573, 012040	5
737	Comparing treatment plan in all locations of esophageal cancer: volumetric modulated arc therapy versus intensity-modulated radiotherapy. 2015 , 94, e750	12
736	Dosimetric Evaluation of Amplitude-based Respiratory Gating for Delivery of Volumetric Modulated Arc Therapy. 2015 , 26, 127	
735	Dosimetric comparison of the simultaneous integrated boost in whole-breast irradiation after breast-conserving surgery: IMRT, IMRT plus an electron boost and VMAT. 2015 , 10, e0120811	13
734	Evaluation of Dosimetric Leaf Gap (DLG) at Different Depths for Dynamic IMRT. 2015 , 26, 153	1
733	Evaluation of the clinical usefulness of modulated arc treatment. 2015 , 67, 232-236	1
732	A hybrid IMRT/VMAT technique for the treatment of nasopharyngeal cancer. 2015 , 2015, 940102	5
731	Treatment Planning for Volumetric-Modulated Arc Therapy: Model and Heuristic Algorithms. 2015 , 12, 116-126	7
730	Multi-GPU implementation of a VMAT treatment plan optimization algorithm. <i>Medical Physics</i> , 2015 , 42, 2841-52	4.4 10
729	The effect of beam interruption during VMAT delivery on the delivered dose distribution. 2015 , 31, 297-300	5
728	Resected gastric cancer with D2 dissection: advances in adjuvant chemoradiotherapy and radiotherapy techniques. 2015 , 15, 703-13	3
727	Accuracy of dose calculation algorithms for static and rotational IMRT of lung cancer: A phantom study. 2015 , 31, 382-90	15
726	Effect of External Targeted Radiotherapy on Dosimetry Due to Rapid Clearance of Gold Nanoparticles. 2015 , 35, 634-642	

725	Patient-specific dosimetric endpoints based treatment plan quality control in radiotherapy. 2015 , 60, 8213-27	16
724	Dosimetric comparison of three different treatment modalities for total scalp irradiation: the conventional lateral photon-electron technique, helical tomotherapy, and volumetric-modulated arc therapy. 2015 , 56, 717-26	19
723	Dosimetric study of different radiotherapy planning approaches for hippocampal avoidance whole-brain radiation therapy (HA-WBRT) based on fused CT and MRI imaging. 2015 , 38, 767-75	6
722	Statistical quality control for volumetric modulated arc therapy (VMAT) delivery by using the machine's log data. 2015 , 67, 63-70	2
721	Textural feature calculated from segmental fluences as a modulation index for VMAT. 2015 , 31, 981-990	5
720	Simultaneous integrated vs. sequential boost in VMAT radiotherapy of high-grade gliomas. 2015 , 191, 945-52	8
719	A moving blocker-based strategy for simultaneous megavoltage and kilovoltage scatter correction in cone-beam computed tomography image acquired during volumetric modulated arc therapy. 2015 , 115, 425-30	4
718	A circular matrix-merging algorithm with application in Volumetric Intensity-Modulated Arc Therapy. 2015 , 607, 126-134	
717	Influence of metallic dental implants and metal artefacts on dose calculation accuracy. 2015 , 191, 234-41	27
716	TSP Race: Minimizing completion time in time-sensitive applications. 2015 , 244, 47-54	1
715	Is high-dose rate RapidArc-based radiosurgery dosimetrically advantageous for the treatment of intracranial tumors?. 2015 , 40, 3-8	2
714	Whole-pelvic volumetric-modulated arc therapy for high-risk prostate cancer: treatment planning and acute toxicity. 2015 , 56, 141-50	11
713	A planning study investigating dual-gated volumetric arc stereotactic treatment of primary renal cell carcinoma. 2015 , 40, 82-8	1
712	Effect of contrast agent administration on consequences of dosimetry and biology in radiotherapy planning. 2015 , 784, 606-609	1
711	A unified mixed-integer programming model for simultaneous fluence weight and aperture optimization in VMAT, Tomotherapy, and Cyberknife. 2015 , 56, 134-150	9
710	A Comparative Planning Analysis and Integral Dose of Volumetric Modulated Arc Therapy, Helical Tomotherapy, and Three-dimensional Conformal Craniospinal Irradiation for Pediatric Medulloblastoma. 2015 , 46, 134-140	7
709	Beam's-eye-view dosimetrics (BEVD) guided rotational station parameter optimized radiation therapy (SPORT) planning based on reweighted total-variation minimization. 2015 , 60, N71-82	7
708	Gamma index comparison of three VMAT QA systems and evaluation of their sensitivity to delivery errors. 2015 , 31, 720-5	56

707	Trajectory Modulated Arc Therapy: A Fully Dynamic Delivery With Synchronized Couch and Gantry Motion Significantly Improves Dosimetric Indices Correlated With Poor Cosmesis in Accelerated Partial Breast Irradiation. 2015 , 92, 1148-1156	15
706	Use of jaw tracking in intensity modulated and volumetric modulated arc radiation therapy for spine stereotactic radiosurgery. 2015 , 5, e155-e162	10
705	SmartArc-based volumetric modulated arc therapy can improve the middle ear, vestibule and cochlea sparing for locoregionally advanced nasopharyngeal carcinoma: a dosimetric comparison with step-and-shoot intensity-modulated radiotherapy. 2015 , 88, 20150052	9
704	Principles of IMRT. 2015 , 15-42	1
703	Reirradiation of nasopharyngeal carcinoma focusing on volumetric modulated arcs with flattening filter-free beams. 2015 , 88, 20140837	6
702	The effect of MLC speed and acceleration on the plan delivery accuracy of VMAT. 2015 , 88, 20140698	36
701	Online adaptation and verification of VMAT. <i>Medical Physics</i> , 2015 , 42, 3877-91	4.4 10
700	VMATc: VMAT with constant gantry speed and dose rate. 2015 , 60, 2955-79	7
699	Is dose escalation achievable for esophageal carcinoma?. 2015 , 20, 135-40	7
698	[Management of locally advanced anal canal carcinoma with modulated arc therapy and concurrent chemotherapy]. 2015 , 19, 127-38	2
697	Roll and pitch set-up errors during volumetric modulated arc delivery: can adapting gantry and collimator angles compensate?. 2015 , 191, 272-80	4
696	Chemoradiation for gastric cancer: controversies, updates and novel techniques. 2015 , 88, 20150027	2
695	Texture analysis on the edge-enhanced fluence of VMAT. 2015 , 10, 74	16
694	Automatic interactive optimization for volumetric modulated arc therapy planning. 2015 , 10, 75	32
693	Comparison of dose distributions hippocampus in high grade gliomas irradiation with linac-based imrt and volumetric arc therapy: a dosimetric study. 2015 , 4, 114	14
692	Erratum to: Evolution of educational inequalities in mortality among young adults in an urban setting. 2015 , 60, 399-400	
691	Retrospective review of locally set tolerances for VMAT prostate patient specific QA using the COMPASS() system. 2015 , 31, 792-7	11
690	Measurement of the secondary neutron dose distribution from the LET spectrum of recoils using the CR-39 plastic nuclear track detector in 10 MV X-ray medical radiation fields. 2015 , 349, 239-245	9

689	Noncoplanar VMAT for nasopharyngeal tumors: Plan quality versus treatment time. <i>Medical Physics</i> , 2015 , 42, 2157-68	4.4	46
688	[Impact of intensity-modulated radiotherapy on node irradiation for breast cancer]. 2015 , 19, 265-70		1
687	Dosimetric study of the AAA algorithm for the VMAT technique using an anthropomorphic phantom in the pelvic region. 2015 , 14, 162-170		
686	Determination of the optimal tolerance for MLC positioning in sliding window and VMAT techniques. <i>Medical Physics</i> , 2015 , 42, 1911-6	4.4	10
685	A modular approach to intensity-modulated arc therapy optimization with noncoplanar trajectories. 2015 , 60, 5179-98		31
684	A framework for inverse planning of beam-on times for 3D small animal radiotherapy using interactive multi-objective optimisation. 2015 , 60, 5681-98		13
683	Feasibility of a unified approach to intensity-modulated radiation therapy and volume-modulated arc therapy optimization and delivery. <i>Medical Physics</i> , 2015 , 42, 726-34	4.4	6
682	First Experience With Real-Time EPID-Based Delivery Verification During IMRT and VMAT Sessions. 2015 , 93, 516-22		53
681	Optimization approaches to volumetric modulated arc therapy planning. <i>Medical Physics</i> , 2015 , 42, 1367-77	4.4	41
680	Dynamic trajectory-based couch motion for improvement of radiation therapy trajectories in cranial SRT. <i>Medical Physics</i> , 2015 , 42, 2317-25	4.4	30
679	Assessing the Dosimetric Accuracy of Magnetic Resonance-Generated Synthetic CT Images for Focal Brain VMAT Radiation Therapy. 2015 , 93, 1154-61		42
678	Anatomic optimization of lung tumor stereotactic ablative radiation therapy. 2015 , 5, e607-13		3
677	Correlation between gamma index passing rate and clinical dosimetric difference for pre-treatment 2D and 3D volumetric modulated arc therapy dosimetric verification. 2015 , 88, 20140577		36
676	Evaluations of secondary cancer risk in spine radiotherapy using 3DCRT, IMRT, and VMAT: A phantom study. 2015 , 40, 70-5		12
675	Clinical and dosimetric evaluation of RapidArc versus standard sliding window IMRT in the treatment of head and neck cancer. 2015 , 191, 43-50		7
674	Implementation of Constant Dose Rate and Constant Angular Spacing Intensity-modulated Arc Therapy for Cervical Cancer by Using a Conventional Linear Accelerator. 2016 , 129, 284-8		0
673	Dosimetric and clinical toxicity comparison of critical organ preservation with three-dimensional conformal radiotherapy, intensity-modulated radiotherapy, and RapidArc for the treatment of locally advanced cancer of the pancreatic head. 2016 , 23, e41-8		4
672	The Dose Attenuation according to the Gantry Angle and the Photon Energy Using the Standard Exact Couch and the 6D Robotic Couch. 2016 , 27, 79		0

671	Endoscopic and non-endoscopic approaches for the management of radiation-induced rectal bleeding. 2016 , 22, 6972-86	32
670	Clinical Implications of High Definition Multileaf Collimator (HDMLC) Dosimetric Leaf Gap (DLG) Variations. 2016 , 27, 111	4
669	Plan Quality and Treatment Efficiency for Radiosurgery to Multiple Brain Metastases: Non-Coplanar RapidArc vs. Gamma Knife. 2016 , 6, 26	45
668	Modern Radiotherapy Concepts and the Impact of Radiation on Immune Activation. 2016 , 6, 141	88
667	The effect of extremely narrow MLC leaf width on the plan quality of VMAT for prostate cancer. 2016 , 11, 85	12
666	Statistical Determination of the Gating Windows for Respiratory-Gated Radiotherapy Using a Visible Guiding System. 2016 , 11, e0156357	4
665	3D VMAT Verification Based on Monte Carlo Log File Simulation with Experimental Feedback from Film Dosimetry. 2016 , 11, e0166767	9
664	Dosimetric Validation of the Acuros XB Advanced Dose Calculation Algorithm for Volumetric Modulated Arc Therapy Plans. 2016 , 27, 180	3
663	Optimal technique of linear accelerator-based stereotactic radiosurgery for tumors adjacent to brainstem. 2016 , 41, 248-52	0
662	Dosimetry of ionising radiation in modern radiation oncology. 2016 , 61, R167-205	61
661	Dosimetric impact of interplay effect in lung IMRT and VMAT treatment using in-house dynamic thorax phantom. 2016 , 694, 012009	3
660	Incorrect dosimetric leaf separation in IMRT and VMAT treatment planning: Clinical impact and correlation with pretreatment quality assurance. 2016 , 32, 918-25	6
659	What happens when spins meet for ionizing radiation dosimetry?. 2016 ,	
658	Assessment of radiobiological metrics applied to patient-specific QA process of VMAT prostate treatments. 2016 , 17, 341-367	14
657	The dosimetric impact of control point spacing for sliding gap MLC fields. 2016 , 17, 204-216	3
656	Pathological Assessment of Rectal Cancer after Neoadjuvant Chemoradiotherapy: Distribution of Residual Cancer Cells and Accuracy of Biopsy. 2016 , 6, 34923	8
655	Dosimetric comparison of intensity-modulated radiotherapy and volumetric-modulated arc radiotherapy in patients with prostate cancer: a meta-analysis. 2016 , 17, 254-262	22
654	Dosimetric comparison between the prostate intensity-modulated radiotherapy (IMRT) and volumetric-modulated arc therapy (VMAT) plans using the planning target volume (PTV) dose-volume factor. 2016 , 15, 263-268	8

653	Reduced Normal Tissue Doses Through Advanced Technology. 2016 , 75-103		
652	Dose rate versus gantry speed test in RapidArc commissioning: a feasibility study using ArcCHECK. 2016 , 2, 067003		2
651	Initial clinical experience with ArcCHECK for IMRT/VMAT QA. 2016 , 17, 20-33		15
650	Beam perturbation characteristics of a 2D transmission silicon diode array, Magic Plate. 2016 , 17, 85-98		7
649	Predicting deliverability of volumetric-modulated arc therapy (VMAT) plans using aperture complexity analysis. 2016 , 17, 124-131		28
648	Comprehensive dosimetric planning comparison for early-stage, non-small cell lung cancer with SABR: fixed-beam IMRT versus VMAT versus TomoTherapy. 2016 , 17, 329-340		10
647	Dose calculation for hypofractionated volumetric-modulated arc therapy: approximating continuous arc delivery and tongue-and-groove modeling. 2016 , 17, 3-13		9
646	A pilot study of volumetric-modulated arc therapy for malignant pleural mesothelioma. 2016 , 17, 139-144		7
645	A comparative study of identical VMAT plans with and without jaw tracking technique. 2016 , 17, 133-141		10
644	An EPID-based system for gantry-resolved MLC quality assurance for VMAT. 2016 , 17, 348-365		10
643	Comparison between Dual Arc VMAT and 7F-IMRT in the protection of hippocampus for patients during whole brain radiotherapy. 2016 , 24, 457-66		3
642	Robotic path-finding in inverse treatment planning for stereotactic radiosurgery with continuous dose delivery. <i>Medical Physics</i> , 2016 , 43, 4545	4-4	4
641	Comparisons of volumetric modulated arc therapy (VMAT) quality assurance (QA) systems: sensitivity analysis to machine errors. 2016 , 11, 146		32
640	Optimization of Treatment Geometry to Reduce Normal Brain Dose in Radiosurgery of Multiple Brain Metastases with Single-Isocenter Volumetric Modulated Arc Therapy. 2016 , 6, 34511		26
639	Time-resolved beam symmetry measurement for VMAT commissioning and quality assurance. 2016 , 17, 220-230		2
638	VMAT linear accelerator commissioning and quality assurance: dose control and gantry speed tests. 2016 , 17, 246-261		5
637	Rounded leaf end modeling in Pinnacle VMAT treatment planning for fixed jaw linacs. 2016 , 17, 149-162		2
636	Clinical experience with planning, quality assurance, and delivery of burst-mode modulated arc therapy. 2016 , 17, 47-59		1

635	A comprehensive formulation for volumetric modulated arc therapy planning. <i>Medical Physics</i> , 2016 , 43, 4263	4.4	16
634	Potential benefits of dosimetric VMAT tracking verified with 3D film measurements. <i>Medical Physics</i> , 2016 , 43, 2162	4.4	4
633	The NCS code of practice for the quality assurance and control for volumetric modulated arc therapy. 2016 , 61, 7221-7235		23
632	Robust fluence map optimization via alternating direction method of multipliers with empirical parameter optimization. 2016 , 61, 2838-50		12
631	Role of Volumetric-Modulated Arc Therapy with Flattening Filter Free Delivery in Lung Stereotactic Body Radiotherapy. 2016 , 47, 155-159		1
630	Analysis of Dosimetric Impacts of Cone Beam Computed Tomography-Based Volumetric Modulated Arc Therapy Planning. 2016 , 47, 160-170		3
629	The effect of bladder contrast on dose calculation in volumetric modulated arc therapy planning in patients treated for postoperative prostate cancer. 2016 , 34, 376-82		2
628	Advanced optimization methods for whole pelvic and local prostate external beam therapy. 2016 , 32, 465-73		12
627	Injectable silver nanosensors: in vivo dosimetry for external beam radiotherapy using positron emission tomography. 2016 , 8, 11002-11		5
626	Fully automatic volumetric modulated arc therapy plan generation for rectal cancer. 2016 , 119, 531-6		13
625	Spot-Scanning Proton Arc (SPArc) Therapy: The First Robust and Delivery-Efficient Spot-Scanning Proton Arc Therapy. 2016 , 96, 1107-1116		46
624	Mathematical Models for Optimal Volumetric Modulated Arc Therapy (VMAT) Treatment Planning. 2016 , 100, 644-651		1
623	Treatment planning strategy for whole-brain radiotherapy with hippocampal sparing and simultaneous integrated boost for multiple brain metastases using intensity-modulated arc therapy. 2016 , 41, 315-322		8
622	Treatment planning study of Volumetric Modulated Arc Therapy and three dimensional field-in-field techniques for left chest-wall cancers with regional lymph nodes. 2016 , 21, 517-524		4
621	Phase II trial of hypofractionated VMAT-based treatment for early stage breast cancer: 2-year toxicity and clinical results. 2016 , 11, 120		31
620	Role of Stereotactic Body Radiation Therapy with Volumetric-Modulated Arcs and High-Intensity Photon Beams for the Treatment of Abdomino-Pelvic Lymph-Node Metastases. 2016 , 34, 348-54		11
619	Prompt gamma ray imaging for verification of proton boron fusion therapy: A Monte Carlo study. 2016 , 32, 1271-1275		17
618	Comparison of three commercial dosimetric systems in detecting clinically significant VMAT delivery errors. 2016 , 32, 1238-1244		11

617	A dynamic simulation model of passenger flow distribution on schedule-based rail transit networks with train delays. 2016 , 3, 364-373	15
616	Dosimetric analysis of testicular doses in prostate intensity-modulated and volumetric-modulated arc radiation therapy at different energy levels. 2016 , 41, 310-314	6
615	Evaluation of 3D-CRT, IMRT and VMAT radiotherapy plans for left breast cancer based on clinical dosimetric study. 2016 , 54, 1-5	27
614	The Study of Implementation of Intensity Modulated Arc Therapy (IMAT) for Thoracic Esophageal Carcinoma on Conventional Linac. 2016 ,	0
613	Evaluation of fluence-based dose delivery incorporating the spatial variation of dosimetric leaf gap (DLG). 2016 , 17, 12-21	6
612	Prioritized efficiency optimization for intensity modulated proton therapy. 2016 , 61, 8249-8265	4
611	Delivering RapidArc : A comprehensive study on accuracy and long term stability. 2016 , 32, 866-73	11
610	Comparison of the extent of hippocampal sparing according to the tilt of a patient's head during WBRT using linear accelerator-based IMRT and VMAT. 2016 , 32, 657-63	9
609	Evaluation of unified intensity-modulated arc therapy for the radiotherapy of head-and-neck cancer. 2016 , 119, 331-6	5
608	mARC prostate treatment planning with Varian Eclipse for flat vs. FFF beams. 2016 , 32, 474-8	11
607	Twin machines validation for VMAT treatments using electronic portal-imaging device: a multicenter study. 2016 , 11, 2	1
606	Radiation therapy for stereotactic body radiation therapy in spine tumors: linac or robotic?. 2016 , 2, 015012	2
605	Designing a range modulator wheel to spread-out the Bragg peak for a passive proton therapy facility. 2016 , 806, 101-108	13
604	The Feasibility and Efficiency of Volumetric Modulated Arc Therapy-Based Breath Control Stereotactic Body Radiotherapy for Liver Tumors. 2016 , 15, 674-82	1
603	Analyzing the performance of ArcCHECK diode array detector for VMAT plan. 2016 , 21, 50-6	13
602	Radiation oncology in the era of precision medicine. 2016 , 16, 234-49	438
601	A machine learning approach to the accurate prediction of multi-leaf collimator positional errors. 2016 , 61, 2514-31	45
600	Linac-based extracranial radiosurgery with Elekta volumetric modulated arc therapy and an anatomy-based treatment planning system: Feasibility and initial experience. 2016 , 41, 166-72	7

599	Volumetric modulated arc therapy (VMAT) and simultaneous integrated boost in head-and-neck cancer: is there a place for critical swallowing structures dose sparing?. 2016 , 89, 20150764		5
598	Dosimetric evaluation of 4 different treatment modalities for curative-intent stereotactic body radiation therapy for isolated thoracic spinal metastases. 2016 , 41, 105-12		9
597	Cherenkov imaging during volumetric modulated arc therapy for real-time radiation beam tracking and treatment response monitoring. 2016 ,		
596	Unilateral and bilateral neck SIB for head and neck cancer patients : Intensity-modulated proton therapy, tomotherapy, and RapidArc. 2016 , 192, 232-9		16
595	[Localized prostate cancer: Radiotherapeutic concepts]. 2016 , 55, 326-32		
594	Comparative treatment planning study on sequential vs. simultaneous integrated boost in head and neck cancer patients: Differences in dose distributions and potential implications for clinical practice. 2016 , 192, 17-24		12
593	Intensity-Modulated and Image-Guided Radiation Therapy. 2016 , 294-324.e5		1
592	Evaluation of dual-arc VMAT radiotherapy treatment plans automatically generated via dose mimicking. 2016 , 55, 523-5		11
591	Radiation dose intensification in pre-operative chemo-radiotherapy for locally advanced rectal cancer. 2017 , 19, 189-196		22
590	Randomized algorithms for high quality treatment planning in volumetric modulated arc therapy. 2017 , 33, 025007		0
589	Analysis of Influence of Errors in Angular Settings of Couch and Collimator on the Dosimetric and Radiobiological Parameters in VMAT Plans. 2017 , 48, 166-177		1
588	Sinonasal papillomas in a private referral otorhinolaryngology centre: Review of 22 years experience. 2017 , 68, 251-261		1
587	Estimation of radiation-induced secondary cancer risks for early-stage non-small cell lung cancer patients after stereotactic body radiation therapy. 2017 , 7, e185-e194		2
586	Dosimetric influence of photon beam energy and number of arcs on volumetric modulated arc therapy in carcinoma cervix: A planning study. 2017 , 22, 1-9		7
585	Famous medical physicists often get more credit for discoveries due to their fame than less prominent scientists who may have contributed as much or earlier to these developments. <i>Medical Physics</i> , 2017 , 44, 1209-1211	4.4	3
584	A Swiss cheese error detection method for real-time EPID-based quality assurance and error prevention. <i>Medical Physics</i> , 2017 , 44, 1212-1223	4.4	11
583	On the use of volumetric-modulated arc therapy for single-fraction thoracic vertebral metastases stereotactic body radiosurgery. 2017 , 42, 69-75		4
582	Pulmonary injury associated with radiation therapy - Assessment, complications and therapeutic targets. 2017 , 89, 1092-1104		27

581	Super-resolution imaging in a multiple layer EPID. 2017 , 3, 025004			4
580	4D VMAT planning and verification technique for dynamic tracking using a direct aperture deformation (DAD) method. 2017 , 18, 50-61			
579	Filmless methods for quality assurance of Tomotherapy using ArcCHECK. <i>Medical Physics</i> , 2017 , 44, 7-16	4.4		2
578	Development of a novel low-radiation-absorbent lok-bar to reduce X-ray scattering and absorption in RapidArc treatment planning and dose delivery. 2017 , 18, 44-51			2
577	The Ever-Evolving Role of the Academic Clinical Physicist. 2017 , 98, 18-20			4
576	The impact of androgen deprivation therapy on setup errors during external beam radiation therapy for prostate cancer. 2017 , 193, 472-482			0
575	Accelerated hypofractionated adjuvant whole breast radiation with simultaneous integrated boost using volumetric modulated arc therapy for early breast cancer: A phase I/II dosimetric and clinical feasibility study from a tertiary cancer care centre of India. 2017 , 29, 39-45			5
574	Trajectory optimization in radiotherapy using sectioning (TORUS). <i>Medical Physics</i> , 2017 , 44, 3375-3392	4.4		10
573	On mixed electron-photon radiation therapy optimization using the column generation approach. <i>Medical Physics</i> , 2017 , 44, 4287-4298	4.4		18
572	Dosimetric study of three-dimensional conformal radiotherapy, electronic compensator technique, intensity-modulated radiation therapy and volumetric-modulated arc therapy in whole breast irradiation □ 2017 , 16, 431-443			2
571	Treatment Planning. 2017 , 62-82			
570	Simultaneous optimization of photons and electrons for mixed beam radiotherapy. 2017 , 62, 5840-5860			16
569	Results of a 10-year survey of workload for 10 treatment vaults at a high-throughput comprehensive cancer center. 2017 , 18, 207-214			4
568	Dosimetric effect of multileaf collimator leaf width on volumetric modulated arc stereotactic radiotherapy for spine tumors. 2017 , 42, 111-115			6
567	A simple and robust trajectory-based stereotactic radiosurgery treatment. <i>Medical Physics</i> , 2017 , 44, 240-248	4.4		15
566	Radiation-induced biological changes of neural structures in the base of the skull tumours. 2017 , 16, 183-198			0
565	Mice and the A-Bomb: Irradiation Systems for Realistic Exposure Scenarios. 2017 , 187, 465-475			16
564	Commissioning and quality assurance for VMAT delivery systems: An efficient time-resolved system using real-time EPID imaging. <i>Medical Physics</i> , 2017 , 44, 3909-3922	4.4		7

563	Treating lung cancer with dynamic conformal arc therapy: a dosimetric study. 2017 , 12, 93		3
562	Evaluation of a composite Gel-Alanine phantom on an end-to-end test to treat multiple brain metastases by a single isocenter VMAT technique. <i>Medical Physics</i> , 2017 , 44, 4869-4879	4-4	10
561	Simultaneous delivery time and aperture shape optimization for the volumetric-modulated arc therapy (VMAT) treatment planning problem. 2017 , 62, 5589-5611		9
560	Comparative study on dosimetry of VMAT and IMRT in assisted radiotherapy after radical resection of rectal cancer. 2017 , 13, 2971-2974		5
559	Optimization of the dosimetric leaf gap for use in planning VMAT treatments of spine SABR cases. 2017 , 18, 133-139		11
558	Correlation between heterogeneity index (HI) and gradient index (GI) for high dose stereotactic radiotherapy/radiosurgery (SRT/SRS). 2017 ,		2
557	Angular under-sampling effect on VMAT dose calculation: An analysis and a solution strategy. <i>Medical Physics</i> , 2017 , 44, 2096-2114	4-4	3
556	Assessment of monitor unit limiting strategy using volumetric modulated arc therapy for cancer of hypopharynx. 2017 , 35, 73-80		4
555	Individual volume-based 3D gamma indices for pretreatment VMAT QA. 2017 , 18, 28-36		10
554	Application of optically stimulated luminescence NanoDot [®] dosimeters for dose verification of VMAT treatment planning using an anthropomorphic stereotactic end-to-end verification phantom. 2017 , 106, 321-325		10
553	Influence of the Integral Quality Monitor transmission detector on high energy photon beams: A multi-centre study. 2017 , 27, 232-242		18
552	Volumetric modulated arc therapy with dynamic collimator rotation for improved multileaf collimator tracking of the prostate. 2017 , 122, 109-115		12
551	Planning 4D intensity-modulated arc therapy for tumor tracking with a multileaf collimator. 2017 , 62, 1480-1500		2
550	Sinonasal Papillomas in a Private Referral Otorhinolaryngology Centre: Review of 22 Years Experience. 2017 , 68, 251-261		
549	Multi-institutional comparison of simulated treatment delivery errors in ssIMRT, manually planned VMAT and autoplan-VMAT plans for nasopharyngeal radiotherapy. 2017 , 42, 55-66		13
548	A reusable OSL-film for 2D radiotherapy dosimetry. 2017 , 62, 8441-8454		15
547	Clinical implementation and evaluation of the Acuros dose calculation algorithm. 2017 , 18, 195-209		20
546	Influence of computed tomography contrast agent on radiotherapy dose calculation for pancreatic carcinoma: A dosimetric study based on tomotherapy and volumetric-modulated arc therapy techniques. 2017 , 42, 317-325		2

545	Online dose reconstruction for tracked volumetric arc therapy: Real-time implementation and offline quality assurance for prostate SBRT. <i>Medical Physics</i> , 2017 , 44, 5997-6007	4-4	14
544	Split-VMAT technique to control the expiratory breath-hold time in liver stereotactic body radiation therapy. 2017 , 40, 17-23		4
543	A novel and independent method for time-resolved gantry angle quality assurance for VMAT. 2017 , 18, 134-142		1
542	Simultaneous integrated boost (SIB) for treatment of gynecologic carcinoma: Intensity-modulated radiation therapy (IMRT) vs volumetric-modulated arc therapy (VMAT) radiotherapy. 2017 , 42, 230-237		4
541	Validation of the relative insensitivity of volumetric-modulated arc therapy (VMAT) plan quality to gantry space resolution. 2017 , 58, 579-590		6
540	Efficacy of robust optimization plan with partial-arc VMAT for photon volumetric-modulated arc therapy: A phantom study. 2017 , 18, 97-103		17
539	External Beam Radiation Therapy for Liver Tumors: Simulation, Treatment Planning, and Advanced Delivery Techniques. 2017 , 91-105		
538	Technical Note: A novel quality assurance test to identify gantry angle inaccuracies in respiratory-gated VMAT treatments. <i>Medical Physics</i> , 2017 , 44, 5075-5080	4-4	2
537	F-Fluoromisonidazole positron emission tomography/CT-guided volumetric-modulated arc therapy-based dose escalation for hypoxic subvolume in nasopharyngeal carcinomas: A feasibility study. 2017 , 39, 2519-2527		8
536	Acute toxicity of concomitant boost radiation therapy by volumetric-modulated arc therapy in head and neck cancers. 2017 , 16, 423-430		
535	Dosimetric comparison of the helical tomotherapy, volumetric-modulated arc therapy and fixed-field intensity-modulated radiotherapy for stage IIB-IIIB non-small cell lung cancer. 2017 , 7, 14863		10
534	Influence of multi-leaf collimator leaf transmission on head and neck intensity-modulated radiation therapy and volumetric-modulated arc therapy planning. 2017 , 35, 511-525		2
533	Dosimetric advantage of volumetric modulated arc therapy in the treatment of intraocular cancer. 2017 , 12, 83		5
532	Is it essential to use fiducial markers during cone-beam CT-based radiotherapy for prostate cancer patients?. 2017 , 35, 3-9		6
531	Clinical Application of a Hybrid RapidArc Radiotherapy Technique for Locally Advanced Lung Cancer. 2017 , 16, 224-230		2
530	Weekly Cisplatin and Volumetric-Modulated Arc Therapy With Simultaneous Integrated Boost for Radical Treatment of Advanced Cervical Cancer in Elderly Patients: Feasibility and Clinical Preliminary Results. 2017 , 16, 310-315		20
529	A Systematic Analysis of 2 Monoisocentric Techniques for the Treatment of Multiple Brain Metastases. 2017 , 16, 639-644		15
528	Modern radiotherapy techniques versus three-dimensional conformal radiotherapy for head and neck cancer. 2017 ,		2

527	Volumetric modulated arc therapy for treatment of solid tumors: current insights. 2017 , 10, 3755-3772	24
526	Gamma analysis with a gamma criterion of 2%/1 mm for stereotactic ablative radiotherapy delivered with volumetric modulated arc therapy technique: a single institution experience. 2017 , 8, 76076-76084	5
525	Comparative Analysis of Efficacy, Toxicity, and Patient-Reported Outcomes in Rectal Cancer Patients Undergoing Preoperative 3D Conformal Radiotherapy or VMAT. 2017 , 7, 225	2
524	Study of impacts of different evaluation criteria on gamma pass rates in VMAT QA using MatriXX and EPID. 2017 , 23, 99-107	0
523	Dosimetric characteristics of a reusable 3D radiochromic dosimetry material. 2017 , 12, e0180970	1
522	Normal lung sparing Tomotherapy technique in stage III lung cancer. 2017 , 12, 167	3
521	Critical appraisal of the role of volumetric modulated arc therapy in the radiation therapy management of breast cancer. 2017 , 12, 200	18
520	Impact of Jaw Position Accuracy on Dose Variation in Volumetric Modulated Arc Therapy Using Jaw Tracking. 2017 , 73, 365-371	1
519	Recent advances in radiation oncology. 2017 , 11, 785	51
518	Gamma Evaluation with Portal Dosimetry for Volumetric Modulated Arc Therapy and Intensity-Modulated Radiation Therapy. 2017 , 28, 61	6
517	Compared planning dosimetry of TOMO, VMAT and IMRT in rectal cancer with different simulated positions. 2017 , 8, 42020-42029	8
516	Correlation analysis between 2D and quasi-3D gamma evaluations for both intensity-modulated radiation therapy and volumetric modulated arc therapy. 2017 , 8, 5449-5459	16
515	Tratamiento del papiloma oncocítico nasosinusal avanzado sin malignización asociada, con resección endoscópica y radioterapia en arcos de volumen modulado (RAVM). Reporte de un caso. 2017 , 30, 448-454	
514	Advances in radiotherapy techniques and delivery for non-small cell lung cancer: benefits of intensity-modulated radiation therapy, proton therapy, and stereotactic body radiation therapy. 2017 , 6, 131-147	34
513	Quantitative evaluation of patient-specific quality assurance using online dosimetry system. 2018 , 72, 312-319	2
512	Dosimetric comparison between IMRT and VMAT in irradiation for peripheral and central lung cancer. 2018 , 15, 3735-3745	8
511	Assessment of the Monitor Unit Objective tool for VMAT in the Eclipse treatment planning system. 2018 , 23, 121-125	5
510	Motion induced interplay effects for VMAT radiotherapy. 2018 , 63, 085012	21

509	Pre-treatment verification of lung SBRT VMAT plans with delivery errors: Toward a better understanding of the gamma index analysis. 2018 , 49, 119-128		10
508	VMAT optimization with dynamic collimator rotation. <i>Medical Physics</i> , 2018 , 45, 2399-2410	4-4	11
507	Acute toxicity of craniospinal irradiation with volumetric-modulated arc therapy in children with solid tumors. 2018 , 65, e27050		11
506	Dosimetric variations in calculation grid size in prostate VMAT: a dose-volume histogram analysis using the Gaussian error function. 2018 , 17, 162-170		1
505	Improvement of VMAT plan quality for head and neck cancer with high resolution fluences generated by couch shift between arcs. 2018 , 46, 1-6		3
504	Dose-volume and radiobiological dependence on the calculation grid size in prostate VMAT planning. 2018 , 43, 383-389		9
503	Multidimensional correlation among plan complexity, quality and deliverability parameters for volumetric-modulated arc therapy using canonical correlation analysis. 2018 , 59, 207-215		7
502	Tolerance limits and methodologies for IMRT measurement-based verification QA: Recommendations of AAPM Task Group No. 218. <i>Medical Physics</i> , 2018 , 45, e53-e83	4-4	305
501	A fast 4D IMRT/VMAT planning method based on segment aperture morphing. <i>Medical Physics</i> , 2018 , 45, 1594-1602	4-4	4
500	FLUENCE MAP OPTIMIZATION IN INTENSITY-MODULATED RADIATION THERAPY TREATMENT PLANNING. 2018 , 285-305		1
499	SLIDING WINDOW IMRT AND VMAT OPTIMIZATION. 2018 , 307-322		1
498	Effect of translational couch shifts in volumetric modulated arc therapy (VMAT) plans and predicting its impact on daily dose delivery. 2018 , 17, 230-243		
497	Volumetric modulated arc therapy treatment planning of thoracic vertebral metastases using stereotactic body radiotherapy. 2018 , 19, 54-61		5
496	Electron beam collimation with a photon MLC for standard electron treatments. 2018 , 63, 025017		12
495	Volumetric modulated arc therapy of head-and-neck cancer on a fast-rotating O-ring linac: Plan quality and delivery time comparison with a C-arm linac. 2018 , 128, 479-484		33
494	Dosimetric advantages afforded by a new irradiation technique, Dynamic WaveArc, used for accelerated partial breast irradiation. 2018 , 48, 103-110		3
493	Is volumetric modulated arc therapy with constant dose rate a valid option in radiation therapy for head and neck cancer patients?. 2018 , 23, 175-182		4
492	Hippocampal sparing in stereotactic radiotherapy for brain metastases: To contour or not contour the hippocampus?. 2018 , 22, 120-125		4

491	Dosimetric effect of limited aperture multileaf collimator on VMAT plan quality: A study of prostate and head-and-neck cancers. 2018 , 23, 189-198	1
490	Biological imaging for individualized therapy in radiation oncology: part I physical and technical aspects. 2018 , 14, 737-749	1
489	Comparison of four techniques for spine stereotactic body radiotherapy: Dosimetric and efficiency analysis. 2018 , 19, 160-167	4
488	Photon optimizer (PO) vs progressive resolution optimizer (PRO): a conformity- and complexity-based comparison for intensity-modulated arc therapy plans. 2018 , 43, 267-275	18
487	AAA and AXB algorithms for the treatment of nasopharyngeal carcinoma using IMRT and RapidArc techniques. 2018 , 43, 224-229	3
486	A study of the dosimetric characteristics between different fixed-field IMRT and VMAT in early-stage primary mediastinal B-cell lymphoma. 2018 , 43, 91-99	3
485	Retrospective analysis of portal dosimetry pre-treatment quality assurance of prostate volumetric-modulated arc therapy (VMAT) plans. 2018 , 17, 44-52	5
484	Optimal beam margins in linac-based VMAT stereotactic ablative body radiotherapy: a Pareto front analysis for liver metastases. 2018 , 43, 291-301	3
483	Volumetric-modulated arc therapy versus intensity-modulated radiotherapy for large volume retroperitoneal sarcomas: A comparative analysis of dosimetric and treatment delivery parameters. 2018 , 19, 276-281	3
482	Improvement of conformal arc plans by using deformable margin delineation method for stereotactic lung radiotherapy. 2018 , 19, 184-193	6
481	MRI-based Assessment of 3D Intrafractional Motion of Head and Neck Cancer for Radiation Therapy. 2018 , 100, 306-316	12
480	Dosimetric comparison of 3-dimensional conformal radiotherapy, volumetric modulated arc therapy, and helical tomotherapy for postoperative gastric cancer patients. 2018 , 36, 30-39	6
479	Organ at risk dose verification in nasopharyngeal cancer VMAT planning with collimator comparison between single arc and double arc. 2018 , 432, 012024	
478	Perspectives on stereotactic body radiotherapy for early-stage non-small cell lung cancer: a maturing treatment modality. 2018 , 10, 1207-1210	1
477	Radiation pneumonitis in lung cancer treated with volumetric modulated arc therapy. 2018 , 10, 6531-6539	7
476	Dosimetric and Radiobiological Evaluation of Dose Volume Optimizer (DVO) and Progressive Resolution Optimizer (PRO) Algorithm against Photon Optimizer on IMRT and VMAT Plan for Prostate Cancer. 2018 , 29, 106	1
475	Validation and IMRT/VMAT delivery quality of a preconfigured fast-rotating O-ring linac system. <i>Medical Physics</i> , 2019 , 46, 328-339	4-4 21
474	DoseNet: a volumetric dose prediction algorithm using 3D fully-convolutional neural networks. 2018 , 63, 235022	64

473	Radiotherapy Advances in Pediatric Neuro-Oncology. 2018 , 5,	8
472	Dosimetric and radiobiological comparison in different dose calculation grid sizes between Acuros XB and anisotropic analytical algorithm for prostate VMAT. 2018 , 13, e0207232	5
471	Dosimetric comparison of volumetric-modulated arc therapy and intensity-modulated radiation therapy in patients with cervical cancer: a meta-analysis. 2018 , 11, 7179-7186	6
470	Re-irradiation volumetric modulated arc therapy optimization based on cumulative biologically effective dose objectives. 2018 , 19, 341-345	3
469	Reliability of the gamma index analysis as a verification method of volumetric modulated arc therapy plans. 2018 , 13, 175	15
468	Impact of the Use of Homogeneous and Heterogeneous Phantoms in Pretreatment Verification for Volumetric Modulated Arc Radiotherapy. 2018 , 73, 1001-1006	
467	Dose calibration uncertainty and plan-specific dose calibration for IMRT QA. 2018 , 5, 015024	
466	Effect of anatomical change on dose distribution during radiotherapy for maxillary sinus carcinoma: passive scattering proton therapy versus volumetric-modulated arc therapy. 2018 , 20180273	2
465	Daily Based Quality Assurance of Volumetric Modulated Arc Therapy for the Full Session of Treatment. 2018 , 73, 990-1000	3
464	Mucosal dosimetry on unflattened photon beams: a Monte Carlo phantom study. 2018 , 5, 015007	6
463	Monitoring of platelet function parameters and microRNA expression levels in patients with prostate cancer treated with volumetric modulated arc radiotherapy. 2018 , 16, 4745-4753	4
462	Continuous aperture dose calculation and optimization for volumetric modulated arc therapy. 2018 , 63, 21NT01	6
461	Characterization of EPID software for VMAT transit dosimetry. 2018 , 41, 1021-1027	10
460	Dosimetric analysis of stereotactic rotational versus static intensity-modulated radiation therapy for pancreatic cancer. 2018 , 22, 754-762	2
459	Partially ablative radiotherapy (PAR) for large mass tumors using simultaneous integrated boost: A dose-escalation feasibility study. 2018 , 19, 35-43	4
458	The effect of beam shape on physical parameters of head and neck simultaneous-integrated boost intensity-modulated radiation therapy. 2018 , 23, 425-432	
457	Prospective matched study on comparison of volumetric-modulated arc therapy and intensity-modulated radiotherapy for nasopharyngeal carcinoma: dosimetry, delivery efficiency and outcomes. 2018 , 9, 978-986	6
456	Intensity-modulated radiation therapy: a review with a physics perspective. 2018 , 36, 1-10	37

455	Treatment planning for spinal radiosurgery : A competitive multiplatform benchmark challenge. 2018 , 194, 843-854	27
454	Comparison of the progressive resolution optimizer and photon optimizer in VMAT optimization for stereotactic treatments. 2018 , 19, 155-162	13
453	A novel optimization framework for VMAT with dynamic gantry couch rotation. 2018 , 63, 125013	16
452	Physical dosimetry of volumetric modulated arc therapy (VMAT) using EPID and 2D array for quality assurance. 2018 , 49, 477-484	2
451	Monte Carlo dose verification of VMAT treatment plans using Elekta Agility 160-leaf MLC. 2018 , 51, 22-31	10
450	A global Unified Dosimetry Index (gUDI) to evaluate simultaneous integrated boost radiotherapy plans in prostate cancer. 2018 , 128, 315-320	2
449	Management of Radiation Proctitis. 2018 , 63, 2180-2188	38
448	Current State of Image Guidance in Radiation Oncology: Implications for PTV Margin Expansion and Adaptive Therapy. 2018 , 28, 238-247	13
447	Modulated radiotherapy for head and neck carcinomas: an outcome study. 2018 , 17, 384-389	
446	A fast optimization approach for treatment planning of volumetric modulated arc therapy. 2018 , 13, 101	6
445	Magnetic Hyperthermia and Radiation Therapy: Radiobiological Principles and Current Practice. 2018 , 8,	81
444	Simple index for validity of the evaluation point for dosimetric verification results of intensity-modulated radiation therapy using a Farmer-type ionization chamber. 2018 , 26, 473-480	2
443	Intensity modulated radiation therapy: A review of current practice and future outlooksPeer review under responsibility of The Egyptian Society of Radiation Sciences and Applications.View all notes. 2018 , 11, 361-367	17
442	Part 2: Dynamic mixed beam radiotherapy (DYMBER): Photon dynamic trajectories combined with modulated electron beams. <i>Medical Physics</i> , 2018 , 45, 4213	4.4 8
441	Volumetric Modulated Arc (Radio) Therapy in Pets Treatment: The "La Cittadina Fondazione" Experience. 2018 , 10,	2
440	Recommendations for In Vitro and In Vivo Testing of Magnetic Nanoparticle Hyperthermia Combined with Radiation Therapy. 2018 , 8,	36
439	Part 1: Optimization and evaluation of dynamic trajectory radiotherapy. <i>Medical Physics</i> , 2018 , 45, 4201	4.4 11
438	Optimal collimator rotation based on the outline of multiple brain targets in VMAT. 2018 , 13, 88	3

437	Plan quality for high-risk prostate cancer treated with high field magnetic resonance imaging guided radiotherapy. 2018 , 7, 1-8		11
436	Comparison between 3D-CRT and modulated techniques for head-and-neck and breast. 2018 ,		0
435	Improved Volumetric Modulated Arc Therapy Field Junctions Using In Silico Base Plans: Application to Craniospinal Irradiation. 2018 , 49, 301-308		2
434	Dose calculation of dynamic trajectory radiotherapy using Monte Carlo. 2019 , 29, 31-38		5
433	The determination of optimal treatment plans for Volumetric Modulated Arc Therapy (VMAT). 2019 , 272, 372-388		6
432	Safety and outcomes of volumetric modulated arc therapy in the treatment of patients with inoperable lung cancer. 2019 , 10, 2868-2873		3
431	Characterization of an Edgeless Dosimeter for Angular Independent Measurements in Advanced Radiotherapy Treatments. 2019 , 3, 579-587		2
430	A Column Generation Approach Based on Region Growth. 2019 , 7, 31123-31139		2
429	Evaluating the benefit of PBS vs. VMAT dose distributions in terms of dosimetric sparing and robustness against inter-fraction anatomical changes for pediatric abdominal tumors. 2019 , 138, 158-165		6
428	Can automated treatment plans gain traction in the clinic?. 2019 , 20, 29-35		5
427	Modalities and techniques used for stereotactic radiotherapy, intensity-modulated radiotherapy, and image-guided radiotherapy: A 2018 survey by the Japan Society of Medical Physics. 2019 , 64, 182-187		7
426	Focused very high-energy electron beams as a novel radiotherapy modality for producing high-dose volumetric elements. 2019 , 9, 10837		19
425	Task-based image quality assessment in radiation therapy: initial characterization and demonstration with computer-simulation study. 2019 , 64, 145020		1
424	Simultaneous optimization of mixed photon energy beams in volumetric modulated arc therapy. <i>Medical Physics</i> , 2019 , 46, 3844-3863	4-4	1
423	A sliding-window approach for improved VMAT dose calculation accuracy. 2019 , 1305, 012065		
422	Approach and assessment of automated stereotactic radiotherapy planning for early stage non-small-cell lung cancer. 2019 , 18, 101		7
421	Optical imaging provides rapid verification of static small beams, radiosurgery, and VMAT plans with millimeter resolution. <i>Medical Physics</i> , 2019 , 46, 5227-5237	4-4	7
420	Technological evolution of radiation treatment: Implications for clinical applications. 2019 , 46, 193-201		14

4 ¹⁹	Error detection sensitivity test using complex errors on three patient-specific VMAT QA systems. 2019 , 1285, 012030		
4 ¹⁸	Dosimetric Comparison of Sequential Simultaneous-integrated Boost in Early-stage Breast Cancer Patients Treated With Breast-conserving Surgery. 2019 , 33, 2181-2189		4
4 ¹⁷	Benchmarking techniques for stereotactic body radiotherapy for early-stage glottic laryngeal cancer: LINAC-based non-coplanar VMAT vs. Cyberknife planning. 2019 , 14, 193		5
4 ¹⁶	Plan quality comparison for cervical carcinoma treated with Halcyon and Trilogy intensity-modulated radiotherapy. 2019 , 10, 6135-6141		9
4 ¹⁵	Monte Carlo simulation of a 2D dynamic multileaf collimator to improve the plan quality in radiotherapy plan: a proof-of-concept study. 2019 , 64, 245009		1
4 ¹⁴	Treatment planning optimization with beam motion modeling for dynamic arc delivery of SBRT using Cyberknife with multileaf collimation. <i>Medical Physics</i> , 2019 , 46, 5421-5433	4-4	3
4 ¹³	A column generation heuristic for VMAT planning with adaptive CVaR constraints. 2019 , 64, 205024		1
4 ¹²	Frameless Image-Guided Radiosurgery for Multiple Brain Metastasis Using VMAT: A Review and an Institutional Experience. 2019 , 9, 703		13
4 ¹¹	A conceptual study on real-time adaptive radiation therapy optimization through ultra-fast beamlet control. 2019 , 5,		0
4 ¹⁰	mARC preoperative rectal cancer treatments vs. 3D conformal radiotherapy. A dose distribution comparative study. 2019 , 14, e0221262		1
4 ⁰⁹	Left breast irradiation with tangential intensity modulated radiotherapy (t-IMRT) versus tangential volumetric modulated arc therapy (t-VMAT): trade-offs between secondary cancer induction risk and optimal target coverage. 2019 , 14, 156		17
4 ⁰⁸	A Collimator Setting Optimization Algorithm for Dual-Arc Volumetric Modulated Arc Therapy in Pancreas Stereotactic Body Radiation Therapy. 2019 , 18, 1533033819870767		1
4 ⁰⁷	F-FDOPA PET/CT Combined with MRI for Gross Tumor Volume Delineation in Patients with Skull Base Paraganglioma. 2019 , 11,		5
4 ⁰⁶	Recent developments in non-coplanar radiotherapy. 2019 , 92, 20180908		27
4 ⁰⁵	3D radiotherapy dose prediction on head and neck cancer patients with a hierarchically densely connected U-net deep learning architecture. 2019 , 64, 065020		97
4 ⁰⁴	Improved error detection using a divided treatment plan in volume modulated arc therapy. 2019 , 24, 133-141		1
4 ⁰³	Assessing the feasibility of adaptive planning for prostate radiotherapy using Smartadapt deformable image registration. 2019 , 64, 65-73		2
4 ⁰²	A feasibility study for predicting optimal radiation therapy dose distributions of prostate cancer patients from patient anatomy using deep learning. 2019 , 9, 1076		97

401	Comparison of biologically effective dose for treatment planning in the fixed-beam intensity-modulated radiotherapy and the volumetric-modulated arc therapy for the typical types of cancer. 2019 , 157, 102-108		
400	Impact of delivery characteristics on dose delivery accuracy of volumetric modulated arc therapy for different treatment sites. 2019 , 60, 603-611		4
399	Radiation Therapy Workflow and Dosimetric Analysis from a Phase 1/2 Trial of Noninvasive Cardiac Radioablation for Ventricular Tachycardia. 2019 , 104, 1114-1123		24
398	Using branch-and-price to determine optimal treatment plans for volumetric modulated arc therapy (VMAT). 2019 , 110, 1-17		2
397	Current status of intensity-modulated radiation therapy for prostate cancer: History, clinical results and future directions. 2019 , 26, 775-784		12
396	Modulation indices and plan delivery accuracy of volumetric modulated arc therapy. 2019 , 20, 12-22		6
395	Impact of plan parameters and modulation indices on patient-specific QA results for standard and stereotactic VMAT. 2019 , 62, 83-94		6
394	Incorporating dosimetric features into the prediction of 3D VMAT dose distributions using deep convolutional neural network. 2019 , 64, 125017		19
393	Commissioning of the Mobius3D independent dose verification system for TomoTherapy. 2019 , 20, 12-20		8
392	Integrating DVH criteria into a column generation algorithm for VMAT treatment planning. 2019 , 64, 085008		2
391	Single-arc VMAT optimization for dual-layer MLC. 2019 , 64, 095028		4
390	Evaluation of the Dosimetric Accuracy of Brain Stereotactic Radiotherapy by Using a Hybrid Quality Assurance (QA) Toolkit. 2019 , 74, 292-297		0
389	A deep learning method for prediction of three-dimensional dose distribution of helical tomotherapy. <i>Medical Physics</i> , 2019 , 46, 1972-1983	4-4	37
388	Reirradiation of Locally Recurrent Prostate Cancer With Volumetric Modulated Arc Therapy. 2019 , 104, 614-621		11
387	Modulated volumetric arc therapy for total marrow irradiation: A feasibility study in the oncology hospital of CMN SXXI from a medical physics approach. 2019 , 24, 269-275		
386	Treatment of Early-Stage Hypopharyngeal by Radiation Therapy. 2019 , 155-162		
385	Comparison of volumetric-modulated arc therapy and intensity-modulated radiation therapy prostate cancer plans accounting for cold spots. 2019 , 12, 137-148		1
384	Intensity-Modulated and Image-Guided Radiation Therapy. 2019 , 123-138		

383	EPID sensitivity to delivery errors for pre-treatment verification of lung SBRT VMAT plans. 2019 , 59, 37-46	4
382	Performance of the eclipse monitor unit objective tool utilizing volumetric modulated arc therapy for rectal cancer. 2019 , 24, 227-232	2
381	Assessing image artifacts from radiotherapy electromagnetic transponders with metal-artifact reduction imaging. 2019 , 59, 137-142	1
380	Aperture Shape Generation Based on Gradient Descent With Momentum. 2019 , 7, 157623-157632	5
379	Fast Model for Evaluation of the Thyroid Dosimetry During Chest Tumor Radiotherapy. 2019 , 17, 1559325819889152	
378	Prediction of VMAT delivery accuracy with textural features calculated from fluence maps. 2019 , 14, 235	6
377	Multi-criteria optimization and decision-making in radiotherapy. 2019 , 277, 1-19	33
376	[F]FDG cardiac PET imaging in a canine model of radiation-induced cardiovascular disease associated with breast cancer radiotherapy. 2019 , 316, H586-H595	7
375	The 3D isodose structure-based method for clinical dose distributions comparison in pretreatment patient-QA. <i>Medical Physics</i> , 2019 , 46, 426-436	4-4 3
374	Dose verification of volumetric-modulated arc therapy using one-dimensional and two-dimensional dosimeters. 2019 , 18, 304-308	
373	Palliation of Vertebral Metastases with Radiotherapy: Exploration of Volumetric-Modulated Arc Therapy From Development to Implementation in Routine Clinical Practice. 2019 , 50, 68-73	5
372	Development of geometrically ideal dose distribution as a reference for treatment planning in VMAT using filtered back-projection method. 2019 , 57, 115-122	3
371	Dosimetric comparison of vaginal vault brachytherapy vs applicator-guided stereotactic body radiotherapy with volumetric modulated arc therapy and helical tomotherapy for endometrium cancer patients. 2019 , 44, 332-338	3
370	Optimization based trajectory planning for real-time 6DoF robotic patient motion compensation systems. 2019 , 14, e0210385	8
369	Dosimetric and volumetric effects in clinical target volume and organs at risk during postprostatectomy radiotherapy. 2019 , 195, 383-392	4
368	Retrospective dosimetric evaluation of VMAT plans for prostate cancer treatment. 2019 , 18, 155-164	4
367	Properties of the anisotropy of dose contributions: A planning study on prostate cases. <i>Medical Physics</i> , 2019 , 46, 419-425	4-4
366	Development of a novel methodology for QA of respiratory-gated and VMAT beam delivery using Octavius 4D phantom. 2019 , 44, 83-90	4

365	Collision-Free Path Planning and Delivery Sequence Optimization in Noncoplanar Radiation Therapy. 2019 , 49, 42-55		8
364	Dosimetric Analysis of Unflattened (FFFB) and Flattened (FB) Photon Beam Energy for Gastric Cancers Using IMRT and VMAT-a Comparative Study. 2019 , 50, 408-419		2
363	Single-Isocenter Multitarget Stereotactic Radiosurgery Is Safe and Effective in the Treatment of Multiple Brain Metastases. 2020 , 5, 70-76		19
362	RapidArc treatment planning quality assurance using electronic portal imaging device for cervical cancer. 2020 , 19, 139-144		
361	Analyzation of the local confidence limits for IMRT and VMAT based on AAPM TG119 report. 2020 , 45, 66-72		1
360	Volumetric modulated arc therapy: a dosimetric comparison with dynamic IMRT and step-and-shoot IMRT. 2020 , 19, 393-398		1
359	Using a systems-theoretic approach to analyze safety in radiation therapy-first steps and lessons learned. 2020 , 122, 104519		6
358	Localized extra focal dose collimator angle dependence during VMAT: An out-of-field Monte Carlo study using PRIMO software. 2020 , 171, 108694		
357	Dosimetric and radiobiological comparison of prostate VMAT plans optimized using the photon and progressive resolution algorithm. 2020 , 45, 14-18		3
356	Incorporating human and learned domain knowledge into training deep neural networks: A differentiable dose-volume histogram and adversarial inspired framework for generating Pareto optimal dose distributions in radiation therapy. <i>Medical Physics</i> , 2020 , 47, 837-849	4.4	18
355	Mission ESTRO 2019: focus physique en radiothérapie. 2020 , 41, 100228		
354	Complexity in Radiation Therapy: It's Complicated. 2020 , 106, 182-184		8
353	A new strategy for craniospinal axis localization and adaptive dosimetric evaluation using cone beam CT. 2020 , 25, 282-292		
352	Automated Intensity Modulated Radiation Therapy Treatment Planning for Cervical Cancer Based on Convolution Neural Network. 2020 , 19, 1533033820957002		3
351	Intensity-Modulated Radiation Therapy Optimization for Acceptable and Remaining-One Unacceptable Dose-Volume and Mean-Dose Constraint Planning. 2020 , 2020, 3096067		
350	Artificial intelligence-based radiotherapy machine parameter optimization using reinforcement learning. <i>Medical Physics</i> , 2020 , 47, 6140-6150	4.4	6
349	The effect of rectal gas on dose distribution during prostate cancer treatment using full arc and partial arc Volumetric Modulated Arc Therapy (VMAT) treatment plans. 2020 , 25, 974-980		
348	Preliminary Results of a Randomized Study on Postmenopausal Women With Early Stage Breast Cancer: Adjuvant Hypofractionated Whole Breast Irradiation Versus Accelerated Partial Breast Irradiation (HYPAB Trial). 2021 , 21, 231-238		6

347	Flattening filter free beam energy selection and its impact in multitarget intracranial stereotactic radiosurgery treatments. 2020 , 45, 363-367		2
346	Radiotherapy Treatment planning study Guidelines (RATING): A framework for setting up and reporting on scientific treatment planning studies. 2020 , 153, 67-78		22
345	Comparison of VMAT complexity-reduction strategies for single-target cranial radiosurgery with the Eclipse treatment planning system. 2020 , 21, 97-108		0
344	Dosimetric comparison of 3-dimensional conformal radiotherapy (3D-CRT) and volumetric-modulated arc therapy (VMAT) in locally advanced cancer cervix. 2020 , 1-8		
343	Influence of maximum MLC leaf speed on the quality of volumetric modulated arc therapy plans. 2020 , 21, 37-47		1
342	Predictive value of interim 18F-FDG-PET in patients with non-small cell lung cancer treated with definitive radiation therapy. 2020 , 15, e0236350		1
341	Optimal VMAT Delivery for Elekta MLC Beam Modulator: A Study of Collimator Rotation for Head and Neck Planning. 2020 , 51, 289-298		2
340	Retrospective dose reconstruction of prostate stereotactic body radiotherapy using cone-beam CT and a log file during VMAT delivery with flattening-filter-free mode. 2020 , 13, 238-248		1
339	Technical Note: Synthesizing of lung tumors in computed tomography images. <i>Medical Physics</i> , 2020 , 47, 5070-5076	4-4	2
338	Neutron activation of gadolinium for ion therapy: a Monte Carlo study of charged particle beams. 2020 , 10, 13417		6
337	Which Is Better for Liver SBRT: Dosimetric Comparison Between DCAT and VMAT for Liver Tumors. 2020 , 10, 1170		0
336	Toxicity and dosimetric analysis of nasopharyngeal carcinoma patients undergoing radiotherapy with IMRT or VMAT: A regional center's experience. 2020 , 109, 104978		4
335	Impact of setup errors on multi-isocenter volumetric modulated arc therapy for craniospinal irradiation. 2020 , 21, 115-123		1
334	Quantified VMAT plan complexity in relation to measurement-based quality assurance results. 2020 , 21, 132-140		2
333	Enhanced optimization of volumetric modulated arc therapy plans using Monte Carlo generated beamlets. <i>Medical Physics</i> , 2020 , 47, 6053-6067	4-4	0
332	Effect of dental metal artifact conversion volume on dose distribution in head-and-neck volumetric-modulated arc therapy. 2020 , 21, 253-262		
331	Dose Super-Resolution in Prostate Volumetric Modulated Arc Therapy Using Cascaded Deep Learning Networks. 2020 , 10, 593381		0
330	Dosimetric comparison of intensity-modulated radiotherapy (IMRT) and RapidArc in low grade mucoepidermoid carcinoma of the salivary gland: a single institutional experience. 2020 , 1-6		

329	Rationale design of a layer-by-layer nanostructure for X-ray induced photodynamic therapy. 2020 , 39, 100327	2
328	Evaluation of the Differences Between Measurements in Multiple Institutions and Calculation Modeled by Representative Beam Data in Prostate VMAT Plan. 2020 , 34, 1503-1509	
327	Harnessing the potential of multimodal radiotherapy in prostate cancer. 2020 , 17, 321-338	7
326	The effect of photon energy on dose distribution in volumetric-modulated arc therapy planning for head and neck cancer. 2020 , 1-5	0
325	Medical physics challenges in clinical MR-guided radiotherapy. 2020 , 15, 93	41
324	A robust VMAT delivery solution for single-fraction lung SABR utilizing FFF beams minimizing dosimetric compromise. 2020 , 21, 299-304	4
323	Dosimetric comparison of RapidPlan and manually optimised volumetric modulated arc therapy plans in prostate cancer. 2020 , 1-8	
322	A collision prediction framework for noncoplanar radiotherapy planning and delivery. 2020 , 21, 92-106	2
321	Limiting treatment plan complexity by applying a novel commercial tool. 2020 , 21, 27-34	4
320	Feasibility study for marker-based VMAT plan optimization toward tumor tracking. 2020 , 21, 84-99	0
319	Improvement in sensitivity of radiochromic 3D dosimeter based on rigid polyurethane resin by incorporating tartrazine. 2020 , 15, e0230410	1
318	Trajectory-based VMAT for cranial targets with delivery at shortened SAD. <i>Medical Physics</i> , 2020 , 47, 3103-3112	4.4 2
317	DoseGAN: a generative adversarial network for synthetic dose prediction using attention-gated discrimination and generation. 2020 , 10, 11073	18
316	Dosimetric effect of MLC speed obtained with machine log files of VMAT delivery. 2020 , 15, P07005-P07005	
315	Dosimetric comparison between RapidArc and HyperArc techniques in salvage stereotactic body radiation therapy for recurrent nasopharyngeal carcinoma. 2020 , 15, 164	5
314	Impact of changes in body contours on radiation therapy dose distribution after uterine cervical cancer surgery. 2020 , 38, 1099-1107	
313	A sliding-window approach for improved VMAT dose calculation accuracy. 2020 , 45, 197-201	0
312	The impact of the field width on VMAT plan quality and the assessment of half field method. 2020 , 21, 115-122	1

311	Halcyon clinical performance evaluation: A log file-based study in comparison with a C-arm Linac. 2020 , 71, 14-23		4
310	Template-based automation of treatment planning in advanced radiotherapy: a comprehensive dosimetric and clinical evaluation. 2020 , 10, 423		21
309	Technical Note: A fast inverse direct aperture optimization algorithm for volumetric-modulated arc therapy. <i>Medical Physics</i> , 2020 , 47, 1558-1565	4-4	1
308	A novel energy layer optimization framework for spot-scanning proton arc therapy. <i>Medical Physics</i> , 2020 , 47, 2072-2084	4-4	9
307	Dosimetric accuracy of delivering SBRT using dynamic arcs on Cyberknife. <i>Medical Physics</i> , 2020 , 47, 1533-1544	4-4	2
306	An artificial neural network to model response of a radiotherapy beam monitoring system. <i>Medical Physics</i> , 2020 , 47, 1983-1994	4-4	4
305	Intracranial Stereotactic Radiation Therapy With a Jawless Ring Gantry Linear Accelerator Equipped With New Dual Layer Multileaf Collimator. 2020 , 5, 482-489		5
304	Application and comparison of machine learning models for predicting quality assurance outcomes in radiation therapy treatment planning. 2020 , 18, 100292		9
303	Development of integrated prompt gamma imaging and positron emission tomography system for in vivo 3-D dose verification: a Monte Carlo study. 2020 , 65, 105005		1
302	A longitudinal evaluation of improvements in treatment plan quality for lung cancer with volumetric modulated arc therapy. 2020 , 21, 33-43		
301	Synergizing medical imaging and radiotherapy with deep learning. 2020 , 1, 021001		9
300	A convolution neural network for higher resolution dose prediction in prostate volumetric modulated arc therapy. 2020 , 72, 88-95		8
299	Quality assurance of VMAT on flattened and flattening filter-free accelerators using a high spatial resolution detector. 2020 , 21, 44-52		2
298	Linear accelerator-based radiosurgery is associated with lower incidence of radionecrosis compared with gamma knife for treatment of multiple brain metastases. 2020 , 147, 136-143		10
297	TriB-RT: Simultaneous optimization of photon, electron and proton beams. 2021 , 66, 045006		3
296	Dosimetric comparison of integral dose for different techniques of craniospinal irradiation. 2021 , 20, 345-350		0
295	Time Analysis of Online Adaptive Magnetic Resonance-Guided Radiation Therapy Workflow According to Anatomical Sites. 2021 , 11, e11-e21		12
294	Development of staffing, workload and infrastructure in member departments of the European Organisation for Research and Treatment of Cancer (EORTC) radiation oncology group. 2021 , 155, 226-231		4

293	Influence of intra- and interfraction motion on planning target volume margin in liver stereotactic body radiation therapy using breath hold. 2021 , 6, 100610	2
292	A three-dimensional electronic detector array for radiotherapy based on active matrices. 2021 ,	
291	Dosimetric comparison between interstitial brachytherapy and volumetric-modulated arc therapy for tumor bed boost in breast cancer. 2021 , 13, 302-309	1
290	Evaluation of VMAT Planning Strategies for Prostate Patients with Bilateral Hip Prosthesis. 2021 , 20, 15330338211038490	0
289	The efficacy and tolerability of ultra-hypofractionated radiotherapy in low-intermediate risk prostate cancer patients: single center experience. 2021 , 24, 50-57	
288	Development of raster scanning IMRT using a robotic radiosurgery system. 2021 , 62, 364-373	0
287	A predictive model for determining rectum and bladder dose constraints in prostate volumetric modulated arc therapy. 2021 , 46, 269-273	0
286	Description and evaluation of a new volumetric-modulated arc therapy plan complexity metric. 2021 , 46, 188-194	1
285	Edge area metric complexity scoring of volumetric modulated arc therapy plans. 2021 , 17, 124-129	0
284	Reference dosimetry of modulated and dynamic photon beams. 2021 , 65, 24TR05	
283	Volumetric Modulated Arc Therapy (VMAT): A modern radiotherapy technique - A single institutional experience. 2021 , 37, 355-361	
282	Dosimetric Comparison of Helical Tomotherapy, Volumetric-Modulated Arc Therapy, and Intensity-Modulated Proton Therapy for Angiosarcoma of the Scalp. 2021 , 20, 1533033820985866	3
281	ROAD: ROtational direct Aperture optimization with a Decoupled ring-collimator for FLASH radiotherapy. 2021 , 66, 035020	2
280	Optimizing the beam selection for non-coplanar VMAT by using simulated annealing approach. 2021 , 1-1	1
279	An experimental study of focused very high energy electron beams for radiotherapy. 2021 , 4,	5
278	Photon beam energy dependent single-arc volumetric modulated arc optimization. 2021 , 82, 122-133	0
277	Head-and-neck organs-at-risk auto-delineation using dual pyramid networks for CBCT-guided adaptive radiotherapy. 2021 , 66, 045021	8
276	Proof-of-concept delivery of intensity modulated arc therapy on the Elekta Unity 1.5 T MR-linac. 2021 , 66, 04LT01	2

275	A comparison of Monte Carlo dropout and bootstrap aggregation on the performance and uncertainty estimation in radiation therapy dose prediction with deep learning neural networks. 2021 , 66, 054002	3
274	Personalized automation of treatment planning in head-neck cancer: A step forward for quality in radiation therapy?. 2021 , 82, 7-16	5
273	Radiation therapy in head and neck cancer. 2021 , 42, 247-254	1
272	Comparison of pretreatment VMAT quality assurance with the integral quality monitor (IQM) and electronic portal imaging device (EPID). 2021 , 22, 166-175	1
271	Beam complexity and monitor unit efficiency comparison in two different volumetric modulated arc therapy delivery systems using automated planning. 2021 , 21, 261	
270	Estimation of monitor unit through analytical method for dynamic IMRT using control points as an effective parameter. 1-8	
269	Validation of a secondary dose check tool against Monte Carlo and analytical clinical dose calculation algorithms in VMAT. 2021 , 22, 52-62	3
268	An automated treatment planning strategy for highly noncoplanar radiotherapy arc trajectories.	0
267	Transition From Manual to Automated Planning and Delivery of Volumetric Modulated Arc Therapy Stereotactic Radiosurgery: Clinical, Dosimetric, and Quality Assurance Results. 2021 , 11, e163-e171	4
266	Solving the volumetric modulated arc therapy (VMAT) problem using a sequential convex programming method. 2021 , 66,	1
265	Solution of Lagrange's equation of motion form the first principle for volumetric modulated arc therapy delivery. 2021 , 11, 677-680	
264	Evaluation of two-dimensional electronic portal imaging device using integrated images during volumetric modulated arc therapy for prostate cancer. 2021 , 26, 281-290	1
263	Evaluation of failure modes and effect analysis for routine risk assessment of lung radiotherapy at a UK center. 2021 , 22, 36-47	1
262	Initial clinical experience of patient-specific QA of treatment delivery in online adaptive radiotherapy using a 1.5 T MR-Linac. 2021 , 7,	3
261	Lung Stereotactic Body Radiotherapy (SBRT) Using Spot-Scanning Proton Arc (SPArc) Therapy: A Feasibility Study. 2021 , 11, 664455	4
260	A Novel Machine Learning Model for Dose Prediction in Prostate Volumetric Modulated Arc Therapy Using Output Initialization and Optimization Priorities. 2021 , 4, 624038	1
259	Dosimetric Comparison between High Dose Rate Brachytherapy Boost and Volumetric Arc Therapy Boost in Locally Advanced Cancer Cervix. 2021 , 07, 085-088	
258	Convolutional neural network and transfer learning for dose volume histogram prediction for prostate cancer radiotherapy. 2021 , 46, 335-341	0

257	Conventional 3D conformal radiotherapy and volumetric modulated arc therapy for cervical cancer: Comparison of clinical results with special consideration of the influence of patient- and treatment-related parameters. 2021 , 197, 520-527		3
256	Usability of detecting delivery errors during treatment of prostate VMAT with a gantry-mounted transmission detector. 2021 , 22, 66-76		0
255	Intrinsic detector sensitivity analysis as a tool to characterize ArcCHECK and EPID sensitivity to variations in delivery for lung SBRT VMAT plans. 2021 , 22, 229-240		2
254	The patient-reported outcome measures in oropharyngeal, laryngeal and hypopharyngeal cancer patients treated with Volumetric Modulated Arc based simultaneous integrated boost radiotherapy. 2021 , 18, 1-7		
253	Effect of treatment planning system parameters on beam modulation complexity for treatment plans with single-layer multi-leaf collimator and dual-layer stacked multi-leaf collimator. 2021 , 94, 20201011		0
252	Longitudinal Grouping of Target Volumes for Volumetric-Modulated Arc Therapy of Multiple Brain Metastases. 2021 , 11, 578934		1
251	Evaluation of 4-Hz log files and secondary Monte Carlo dose calculation as patient-specific quality assurance for VMAT prostate plans. 2021 , 22, 235-244		0
250	Dosimetric comparison of MR-linac-based IMRT and conventional VMAT treatment plans for prostate cancer. 2021 , 16, 133		3
249	Define dose field to assess the modulation complexity of intensity-modulated radiation therapy. 2021 , 87, 24-30		
248	Technical Note: Collimator angle optimization for multiple brain metastases in dynamic conformal arc treatment planning. <i>Medical Physics</i> , 2021 , 48, 5414-5422	4.4	0
247	Report of AAPM Task Group 219 on independent calculation-based dose/MU verification for IMRT. <i>Medical Physics</i> , 2021 , 48, e808-e829	4.4	5
246	Volumetric Modulated Arc Therapy Dose Distribution Prediction for Breast Cancer Patients: CNN Approach. 2021 ,		
245	Report of AAPM Task Group 155: Megavoltage photon beam dosimetry in small fields and non-equilibrium conditions. <i>Medical Physics</i> , 2021 , 48, e886-e921	4.4	10
244	Dosimetric justification for the use of volumetric modulated arc therapy in head and neck cancer-A systematic review of the literature. 2021 , 6, 999-1007		2
243	Dosimetry of a novel converging X-ray source for kilovoltage radiotherapy. <i>Medical Physics</i> , 2021 , 48, 5947-5958	4.4	
242	Dosimetric study of a hybrid plan technique for external beam radiotherapy in patients with cervical cancer. 2021 , 60, 653-662		1
241	An empirical method for splitting arcs in VMAT. 2021 , 88, 264-271		
240	Dosimetric Comparison, Treatment Efficiency Estimation, and Biological Evaluation of Popular Stereotactic Radiosurgery Options in Treating Single Small Brain Metastasis. 2021 , 11, 716152		0

239	Analysis of EPID Transmission Fluence Maps Using Machine Learning Models and CNN for Identifying Position Errors in the Treatment of GO Patients. 2021 , 11, 721591	1
238	Clinical impact of anisotropic analytical algorithm and Acuros XB dose calculation algorithms for intensity modulated radiation therapy in lung cancer patients. 2021 , 29, 1019-1031	0
237	Optimization of collimator angles in dual-arc volumetric modulated arc therapy planning for whole-brain radiotherapy with hippocampus and inner ear sparing. 2021 , 11, 19035	2
236	Dose rate correction for a silicon diode detector array. 2021 , 22, 144-151	1
235	Fully automated noncoplanar radiation therapy treatment planning. <i>Medical Physics</i> , 2021 , 48, 7439-7449	0
234	Increasing Demand on Human Capital and Resource Utilization in Radiation Therapy: The Past Decade. 2021 ,	2
233	Conic formulation of fluence map optimization problems. 2021 , 66,	0
232	Retrospective analysis of portal dosimetry pre-treatment quality assurance of intracranial SRS/SRT VMAT treatment plans. 1-13	0
231	Pareto Optimal Projection Search (POPS): Automated Radiation Therapy Treatment Planning by Direct Search of the Pareto Surface. 2021 , 68, 2907-2917	1
230	An international survey of imaging practices in radiotherapy. 2021 , 90, 53-65	3
229	Validation of Monaco Treatment Planning System for Intensity-Modulated Radiation Therapy (IMRT) and Volumetric Modulated Arc Therapy (VMAT) on ELEKTA Infinity Linear Accelerator. 2021 , 297, 01014	
228	Artificial intelligence in image-guided radiotherapy: a review of treatment target localization. 2021 , 11, 4881-4894	1
227	Dosimetric benefits of intensity-modulated radiotherapy and volumetric-modulated arc therapy in the treatment of postoperative cervical cancer patients. 2017 , 18, 25-31	12
226	Characterization and evaluation of an integrated quality monitoring system for online quality assurance of external beam radiation therapy. 2017 , 18, 40-48	13
225	A method to reconstruct and apply 3D primary fluence for treatment delivery verification. 2017 , 18, 128-138	2
224	Generating Pareto Optimal Dose Distributions for Radiation Therapy Treatment Planning. 2019 , 59-67	9
223	Feasibility of CT-Only 3D Dose Prediction for VMAT Prostate Plans Using Deep Learning. 2019 , 10-17	1
222	EPR Dosimetry in Clinical Applications. 2014 , 509-538	3

221	Bone Metastases from Prostate Cancer: Radiotherapy. 2017 , 163-180	2
220	Linac-Based Stereotactic Radiosurgery and Hypofractionated Stereotactic Radiotherapy. 2018 , 639-663	2
219	Harmony Search in Therapeutic Medical Physics. 2009 , 189-203	17
218	Others: Four-dimensional Cone-Beam CT During SBRT. 2015 , 225-236	3
217	Evaluation of optimization workflow using custom-made planning through predicted dose distribution for head and neck tumor treatment. 2020 , 80, 167-174	4
216	Skin dose in chest wall radiotherapy with bolus: a Monte Carlo study. 2020 , 65, 155016	1
215	Characterization of dose impact on IMRT and VMAT from couch attenuation for two Varian couches. 2011 , 12, 3471	19
214	Simultaneous couch and gantry dynamic arc rotation (CG-Darc) in the treatment of breast cancer with accelerated partial breast irradiation (APBI): a feasibility study. 2013 , 14, 4035	31
213	High-Dose Static and Dynamic Intensity-Modulated Radiotherapy Combined with Chemotherapy for Patients with Locally Advanced Nasopharyngeal Carcinoma Improves Survival and Reduces Brainstem Toxicity. 2018 , 24, 8849-8859	8
212	A novel thin NIPAM gel cassette dosimeter for photon-beam radiotherapy. 2012 , 7, e31836	6
211	Dosimetric effects of sectional adjustments of collimator angles on volumetric modulated arc therapy for irregularly-shaped targets. 2017 , 12, e0174924	6
210	Development of New 4D Phantom Model in Respiratory Gated Volumetric Modulated Arc Therapy for Lung SBRT. 2014 , 25, 100	8
209	Dose prediction accuracy of collapsed cone convolution superposition algorithm in a multi-layer inhomogenous phantom. 2013 , 1,	14
208	Clinical dosimetric impact of Acuros XB and analytical anisotropic algorithm (AAA) on real lung cancer treatment plans : review. 2014 , 2, 02019	31
207	Dosimetric dependence on the collimator angle in prostate volumetric modulated arc therapy. 2014 , 2, 020419	7
206	Volumetric modulated arc therapy for spine SBRT patients to reduce treatment time and intrafractional motion. 2015 , 3, 03026	2
205	Dosimetric study of RapidArc plans and conventional intensity modulated radiotherapy for prostate cancer involving seminal vesicles and pelvis lymph nodes. 2016 , 4, 418	1
204	Proton Therapy vs. VMAT for Prostate Cancer: A Treatment Planning Study. 2014 , 1, 22-33	13

203	Optimal Density Assignment to 2D Diode Array Detector for Different Dose Calculation Algorithms in Patient Specific VMAT QA. 2017 , 42, 9-15	4
202	Evaluation of Acute Toxicity and Early Clinical Outcome in Head and Neck Cancers Treated With Conventional Radiotherapy and Simultaneous Integrated Boost Arc Radiotherapy. 2017 , 8, 117-121	6
201	Drilosphere: A valuable source for soil microbial activities. 2018 , 3, 204-205	2
200	A comparative dosimetric study of cervical cancer patients with para-aortic lymph node metastasis treated with volumetric modulated arc therapy . 9-field intensity-modulated radiation therapy. 2019 , 7, 675	9
199	Dosimetric Evaluation of Volumetric Modulated Arc Therapy (VMAT) and Intensity Modulated Radiotherapy (IMRT) Using AAPM TG 119 Protocol. 2019 , 9, 395-408	2
198	Evaluation of geometrical uncertainties on localized prostate radiotherapy of patients with bilateral metallic hip prostheses using 3D-CRT, IMRT and VMAT: A planning study. 2020 , 28, 243-254	1
197	Comparison study of intensity modulated arc therapy using single or multiple arcs to intensity modulated radiation therapy for high-risk prostate cancer. 2013 , 31, 104-10	5
196	Dosimetric evaluation of Acuros XB dose calculation algorithm with measurements in predicting doses beyond different air gap thickness for smaller and larger field sizes. 2013 , 38, 9-14	45
195	Dosimetric and radiobiological characterizations of prostate intensity-modulated radiotherapy and volumetric-modulated arc therapy: A single-institution review of ninety cases. 2016 , 41, 162-8	18
194	Radiobiological impact of planning techniques for prostate cancer in terms of tumor control probability and normal tissue complication probability. 2014 , 4, 167-72	16
193	A dosimetric study of volumetric modulated arc therapy planning techniques for treatment of low-risk prostate cancer in patients with bilateral hip prostheses. 2014 , 3, 18-21	14
192	Management of radiation-induced proctitis. 2019 , 8, 2173-2178	7
191	Pretreatment Dose Verification in Volumetric Modulated Arc Therapy Using Liquid Ionization Chamber. 2019 , 44, 9-15	3
190	Evaluation of Healthy Tissue Dose at Different Regions between Volumetric-Modulated Arc Therapy and Intensity-Modulated Radiation Therapy Plans in the Treatment of Various Cancers. 2019 , 44, 213-221	1
189	The Impact of the Grid Size on TomoTherapy for Prostate Cancer. 2017 , 42, 144-150	1
188	Patient-Specific Quality Assurance Protocol for Volumetric Modulated Arc Therapy using Dose Volume Histogram. 2018 , 43, 112-118	5
187	Verification of Dosimetric Commissioning Accuracy of Intensity Modulated Radiation Therapy and Volumetric Modulated Arc Therapy Delivery using Task Group-119 Guidelines. 2017 , 42, 258-265	3
186	Predicting Delivery Error Using a DICOM-RT Plan for Volumetric Modulated Arc Therapy. 2014 , 03, 82-87	5

185	DICOM-RT Plan Complexity Verification for Volumetric Modulated Arc Therapy. 2014 , 03, 117-124		2
184	A Dosimetric Comparison of Double Arc Volumetric Modulated Arc Therapy with Large Field Intensity Modulated Radiation Therapy for Head and Neck Cancer. 2015 , 04, 353-363		3
183	Feasibility of Estimating Patient-Specific Dose Verification Results Directly from Linear Accelerator Log Files in Volumetric Modulated Arc Therapy. 2016 , 05, 317-328		4
182	Automated Heuristic Optimization of Prostate VMAT Treatment Planning. 2018 , 07, 414-425		2
181	Partial and Full Arc Volumetric Modulated Arc Therapy in Lung Cancer Stereotactic Body Radiotherapy with Different Definitions of Internal Target Volume Based on 4D CT. 2018 , 07, 491-502		1
180	Early toxicity of hypofractionated radiotherapy for prostate cancer. 2016 , 160, 435-41		4
179	Comparison of three dimensional conformal radiation therapy, intensity modulated radiation therapy and volumetric modulated arc therapy for low radiation exposure of normal tissue in patients with prostate cancer. 2015 , 16, 3365-70		13
178	Dosimetric Evaluation of Low-Dose Spillage Volumes for Head and Neck Cancer Using Intensity-Modulated Radiation Therapy and Volumetric Modulated Arc Therapy Treatment Techniques. 2021 , 32, 70-81		1
177	Unintended dose to the lower axilla in adjuvant radiotherapy for breast cancer: Differences between tangential beam and VMAT. 2021 , 164, 282-288		0
176	The new SRS/FSRT technique HyperArc for benign brain lesions: a dosimetric analysis. 2021 , 11, 21029		
175	A deep-learning-based prediction model for the biodistribution of Y microspheres in liver radioembolization. <i>Medical Physics</i> , 2021 , 48, 7427-7438	4-4	1
174	Dosimetric evaluation of different planning techniques based on flattening filter-free beams for central and peripheral lung stereotactic body radiotherapy. 2021 , 7,		0
173	Synthetic CT-aided multiorgan segmentation for CBCT-guided adaptive pancreatic radiotherapy. <i>Medical Physics</i> , 2021 , 48, 7063-7073	4-4	0
172	Three-Dimensional Conformal Radiotherapy and Intensity-Modulated Radiotherapy. 2010 , 170-192		
171	Feasibility of an Ant Colony Optimization Algorithm for Multi-leaf Collimator (MLC) Aperture Definition and Beam Weighting in Volumetric Modulated Arc Therapy (VMAT) Radiotherapy Treatment Planning. 2012 , 244-251		
170	Conformal Therapy and Intensity-Modulated Radiation Therapy. 2012 , 287-316		0
169	Intensity modulated radiotherapy: radiobiology and physics aspects of treatment. 2012 , 183-224		
168	A Dosimetric Comparison of IMRT and VMAT in Synchronous Bilateral Breast Cancer. 2013 , 24, 284		1

- 167 STUDY ON MONITORING UNIT EFFICIENCY OF FLATTENING-FILTER FREE PHOTON BEAM IN ASSOCIATION WITH TUMOR SIZE AND LOCATION. **2013**, 38, 194-201 1
- 166 Analysis of setup error at rectal cancer radiotherapy technique. **2013**, 14, 6346-6352 1
- 165 Nouvelles techniques d'imagerie et de radiothérapie en oncologie pulmonaire. **2014**, 63-75
- 164 [History of physical science and technology in radiation therapy]. **2014**, 70, 389-400
- 163 Giant Cell Tumor of Lumbar Spine Treated with RapidArc Intensity Modulated Arc Therapy: Case Report and Review of Literature. **2014**, 05, 611-617 1
- 162 A Circular Matrix-Merging Algorithm with Application in VMAT Radiation Therapy. **2014**, 36-47
- 161 [Novel irradiation techniques in the treatment of solid tumours. Radiotherapy for metastases]. **2014**, 155, 283-90
- 160 Consistency analysis for the performance of planar detector systems used in advanced radiotherapy. **2014**, 3, 030110
- 159 Beam Characteristics at Low Dose Monitor Unit Settings for Vero4DRT. **2015**, 04, 284-289
- 158 Pediatric Cancers. **2015**, 443-465
- 157 Dosimetric Comparison of Volumetric Modulated Arc Therapy (VMAT), 5F Intensity Modulated Radiotherapy (IMRT) and 3D Conformal Radiotherapy (3DCRT) in Rectal Carcinoma Receiving Neoadjuvant Chemoradiotherapy. **2015**, 04, 54-63 2
- 156 Treatment Plan Optimization for Volumetric-Modulated Arc Therapy (VMAT). **2015**, 291-314
- 155 Dosimetric impact of intermediate dose calculation for optimization convergence error. **2016**, 7, 37589-37598
- 154 Advantages of VMAT-IMRT technique in nasopharyngeal cancer. **2016**, 6, 101-108 1
- 153 Assessment of Volumetric-Modulated Arc Therapy for Constant and Variable Dose Rates. **2017**, 42, 199-205
- 152 Instrumentation. **2017**, 13-16
- 151 Baş Boyun Radyoterapisinde Farklı Tedavi Teknikleri ile Simultane Integre Boost Yönteminin Karşılaştırılması
- 150 Advances in treatment planning. **2017**, 293-320

- 149 Bestrahlungsverfahren. **2018**, 525-577
- 148 Adult Medulloblastoma. **2018**, 377-397
- 147 Configuration of Volumetric Arc Radiotherapy Simulations Using PRIMO Software: A Feasibility Study. **2019**, 499-503
- 146 A study on the response of 2D ion chamber array detector for VMAT delivery. **2018**, 5,
- 145 Pankreas Kanseri Radyoterapisinde 3 Farklı Tedavi Tekniğinin Dozimetrik Karşılaştırılması: Retrospektif Çalışma. **2018**, 44, 111-116
- 144 Treatment Planning Considerations for Prostate SBRT and MRI Based Planning. **2019**, 17-41
- 143 Vertebra Radyoterapisinde Cyberknife ve Imat Tekniklerinin İncelenmesi: Dozimetrik Çalışma. **2018**, 13, 90-96
- 142 An Optimization Approach for Noncoplanar Intensity-Modulated Arc Therapy Trajectories. **2019**, 199-214 1
- 141 Segmental Analysis Trial of Volumetric Modulated Arc Therapy for Quality Assurance of Linear Accelerator. **2019**, 30, 128
- 140 Mid-Term Performance of Clinical LINAC in Volumetric Modulated Arc Therapy. **2019**, 44, 43-52 2
- 139 Optimization of Highly Noncoplanar Arc Therapy Trajectories: A Dosimetric Approach. **2020**, 1270-1275
- 138 Proton therapy: the current status of the clinical evidences. **2019**, 3, 91-102 1
- 137 Attending 5th Varian Oncology Summit 2019: Learning Experiences as a Medical Physicist. **2020**, 1, 73-75
- 136 Comparison of nodal irradiation dose using radiotherapy for patients with thoracic esophageal cancer. **2020**, 19, 1042-1050 1
- 135 Deep learning-based motion tracking using ultrasound images. *Medical Physics*, **2021**, 48, 7747 4-4 2
- 134 Comparison of Different Strategies for Arc Therapy Optimization. **2020**, 552-563
- 133 Treatment of Brain Tumor. **2020**, 105-113
- 132 Dosimetric comparison of constant dose rate volumetric modulated arc therapy (CDR-VMAT) and intensity-modulated radiation therapy (IMRT) for gallbladder cancer. 1-6 1

131	Dosimetric comparison between volumetric modulated arc therapy planning techniques for prostate cancer in the presence of intrafractional organ deformation. 2021 , 62, 309-318	
130	Constrained optimization towards marker-based tumor tracking in VMAT.. 2020 , 7,	
129	Single-Isocenter, Multiple Metastasis Treatment Planning. 2020 , 249-280	1
128	Linac-Based Total Marrow Irradiation (TMI). 2020 , 155-160	
127	[Multi-institutional Analysis of MLC Parameters for Commissioning of IMRT]. 2020 , 76, 404-409	
126	General Techniques for Radiosurgery. 2020 , 231-247	
125	Is Synchronous Bilateral Breast Irradiation Using Flattening Filter-Free Beam-Based Volumetric-Modulated Arc Therapy Beneficial? A Dosimetric Study. 2020 , 45, 226-233	
124	Landscape of Carbon Ion Radiotherapy in Prostate Cancer: Clinical Application and Translational Research. 2021 , 11, 760752	0
123	Proctitis: a glance beyond inflammatory bowel diseases. 2020 , 66, 252-266	1
122	A Bayesian control chart based on the beta distribution for monitoring the two-dimensional gamma index pass rate in the context of patient-specific quality assurance. <i>Medical Physics</i> , 2020 , 47, 5408-5418 ^{4.4}	0
121	Dosimetric characteristics of VMAT plans with respect to a different increment of gantry angle size for Ca cervix. 1-5	
120	Dosimetric comparison of different radiotherapy techniques for the treatment of Retinoblastoma. 1-6	
119	Winning the Fight Against Cancer. 2020 , 49, 779-788	1
118	Radiotherapy in muscle-invasive bladder cancer: the latest research progress and clinical application. 2015 , 5, 854-68	12
117	Dosimetric Comparison between Single and Dual Arc-Volumetric Modulated Arc Radiotherapy and Intensity Modulated Radiotherapy for Nasopharyngeal Carcinoma Using a Simultaneous Integrated Boost Technique. 2017 , 18, 1395-1402	3
116	Dosimetric comparison of intracranial metastasis treatment using two radiosurgery systems: TrueBeam STx with VMAT and Gamma Knife Model 4C. 2016 , 4, 235-243	
115	Radiosurgery technology development and use. 2011 , 1, 21-29	4
114	Spatial variations of multiple off-axial targets for a single isocenter SRS treatment in Novalis Tx linac system. 2015 , 3, 287-296	5

113	Dosimetric Validation of Volumetric Modulated Arc Therapy (VMAT) Using AAPM TG-119 Benchmark Plans in an Upgraded CLINAC 2100CD for Flattening Filter Free (FFF) Photon Beams. 2017 , 18, 2965-2970		1
112	RapidArc vs Conventional IMRT for Head and Neck Cancer Irradiation: Is Faster Necessary Better?. 2018 , 19, 207-211		6
111	Evaluation of multiple factors affecting normal brain dose in single-isocenter multiple target radiosurgery. 2018 , 5, 131-144		11
110	Dosimetric Validation of Volumetric Modulated Arc Therapy with Three 6MV Beam-Matched Linear Accelerators. 2017 , 18, 3439-3444		2
109	[Interstitial lung disease associated with lung cancer treatment]. 2013 , 16, 267-72		0
108	Validation of Delivery Consistency for Intensity-Modulated Radiation Therapy and Volumetric-Modulated Arc Therapy Plans. 2018 , 43, 119-128		1
107	A Practical Method to Optimize Quality Assurance Results of Arc Therapy Plans in Beam Modeling. 2018 , 43, 106-111		4
106	Validation of the RapidArc Delivery System Using a Volumetric Phantom as Per Task Group Report 119 of the American Association of Physicists in Medicine. 2019 , 44, 126-134		3
105	Multi-organ auto-delineation in head-and-neck MRI for radiation therapy using mask scoring regional convolutional neural network. 2021 ,		0
104	Assessing the dose rate delivery of helical TomoTherapy prostate and head & neck treatments. 2021 , 8,		
103	A robust approach to establish tolerance limits for the gamma passing rate-based patient-specific quality assurance using the heuristic control charts. <i>Medical Physics</i> , 2021 ,	4-4	0
102	Development of a dosimeter prototype with machine learning based 3-D dose reconstruction capabilities. 2021 , 8,		0
101	Dose Prediction Models Based on Geometric and Plan Optimization Parameter for Adjuvant Radiotherapy Planning Design in Cervical Cancer Radiotherapy. 2021 , 2021, 7026098		
100	Evaluation of prediction and classification performances in different machine learning models for patient-specific quality assurance of head-and-neck VMAT plans. <i>Medical Physics</i> , 2021 ,	4-4	0
99	A New Deep-Learning-based Model for Predicting 3D Radiotherapy Dose Distribution In Various Scenarios. 2020 ,		0
98	A Feasibility Study for Predicting 3D Radiotherapy Dose Distribution of Lung VMAT Patients. 2020 ,		
97	Studying the Angular Sensitivity of the MatriXX Detector Array for the Dosimetric Verification of Treatment Plans with Intensity Modulation. 2021 , 76, 384-391		1
96	Site-Agnostic 3D dose distribution prediction with deep learning neural networks.. <i>Medical Physics</i> , 2022 ,	4-4	0

95	Clinical Radiation Oncology. 2022 , 99-122		1
94	Explainable attention guided adversarial deep network for 3D radiotherapy dose distribution prediction. 2022 , 241, 108324		4
93	Effects of Mechanical Performance on Deliverability and Dose Distribution by Comparing Multi Institutions' Knowledge-based Models for Prostate Cancer in Volumetric Modulated Arc Therapy.. 2022 , 36, 687-693		1
92	Planning evaluation of a novel volume-based algorithm for personalized optimization of lung dose in VMAT for esophageal cancer.. 2022 , 12, 2513		0
91	A Comparative Study of Patients With Early-Stage Non-Small Cell Lung Cancer Treated With Stereotactic Body Radiation Therapy Using CyberKnife and Linear Accelerator-Based Volumetric Modulated Arc Therapy.. 2022 ,		
90	Intensity Modulated Radiation Therapy Plan (IMRT) Verification Using Indigenous Heterogeneous Phantom.		
89	Fast and accurate dose predictions for novel radiotherapy treatments in heterogeneous phantoms using conditional 3D-UNet generative adversarial networks.. <i>Medical Physics</i> , 2022 ,	4-4	2
88	Mapping of Level I Axillary Lymph Nodes in Patients with Newly Diagnosed Breast Cancer: Optimal Target Delineation and Treatment Techniques for Breast and Level I Axilla irradiation.. 2022 ,		
87	Dosimetric sensitivity of leaf width on volumetric modulated arc therapy plan quality: an objective approach.. 2022 , 27, 76-85		
86	Dosimetric comparison of normal breathing and deep inspiration breath hold technique for synchronous bilateral breast cancer using 6MV flattened beam and flattening filter free beam.. 2022 , 27, 63-75		0
85	A Dosimetric Study Comparing 3D-CRT vs. IMRT vs. VMAT in Left-Sided Breast Cancer Patients After Mastectomy at a Tertiary Care Centre in Eastern India.. 2022 , 14, e23568		0
84	Dosimetric comparison of MR-guided adaptive IMRT versus 3DOF-VMAT for prostate stereotactic radiotherapy.. 2022 , 21, 64-70		
83	Dosimetric Comparison of VMAT and IMRT Pre-Operative Radiotherapy for Soft Tissue Sarcoma of the Extremities.. 2022 ,		
82	A polar-coordinate-based pencil beam algorithm for VMAT dose computation with high-resolution gantry angle sampling.. <i>Medical Physics</i> , 2022 ,	4-4	
81	Automated CT segmentation for rapid assessment of anatomical variations in head-and-neck radiation therapy. 2022 ,		1
80	Evaluation of kV-CBCT based 3D dose calculation accuracy and its validation using delivery fluence derived dose metrics in Head and Neck Cancer.. 2022 , 96, 32-45		0
79	Dosimetric Comparison between Varian Halcyon Analytical Anisotropic Algorithm and Acuros XB Algorithm for Planning of RapidArc Radiotherapy of Cervical Carcinoma. 2021 , 32, 130-136		0
78	Dynamic Restricted Column Generation in MIQP for Cancer Radiation Therapy. 2021 ,		

77	A strategy to determine off-axis dosimetric leaf gap using OSLD and EPID.. 2021 , 26, 1019-1028	
76	Analysis of the planned, delivered dose distributions and quality assurance for helical tomotherapy and volumetric modulated arc therapy in locally advanced non-small cell lung cancer.. 2021 , 26, 939-947	0
75	Deep Multimodal Neural Network Based on Data-Feature Fusion for Patient-Specific Quality Assurance.. 2022 , 32, 2150055	0
74	DataSheet_1.docx. 2020 ,	
73	Table_1.DOCX. 2020 ,	
72	Determination of Multileaf Collimator Positional Errors as a Function of Dose Rate, Speed, and Delivery Interruption for Volumetric-Modulated Arc Therapy Delivery.. 2021 , 46, 286-294	
71	An Investigation of Multileaf Collimator Performance Dependence on Gantry Angle Using Machine Log Files.. 2021 , 46, 300-307	0
70	A new conformity and dose gradient distance measure for stereotactic radiosurgery of brain metastasis.. 2022 , 8, 27-36	
69	Sparing lung tissue with virtual block method in VMAT planning for locally advanced non-small cell lung cancer. 2022 , 33, 1	1
68	Artificial Intelligence-Based Automated Treatment Planning of Postmastectomy Volumetric Modulated Arc Radiotherapy.. 2022 , 12, 871871	0
67	To Optimize Radiotherapeutic Plans for Superior Tumor Coverage Predicts Malignant Glioma Prognosis and Normal Tissue Complication Probability.. 2022 , 11,	
66	Brain metastasis: Recent treatment modalities and future-perspectives.. 2022 , 23, 191	2
65	Radiosensitization to ERay by Functional Inhibition of APOBEC3G.. 2022 , 23,	0
64	Prospective clinical validation of virtual patient-specific quality assurance of VMAT radiation therapy plans.. 2022 ,	0
63	Attention-aware 3D U-Net convolutional neural network for knowledge-based planning 3D dose distribution prediction of head-and-neck cancer.. 2022 , e13630	1
62	Impact of split X-jaw technique on target volume coverage and organ at risk sparing in prostate cancer: a comparative dosimetric study. 1-6	
61	Evaluation of QA software system analysis for the static picket fence test.. 2022 , e13618	1
60	Assessment of Statistical Process Control Based DVH Action Levels for Systematic Multi-Leaf Collimator Errors in Cervical Cancer RapidArc Plans. 2022 , 12,	0

- 59 A practical algorithm for VMAT optimization using column generation techniques. *Medical Physics*, 4.4
- 58 Volumetric modulated arc therapy (VMAT): A review of clinical outcomes- What is the clinical evidence for the most effective implementation? ○
- 57 Evaluating the influence of 6MV and 10MV photon beams on cervical volumetric-modulated arc therapy plans. **2022**, 1-9
- 56 Combining dense elements with attention mechanisms for 3D radiotherapy dose prediction on head and neck cancers.
- 55 Influence of respiratory movement during post mastectomy radiotherapy on targets and heart for breast cancer.
- 54 Impact of systematic MLC positional uncertainties on the quality of single-isocenter multi-target VMAT-SRS treatment plans.
- 53 One Year of Clinic Wide Cherenkov Imaging for Discovery of Quality Improvement Opportunities in Radiation Therapy. **2022**,
- 52 Comparison of Heart and Lung Doses According to Tumor Bed Boost Techniques in Early-Stage Left-Sided Breast Cancer: Simultaneous Integrated Boost versus Sequential Boost. **2022**, 58, 873
- 51 Organ-at-risk sparing with dynamic trajectory radiotherapy for head and neck cancer: comparison with volumetric arc therapy on a publicly available library of cases. **2022**, 17,
- 50 The tumor core boost study: A feasibility study of radical dose escalation to the central part of large tumors with an integrated boost in the palliative treatment setting.
- 49 An evolutionary optimization algorithm for proton arc therapy. 1
- 48 Quantification of 6D Inter-Fraction Tumour Localisation Errors in Tongue and Prostate Cancer Using Daily Kv-Cbct For 1000 IMRT and VMAT Treatment Fractions.
- 47 Is a weekly qualitative picket fence test sufficient? A proposed alternate EPID-based weekly MLC QA program. **2022**, 23,
- 46 Variations in size specific effective dose with patient stature and beam width for kV cone beam CT imaging in radiotherapy. 1
- 45 Enabling non-isocentric dynamic trajectory radiotherapy by integration of dynamic table translations. **2022**, 67, 175003 ○
- 44 History of Technological Advancements towards MR-Linac: The Future of Image-Guided Radiotherapy. **2022**, 11, 4730 ○
- 43 Monte Carlo-based independent dose verification of radiosurgery HyperArc plans. **2022**, 102, 19-26
- 42 Dose rate versus gantry speed performance evaluation for slow gantry speeds using DICOM RT plans. ○

41	Emergence of MR-Linac in Radiation Oncology: Successes and Challenges of Riding on the MRgRT Bandwagon. 2022 , 11, 5136	0
40	Dosimetric Comparison of Total Body Irradiation and Total Marrow Irradiation Using Volumetric Arc Therapy (VMAT).	0
39	ALERT-RA: an aperture library-enabled real-time respiratory motion adaptive framework for 4D-VMAT.	0
38	Sub-arc collimator angle optimization based on the conformity index heatmap for VMAT planning of multiple brain metastases SRS treatments. 12,	0
37	Advances in Automated Treatment Planning. 2022 , 32, 343-350	0
36	Robust deep learning-based forward dose calculations for VMAT on the 1.5T MR-Linac.	0
35	Historical Review of Stereotactic Radiosurgery in Juntendo University. 2022 , 68, 459-464	0
34	Stereotactic Body Radiotherapy (SBRT) of Pancreatic Cancer: A Critical Review and Practical Consideration. 2022 , 10, 2480	1
33	Immunotherapy and Modern Radiotherapy Technique for Older Patients with Locally Advanced Head and Neck Cancer: A Proposed Paradigm by the International Geriatric Radiotherapy Group. 2022 , 14, 5285	0
32	The Impact of Temporal Changes in Irradiated nMAG Polymer Gels on Their Applicability in Small Field Dosimetry in Radiotherapy. 2022 , 8, 629	1
31	Estudio preliminar de la aplicaci3n de la t3cnica VMAT en irradiaci3n corporal total: dise1o de una camilla rotatable. 2022 ,	0
30	Stereotactic Body Radiotherapy for Localized Kidney Cancer.	0
29	Intensity-Modulated Radiation Therapy and Volumetric Modulated Arc Therapy for Lung Cancer. 2022 ,	0
28	Monte Carlo modeling of focused Very High Energy Electron beams as an innovative modality for radiotherapy application. 2023 , 1047, 167785	0
27	Development and Evaluation of Jaw Position Detection Method in Jaw-tracking Delivery Using an Electronic Portal Imaging Device Cine Mode. 2022 ,	0
26	Basics of MR imaging for the radiation oncologist. 2022 , 5-32	0
25	Evaluation of measures related to dosimetric uncertainty of VMAT plans.	0
24	Predicting tumour radiosensitivity to deliver precision radiotherapy.	1

- 23 Efficiency enhancements of a Monte Carlo beamlet based treatment planning process: implementation and parameter study. ○
- 22 Predictors for late genitourinary toxicity in men receiving radiotherapy for high-risk prostate cancer using planned and accumulated dose. **2023**, 25, 100421 ○
- 21 Artificial intelligence guided physician directive improves head and neck planning quality and practice Uniformity: A prospective study. **2023**, 40, 100616 ○
- 20 A comparative study of volumetric modulated arc therapy plans based on the equivalent uniform dose optimization for left-sided breast cancer. **2023**, 209, 110945 ○
- 19 MemU-Net: A new volumetric dose prediction model using deep learning techniques in radiation treatment planning. **2023**, 85, 104940 ○
- 18 Auto-commissioning of a Monte Carlo electron beam model with application to photon MLC shaped electron fields. **2023**, 68, 044004 ○
- 17 Assessment of Monitor Units and Gamma Pass Rate for 6 MV and Flattening Filter Free (FFF) Beams in Volumetric Modulated Arc Therapy (VMAT). **2023**, 12, 1-8 ○
- 16 Hypofractionation and SABR: 25 years of evolution in medical physics and a glimpse of the future. ○
- 15 Clinical Experience of Intra-tumoral Central-Dose Escalated Volumetric Modulated Arc Therapy for Lymph Node Metastases in Patients With Advanced Cancer. **2023**, ○
- 14 Visual analysis of image-guided radiation therapy based on bibliometrics: A review. **2023**, 102, e32989 ○
- 13 Deep Hybrid Learning Prediction of Patient-Specific Quality Assurance in Radiotherapy: Implementation in Clinical Routine. **2023**, 13, 943 ○
- 12 Experiment of proof-of-principle on prompt gamma-positron emission tomography (PG-PET) system for in-vivo dose distribution verification in proton therapy. **2023**, ○
- 11 Reanalysis of Linear Accelerator Use Factors for Shielding Calculations based on DICOM-RT. ○
- 10 Monte Carlo based continuous aperture optimization for VMAT on conventional and MR-linacs: A proof of concept. ○
- 9 Volumetric Modulated Arc Therapy Planning for Craniospinal Irradiation With a New O-ring Linac. **2023**, ○
- 8 Clinical implementation of a log file-based machine and patient QA system for IMRT and VMAT treatment plans. **2023**, 108, 102570 ○
- 7 Proton versus photon radiation therapy: A clinical review. 13, ○
- 6 Accurate and Fast Deep Learning Dose Prediction for a Preclinical Microbeam Radiation Therapy Study Using Low-Statistics Monte Carlo Simulations. **2023**, 15, 2137 ○

- 5 A method for adjusting MLC leaf positions outside a reference region for VMAT plans in a commercial treatment planning system. **2023**,
- 4 A simplified non-coplanar volumetric modulated arc therapy for the whole brain radiotherapy with hippocampus avoidance. 13,
- 3 Multilayer perceptron neural network with regression and ranking loss for patient-specific quality assurance. **2023**, 110549
- 2 Sensitivity and specificity of Varian Halcyon's portal dosimetry for plan-specific pre-treatment QA.
- 1 Evaluation of plan complexity and dosimetric plan quality of total marrow and lymphoid irradiation using volumetric modulated arc therapy.