

CITATION REPORT

List of articles citing

Epidemiology and risk factors in urolithiasis

DOI: 10.1159/000104434

Urologia Internationalis, 2007, 79 Suppl 1, 3-7.

Source: <https://exaly.com/paper-pdf/42255138/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
117	Predictors of clinical significance of residual fragments after extracorporeal shockwave lithotripsy for renal stones. 2006 , 20, 870-4		71
116	Epidemiology and risk factors in urolithiasis. <i>Urologia Internationalis</i> , 2007 , 79 Suppl 1, 3-7	1.9	100
115	Analysis of clinical and demographic characteristics of patients presenting with renal colic in the emergency department. 2008 , 1, 79		16
114	Effect of topiramate on acid-base balance: extent, mechanism and effects. 2009 , 68, 655-61		72
113	[2008 update of the 8th Consensus Development Conference of the Francophone Society of Medical Emergencies of 1999. The treatment of adult renal colic by the emergency services and in emergency rooms]. 2009 , 19, 462-73		23
112	Current World Literature. 2009 , 19, 215-20		
111	Family history in stone disease: how important is it for the onset of the disease and the incidence of recurrence?. 2010 , 38, 105-9		28
110	Phyllanthus niruri as a promising alternative treatment for nephrolithiasis. 2010 , 36, 657-64; discussion 664		24
109	[Simultaneous bilateral percutaneous nephrolithotomy: Series of 60 cases]. 2010 , 20, 1194-9		10
108	Study of quality of life and its determinants in patients after urinary stone fragmentation. 2010 , 8, 119		12
107	Metabolic evaluation in stone disease metabolic differences between the pediatric and adult patients with stone disease. 2010 , 76, 238-41		23
106	Epidemiology, Pathogenesis, and Pathophysiology of Urolithiasis. 2010 , 9, 802-806		49
105	Renal function in patients with urinary stones of varying compositions. 2011 , 27, 264-7		21
104	Urolithiasis through the ages: data on more than 200,000 urinary stone analyses. 2011 , 185, 1304-11		136
103	An association between urinary cadmium and urinary stone disease in persons living in cadmium-contaminated villages in northwestern Thailand: a population study. 2011 , 111, 579-83		19
102	X-ray diffraction and SEM study of kidney stones in Israel: quantitative analysis, crystallite size determination, and statistical characterization. 2011 , 33, 613-22		33
101	Health related quality of life in ureteral stone patients: post-ureterolithiasis. 2011 , 39, 385-8		27

100	An algorithm for calculi segmentation on ureteroscopic images. 2011 , 6, 237-46		6
99	Prospective randomized clinical trial comparing phytotherapy with potassium citrate in management of minimal burden (8 mm) nephrolithiasis. <i>Urology Annals</i> , 2011 , 3, 75-81	1	12
98	Laparoscopic ureterolithotomy as a primary modality for large proximal ureteral calculi: comparison to rigid ureteroscopic pneumatic lithotripsy. 2011 , 21, 7-13		24
97	Radiation dose reduction at multidetector CT with adaptive statistical iterative reconstruction for evaluation of urolithiasis: how low can we go?. 2012 , 265, 158-66		98
96	Metabolic syndrome and associated urolithiasis in adults enrolled in a community-based health program. 2013 , 30, 276-81		8
95	Prospective comparison of outcomes of percutaneous nephrolithotomy in elderly patients versus younger patients. 2012 , 26, 996-1001		43
94	Integration of critically appraised topics into evidence-based physical therapist practice. 2012 , 42, 870-9		8
93	La colique néphrétique aux urgences. 2012 , 24, 29-37		1
92	Association between obstructive sleep apnea and urinary calculi: a population-based case-control study. 2012 , 79, 340-5		8
91	Multivariate analysis of predictive factors in the evolution of renal lithiasis. 2012 , 36, 346-351		
90	Epidemiology of Stone Disease in the Russian Federation and Post-Soviet Era. 2012 , 97-105		3
89	Metabolic assessment of elderly men with urolithiasis. 2012 , 67, 457-61		8
88	[Multivariate analysis of predictive factors in the evolution of renal lithiasis]. 2012 , 36, 346-51		5
87	Nephrolithiasis: nutrition as cause or therapeutic tool. 2013 , 11, 178		4
86	[Recurrent nephrolithiasis - what next?]. 2013 , 102, 1177-88		3
85	Fibrinogen alpha chain precursor and apolipoprotein A-I in urine as biomarkers for noninvasive diagnosis of calcium oxalate nephrolithiasis: a proteomics study. 2014 , 2014, 415651		5
84	Role of 1,25-dihydroxy vitamin D3 and parathyroid hormone in urinary calcium excretion in calcium stone formers. 2014 , 55, 1326-32		9
83	Urolithiasis in male patients: A pilot study on the ethnic differences and clinical profile. 2014 , 4, 393-98		1

82	A modified laparoscopic ureterolithotomy by pulling ureter with Carter-Thomason fascial closure and ureter incision by broken 15th blade. 2014 , 103, 195-200		1
81	Thromboprophylaxis and bleeding diathesis in minimally invasive stone surgery. 2014 , 11, 51-8		10
80	Uretrorenoscopy laser lithotripsy treatment of stones impacted in the left ureter 10 years after right kidney autotransplantation. 2014 , 71, 972-974		
79	[Tract sealing techniques in percutaneous nephrolitholapaxy]. 2014 , 45, 127-31		1
78	Quarter regular dose non-enhanced CT for urinary stone: added value of adaptive statistical iterative reconstruction. 2014 , 55, 1137-44		3
77	A meta-analysis of coffee intake and risk of urolithiasis. <i>Urologia Internationalis</i> , 2014 , 93, 220-8	1.9	21
76	Pilot study of low-dose nonenhanced computed tomography with iterative reconstruction for diagnosis of urinary stones. 2014 , 55, 581-6		12
75	Limited field noncontrast computerized tomography for followup of ureteral stones: initial results. 2014 , 192, 781-5		2
74	Stones in the Elderly. 2014 , 3, 14-18		1
73	Do the residual fragments after shock wave lithotripsy affect the quality of life?. 2014 , 84, 549-54		20
72	Prognostic factors of morbidity in patients undergoing percutaneous nephrolithotomy. 2014 , 28, 1078-84		17
71	Model-based iterative reconstruction versus adaptive statistical iterative reconstruction in low-dose abdominal CT for urolithiasis. 2014 , 203, 336-40		17
70	Stone size and quality of life: A critical evaluation after extracorporeal shock wave lithotripsy. 2015 , 87, 227-32		1
69	Radiation Dose Consideration in Kidney Stone CT Examinations: Integration of Iterative Reconstruction Algorithms With Routine Clinical Practice. 2015 , 204, 1055-63		12
68	Incidental findings on CT for suspected renal colic in emergency department patients: prevalence and types in 5,383 consecutive examinations. 2015 , 12, 63-9		30
67	How do the residual fragments after SWL affect the health-related quality of life? A critical analysis in a size-based manner. 2015 , 43, 163-70		12
66	Usefulness of low-dose nonenhanced computed tomography with iterative reconstruction for evaluation of urolithiasis: diagnostic performance and agreement between the urologist and the radiologist. 2015 , 85, 531-8		20
65	Comparative efficacy of tamsulosin versus nifedipine for distal ureteral calculi: a meta-analysis. 2016 , 10, 1257-65		12

64	Daily ambient temperature and renal colic incidence in Guangzhou, China: a time-series analysis. 2016 , 60, 1135-42	15
63	Saturday 15 October 2016. 2016 , 60, 95-135	
62	Failed validation of risk prediction model for intervention in renal colic patients after emergency department evaluation. 2016 , 86, 930-933	10
61	Determination of optimal imaging settings for urolithiasis CT using filtered back projection (FBP), statistical iterative reconstruction (IR) and knowledge-based iterative model reconstruction (IMR): a physical human phantom study. 2016 , 89, 20150527	5
60	Epidemiology of stone disease across the world. 2017 , 35, 1301-1320	225
59	Efficacy of model-based iterative reconstruction technique in non-enhanced CT of the renal tracts for ureteric calculi. 2017 , 24, 133-138	2
58	Scientific Exhibits. 2017 , 61, 138-197	2
57	Urologic Diseases in Korean Military Population: a 6-year Epidemiological Review of Medical Records. 2017 , 32, 135-142	3
56	Nephrolithiasis in elderly population; effect of demographic characteristics. 2017 , 6, 63-68	8
55	Risk Factors for Kidney Stones in Rural Puducherry: Case-Control Study. 2017 , 11, LC01-LC05	1
54	Percutaneous Nephrolithotomy and Spina Bifida: Complex Major Stone Surgery?. 2018 , 32, 205-212	3
53	Robotic stone surgery - Current state and future prospects: A systematic review. 2018 , 16, 357-364	14
52	Advances in MDCT and MRI of Renal Emergencies. 2018 , 137-149	
51	Comparative analysis of methods for identifying multimorbidity patterns: a study of real-worlds data. 2018 , 8, e018986	24
50	Determinants of health-related quality of life for patients after urinary lithotripsy: ureterosopic vs. shock wave lithotripsy. 2018 , 46, 203-210	11
49	Radiation dose reduction for CT assessment of urolithiasis using iterative reconstruction: A prospective intra-individual study. 2018 , 28, 143-150	14
48	Study on the prevalence and incidence of urolithiasis in Korea over the last 10 years: An analysis of National Health Insurance Data. 2018 , 59, 383-391	11
47	Osmangazi University score to reduce ionizing radiation in renal colic patients in emergency department. 2018 , 25, 185-189	4

46	Assessment of kidney stone disease prevalence in a teaching hospital. 2018 , 24, 180-185		2
45	MDCT and MR Imaging of Acute Abdomen. 2018 ,		
44	Utility of enhanced CT for patients with suspected uncomplicated renal colic and no acute findings on non-enhanced CT. 2019 , 74, 813.e11-813.e18		
43	The Demographic Diversity of Food Intake and Prevalence of Kidney Stone Diseases in the Indian Continent. 2019 , 8,		5
42	Effects on renal outcome of concomitant acute pyelonephritis, acute kidney injury and obstruction duration in obstructive uropathy by urolithiasis: a retrospective cohort study. 2019 , 9, e030438		3
41	Better sleep quality could reinforce the relationship between sleep posture and kidney stone laterality in obstructive sleep apnea patients. 2020 , 48, 245-249		1
40	Effect of endothelial dysfunction on the pathogenesis of urolithiasis in patients with metabolic syndrome. 2020 , 23, 1082-1087		2
39	Mechanistic approach to herbal formulations used for urolithiasis treatment. 2020 , 19, 100266		2
38	THE USE OF LOW-DOSE CT WITH ADAPTIVE STATISTICAL ITERATIVE RECONSTRUCTION FOR THE DIAGNOSIS OF URINARY CALCULI. 2020 , 190, 200-207		0
37	Calcium oxalate kidney stones, where is the organic matter?: A synchrotron based infrared microspectroscopy study. 2020 , 13, e202000303		1
36	Impact of Anterior Kidney Calyx Involvement of Complex Stones on Outcomes for Patients Undergoing Percutaneous Nephrolithotomy. <i>Urologia Internationalis</i> , 2020 , 104, 459-464	1.9	6
35	A novel robotic system for flexible ureteroscopy. 2021 , 17, 1-11		6
34	Various fatal complications of urolithiasis. 2021 , 17, 513-516		1
33	Attitude and awareness of medicinal plants in treatment of kidney lithiasis in eastern Morocco: a retrospective study. 2021 , 67, 17-28		
32	Percutaneous antegrade ureterolithotripsy for proximal ureteral stones: overview own experience use. 2021 , 9, 92-99		
31	Comparison of the Prone Split-Leg Position with the Traditional Prone Position in Percutaneous Nephrolithotomy: A Propensity Score-Matching Study. 2021 , 35, 1333-1339		3
30	Risk Indices. 2010 , 355-368		1
29	A Study of Diet and Lifestyle and the Risk of Urolithiasis in 1,519 Patients in Southern China. 2019 , 25, 4217-4224		6

28	Low-dose CT with adaptive statistical iterative reconstruction for evaluation of urinary stone. 2018 , 9, 20103-20111		4
27	Low-dose CT scan in stone detection for stone treatment follow-up: is there a relation between stone composition and radiation delivery? Study on a porcine-kidney model. 2019 , 71, 63-71		3
26	Advances in CT imaging for urolithiasis. 2015 , 31, 185-93		26
25	Preventive fluid and dietary therapy for urolithiasis: An appraisal of strength, controversies and lacunae of current literature. 2011 , 27, 310-9		21
24	The Use of Tranexamic Acid in Percutaneous Nephrolithotomy. A Randomized Controlled Study (Local Experience). 2018 , 08, 317-326		0
23	The use of non-contrast computed tomography and color Doppler ultrasound in the characterization of urinary stones - preliminary results. 2015 , 41, 165-70		2
22	Demographic variability of urinary tract stones in Saudi Arabia. 2021 , 4, 328		
21	Optimizing the lithotripsy timing after drainage of the upper urinary tract in patients with urolithiasis and obstructive uropathy. 2021 , 9, 62-69		
20	Crystal Deposits on Renal Papillae in Stone Formers. 2009 , 50, 1009		
19	Nichtneoplastische Erkrankungen der ableitenden Harnwege. 2016 , 489-522		
18	RADIOLOGICAL INVESTIGATIONS, BIOCHEMICAL RENAL FUNCTION TESTS AND THE CHANGES AFTER SURGERY IN RENAL CALCULUS OBSTRUCTIVE UROPATHY. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2016 , 5, 61-65	0.1	
17	CLINICAL STUDY AND SURGICAL MANAGEMENT OF RENAL STONE BY PERCUTANEOUS NEPHROLITHOTOMY. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2016 , 5, 4696-4698	0.1	
16	Nephrolithiasis against type 2 diabetes mellitus: on the effect of hypoglycemic therapy on lithogenesis. <i>Terapevticheskii Arkhiv</i> , 2018 , 90, 60-64	0.9	
15	Assessment of Kidney Function and 24-Hour Urine of the Patients with Renal Stone; Women Have Lower Urine Volume and Higher Urine Citrate. <i>Womens Health Bulletin</i> , 2019 , In Press,	2.3	
14	Paravertebral block reduces pain in elderly patients with percutaneous nephrolithotomy: A randomized controlled study protocol. <i>Medicine (United States)</i> , 2020 , 99, e23761	1.8	0
13	Correlation of metabolic syndrome and urolithiasis: A prospective cross-sectional study. <i>Urology Annals</i> , 2020 , 12, 144-149	1	2
12	Surgical approach to urolithiasis: the state of art. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2008 , 5, 142-4		1
11	Medium-term follow-up of clinically insignificant residual fragments after minimal invasive percutaneous nephrolithotomy: prognostic features and risk factors. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 21664-8		1

10	Pain Relieving Effect of Sublingual Glycerol Trinitrate in Renal Colic: a Randomized Placebo-Controlled Trial. <i>Advanced Journal of Emergency Medicine</i> , 2018 , 2, e2	0.7	1
9	Association of meteorological factors and ambient air pollution on medical care utilization for urolithiasis: a population-based time-series study. <i>BMC Nephrology</i> , 2021 , 22, 402	2.7	0
8	Medical expulsive therapy in ureteric calculi: A prospective study. <i>IP Journal of Surgery and Allied Sciences</i> , 2022 , 3, 96-100	0	
7	Investigation of Factors Affecting the Stone-Free Rate in Elderly Patients with Urinary Stones After Shock Wave Lithotripsy. <i>Duzce Universitesi Tip Fakultesi Dergisi</i> ,		
6	Physical Activity Reduces the Effect of High Body Mass Index on Kidney Stones in Diabetes Participants From the 2007-2018 NHANES Cycles: A Cross-Sectional Study. <i>Frontiers in Public Health</i> , 10,	6	
5	Global, Regional, and National Burden of Urolithiasis from 1990 to 2019: A Systematic Analysis for the Global Burden of Disease Study 2019. Volume 14, 971-983		
4	Himalayan Citrus jambhiri juice reduced renal crystallization in nephrolithiasis by possible inhibition of glycolate oxidase and matrix metalloproteinases. 2023 , 116157		0
3	Short-term effects of ambient air pollution on emergency department visits for urolithiasis: A time-series study in Wuhan, China. 11,		0
2	A path analysis to investigate the interaction between serum, urinary and demographic factors influencing urine calcium in kidney stone formers.		0
1	Evaluating outcomes of patient-centered enhanced recovery after surgery (ERAS) in percutaneous nephrolithotomy for staghorn stones: An initial experience. 10,		0