

Capillary Trap Column with Strong Cation-Exchange M Proteome Analysis

Analytical Chemistry

79, 6599-6606

DOI: [10.1021/ac070736f](https://doi.org/10.1021/ac070736f)

Citation Report

#	ARTICLE	IF	CITATIONS
3	Specific capture of phosphopeptides by Zr ⁴⁺ -modified monolithic capillary column. <i>Journal of Separation Science</i> , 2007, 30, 2917-2923.	2.5	33
4	Technologies and methods for sample pretreatment in efficient proteome and peptidome analysis. <i>Proteomics</i> , 2008, 8, 686-705.	2.2	49
5	Chemical proteomic study of isoprenoid chain interactome with a synthetic photoaffinity probe. <i>Proteomics</i> , 2008, 8, 3094-3104.	2.2	15
6	Polymethacrylate monolithic columns for capillary liquid chromatography. <i>Journal of Separation Science</i> , 2008, 31, 2521-2540.	2.5	118
7	Automation of nanoflow liquid chromatography-tandem mass spectrometry for proteome and peptide profiling analysis by using a monolithic analytical capillary column. <i>Electrophoresis</i> , 2008, 29, 1612-1618.	2.4	9
8	Recent development of monolithic stationary phases with emphasis on microscale chromatographic separation. <i>Journal of Chromatography A</i> , 2008, 1184, 369-392.	3.7	251
9	Online Multidimensional Separation with Biphasic Monolithic Capillary Column for Shotgun Proteome Analysis. <i>Journal of Proteome Research</i> , 2008, 7, 306-310.	3.7	35
10	Recent Applications of Organic Monoliths in Capillary Liquid Chromatographic Separation of Biomolecules. <i>Journal of Chromatographic Science</i> , 2009, 47, 418-431.	1.4	26
11	Recent progress of polar stationary phases in CEC and capillary liquid chromatography. <i>Electrophoresis</i> , 2009, 30, 141-154.	2.4	54
12	Recent advances in polymer monoliths for ion-exchange chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 71-84.	3.7	97
13	Comparative proteomic analysis of <i>Rhodosporidium toruloides</i> during lipid accumulation. <i>Yeast</i> , 2009, 26, 553-566.	1.7	72
14	Highly efficient peptide separations in proteomics Part 2: Bi- and multidimensional liquid-based separation techniques. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 1019-1039.	2.3	94
15	Selective enrichment of endogenous peptides by chemically modified porous nanoparticles for peptidome analysis. <i>Journal of Chromatography A</i> , 2009, 1216, 1270-1278.	3.7	59
16	Improvement of proteome coverage using hydrophobic monolithic columns in shotgun proteome analysis. <i>Journal of Chromatography A</i> , 2009, 1216, 3887-3894.	3.7	15
17	Synthesis and characterization of a new boronate affinity monolithic capillary for specific capture of cis-diol-containing compounds. <i>Journal of Chromatography A</i> , 2009, 1216, 4768-4774.	3.7	132
18	Synthesis of hydrophilic boronate affinity monolithic capillary for specific capture of glycoproteins by capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2009, 1216, 8421-8425.	3.7	105
19	Integration of monolithic frit into the particulate capillary (IMFPC) column in shotgun proteome analysis. <i>Analytica Chimica Acta</i> , 2009, 652, 324-330.	5.4	12
20	Proteomics: From Technology Developments to Biological Applications. <i>Analytical Chemistry</i> , 2009, 81, 4585-4599.	6.5	42

#	ARTICLE	IF	CITATIONS
21	One-Pot Process for Fabrication of Organic-Silica Hybrid Monolithic Capillary Columns Using Organic Monomer and Alkoxysilane. <i>Analytical Chemistry</i> , 2009, 81, 3529-3536.	6.5	126
22	Glycoproteomics Analysis of Human Liver Tissue by Combination of Multiple Enzyme Digestion and Hydrazide Chemistry. <i>Journal of Proteome Research</i> , 2009, 8, 651-661.	3.7	356
23	Polymeric Monolith "New Fabrication Methods and Applications". <i>Kobunshi Ronbunshu</i> , 2010, 67, 489-496.	0.2	14
24	Integration of normal phase liquid chromatography with supercritical fluid chromatography for analysis of fruiting bodies of <i>Ganoderma lucidum</i> . <i>Journal of Separation Science</i> , 2010, 33, 3817-3821.	2.5	15
25	Polymeric cation-exchange monolithic columns containing phosphoric acid functional groups for capillary liquid chromatography of peptides and proteins. <i>Journal of Chromatography A</i> , 2010, 1217, 3844-3854.	3.7	42
26	Intact-protein trapping columns for proteomic analysis in capillary high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2010, 1217, 6875-6881.	3.7	7
27	Preparation and Evaluation of Novel Iron Immobilized Metal Affinity Chromatography Monolithic Column. <i>Chinese Journal of Analytical Chemistry</i> , 2010, 38, 659-662.	1.7	6
28	Shotgun approach based comparative proteomic analysis of levo-tetrahydropalmatine-induced apoptosis in hepatocytes. <i>Toxicology Letters</i> , 2010, 194, 8-15.	0.8	11
29	Integrated Device for Online Sample Buffer Exchange, Protein Enrichment, and Digestion. <i>Analytical Chemistry</i> , 2010, 82, 2574-2579.	6.5	36
30	Combined Comparative and Chemical Proteomics on the Mechanisms of levo-Tetrahydropalmatine-Induced Antinociception in the Formalin Test. <i>Journal of Proteome Research</i> , 2010, 9, 3225-3234.	3.7	14
31	A Fully Automated System with Online Sample Loading, Isotope Dimethyl Labeling and Multidimensional Separation for High-Throughput Quantitative Proteome Analysis. <i>Analytical Chemistry</i> , 2010, 82, 3007-3015.	6.5	66
32	Development of multidimensional liquid chromatography and application in proteomic analysis. <i>Expert Review of Proteomics</i> , 2010, 7, 665-678.	3.0	18
33	Recent advances in on-line multidimensional liquid chromatography. <i>Analytical Methods</i> , 2010, 2, 110-122.	2.7	72
34	Development of a Highly Efficient 2-D System with a Serially Coupled Long Column and Its Application in Identification of Rat Brain Integral Membrane Proteins with Ionic Liquids-Assisted Solubilization and Digestion. <i>Journal of Proteome Research</i> , 2011, 10, 732-738.	3.7	18
35	Monolithic Phases for Ion Chromatography. <i>Annual Review of Analytical Chemistry</i> , 2011, 4, 197-226.	5.4	32
36	High throughput discovery of new fouling-resistant surfaces. <i>Journal of Materials Chemistry</i> , 2011, 21, 693-704.	6.7	58
37	Proteomic reactors and their applications in biology. <i>FEBS Journal</i> , 2011, 278, 3796-3806.	4.7	33
38	The proteome analysis of oleaginous yeast <i>Lipomyces starkeyi</i> . <i>FEMS Yeast Research</i> , 2011, 11, 42-51.	2.3	43

#	ARTICLE	IF	CITATIONS
39	Recent advances in micro-scale and nano-scale high-performance liquid-phase chromatography for proteome research. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 229-241.	3.7	37
40	Ionic liquid 1-butyl-3-methyl imidazolium tetrafluoroborate for shotgun membrane proteomics. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 3387-3397.	3.7	30
41	A proteomic analysis of engineered tendon formation under dynamic mechanical loading in vitro. <i>Biomaterials</i> , 2011, 32, 4085-4095.	11.4	40
42	Weak cation-exchange monolithic column for capillary liquid chromatography of peptides and proteins. <i>Journal of Separation Science</i> , 2011, 34, 2063-2071.	2.5	12
43	Facile preparation of monolithic immobilized metal affinity chromatography capillary columns for selective enrichment of phosphopeptides. <i>Journal of Separation Science</i> , 2011, 34, 2122-2130.	2.5	15
44	Monolithic capillary columns synthesized from a single phosphate-containing dimethacrylate monomer for cation-exchange chromatography of peptides and proteins. <i>Journal of Chromatography A</i> , 2011, 1218, 4322-4331.	3.7	20
45	Rare Cell Proteomic Reactor Applied to Stable Isotope Labeling by Amino Acids in Cell Culture (SILAC)-based Quantitative Proteomics Study of Human Embryonic Stem Cell Differentiation. <i>Molecular and Cellular Proteomics</i> , 2011, 10, S1-S10.	3.8	52
46	Development of Glycoprotein Capture-Based Label-Free Method for the High-throughput Screening of Differential Glycoproteins in Hepatocellular Carcinoma. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M110.006445.	3.8	55
47	Capture and Dimethyl Labeling of Glycopeptides on Hydrazide Beads for Quantitative Glycoproteomics Analysis. <i>Analytical Chemistry</i> , 2012, 84, 8452-8456.	6.5	45
48	Preparation of capillary hybrid monolithic column with sulfonate strong cation exchanger for proteome analysis. <i>Journal of Chromatography A</i> , 2012, 1256, 136-143.	3.7	25
49	Centrifugation Assisted Microreactor Enables Facile Integration of Trypsin Digestion, Hydrophilic Interaction Chromatography Enrichment, and On-Column Deglycosylation for Rapid and Sensitive N-Glycoproteome Analysis. <i>Analytical Chemistry</i> , 2012, 84, 5146-5153.	6.5	95
50	A novel whole-cell lysate kinase assay identifies substrates of the p38 MAPK in differentiating myoblasts. <i>Skeletal Muscle</i> , 2012, 2, 5.	4.2	43
51	Highly Efficient Extraction of Cellular Nucleic Acid Associated Proteins in Vitro with Magnetic Oxidized Carbon Nanotubes. <i>Analytical Chemistry</i> , 2012, 84, 10454-10462.	6.5	22
52	Selective Enrichment of Phosphopeptides Using Nanomaterials and Monolithic Materials for the Analysis of Protein Phosphorylation. , 2012, , 291-306.		0
53	Nano-flow multidimensional liquid chromatography platform integrated with combination of protein and peptide separation for proteome analysis. <i>Journal of Separation Science</i> , 2012, 35, 1764-1770.	2.5	17
54	Development of a combined chemical and enzymatic approach for the mass spectrometric identification and quantification of aberrant N-glycosylation. <i>Journal of Proteomics</i> , 2012, 75, 1666-1674.	2.4	35
55	Synthesis of boronate-silica hybrid affinity monolith via a one-pot process for specific capture of glycoproteins at neutral conditions. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 6639-6648.	3.7	27
56	Preparation of a boronate-functionalized affinity hybrid monolith for specific capture of glycoproteins. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 5321-5331.	3.7	56

#	ARTICLE	IF	CITATIONS
57	Recent advances in monolithic columns for protein and peptide separation by capillary liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2095-2106.	3.7	40
58	Cell Nucleus Targeting for Living Cell Extraction of Nucleic Acid Associated Proteins with Intracellular Nanoprobes of Magnetic Carbon Nanotubes. <i>Analytical Chemistry</i> , 2013, 85, 7038-7043.	6.5	29
59	Biphasic Microreactor for Efficient Membrane Protein Pretreatment with a Combination of Formic Acid Assisted Solubilization, On-Column pH Adjustment, Reduction, Alkylation, and Tryptic Digestion. <i>Analytical Chemistry</i> , 2013, 85, 8507-8512.	6.5	30
60	A simple integrated system for rapid analysis of sialic acid-containing N-glycopeptides from human serum. <i>Proteomics</i> , 2013, 13, 1306-1313.	2.2	30
61	Analysis of human serum phosphopeptidome by a focused database searching strategy. <i>Journal of Proteomics</i> , 2013, 78, 389-397.	2.4	10
62	Phosphoproteome analysis of an early onset mouse model (TgCRND8) of Alzheimer's disease reveals temporal changes in neuronal and glia signaling pathways. <i>Proteomics</i> , 2013, 13, 1292-1305.	2.2	17
63	A six-plex proteome quantification strategy reveals the dynamics of protein turnover. <i>Scientific Reports</i> , 2013, 3, 1827.	3.3	11
64	Stable isotope dimethyl labeling combined with LTQ mass spectrometric detection, a quantitative proteomics technology used in liver cancer research. <i>Biomedical Reports</i> , 2013, 1, 549-554.	2.0	9
65	Decrease of dynamic range of proteins in human plasma by ampholine immobilized polymer microspheres. <i>Analytica Chimica Acta</i> , 2014, 826, 43-50.	5.4	7
66	High-Throughput Determination of the Site-Specific N-Sialoglycan Occupancy Rates by Differential Oxidation of Glycoproteins Followed with Quantitative Glycoproteomics Analysis. <i>Analytical Chemistry</i> , 2014, 86, 9830-9837.	6.5	16
67	Differential analysis of N-glycoproteome between hepatocellular carcinoma and normal human liver tissues by combination of multiple protease digestion and solid phase based labeling. <i>Clinical Proteomics</i> , 2014, 11, 26.	2.1	7
68	Comprehensive Mapping of Protein N-Glycosylation in Human Liver by Combining Hydrophilic Interaction Chromatography and Hydrazide Chemistry. <i>Journal of Proteome Research</i> , 2014, 13, 1713-1721.	3.7	74
69	On-line solid phase extraction-liquid chromatography, with emphasis on modern bioanalysis and miniaturized systems. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 87, 120-129.	2.8	118
70	Functional and structural properties of a novel cellulosome-like multienzyme complex: efficient glycoside hydrolysis of water-insoluble 7-xylosyl-10-deacetylpaclitaxel. <i>Scientific Reports</i> , 2015, 5, 13768.	3.3	23
71	A new strategy for simultaneous synthesis and efficient anchorage of polymer monoliths in native PDMS microchips. <i>Polymer</i> , 2015, 66, 249-258.	3.8	15
72	Screening and identification of DPP-IV inhibitory peptides from deer skin hydrolysates by an integrated approach of LC-MS/MS and in silico analysis. <i>Journal of Functional Foods</i> , 2015, 18, 344-357.	3.4	35
73	Investigating Cellular Responses During Photohydrogen Production by the Marine Microalga <i>Tetraselmis subcordiformis</i> by Quantitative Proteome Analysis. <i>Applied Biochemistry and Biotechnology</i> , 2015, 177, 649-661.	2.9	7
74	Particulate capillary precolumns with double-end polymer monolithic frits for on-line peptide trapping and preconcentration. <i>Chinese Chemical Letters</i> , 2015, 26, 1068-1072.	9.0	3

#	ARTICLE	IF	CITATIONS
75	Proteomic analysis of protein methylation in the yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Proteomics</i> , 2015, 114, 226-233.	2.4	35
76	Comprehensive proteome quantification reveals NgBR as a new regulator for epithelialâ€“mesenchymal transition of breast tumor cells. <i>Journal of Proteomics</i> , 2015, 112, 38-52.	2.4	32
77	Preparation of Polypropylene Spin Tips Filled with Immobilized Titanium(IV) Ion Monolithic Adsorbent for Robust Phosphoproteome Analysis. <i>Analytical Chemistry</i> , 2016, 88, 5058-5064.	6.5	36
78	Phosphatidic acid-functionalized monolithic stationary phase for reversed-phase/cation-exchange mixed mode chromatography. <i>RSC Advances</i> , 2016, 6, 100891-100898.	3.6	10
79	Polyoxometalate incorporated porous polymer monoliths, a versatile separation media for nano liquid chromatography. <i>Journal of Chromatography A</i> , 2016, 1453, 71-77.	3.7	11
80	Preparation of Ti4+-immobilized modified silica capillary trapping column for on-line selective enrichment of phosphopeptides. <i>Talanta</i> , 2016, 153, 285-294.	5.5	17
81	Induction of predominant tenogenic phenotype in human dermal fibroblasts via synergistic effect of TGF- β 2 and elongated cell shape. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 310, C357-C372.	4.6	31
82	Attapulгите Nanoparticles-Modified Monolithic Column for Hydrophilic In-Tube Solid-Phase Microextraction of Cyromazine and Melamine. <i>Analytical Chemistry</i> , 2016, 88, 1535-1541.	6.5	56
83	A lab-on-a-chip for monolith-based preconcentration and electrophoresis separation of phosphopeptides. <i>Analyst, The</i> , 2017, 142, 485-494.	3.5	19
84	Microscope-assisted UV-initiated preparation of well-defined porous polymer monolithic plugs in glass microchips for peptide preconcentration. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 2155-2162.	3.7	8
85	Functionalization of hybrid monolithic columns via thiol-ene click reaction for proteomics analysis. <i>Journal of Chromatography A</i> , 2017, 1498, 29-36.	3.7	23
86	Capillary zone electrophoresisâ€“mass spectrometry with microliter-scale loading capacity, 140 min separation window and high peak capacity for bottom-up proteomics. <i>Analyst, The</i> , 2017, 142, 2118-2127.	3.5	56
87	High-throughput Screening of Potential Allergens from Complex Proteins of Large Yellow Croaker (<i>Larimichthys crocea</i>) by Mass Spectrometry. <i>Chinese Journal of Analytical Chemistry</i> , 2017, 45, e1713-e1718.	1.7	3
89	Silicaâ€“supported polymeric monolithic column with a mixed mode of hydrophilic and strong cationâ€“exchange interactions for microcolumn liquid chromatography. <i>Journal of Separation Science</i> , 2017, 40, 826-833.	2.5	6
90	Facile preparation of multi-functionalized hybrid monoliths via two-step photo-initiated reactions for two-dimensional liquid chromatographyâ€“mass spectrometry. <i>Journal of Chromatography A</i> , 2017, 1524, 135-142.	3.7	21
91	Use of monolithic supports for highâ€“throughput protein and peptide separation in proteomics. <i>Electrophoresis</i> , 2017, 38, 2851-2869.	2.4	24
92	Enhancing the Mass Spectrometry Sensitivity for Oligonucleotide Detection by Organic Vapor Assisted Electrospray. <i>Analytical Chemistry</i> , 2017, 89, 10256-10263.	6.5	10
93	Sodium hyaluronate-functionalized urea-formaldehyde monolithic column for hydrophilic in-tube solid-phase microextraction of melamine. <i>Journal of Chromatography A</i> , 2017, 1515, 54-61.	3.7	20

#	ARTICLE	IF	CITATIONS
94	Salinity-Induced Palmella Formation Mechanism in Halotolerant Algae <i>Dunaliella salina</i> Revealed by Quantitative Proteomics and Phosphoproteomics. <i>Frontiers in Plant Science</i> , 2017, 8, 810.	3.6	41
95	Amino Acid Changes during Energy Storage Compounds Accumulation of Microalgae under the Nitrogen Depletion. , 2017, , .		6
96	Integrated platform with combination of on-line protein digestion, isotope dimethyl labeling and multidimensional peptide separation for high-throughput proteome quantification. <i>Analytica Chimica Acta</i> , 2018, 1000, 172-179.	5.4	8
97	Preparation and application of a molecularly imprinted monolith for specific recognition of domoic acid. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 1845-1854.	3.7	25
98	Multi-hierarchical profiling the structure-activity relationships of engineered nanomaterials at nano-bio interfaces. <i>Nature Communications</i> , 2018, 9, 4416.	12.8	61
99	Hydroxyapatite-embedded monolithic column for selective on-line solid-phase extraction of adenosine triphosphate and its phosphorylated metabolites. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1128, 121769.	2.3	6
100	Challenges and Advances in the Fabrication of Monolithic Bioseparation Materials and their Applications in Proteomics Research. <i>Advanced Materials</i> , 2019, 31, e1902023.	21.0	52
101	Analysis of oligonucleotides by ion-pair reversed-phase liquid chromatography coupled with positive mode electrospray ionization mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 4167-4173.	3.7	1
102	Poly (Octadecyl Methacrylate-Co-Trimethylolpropane Trimethacrylate) Monolithic Column for Hydrophobic in-Tube Solid-Phase Microextraction of Chlorophenoxy Acid Herbicides. <i>Molecules</i> , 2019, 24, 1678.	3.8	12
103	Proteomic Analysis of the Xanthan-Degrading Pathway of <i>Microbacterium</i> sp. XT11. <i>ACS Omega</i> , 2019, 4, 19096-19105.	3.5	6
104	Preparation of a Boronate-Functionalized Affinity Silica Hybrid Monolith Column for the Specific Capture of Nucleosides. <i>ChemistrySelect</i> , 2019, 4, 623-628.	1.5	8
105	Microfluidic Shrinking Droplet Concentrator for Analyte Detection and Phase Separation of Protein Solutions. <i>Analytical Chemistry</i> , 2020, 92, 5803-5812.	6.5	38
106	Ampholine immobilized polymer microspheres for increasing coverage of human urinary proteome. <i>Talanta</i> , 2020, 215, 120931.	5.5	2
108	Preparation and Evaluation of Novel Iron Immobilized Metal Affinity Chromatography Monolith Column. <i>Chinese Journal of Analytical Chemistry</i> , 2010, 38, 659-662.	1.7	0
109	Sequential extraction leading to improved proteomic analysis of the oleaginous yeast <i>Lipomyces starkeyi</i> . <i>Chinese Journal of Chromatography (Se Pu)</i> , 2011, 29, 382-388.	0.8	0
112	Zwitter-ionic Monolith-based Spintip Column Coupled with Evosep One Liquid Chromatography for High-throughput Proteomic Analysis. <i>Journal of Chromatography A</i> , 2022, , 463122.	3.7	0
113	Immobilization of controlled Pu:Am ratio on actinide-specific affinity monolith support developed in capillary and coupled to inductively coupled plasma mass spectrometry. <i>Mikrochimica Acta</i> , 2024, 191, .	5.0	0