

A 6-Year Follow-up of the Effect of Graft Site on Strength, Function, and Joint Degeneration after Anterior Cruciate

American Journal of Sports Medicine

35, 729-739

DOI: [10.1177/0363546506298277](https://doi.org/10.1177/0363546506298277)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Does graft choice affect osteoarthritis development in the knee after anterior cruciate ligament reconstruction?. <i>International Orthopaedics</i> , 2008, 32, 479-479.	0.9	0
2	Maximizing Quadriceps Strength After ACL Reconstruction. <i>Clinics in Sports Medicine</i> , 2008, 27, 405-424.	0.9	335
4	Short-term Follow-up of Double Bundle ACL Reconstruction using Autogenous Hamstring Tendons Fixed with Ligament Plate®. <i>The Journal of the Korean Orthopaedic Association</i> , 2009, 44, 311.	0.0	4
5	Return to Basketball and Soccer After Anterior Cruciate Ligament Reconstruction in Competitive School-Aged Athletes. <i>Sports Health</i> , 2009, 1, 236-241.	1.3	49
6	Knee extension and flexion muscle power after anterior cruciate ligament reconstruction with patellar tendon graft or hamstring tendons graft: a cross-sectional comparison 3Åyears post surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 162-169.	2.3	105
7	Multiple ligament knee reconstruction clinical follow-up and gait analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 277-285.	2.3	25
8	High intensity running results in an impaired neuromuscular response in ACL reconstructed individuals. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 977-984.	2.3	24
9	Jogging gait kinetics following fatiguing lumbar paraspinal exercise. <i>Journal of Electromyography and Kinesiology</i> , 2009, 19, e458-e464.	0.7	13
10	The Effect of Anterior Cruciate Ligament Reconstruction on Stride-to-Stride Variability. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2009, 25, 742-749.	1.3	43
11	Preoperative quadriceps strength is a significant predictor of knee function two years after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2009, 43, 371-376.	3.1	287
12	Distal Semitendinosus Tendon Rupture: Is There Any Benefit of Surgical Intervention?. <i>Clinical Journal of Sport Medicine</i> , 2009, 19, 502-504.	0.9	8
13	Quadriceps Activation Following Knee Injuries: A Systematic Review. <i>Journal of Athletic Training</i> , 2010, 45, 87-97.	0.9	378
14	ACL-Reconstruction Autografts, Musculotendinous Stiffness, and Knee Osteoarthritis. <i>Athletic Therapy Today</i> , 2010, 15, 32-38.	0.2	0
15	Premature Knee Osteoarthritis After Anterior Cruciate Ligament Reconstruction Dependent on Autograft. <i>Journal of Sport Rehabilitation</i> , 2010, 19, 86-97.	0.4	19
16	Autologous chondrocyte implantation versus microfracture for knee cartilage injury: a prospective randomized trial, with 2-year follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 486-495.	2.3	125
17	Functional tests should be accentuated more in the decision for ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 1517-1525.	2.3	49
18	Functional tissue engineering of ligament healing. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2010, 2, 12.	0.7	38
19	A Progressive 5-Week Exercise Therapy Program Leads to Significant Improvement in Knee Function Early After Anterior Cruciate Ligament Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2010, 40, 705-721.	1.7	187

#	ARTICLE	IF	CITATIONS
20	Effects of Neuromuscular Electrical Stimulation After Anterior Cruciate Ligament Reconstruction on Quadriceps Strength, Function, and Patient-Oriented Outcomes: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2010, 40, 383-391.	1.7	134
21	Anterior cruciate ligament reconstruction results in alterations in gait variability. <i>Gait and Posture</i> , 2010, 32, 169-175.	0.6	67
22	Analysis of return to competition and repeat rupture for 298 anterior cruciate ligament reconstructions with patellar or hamstring tendon autograft in sportspeople. <i>Annals of Physical and Rehabilitation Medicine</i> , 2010, 53, 598-614.	1.1	97
23	New developments in osteoarthritis. Prevention of injury-related knee osteoarthritis: opportunities for the primary and secondary prevention of knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, 215.	1.6	33
24	Factors Involved in the Development of Osteoarthritis after Anterior Cruciate Ligament Surgery. <i>American Journal of Sports Medicine</i> , 2010, 38, 455-463.	1.9	234
25	Knee Stability and Movement Coordination Impairments: Knee Ligament Sprain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2010, 40, A1-A37.	1.7	153
26	Quality of Life and Clinical Outcome Comparison of Semitendinosus and Gracilis Tendon Versus Patellar Tendon Autografts for Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2011, 39, 2161-2169.	1.9	159
27	Anterior Cruciate Ligament Reconstruction Using Patellar Tendon Versus Hamstring Tendon: A Prospective Comparative Study With 9-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 653-665.	1.3	109
28	Factors Used to Determine Return to Unrestricted Sports Activities After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 1697-1705.	1.3	460
29	Clear cell sarcoma of soft tissue involving the elbow joint. <i>Current Orthopaedic Practice</i> , 2011, 22, 104-108.	0.1	0
30	The effect of patient and injury factors on long-term outcome after anterior cruciate ligament reconstruction. <i>Current Orthopaedic Practice</i> , 2011, 22, 90-103.	0.1	17
31	Does autograft choice determine intermediate-term outcome of ACL reconstruction?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 462-472.	2.3	110
32	The Prognosis and Predictors of Sports Function and Activity at Minimum 6 Years After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2011, 39, 348-359.	1.9	226
33	Ipsilateral Graft and Contralateral ACL Rupture at Five Years or More Following ACL Reconstruction. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1159-1165.	1.4	286
34	Tissue-Engineering Strategies for the Tendon/Ligament-to-Bone Insertion. <i>Connective Tissue Research</i> , 2012, 53, 95-105.	1.1	96
35	Anterior Cruciate Ligament Graft Choices. <i>Sports Health</i> , 2012, 4, 63-68.	1.3	76
36	Current Concepts for Anterior Cruciate Ligament Reconstruction: A Criterion-Based Rehabilitation Progression. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 601-614.	1.7	407
37	Survival of the Anterior Cruciate Ligament Graft and the Contralateral ACL at a Minimum of 15 Years. <i>American Journal of Sports Medicine</i> , 2012, 40, 1985-1992.	1.9	183

#	ARTICLE	IF	CITATIONS
38	Graft Size and Patient Age Are Predictors of Early Revision After Anterior Cruciate Ligament Reconstruction With Hamstring Autograft. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012, 28, 526-531.	1.3	505
39	Rehabilitation After ACL Reconstruction. , 2012, , 427-454.		2
40	Technique in ACL reconstruction: Patellar tendon. , 2012, , 203-216.		0
41	Correlation between Hamstring Flexor Power Restoration and Functional Performance Test: 2-Year Follow-Up after ACL Reconstruction Using Hamstring Autograft. <i>Knee Surgery and Related Research</i> , 2012, 24, 113-119.	1.8	23
42	Third timeâ€™s a charm?: improving re-revision ACL reconstruction by addressing reasons for prior failures. <i>European Orthopaedics and Traumatology</i> , 2012, 3, 55-60.	0.1	4
43	Variability in leg muscle power and hop performance after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1143-1151.	2.3	159
44	Assessment of functional performance after anterior cruciate ligament reconstruction: a systematic review of measurement procedures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 869-879.	2.3	80
45	Long-term results of arthroscopically assisted anatomical single-bundle anterior cruciate ligament reconstruction using patellar tendon autograft: are there any predictors for the development of osteoarthritis?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 957-964.	2.3	56
46	Long-term outcome of anterior cruciate ligament reconstruction with an autologous four-strand semitendinosus tendon autograft. <i>International Orthopaedics</i> , 2013, 37, 279-284.	0.9	61
47	Return to play following ACL reconstruction: survey among experienced arthroscopic surgeons (AGA) Tj ETQq1 1 0.784314 rgBT /Ove	1.3	90
48	Age, Graft Size, and Tegner Activity Level as Predictors of Failure in Anterior Cruciate Ligament Reconstruction With Hamstring Autograft. <i>American Journal of Sports Medicine</i> , 2013, 41, 1808-1812.	1.9	157
49	Timing of Surgery of the Anterior Cruciate Ligament. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1863-1871.	1.3	60
50	Tibial displacement and rotation during seated knee extension and wall squatting: A comparative study of tibiofemoral kinematics between chronic unilateral anterior cruciate ligament deficient and healthy knees. <i>Knee</i> , 2013, 20, 346-353.	0.8	16
51	Comparison of Functional Outcome Measures After ACL Reconstruction in Competitive Soccer Players. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 1271-1277.	1.4	43
52	Is patellofemoral joint osteoarthritis an under-recognised outcome of anterior cruciate ligament reconstruction? A narrative literature review. <i>British Journal of Sports Medicine</i> , 2013, 47, 66-70.	3.1	128
53	Cross-Exercise on Quadriceps Deficit after ACL Reconstruction. <i>Journal of Knee Surgery</i> , 2013, 26, 051-058.	0.9	33
54	Effects of Preoperative Quadriceps Strength on the Knee Functional Scores One Year after Anterior Cruciate Ligament Reconstruction. <i>The Korean Journal of Sports Medicine</i> , 2013, 31, 7.	0.3	0
55	Effects of isokinetic eccentric training on knee extensor and flexor torque and on gait of individuals with long term ACL reconstruction: A controlled clinical trial. <i>Motriz Revista De Educacao Fisica</i> , 2014, 20, 431-441.	0.3	1

#	ARTICLE	IF	CITATIONS
56	Osteoarthritis Prevalence Following Anterior Cruciate Ligament Reconstruction: A Systematic Review and Numbers-Needed-to-Treat Analysis. <i>Journal of Athletic Training</i> , 2014, 49, 806-819.	0.9	272
57	Hamstring muscle strength before and after anterior cruciate ligament reconstruction: A systematic review. <i>Isokinetics and Exercise Science</i> , 2014, 22, 225-236.	0.2	2
58	The Effects of High-Intensity versus Low-Intensity Resistance Training on Leg Extensor Power and Recovery of Knee Function after ACL-Reconstruction. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	26
59	Return to play following ACL reconstruction: a systematic review about strength deficits. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 1417-1428.	1.3	173
60	ACL reconstruction with physiological graft tension by intraoperative adjustment of the anteroposterior translation to the uninjured contralateral knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1055-1060.	2.3	8
61	Patellofemoral osteoarthritis is prevalent and associated with worse symptoms and function after hamstring tendon autograft ACL reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 435-439.	3.1	87
62	Meniscus Injuries Alter the Kinematics of Knees With Anterior Cruciate Ligament Deficiency. <i>Orthopaedic Journal of Sports Medicine</i> , 2014, 2, 232596711454734.	0.8	28
63	Functional results from reconstruction of the anterior cruciate ligament using the central third of the patellar ligament and flexor tendons. <i>Revista Brasileira De Ortopedia</i> , 2015, 50, 705-711.	0.6	0
64	Resultados funcionais da reconstrução do ligamento cruzado anterior com o terço central do ligamento patelar e os tendões flexores. <i>Revista Brasileira De Ortopedia</i> , 2015, 50, 705-711.	0.2	2
65	Improved biomechanical and biological outcomes in the MRL/MpJ murine strain following a full-length patellar tendon injury. <i>Journal of Orthopaedic Research</i> , 2015, 33, 1693-1703.	1.2	30
66	Quantitative and qualitative MR-imaging assessment of vastus medialis muscle volume loss in asymptomatic patients after anterior cruciate ligament reconstruction. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 515-525.	1.9	31
67	A conceptual framework for a sports knee injury performance profile (SKIPP) and return to activity criteria (RTAC). <i>Brazilian Journal of Physical Therapy</i> , 2015, 19, 340-359.	1.1	26
68	Hydroxyapatite-doped polycaprolactone nanofiber membrane improves tendon–bone interface healing for anterior cruciate ligament reconstruction. <i>International Journal of Nanomedicine</i> , 2015, 10, 7333.	3.3	37
69	Deficits in Quadriceps Strength and Patient-Oriented Outcomes at Return to Activity After ACL Reconstruction. <i>Sports Health</i> , 2015, 7, 231-238.	1.3	144
70	Quadriceps Tendon Autograft for Anterior Cruciate Ligament Reconstruction: A Comprehensive Review of Current Literature and Systematic Review of Clinical Results. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 541-554.	1.3	225
71	Controversies in Knee Rehabilitation. <i>Clinics in Sports Medicine</i> , 2015, 34, 301-312.	0.9	36
72	Deconstructing the Anterior Cruciate Ligament: What We Know and Do Not Know About Function, Material Properties, and Injury Mechanics. <i>Journal of Biomechanical Engineering</i> , 2015, 137, 020906.	0.6	50
73	Posterior Single-Incision Semitendinosus Harvest for a Quadrupled Anterior Cruciate Ligament Graft Construct: Determination of Graft Length and Diameter Based on Patient Sex, Height, Weight, and Body Mass Index. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 684-690.	1.3	16

#	ARTICLE	IF	CITATIONS
74	Persistent Neuromuscular and Corticomotor Quadriceps Asymmetry After Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2015, 50, 303-312.	0.9	93
75	Athletic Performance at the NFL Scouting Combine After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 3022-3026.	1.9	28
76	Relationship Between Quadriceps Strength and Patellofemoral Joint Chondral Lesions After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 2286-2292.	1.9	33
77	The course and distribution of the infra patellar nerve in relation to ACL reconstruction. <i>Knee</i> , 2015, 22, 384-388.	0.8	15
78	A Review of Current Graft Options for Anterior Cruciate Ligament Reconstruction. <i>JBJS Reviews</i> , 2015, 3, .	0.8	18
79	Muscle strength and functional performance is markedly impaired at the recommended time point for sport return after anterior cruciate ligament reconstruction in recreational athletes. <i>Human Movement Science</i> , 2015, 39, 73-87.	0.6	60
80	Increased incidence of osteoarthritis of knee joint after ACL reconstruction with boneâ€“patellar tendonâ€“bone autografts than hamstring autografts: a meta-analysis of 1,443 patients at a minimum of 5Âyears. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 149-159.	0.6	70
81	Triple and Quintuple Hops. <i>Strength and Conditioning Journal</i> , 2016, 38, 18-25.	0.7	3
82	2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures. <i>British Journal of Sports Medicine</i> , 2016, 50, 839-843.	3.1	388
83	Likelihood of ACL graft rupture: not meeting six clinical discharge criteria before return to sport is associated with a four times greater risk of rupture. <i>British Journal of Sports Medicine</i> , 2016, 50, 946-951.	3.1	544
84	The SpeedCourt system in rehabilitation after reconstruction surgery of the anterior cruciate ligament (ACL). <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 957-966.	1.3	14
85	Anterior Cruciate Ligament Reconstruction with a Single-Bundle Autologous Quadriceps Tendon. , 2016, , 239-255.		3
86	Femoral intercondylar notch width size: a comparison between siblings with and without anterior cruciate ligament injuries. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 672-679.	2.3	34
87	A new technique in double-bundle anterior cruciate ligament reconstruction with implant-free tibial fixation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 2831-2837.	2.3	6
88	Do graft diameter or patient age influence the results of ACL reconstruction?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 2998-3004.	2.3	18
89	Change in Size of Hamstring Grafts During Preparation for ACL Reconstruction. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 484-489.	1.4	24
90	Quality of Life Following ACL Reconstruction: Baseline Predictors of Patient-Reported Outcomes. <i>HSS Journal</i> , 2016, 12, 94-97.	0.7	5
91	Increasing the strength and bioactivity of collagen scaffolds using customizable arrays of 3D-printed polymer fibers. <i>Acta Biomaterialia</i> , 2016, 33, 25-33.	4.1	63

#	ARTICLE	IF	CITATIONS
92	Strength does not influence knee function in the ACL-deficient knee but is a correlate of knee function in the and ACL-reconstructed knee. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 477-483.	1.3	18
93	Traumatic graft rupture after primary and revision anterior cruciate ligament reconstruction: retrospective analysis of incidence and risk factors in 2915 cases. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1535-1541.	2.3	64
94	Should Return to Sport be Delayed Until 2 Years After Anterior Cruciate Ligament Reconstruction? Biological and Functional Considerations. Sports Medicine, 2017, 47, 221-232.	3.1	260
95	Suspensory Versus Aperture Fixation of a Quadrupled Hamstring Tendon Autograft in Anterior Cruciate Ligament Reconstruction: A Meta-analysis. American Journal of Sports Medicine, 2017, 45, 2418-2427.	1.9	52
96	Is Quadriceps Tendon Autograft a Better Choice Than Hamstring Autograft for Anterior Cruciate Ligament Reconstruction? A Comparative Study With a Mean Follow-up of 3.6 Years. American Journal of Sports Medicine, 2017, 45, 1326-1332.	1.9	143
97	An Ecological Study of Anterior Cruciate Ligament Reconstruction, Part 2. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711668844.	0.8	12
98	Digital image correlation-aided mechanical characterization of the anteromedial and posterolateral bundles of the anterior cruciate ligament. Acta Biomaterialia, 2017, 56, 44-57.	4.1	35
99	Factors Associated With Improved Function and Maintenance of Sports Activities at 5 to 10 Years After Autologous Hamstring ACL Reconstruction in Young Men. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711770084.	0.8	6
100	The prevalence of radiographic and MRI-defined patellofemoral osteoarthritis and structural pathology: a systematic review and meta-analysis. British Journal of Sports Medicine, 2017, 51, 1195-1208.	3.1	74
101	Static tensioning promotes hamstring tendons force relaxation more reliably than cycling tensioning. Knee, 2017, 24, 775-781.	0.8	6
102	Effects of polyvinylpyrrolidone-iodine on tendon-bone healing in a rabbit extra-articular model. Experimental and Therapeutic Medicine, 2017, 13, 2751-2756.	0.8	9
103	Anthropometric and Skeletal Parameters Predict 2-Strand Semitendinosus Tendon Size in Double-Bundle Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711772014.	0.8	8
104	PrÄvention von Knieverletzungen â€œ besteht da Evidenz?. Sports Orthopaedics and Traumatology, 2017, 33, 344-352.	0.1	5
105	Long-Term Outcomes in Anterior Cruciate Ligament Reconstruction: A Systematic Review of Patellar Tendon Versus Hamstring Autografts. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711770973.	0.8	100
106	Prevention and Treatment of Knee Arthrofibrosis. , 2017, , 1059-1102.		6
107	Scientific Basis of Rehabilitation After Anterior Cruciate Ligament Autogenous Reconstruction. , 2017, , 268-292.		3
108	Rehabilitation of Primary and Revision Anterior Cruciate Ligament Reconstruction. , 2017, , 293-329.		3
109	Quadriceps Tendon Autograft in Anterior Cruciate Ligament Reconstruction: A Systematic Review. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 1690-1698.	1.3	73

#	ARTICLE	IF	CITATIONS
110	Blood Flow Restriction Training in Rehabilitation Following Anterior Cruciate Ligament Reconstructive Surgery: A Review. <i>Techniques in Orthopaedics</i> , 2018, 33, 106-113.	0.1	15
111	A bigger suture diameter for anterior cruciate ligament all-inside graft link preparation leads to better graft stability: An anatomical specimen study. <i>Knee</i> , 2018, 25, 427-433.	0.8	10
112	Return to Sports Following Anterior Cruciate Ligament Reconstruction: Recommendations of the German Knee Society (Deutsche Kniegesellschaft, DKG). , 2018, , 159-172.		1
113	There is no difference between quadriceps- and hamstring tendon autografts in primary anterior cruciate ligament reconstruction: a 2-year patient-reported outcome study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 605-614.	2.3	87
114	International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 666-675.	1.6	47
115	High Rates of Osteoarthritis Develop After Anterior Cruciate Ligament Surgery: An Analysis of 4108 Patients. <i>American Journal of Sports Medicine</i> , 2018, 46, 2011-2019.	1.9	135
116	Muscle Dysfunction After Anterior Cruciate Ligament Rupture and Reconstruction: Implications for Successful Recovery. , 2018, , 59-65.		0
117	Graft failure is more frequent after hamstring than patellar tendon autograft. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3537-3546.	2.3	38
118	The Role of Blood Flow Restriction Therapy Following Knee Surgery: Expert Opinion. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2506-2510.	1.3	39
119	Long-term Comparison of Semitendinosus and Gracilis Tendon Versus Patellar Tendon Autografts for Anterior Cruciate Ligament Reconstruction: A 17-Year Follow-up of a Randomized Controlled Trial. <i>American Journal of Sports Medicine</i> , 2018, 46, 1800-1808.	1.9	69
120	Increased knee laxity with hamstring tendon autograft compared to patellar tendon autograft: a cohort study of 5462 patients with primary anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 381-388.	2.3	46
121	The relationship between quadriceps strength asymmetry and knee biomechanics asymmetry during walking in individuals with anterior cruciate ligament reconstruction. <i>Gait and Posture</i> , 2019, 73, 74-79.	0.6	29
122	Comparison of Short-term Biodex Results After Anatomic Anterior Cruciate Ligament Reconstruction Among 3 Autografts. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711984763.	0.8	23
123	Anterior cruciate ligament tears in children: Management and growth disturbances. A survey of French Arthroscopy Society members. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 747-750.	0.9	6
124	Evidence-based recommendations for the management of anterior cruciate ligament (ACL) rupture. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 33-47.	1.4	179
125	The Warrior Athlete Part 2 "Return to Duty in the US Military: Advancing ACL Rehabilitation in the Tactical Athlete. <i>Sports Medicine and Arthroscopy Review</i> , 2019, 27, e12-e24.	1.0	9
126	Impaired neuromuscular control up to postoperative 1 year in operated and nonoperated knees after anterior cruciate ligament reconstruction. <i>Medicine (United States)</i> , 2019, 98, e15124.	0.4	15
127	Gait biomechanics in individuals with patellar tendon and hamstring tendon anterior cruciate ligament reconstruction grafts. <i>Journal of Biomechanics</i> , 2019, 82, 103-108.	0.9	13

#	ARTICLE	IF	CITATIONS
128	Muscle hypotrophy, not inhibition, is responsible for quadriceps weakness during rehabilitation after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 573-579.	2.3	20
129	Relationship Between Physical Therapy Characteristics, Surgical Procedure, and Clinical Outcomes in Patients After ACL Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2019, 28, 171-179.	0.4	11
130	Comparison of patellar tendon versus hamstrings autografts for anterior cruciate ligament reconstruction in Indian population: A randomised control trial study. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2019, 10, 581-585.	0.6	7
131	No Relationship Between Preoperative and Early Postoperative Strength After ACL Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2020, 29, 583-587.	0.4	3
132	Prevalence of patellofemoral joint osteoarthritis after anterior cruciate ligament injury and associated risk factors: A systematic review. <i>Journal of Orthopaedic Translation</i> , 2020, 22, 14-25.	1.9	26
133	Athletes With Bone-Patellar Tendon-Bone Autograft for Anterior Cruciate Ligament Reconstruction Were Slower to Meet Rehabilitation Milestones and Return-to-Sport Criteria Than Athletes With Hamstring Tendon Autograft or Soft Tissue Allograft : Secondary Analysis From the ACL-SPORTS Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> . 2020. 50. 259-266.	1.7	42
134	Single leg aerobic capacity and strength in individuals with surgically repaired anterior cruciate ligaments. <i>Physical Therapy in Sport</i> , 2020, 46, 131-136.	0.8	2
135	Safer and Cheaper: An Enhanced Milestone-Based Return to Play Program After Anterior Cruciate Ligament Reconstruction in Young Athletes Is Cost-Effective Compared With Standard Time-Based Return to Play Criteria. <i>American Journal of Sports Medicine</i> , 2020, 48, 1100-1107.	1.9	9
136	The effect of meniscal repair on strength deficits 6 months after ACL reconstruction. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 751-760.	1.3	13
137	In situ cross-sectional area of the quadriceps tendon using preoperative magnetic resonance imaging significantly correlates with the intraoperative diameter of the quadriceps tendon autograft. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 742-749.	2.3	7
138	Fibroblasts From Common Anterior Cruciate Ligament Tendon Grafts Exhibit Different Biologic Responses to Mechanical Strain. <i>American Journal of Sports Medicine</i> , 2021, 49, 215-225.	1.9	2
139	Low knee-related quality of life and persistent physical asymmetries in participants up to 10 years post-ACL reconstruction – A cross-sectional study. <i>Physical Therapy in Sport</i> , 2021, 48, 35-42.	0.8	7
141	Time course of the effects of vibration on quadriceps function in individuals with anterior cruciate ligament reconstruction. <i>Journal of Electromyography and Kinesiology</i> , 2021, 56, 102508.	0.7	5
142	Higher Incidence of Radiographic Posttraumatic Osteoarthritis With Transtibial Femoral Tunnel Positioning Compared With Anteromedial Femoral Tunnel Positioning During Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2022, 50, 255-263.	1.9	15
143	Quadriceps Strength After Anterior Cruciate Ligament Reconstruction Compared With Uninjured Matched Controls: A Systematic Review and Meta-analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199153.	0.8	16
144	Reconstruction of the cranial cruciate ligament using a semitendinosus autograft in a lapine model. <i>Veterinary Surgery</i> , 2021, 50, 1326-1337.	0.5	4
145	L'optimisation du diamètre du greffon droit-interne demi-tendineux dans la reconstruction du ligament croisé antérieur: pourquoi et comment?. <i>Journal De Traumatologie Du Sport</i> , 2021, 38, 114-118.	0.1	0
146	Quadriceps Tendon Versus Hamstring Tendon Autografts for Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2022, 50, 3974-3986.	1.9	22

#	ARTICLE	IF	CITATIONS
147	Do Boneâ€“Patellar Tendonâ€“Bone ACL-Reconstructed Knees Have More Signs of Patellofemoral Posttraumatic Osteoarthritis Than Their Uninjured Contralateral Knees at 2 Years?. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712097305.	0.8	1
148	Outcome of boneâ€“patellar tendonâ€“bone vs hamstring tendon autograft for anterior cruciate ligament reconstruction. Medicine (United States), 2020, 99, e23476.	0.4	33
149	What's New in Sports Medicine. Journal of Bone and Joint Surgery - Series A, 2008, 90, 211-222.	1.4	2
150	Preservation of the Tibial Remnant in Anterior Cruciate Ligament Reconstruction May Improve Postoperative Proprioceptive Function. Orthopedics, 2020, 43, e231-e236.	0.5	12
151	Can we use peroneus longus in addition to hamstring tendons for anterior cruciate ligament reconstruction?. Advanced Biomedical Research, 2014, 3, 115.	0.2	32
152	Femoral positioning influences ipsi-and contralateral anterior cruciate ligament rupture following its reconstruction: Systematic review and meta-analysis. World Journal of Orthopedics, 2017, 8, 644.	0.8	4
153	Autografts Commonly Used in Anterior Cruciate Ligament Reconstruction. Journal of the American Academy of Orthopaedic Surgeons, The, 2011, 19, 259-264.	1.1	108
154	Anatomic Double-Bundle Anterior Cruciate Ligament Reconstruction Using an Outside-in Technique: Two- to Six-Year Clinical and Radiological Follow-up. Knee Surgery and Related Research, 2015, 27, 34-42.	1.8	6
155	Anterior Cruciate Ligament Reconstruction using Hamstring Tendon. Kitakanto Medical Journal, 2009, 59, 131-135.	0.0	0
156	Scientific Basis of Rehabilitation after Anterior Cruciate Ligament Autogenous Reconstruction. , 2010, , 268-305.		0
157	ACL Reconstruction: Chondroprotective Effects, Risks of Reinjury. , 2012, , 55-82.		0
158	Reducing the Risk of a Reinjury Following ACL Reconstruction: What Factors Should Be Used to Allow Unrestricted Return to Sports Activities?. , 2013, , 343-355.		1
159	Effects of Mentholated Gel on Quadriceps Activation Following Knee Surgery. Athletic Training & Sports Health Care, 2013, 5, 177-184.	0.4	0
162	Validity of Single Leg Hop Test in Comparison of Lysholm Score after ACL Reconstruction through Anteromedial Portal Technique by Using Hamstring Tendon. IOSR Journal of Dental and Medical Sciences, 2016, 15, 106-112.	0.0	0
163	Development of Arthrometry. , 2017, , 115-129.		0
164	Incidence of Knee Osteoarthritis after Anterior Cruciate Ligament Injury- A Systematic Review. IOSR Journal of Nursing and Health Science, 2017, 06, 46-56.	0.1	0
165	Update on Rehabilitation Protocol Following ACL Reconstruction. Medicina Moderna, 2018, 25, 117-123.	0.0	0
166	Early Postoperative Role of Blood Flow Restriction Therapy to Avoid Muscle Atrophy. , 2019, , 261-274.		1

#	ARTICLE	IF	CITATIONS
168	Outcomes of anterior cruciate ligament reconstruction. <i>Genij Ortopedii</i> , 2019, 25, 285-289.	0.1	0
169	Biomechanical Properties of Small-Size Hamstring Autografts. <i>Cureus</i> , 2020, 12, e8728.	0.2	1
170	Muscular Coordination of Single-Leg Hop Landing in Uninjured and Anterior Cruciate Ligament-Reconstructed Individuals. <i>Journal of Applied Biomechanics</i> , 2020, 36, 235-243.	0.3	6
171	Differences in Health-Related Quality of Life Among Patients After Knee Injury. <i>International Journal of Athletic Therapy and Training</i> , 2020, 25, 247-253.	0.1	2
172	Supervised Rehabilitation May Lead to Better Outcome than Home-Based Rehabilitation Up to 1 Year after Anterior Cruciate Ligament Reconstruction. <i>Medicina (Lithuania)</i> , 2021, 57, 19.	0.8	5
173	Rehabilitation for Patients Following ACL Reconstruction: A Knee Symmetry Model. <i>North American Journal of Sports Physical Therapy: NAJSPT</i> , 2009, 4, 2-12.	0.1	25
174	Complications of ACL Reconstruction. , 2022, , 107-118.		0
175	Predicting Quadruple Semitendinosus Graft Size for Anterior Cruciate Ligament Reconstruction by Patient Anthropometric Variables: A Cohort Study of 280 Cases. <i>Malaysian Orthopaedic Journal</i> , 2021, 15, 71-77.	0.2	5
176	Association Between Knee Moments During Stair Navigation and Participant-Related Factors in Individuals With Anterior Cruciate Ligament Reconstruction: A Cross-Sectional Study. <i>Journal of Sport Rehabilitation</i> , 2022, 31, 174-180.	0.4	3
177	Motor Imagery and Action Observation as Appropriate Strategies for Home-Based Rehabilitation: A Mini-Review Focusing on Improving Physical Function in Orthopedic Patients. <i>Frontiers in Psychology</i> , 2022, 13, 826476.	1.1	8
178	Preoperative quadriceps muscle strength deficit severity predicts knee function one year after anterior cruciate ligament reconstruction. <i>Scientific Reports</i> , 2022, 12, 5830.	1.6	7
179	Evidence for isokinetic and functional testing in return to sport decisions following <sc>ACL</sc> surgery. <i>PM and R</i> , 2022, 14, 678-690.	0.9	14
180	Anterior cruciate ligament reconstruction with hamstring tendon autograft. , 2022, , 708-717.		0
181	Mid-Term Outcomes of the All-Soft Quadriceps Tendon Autograft Are Noninferior to Hamstring Autograft in Primary Anterior Cruciate Ligament Reconstruction: Comparison With Minimum 5-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2023, 39, 1008-1013.	1.3	6
182	Long-term results after anterior cruciate ligament reconstruction using patellar tendon versus hamstring tendon autograft with a minimum follow-up of 10 years: a systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 4277-4289.	1.3	4
183	Reconstruction du ligament croisé antérieur par tendon quadricipital autologue. , 2023, , 207-211.e1.		0
184	Unilateral tests of lower-limb function as prognostic indicators of future knee-related outcomes following anterior cruciate ligament injury: a systematic review and meta-analysis of 13 150 adolescents and adults. <i>British Journal of Sports Medicine</i> , 2023, 57, 855-863.	3.1	6
185	Lesiones del ligamento cruzado anterior de la rodilla. <i>latreia</i> , 2009, 22, .	0.1	4

#	ARTICLE	IF	CITATIONS
186	The Evaluation of Asymmetry in Isokinetic and Electromyographic Activity (sEMG) of the Knee Flexor and Extensor Muscles in Football Players after ACL Rupture Reconstruction and in the Athletes following Mild Lower-Limb Injuries. Journal of Clinical Medicine, 2023, 12, 1144.	1.0	1
192	Blood Flow Restriction Training and Return to Play Following Knee Surgery. , 2023, , 1-16.		0