

CITATION REPORT

List of articles citing

An Examination of Linear Solvation Energy Relationships

DOI: 10.1002/9780470171929.ch6

Progress in Physical Organic Chemistry, 2007, , 485-630.

Source: <https://exaly.com/paper-pdf/42329177/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
409	Linear Solvation Energy Relationships. 18. Solvent Effects on the Electronic Absorption Spectrum of p-Nitrophenoxide Ion. 1982 , 55, 603-606		1
408	Statistical study of solvent effects. 1982 , 38, 1615-1618		20
407	Azirinyl and diazirinyl (chloride) ion pairs as intermediates. 1982 , 23, 2339-2342		15
406	Donor-Acceptor Interactions. the Donor and Acceptor Strengths of Solvents. 1983 , 42-92		
405	Electronic spectra and electrochemistry of disubstituted 2,2'-bipyridinetetracarbonylmolybdenum complexes. Solvent and substituent effects. 1984 , 277, 277-284		17
404	Poly(sulphopropylbetaines): 2. Dilute solution properties. 1984 , 25, 254-262		195
403	Etude de la reactivite de l'ion azoture vis-à-vis de cations heterocycliques-I. 1984 , 40, 3539-3548		16
402	The importance of steric bulk and acidity in solvolysis. The mechanism of solvolysis of 1-adamantyl bromide. 1984 , 25, 2859-2862		8
401	SOLUTE-SOLVENT INTERACTION IN PERFLUOROHEXANE. 1984 , 13, 379-382		3
400	Linear correlation analysis of ¹³ C chemical shifts, ¹³ C- ¹¹⁹ Sn coupling constants and solvatochromic parameters with trimethyl tin chloride. 1985 , 41, 581-583		1
399	Echelles spectroscopiques de basicité-Influence du milieu. 1985 , 41, 657-660		6
398	Solvatochromic, piezochromic and thermochromic behaviour of Mo(CO) ₄ (O) complexes. 1985 , 104, 115-118		12
397	Solvent influences on the infrared absorption and nuclear magnetic resonance spectra of 4,4-disubstituted-2,2'-bipyridinetetracarbonylmolybdenum complexes. 1985 , 282, 349-356		9
396	Solvent effects on the redox potentials of benzoquinone. 1985 , 190, 271-277		35
395	PHOTOPHYSICAL and PHOTOCHEMICAL PROPERTIES OF COUMARIN DYES IN AMPHIPHILIC MEDIA. 1985 , 42, 477-483		27
394	Linear solvation energy relationships. 33. An analysis of the factors that influence adsorption of organic compounds on activated carbon. 1985 , 23, 549-554		48
393	Some further remarks about the dual fluorescence of photoexcited N,N-dialkylanilines. 1985 , 122, 300-302		3

392	Correlaton of solvatochromic effects with retention in supercritical fluid chromatography. 1986 , 371, 83-92	11
391	A study on the excited states of liquid p-dioxane by means of picosecond pulse radiolysis. 1986 , 28, 251-257	
390	The Py Solvent Polarity Scale: Binary Solvent Mixtures Used in Reversed-Phase Liquid Chromatography. 1986 , 9, 2799-2808	21
389	Sodium Nitrophenolates as Model Compounds in Studies of Proton Transfer Complexes of Nitrophenols with Trialkylamines. 1986 , 19, 753-756	1
388	Picosecond solvation dynamics of coumarin 153: The importance of molecular aspects of solvation. 1987 , 86, 6221-6239	1061
387	Use of Adsorbents for Recovery of Acetic Acid from Aqueous Solutions Part I Factors Governing Capacity. 1987 , 16, 31-64	18
386	Basicity and Acidity of Azoles. 1987 , 187-274	161
385	Studies on the existence of a tautomeric equilibrium in solutions of the analytical reagent dithizone. 1987 , 6, 13-23	18
384	What determines the solvatochromism of metal-to-ligand charge transfer transitions? A demonstration involving 17 tungsten carbonyl complexes. 1987 , 321, 215-226	62
383	Poly(sulphopropylbetaines): 3. Bulk properties. 1987 , 28, 1937-1944	48
382	Asymmetric induction in mixed [2 + 2] photoadditions. Effect of solvent, alkene concentration and temperature. 1987 , 28, 2833-2836	29
381	Solvent properties of liquid organic salts used as mobile phases in microcolumn reversed-phase liquid chromatography. 1987 , 411, 61-79	100
380	Picosecond spectroscopy of polymethine dyes. 1988 , 173, 377-387	8
379	Solvent effects on the vibrational structure of the ultraviolet spectra of cyanoaromatics. The influence of electron donor-acceptor interactions□ 1,2-Dicyanobenzene. 1988 , 44, 157-164	3
378	A thermochemical comparison of silica with other homogeneous and heterogeneous acids. 1988 , 9, 27-64	14
377	A NMR study of solute-solvent interactions as a function of the nitrogen shielding of pyridine N-oxide. 1989 , 83, 351-357	4
376	Solvatochromic effects in the fluorescence of a few diamino aromatic compounds. 1989 , 46, 301-314	29
375	The energy of the twisted excited singlet state of tetraphenylethylene: Picosecond optically detected calorimetry. 1989 , 160, 564-569	18

374	Linear solvation energy relationship of the energy of the absorption maximum of the solvated electron with the solvatochromic parameter α . 1989 , 160, 3-5	1
373	Catalytic functionalisation of alkanes: evidence for attractive steric effects in reactions of rhodium carbenoids. 1989 , 57, 149-152	23
372	Physicochemical properties of 1,2-bis(F-alkyl)ethenes studied by CW-ESR. 1989 , 43, 1-14	3
371	Improvements of the Empirical π Solvent Polarity Scale. 1990 , 63, 2328-2338	20
370	Spectroscopy, photophysics and photochemistry of zerovalent transition metal π imine complexes. 1990 , 104, 39-112	163
369	Luminaactive polymetallic complexes. 1990 , 97, 249-260	7
368	Solvatochromism of non-polar complexes. 1990 , 97, 271-284	23
367	Introduction of generalized polarity and generalized proton donor parameters in the evaluation of microenvironments at micellar and liposomal surfaces. 1990 , 137, 253-262	12
366	(E)- und (Z)-Enole von π Ketocarbons π reamiden. 1990 , 123, 1403-1409	9
365	The application of perfluoroalkanes as solvents in spectral, photophysical and photochemical studies. 1990 , 51, 87-131	66
364	Solvatochromic hydrogen bond donor acidity of aqueous binary solvent mixtures for reversed-phase liquid. 1990 , 513, 107-116	66
363	Quantitative correlation of the parameters $\log k'w$ and β in the retention equation in reversed-phase high-performance liquid chromatographic and solvatochromic parameters. 1990 , 522, 49-55	24
362	Stoichiometry of the short-range solvation of diethylamine in proton transfer reactions with 2,4-dinitrophenol and solvation by ethers. 1990 , 237, 285-295	12
361	Study of preferential solvation in mixed binary solvents by ultraviolet-visible spectroscopy. 1990 , 86, 1785-1789	42
360	THE COLUMN IN LIQUID CHROMATOGRAPHY. 1991 , 311-544	3
359	Effect of non-electrolyte properties on the enthalpic interaction coefficients for NaCl/NaI non-electrolyte pairs in water. Dissolution enthalpies of NaCl and NaI in aqueous solutions of butan-2-one and 1,2-dimethoxyethane at 25 °C. 1991 , 87, 3661-3666	62
358	Influence of non-ionic polymers on solvent properties of water as detected by studies of acid-base equilibria of sulphonephthalein and fluorescein dyes. 1991 , 87, 931-938	23
357	Preferential solvation in mixed binary solvents by ultraviolet-visible spectroscopy: N-ethyl-4-cyanopyridinium iodide in alcohol-acetone mixtures. 1991 , 87, 587-589	52

356	Cyclization of 4-Hydroxy-4-methyl-1-pentylp-Toluenesulfonate as a Model to Evaluate Inherent Medium Effect on SN2 Solvolysis. 1991 , 20, 2065-2068	1
355	Estimation of Angles between the Ground- and Excited-State Dipole Moments from Solvent Spectral Frequency Shifts. 1991 , 64, 3224-3228	8
354	Unexpected bathochromic shifts in the visible absorption spectra of arylazo dyes containing the ortho-N-pyridinium-nitro substituent combination. c. 1991 , 17, 227-240	8
353	Solvent effects on nitrogen NMR shieldings in azines. 1991 , 91, 289-300	12
352	Femtosecond time-resolved coherent anti-Stokes Raman scattering from acetonitrile: solvent effects on the vibrational dephasing of the C≡N stretching band. 1991 , 185, 56-60	21
351	Solvent effects on the ¹³ C NMR parameters (δ ¹³ C chemical shifts and ¹ H- ¹³ C coupling constants) of 1-methylpyrazole and 1-methylimidazole. 1991 , 47, 785-790	11
350	Fluorescent PET (photoinduced electron transfer) indicators for solvent polarity with quasi-step functional response. 1991 , 32, 425-428	43
349	Overview Lecture The Lewis acid-base concepts: recent results and prospects for the future. 1991 , 5, 1-21	24
348	References. 1992 , 1153-1478	
347	Towards a solvent acidity scale: the calorimetry of the N-methyl imidazole probe. 1992 , 1181-1185	21
346	Preferential solvation in mixed binary solvents: ultraviolet-visible spectroscopy of N-alkylpyridinium iodides in mixed solvents containing cyclic ethers. 1992 , 88, 1675-1678	51
345	Model solvent systems for QSAR. Part 2. Fragment values (E-values) for the "critical quartet" 1992 , 723-731	49
344	Chapter 1 Theory of chromatography. 1992 , 51, A1-A68	7
343	Model solvent systems for QSAR. Part 3. An LSER analysis of the "critical quartet." New light on hydrogen bond strength and directionality. 1992 , 705-722	61
342	Solvatochromism in Mössbauer spectroscopy. Effects of solvents on structure and electronic structure of iron and tin compounds. 1992 , 196, 49-56	2
341	Cyclic diethers and short-range solvation: a bifurcated hydrogen-bond model for ether-imine bonding. 1992 , 270, 187-196	8
340	Solvatochromic hydrogen bond donor acidity of cyclodextrins and reversed-phase liquid chromatographic retention of small molecules on a cyclodextrin-bonded silica stationary phase. 1992 , 595, 45-52	17
339	Correlation of the eluting strengths of solvents in adsorption chromatography with solvatochromic parameters. 1992 , 627, 37-41	3

338	Solvent effects on nitrogen NMR shieldings of 1,2,4-triazine. 1992 , 98, 109-114	2
337	Quantitative determination of the total local polarity (charge separation) in molecules. 1992 , 76, 609-617	103
336	Correlations between molecular electrostatic potentials and some experimentally-based indices of reactivity. 1992 , 256, 29-45	103
335	Secondary solvent effects on the CD bands of thioamides. 1992 , 48, 87-93	10
334	Anesthetic-membrane interactions evaluated by taft's polarity parameters. 1992 , 154, 17-23	2
333	Interpretation of the influence of temperature on the solvation properties of gas chromatographic stationary phases using Abraham's solvation parameter model. 1993 , 282, 1-17	46
332	Linear solvation energy relationships in reversed-phase liquid chromatography. Prediction of retention from a single solvent and a single solute parameter. 1993 , 274, 147-162	73
331	Resorufin as a probe for the dynamics of solvation by hydrogen bonding. 1993 , 208, 315-320	43
330	Studies on the response of potentiometric sensors and the characterization of reactive impurities in propylene carbonate and gamma-butyrolactone as solvents. 1993 , 5, 765-774	6
329	Photoisomerization dynamics of stilbenes in polar solvents. 1993 , 57, 127-148	47
328	Drastic changes in the fluorescence properties of NBD probes with the polarity of the medium: involvement of a TICT state?. 1993 , 70, 229-243	166
327	Accurate determination of log k'_w in reversed-phase liquid chromatography. Implications for quantitative structure-retention relationships. 1993 , 631, 63-78	95
326	Electronic spectroscopic investigations of the stationary phase in reversed-phase liquid chromatography. 1993 , 656, 197-215	66
325	INFLUENCE OF AN SiO ₂ /CYCLOHEXANE INTERFACE ON THE PHOTOCHEMISTRY OF ANTHRACENE. 1993 , 57, 453-459	24
324	The effect of acceptor group variation on the solvatochromism of donor-acceptor fluorophores. 1993 , 58, 785-94	10
323	Amine catalyzed intramolecular imidization of alkyl and aryl phthalamates. Kinetics and mechanism in deuteriated chloroform. 1993 , 2329-2335	7
322	Theoretical investigation of the structure and spectra of donor-acceptor azobenzenes. 1993 , 89, 1671-1675	25
321	Electrophilic Bromination of Carbon-Carbon Double Bonds: Structure, Solvent and Mechanism. 1993 , 28, 207-291	46

320	Influence of the polarity of the medium on the electronic structure and energetics of molecules in solutions. 1993 , 62, 625-636	4
319	Dielectric Aspects of Dipolar Solvation at the Glass Transition. 1994 , 333-358	7
318	Linear description of solute retention in reversed-phase liquid chromatography by a new mobile phase polarity parameter. 1994 , 299, 219-229	66
317	Medium control in a competitive hydrogen bonding system. 1994 , 50, 891-896	2
316	Limitation of the ET(30) solvent strength scale in reversed-phase liquid chromatography. 1994 , 677, 1-9	13
315	Short range solvation of proton transfer complexes by 2,2-dimethyl-1,3-dioxane and trioxane. 1994 , 322, 321-327	6
314	Short range solvation of phenols in proton transfer complexes: occurrence of solvation by proton donors. 1994 , 322, 329-336	4
313	Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls. 1994 , 471, 157-160	5
312	Theoretical studies on the electronic structure and spectra of the merocyanines. 1994 , 304, 191-202	26
311	The relation of solvatochromism and thermochromism to the solvent dielectric constant: The basis of the ET and E'T polarity scales. 1994 , 98, 619-625	28
310	Comparing organized media types using fluorescence probe characterization methods. 1995 , 307, 419-430	8
309	Solvatochromic studies of the surface polarity of silica under normal-phase conditions. 1995 , 312, 127-139	13
308	Numerical simulation of crude oil behaviour from chromatographic data. 1995 , 317, 107-125	12
307	Reversed-phase high-performance liquid chromatography using enhanced-fluidity mobile phases. 1995 , 691, 151-162	40
306	Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl-metal complexes of chromium, molybdenum and tungsten. 1995 , 486, 115-121	12
305	Solvatochromism of stilbazolium merocyanine-type dyes containing a benzoquinolizinium ring. 1995 , 29, 263-273	11
304	Prediction of LC retention of steroids using solvatochromic parameters. 1995 , 41, 573-580	35
303	Linear Solvation Energy Relationships in Reversed-Phase Liquid Chromatography. Prediction of Retention of Several Quinolones. 1995 , 18, 3445-3463	13

302	Chapter 2 Retention prediction of pharmaceutical compounds. 1995 , 57, 47-92	4
301	Determination of Solvent Basicity Scale, β of Mixed Solvents for Three Chromatographic Solvent Systems: 2-Propanol/Hexane, Ethyl Acetate/Hexane, and Methanol/Water. 1996 , 19, 277-291	8
300	The Use of Electrostatic Potential Fields in QSAR and QSPR. 1996 , 143-179	10
299	Molecular electrostatic potentials and fields: hydrogen bonding, recognition, reactivity and modelling. 1996 , 257-296	26
298	Solvent Effect on Donor-Acceptor Complexes of 2,4-Dinitrophenol: A Reappraisal. 1996 , 29, 565-582	
297	Solvatochromism in Pure Solvents: Effects of the Molecular Structure of the Probe. 1996 , 100, 648-655	48
296	Solvent effects on aromatic nucleophilic substitutions. Part 6. Kinetics of the reaction of 1-chloro-2,4-dinitrobenzene with piperidine in binary solvent mixtures. 1996 , 9, 459-470	12
295	Conformational flexibility in coenzyme B12: A nuclear magnetic resonance and molecular mechanics study. 1996 , 15, 2187-2197	27
294	Solvatochromic parameter values and pH in aqueous-organic mixtures used in liquid chromatography Prediction of retention of a series of quinolones. 1996 , 719, 27-36	65
293	Solvatochromic parameter values and pH in acetonitrile-water mixtures. Optimization of mobile phase for the separation of peptides by high-performance liquid chromatography. 1996 , 725, 249-60	51
292	Ultraviolet resonance Raman studies of hemoglobin quaternary structure using a tyrosine-42 mutant: changes in the $\alpha\beta$ subunit interface upon the T-IR transition. 1996 , 379, 65-75	23
291	Short range solvation by cyclic thioethers. 1996 , 381, 101-105	2
290	The influence of solvent dynamics on the lifetime of solute-solvent hydrogen bonds. 1996 , 104, 7382-7394	43
289	Crude oils: modelling from chromatographic data a new tool for classification. 1997 , 76, 85-91	8
288	Solvatochromism in Alcohol-Water Mixtures: Effects of the Molecular Structure of the Probe. 1997 , 101, 105-113	21
287	Solvatochromic effects in the absorption and fluorescence spectra of indazole and its amino derivatives. 1997 , 110, 257-266	21
286	Spectroscopic and thermodynamic properties of hydrogen bonded water molecules in binary liquid mixtures. 1997 , 53, 299-315	16
285	Statistical mechanical treatment of reactive solvent extraction. 1997 , 220, 53-61	

284	Linear solvation energy relationships in normal phase liquid chromatography based on retention data on silica in 2-propanol/hexane eluents. 1997 , 342, 51-57	21
283	Characterization of various reversed-phase columns using the linear free energy relationship. 1998 , 818, 1-17	78
282	Recommendations for the determination of selectivity in micellar electrokinetic chromatography. 1998 , 798, 207-222	123
281	Thermochemistry of dissolution of aniline in mixtures of water with methanol and tert-butyl alcohol. 1998 , 47, 2391-2398	4
280	Correlation of thione-to-thiol rearrangement rates of xanthates with solvent scales. Analysis of the reaction behavior by the Kamlet-Taft parameters, π , δ and μ . 1998 , 54, 8009-8014	11
279	Photoluminescence of 2-aminofluorene: a relook. 1998 , 470, 301-311	15
278	The enthalpic interaction of Alanine with alkali metal halides in water at 298.15K. 1998 , 319, 11-15	14
277	Spectroscopic Studies of Indigo Carmine Dye in Organized Media. 1998 , 52, 1305-1313	25
276	Ultraviolet resonance Raman study of drug binding in dihydrofolate reductase, gyrase, and catechol O-methyltransferase. 1998 , 75, 1097-106	27
275	The application of factor analysis to solvatochromic parameters and pHs values for the standardization of potentiometric sensors in mobile phases used in liquid chromatography. 1999 , 18, 543-549	43
274	Classification of stationary phases and other materials by gas chromatography. 1999 , 842, 79-114	308
273	Fractionation and characterization of a crude peptide mixture from the synthesis of eledoisin by liquid chromatography-electrospray ionization mass spectrometry. 1999 , 846, 25-38	14
272	Solvent polarity scale on the fluorescence spectra of a dansyl monomer copolymerizable in aqueous media. 1999 , 307, 55-61	74
271	Haloacetylated Compounds: Solvent Effects on the ^{17}O Nmr Chemical Shifts of 1,1,1-Trichloro-4-Methoxy-3-Alken-2-Ones. 1999 , 32, 973-981	6
270	Novel classification to predict relative gas chromatographic retention times and n-octanol/water partition coefficients of polychlorinated biphenyls. 1999 , 39, 893-903	14
269	Solvolysis of Styryliodonium Salt: Products, Rates, and Mechanisms. 1999 , 72, 163-170	14
268	Liquid chromatography-electrospray mass spectrometry of multicomponent peptide mixtures. Characterization of a mixture from the synthesis of the hormone goserelin. 2000 , 889, 119-33	13
267	Characterization of reversed-phase columns using the linear free energy relationship. III. Effect of the organic modifier and the mobile phase composition. 2000 , 893, 215-34	61

266	Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups. 2000 , 904, 211-42	14
265	Modelling retention in liquid chromatography as a function of solvent composition and pH of the mobile phase. 2000 , 869, 27-39	52
264	Separation and characterization of multicomponent peptide mixtures by liquid chromatography-electrospray ionization mass spectrometry. Application to crude products of the synthesis of leuprolide. 2000 , 870, 315-34	16
263	Additivity of substituent effects on the visible absorption spectra of some heteroarylazo compounds: the influence of solvent. 2000 , 47, 23-31	8
262	Triplet state solvation dynamics: Basics and applications. 2000 , 113, 8404-8429	109
261	Bibliography. 2000 , 524-667	
260	Principles and Applications of Solvatochromism. 2001 , 55, 362A-370A	96
259	MOLECULAR STRUCTURE OF HETEROCYCLES. V. SOLVENT EFFECTS ON THE ¹⁷ O NMR CHEMICAL SHIFTS OF 5-TRICHLOROMETHYL-5-HYDROXY-4, 5-DIHYDROISOXAZOLES 2001 , 34, 375-385	2
258	Linear solvation energy relationship parameters of some pure liquid organic compounds from solvatochromic investigations. 2001 , 186, 123-149	8
257	Adsorption of acetic acid on ion-exchange resins in non-aqueous conditions. 2001 , 47, 23-35	72
256	Solvent effects on oxygen-17 chemical shifts in methyl formate: linear solvation shift relationships. 2001 , 148, 1-10	7
255	Application of novel atom-type AI topological indices to QSPR studies of alkanes. 2002 , 26, 357-69	31
254	Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography. 2002 , 960, 69-83	30
253	Physicochemical properties of quinolone antibiotics in various environments. 2002 , 37, 443-60	129
252	Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities. 2002 , 464, 273-287	98
251	Characterization of metallothionein isoforms from rabbit liver by liquid chromatography coupled to electrospray mass spectrometry. 2003 , 796, 379-93	13
250	Temperature and solvent effects on the photodynamics of 1?-hydroxy-2?-acetonaphthone. 2003 , 381, 759-765	14
249	Enthalpic pair-interaction coefficients of benzene, aniline and nitrobenzene with N,N-dimethylformamide and acetonitrile in water at 298.15 K. 2003 , 398, 9-14	22

248	Solvent effects on the ¹⁷ O NMR chemical shifts of 4-dimethylsulfoximide-1,1,1-trifluoro-3-alken-2-ones. 2003 , 121, 135-139	5
247	Determination of the pK _a of hydroxy-benzophenones in ethanol/water mixtures. Solvent effects. 2003 , 626, 167-178	32
246	Solvent effects on infrared spectra of 2-acetylthiophene in organic solvents. 2003 , 59, 471-5	25
245	Characterization and structural study of the complex of Al(III) with 2,4-dihydroxy-benzophenone. Ionic strength and solvent effects. 2003 , 59, 2685-96	11
244	Studies of solvation in homogeneous and heterogeneous media by electronic spectroscopic method. 2003 , 59, 2921-33	34
243	UV solvatochromic shifts of 4-hydroxy-benzophenone and 2,4-dihydroxy-benzophenone in ethanol-acetonitrile mixtures. 2003 , 59, 2985-95	22
242	Evaluation of Octadecene/Polybutadiene-Coated Zirconia Stationary Phase Based on Linear Solvation Energy Relationships. 2003 , 26, 723-736	7
241	Thermo-solvatochromism of zwitterionic probes in aqueous alcohols: effects of the properties of the probe and the alcohol. 2003 , 5, 5378-5385	23
240	Solvatochromism. 2003 , 351-365	6
239	Prediction of torsade-causing potential of drugs by support vector machine approach. 2004 , 79, 170-7	63
238	Physicochemical properties of enhanced-fluidity liquid solvents. 2004 , 1037, 405-10	29
237	Solvents effect on infrared spectra of trimethyl phosphate in organic solvents. 2004 , 36, 129-133	15
236	Theoretical solvent effects on ¹³ C NMR shielding of some aromatic hydrocarbons. Linear regression analysis. 2004 , 709, 171-181	5
235	Substituent and solvent effects on electronic absorption spectra of some N-(substitutedphenyl)benzene sulphonamides. 2004 , 60, 1225-8	10
234	Solvent effects on infrared spectra of methyl 4-hydroxybenzoate in pure organic solvents and in ethanol/CCL ₄ binary solvents. 2004 , 60, 1453-7	16
233	Chromatographic and spectroscopic methods for the determination of solvent properties of room temperature ionic liquids. 2004 , 1037, 49-82	557
232	Substituent and solvent effects on the UV/Vis absorption spectra of 5-(4-substituted arylazo)-6-hydroxy-4-methyl-3-cyano-2-pyridones. 2004 , 397, 148-153	58
231	Solvatochromism of 3-[2-(4-diphenylaminophenyl)benzoxazol-5-yl]alanine methyl ester. A new fluorescence probe. 2005 , 61, 1133-40	27

230	Determination of the overlapping pK(a) values of chrysin using UV-vis spectroscopy and ab initio methods. 2005 , 62, 657-65	15
229	Photophysics of 1-hydroxy- and 1-methoxy-9-fluorenone. 2005 , 169, 299-307	17
228	Solvatochromism of 3-[2-(aryl)benzoxazol-5-yl]alanine derivatives. 2005 , 170, 215-223	14
227	NMR techniques for the investigation of solvation phenomena and non-covalent interactions. 2005 , 47, 41-93	98
226	Absorption, fluorescence, and semiempirical ASED-MO studies on a typical Brooker's merocyanine dye. 2005 , 754, 16-24	30
225	Solvents effect on infrared spectra of 1,3-indanedione in organic solvents. 2005 , 39, 214-219	31
224	Nucleophilic substitution of chlorobis(4-methoxyphenyl)methane: reactivity of carbenium ions in ILs-trifluoroethanol mixtures. 2005 , 46, 6675-6678	12
223	Calculation of ionization constants of methylamines in aqueous solution. 2005 , 722, 197-202	2
222	Modelling retention in liquid chromatography of polyphenolic acids: Prediction of solvent composition and pH of the mobile phase. 2005 , 537, 53-61	24
221	Evidence for the TICT mediated nonradiative deexcitation process for the excited coumarin-1 dye in high polarity protic solvents. 2005 , 315, 277-285	63
220	System constants of synthesized poly(methyl-3,3,3-trifluoropropyl) siloxanes. 2005 , 1100, 208-17	17
219	Calculation of acidity constants of pyridines in aqueous solution. 2005 , 403, 400-404	3
218	Effect of protic solvents on twisted intramolecular charge transfer state formation in coumarin-152 and coumarin-481 dyes. 2005 , 414, 148-154	61
217	Optical properties of Ru(bipy) ₂ (dppx) ₂ ⁺ in different environments. 2005 , 10, 904-908	
216	The Anthracen-9-ylmethoxy unit: an underperforming motif within the fluorescent PET (photoinduced electron transfer) sensing framework. 2005 , 15, 769-75	35
215	Die Charakteristika der Optimierung in einzelnen HPLC-Modi. 2006 , 155-528	
214	Water Vibrational Bands as a Polarity Indicator in Ionic Liquids. 2006 , 220, 1361-1376	25
213	The Static Dielectric Constant of Ionic Liquids. 2006 , 220, 1395-1405	154

212	Preferential Solvation Effects on the Kinetics and Thermodynamics of Oxidation of Anilines by Chromium(VI). 2006 , 220, 697-721	9
211	Study of microheterogeneous structure of non-aqueous mixed solvents by non-linear dielectric and viscometric methods. 2006 , 51, 2346-2350	5
210	Application of the solvation parameter model to poly(methylcyanopropylsiloxane) stationary phases. 2006 , 1122, 230-41	14
209	Substituent and solvent effects on the UV/vis absorption spectra of 5-(3- and 4-substituted arylazo)-4,6-dimethyl-3-cyano-2-pyridones. 2006 , 418, 223-229	39
208	Anomaly of the basicity of water in mixed solvents. 2006 , 129, 49-56	7
207	Origin of the strong effect of protic solvents on the emission spectra, quantum yield of fluorescence and fluorescence lifetime of 4-aminophthalimide. 2006 , 184, 250-264	84
206	Spectral and photophysical properties of thioxanthone in protic and aprotic solvents: the role of hydrogen bonds in S1-thioxanthone deactivation. 2006 , 7, 597-606	34
205	FTIR Study of Molecular Interaction in Butyl Methacrylate/Organic Solvents Mixtures. 2006 , 220, 739-748	10
204	Characterization of High-Pressure Liquid Chromatography Columns using Chromatographic Methods. 2006 , 39, 2095-2152	15
203	Solubility of Structurally Complicated Materials: II. Bone. 2006 , 35, 1653-1668	19
202	A linear solvation energy relationship study for the reactivity of 2-substituted cyclohex-1-enecarboxylic and 2-substituted benzoic acids with diazodiphenylmethane in aprotic and protic solvents. 2007 , 72, 1217-1227	8
201	Investigation of the reactivity of 4-pyrimidinecarboxylic, 6-hydroxy-4-pyrimidinecarboxylic and 5-hydroxyorotic acids with diazodiphenylmethane in various alcohols: Part III. 2007 , 72, 205-214	2
200	Inter-Phase Bonding in Poly(hydroxyamide)-silica Hybrids: Effect of Isocyanato-propyltriethoxysilane Addition on the Structure and Properties. 2007 , 44, 79-90	11
199	Generalization of the effects of solvent/polymer interactions with linear multiparameter equations. 2007 , 106, 3417-3422	1
198	Reactions of ethyl triphenylphosphoranylideneacetate with fluorinated α -ketoaldehyde derivatives. 2007 , 63, 7246-7255	9
197	Solvent effects on ^{13}C and ^1H NMR shielding of cyclic ketones: An experimental and theoretical study. 2007 , 811, 203-213	4
196	Theoretical investigation of the enhanced solubility of perfluorobenzene in the supercritical carbon dioxide as a function of temperature and density by Monte Carlo simulation. 2007 , 444, 48-55	5
195	Bischromophoric styrylpyridinium dyes. Spectroscopic properties of 1,3-bis-[4-(p-N,N-dialkylaminostyryl)pyridinyl]propane dibromides. 2007 , 67, 306-15	11

194	Substituent and solvent effects on electronic spectra of some substituted phenoxyacetic acids. 2007 , 67, 479-82	5
193	Kinetics of the rearrangement of the solvation shell of an excited fluorescent probe 4?-dimethylaminochalcone. 2007 , 52, 8-12	1
192	Comparative study of benzene, chlorobenzene, and aniline solvation by alcohol-alcohol and alcohol-alkane mixtures. 2007 , 77, 1708-1714	2
191	Solvent Effects on the Structure-Activity Relationship of Pharmacological Active 3-Substituted-5,5-Diphenylhydantoins. 2007 , 36, 869-878	10
190	Brønsted Acids in Ionic Liquids: Fundamentals, Organic Reactions, and Comparisons. 2007 , 138, 1077-1101	86
189	Cellulose swelling by protic solvents: which properties of the biopolymer and the solvent matter?. 2008 , 15, 371-392	54
188	Solvent Effect on the Absorption and Fluorescence Emission Spectra of Some Purine Derivatives: Spectrofluorometric Quantitative Studies. 2008 , 37, 895-917	19
187	Predictions of the EC50 for action potential block for aliphatic solutes. 2008 , 221, 73-85	5
186	Study of solubility of indicator dyes in aqueous solution of pure and binary mixed surfactants. Aggregation and microenvironmental properties of homo and hetero-micelles of triton X 100 and sodium dodecyl sulphate. 2008 , 139, 104-109	4
185	Quantitative structure-retention (property) relationships in micellar electrokinetic chromatography. 2008 , 1182, 1-24	54
184	Cation effects in the separation of calix[4]pyrroles by nonaqueous capillary electrophoresis with tetraalkylammonium chloride salts as background electrolytes. 2008 , 1192, 180-6	5
183	Study of solute-solvent and solvent-solvent interactions in pure and mixed binary solvents. 2008 , 137, 131-137	104
182	Solvent effect on the reactivity of trichloromethylperoxy radicals. 2008 , 78, 439-441	
181	The study of linear solvation energy relationship for the reactivity of carboxylic acids with diazodiphenylmethane in protic and aprotic solvents. 2009 , 74, 1335-1357	6
180	Synthesis, structure and solvatochromism of 5-methyl-5-(3-or 4-substituted phenyl)hydantoins. 2009 , 74, 1195-1205	8
179	Effects of solvent and structure on the reactivity of 6-substituted nicotinic acids with diazodiphenylmethane in aprotic solvents. 2009 , 74, 1359-1370	1
178	Solvent Effects on the Structure-Activity Relationship of Phenytoin-like Anticonvulsant Drugs. 2009 , 38, 199-208	10
177	Solubility and fluorescence lifetime of 2,5-diphenyloxazole and 1,4-bis(5-phenyl-oxazolyl-2)benzene in water-ethanol and water-acetone solvent systems. 2009 , 145, 167-172	11

176	Solvent effects on the absorption and emission of [Re(R2bpy)(CO)3X] complexes and their sensitivity to CO2 in solution. 2009 , 204, 174-182	29
175	Effect of solvent hydrogen bonding on the photophysical properties of intramolecular charge transfer probe trans-ethyl p-(dimethylamino) cinamate and its derivative. 2009 , 73, 630-6	16
174	Retention models for isocratic and gradient elution in reversed-phase liquid chromatography. 2009 , 1216, 1737-55	114
173	Determination of solute descriptors by chromatographic methods. 2009 , 652, 32-53	187
172	Optical spectroscopy and ionic liquids. 2010 , 290, 285-310	16
171	Chemometrics in QSAR. 2009 , 129-172	27
170	Bibliography. 2009 , 1-241	1
169	Comparison of solvation ability and viscosity effects of solvents on Diels-Alder reaction. 2010 , 80, 1786-1791	2
168	Oxygen-17 NMR spectroscopy: basic principles and applications (part I). 2010 , 56, 95-197	93
167	Probing the dependence of the properties of cellulose acetates and their films on the degree of biopolymer substitution: use of solvatochromic indicators and thermal analysis. 2010 , 17, 937-951	17
166	References. 2010 , 587-673	
165	Solvatochromic behaviours and structure-spectra relationships of 4-carboxyl-2,6-dinitrophenylazohydroxynaphthalenes. 2010 , 75, 719-27	19
164	Synthesis, characterization and spectroscopic investigation of a novel phenylhydrazone Schiff base with solvatochromism. 2010 , 75, 753-9	8
163	Substituent and solvent effects on the photo-physical properties of some coumarin dyes. 2010 , 77, 337-41	30
162	Anisotropic media effect on the dipole moment of some coumarin dyes. 2010 , 77, 767-72	23
161	Isotropic and anisotropic environment effects on the UV/vis absorption spectra of three disperse azo dyes. 2010 , 154, 94-101	33
160	Studies on the kinetics of tripropylammonium fluorochromate oxidation of some aromatic alcohols in non-aqueous media. 2010 , 155, 85-90	16
159	Absorption and fluorescence spectra of hypericin sodium salt in complexes with albumins. 2010 , 55, 188-193	1

- 158 Synthesis, structure and solvatochromic properties of 5-(3- and 4-substituted phenylazo)-4,6-diphenyl-3-cyano-2-pyridones. **2010**, 75, 1019-1032 6
- 157 Influence of substituents on the nitrogen atom of 3-[2-(4-aminophenyl)benzoxazol-5-yl]alanine derivatives on their photophysical properties--solvatochromic studies. **2011**, 10, 1610-21 10
- 156 Special Features and Regularities of Interaction Between Fullerene Molecules and Aromatic Solvents. **2011**, 53-74
- 155 Studies on the Kinetics of Tetraethylammonium Bromochromate Oxidation of Some Meta- and Para-Substituted Benzyl Alcohols in Non-Aqueous Media. **2011**, 225, 249-263 7
- 154 Effect of solvent on absorption and fluorescence spectra of a typical fluorinated azo dye for its acidic and basic structures. **2011**, 82, 253-9 7
- 153 Electronic spectra and photophysics of the Ecaboline (1-azacarbazole) monomer. **2011**, 84, 130-6 3
- 152 Solvatochromism effects on the dipole moments and photo-physical behavior of some azo sulfonamide dyes. **2012**, 85, 105-10 4
- 151 Inhomogeneous broadening of electronic spectra at liquid interfaces. **2011**, 515, 56-61 6
- 150 The influence of medium on optical rotation of propylene oxide and polypropylene oxide. **2011**, 85, 983-986 3
- 149 Solvent effect profiles of absorbance and fluorescence spectra of some indole based chalcones. **2011**, 21, 2213-27 20
- 148 Solvent Effects on the Structure-Property Relationship of Some Potentially Pharmacologically Active 3-(4-Substituted Benzyl)-5-Ethyl-5-Phenyl- and 3-(4-Substituted Benzyl)-5,5-Diphenylhydantoins. **2011**, 40, 307-319 4
- 147 Solvatochromism and Preferential Solvation of 4-Pentacyanoferrate 4?-Aryl Substituted Bipyridinium Complexes in Binary Mixtures of Hydroxylic and Non-hydroxylic Solvents. **2011**, 40, 1108-1125 23
- 146 Substituent and solvent effects on the dipole moments and photophysical properties of two azo sulfonamide dyes. **2011**, 996, 95-100 20
- 145 Solvatochromaticity and pH dependence of the electronic absorption spectra of some purines and pyrimidines and their metal complexes. **2011**, 79, 538-47 9
- 144 Computational (solute-solvent cluster + PCM) study of medium effects on the experimental ¹³C and ¹H NMR chemical shifts of lactones and lactams. **2011**, 24, 1209-1221 3
- 143 Influence of hydrogen bonds and nonspecific interactions on the spectral and photophysical properties of the excited singlet states of 4-aminophthalimide in amine solution. **2011**, 12, 322-32 17
- 142 Extraction equilibria of picolinic acid from aqueous solution by tridodecylamine (TDA). **2011**, 268, 134-140 32
- 141 Effect of anisotropic and isotropic solvent on the dipole moment of coumarin dyes. **2011**, 78, 961-6 24

140	Intramolecular and intermolecular hydrogen-bonding effects on the dipole moments and photophysical properties of some anthraquinone dyes. 2011 , 79, 74-81	24
139	Solvent effect on the spectral properties of dipolar laser dyes: Evaluation of ground and excited state dipole moments. 2012 , 3, 163-171	12
138	Long-living structures of photochromic salicylaldehyde azine: polarity and viscosity effects from nanoseconds to hours. 2012 , 11, 1389-400	15
137	Solvent and Structural Effects on the UV-Vis Absorption Spectra of Some 4,6-Disubstituted-3-Cyano-2-Pyridones. 2012 , 41, 1825-1835	13
136	Fluorescence behavior of ethidium bromide in homogeneous solvents and in presence of bile acid hosts. 2012 , 244, 9-17	17
135	Solvent effects on self-assembly and superstructures of amide dendrons. 2012 , 20, 954-959	4
134	Synthesis, structure and solvatochromic properties of some novel 5-aryloxy-6-hydroxy-4-phenyl-3-cyano-2-pyridone dyes. 2012 , 6, 71	19
133	Study of the solvent effects on the molecular structure and CO stretching vibrations of flurbiprofen. 2012 , 98, 122-31	14
132	The first solvation shell of Reichardt's dye in ionic liquids: a semiempirical study. 2012 , 131, 1	11
131	Investigation of contrasting hydrogen bonding pattern of 3-(phenylamino)-cyclohexen-1-one with solvents in the ground and excited states. 2012 , 397, 65-73	16
130	Probing microcluster formation between PACO and solvents containing oxygen donor sites mediated by the N-H...O Bond. 2012 , 402, 96-104	4
129	Anisotropic and isotropic solvent effects on the dipole moment and photophysical properties of rhodamine dyes. 2012 , 132, 931-937	44
128	On the photophysicochemical properties of selected fluoroquinolones: solvatochromic and fluorescence spectroscopy study. 2013 , 23, 93-101	13
127	How many molecular layers of polar solvent molecules control chemistry? The concept of compensating dipoles. 2013 , 19, 13511-21	9
126	Solvent and Structural Effects on the Activation Parameters of the Reaction of Carboxylic Acids with Diazodiphenylmethane. 2013 , 45, 256-265	4
125	Perichromism: a powerful tool for probing the properties of cellulose and its derivatives. 2013 , 93, 129-34	11
124	Specific solvent effect on lumazine photophysics: A combined fluorescence and intrinsic reaction coordinate analysis. 2013 , 421, 22-31	11
123	Optical sensor arrays for chemical sensing: the optoelectronic nose. 2013 , 42, 8649-82	595

122	Estimation of the environmental properties of compounds from chromatographic measurements and the solvation parameter model. 2013 , 1317, 85-104		120
121	The Scope and Limitations of LSER in the Study of Tautomer Ratio. 2013 , 277-304		
120	Photochromic cycle of 2'-hydroxyacetophenone azine studied by absorption and emission spectroscopy in different solvents. 2013 , 139, 104305		1
119	17 O NMR studies of boronic acids and their derivatives. 2013 , 37, 1056		17
118	Substituent and solvent effects on the spectroscopic properties and dipole moments of hydroxyl benzaldehyde azo dye and related Schiff bases. 2013 , 180, 225-234		44
117	Dicyanostilbene-based two-photon thermo-solvatochromic fluorescence probes with large two-photon absorption cross sections: Detection of solvent polarities, viscosities, and temperature. 2013 , 182, 521-529		26
116	Solvatochromic shift studies in LD-425 and LD-423: Estimation of ground and excited state dipole moments. 2013 , 181, 82-88		9
115	Ibuprofen solubility in pure organic solvents and aqueous mixtures of cosolvents: Interactions and thermodynamic parameters relating to the solvation process. 2013 , 354, 185-190		61
114	Photochemistry and excited state prototropic behaviour of 8-amino 2-naphthol. 2013 , 109, 164-72		5
113	Photophysical properties of 3-[2-(N-phenylcarbazolyl)benzoxazol-5-yl]alanine derivatives--experimental and theoretical studies. 2013 , 12, 284-97		16
112	Solvent effect on characteristic vibration of IR spectrum of 4,4'-dibromodiphenyl ether. 2014 , 30, 997-1004		3
111	The Effects of Organic Solvents on the Frequency of C=O Stretching Vibration in Isophorone, 4-oxo-isophorone, and 2,6,6-trimethyl-4,4-(ethylenedioxy)cyclohex-2-en-1-one. 2014 , 81, 711-718		1
110	Solvent Effects on pKa Values of Some Anticancer Agents in Acetonitrile/Water Binary Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 4015-4020	2.8	23
109	SOLVENT EFFECTS ON CHEMICAL REACTIVITY. 2014 , 753-810		0
108	Solvent and Structure Effects on Electronic Absorption Spectra of the Isomeric Pyridinecarboxylic Acids. 2014 , 80, 829-834		
107	Solvent polarity studies of highly fluorescent laser dye ADS740WS and its fluorescence quenching with silver nanoparticles. 2014 , 92, 116-123		4
106	Photo-physical behavior of some antitumor anthracycline in solvent media with different polarity. 2014 , 130, 257-62		4
105	Oxidation of aliphatic alcohols by triethylammonium chlorochromate in non-aqueous medium [A kinetic and mechanistic study. 2014 , 7, 312-318		5

104	Solubility of the Corn Protein Zein in Imidazolium-based Ionic Liquids. 2014 , 53, 2293-2298	22
103	Experimental determination of Naproxen solubility in organic solvents and aqueous binary mixtures: Interactions and thermodynamic parameters relating to the solvation process. 2014 , 198, 78-83	20
102	Synthesis, solvatochromic properties, and dipole moments of Fmoc-l-alaninol. 2014 , 198, 94-100	4
101	Spectroscopic and quantum mechanical investigation of N,N'-bisarylmalonamides: solvent and structural effects. 2014 , 20, 2384	5
100	Polar and low polar solvents media effect on dipole moments of some diazo Sudan dyes. 2014 , 127, 340-8	18
99	Solvent effect on the optical rotation of (S)-1-methylbenzylamine. 2014 , 84, 218-222	
98	Synthesis, structure and solvatochromic properties of novel dyes derived from 4-(4-nitrophenyl)-3-cyano-2-pyridone. 2014 , 196, 61-68	17
97	Solvent and structural effects on the UV absorption spectra of N-(substituted phenyl)-2-cyanoacetamides. 2014 , 117, 568-75	5
96	Determination of ground and excited state dipole moments of dipolar laser dyes by solvatochromic shift method. 2014 , 123, 117-26	35
95	The solvatochromic behavior and degree of ionicity of a synthesized pentacyano (N-substituted-4,4'-bipyridinium) ferrate(II) complex in different media. Tuning the solvatochromic intensity in aqueous glucose solutions. 2014 , 430, 29-39	12
94	Parametrization of the solvent action on modern artists' paint systems. 2014 , 59, 24-37	10
93	Computer-Aided Methodologies for the Design of Reaction Solvents. 2014 , 267-305	
92	Reactivity and Dynamics at Liquid Interfaces. 2015 , 205-313	4
91	Enzymatic Transesterification of Kraft Lignin with Long Acyl Chains in Ionic Liquids. 2015 , 20, 16334-53	14
90	References. 2015 , 199-213	
89	Intramolecular charge transfer in coumarin based donor-acceptor systems: Formation of a new product through planar intermediate. 2015 , 303-304, 67-79	6
88	The interactional behaviors and photo-physical properties of azo-salicylaldehyde ligands in solvents media. 2015 , 150, 696-703	2
87	Estimation of Dipole Moments and Quantum Yield of 5-chloro-2-methoxyphenyl Boronic Acid in Different Solvents Environment. 2015 , 25, 745-53	8

86	Solvatochromic studies of biologically active iodinated 4-aryloxymethyl coumarins and estimation of dipole moments. 2015 , 202, 9-16	29
85	Fluorescence characteristics of aryl boronic acid derivate (PBA). 2015 , 138, 85-91	20
84	A new one-pot synthesis of novel hetarylazo-heterocyclic colorants and study of their solvatochromic properties. 2015 , 6, 721-6	6
83	Oxidation of methionine by tetraethylammonium chlorochromate in non-aqueous media [A kinetic and mechanistic study. 2015 , 8, 480-486	6
82	Synthesis, structure and solvatochromic properties of some novel 5-aryloxy-6-hydroxy-4-(4-methoxyphenyl)-3-cyano-2-pyridone dyes: Hydrazone-azo tautomeric analysis. 2015 , 8, 269-278	23
81	Photophysical characteristics of biologically active 4-aryloxymethyl coumarins 4PTMBC and 1IPMBC. 2015 , 136 Pt C, 1475-83	10
80	Photo-physical properties of different types of vitamin A in solvent media. 2015 , 1080, 8-13	7
79	Correlation analysis of reactivity in the oxidation of some organic diols by tripropylammonium fluorochromate in non-aqueous media. 2016 , 9, S602-S609	2
78	Correlation analysis of reactivity in the oxidation of methionine by benzimidazolium fluorochromate in different mole fractions of acetic acid/water mixture. 2016 , 9, S557-S563	3
77	Elucidation of the mechanisms governing the thermal diastereomerization of bioactive chiral 1,3,4-thiadiazoline spiro-cyclohexyl derivatives towards their anancomeric stereoisomers. 2016 , 6, 71262-71272 ¹	1
76	Specific interactions of alcohols and non-alcohols with a biologically active boronic acid derivative: a spectroscopic study. 2016 , 31, 1046-53	4
75	Solvatochromic Characterization of Sudan Derivatives in Binary and Ternary Solution. 2016 , 49, 2615-2626	14
74	Influence of Solvent Environment on Photophysical Properties of 3-(Piperidin-1-yl)-4H-benzo[de]anthracen-7(11bH)-one. 2016 , 45, 1391-1413	4
73	Photobehavior and Nonlinear Optical Properties of PushPull, Symmetrical, and Highly Fluorescent Benzothiadiazole Derivatives. 2016 , 120, 23726-23739	41
72	Influence of an electron-acceptor substituent type on the photophysical properties of unsymmetrically substituted diphenylacetylene. 2016 , 326, 76-88	10
71	Amino derivatives of 1,3-diphenyl-1H-pyrazolo[3,4-b]quinoline [Photophysics and implementation of molecular logic switches. 2016 , 124, 277-292	14
70	Solvent scales used to study the intermolecular interactions in binary solutions of two p-aryl-pyridazinium methylids. 2016 , 152, 149-55	5
69	Effect of solvents, solvent mixture and silver nanoparticles on photophysical properties of a ketocyanine dye. 2017 , 32, 51-61	8

68	Investigation and Modeling of the Solubility of Anthracene in Organic Phases. 2017 , 46, 352-373		4
67	A combined spectroscopic and TDDFT investigation of the solute-solvent interactions of two coumarin derivatives. 2017 , 32, 1328-1338		5
66	Spectral study of Rhodamine dyes in binary solutions. 2017 , 1140, 71-76		6
65	Absorption and Fluorescence Features of an Amphiphilic meso-Pyrimidinylcorrole: Experimental Study and Quantum Chemical Calculations. 2017 , 121, 8614-8624		11
64	Spectral and Quantum Mechanical Characterization of 3-(2-Benzothiazolyl)-7-(Diethylamino) Coumarin (Coumarin 6) in Binary Solution. 2017 , 50, 2740-2754		8
63	Multiple Stimuli Responses of Stereo-Isomers of AIE-Active Ethynylene-Bridged and Pyridyl-Modified Tetraphenylethene. 2018 , 122, 2165-2176		20
62	Solubility of Toltrazuril and the Effect of a Cosolvent. <i>Journal of Chemical & Engineering Data</i> , 2018 ,	2.8	1
61	Solubility and Molecular Interactions of Trimetazidine Hydrochloride in 12 Monosolvents and Solvent Mixtures of Methanol + (Ethanol, N,N-Dimethylformamide or Ethyl Acetate). <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 3704-3714	2.8	10
60	Solubility Modeling and Solvent Effects of Allopurinol in 15 Neat Solvents. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 3551-3558	2.8	15
59	Metal-Free One-Pot Four-Component Cascade Annulation in Ionic Liquids at Room Temperature: Convergent Access to Thiazoloquinolinone Derivatives. 2018 , 83, 7950-7961		8
58	Selectively biorefining astaxanthin and triacylglycerol co-products from microalgae with supercritical carbon dioxide extraction. 2018 , 269, 81-88		19
57	Measurement of the Solubility of Diclazuril and Discussion of the Effect of the Cosolvent. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 3585-3591	2.8	1
56	Solubility and Solvent Effect of Acetamiprid in Thirteen Pure Solvents and Aqueous Solutions of Ethanol. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 3505-3513	2.8	14
55	Determination and Modeling of d-Histidine Solubility in Several Pure Solvents from 293.15 to 333.15 K. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 5571-5577	2.8	9
54	Protein Dynamics Preceding Photoisomerization of the Retinal Chromophore in Bacteriorhodopsin Revealed by Deep-UV Femtosecond Stimulated Raman Spectroscopy. 2019 , 10, 5422-5427		14
53	Binary Equilibrium Solubility of Amidinothiourea in Monosolvents: Experimental Determination, Model Correlation, and Solvent Effect Analysis. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 4390-4397	2.8	1
52	Solubility Modeling and Solvent Effect of 2-Amino-6-chloropurine in Twelve Neat Solvents. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 771-777	2.8	5
51	Solubility of d-Tryptophan and l-Tyrosine in Several Organic Solvents: Determination and Solvent Effect. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 3164-3169	2.8	4

50	Synthesis and Properties of New Multiple TCNE Adducts from Dialkynyl-N-(het)arylpyrroles. 2019 , 2019, 4341-4348		3
49	Solubility of d-Aspartic Acid in Several Neat Solvents: Determination, Modeling, and Solvent Effect Analysis. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 2904-2910	2.8	12
48	o-Nitrophenylacetonitrile Solubility in Several Pure Solvents: Measurement, Correlation, and Solvent Effect Analysis. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 2867-2876	2.8	7
47	Solubility, Model Correlation, and Solvent Effect of 2-Amino-3-methylbenzoic Acid in 12 Pure Solvents. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1713-1724	2.8	5
46	Utilizing Water Activity as a Simple Measure to Understand Hydrophobicity in Ionic Liquids. 2019 , 7, 112		6
45	Solubility Determination and Modeling of p-Nitrobenzamide Dissolved in Twelve Neat Solvents from 283.15 to 328.15 K. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1840-1850	2.8	17
44	Solubility in Different Solvents, Correlation, and Solvent Effect in the Solvent Crystallization Process of Iohexol. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1515-1523	2.8	1
43	Equilibrium Solubility, Model Correlation, and Solvent Effect of Indole-3-acetic Acid in Twelve Pure Solvents. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1802-1808	2.8	25
42	Solubility Modeling and Solvent Effect for Flubendazole in 12 Neat Solvents. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1237-1243	2.8	10
41	Solvent- and Temperature-Responsive Platinum(II)-Functionalized Flexible Lewis Pairs. <i>Inorganic Chemistry</i> , 2019 , 58, 65-68	5.1	7
40	Solubility Modeling, Solute-Solvent Interactions, and Thermodynamic Dissolution Properties of p-Nitrophenylacetonitrile in Sixteen Monosolvents at Temperatures Ranging from 278.15 to 333.15 K. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 315-323	2.8	104
39	Synthesis, spectral study and application of solid state fluorescent reactive disperse dyes and their antibacterial activity. 2019 , 12, 225-235		10
38	Solubility of 3-Bromo-4-Hydroxybenzaldehyde in 16 Monosolvents at Temperatures from 278.15 to 323.15 K. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 287-295	2.8	9
37	Excited state dipole moment of two pyridinium-p-nitro-phenacylids estimated from solvatochromic study. 2020 , 53, 1-11		5
36	2-Methoxy-4-nitroaniline Solubility in Several Monosolvents: Measurement, Correlation, and Solvent Effect Analysis. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 757-765	2.8	9
35	Spectroscopic and quantum-chemical study of molecular interactions of iso-quinolinium ylids in polar solutions. <i>Molecular Crystals and Liquid Crystals</i> , 2020 , 698, 87-97	0.5	2
34	Solubility Modeling, Solvent Effect, and Dissolution Properties of 4-Nitrophenylacetic Acid in Thirteen Solvents Ranging from 283.15 to 328.15 K. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2894-2902	2.8	10
33	Solubility of 3,5-Dinitrosalicylic Acid in Fourteen Pure Solvents over Temperatures from 278.15 to 323.15 K. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2230-2237	2.8	4

32	Solubility and Thermodynamic Aspects of 5,7-Dibromo-8-hydroxyquinoline in Thirteen Neat Solvents at Temperatures from 288.15 to 328.15 (333.15) K. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2088-2097	2.8	6
31	Trichloroisocyanuric acid (TCCA) and carboxamide interactions in TCCA/NaNO ₂ triggered nitration of pyrrole and indole in aqueous aprotic media: A kinetic correlation of solvent properties with reactivity. 2021 , 53, 164-186		
30	Reappraisal of Empirical Solvent Polarity Scales for Organic Solvents. 2021 , 1, 42-60		10
29	The relationship between solvatochromic properties and in silico ADME parameters of new chloroethylnitrosourea derivatives with potential anticancer activity and their β -Cyclodextrin complexes. 2021 , 253, 119579		
28	Solvation Models for Molecular Properties: Continuum Versus Discrete Approaches. 2008 , 1-21		3
27	Hydrogen-Bond Descriptors for Solute Molecules. 1994 , 63-78		4
26	Development and uses of scales of solvent nucleophilicity. 1996 , 81-115		67
25	Hydrogen Bonding Contribution to Lipophilicity Parameters. Hydrogen Acceptor and Hydrogen Acceptor Donor Parameters. 2004 , 69, 2147-2173		1
24	Succinimides: Synthesis, properties and anticonvulsant activity. 2011 , 65, 439-453		5
23	The reactivity of β -unsaturated carboxylic acids. Part XVI. The kinetics of the reaction of cycloalkenecarboxylic and cycloalkenylacetic acids with diazodiphenylmethane in various alcohols. 2002 , 67, 77-85		8
22	The kinetics of the reactions of 2-substituted nicotinic acids with diazodiphenylmethane in various alcohols. 2003 , 68, 515-524		1
21	Synthesis and investigation of solvent effects on the ultraviolet absorption spectra of 1, 3-bis-substituted-5, 5-dimethylhydantoins. 2003 , 68, 699-706		8
20	The influence of the solvent on organic reactivity. Part II. Hydroxylic solvent effects on the reaction rates of diazodiphenylmethane with 2-(2-substituted cyclohex-1-enyl)acetic and 2-(2-substituted. 2004 , 69, 601-610		6
19	Investigations of the reactivity of pyridine carboxylic acids with diazodiphenylmethane in protic and aprotic solvents, Part I: Pyridine mono-carboxylic acids. 2005 , 70, 557-567		3
18	Investigations of the reactivity of pyridine carboxylic acids with diazodiphenylmethane in protic and aprotic solvents: Part II: Pyridine mono-carboxylic acid N-oxides. 2006 , 71, 89-101		3
17	Enantioseparation of Neutral Compounds on a Quinine Carbamate-Immobilized Zirconia in Reversed-Phase Capillary Electrochromatography. 2010 , 31, 82-86		8
16	Solvent Effects on the Electronic Spectra of Some Heterocyclic Azo Dyes. 2014 , 35, 610-616		7
15	Stoichiometric Solvent Effect on SN ₁ Solvolytic Reactivity Accounting for Phenomenon of Maximum Rates in Methanol-Nitromethane Mixtures. 2004 , 25, 1346-1350		

14	The first solvation shell of Reichardt's dye in ionic liquids: a semiempirical study. 2013 , 299-305		
13	Environmental Effects. 1994 , 257-317		
12	Solvatochromism of 5-(4-substituted arylazo)-4-phenyl-6-methyl-3-cyano-2-pyridones. 2018 , 59, 117-125		
11	Quadrupolarizability of Liquid Mixtures. 2020 , 124, 11711-11717		
10	Intramolecular electron transfer in 4-(dialkylamino)pyrimidines. Study in solutions and supersonic jet. 1992 , 104, 117		1
9	Lewis Pair-Functionalized Pt(II) Complexes with Tunable Emission Color and Triplet-State Properties.. <i>Inorganic Chemistry</i> , 2022 , 61, 2804-2812	5.1	0
8	Synthesis and Solvent Dependent Fluorescence of Some Piperidine-Substituted Naphthalimide Derivatives and Consequences for Water Sensing.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	0
7	Thermal Properties and Solvent Polarities of Mixed-Valence Ionic Liquids Containing Cationic Biferrocenylene Derivatives.. <i>Inorganic Chemistry</i> , 2022 ,	5.1	0
6	Investigation into Solubility and Solvent Effect of 2-Aminopyridine in Different Mono-Solvents Over Temperatures from 273.15 to 313.15 K. <i>Journal of Chemical & Engineering Data</i> ,	2.8	1
5	1-Phenylurea Equilibrium Solubility in Several Mono-Solvents from 283.15 to 323.15 K. <i>Journal of Chemical & Engineering Data</i> ,	2.8	1
4	Combined solvatochromism and quantum mechanical computations in study regarding the solute-solvent interactions in solutions of some azo-derivatives. <i>Molecular Crystals and Liquid Crystals</i> , 1-17	0.5	
3	Solvent effect investigation on the acid-catalyzed esterification of levulinic acid by ethanol aided by a Linear Solvation Energy Relationship. <i>Chemical Engineering Science</i> , 2022 , 117928	4.4	1
2	The Global Polarity of Alcoholic Solvents and Water Importance of the Collectively Acting Factors Density, Refractive Index and Hydrogen Bonding Forces. 2022 , 11,		0
1	Solvatochromism and Optoelectronic Properties of Thiosemicarbazone Derivatives Having π -Conjugated Systems. 2023 , 52, 570-587		0