

CITATION REPORT

List of articles citing

Charge carrier transporting molecular materials and their applications in devices

DOI: 10.1021/cr050143+
Chemical Reviews, 2007, 107, 953-1010.

Source: <https://exaly.com/paper-pdf/42378997/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1665	Unique Reversible Crystal-to-Crystal Phase Transition Structural and Functional Properties of Fused Ladder Thienoarenes.		
1664	Molecular Engineering of Tetraphenylbenzidine-Based Hole Transport Material for Perovskite Solar Cell.		
1663	Excitonic effects in a time-dependent density functional theory. 2007 , 127, 114902		55
1662	Hole transport in molecularly doped naphthyl diamine. 2007 , 102, 093705		36
1661	Charge-retraction time-of-flight measurement for organic charge transport materials. 2007 , 91, 152104		12
1660	High open-circuit-voltage organic solar cell based on two solution-processible triphenylamine-containing compounds. 2007 ,		7
1659	New hole-transporting amorphous molecular materials with high glass-transition temperatures for organic light-emitting diodes. 2007 ,		
1658	Synthesis and properties of 2,3,6,7-tetraarylbenzo[1,2-b:4,5-b']difurans as hole-transporting material. <i>Journal of the American Chemical Society</i> , 2007 , 129, 11902-3	16.4	210
1657	The light-emitting device consisting of organic white-light components. 2007 , 11, 28-32		3
1656	New semiconductors based on triphenylamine with macrocyclic architecture: synthesis, properties and applications in OFETs. 2007 , 17, 4483		34
1655	Macroscopically aligned films of discotic phthalocyanine by zone casting. 2007 , 18, 485303		56
1654	Divergent approach for synthesis and terminal modifications of dendritic polyphenylazomethines. 2007 , 9, 5151-4		15
1653	Structural and Electronic Effects of 1,3,4-Thiadiazole Units Incorporated into Polythiophene Chains. 2007 , 40, 6585-6593		42
1652	Charge Carrier Transporting Molecular Materials and Their Applications in Devices. 2007 , 38, no		2
1651	Transport study of a novel polyfluorene/poly(p-phenylenevinylene) copolymer by various mobility models. 2007 , 42, 9176-9180		2
1650	Synthesis and properties of polyethylene with side-chain triphenylamines as hole-transporting materials. 2008 , 46, 5816-5825		31
1649	Fluorinated phthalocyanines as molecular semiconductor thin films. 2008 , 205, 409-420		65

1648	Study of hopping transport in long oligothiophenes and oligoselenophenes: dependence of reorganization energy on chain length. 2008 , 14, 6734-41		76
1647	Synthesis, characterization, and field-effect transistor properties of carbazolevinylene oligomers: from linear to cyclic architectures. 2008 , 14, 4731-40		40
1646	Synthesis, structure, and transport property of perfluorinated oligofluorenes. 2008 , 14, 4472-4		19
1645	Phosphorus-based heteropentacenes: efficiently tunable materials for organic n-type semiconductors. 2008 , 14, 9878-89		119
1644	A simple carbazole/oxadiazole hybrid molecule: an excellent bipolar host for green and red phosphorescent OLEDs. 2008 , 47, 8104-7		405
1643	Room-Temperature Self-Organizing Characteristics of Soluble Acene Field-Effect Transistors. 2008 , 18, 560-565		36
1642	LiF as an n-Dopant in Tris(8-hydroxyquinoline) Aluminum Thin Films. 2008 , 20, 1456-1461		66
1641	A Dithienylbenzothiadiazole Pure Red Molecular Emitter with Electron Transport and Exciton Self-Confinement for Nondoped Organic Red-Light-Emitting Diodes. 2008 , 20, NA-NA		7
1640	Molecular Glass Resists as High-Resolution Patterning Materials. 2008 , 20, 3355-3361		63
1639	A Simple Carbazole/Oxadiazole Hybrid Molecule: An Excellent Bipolar Host for Green and Red Phosphorescent OLEDs. 2008 , 120, 8224-8227		76
1638	High glass transition and thermal stability of new pyridine-containing polyimides: Effect of protonation on fluorescence. 2008 , 49, 1538-1546		84
1637	Synthesis and functionality of dendrimer with finely controlled metal assembly. 2008 , 49, 4033-4041		31
1636	Luminescence properties of bipolar stybeneaminequinoxalines. <i>Optical Materials</i> , 2008 , 31, 320-327	3,3	14
1635	Electro-optical and electrochemical properties of an conjugated cyclopolymer: Poly(9,9-dipropargylfluorene). 2008 , 14, 468-472		8
1634	A novel fluorescent poly(pyridine-imide) acid chemosensor. <i>Dyes and Pigments</i> , 2008 , 78, 93-100	4.6	42
1633	A facile convergent procedure for the preparation of triphenylamine-based dendrimers with truxene cores. 2008 , 64, 5736-5742		44
1632	The effect of N-heterocyclic carbene ligands in the palladium-catalyzed cross-coupling reaction of K[C6F5BF3] with aryl iodides and aryl bromides. 2008 , 64, 5920-5924		35
1631	Organic light-emitting devices (OLEDs) and OLED-based chemical and biological sensors: an overview. 2008 , 41, 133001		223

1630	Synthesis and characterization of polyaromatic compounds using tri(naphthyl)indium. 2008 , 73, 4326-9		35
1629	Modular synthesis of polybenzo[b]silole compounds for hole-blocking material in phosphorescent organic light emitting diodes. 2010 , 5, 1376-81		4
1628	Tricarbonyl rhenium(I) complexes containing a bridging 2,5-diphenyl-1,3,4-oxadiazole ligand: structural, spectroscopic, electrochemical, and computational characterization. <i>Inorganic Chemistry</i> , 2008 , 47, 11154-65	5.1	16
1627	Modular synthesis of functionalized benzosiloles by tin-mediated cyclization of (<i>o</i> -Alkynylphenyl)silane. <i>Journal of the American Chemical Society</i> , 2008 , 130, 4240-1	16.4	62
1626	Coordination networks from a bifunctional molecule containing carboxyl and thioether groups. <i>Inorganic Chemistry</i> , 2008 , 47, 7459-61	5.1	40
1625	Three-dimensional molecular packing of thin organic films of PTCDI-C8 determined by surface X-ray diffraction. 2008 , 24, 12742-4		61
1624	Hole-transporting hydrazones. 2008 , 37, 770-88		141
1623	Efficient squaraine-based solution processable bulk-heterojunction solar cells. <i>Journal of the American Chemical Society</i> , 2008 , 130, 17640-1	16.4	261
1622	Single molecule charging by atomic force microscopy. <i>Journal of the American Chemical Society</i> , 2008 , 130, 12556-7	16.4	11
1621	Highly disordered polymer field effect transistors: N-alkyl dithieno[3,2-b:2',3'-d]pyrrole-based copolymers with surprisingly high charge carrier mobilities. <i>Journal of the American Chemical Society</i> , 2008 , 130, 13167-76	16.4	224
1620	A new n-type low bandgap conjugated polymer P-co-CDT: synthesis and excellent reversible electrochemical and electrochromic properties. 2008 , 6034-6		58
1619	A Neutral Stable and Soluble Polymer Radical with Low Band Gap and Its Photovoltaic Application. 2008 , 41, 501-503		24
1618	Enhanced electroluminescent properties of triarylamine-encapped X-branched oligofluorene. 2008 , 158, 988-992		18
1617	Pentacene homojunctions: Electron and hole transport properties and related photovoltaic responses. 2008 , 77,		66
1616	Mechanism of charge transport in self-organizing organic materials. 2008 , 27, 87-138		183
1615	Multicolor Emission of Small Molecule-Based Amorphous Thin Films and Nanoparticles with a Single Excitation Wavelength. 2008 , 20, 6597-6599		94
1614	Improving the efficiency of solution processable organic photovoltaic devices by a star-shaped molecular geometry. 2008 , 18, 4085		155
1613	Hydroxyphenylbenzene derivatives as glass forming molecules for high resolution photoresists. 2008 , 18, 1903		19

1612	Triarylamine polymers by microwave-assisted polycondensation for use in organic field-effect transistors. 2008 , 18, 5230	45
1611	Synthesis and Properties of Poly(9,9-Dipropargylfluorenylene-Biphenylene). 2008 , 491, 203-208	3
1610	Organic semiconductors based on small molecules with thermally or photochemically removable groups. 2008 , 2957-74	103
1609	Ultrathin-film growth of para-sexiphenyl (I): submonolayer thin-film growth as a function of the substrate temperature. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 7816-20	3-4 48
1608	Trifluoromethyltriphenodioxazine: air-stable and high-performance n-type semiconductor. 2008 , 10, 3025-8	58
1607	Acyclic Diene Metathesis Polymerization of Divinylarenes and Divinylferrocenes with Grubbs-Type Olefin Metathesis Catalysts. 2008 , 27, 1479-1485	89
1606	Taking advantage of the radical character of tris(2,4,6-trichlorophenyl)methyl to synthesize new paramagnetic glassy molecular materials. 2008 , 73, 3759-67	46
1605	Facile synthesis of 9,10-diarylphenanthrenes and poly(9,10-diarylphenanthrene)s. 2008 , 10, 773-6	37
1604	Theoretical characterization of a typical hole/exciton-blocking material bathocuproine and its analogues. 2008 , 112, 9097-103	49
1603	Challenges in distinguishing superexchange and hopping mechanisms of intramolecular charge transfer through fluorene oligomers. 2008 , 112, 4410-4	35
1602	A new type of light-emitting naphtho[2,3-c][1,2,5]thiadiazole derivatives: synthesis, photophysical characterization and transporting properties. 2008 , 18, 806	35
1601	Electroluminescent Devices Based on Novel Zinc Complexes of Sulphonylamino Substituted Heterocycles. 2008 , 497, 211/[543]-217/[549]	8
1600	High-efficiency, low-voltage phosphorescent organic light-emitting diode devices with mixed host. 2008 , 104, 094501	135
1599	Organic:PbS-nanocrystal:Fullerene Hybrid Photovoltaics. 2008 , 1102, 1	2
1598	Determination of carrier mobility in phenylamine by time-of-flight, dark-injection, and thin film transistor techniques. 2008 , 103, 093705	34
1597	Using thin film transistors to quantify carrier transport properties of amorphous organic semiconductors. 2008 , 93, 083307	33
1596	Photoconductivity in organic thin films: From picoseconds to seconds after excitation. 2008 , 103, 123715	32
1595	Lithium salt doped conjugated polymers as electron transporting materials for highly efficient blue polymer light-emitting diodes. 2008 , 93, 243302	30

1594	Synthesis and Properties of a Polyacetylene Derivative: Poly(17-Ethynylestradiol). 2008 , 491, 270-276	
1593	Electro-Optical and Electrochemical Properties of Poly(2-ethynylpyridine). 2008 , 491, 348-355	3
1592	Synthesis and Characterization of Starburst 9-Phenylcarbazole/Triazatruxene Hybrids. 2008 , 37, 986-987	25
1591	High Hole Mobilities in the Amorphous Films of 2,7-Di(9-carbazolyl)-9-(2-ethylhexyl)carbazole. 2008 , 37, 344-345	16
1590	Electro-Optical and Electrochemical Properties of a Conjugated Polymer Prepared by the Cyclopolymerization of Diethyl Dipropargylmalonate. 2008 , 2008, 1-5	1
1589	Highly sensitive determination of the polaron-induced optical absorption of organic charge-transport materials. 2009 , 102, 137401	35
1588	Synthesis and Optical Properties of (A)n-(Ph)3N Type Dyes. 2009 , 504, 164-172	1
1587	Electro-Optical and Electrochemical Properties of Poly(phenylacetylene). 2009 , 513, 293-300	6
1586	High performance organic photovoltaic devices using amorphous molecular materials with high charge-carrier drift mobilities. 2009 , 94, 063304	46
1585	Electrochemical Properties of Poly(β -methylbenzyl dipropargylamine) Prepared by the Cyclopolymerization of β -Methylbenzyl dipropargylamine. 2009 , 498, 175-182	3
1584	Characteristics of Asymmetric Amines as Wet-Type Anode Buffer Layer in Organic Light-Emitting Devices. 2009 , 48, 050204	
1583	Electron injection behavior from the magnesium electrode into a family of electron-transporting amorphous molecular materials, α,β -bis(dimesitylboryl)oligothiophene. 2009 ,	1
1582	Advantages of admittance spectroscopy over time-of-flight technique for studying dispersive charge transport in an organic semiconductor. 2009 , 106, 083710	38
1581	Charge transfer between acenes and PbS nanocrystals. 2009 , 20, 195205	8
1580	Tuning charge balance in PHOLEDs with ambipolar host materials to achieve high efficiency. 2009 ,	1
1579	Template-assisted fabrication of free-standing nanorod arrays of a hole-conducting cross-linked triphenylamine derivative: toward ordered bulk-heterojunction solar cells. 2009 , 3, 1415-22	106
1578	. 2009 , 56, 176-185	31
1577	Functionalized Siloles: Versatile Synthesis, Aggregation-Induced Emission, and Sensory and Device Applications. 2009 , 19, 905-917	300

- 1576 Photocrosslinkable Polythiophenes for Efficient, Thermally Stable, Organic Photovoltaics. **2009**, 19, 2273-2281 233
- 1575 Versatile, Benzimidazole/Amine-Based Ambipolar Compounds for Electroluminescent Applications: Single-Layer, Blue, Fluorescent OLEDs, Hosts for Single-Layer, Phosphorescent OLEDs. **2009**, 19, 2661-2670 175
- 1574 Transistor Paint: Environmentally Stable N-alkyldithienopyrrole and Bithiazole-Based Copolymer Thin-Film Transistors Show Reproducible High Mobilities without Annealing. **2009**, 19, 3427-3434 79
- 1573 High-Performance Organic Photovoltaic Devices Using a New Amorphous Molecular Material with High Hole Drift Mobility, Tris[4-(5-phenylthiophen-2-yl)phenyl]amine. **2009**, 19, 3948-3955 50
- 1572 Highly Efficient Polymer White-Light-Emitting Diodes Based on Lithium Salts Doped Electron Transporting Layer. **2009**, 21, 361-365 150
- 1571 Micrometer- and Nanometer-Sized, Single-Crystalline Ribbons of a Cyclic Triphenylamine Dimer and Their Application in Organic Transistors. **2009**, 21, 1605-1608 19
- 1570 High-Performance Organic Field-Effect Transistors. **2009**, 21, 1473-1486 586
- 1569 Al₂O₃/ZrO₂ Nanolaminates as Ultrahigh Gas-Diffusion Barriers: A Strategy for Reliable Encapsulation of Organic Electronics. **2009**, 21, 1845-1849 247
- 1568 Recent Developments in the Application of Phosphorescent Iridium(III) Complex Systems. **2009**, 21, 4418-4441 640
- 1567 Bis(carbazolyl)benzodifuran: A High-Mobility Ambipolar Material for Homojunction Organic Light-Emitting Diode Devices. **2009**, 21, 3776-3779 135
- 1566 Emissive or nonemissive? A theoretical analysis of the phosphorescence efficiencies of cyclometalated platinum(II) complexes. **2009**, 15, 7225-37 178
- 1565 High-performance p-channel organic semiconducting candidates based on benzo[1,2-k;4,5-k']difluoranthene derivatives. **2009**, 15, 5896-900 12
- 1564 Asymmetrical fluorene[2,3-b]benzo[d]thiophene derivatives: synthesis, solid-state structures, and application in solution-processable organic light-emitting diodes. **2009**, 15, 8275-82 25
- 1563 2,4-Dicyano-3-diethylamino-9,9-diethylfluorene Based Blue Light-emitting Star-shaped Compounds: Synthesis and Properties. **2009**, 27, 971-977 8
- 1562 Surface coatings based on polysilsesquioxanes: solution-processable smooth hole-injection layers for optoelectronic applications. **2009**, 30, 1238-42 20
- 1561 An ionic molecular glass as electron injection layer for efficient polymer light-emitting diode. **2009**, 30, 1484-91 12
- 1560 Synthesis of Dendritic Oligo-Spiro(fluorene-9,9'-xanthene) Derivatives with Carbazole and Fluorene Pendants and their Thermal, Optical, and Electroluminescent Properties. **2009**, 30, 1745-50 23
- 1559 An organic field effect transistor as a selective NO_x sensor operated at room temperature. **2009**, 140, 445-450 59

1558	Isolation and X-ray structural characterization of a dicationic homotrimer of 2,3,6,7-tetramethoxy-9,10-dimethylantracene cation radical. 2009 , 50, 6687-6690		7
1557	Growth and characterization of thin films prepared from perfluoro-isopropyl-substituted perfluorophthalocyanines. 2009 , 517, 4379-4384		22
1556	Synthesis of extended polyynes: Toward carbyne. 2009 , 12, 341-358		99
1555	Synthesis and chemical properties of photoluminescent self-doped polyanilines. 2009 , 44, 6408-6415		6
1554	Reaction of pentafluoroacetanilide with zinc catalyzed by nickel complexes. 2009 , 58, 2304-2310		13
1553	The Fluorescence and Electroluminescence Properties of the Carbazole-phenylazomethine Double Layer-Type Dendrimer. 2009 , 19, 118-123		26
1552	Excess charge delocalization in organic and biological molecules: some theoretical notions. 2009 , 123, 29-40		8
1551	Two-dimensionally extended aromatic polyamines for optimization of charge-transporting properties by partial oxidation. 2009 , 47, 4577-4586		13
1550	Dithieno[3,2-b:2',3'-d]pyrrole-alkylthiophene-benzo[c][1,2,5]thiadiazole-based highly stable and low band gap polymers for polymer light-emitting diodes. 2009 , 47, 6514-6525		38
1549	1H-pyrazolo[3,4-b]quinoline and 1H-pyrazolo[3,4-b]quinoxaline derivatives as promising materials for optoelectronic applications. <i>Optical Materials</i> , 2009 , 32, 267-273	3-3	34
1548	Solution-processable and thermal-stable triphenylamine-based dendrimers with truxene cores as hole-transporting materials for organic light-emitting devices. 2009 , 10, 954-959		74
1547	Anarchy in the solid state: structural dependence on glass-forming ability in triazine-based molecular glasses. 2009 , 65, 7393-7402		38
1546	Synthesis and electro-optical properties of carbazole derivatives with high band gap energy. 2009 , 518, 284-289		5
1545	Luminescent properties and crystal structure of novel benzanthrone dyes. 2009 , 129, 1827-1830		5
1544	High temperature carrier mobility as an intrinsic transport parameter of an organic semiconductor. 2009 , 10, 661-665		8
1543	p-Doped p-phenylenediamine-substituted fluorenes for organic electroluminescent devices. 2009 , 10, 666-673		11
1542	Structurally tailored thiophene-based hybrid materials for thin-film and single-crystal transistors: Synthesis, photophysics and carrier-transport properties. 2009 , 10, 910-917		7
1541	Charge transport studies in fluorene [Dithieno[3,2-b:2',3'-d]pyrrole oligomer using time-of-flight photoconductivity method. 2009 , 10, 1534-1540		19

1540	Heavy metal organometallic electrophosphors derived from multi-component chromophores. 2009 , 253, 1709-1758		564
1539	The charge carrier mobility, activation energies and pre-factor dependence on dopant concentration in molecularly doped polymers. 2009 , 365, 101-108		10
1538	Effect of substituents on the properties of distyrylarylene-based field-effect transistor materials. 2009 , 470, 264-268		10
1537	Electrochemical signature of the grafting of diazonium salts: A probing parameter for monitoring the electro-addressed functionalization of devices. 2009 , 54, 3078-3085		43
1536	Carbazole- π -diazole containing polyurethanes as phosphorescent host for organic light emitting diodes. 2009 , 45, 1545-1553		11
1535	Bimetallic N-heterocyclic carbene-iridium complexes: investigating metal-metal and metal-ligand communication via electrochemistry and phosphorescence spectroscopy. <i>Inorganic Chemistry</i> , 2009 , 48, 6924-33	5.1	97
1534	Transport properties of copper phthalocyanine based organic electronic devices. 2009 , 180, 117-134		18
1533	Synthesis of conjugated polymers for organic solar cell applications. <i>Chemical Reviews</i> , 2009 , 109, 5868-931		3432
1532	Photoinduced intramolecular electron transfer in conjugated perylene bisimide-dithienothiophene systems: a comparative study of a small molecule and a polymer. 2009 , 113, 5039-46		56
1531	T _g and rheological properties of triazine-based molecular glasses: incriminating evidence against hydrogen bonds. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 14884-91	3.4	24
1530	Molecular Design toward High Hole Mobility Organic Semiconductors: Tetraceno[2,3-c]thiophene Derivatives of Ultrasmall Reorganization Energies. 2009 , 113, 16303-16306		22
1529	A sulfur-terminal Zn(II) complex and its two-photon microscopy biological imaging application. <i>Journal of the American Chemical Society</i> , 2009 , 131, 5208-13	16.4	90
1528	Flexible Thioether-Ag(I) Interactions for Assembling Large Organic Ligands into Crystalline Networks. 2009 , 9, 1444-1451		18
1527	Phase transitions and structures of novel pyrenes potentially useful in photovoltaic applications. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 5403-11	3.4	23
1526	Electron Paramagnetic Resonance Spectroscopy of Bis(triarylamine) Paracyclophanes as Model Compounds for the Intermolecular Charge-Transfer in Solid State Materials for Optoelectronic Applications. 2009 , 113, 2983-2995		68
1525	X-ray/Atomic Force Microscopy Study of the Temperature-Dependent Multilayer Structure of PTCDI-C8 Films on SiO ₂ . 2009 , 113, 4502-4506		36
1524	Synthesis and characterization of luminescent rhenium(I) tricarbonyl diimine complexes with a triarylboron moiety and the study of their fluoride ion-binding properties. <i>Inorganic Chemistry</i> , 2009 , 48, 9664-70	5.1	131
1523	Conjugated dimeric and trimeric perylenediimide oligomers. 2009 , 11, 3426-9		62

1522	Phenylbenzimidazole-Based New Bipolar Host Materials for Efficient Phosphorescent Organic Light-Emitting Diodes. 2009 , 21, 2452-2458		117
1521	Correlating carrier type with frontier molecular orbital energy levels in organic thin film transistors of functionalized acene derivatives. <i>Journal of the American Chemical Society</i> , 2009 , 131, 5264-73	16.4	205
1520	Thiophene-based hydrazones as hole-transporting materials. 2009 , 159, 223-227		10
1519	New organic semiconductors for thin-film transistors: Synthesis, characterization, and performance of 4H-indeno[1,2-b]thiophene derivatives. 2009 , 159, 995-1001		10
1518	Phenoxazine and N-phenyl-1-naphthylamine-based enamines as hole-transporting glass-forming materials. 2009 , 159, 1014-1018		15
1517	Photophysical and charge-transport properties of hole-blocking material-TAZ: A theoretical study. 2009 , 159, 1767-1771		6
1516	Synthesis and electro-optical properties of carbazole derivatives for organic device applications. 2009 , 159, 1870-1875		15
1515	Quaterthiophenes with terminal indeno[1,2-b]thiophene units as p-type organic semiconductors. 2009 , 74, 1054-64		26
1514	Synthesis and characterization of 9,10-bis(2-phenyl-1,3,4-oxadiazole) derivatives of anthracene: Efficient n-type emitter for organic light-emitting diodes. 2009 , 19, 6172		47
1513	Anthraquinone based polymer as high performance cathode material for rechargeable lithium batteries. 2009 , 448-50		377
1512	Comparative studies on electronic spectra and redox behaviors of isomeric benzo[1,2-b:4,5-b']difurans and benzo[1,2-b:5,4-b']difurans. 2009 , 113, 5342-7		30
1511	Effects of side-chain and electron exchange correlation on the band structure of perylene diimide liquid crystals: a density functional study. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 5376-80	3.4	10
1510	Incorporation of Thiophenevinylene and Triphenylamine Moieties into Polythiophene Side Chains for All-Polymer Photovoltaic Applications. 2009 , 113, 5879-5885		27
1509	Synthesis, characterization and comparative study of thiophene-Benzothiadiazole based donor-acceptor-donor (D π D) materials. 2009 , 19, 3228		88
1508	Fluorescence control on panchromatic spectra via c-alkylation on arylated quinoxalines. 2009 , 74, 3175-8		22
1507	Synthesis of benzo[b]siloles via KH-promoted cyclization of (2-alkynylphenyl)silanes. 2009 , 11, 3966-8		47
1506	A new class of non-conjugated bipolar hybrid hosts for phosphorescent organic light-emitting diodes. 2009 , 19, 8772		66
1505	The electronic couplings in electron transfer and excitation energy transfer. 2009 , 42, 509-18		325

1504	Solution-Processable Star-Shaped Photovoltaic Organic Molecule with Triphenylamine Core and Benzothiadiazole-Phenylene Arms. 2009 , 42, 7619-7622	124
1503	Synthesis and Properties of a Novel Cross-Linked Electroactive Polymer Formed from a Bipolar Starburst Monomer. 2009 , 42, 626-635	49
1502	Synthesis and photovoltaic properties of novel solution-processable triphenylamine-based dendrimers with sulfonyldibenzene cores. 2009 , 33, 2120	41
1501	Molecular bulk heterojunctions: an emerging approach to organic solar cells. 2009 , 42, 1719-30	632
1500	One-Dimensional Phthalocyanine Nanostructures Directed by Gold Templates. 2009 , 21, 5010-5015	13
1499	Chlorination: a general route toward electron transport in organic semiconductors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 3733-40	16.4 292
1498	Polymer reptation for molecular assembly of copper phthalocyanine. 2009 , 95, 113301	11
1497	Effect of substituents on the electron transport properties of bay substituted perylene diimide derivatives. 2009 , 19, 4268	82
1496	Synthesis and photophysics of ambipolar fluoren-9-ylidene malononitrile derivatives. 2009 , 74, 8484-7	41
1495	A strategy towards p-type doping of organic materials with HOMO levels beyond 6 eV using tungsten oxide. 2009 , 19, 702	88
1494	Vinyl-Type Polynorbornenes with Triarylamine Side Groups: A New Class of Soluble Hole-Transporting Materials for OLEDs. 2009 , 42, 6840-6843	45
1493	Molecular engineering to improve the charge carrier balance in single-layer silole-based OLEDs. 2009 , 33, 1290	23
1492	Role of hydrogen bonding in the formation of glasses by small molecules: a triazine case study. 2009 , 19, 2747	35
1491	Novel chromophores from alternated pyridine-ethylenedioxythiophene unit oligomers: dramatic enhancement of photoluminescence properties in elongated derivatives. 2009 , 692-4	21
1490	Aggregation in methanol and formation of molecular glasses for europium(III) N-acylaminocarboxylates: effects of alkyl chain length and head group. <i>Dalton Transactions</i> , 2009 , 5512-123	10
1489	Synthesis and Electro-Optical Properties of an Ionic Polyacetylene with N-glycidylpyridinium Tosylate. 2009 , 498, 165-174	8
1488	Benzo[b]phosphole sulfides. Highly electron-transporting and thermally stable molecular materials for organic semiconductor devices. 2009 , 19, 3364	120
1487	A thermally cured 9,9-diarylfuorene-based triaryldiamine polymer displaying high hole mobility and remarkable ambient stability. 2009 , 19, 3618	43

1486	Photocorrosion Inhibition and Photoactivity Enhancement for Zinc Oxide via Hybridization with Monolayer Polyaniline. 2009 , 113, 4605-4611		361
1485	Efficient Visible Light-Induced Photocatalytic Degradation of Contaminant by Spindle-like PANI/BiVO ₄ . 2009 , 113, 20228-20233		156
1484	First synthesis and electronic properties of diphenothiazine dumbbells bridged by heterocycles. 2009 , 7, 469-75		25
1483	Dendritic structure having a potential gradient: new synthesis and properties of carbazole dendrimers. <i>Journal of the American Chemical Society</i> , 2009 , 131, 2244-51	16.4	139
1482	One Order of Magnitude Enhancement of Electron Mobility by Rapid Cooling the Melt of an n-Type Organic Semiconductor. 2009 , 113, 16549-16552		7
1481	Solution-processable red-emission organic materials containing triphenylamine and benzothiadiazole units: synthesis and applications in organic light-emitting diodes. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 7745-52	3.4	61
1480	Molecular Modification of 2,7-Diphenyl[1]benzothieno[3,2-b]benzothiophene (DPh-BTBT) with Diarylamino Substituents: From Crystalline Order to Amorphous State in Evaporated Thin Films. 2009 , 38, 420-421		5
1479	Synthesis and Characterization of 2,3,7,8,12,13-Hexabromotruene and Its Hexaaryl Derivatives. 2009 , 38, 286-287		13
1478	Theoretical studies on the structures and absorption spectra of π -n R ₂ n+1 (R = H, F; n = 1, 2) substituted 5-(2-pyridyl) pyrazolate boron complexes. 2009 , 107, 2511-2520		1
1477	Synthesis and Optoelectronic Properties of Completely Carbazole-substituted Double-decker-shaped Silsesquioxane. 2010 , 39, 1162-1163		13
1476	New conjugated monomers and oligomers derived from chalcones and containing thiophene, pyrrole, and pyrimidine fragments. 2010 , 83, 1444-1449		6
1475	Thermochemistry of proton-coupled electron transfer reagents and its implications. <i>Chemical Reviews</i> , 2010 , 110, 6961-7001	68.1	1124
1474	Organic single crystal field-effect transistors: advances and perspectives. 2010 , 20, 4994		141
1473	Use of side-chain incompatibility for tailoring long-range p/n heterojunctions: photoconductive nanofibers formed by self-assembly of an amphiphilic donor-acceptor dyad consisting of oligothiophene and perylene diimide. 2010 , 5, 1566-72		47
1472	Advances in organic photoconductor technology. <i>Chemical Reviews</i> , 2010 , 110, 479-526	68.1	131
1471	Molecular semiconductors in organic photovoltaic cells. <i>Chemical Reviews</i> , 2010 , 110, 6689-735	68.1	773
1470	Cross-conjugated cruciform fluorophores. 2010 , 43, 397-408		243
1469	Theoretical study on dithieno[3,2-b:2',3'-d]phosphole derivatives: high-efficiency blue-emitting materials with ambipolar semiconductor behavior. 2010 , 127, 419-427		11

1468	Charge transport and luminescent properties of C ₆ F ₅ Cu(py) and their relationships with cuprophilic interactions: a density functional theory investigation. 2010 , 127, 735-742	11
1467	Theoretical investigation into charge mobility in 4,4'-bis(1-naphthylphenylamino)biphenyl. 2010 , 127, 759-763	13
1466	Quantitative luminous efficiency determination for large-area light-emitting devices. 2010 , 98, 337-344	2
1465	Easily functionalizable carbazole based building blocks with extended conjugated systems for optoelectronic applications. 2010 , 66, 3199-3206	30
1464	Synthesis and properties of an ionic polyacetylene with norbornene moieties. 2010 , 16, 214-219	12
1463	New discotic-shaped azomethines with triphenylamine moieties: Thermal, structural behaviors and opto-electrical properties. 2010 , 981, 120-129	11
1462	Molecular hosts for triplet emitters in organic light-emitting diodes and the corresponding working principle. 2010 , 53, 1679-1694	34
1461	Organic Photovoltaic Devices Using an Amorphous Molecular Material With High Hole Drift Mobility, Tris[4-(2-thienyl)phenyl]amine. 2010 , 16, 1528-1536	3
1460	Synthesis and properties of a new [60] fullerene-donor system containing dicyanovinyl groups. 2010 , 64, 2244-2246	8
1459	Copper-Catalyzed Direct Synthesis of Di- and Triphenylamines: A Dramatic Accelerating Effect of 2-Aminophenols. 2010 , 2010, 6967-6973	14
1458	Tuning the columnar organization of discotic polycyclic aromatic hydrocarbons. 2010 , 22, 3634-49	182
1457	Efficient intramolecular charge transfer in oligoynes-linked donor-pi-acceptor molecules. 2010 , 16, 1470-9	49
1456	The Hierarchical Self-Assembly of Charge Nanocarriers: A Highly Cooperative Process Promoted by Visible Light. 2010 , 122, 7128-7132	16
1455	1,5,9-Triazacoronenes: A Family of Polycyclic Heteroarenes Synthesized by a Threefold Pictet-Spengler Reaction. 2010 , 122, 8385-8389	17
1454	Polyimides: Promising Energy-Storage Materials. 2010 , 122, 8622-8626	93
1453	The hierarchical self-assembly of charge nanocarriers: a highly cooperative process promoted by visible light. 2010 , 49, 6974-8	97
1452	1,5,9-Triazacoronenes: a family of polycyclic heteroarenes synthesized by a threefold Pictet-Spengler reaction. 2010 , 49, 8209-13	77
1451	Polyimides: promising energy-storage materials. 2010 , 49, 8444-8	447

1450	Highly Air-Stable Thieno[3,2-b]thiophene-Thiophene-Thiazolo[5,4-d]thiazole-Based Polymers for Light-Emitting Diodes. 2010 , 211, 1890-1899	33
1449	Click-Synthesis of a Bipolar Dendrimer as a Host Material for Electrophosphorescent Devices. 2010 , 211, 1969-1976	9
1448	Promising Optoelectronic Materials: Polymers Containing Phosphorescent Iridium(III) Complexes. 2010 , 31, 794-807	93
1447	Organic ambipolar conjugated molecules for electronics: synthesis and structure-property relationships. 2010 , 31, 2007-34	46
1446	Photoconductivity of thin organic films. 2010 , 256, 3900-3905	15
1445	Influence of chromophore dipole moments in parameters of organic light emitting devices based on phenyl and methyl modified pyrazoloquinoline. 2010 , 75, 1501-5	11
1444	Some spirobiindane based 1H-pyrazolo [3,4-b] quinoline chromophore as novel chromophore for light-emitting diodes. 2010 , 130, 2093-2099	20
1443	Structure-properties relationship of linear and star-shaped imines with triphenylamine moieties as hole-transporting materials. <i>Optical Materials</i> , 2010 , 32, 1514-1525	3-3 30
1442	Role of air exposure in the improvement of injection efficiency of transition metal oxide/organic contact. 2010 , 11, 89-94	37
1441	Synthesis, characterization and third-order non-linear optical properties of novel fluorene monomers and their cross-conjugated polymers. 2010 , 51, 2351-2359	16
1440	New linear π -conjugated polymers via Suzuki coupling of (1Z, 3Z)-1,4-dibromo-1,4-diaryl-buta-1,3-diene with aromatic diborates: Synthesis and photophysical properties. 2010 , 51, 3730-3735	7
1439	Thermally cross-linkable hyperbranched polymers containing triphenylamine moieties: Synthesis, curing and application in light-emitting diodes. 2010 , 51, 4484-4492	16
1438	Metallocene-catalyzed synthesis of polyethylenes with side-chain triaryl amines: Effects of catalyst structure and triarylamine functionality. 2010 , 51, 4735-4743	12
1437	Electrical functions of photochromic molecules. 2010 , 11, 1-14	139
1436	Arylamino-9,10-diphenylanthracenes for organic light emitting devices. 2010 , 11, 479-485	24
1435	Resist-free laser patterning of perfluoro-alkyl functionalized fullerene films: Attaining pattern and stability by order. 2010 , 11, 1595-1604	2
1434	Photoactive amorphous molecular materials based on quinoline amines and their synthesis by Friedländer condensation reaction. 2010 , 66, 9319-9326	24
1433	The ionic liquid [bmim]Br as an alternative medium for the catalytic cleavage of aromatic C-Br and C-I bonds. 2010 , 51, 2265-2268	18

1432	Design, synthesis and redox properties of a fluorene platform linking two different Bodipy dyes. 2010 , 51, 2875-2879		28
1431	New star-shaped molecules derived from thieno[3,2-b]thiophene unit and triphenylamine. 2010 , 51, 6673-6676		25
1430	Theoretical characterization of hole mobility in N,N'-diphenyl-N,N'-bis(3-methylphenyl)-(1,1'-biphenyl)-4,4'-diamine. 2010 , 962, 80-84		9
1429	Determination of charge carrier mobility of hole transporting polytriarylamine-based diodes. 2010 , 518, 3351-3354		22
1428	Molecular semiconductor-doped insulator (MSDI) heterojunctions: Oligothiophene/bisphthalocyanine (LuPc2) and perylene/bisphthalocyanine as new structures for gas sensing. 2010 , 145, 501-506		47
1427	Recent development of conjugated oligomers for high-efficiency bulk-heterojunction solar cells. 2010 , 94, 1963-1979		58
1426	Synthesis and characterization of X-shaped oligo(para-phenylene) derivatives functionalized with fluorene ethynylene. 2010 , 21, 1374-1377		1
1425	Theoretical modeling of influence of the structural disorder on the charge carrier mobility in triphenylene stacks. 2010 , 485, 253-257		5
1424	Electron-vibration interactions in triphenylamine cation: Why are triphenylamine-based molecules good hole-transport materials?. 2010 , 486, 130-136		18
1423	The synthesis, characterization and optical properties of novel, substituted, pyrazoly 1,3,4-oxadiazole derivatives. <i>Dyes and Pigments</i> , 2010 , 86, 25-31	4.6	26
1422	The synthesis and optical properties of benzothiazole-based derivatives with various electron donors as novel bipolar fluorescent compounds. <i>Dyes and Pigments</i> , 2010 , 86, 238-248	4.6	49
1421	The tautomerism, solvatochromism and non-linear optical properties of fluorescent 3-hydroxyquinoxaline-2-carboxalidine-4-aminoantipyrene. <i>Dyes and Pigments</i> , 2010 , 87, 149-157	4.6	28
1420	Synthesis and characterization of electrochromic poly(amide-imide)s based on the diimide-diacid from 4,4'-diamino-4'-methoxytriphenylamine and trimellitic anhydride. 2010 , 46, 1355-1366		51
1419	Fluorescent and electrochromic aromatic polyamides with 4-tert-butyltriphenylamine chromophore. 2010 , 48, 2798-2809		29
1418	Experimental and theoretical investigation of a new rapid switching near-infrared electrochromic conjugated polymer. 2010 , 48, 3913-3923		20
1417	Solution, thermal and optical properties of novel poly(pyridinium salt)s derived from conjugated pyridine diamines. 2010 , 48, 4408-4418		9
1416	Solution, thermal, and optical properties of poly(pyridinium salt)s derived from an ambipolar diamine consisting of diphenylquinoline and triphenyl amine moieties. 2010 , 48, 4611-4620		13
1415	Novel triarylamine-based alternating conjugated polymer with high hole mobility: Synthesis, electro-optical, and electronic properties. 2010 , 48, 4654-4667		38

1414	Red, green, and blue electrochromism in ambipolar poly(amine-imide-imide)s based on electroactive tetraphenyl-p-phenylenediamine units. 2010 , 48, 4747-4757		28
1413	Synthesis, photoluminescence, and electrochromism of polyamides containing (3,6-di-tert-butylcarbazol-9-yl)triphenylamine units. 2010 , 48, 4775-4789		49
1412	. 2010 ,		128
1411	Organic field effect transistors from triarylamine side-chain polymers. 2010 , 96, 073503		22
1410	Oxygen and water-related impurities in C60 crystals: A density-functional theory study. 2010 , 82,		22
1409	The role of molecular volume and the shape of the hole transport molecule in the morphology of model charge transport composites. 2010 , 88, 247-259		6
1408	Solution-processed hybrid bilayer photodetectors with rapid response to ultraviolet radiation. 2010 , 43, 425101		3
1407	Synthesis, Self-assembly, and Crystal Structure of a Shape-Persistent Polyhedral-Oligosilsesquioxane-Nanoparticle-Tethered Perylene Diimide. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 4802-4810	3-4	76
1406	Solution processable low bandgap diketopyrrolopyrrole (DPP) based derivatives: novel acceptors for organic solar cells. 2010 , 20, 3626		234
1405	A glass forming module for organic molecules: making tetraphenylporphyrin lose its crystallinity. 2010 , 12, 1896-9		21
1404	Triarylamine designed to form molecular glasses. Derivatives of tris(p-terphenyl-4-yl)amine with multiple contiguous phenyl substituents. 2010 , 12, 404-7		19
1403	Solution-Processable Organic Molecule with Triphenylamine Core and Two Benzothiadiazole-Thiophene Arms for Photovoltaic Application. 2010 , 114, 3701-3706		94
1402	Carbazolyl-contained phenol-pyridyl boron complexes: syntheses, structures, photoluminescent and electroluminescent properties. <i>Dalton Transactions</i> , 2010 , 39, 5123-9	4-3	24
1401	Solution-processable conjugated polymers containing alternating 1-alkyl-1,2,4-triazole and NSN links. 2010 , 20, 5659		6
1400	Electrochemical behavior and electrogenerated chemiluminescence of star-shaped D-A compounds with a 1,3,5-triazine core and substituted fluorene arms. <i>Journal of the American Chemical Society</i> , 2010 , 132, 10944-52	16.4	106
1399	Crystal Structure and Optical Properties of N-Pyrrole End-Capped Thiophene/Phenyl Co-Oligomer: Strong H-type Excitonic Coupling and Emission Self-Waveguiding. 2010 , 10, 2342-2349		11
1398	Solution, thermal and optical properties of new poly(pyridinium salt)s derived from bisquinoline diamines. 2010 , 1, 908		20
1397	High performance organic light-emitting diodes based on tetra(methoxy)-containing anthracene derivatives as a hole transport and electron-blocking layer. 2010 , 20, 8382		17

1396	Nondoped pure-blue OLEDs based on amorphous phenylenevinylene-functionalized twisted bimesitylenes. 2010 , 75, 2599-609	44
1395	Synthesis, reactivity, and electronic properties of 6,6-dicyanofulvenes. 2010 , 12, 5302-5	55
1394	Electroluminescence Characteristics of a New Green-Emitting Phenothiazine Derivative with Biphenyl Benzimidazole Substituent. 2010 , 520, 36/[312]-43/[319]	1
1393	Tuning the intramolecular charge transfer emission from deep blue to green in ambipolar systems based on dibenzothiophene S,S-dioxide by manipulation of conjugation and strength of the electron donor units. 2010 , 75, 6771-81	104
1392	Periodic and Molecular Modeling Study of Donor-Acceptor Interactions in (dbbpy)Pt(tdt)TTF and [Pt(dbbpy)(tdt)] ₂ TTF. 2010 , 29, 795-800	12
1391	Hexa-peri-hexabenzocoronene (HBC)-Incorporated Single- and Double-Stranded Polynorbornenes. 2010 , 43, 8741-8746	30
1390	Novel n-Type Conjugated Ladder Heteroarenes: Synthesis, Self-Assembly of Nanowires, Electron Transport, and Electroluminescence of Bisindenoanthrazolines. 2010 , 22, 5786-5796	35
1389	Highly Efficient Phosphorescent Organic Light-Emitting Diodes Hosted by 1,2,4-Triazole-Cored Triphenylamine Derivatives: Relationship between Structure and Optoelectronic Properties. 2010 , 114, 601-609	95
1388	Preparation and Photophysical Properties of Phosphino- and Phosphine Oxide-Linked Siloles. 2010 , 29, 1612-1621	7
1387	The Brønsted-Lowry Reaction Revisited: Glass-Forming Properties of Salts of 1,5-Dimethylbiguanide. 2010 , 10, 2734-2745	4
1386	Base-Stabilized 1-Silacyclopenta-2,4-dienylidenes. 2010 , 29, 3063-3065	58
1385	DFT Investigation of Oligothiophenes on a Si(001) Surface. 2010 , 114, 20068-20075	6
1384	Living Anionic Polymerization of Styrene Derivatives Containing Triphenylamine Moieties through Introduction of Protecting Group. 2010 , 43, 8400-8408	26
1383	Positional Disorder-Induced Mobility Enhancement in Rapidly Cooled Organic Semiconductor Melts. 2010 , 114, 9056-9061	10
1382	1,3,6,8-tetrasubstituted pyrenes: solution-processable materials for application in organic electronics. 2010 , 12, 3292-5	86
1381	Cyanated Pentaceno[2,3-c]chalcogenophenes for Potential Application in Air-Stable Ambipolar Organic Thin-Film Transistors. 2010 , 114, 22316-22321	61
1380	Fluorescent and electrochromic polyamides with pyrenylamine chromophore. 2010 , 20, 5481	65
1379	Electroactive materials for organic electronics: preparation strategies, structural aspects and characterization techniques. 2010 , 39, 2577-632	390

1378	Enhancement of the hole mobility and concentration in pentacene by oxygen plasma treatment. 2010 , 356, 2820-2823	9
1377	Indole and phenylenediamine based enamines as amorphous hole-transporting materials. 2010 , 160, 162-168	11
1376	Synthesis and electro-optical properties of biphenyl analogues. 2010 , 160, 549-555	3
1375	Low voltage organic light emitting diode using p π structure. 2010 , 160, 1126-1129	10
1374	Synthesis and characterization of triphenylamine-Benzothiazole-based donor and acceptor materials. 2010 , 160, 1065-1072	23
1373	Synthesis and properties of starburst amorphous molecules: 1,3,5-Tris(1,8-naphthalimide-4-yl)benzenes. 2010 , 160, 2055-2060	11
1372	Synthesis and hole-transporting properties of vinyl-type polynorbornenes with ethyl ester linked triarylamine side groups. 2010 , 160, 2000-2007	18
1371	A study of thermal, optical and electrical properties of new branched triphenylamine-based polyazomethines. 2010 , 160, 2065-2076	35
1370	Theoretical studies of electronic structure and hole drift mobility of host hole transporting material 4,4'-N,N'-dicarbazol-biphenyl. 2010 , 160, 2104-2108	9
1369	Metal salen coordination compounds: A new type of ambipolar charge transport materials. 2010 , 160, 2299-2305	6
1368	Yellow-green organic light-emitting diode based on tris(2-methyl-8-quinolinolate) scandium. 2010 , 160, 2476-2480	1
1367	Properties of composite films of titania nanofibers and Safranin O dye. 2010 , 160, 2564-2572	8
1366	Tris(triazolyl)triazine via click-chemistry: a C3 electron-deficient core with liquid crystalline and luminescent properties. 2010 , 12, 1404-7	81
1365	Electroluminescence Based on Lanthanide Complexes. 2010 , 435-472	4
1364	Computational methods for design of organic materials with high charge mobility. 2010 , 39, 423-34	360
1363	Synthesis and stability of soluble hexacenes. 2010 , 12, 2060-3	115
1362	Solution-processable low-molecular weight extended arylacetylenes: versatile p-type semiconductors for field-effect transistors and bulk heterojunction solar cells. <i>Journal of the American Chemical Society</i> , 2010 , 132, 6108-23	16.4 145
1361	Micro- and nanocrystals of organic semiconductors. 2010 , 43, 529-40	334

- 1360 Efficient synthesis of aminopyridine derivatives by copper catalyzed amination reactions. **2010**, 46, 925-7 59
- 1359 Synthesis of Extended thiadiazole (oxides) and their electronic properties. **2010**, 12, 4520-3 35
- 1358 Energy barrier, charge carrier balance, and performance improvement in organic light-emitting diodes. **2010**, 96, 2433-10 36
- 1357 Molecular design of host materials based on triphenylamine/oxadiazole hybrids for excellent deep-red phosphorescent organic light-emitting diodes. **2010**, 20, 1759 116
- 1356 Stable radical cores: a key for bipolar charge transport in glass forming carbazole and indole derivatives. **2010**, 46, 5130-2 25
- 1355 Synthesis and characterisation of new diindenodithienothiophene (DITT) based materials. **2010**, 20, 1112-1116 13
- 1354 New Discotic Mesogens Based on Triphenylene-Fused Triazatruxenes: Synthesis, Physical Properties, and Self-Assembly. **2010**, 22, 435-449 110
- 1353 Enhanced near-infrared electrochromism in triphenylamine-based aramids bearing phenothiazine redox centers. **2010**, 20, 9886 53
- 1352 Synthesis and Electron Transfer Characteristics of a Neutral, Low-Band-Gap, Mixed-Valence Polyradical. **2010**, 22, 6641-6655 32
- 1351 Luminescent platinum complexes containing phosphorus-linked silole ligands. *Dalton Transactions*, **2010**, 39, 9321-8 4-3 8
- 1350 Synthesis, optical and magnetic properties of hybrid π -oligothiophenecarboxylates/transition metal hydroxide multilayered compounds. **2010**, 20, 9401 21
- 1349 From crystals to columnar liquid crystal phases: molecular design, synthesis and phase structure characterization of a series of novel phenazines potentially useful in photovoltaic applications. **2010**, 6, 100-112 49
- 1348 Blending induced stack-ordering and performance improvement in a solution-processed n-type organic field-effect transistor. **2010**, 20, 1203-1207 26
- 1347 Thiophene-Benzothiadiazole-Thiophene (D π A π D) based polymers: effect of donor/acceptor moieties adjacent to D π A π D segment on photophysical and photovoltaic properties. **2011**, 21, 10532 43
- 1346 Design and synthesis of solution processable small molecules towards high photovoltaic performance. **2011**, 21, 2159-2168 79
- 1345 Luminescent columnar liquid crystals generated by self-assembly of 1,3,4-oxadiazole derivatives. **2011**, 21, 5916 43
- 1344 Unsymmetrical diimine chelation to M(II) (M=Zn, Cd, Pd): atropisomerism, pi-pi stacking and photoluminescence. *Dalton Transactions*, **2011**, 40, 7375-84 4-3 39
- 1343 Novel structure CuI/PANI nanocomposites with bifunctions: superhydrophobicity and photocatalytic activity. **2011**, 21, 9641 80

1342	Diimide nanoclusters play hole trapping and electron injection roles in organic light-emitting devices. 2011 , 3, 1073-7		4
1341	Synthesis and photophysics of monodisperse co-oligomers consisting of alternating thiophene and perylene bisimide. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 2036-43	3.6	10
1340	Solvatochromic dissociation of non-covalent fluorescent organic nanoparticles upon cell internalization. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 13268-76	3.6	30
1339	Growth mechanisms of phthalocyanine nanowires induced by Au nanoparticle templates. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 5940-4	3.6	16
1338	Synthesis and structural, electronic, optical and FET properties of thiophene-pyrrole mixed hexamers end-capped with phenyl and pentafluorophenyl groups. 2011 , 21, 14959		19
1337	A theoretical study of bipolar organic transport material: Disilanyl double-pillared bisanthracene (SiDPBA). 2011 , 89, 1257-1263		
1336	Highly twisted triarylamine for photoinduced intramolecular charge transfer. 2011 , 115, 8361-8		19
1335	Synthesis, spectroscopic properties, and electropolymerization of azulene dyads. 2011 , 76, 4859-73		27
1334	Substituent effects in the periphery of 2,9-bisaryl-tetraazaperopyrene dyes. 2011 , 76, 609-17		26
1333	First-principles study of electronic structure and charge transport at PTCDA molecular layers on Ag(111) and Al(111) electrodes. 2011 , 84,		7
1332	Conformationally dynamic π -conjugation: probing structure-property relationships of fluorescent tris(N-salicylideneaniline)s. 2011 , 115, 13298-308		18
1331	Siloxane-triarylamine hybrids: discrete room temperature liquid triarylamine via the Piers-Rubinsztajn reaction. 2011 , 13, 154-7		45
1330	Organic Semiconductors. 2011 , 448-507		7
1329	A Polyboryl-Functionalized Triazine as an Electron Transport Material for OLEDs. 2011 , 30, 5552-5555		54
1328	Hole transparent and hole blocking transport in single-crystal-like organic heterojunction: when rods hold up disks. 2011 , 3, 2195-9		10
1327	Semi-metallic single-component crystal of soluble La@C82 derivative with high electron mobility. <i>Journal of the American Chemical Society</i> , 2011 , 133, 2766-71	16.4	45
1326	Efficient Deep-Blue Electroluminescence from an Ambipolar Fluorescent Emitter in a Single-Active-Layer Device. 2011 , 23, 1640-1642		107
1325	Fluorescence anisotropy spectra disclose the role of disorder in optical spectra of branched intramolecular-charge-transfer molecules. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 7009-20	3.4	38

1324	Spin-Delocalization in Charged States of para-Phenylene-Linked Dendritic Oligoarylamines 2011 , 23, 841-850	30
1323	Charge transport properties of stacking bisindenoanthrazolines: DFT studies. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 8409-16	3-4 10
1322	Solution-processable π -conjugated dendrimers with hole-transporting, electroluminescent and fluorescent pattern properties. 2011 , 21, 14663	22
1321	Effect of molecular spatial configuration on the photovoltaic properties of triphenylamine-containing D π A structured organic molecules. 2011 , 44, 475101	17
1320	Chemically Doped and Cross-linked Hole-Transporting Materials as an Efficient Anode Buffer Layer for Polymer Solar Cells. 2011 , 23, 5006-5015	63
1319	Nonradiative decay mechanism of fluoren-9-ylidene malononitrile ambipolar derivatives. 2011 , 115, 2184-95	12
1318	Hole transport in triphenylamine based OLED devices: from theoretical modeling to properties prediction. 2011 , 115, 14519-25	122
1317	Organic and Hybrid Solar Cells Based on Small Molecules. 2011 , 57-114	
1316	New Donor-Acceptor Random Copolymers with Pendent Triphenylamine and 1,3,4-Oxadiazole for High-Performance Memory Device Applications. 2011 , 44, 2604-2612	84
1315	Theoretical Study of Charge-Transfer Properties of the π -Stacked Poly(1,1-silafluorene)s. 2011 , 115, 14778-14785	3
1314	Star-Shaped Oligotriarylamines with Planarized Triphenylamine Core: Solution-Processable, High-Tg Hole-Injecting and Hole-Transporting Materials for Organic Light-Emitting Devices 2011 , 23, 771-777	108
1313	Enhanced phosphorescence in dibenzophosphole chalcogenide mixed crystal. 2011 , 13, 5423	20
1312	Generation and spectroscopic profiles of stable multiarylaminium radical cations bridged by fluorenes. 2011 , 13, 2702-5	32
1311	High hole mobility of 1,2-bis[4'-(diphenylamino)biphenyl-4-yl]-1,2-diphenylethene in field effect transistor. 2011 , 47, 6924-6	46
1310	Two-dimensional copolymers with D π A type side chains for organic thin-film transistors: Synthesis and properties. 2011 , 2, 2842	5
1309	Novel luminescent and electrochromic polyhydrazides and polyoxadiazoles bearing pyrenylamine moieties. 2011 , 2, 1720	10
1308	Surface-supported 2D heterotriangulene polymers. 2011 , 47, 10239-41	131
1307	Synthesis, thin-film morphology, and comparative study of bulk and bilayer heterojunction organic photovoltaic devices using soluble diketopyrrolopyrrole molecules. 2011 , 4, 3617	35

1306	Mixed quantum-classical simulations of charge transport in organic materials: numerical benchmark of the Su-Schrieffer-Heeger model. 2011 , 134, 244116		43
1305	Persistence time of charge carriers in defect states of molecular semiconductors. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 10241-8	3.6	20
1304	Bipolar molecules with high triplet energies: synthesis, photophysical, and structural properties. 2011 , 76, 8300-10		59
1303	Towards high efficiency solid emitters with aggregation-induced emission and electron-transport characteristics. 2011 , 47, 11216-8		131
1302	Halogenated 6,13-bis(triisopropylsilylethynyl)-5,7,12,14-tetraazapentacene: applications for ambipolar air-stable organic field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 11148-55	3.6	49
1301	Effect of Triarylamine Structure on the Photoinduced Electron Transfer to Boron Subphthalocyanine. 2011 , 115, 20716-20723		6
1300	Theoretical design of a hole-transporting molecule: hexaaza[16]parabiphenylophane. 2011 , 21, 6375		27
1299	Design and synthesis of photoactive ionic amorphous molecular materials. 2011 , 21, 12717		13
1298	Solid-state electropolymerization and doping of triphenylamine as a route for electroactive thin films. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 4013-21	3.6	18
1297	Biocatalytic synthesis of polymeric nanowires by micellar templates of ionic surfactants. 2011 , 410, 901-3		6
1296	Four-coordinate organoboron compounds with a π -conjugated chelate ligand for optoelectronic applications. <i>Inorganic Chemistry</i> , 2011 , 50, 12263-74	5.1	217
1295	Efficient Deep Blue Organic Light-Emitting Diodes Based on Wide Band Gap 4-Hydroxy-8-Methyl-1,5-Naphthyridine Aluminum Chelate as Emitting and Electron Transporting Layer. 2011 , 7, 454-458		3
1294	Pyrene-based materials for organic electronics. <i>Chemical Reviews</i> , 2011 , 111, 7260-314	68.1	1089
1293	Cyclopentadithiophene-Based Organic Semiconductors: Effect of Fluorinated Substituents on Electrochemical and Charge Transport Properties. 2011 , 2, 648-654		35
1292	Deep blue polymer light emitting diodes based on easy to synthesize, non-aggregating polypyrene. 2011 , 19 Suppl 6, A1281-93		19
1291	The Literature of Heterocyclic Chemistry, Part X, 2005-2007. 2011 , 1-137		16
1290	Click Chemistry synthesis of carbazole dendrimer as host material for electrophosphorescent device. 2011 , 161, 330-334		9
1289	High hole mobility through charge recombination interface in organic light-emitting diodes. 2011 , 161, 2087-2091		19

1288	Synthesis and characterization of poly(triphenylamine)s with electron-withdrawing trifluoromethyl side groups for emissive and hole-transporting layer. 2011 , 161, 2092-2096	13
1287	New naphthalene diimide-based compounds containing triarylamine units and imine linkages: Thermal, optical and electrochemical properties. 2011 , 161, 2268-2279	28
1286	Aryl substituted 9-(2,2-diphenylvinyl)carbazoles as efficient materials for hole transporting layers of OLEDs. 2011 , 161, 2466-2470	16
1285	Tuning of charge balance in bipolar host materials for highly efficient solution-processed phosphorescent devices. 2011 , 13, 3146-9	98
1284	Synthesis and photophysical properties of hyperbranched polyfluorenes containing 2,4,6-tris(thiophen-2-yl)-1,3,5-triazine as the core. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 8838-46 ^{3,6}	24
1283	Covalent Organic Frameworks with High Charge Carrier Mobility. 2011 , 23, 4094-4097	524
1282	Synthesis and Crystal Structure of 9-(4,6-dichloro-1,3,5-triazin-2-yl)-9H-carbazole. 2011 , 1, 28-33	1
1281	One small step in synthesis, a big leap in charge mobility: diphenylethenyl substituted triphenylamines. 2011 , 47, 7770-2	12
1280	Air stable electron-transporting and ambipolar bay substituted perylene bisimides. 2011 , 21, 7811	52
1279	Glass-Forming Organic Semiconductors for Optoelectronics. 2011 , 17,	
1278	Perylene Diimide: Versatile Building Blocks for Molecular Self-Assemblies, Folding Motifs, and Reaction-Directing Codes. 2011 , 15, 1314-1339	43
1277	Mechanochromic and Color-change Properties of 2,6-Di(2-pyridyl)benzo[1,2-b:4,5-b']difuran in the Solid and Solution. 2011 , 40, 576-578	22
1276	9,10-Bis(bipyridyl, pyridylphenyl, phenylpyridyl, and biphenyl)anthracenes Combining High Electron Transport and Injection, Efficiency and Stability in Fluorescent Organic Light-emitting Devices. 2011 , 40, 1092-1094	8
1275	XES and quantum chemical investigation of the electronic structure of phthalocyanine complexes MPcH16 and MPcF16 with M = Cu, Co. 2011 , 52, 21-35	2
1274	Air-stable triarylamine-based amorphous polymer as donor material for bulk-heterojunction organic solar cells. 2011 , 95, 3509-3515	13
1273	Polymer-based nanocomposites for organic optoelectronic devices. A review. 2011 , 206, 742-752	83
1272	High charge-carrier mobilities in blends of poly(triarylamine) and TIPS-pentacene leading to better performing X-ray sensors. 2011 , 12, 1903-1908	44
1271	Synthesis and properties of cyclopentadithiophene-based poly(silarylenesiloxane) derivatives. 2011 , 52, 5282-5289	7

1270	Fabrication of Flexible Amorphous-Si Thin-Film Solar Cells on a Parylene Template Using a Direct Separation Process. 2011 , 58, 1433-1439	7
1269	Interpenetrating polymer network dielectrics for high-performance organic field-effect transistors. 2011 , 21, 6968	26
1268	Organic host materials for phosphorescent organic light-emitting diodes. 2011 , 40, 2943-70	983
1267	Synthesis, structure, and properties of supramolecular charge-transfer complexes between bis(18-crown-6)stilbene and ammonioalkyl derivatives of 4,4'-bipyridine and 2,7-diazapyrene. 2011 , 76, 6768-79	22
1266	Processable Low-Bandgap Polymers for Photovoltaic Applications 2011 , 23, 456-469	760
1265	Halogenated Materials as Organic Semiconductors 2011 , 23, 446-455	409
1264	Bis-cinnolines as n-type semiconducting material with high electron mobility and thermal stability and their application in organic photovoltaic cells. 2011 , 6, 2005-8	30
1263	Impact of Linking Topology on the Properties of Carbazole Trimers and Dimers. 2011 , 115, 4887-4897	68
1262	Solution-processable single-material molecular emitters for organic light-emitting devices. 2011 , 40, 3509-24	275
1261	Molecular orientation in small-molecule organic light-emitting diodes. 2011 , 21, 19187	428
1260	Prediction of Charge Mobility in Amorphous Organic Materials through the Application of Hopping Theory. 2011 , 7, 2556-67	23
1259	Integer charge transfer states in organic light-emitting diodes: Optical detection of hole carriers at the anode organic interface. 2011 , 109, 013709	14
1258	Redox-active and electrochromic aromatic poly(amide-imide)s with 2,4-dimethoxytriphenylamine chromophores. 2011 , 18, 1353-1364	18
1257	Long-range corrected DFT calculations of charge-transfer integrals in model metal-free phthalocyanine complexes. 2011 , 17, 2143-9	21
1256	Theoretical study on photophysical properties of 2,1,3-benzothiadiazole-based star-shaped molecules. 2011 , 129, 833-845	5
1255	Vibronic interactions in hole-transporting molecules: An interplay with electron-hole interactions. 2011 , 507, 151-156	3
1254	Hydrazones containing electron-accepting and electron-donating moieties. <i>Dyes and Pigments</i> , 2011 , 91, 13-19	4.6 20
1253	One-pot synthesis of 2-bromo-4,5-diazafluoren-9-one via a tandem oxidation-bromination-rearrangement of phenanthroline and its hammer-shaped donor-acceptor organic semiconductors. 2011 , 67, 1977-1982	26

1252	Controlling the Physical and Electrochemical Properties of Arylamines Through the Use of Simple Silyl Ethers: Liquid, Waxy and Glassy Arylamines. 2011 , 3, 125-137	11
1251	Enhanced redox stability and electrochromic properties of aromatic polyamides based on N,N-bis(4-carboxyphenyl)-N',N'-bis(4-tert-butylphenyl)-1,4-phenylenediamine. 2011 , 49, 337-351	34
1250	Solution, thermal and optical properties of new poly(pyridinium salt)s derived from conjugated quinoline diamines. 2011 , 49, 1907-1918	8
1249	New polyimides incorporated with diphenylpyrenylamine unit as fluorophore and redox-chromophore. 2011 , 49, 2210-2221	43
1248	Pyrenylamine-functionalized aromatic polyamides as efficient blue-emitters and multicolored electrochromic materials. 2011 , 49, 3475-3490	20
1247	Triphenylamine-based polyimides with trimethyl substituents for gas separation membrane and electrochromic applications. 2011 , 49, 3637-3646	46
1246	Soluble, redox-active, and blue-emitting poly(amide-hydrazide)s and poly(amide-1,3,4-oxadiazole)s containing pyrenylamine units. 2011 , 49, 4830-4840	8
1245	Effect of isomeric pyridine moieties in ethynylstyrene derivatives on their anionic polymerization. 2011 , 49, 5199-5209	10
1244	Morphology of Titanium Nanocluster Films Prepared by Gas Aggregation Cluster Source. 2011 , 8, 640-650	35
1243	Dipolar versus octupolar triphenylamine-based fluorescent organic nanoparticles as brilliant one- and two-photon emitters for (bio)imaging. 2011 , 7, 3219-29	76
1242	High-Mobility Conjugated Polymers Based on Fused-Thiophene Building Blocks. 2011 , 212, 428-443	84
1241	Enhancing Redox Stability and Electrochromic Performance of Polyhydrazides and Poly(1,3,4-oxadiazole)s with 3,6-Di-tert-butylcarbazol-9-yltriphenylamine Units. 2011 , 212, 821-830	9
1240	Template-Assisted Fabrication of Highly Ordered Interpenetrating Polymeric Donor/Acceptor Nanostructures for Photovoltaic Applications. 2011 , 212, 2142-2150	9
1239	Direct UV Patterning of Electronically Active Fullerene Films. 2011 , 21, 3723-3728	23
1238	White organic light-emitting diodes. 2011 , 23, 233-48	786
1237	Tailored highly transparent composite hole-injection layer consisting of PEDOT:PSS and SiO ₂ nanoparticles for efficient polymer light-emitting diodes. 2011 , 23, 740-5	49
1236	Molecular-shape-controlled photovoltaic performance probed via soluble π -conjugated arylacetylenic semiconductors. 2011 , 23, 3827-31	41
1235	Bipolar host materials: a chemical approach for highly efficient electrophosphorescent devices. 2011 , 23, 3876-95	443

- 1234 Mica, a potential two-dimensional-crystal gate insulator for organic field-effect transistors. **2011**, 23, 5502-7 73
- 1233 Photoluminescent Hemidisc-Shaped Liquid Crystalline Nickel(II) Schiff-Base Complexes. **2011**, 2011, 5390-5396 22
- 1232 Facile Synthesis of Alternating BenzenePyrrole Oligomers by Cyclization of Propargylic Dithioacetals and Imines and Their Fluorescent Properties. **2011**, 2011, 4588-4594 2
- 1231 C-H...N Interaction-modulated solid-state packing and carrier mobility in thienyl and thieno[3,2-b]thienyl end-capped distyrylarylene derivatives. **2011**, 12, 289-94 3
- 1230 Characterization and polymerization of thienylphenyl and selenylphenyl amines and their interaction with CdSe quantum dots. **2011**, 12, 1155-64 1
- 1229 A Palladium-Catalyzed Multicomponent Coupling Approach to π -Conjugated Oligomers: Assembling Imidazole-Based Materials from Imines and Acyl Chlorides. **2011**, 123, 6682-6686 7
- 1228 [n]Cyclo-2,7-naphthylenes: Synthesis and Isolation of Macrocyclic Aromatic Hydrocarbons having Bipolar Carrier Transport Ability. **2011**, 123, 5435-5438 37
- 1227 A palladium-catalyzed multicomponent coupling approach to π -conjugated oligomers: assembling imidazole-based materials from imines and acyl chlorides. **2011**, 50, 6552-6 54
- 1226 [n]Cyclo-2,7-naphthylenes: synthesis and isolation of macrocyclic aromatic hydrocarbons having bipolar carrier transport ability. **2011**, 50, 5323-6 79
- 1225 Squaraine dyes as efficient coupling bridges between triarylamine redox centres. **2011**, 17, 14147-63 60
- 1224 Synthesis of neutral stable polyradicals and their application on photovoltaic devices. **2011**, 47, 1018-1030 8
- 1223 Towards well-structured fullerene π phthalocyanine composites: Co-aggregation of fullerene C60 with tetrakis(4-amino-5-phenoxy)phthalocyanine. **2011**, 377, 393-401 3
- 1222 Predicting organic thin-film transistor carrier type from single molecule calculations. **2011**, 966, 70-74 12
- 1221 A theoretical study of ambipolar organic transport material: 1,4-Bis(pentafluorobenzyl)[60]-fullerene. **2011**, 506, 255-259 6
- 1220 Synthesis, spectroscopy and electrochemistry of new 4-(4-acetyl-5-substituted-4,5-dihydro-1,3,4-oxodiazol-2-yl)methoxy)-2H-chromen-2-ones as a novel class of potential antibacterial and antioxidant derivatives. **2011**, 14, 548-555 23
- 1219 The synthesis and photophysical properties of novel poly(diarylamine)styrenes. *Dyes and Pigments*, **2011**, 88, 358-365 4.6 14
- 1218 Blue-luminescent poly(p-phenylenevinylene) derivatives: Synthesis and effect of side-group size on the optical properties. **2011**, 47, 78-87 19
- 1217 Triphenylamine-containing linear D-A-D molecules with benzothiadiazole as acceptor unit for bulk-heterojunction organic solar cells. **2011**, 12, 614-622 52

1216	Spectral response tuning and realization of quasi-solar-blind detection in organic ultraviolet photodetectors. 2011 , 12, 70-77	34
1215	The synthesis, characterization and optical properties of novel 1,3,4-oxadiazole-containing imidazo[1,5-a]pyridine derivatives. 2011 , 131, 1070-1076	34
1214	Polymers with triphenylamine units: Photonic and electroactive materials. 2011 , 36, 1277-1325	155
1213	Bulky side-chain density effect on the photophysical, electrochemical and photovoltaic properties of polythiophene derivatives. 2011 , 52, 326-338	30
1212	Synthesis and organic photovoltaic (OPV) properties of triphenylamine derivatives based on a hexafluorocyclopentene core 2011 , 95, 992-1000	26
1211	Molecular engineering of Diketopyrrolopyrrole-based photosensitizer for solution processed small molecule bulk heterojunction solar cells. 2011 , 95, 1731-1740	32
1210	Triphenylamine-substituted methanofullerene derivatives for enhanced open-circuit voltages and efficiencies in polymer solar cells. 2011 , 95, 2371-2379	20
1209	Permeation barrier coatings by inductively coupled plasma CVD on polycarbonate substrates for flexible electronic applications. 2011 , 205, 4267-4273	15
1208	Initial stage of adsorption of octithiophene molecules on Cu(111). 2011 , 605, 1021-1026	9
1207	Multifunctional red phosphorescent bis-cyclometallated iridium complexes based on 2-phenyl-1,2,3-benzotriazole ligand and carbazolyl moieties. 2011 , 67, 1852-1861	35
1206	Fluorescent cyclopentadithiophene derivatives having phenyl-substituted silyl moieties. 2011 , 52, 4039-4041	8
1205	Study of the charge transport characteristics of dendrimer molecular thin films. 2011 , 519, 5234-5237	5
1204	2-(2'- Chloro Phenyl)- 5- (2'-Hydroxyl Phenyl)-1,3,4-Oxadiazole as a Florescent Probe for DNA Determination. 2011 , 301-303, 361-365	
1203	Disodium Salt of 2-(5-phenyl-1, 3, 4-oxadiazol-2-yl) Phenyl Phosphate as a Fluorescent Probe for Determination of ALP. 2011 , 138-139, 1109-1114	2
1202	Electrical characteristics of zinc oxide-organic semiconductor lateral heterostructure based hybrid field-effect bipolar transistors. 2011 , 98, 073302	17
1201	Interpretation of trap-limited mobility in space-charge limited current in organic layers with exponential density of traps. 2011 , 110, 043705	24
1200	The effect of p-type doping on the performance of organic thin-film photovoltaic devices \square m-MTDATA/C60 and 2-TNATA/C60 systems. 2011 , 1, 011113	2
1199	2-(Naphthalen-1-yl)-4-(thio-phen-2-yl-methyl-idene)-1,3-oxazol-5(4H)-one. 2011 , 67, o1321-2	5

- 1198 A time-of-flight study of a new hyperbranched oligomer film composed of thiophene and N,N,N',N'-tetraphenyl-1,3-phenylenediamine. **2011**, 43, 431-434 2
- 1197 Effects of interfacial oxide layers of the electrode metals on the electrical characteristics of organic thin-film transistors with HfO₂ gate dielectric. **2011**, 110, 044108 9
- 1196 Hole-Transporting Carbazole-Based Imines. **2011**, 536, 192/[424]-199/[431] 1
- 1195 Spectral Properties of Carbazole- and Phenothiazine-Containing Low-Molecular Compounds for Photonics. **2011**, 535, 111-122
- 1194 Design of liquid-crystalline electronic functional materials through nanosegregation. **2012**, 1 1
- 1193 High Mobility Hole Extraction Material for Organic Solar Cell Application. **2012**, 565, 14-21 2
- 1192 Design, Synthesis and Photophysical Properties of Novel Tetrahedral Carbazole-Bridged Silanes with Benzimidazole Groups. **2012**, 268-270, 23-27
- 1191 Large electronic bandwidth in solution-processable pyrene crystals: the role of close-packed crystal structure. **2012**, 137, 034706 9
- 1190 Synthesis and Properties of Novel Triphenylamine Derivatives Containing Bipyridine Units. **2012**, 554-556, 832-835
- 1189 Novel Phenylene-thiophene Oligomer Derivatives with Dibenzothiophene 5,5-Dioxide Core: Synthesis, Characterization, and Applications in Organic Solar Cells. **2012**, 41, 363-365 15
- 1188 Dendrimers and Electronics. **2012**, 69, 251-259 1
- 1187 Charge-transfer interactions in a multichromophoric hexaarylbenzene containing pyrene and triarylamine. **2012**, 77, 6147-54 33
- 1186 Aerial oxidation of protonated aromatic amines. Isolation, X-ray structure, and redox and spectral characteristics of N-containing dyes. **2012**, 77, 10249-59 17
- 1185 Butterfly-shaped tetrasubstituted carbazole derivatives as a new class of hosts for highly efficient solution-processable green phosphorescent organic light-emitting diodes. **2012**, 14, 4786-9 47
- 1184 Light emitting, star-shaped tris(N-salicylideneaniline) discotic liquid crystals bearing trans-stilbene fluorophores: synthesis and characterization. **2012**, 53, 7108-7112 23
- 1183 Organic dyes incorporating oligothiophenevinylene for efficient dye-sensitized solar cells. **2012**, 14, 5732-5 11
- 1182 Liquid triarylamine: the scope and limitations of Piers-Rubinsztajn conditions for obtaining triarylamine-siloxane hybrid materials. **2012**, 77, 1663-74 49
- 1181 Versatile Fluorinated Derivatives of Triphenylamine as Hole-Transporters and Blue-Violet Emitters in Organic Light-Emitting Devices. **2012**, 116, 20504-20512 43

1180	Star-Shaped Carbazole Derivatives for Bilayer White Organic Light-Emitting Diodes Combining Emission from Both Excitons and Exciplexes. 2012 , 116, 20769-20778		41
1179	Amorphous-to-Crystalline Transformation with Fluorescence Enhancement and Switching of Molecular Nanoparticles Fixed in a Polymer Thin Film. 2012 , 124, 12019-12022		7
1178	Amorphous-to-crystalline transformation with fluorescence enhancement and switching of molecular nanoparticles fixed in a polymer thin film. 2012 , 51, 11849-52		42
1177	Synthesis of novel thiophene-phenylene oligomer derivatives with a dibenzothiophene-5,5-dioxide core for use in organic solar cells. 2012 , 249, 2648-2651		11
1176	Furan substituted diketopyrrolopyrrole and thienylenevinylene based low band gap copolymer for high mobility organic thin film transistors. 2012 , 22, 17284		48
1175	Sterically congested pyrrole-fused tetrathiafulvalene decamers as highly conductive amorphous molecular materials. 2012 , 2, 3221		37
1174	Intramolecular H ² H steric hindrance modulated aggregate packing and optoelectronic properties in 1-naphthyl, 9-anthryl end-capped styrylarylene derivatives. 2012 , 14, 2843		14
1173	Limited Injection at Electrode/Organic Interface Induced Non-Ideal Diode Behavior in Planar Heterojunction Organic Photovoltaic Devices. 2012 , 159, H871-H875		3
1172	Coverage-dependent adsorption geometry of octithiophene on Au(111). <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 691-6	3.6	13
1171	Challenges for in silico design of organic semiconductors. 2012 , 22, 10971		54
1170	Silole-based oligomers as electron transport materials. 2012 , 550, 33-40		15
1169	Long-Lived Singlet and Triplet Charge Separated States in Small Cyclophane-Bridged Triarylamine-Naphthalene Diimide Dyads. 2012 , 116, 15265-15280		34
1168	Anisotropic Charge Transport in Bisindenoanthrazoline-Based n-Type Organic Semiconductors. 2012 , 116, 13858-13864		44
1167	Patterning of Conducting Polymers Using UV Lithography: The in-Situ Polymerization Approach. 2012 , 116, 17547-17553		13
1166	Electrochromic conjugated polyheterocycles and derivatives--highlights from the last decade towards realization of long lived aspirations. 2012 , 48, 1083-101		210
1165	Synthesis of a Conjugated Polymer with Broad Absorption and Its Application in High-Performance Phototransistors. 2012 , 45, 1296-1302		57
1164	Electrical Transport through Single Nanoparticles and Nanoparticle Arrays. 2012 , 116, 20657-20665		24
1163	The growth of one-dimensional CuPcF16 nanostructures on gold nanoparticles as studied by transmission electron microscopy tomography. 2012 , 6, 4039-44		5

1162	Charge-transfer properties of lateral triphenylamine-dithienophosphole diads. 2012 , 14, 1588-91	17
1161	Orange phosphorescent organic light-emitting diodes with high operational stability. 2012 , 13, 1506-1510	20
1160	Molecular order, charge injection efficiency and the role of intramolecular polar bonds at organic/organic heterointerfaces. 2012 , 13, 1853-1858	5
1159	A thermally and electrochemically stable organic hole-transporting material with an adamantane central core and triarylamine moieties. 2012 , 162, 490-496	41
1158	Synthesis of spiro[fluorene-9,9'-xanthene] derivatives and their application as hole-transporting materials for organic light-emitting devices. 2012 , 162, 614-620	37
1157	Time-dependent density functional theory investigate the effect of arylacetylide chain length of cyclometalated Pt(II) complexes. 2012 , 162, 670-676	11
1156	Optical and electrochemical properties of three-dimensional conjugated triphenylamine-azomethine molecules. 2012 , 162, 1046-1051	14
1155	Organic field-effect transistors based on two phenyleneethynylene oligomer derivatives with a biphenyl or fluorene core. 2012 , 162, 1292-1298	13
1154	Twisted bimesitylene-based oxadiazoles as novel host materials for phosphorescent OLEDs. 2012 , 68, 7502-7508	26
1153	Pd- and Cu-catalyzed one-pot multicomponent synthesis of hetero β -dimers of heterocycles. 2012 , 14, 2296-9	31
1152	A high voltage organic-inorganic hybrid photovoltaic cell sensitized with metal-ligand interfacial complexes. 2012 , 48, 9900-2	17
1151	Polymer glasses: From gas to nanoglobular glass. 2012 , 11, 267-8	9
1150	siRNA delivery: Loaded-up microsponges. 2012 , 11, 268-9	7
1149	Construction of soft porous crystal with silole derivative: strategy of framework design, multiple structural transformability and mechanofluorochromism. 2012 , 22, 4290-4298	62
1148	Synthesis and characteristics of multi-aryl substituted molecular glasses bearing biphenyl core. 2012 , 358, 903-910	4
1147	Catecholate and 2,3-acenediolate complexes of d0 ions as prospective materials for molecular electronics and spintronics. 2012 , 256, 1706-1731	20
1146	A bis(terpyridine)ruthenium complex with three redox-active amine sites: electrochemical, optical, and computational studies. <i>Inorganic Chemistry</i> , 2012 , 51, 11387-95	5.1 25
1145	Charge-transfer interactions in tris-donor-tris-acceptor hexaarylbenzene redox chromophores. 2012 , 18, 11937-48	49

1144	P-115: Driving Voltage Reduction through Non-radiative Charge Recombination Interfaces in Organic Light-Emitting Diode. 2012 , 43, 1492-1495		1
1143	Improved optical-to-electrical conversion efficiency by doping silole derivative with low ionization potential. 2012 , 209, 2324-2329		7
1142	Stochastic modeling of molecular charge transport networks. 2012 , 86,		43
1141	A Computational Study of Semiconducting Benzobisthiazoles: Analysis of the Substituent Effects on the Electronic Structure, Solid-State Interactions, and Charge Transport Properties Using DFT Methods. 2012 , 116, 22663-22674		13
1140	Conformation twisting induced orientational disorder, polymorphism and solid-state emission properties of 1-(9-anthryl)-2-(1-naphthyl)ethylene. 2012 , 14, 8286		14
1139	Tetraphenylethene: a versatile AIE building block for the construction of efficient luminescent materials for organic light-emitting diodes. 2012 , 22, 23726		646
1138	Hole Mobility of a Liquid Organic Semiconductor. 2012 , 3, 1002-6		32
1137	Enhanced Power Efficiency of Organic Light-Emitting Diodes using Pentacene on CF_4 -Plasma-Treated Indium Tin Oxide Anodes. 2012 , 33, 1156-1158		7
1136	Synthesis, photophysical and iron-sensing properties of terpyridyl-based triphenylamine derivatives. <i>Dyes and Pigments</i> , 2012 , 95, 757-767	4.6	23
1135	High optical transparency in all redox states: Synthesis and characterization of benzimidazole and thieno[3,2-b]thiophene containing conjugated polymers. 2012 , 85, 78-83		13
1134	Synthesis of novel supramolecular triads bearing a H-bonded perylene bisimide core. 2012 , 68, 7926-7931		9
1133	One ring to rule them all: effect of aryl substitution on glass-forming ability in mexylaminotriazine molecular glasses. 2012 , 68, 10130-10144		20
1132	Substituent effect of fluorine ligand on spectroscopic properties of $\text{Pt}(\text{N}^{\wedge}\text{C}^{\wedge}\text{N})\text{Cl}$ complexes, a theoretical study. 2012 , 13, 2568-2574		17
1131	Solvent-vapor induced self-assembly of a conjugated polymer: A correlation between solvent nature and transistor performance. 2012 , 13, 2372-2378		21
1130	Synthesis and photovoltaic properties of two-dimensional conjugated polythiophene derivatives presenting conjugated triphenylamine/thiophene moieties. 2012 , 53, 4091-4103		19
1129	Synthesis and properties of new luminescent hole transporting materials containing triphenylamine and carbazole units. 2012 , 98, 215-21		11
1128	Evidence of intrinsic ambipolar charge transport in a high band gap organic semiconductor. 2012 , 22, 345-348		8
1127	Extended thiadiazoles fused with thienopyrrole or indole moieties: synthesis, structures, and properties. 2012 , 77, 7595-606		35

1126	Siliconized triarylaminines as redox mediator in dye-sensitized solar cells. 2012 , 4, 6211-5		11
1125	A solid-state CdSe quantum dot sensitized solar cell based on a quaterthiophene as a hole transporting material. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 5801-7	3.6	36
1124	Electro-optical and Electrochemical Properties of a Disubstituted Polyacetylene: Poly(1-phenyl-2-trimethylsilylacetylene). 2012 , 563, 153-158		2
1123	Theoretical study of the bridging effect on the charge carrier transport properties of cyclooctatetrathiophene and its derivatives. 2012 , 22, 6907		46
1122	Cobalt ferrite/polyaniline heteroarchitecture: a magnetically recyclable photocatalyst with highly enhanced performances. 2012 , 22, 17485		152
1121	Improved thin film morphology and bulk-heterojunction solar cell performance through systematic tuning of the surface energy of conjugated polymers. 2012 , 22, 5587		68
1120	Patterning Carbazole/Phenylazomethine Dendrimer Films. 2012 , 45, 1288-1295		19
1119	Pyridine-Incorporated Dihexylquaterthiophene: A Novel Blue Emitter for Organic Light Emitting Diodes (OLEDs). 2012 , 65, 1244		7
1118	New Ambipolar Hosts Based on Carbazole and 4,5-Diazafluorene Units for Highly Efficient Blue Phosphorescent OLEDs with Low Efficiency Roll-Off. 2012 , 24, 643-650		85
1117	Supramolecular Chemistry for Organic Photovoltaics. 2012 ,		1
1116	Induced columnar mesomorphism in non-discoid VO ²⁺ salphen complexes: Transition between two rectangular columnar phases. 2012 , 39, 819-826		6
1115	Synthesis, Structure and Electrochemical Properties of Triarylamine Bridged Dicobaltdicarbon Tetrahedrane Clusters. 2012 , 23, 853-872		4
1114	Carbon Nanostructures. 2012 , 119-164		
1113	High T _g , ambipolar, and near-infrared electrochromic anthraquinone-based aramids with intervalence charge-transfer behavior. 2012 , 50, 61-69		22
1112	Enhanced performance in inverted organic light emitting diode assisted by an interlayer of crystalline and n-doped 1,4,5,8-naphthalene-tetracarboxylic-dianhydride. 2012 , 209, 790-794		10
1111	Small molecule semiconductors for high-efficiency organic photovoltaics. 2012 , 41, 4245-72		1465
1110	Highly Efficient Photocatalytic Degradation of Organic Pollutants by PANI-Modified TiO ₂ Composite. 2012 , 116, 5764-5772		374
1109	The Use of Piers/Rubinsztajn Conditions for the Placement of Triarylaminines Pendant to Silicone Polymers. 2012 , 45, 723-728		34

1108	Semiconducting π -conjugated systems in field-effect transistors: a material odyssey of organic electronics. <i>Chemical Reviews</i> , 2012 , 112, 2208-67	68.1	2738
1107	Azulene-based conjugated polymers: unique seven-membered ring connectivity leading to stimuli-responsiveness. 2012 , 3, 2721		67
1106	Single Crystal X-ray, AFM, NEXAFS, and OFET Studies on Angular Polycyclic Aromatic Silyl-Capped 7,14-Bis(ethynyl)dibenzo[b,def]chrysenes. 2012 , 12, 725-731		28
1105	Cyclopentadithiophene-benzothiadiazole oligomers and polymers; synthesis, characterisation, field-effect transistor and photovoltaic characteristics. 2012 , 22, 381-389		57
1104	Structure Properties Relationship of Donor-Acceptor Derivatives of Triphenylamine and 1,8-Naphthalimide. 2012 , 116, 14811-14819		59
1103	Oxadiazole-based non-symmetric liquid crystalline trimers terminating with ferrocene and cholesterol units exhibiting TGBC* phase over a wide thermal range. 2012 , 39, 1117-1123		20
1102	Electrochemical and Spectral Characterizations of 9-Phenylcarbazoles. 2012 , 59, 331-337		18
1101	Red-emitting dendritic iridium(III) complexes for solution processable phosphorescent organic light-emitting diodes. 2012 , 33, 1036-41		27
1100	Features of Capacitance and Mobility of Injected Carriers in Organic Layers Measured by Impedance Spectroscopy. 2012 , 52, 519-528		8
1099	Synthesis and properties of methoxyphenyl-substituted derivatives of indolo[3,2-b]carbazole. 2012 , 77, 4924-31		33
1098	Blue-light-emitting multifunctional triphenylamine-centered starburst quinolines: synthesis, electrochemical and photophysical properties. 2012 , 10, 4704-11		16
1097	Thiazole-based organic semiconductors for organic electronics. 2012 , 24, 3087-106, 3081		235
1096	N-heterocyclic carbazole-based hosts for simplified single-layer phosphorescent OLEDs with high efficiencies. 2012 , 24, 2922-8		95
1095	Macrocyclic Restriction with Flexible Alkylene Linkers: A Simple Strategy to Control the Solid-State Properties of π -Conjugated Systems. 2012 , 124, 738-741		10
1094	1,3,5-Benzenetriamine Double- and Triple-Decker Molecules. 2012 , 124, 8406-8410		5
1093	1,3,5-Benzenetriamine double- and triple-decker molecules. 2012 , 51, 8281-5		26
1092	Air-stable, narrow-band-gap ambipolar C60 fullerene-hydrazone hybrid materials. 2012 , 7, 614-20		4
1091	A way to stable, highly emissive fluorubine dyes: tuning the electronic properties of azaderivatives of pentacene by introducing substituted pyrazines. 2012 , 18, 4549-57		35

1090	4H-dithieno[2,3-b:3',2'-e][1,4]thiazines--synthesis and electronic properties of a novel class of electron rich redox systems. 2012 , 48, 7271-3		15
1089	Toward a mechanistic understanding of exciton-mediated hydrosilylation on nanocrystalline silicon. <i>Journal of the American Chemical Society</i> , 2012 , 134, 489-97	16.4	45
1088	1,3,6,8-Tetraazapyrenes: synthesis, solid-state structures, and properties as redox-active materials. 2012 , 77, 6107-16		32
1087	First-principles prediction of charge mobility in carbon and organic nanomaterials. 2012 , 4, 4348-69		412
1086	A structurally ordered thiophene-thiazole copolymer for organic thin-film transistors. 2012 , 55, 760-765		5
1085	Toward design of high-performance optoelectronic materials: comparative theoretical studies on the photophysical and charge transport properties of fluorene-based compounds. 2012 , 131, 1		4
1084	Postfunctionalization of aromatic polyamine by [2+2] cycloaddition of 7,7,8,8-tetracyanoquinodimethane with side chain alkynes. 2012 , 69, 137-147		14
1083	Synthesis and characterization of new polyfluorene derivatives: using phenanthro[9,10-d]imidazole group as a building block for deep blue light-emitting polymer. 2012 , 69, 273-289		12
1082	Polaron dynamics in thin polythiophene films studied with time-resolved photoemission. 2012 , 107, 13-16		3
1081	Photochromic four-coordinate N,C-chelate boron compounds. 2012 , 256, 759-770		151
1080	Novel 2,4-difluorophenyl-functionalized arylamine as hole-injecting/hole-transporting layers in organic light-emitting devices. 2012 , 527, 36-41		21
1079	Novel fluorescence dyes based on entirely new chromeno[4,3,2-de][1,6]naphthyridine framework. <i>Dyes and Pigments</i> , 2012 , 95, 268-274	4.6	22
1078	Synthesis, X-ray crystal structure and optical properties of novel 5-(3-aryl-1H-pyrazol-5-yl)-2-(6-methoxy-3-methylbenzofuran-2-yl)-1,3,4-oxadiazole. 2012 , 86, 181-6		6
1077	Characterization and optical properties of novel unsymmetrical stilbene-based 1,3,4-oxadiazole derivatives. 2012 , 95, 184-7		3
1076	Photoinduced intramolecular charge-transfer dynamics of a red-emitting dicyanovinyl-based triarylamine dye in solution. 2012 , 234, 27-36		22
1075	Synthesis and photophysical properties of tetraphenylethylene-based conjugated dendrimers with triphenylamine core. 2012 , 53, 196-199		18
1074	Triphenylpyridine-based star-shaped π -conjugated oligomers with triphenylamine core: synthesis and photophysical properties. 2012 , 53, 1798-1801		11
1073	Donor-acceptor perylene diimide-ferrocene conjugates: synthesis, photophysical, and electrochemical properties. 2012 , 53, 2352-2354		55

1072	Role of electron blocking and trapping layers in transport characterization of a photovoltaic polymer poly(3-hexylthiophene). 2012 , 13, 541-544	16
1071	Nonvolatile organic memory based on isomerization of diarylethene molecules by electrical carrier injection. 2012 , 13, 681-686	34
1070	Coarse-grained kinetic modelling of bilayer heterojunction organic solar cells. 2012 , 13, 750-761	13
1069	Structure-properties relationships in solution-processable single-material molecular emitters for efficient green organic light-emitting diodes. 2012 , 13, 1092-1099	16
1068	Theoretical study on charge transport properties of cyanovinyl-substituted oligothiophenes. 2012 , 13, 1213-1222	47
1067	Phase dependence of hole mobilities in dibenzo-tetrathiafulvalene crystal: A first-principles study. 2012 , 13, 1229-1236	24
1066	Induction of photoluminescence and columnar mesomorphism in hemi-disc salphen type Schiff bases via nickel(II) coordination. 2012 , 33, 417-424	18
1065	Fabrication of versatile nanoporous templates with high aspect ratios by incorporation of Si-containing block copolymer into the lithographic bilayer system. 2012 , 53, 2283-2289	7
1064	Electro-optical and electrochemical properties of an ionic polyacetylene derivative with azobenzene anisole moieties. 2012 , 18, 55-60	15
1063	RGB small molecules based on a bipolar molecular design for highly efficient solution-processed single-layer OLEDs. 2012 , 18, 2707-14	35
1062	Comparative study of the semiconducting properties of benzothiadiazole and benzobis(thiadiazole) derivatives using computational techniques. 2012 , 13, 597-605	16
1061	Design of New Tetrazine-Triphenylamine Bichromophores [Fluorescent Switching by Chemical Oxidation. 2012 , 2012, 1394-1403	45
1060	Time-of-flight mobilities for conducting dendrimers composed of p-phenylenevinylene dendron and triphenylamine surface group. 2012 , 123, 3090-3097	
1059	Macrocyclic restriction with flexible alkylene linkers: a simple strategy to control the solid-state properties of π -conjugated systems. 2012 , 51, 714-7	28
1058	Functional polymers for photovoltaic devices. 2012 , 68, 1425-1467	7
1057	Close encounters of the 3D kind - exploiting high dimensionality in molecular semiconductors. 2013 , 25, 1948-54	74
1056	Study on synthesis and properties of novel luminescent hole transporting materials based on N,N'-di(p-tolyl)-N,N'-diphenyl-1,1'-biphenyl-4,4'-diamine core. <i>Dyes and Pigments</i> , 2013 , 97, 92-99	4.6 15
1055	Novel organosoluble aromatic polyetheramides bearing triphenylamine moieties: synthesis, electrochemistry, and electrochromism. 2013 , 20, 1	20

1054	Annulated Heterocyclic Derivatives of 1,3,6,8-Tetraazapyrene. 2013 , 2013, 5295-5302		5
1053	Synthesis and electronic properties of 3,7-dianilino substituted N-hexyl phenothiazines. 2013 , 11, 5127-35		21
1052	Tetraalkoxyphenanthrene-fused dehydroannulenes: synthesis, self-assembly, and electronic, optical, and electrochemical properties. 2013 , 19, 12138-51		24
1051	Alternating Electron Donor/Acceptor Conjugated Polymers Based on Modified Naphthalene Diimide Framework: The Large Enhancement of p-Type Semiconducting Performance upon Solvent Vapor Annealing. 2013 , 46, 5504-5511		25
1050	The case for organic photovoltaics. 2013 , 3, 17633		442
1049	Synthesis, spectroscopic and structural evaluation of ethyl 2-cyano-3-{5-[(4-nitro-benzoyl)-hydrazonomethyl]-1H-pyrrol-2-yl}-acrylate using experimental and theoretical approaches. 2013 , 1049, 419-428		17
1048	Fluorescent carboxylic and phosphonic acids: comparative photophysics from solution to organic nanoparticles. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 12748-56	3.6	13
1047	Comprehensive investigation of the excited-state dynamics of push-pull triphenylamine dyes as models for photonic applications. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 13922-39	3.6	39
1046	Fused Heteroaromatic Organic Compounds for High-Power Electrodes of Rechargeable Lithium Batteries. 2013 , 3, 600-605		236
1045	Ternary Titania/Cobalt Ferrite/Polyaniline Nanocomposite: A Magnetically Recyclable Hybrid for Adsorption and Photodegradation of Dyes under Visible Light. 2013 , 52, 10105-10113		76
1044	Determination of molecular orientation of hexithiophene on passivated Si(001) by means of optical reflectance spectroscopic methods. 2013 , 616, 36-43		4
1043	Impact of a dithienyl unit on photostability of N,C-chelating boron compounds. <i>Dalton Transactions</i> , 2013 , 42, 638-44	4.3	32
1042	Combined spectroelectrochemical and theoretical study of electron-rich dendritic 2,5-diaminothiophene derivatives: N,N,N',N'-tetrakis-(4-diphenylamino-phenyl)-thiophene-2,5-diamine. 2013 , 117, 6702-11		2
1041	C-Functionalized, air- and water-stable 9,10-dihydro-9,10-diboraanthracenes: efficient blue to red emitting luminophores. <i>Journal of the American Chemical Society</i> , 2013 , 135, 12892-907	16.4	121
1040	N-Fused quinoxalines and benzoquinoxalines as attractive emitters for organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 5718	7.1	59
1039	The impact of tetrahedral capping groups and device processing conditions on the crystal packing, thin film features and OFET hole mobility of 7,14-bis(ethynyl)dibenzo[b,def]chrysenes. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6299	7.1	16
1038	Synthesis and electrochromic properties of aromatic polyetherimides based on a triphenylamine-dietheramine monomer. 2013 , 51, 2925-2938		37
1037	Information media based on electron-donor oligomers. 2013 , 55, 88-94		7

1036	Synthesis and properties of new luminescent hole transporting materials of triarylamine with dehydroabiatic acid methyl ester moieties. 2013 , 69, 8405-8411		4
1035	Recent progress of bulk heterojunction solar cells based on small-molecular donors. 2013 , 58, 2677-2685		32
1034	Effect of structural fluctuations on charge carrier mobility in thiophene, thiazole and thiazolothiazole based oligomers. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 17947-61	3.6	27
1033	Multicolored near-infrared electrochromic polyimides: Synthesis, electrochemical, and electrochromic properties. <i>Dyes and Pigments</i> , 2013 , 99, 1124-1131	4.6	23
1032	Palladium-catalyzed ligand-free and aqueous Suzuki reaction for the construction of (hetero)aryl-substituted triphenylamine derivatives. 2013 , 3, 526-531		25
1031	Tunable solid-state fluorescence emission and red upconversion luminescence of novel anthracene-based fluorophores. 2013 , 129, 165-172		7
1030	Charged states in diphenylamino endcapped thiophenes with a 1,4-phenylene core: In situ electron spin resonance/ultraviolet-visible near infrared and nuclear magnetic resonance spectroelectrochemistry and quantum chemical study. 2013 , 110, 670-680		6
1029	Diaminobenzene-Cored Fluorophores Exhibiting Highly Efficient Solid-State Luminescence. 2013 , 83-104		5
1028	Charge-carrier Transport in 1,4-Bis(phenylethynyl)benzene Derivatives Exhibiting Crystal Mesophases. 2013 , 42, 764-766		5
1027	Efficient solid state dye-sensitized solar cells based on an oligomer hole transport material and an organic dye. 2013 , 1, 14467		62
1026	Conjugated heterotriangulene macrocycles by solution and surface-supported synthesis toward honeycomb networks. <i>Journal of the American Chemical Society</i> , 2013 , 135, 4550-7	16.4	78
1025	Heads vs. tails: a double-sided study of the influence of substituents on the glass-forming ability and stability of aminotriazine molecular glasses. 2013 , 37, 3881		17
1024	Recent progress in organic molecule/graphene interfaces. 2013 , 8, 388-402		70
1023	Heteroleptic (2-fluoro-3-pyridyl)arylboronic 8-oxyquinolines for the potential application in organic light-emitting devices. <i>Inorganic Chemistry</i> , 2013 , 52, 10846-59	5.1	23
1022	Effect of primary and secondary ligands on electronic structures and spectra of a series of nickel (II) complexes: a density functional theory study. 2013 , 67, 1		1
1021	Heat of formation and thermochemical parameters of silole. 2013 , 588, 17-21		2
1020	Effects of molarity and solvents on the optical properties of the solutions of tris[4-(5-dicyanomethylidene-methyl-2-thienyl)phenyl]amine (TDCV-TPA) and structural properties of its film. <i>Optical Materials</i> , 2013 , 36, 425-436	3.3	44
1019	Charge carrier mobility through vacuum-sublimed glassy films of s-triazine- and carbazole-based bipolar hybrid and unipolar compounds. 2013 , 14, 2925-2931		8

1018	Tetrahedral silicon-based luminescent molecules: Synthesis and comparison of thermal and photophysical properties by various effect factors. 2013 , 735, 58-64		9
1017	Phenylethenyl-substituted triphenylamines: efficient, easily obtainable, and inexpensive hole-transporting materials. 2013 , 19, 15044-56		25
1016	Arynes in the synthesis of polycyclic aromatic hydrocarbons. 2013 , 3, 22727		62
1015	Electron conjugation in two dimensions. <i>Journal of the American Chemical Society</i> , 2013 , 135, 16585-94	16.4	184
1014	Solvent Controlled Energy Transfer Processes in Triarylamine-Triazole Based Dendrimers. 2013 , 117, 19816-19831		18
1013	Stable amorphous bis(diarylamino)biphenyl derivatives as hole-transporting materials in OLEDs. 2013 , 9, 655-661		8
1012	Novel high-efficiency PL polyimide nanofiber containing aggregation-induced emission (AIE)-active cyanotriphenylamine luminogen. 2013 , 49, 630-2		54
1011	High-Performance Photorefractive Composite Based on Non-conjugated Main-Chain, Hole-Transporting Polymer. 2013 , 214, 478-485		13
1010	Preparation and Characterization of Novel Polyfluorenes Derivatives Containing Phenanthro[9,10-d]imidazole Group for Deep Blue-Light-Emitting Polymers. 2013 , 710, 17-20		2
1009	A CBP derivative as bipolar host for performance enhancement in phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 757-764	7.1	61
1008	Fabrication of a PANI/CPs composite material: a feasible method to enhance the photocatalytic activity of coordination polymers. <i>Dalton Transactions</i> , 2013 , 42, 4031-9	4.3	20
1007	Bipolar luminescent materials containing pyrimidine terminals: synthesis, photophysical properties and a theoretical study. 2013 , 3, 21877		17
1006	Small molecular weight materials for (opto)electronic applications: overview. 2013 , 3-82		3
1005	Dielectric spectroscopic studies of boron subphthalocyanine chloride thin films. 2013 , 9, 101-106		8
1004	Hydrogen-Bonded 1D Chains Formed from Adamantane-Based Bisphenols and Bispyridines: Influences of Substitution Groups on Phenol Ring. 2013 , 13, 752-758		8
1003	Synthesis of pyridines by carbenoid-mediated ring opening of 2H-azirines. 2013 , 52, 2212-6		123
1002	Synthesis, characterization, and photophysics of oxadiazole- and diphenylaniline-substituted Re(I) and Cu(I) complexes. <i>Inorganic Chemistry</i> , 2013 , 52, 1304-17	5.1	33
1001	Influence of Hole-Sequestering Ligands on the Photostability of CdSe Quantum Dots. 2013 , 117, 313-320		27

1000	Reducing polyazomethine to poly(N-phenylbenzylamine) with near infrared electrochromic, fluorescence and photovoltaic properties. 2013 , 4, 1183-1192	12
999	Synthesis of Pyridines by Carbenoid-Mediated Ring Opening of 2H-Azirines. 2013 , 125, 2268-2272	39
998	Solution, thermal and optical properties of bis(pyridinium salt)s as ionic liquids. 2013 , 139, 901-910	17
997	Theoretical investigation on the electronic and optical properties of diarylfluorene-based stacked molecules as supramolecular semiconductors. 2013 , 578, 150-155	2
996	Study of spectroscopic, reactivity and NLO properties of synthesized dipyrromethane containing cyanovinylhydrazide using experimental and theoretical approaches. 2013 , 1048, 448-459	3
995	Tetrazine-triphenylamine dyads: Influence of the nature of the linker on their properties. 2013 , 110, 693-701	34
994	Photocatalytic activity of PANI loaded coordination polymer composite materials: Photoresponse region extension and quantum yields enhancement via the loading of PANI nanofibers on surface of coordination polymer. 2013 , 205, 142-148	18
993	Multihydroxylated aryl amine as a novel alcohol-processable hole-transport molecular glass exhibiting remarkable resistance to weakly polar solvents. 2013 , 14, 2051-2057	6
992	Interplay of geometric and electronic structure in thin films of diindenoperylene on Ag(1 1 1). 2013 , 14, 584-590	11
991	High hole mobility hole transport material for organic light-emitting devices. 2013 , 180, 79-84	39
990	Non-conjugated polyamines with near-infrared electrochromic and photoelectric response prepared via reducing PolySchiff bases by NaBH ₄ . 2013 , 188, 117-126	6
989	A pyrene-phenanthroimidazole derivative for non-doped blue organic light-emitting devices. <i>Dyes and Pigments</i> , 2013 , 98, 190-194	4.6 36
988	The synthesis and optical properties of novel triphenylamine containing 1,3,4-oxadiazole derivatives. 2013 , 143, 321-327	3
987	Crystal packing and charge transport in single crystals of chrysene derivatives: Impact of halogenation. 2013 , 56, 210-221	3
986	Interfacial degradation in organic optoelectronics. 2013 , 3, 6188	86
985	Efficient pseudo-five-component coupling-Fiessemann synthesis of luminescent oligothiophenes and their modification. 2013 , 11, 3541-52	23
984	Triarylimidazole redox catalysts: electrochemical analysis and empirical correlations. 2013 , 78, 2104-10	44
983	Dithienylbenzothiadiazole-Based Donor-Acceptor Organic Semiconductors and Effect of End Capping Groups on Organic Field Effect Transistor Performance. 2013 , 66, 370	1

982	Novel cathode interlayers based on neutral alcohol-soluble small molecules with a triphenylamine core featuring polar phosphonate side chains for high-performance polymer light-emitting and photovoltaic devices. 2013 , 34, 595-603		41
981	Formation of azaborines by photoelimination of B,N-heterocyclic compounds. 2013 , 52, 4544-8		84
980	Near-infrared and multicolored electrochromism of solution processable triphenylamine-anthraquinone imide hybrid systems. 2013 , 99, 211-218		23
979	The use of siloxanes, silsesquioxanes, and silicones in organic semiconducting materials. 2013 , 42, 5119-30		74
978	Organic Solar Cells Based on Small Molecules. 2013 , 375-405		1
977	New alternating electron donor-acceptor conjugated polymers entailing (E)-[4,4'-biimidazolylidene]-5,5'-(1H,1'H)-dione moieties. 2013 , 4, 5283		19
976	Hole Transport Materials Based Thin Films: Topographic Structures and Phase Transition Thermodynamics of Triphenylamine Derivatives. 2013 , 117, 10919-10928		37
975	Organic/Organic Heteroepitaxy: The Method of Choice to Tune Optical Emission of Organic Nano-fibers?. 2013 , 49-78		
974	Synthesis, spectroscopy, and computational analysis of photoluminescent bis(aminophenyl)-substituted thiophene derivatives. 2013 , 14, 1016-24		15
973	Electrochemical route to fabricate film-like conjugated microporous polymers and application for organic electronics. 2013 , 25, 3443-8		179
972	Novel efficient blue fluorophors with small singlet-triplet splitting: hosts for highly efficient fluorescence and phosphorescence hybrid WOLEDs with simplified structure. 2013 , 25, 2205-11		197
971	Band Gap Tunable N-Type Molecules for Organic Field Effect Transistors. 2013 , 117, 11530-11539		11
970	A versatile triphenylamine/fluoranthene-based derivative as a nondoped green-emitting, hole-transporting interlayer for electroluminescent devices. 2013 , 8, 1253-8		17
969	Asymmetric squaraine dyes: spectroscopic and theoretical investigation. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 8536-46	3-4	26
968	Bis(carbazolyl) derivatives of pyrene and tetrahydropyrene: synthesis, structures, optical properties, electrochemistry, and electroluminescence. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 1638	7-1	72
967	Carbazole/Sulfone Hybrid D- π A-Structured Bipolar Fluorophores for High-Efficiency Blue-Violet Electroluminescence. 2013 , 25, 2630-2637		167
966	Processable polyaniline/titania nanocomposites with good photocatalytic and conductivity properties prepared via peroxo-titanium complex catalyzed emulsion polymerization approach. 2013 , 273, 135-143		80
965	Effects of boron doping on the structural and optoelectronic properties of 9,10-diarylanthracenes. <i>Dalton Transactions</i> , 2013 , 42, 13826-37	4-3	45

964	Pushpull triphenylamine based chromophores as photosensitizers and electron donors for molecular solar cells. 2013 , 69, 6875-6883		7
963	Hierarchical assembly of a molecular material through the amorphous phase and the evolution of its fluorescence emission. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 4464	7.1	12
962	Bipolar iridium dendrimers containing carbazolyl dendron and 1,2,4-triazole unit for solution-processed saturated red electrophosphorescence. <i>Dyes and Pigments</i> , 2013 , 99, 41-51	4.6	15
961	Electrogenerated chemiluminescence of N,N-dimethylamino functionalized tetrakis(phenylethynyl)pyrenes. 2013 , 69, 5908-5912		8
960	Pyrenoimidazole-based deep-blue-emitting materials: optical, electrochemical, and electroluminescent characteristics. 2013 , 8, 2111-24		47
959	Synthesis and characterization of multipyrene-modified platinum acetylide oligomers. 2013 , 144, 553-566		13
958	High Performance Nanocrystals of a Donor-Acceptor Conjugated Polymer. 2013 , 25, 2649-2655		59
957	Novel phenyl-oligothiophene derivatives containing acetylenic spacers for thin film materials: Synthesis, photophysical and morphology properties. <i>Dyes and Pigments</i> , 2013 , 97, 184-197	4.6	13
956	Dimethyldiphenylamino-substituted carbazoles as electronically active molecular materials. <i>Dyes and Pigments</i> , 2013 , 96, 574-580	4.6	17
955	Unveiling the role of molecular interactions in crystal morphology prediction. 2013 , 1032, 147-154		17
954	Synthesis and Characterization of an Imidazole-Containing Pyrene System. 2013 , 2013, 7267-7271		11
953	Study of the Hole and Electron Transport in Amorphous 9,10-Di-(2-naphthyl)anthracene: The First-Principles Approach. 2013 , 117, 16336-16342		15
952	Amination of meso-Bromoporphyrins and 9-Haloanthracenes with Diarylamines Catalyzed by a Palladium-PEPSI Complex. 2013 , 2, 1066-1071		21
951	Triphenylene Substituted Pyrene Derivative: Synthesis and Single Molecule Investigation. 2013 , 117, 307-312		33
950	The Molecular Engineering of Organic Sensitizers for Solar-Cell Applications. 2013 , 125, 394-398		21
949	The molecular engineering of organic sensitizers for solar-cell applications. 2013 , 52, 376-80		118
948	Quantized Hamiltonian dynamics captures the low-temperature regime of charge transport in molecular crystals. 2013 , 139, 174109		21
947	Encyclopedia of Polymeric Nanomaterials. 2013 , 1-11		

946	Self-Assembly Micro-Nanostructures of Discotic Organic Molecules. 2013 , 331, 567-571	0
945	Aggregation-induced emission of tetraphenylethene-hexaphenylbenzene adducts: effects of twisting amplitude and steric hindrance on light emission of nonplanar fluorogens. 2013 , 19, 5617-24	49
944	Epitaxial growth of sexi-thiophene and para-hexaphenyl and its implications for the fabrication of self-assembled lasing nano-fibres. 2013 , 28, 053001	56
943	Synthesis and Properties of Novel Hole-Transporting Materials Containing Triphenylamine and Bipyridine Units. 2013 , 690-693, 619-622	1
942	Phenylene-Thiophene Oligomer Derivatives for Thin-Film Transistors: Structure and Semiconductor Performances. 2013 , 52, 03BB07	5
941	Diffusive capacitance in space charge limited organic diodes: Analysis of peak in capacitance-voltage characteristics. 2013 , 102, 253303	31
940	Wide band gap triarylamine derivative doped with organosulfonic acid and its application for organic light-emitting devices. 2013 , 1, 22-29	1
939	Synthesis and Solvatochromic Behavior of Pyrene Derivatives with 4-Hydroxyphenyl and 4-Hydroxyphenylethynyl Groups. 2013 , 86, 1174-1182	2
938	Polyarylene Synthesis by Cross-Coupling with HOMSi Reagents. 2013 , 42, 45-47	13
937	Alkylhydrazide Derivatives as New Organogelators and Their Potential Ability to Gel Electrolytes. 2013 , 86, 671-673	19
936	Formation of Azaborines by Photoelimination of B,N-Heterocyclic Compounds. 2013 , 125, 4642-4646	30
935	Dimerized Spin-Crossover Iron(II) Complexes as Supramolecular Anion Capsules. 2013 , 2013, 781-787	8
934	. 2013 ,	46
933	Dewetting Stability of ITO Surfaces in Organic Optoelectronic Devices. 2013 ,	2
932	Bulk-Heterojunction Organic Solar Cells Based on Phenylene-Thiophene Oligomer and Phenyl-C61-Butyric-Acid Methyl Ester. 2014 , E97.C, 405-408	2
931	Effects of carbon chain on hole-transport properties in naphtho[2,1-b:6,5-b']difuran derivatives: Remarkable anisotropic mobilities. 2014 , 15, 3341-3348	6
930	Effect of high pressure on the crystal structure and charge transport properties of the (2-fluoro-3-pyridyl)(4-iodophenyl)borinic 8-oxyquinolate complex. 2014 , 16, 10780-10790	8
929	Synthesis and Optical Properties of a Polyacetylene with Hydroxy Funtional Groups: Poly(4-ethynylbenzyl Alcohol). 2014 , 601, 151-158	2

928	Electrochromism Properties of Polyimides Possessing Triphenylamine Moieties with Different Substituents. 2014 , 598, 6-15	2
927	Synthesis and Properties of Novel Light-Emitting Materials Containing Triphenylamine, Olefinic Linkers and Bipyridine Units. 2014 , 1033-1034, 1167-1171	
926	Synthesis of conjugated polymers containing gallium atoms and evaluation of conjugation through four-coordinate gallium atoms. 2014 , 50, 15740-3	23
925	Transient space-charge-perturbed currents of N,N'-diphenyl-N,N'-bis(1-naphthyl)-1,1'-biphenyl-4,4'-diamine and N,N'-diphenyl-N,N'-bis(3-methylphenyl)-1,1'-biphenyl-4,4'-diamine in diode structures. 2014 , 104, 183301	4
924	A first-principles polarized Raman method for determining whether a uniform region of a sample is crystalline or isotropic. 2014 , 141, 224702	1
923	Triphenylamine-based amorphous polymers for bulk-heterojunction photovoltaic cells. 2014 , 54, 012015	3
922	Unraveling the Influence of Lanthanide Ions on Intra- and Inter-Molecular Electronic Processes in Fe10Ln10 Nano-Toruses. 2014 , 24, 6280-6290	35
921	Bifunctional organic materials for OLEDs based on Triphenylamine base: Subtle structural changes and significant differences in electroluminescence. 2014 , 15, 3766-3772	21
920	Biaxial aromatics with face-on/edge-on stacking adaptability: an STM/STS study of 1D nanowires assembled via rotatable ethynyls. 2014 , 50, 14093-6	11
919	Hole-transport material variation in fully vacuum deposited perovskite solar cells. 2014 , 2, 081503	150
918	Influence of spacer group substituent on mesomorphism in copper complexes of Balen-type Schiff bases bearing long alkoxy arm. 2014 , 41, 541-551	10
917	Electron Transport in a Water-Soluble Liquid-Crystalline Perylene Bisimide. 2014 , 118, 26577-26583	10
916	Synthesis and characterization of greenish-blue emitting vinyl copolymer containing pyrene and triarylamine moieties. 2014 , 63, 1797-1805	12
915	Theoretical calculation based synthesis of a poly(p-phenylenediamine)Fe3O4 composite: a magnetically recyclable photocatalyst with high selectivity for acid dyes. 2014 , 4, 54810-54818	26
914	Synthesis and Electrochromic Properties of Aromatic Polyamides with Pendent Triphenylamine Units. 2014 , 215, 958-970	23
913	Characterization of aryl-functionalized 2,4,6-tris(2-thienyl)-1,3,5-triazine thin films and their application to organic field-effect transistors. 2014 , 53, 01AB15	8
912	Electron injection via doped p-n heterojunction for inverted organic light emitting diodes. 2014 , 89, 015802	4
911	9-(4-Bromo-phen-yl)-9H-carbazole. 2014 , 70, o330-1	2

910	Isotopic crystal structures of 2,6-di-bromo-N,N-bis-(4-nitro-phen-yl)aniline and 2,6-di-chloro-N,N-bis-(4-nitro-phen-yl)aniline. 2014 , 70, 65-7		1
909	1-Nitro-9H-carbazole. 2014 , 70, o28		1
908	Substituent effects in nitro derivatives of carbazoles investigated by comparison of low-temperature crystallographic studies with density functional theory (DFT) calculations. 2014 , 70, 987-91		6
907	Photochromism of new diarylethene derivatives based on the hybrid photochromic skeleton of benzofuran and benzene moieties. <i>Dyes and Pigments</i> , 2014 , 101, 15-24	4.6	12
906	Thermally induced crystallization behavior and film microstructure alteration of N,N,N',N'-tetraphenylbenzidine (TPB) and N,N,N',N'-tetra-p-tolyl-benzidine (TTB). 2014 , 15, 1876-1883		9
905	Bi2WO6/PANI: An efficient visible-light-induced photocatalytic composite. 2014 , 224, 147-153		23
904	Free base phthalocyanine: Influence of thermal effects and dimerization on the electronic absorption spectrum. 2014 , 595-596, 97-102		6
903	Spectral studies of multi-branched fluorescence dyes based on triphenylpyridine core. 2014 , 121, 355-62		15
902	Organic light emitting diodes with a solution processible organic bulk heterojunction electroluminescent layer. 2014 , 24, 85-87		5
901	Novel hole transporting materials with a linear π -conjugated structure for highly efficient perovskite solar cells. 2014 , 50, 5829-32		126
900	Achieving High Efficiency of PTB7-Based Polymer Solar Cells via Integrated Optimization of Both Anode and Cathode Interlayers. 2014 , 4, 1301771		92
899	A kind of double-sided porous anodic alumina membrane fabricated with the three-step anodic oxidation method. 2014 , 57, 293-297		2
898	The synthesis, characterization and optical properties of novel 5-(3-aryl-1H-pyrazol-5-yl)-2-(3-butyl-1-chloroimidazo[1,5-a]pyridin-7-yl)-1,3,4-oxadiazole. 2014 , 123, 336-41		12
897	Enhancement of redox stability and electrochromic performance of aromatic polyamides by incorporation of (3,6-dimethoxycarbazol-9-yl)-triphenylamine units. 2014 , 52, 272-286		40
896	Substituent effects on electrochemical and electrochromic properties of aromatic polyimides with 4-(carbazol-9-yl)triphenylamine moieties. 2014 , 52, 1172-1184		33
895	Hierarchical nanocomposites of polyaniline nanorods arrays on graphitic carbon nitride sheets with synergistic effect for photocatalysis. 2014 , 224, 114-121		69
894	Spiro-annulated hole-transport material outperforms NPB with higher mobility and stability in organic light-emitting diodes. <i>Dyes and Pigments</i> , 2014 , 107, 15-20	4.6	18
893	Theoretical investigation on charge transport parameters of two novel heterotetracenes as ambipolar organic semiconductors. 2014 , 188, 146-155		13

892	Synthesis of a new class of triphenylamine-containing poly(ether-imide)s for electrochromic applications. 2014 , 52, 825-838		12
891	Novel design of organic donor-acceptor dyes without carboxylic acid anchoring groups for dye-sensitized solar cells. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 3367	7.1	50
890	Synthesis and Optoelectronic Properties of Novel Polyamides with 2-Naphthyldiphenylamine Units. 2014 , 215, 705-715		8
889	On-top π -stacking of quasiplanar molecules in hole-transporting materials: inducing anisotropic carrier mobility in amorphous films. 2014 , 53, 5800-4		70
888	Facile synthesis of a variety of triarylamine-based conjugated polymers and tuning of their optoelectronic properties. 2014 , 187, 81-85		6
887	Synthesis of yellow emitting bis-pyrimidine based purely organic phosphors. 2014 , 149, 61-68		6
886	Tuning the photophysical, thermal properties and electronic energy levels in the triphenylamine derivatives by benzoylhydrazone architecture. <i>Dyes and Pigments</i> , 2014 , 108, 32-40	4.6	3
885	Vibrational (FT-IR and FT-Raman), electronic (UV-Vis), NMR (^1H and ^{13}C) spectra and reactivity analyses of 4,5-dimethyl-o-phenylenediamine. 2014 , 130, 516-25		15
884	Synthesis and electrochemical properties of symmetric squarylium dyes containing diarylamine. <i>Dyes and Pigments</i> , 2014 , 101, 261-269	4.6	10
883	Visible-light-mediated addition of α -aminoalkyl radicals to [60]fullerene by using photoredox catalysts. 2014 , 20, 6120-5		56
882	Naphthalene Diimide Copolymers with Oligo(p-phenylenevinylene) and Benzobisoxazole for Balanced Ambipolar Charge Transport. 2014 , 47, 2296-2305		22
881	Computational investigation of charge injection and transport properties of a series of thiophene-pyrrole based oligo-azomethines. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 8563-74	3.6	41
880	What Currently Limits Charge Carrier Mobility in Crystals of Molecular Semiconductors?. 2014 , 54, 595-620		81
879	The effect of heteroatom conformation on optoelectronic properties of cyclopentadithiophene derivatives. 2014 , 12, 2474-8		8
878	Locked planarity: a strategy for tailoring ladder-type π -conjugated anilido-pyridine boron difluorides. 2014 , 79, 459-64		21
877	Assessing the origin of the S-shaped J-V curve in organic solar cells: An improved equivalent circuit model. 2014 , 122, 88-93		43
876	Easily solution-processed, high-performance microribbon transistors based on a 2D condensed benzothiophene derivative. 2014 , 50, 442-4		38
875	Novel organic dyes incorporating a carbazole or dendritic 3,6-diiodocarbazole unit for efficient dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2014 , 100, 269-277	4.6	30

874	Deep-blue luminescent compound that emits efficiently both in solution and solid state with considerable blue-shift upon aggregation. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1068-1075	7.1	43
873	Redox-stable and visible/near-infrared electrochromic aramids with main-chain triphenylamine and pendent 3,6-di-tert-butylcarbazole units. 2014 , 5, 2473		46
872	Rational Design of Lamellar Stacked Organic Crystalline Materials with Short Interplanar Distance. 2014 , 14, 350-356		40
871	Systematic structure-property investigations on a series of alternating carbazole-thiophene oligomers. 2014 , 79, 618-29		28
870	Electronic structure of conducting organic polymers: insights from time-dependent density functional theory. 2014 , 4, 601-622		70
869	Heteroepitaxy of Organic Nanofibers: Example of Ternaphthalene on p-Hexaphenyl. 2014 , 14, 5719-5728		7
868	Sensing and surface morphological properties of a poly[(9,9-dioctylfluorenyl-2,7-diyl)-co-bithiophene] liquid-crystalline polymer for optoelectronic applications. 2014 , 132, n/a-n/a		2
867	Triphenylamine-Substituted Metalloporphyrins for Solution-Processed Bulk Heterojunction Solar Cells: The Effect of the Central Metal Ion on Device Performance. 2014 , 2014, 4852-4857		6
866	Synthesis and optical properties of poly(tetramethylsilarylenesiloxane) derivative bearing diphenylcyclopentadithiophene moiety. 2014 , 55, 6672-6679		8
865	High morphology stability and ambipolar transporting host for use in blue phosphorescent single-layer organic light-emitting diodes. 2014 , 15, 3327-3332		11
864	Hole-Transporting Pyrenyl-Substituted Derivatives of Fluorene and Carbazole. 2014 , 590, 29-34		2
863	Structural relaxation of vapor-deposited molecular glasses and supercooled liquids. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 12073-92	3.6	40
862	H-bonded complexes containing 1,3,4-oxadiazole derivatives: mesomorphic behaviour, photophysical properties and chiral photoinduction. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 7029	7.1	22
861	Synthesis, spectroscopic properties, and photoconductivity of black absorbers consisting of pt(bipyridine)(dithiolate) charge transfer complexes in the presence and absence of nitrofluorenone acceptors. <i>Journal of the American Chemical Society</i> , 2014 , 136, 16185-200	16.4	28
860	Synthesis of diketopyrrolopyrrole based copolymers via the direct arylation method for p-channel and ambipolar OFETs. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 4275-83	3.6	41
859	Highly efficient exciplex organic light-emitting diodes incorporating a heptazine derivative as an electron acceptor. 2014 , 50, 6174-6		124
858	Facile preparation of electrochromic poly(amineimide) films from diimide compounds with terminal triphenylamino groups via electrochemical oxidative coupling reactions. 2014 , 5, 6770-6778		19
857	Role of polyaniline on the photocatalytic degradation and stability performance of the polyaniline/silver/silver phosphate composite under visible light. 2014 , 6, 17589-98		127

856	Palladium-catalyzed amination of aryl sulfides with anilines. 2014 , 53, 9329-33		85
855	Ruthenium-bis-terpyridine Complex with Two Redox-Asymmetric Amine Substituents: Potential-Controlled Reversal of the Direction of Charge-Transfer. 2014 , 33, 6223-6231		11
854	Charge transfer properties of two polymorphs of luminescent (2-fluoro-3-pyridyl)(2,2'-biphenyl)borinic 8-oxyquinolate. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 22762-74	3.6	8
853	Solution-processable two-dimensional conjugated organic small molecules containing triphenylamine cores for photovoltaic application. 2014 , 38, 5009-5017		7
852	Imides modified benzopicyenes: synthesis, solid structure and optoelectronic properties. 2014 , 12, 8902-10		14
851	Influence of primary and auxiliary ligand on spectroscopic properties and luminescent efficiency of organoplatinum(II) complexes bearing functionalized cyclometalated C ^N C ligands. <i>Dalton Transactions</i> , 2014 , 43, 14029-38	4.3	8
850	Disperse and disordered: a mexylaminotriazine-substituted azobenzene derivative with superior glass and surface relief grating formation. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 841-847	7.1	51
849	Modulating structure and properties in organic chromophores: influence of azulene as a building block. 2014 , 5, 3753-3760		59
848	Enhanced carrier transport in tris(8-hydroxyquinolate) aluminum by titanyl phthalocyanine doping. 2014 , 4, 51256-51261		15
847	Odd-even glass transition temperatures in network-forming ionic glass homologue. <i>Journal of the American Chemical Society</i> , 2014 , 136, 1268-71	16.4	19
846	New Semiconducting Poly(arylene sulfide)s: Synthesis, Characterization, and Optical Properties. 2014 , 19, 594-610		6
845	Molecular Orbital-Based Design of π Conjugated Organic Materials with Small Internal Reorganization Energy: Generation of Nonbonding Character in Frontier Orbitals. 2014 , 118, 20176-20183		28
844	Bright and stable light-emitting electrochemical cells based on an intramolecularly π stacked, 2-naphthyl-substituted iridium complex. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 7047-7055	7.1	31
843	Bis-Tridentate Ruthenium Complexes with a Redox-Active Amine Substituent: Electrochemical, Spectroscopic, and DFT/TDDFT Studies. 2014 , 33, 4220-4229		12
842	Synthesis of triarylamine-based alternating copolymers for polymeric solar cell. 2014 , 55, 4837-4845		4
841	Phosphorescent dye-doped hole transporting layer for organic light-emitting diodes. 2014 , 15, 2381-2386		10
840	Microcavity-enhanced light-trapping for highly efficient organic parallel tandem solar cells. 2014 , 26, 6778-84		81
839	Palladium-Catalyzed Amination of Aryl Sulfides with Anilines. 2014 , 126, 9483-9487		13

838	Structural, Thermo-Optical, and Photophysical Properties of Highly Oriented Thin Films of Quinoxalinophenanthrophenazine Derivative. 2014 , 118, 18736-18745		5
837	Charge Transport in Amorphous Organic Semiconductors: Effects of Disorder, Carrier Density, Traps, and Scatters. 2014 , 54, 918-926		30
836	High-performance n-channel organic thin-film transistor based on naphthalene diimide. 2014 , 6, 12295-301		20
835	Functional Polyphenylenes for Supramolecular Ordering and Application in Organic Electronics. 2014 , 155-194		
834	Halogen Bonding in Diaza-Triisopropylsilyl-Tetracene Crystals?. 2014 , 14, 5962-5965		5
833	Impact of constitutional isomerism on phosphorescence and anion-sensing properties of donor-acceptor organoboron Pt(II) complexes. <i>Dalton Transactions</i> , 2014 , 43, 13696-703	4.3	14
832	Synthesis of substituted pyrenes by indirect methods. 2014 , 12, 212-32		91
831	Pyrene based conjugated materials: synthesis, characterization and electroluminescent properties. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 23320-8	3.6	24
830	Influence of Molecular Packing on Intramolecular Reorganization Energy: A Case Study of Small Molecules. 2014 , 118, 14848-14852		25
829	Synthesis and optoelectronic properties of polyimides with naphthylidiphenylamine chromophores. 2014 , 21, 1		7
828	Template-mediated nano-crystallite networks in semiconducting polymers. 2014 , 5, 4183		25
827	Electrochromic properties of novel chalcones containing triphenylamine moiety. <i>Dyes and Pigments</i> , 2014 , 106, 154-160	4.6	21
826	Organic semiconductors for device applications: current trends and future prospects. 2014 , 34, 279-338		38
825	Chemical structure dependent electron transport in 9,10-bis(2-phenyl-1,3,4-oxadiazole) derivatives of anthracene. 2014 , 4, 12206		4
824	New derivatives of triphenylamine and naphthalimide as ambipolar organic semiconductors: Experimental and theoretical approach. <i>Dyes and Pigments</i> , 2014 , 106, 58-70	4.6	30
823	Synthesis, Structure, and Spectroelectrochemistry of Ferrocenyl Meldrum Acid Donor-Acceptor Systems. 2014 , 33, 4697-4705		12
822	New multifunctional phenanthroimidazole-phosphine oxide hybrids for high-performance red, green and blue electroluminescent devices. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 6817-6826	7.1	65
821	Tetrasubstituted-pyrene derivatives for electroluminescent application. 2014 , 15, 2148-2157		7

820	Branched triphenylamine-based oligomers for organic electronics. 2014 , 56, 104-134		29
819	Growth and Characterization of Molecular Crystals of para-Sexiphenyl by All-Atom Computer Simulations. 2014 , 14, 3791-3799		12
818	Tuning electron transport through a single molecular junction by bridge modification. 2014 , 116, 013701		5
817	Hole-transporting thiophene-based hydrazones with reactive vinyl groups. 2014 , 197, 1-7		7
816	Co-deposited Cu(I) Complex for Tri-layered Yellow and White Organic Light-Emitting Diodes. 2014 , 24, 5385-5392		32
815	Modeling of efficient charge transfer materials of 4,6-di(thiophen-2-yl)pyrimidine derivatives: Quantum chemical investigations. 2014 , 81, 488-492		32
814	The effect of donors-acceptors on the charge transfer properties and tuning of emitting color for thiophene, pyrimidine and oligoacene based compounds. 2014 , 157, 52-57		27
813	Photoactive amorphous molecular materials based on bisquinoline diamines and their synthesis by Friedländer condensation reaction. 2014 , 283, 45-55		5
812	Solution-processed small molecules based on indacenodithiophene for high performance thin-film transistors and organic solar cells. 2014 , 15, 1155-1165		20
811	Palladium-catalyzed formation of secondary and tertiary amines from aryl dihalides with air-stable ferrocenyl tri- and diphosphines: Synthesis and X-ray structure of efficient catalysts beyond [PdCl ₂ (DPPF)]. 2014 , 51, 10-14		9
810	Binaphthalene bridged bipolar transporting materials for blue electroluminescence: toward high EL efficiency via molecular tuning. 2014 , 70, 2992-2998		11
809	Al ₂ O ₃ /TiO ₂ multilayer thin films grown by plasma enhanced atomic layer deposition for organic light-emitting diode passivation. 2014 , 552, 155-158		32
808	Tip induced crystallization lithography. <i>Journal of the American Chemical Society</i> , 2014 , 136, 1253-5	16.4	13
807	Small Molecules of Cyclopentadithiophene Derivatives: Effect of Sulfur Atoms Position and Substituted Groups on Their UV-abs Properties. 2014 ,		12
806	Optical, electrochemical, photoelectrochemical and electrochromic properties of polyamide/graphene oxide with various feed ratios of polyamide to graphite oxide. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 2272	7.1	27
805	Multifunctional homoleptic iridium(III) dendrimers towards solution-processed nondoped electrophosphorescence with low efficiency roll-off. 2014 , 15, 1598-1606		26
804	The vital role of PANI for the enhanced photocatalytic activity of magnetically recyclable Ni ₂ Ti ₄ O ₉ /MnFe ₂ O ₄ /PANI composites. 2014 , 311, 230-238		35
803	The effect of the linking topology on the electrochemical and spectroelectrochemical properties of carbazolyl substituted perylene bisimides. 2014 , 135, 487-494		16

- 802 On-Top π -Stacking of Quasiplanar Molecules in Hole-Transporting Materials: Inducing Anisotropic Carrier Mobility in Amorphous Films. **2014**, 126, 5910-5914 13
- 801 Synthesis and properties of new triphenylamine based luminescent hole transporting materials containing naphthyl and butadiene units. **2014**, 18, 327-333 5
- 800 Understanding the On-Off Switching Mechanism in Cationic Tetravalent Group-V-Based Fluoride Molecular Sensors Using Orbital Analysis. **2015**, 119, 12693-8 9
- 799 Small Molecule Fundamentals. **2015**, 142-161 1
- 798 Vapor Deposition Methods and Technologies: Research to Manufacturing. **2015**, 380-399
- 797 Triarylamine-Based Organic Mixed-Valence Compounds. **2015**, 245-268 3
- 796 Electron-Deficient Conjugated Heteroaromatics. **2015**, 411-443
- 795 Designs of Functional π -Electron Materials based on the Characteristic Features of Boron. **2015**, 88, 1357-1377 182
- 794 Radical Addition to Corannulene Mediated by Visible-light-photoredox Catalysts. **2015**, 44, 545-547 18
- 793 The effect of chemical structure on the stability of physical vapor deposited glasses of 1,3,5-triarylbenzene. **2015**, 143, 084506 37
- 792 Quantum chemical calculation study on terphenyl arylamines hole transport materials. **2015**, 23, 182-185 2
- 791 Mechanofluorochromism of 1-Alkanoylaminopyrenes. **2015**, 16, 3038-43 20
- 790 Theoretical Study of Electronic Structures and Charge Transport Properties of 9,10-Bis((E)-2-(pyrid-n-yl) vinyl) (n=2,3,4) Anthracene. **2015**, 33, 974-980 1
- 789 Diversified Synthesis of Furans by Coupling between Enols/1,3-Dicarbonyl Compounds and Nitroolefins: Direct Access to Dioxo[5]helicenes. **2015**, 10, 2525-36 26
- 788 N-Heterotriangulenes: Fascinating Relatives of Triphenylamine. **2015**, 15, 1119-31 22
- 787 Effect of Pressure and MoO₃ Hole Injection Layer on the Current-Voltage Characteristics of Organic Light Emitting Diodes. **2015**, 1132, 160-165
- 786 Homoepitaxial growth modes in textured, polycrystalline ultrathin pentacene films on dielectrics. **2015**, 252, 1291-1299 1
- 785 Synthesis and photoluminescent properties of geometrically hindered cis-tris(diphenylaminofluorene) as precursors to light-emitting devices. *Molecules*, **2015**, 20, 4635-54 4.8 5

784	Charge carrier mobility and electronic properties of Al(Op) ₃ : impact of excimer formation. 2015 , 6, 1107-15		6
783	Polymers and Dyes: Developments and Applications. 2015 , 7, 717-746		85
782	Synthesis and Properties of Novel Borondipyrrromethene (BODIPY)-Tethered Triphenylamine Conjugates. 2015 , 68, 1485		1
781	Optimization of hybrid blue organic light-emitting diodes based on singlet and triplet exciton diffusion length. 2015 , 54, 06FG09		4
780	Organic Semiconductors for Field-Effect Transistors. 2015 , 51-164		2
779	Organic Optoelectronic Materials. 2015 ,		21
778	A new unsymmetrical near-IR small molecule with squaraine chromophore for solution processed bulk heterojunction solar cells. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 7029-7037	7.1	15
777	Molecular stacking character and charge transport properties of tetrabenzoheptacenes derivatives: the effects of nitrogen doping and phenyl substitution. 2015 , 21, 126		3
776	A comparison of excited state properties between two different N-heterocyclic platinum(II) complexes. 2015 , 1097, 23-28		3
775	Synthesis and Optical Properties of some Novel Bis-1,3,4-Oxadiazoles. 2015 , 1104, 131-135		
774	Electron transfer properties of a monolayer of hybrid polyoxometalates on silicon. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 6266-6275	7.1	29
773	Toward Designing Efficient Multifunctional Bipolar Molecules: DFT Study of Hole and Electron Mobilities of 1,3,4-Oxadiazole Derivatives. 2015 , 119, 12251-12261		14
772	Coverage-Dependent Self-Assembly Regimes of Alkyl-Substituted Thiophene Oligomers on Au(111): Scanning Tunneling Microscopy and Spectroscopy. 2015 , 119, 26959-26967		8
771	Effect of Ethynyl Linkages on the Properties of the Derivatives of Triphenylamine and 1,8-Naphthalimide. 2015 , 119, 28335-28346		40
770	Theoretical studies on the substituent effect on the photophysical properties of two series of heteroleptic Ir(III) complexes. 2015 , 98, 196-202		5
769	Twisted biaryl-amines as novel host materials for green-emissive phosphorescent organic light-emitting diodes (PhOLEDs). 2015 , 5, 101169-101176		5
768	Synthesis and characterization of novel electrochromic poly(amide-imide)s with N,N'-di(4-methoxyphenyl)-N,N'-diphenyl-p-phenylenediamine units. 2015 , 5, 93591-93606		15
767	Thickness and Substrate Dependent Thin Film Growth of Picene and Impact on the Electronic Structure. 2015 , 119, 29027-29037		18

766	Modeling of Organic Light Emitting Diodes: From Molecular to Device Properties. 2015 , 25, 1955-1971	120
765	Theoretical investigation of the static (hyper)polarizabilities and reorganization energy of 4,5-dicyanoimidazole chromophore and derivatives containing benzene rings and a saturated bridge. 2015 , 1057, 60-66	5
764	Dibenzocarbazolediimides: synthesis, solid structure, self-assembly behavior, and optoelectronic properties. 2015 , 10, 1344-53	5
763	Synthesis of electroactive and electrochromic poly(amide-imide)s containing diphenylpyrenylamine moieties. 2015 , 22, 1	5
762	Developing conjugated polymers with high electron affinity by replacing a C-C unit with a B<-N unit. 2015 , 54, 3648-52	174
761	Catalytic C-H imidation of aromatic cores of functional molecules: ligand-accelerated Cu catalysis and application to materials- and biology-oriented aromatics. <i>Journal of the American Chemical Society</i> , 2015 , 137, 2460-3	16.4 115
760	Recent progress and perspective in solution-processed Interfacial materials for efficient and stable polymer and organometal perovskite solar cells. 2015 , 8, 1160-1189	637
759	Substituted triphenylamines as building blocks for star shaped organic electronic materials. 2015 , 39, 1840-1851	13
758	Computational studies on the radiative and nonradiative processes of luminescent N-heteroleptic platinum(II) complexes. 2015 , 19, 7-14	7
757	Position and Orientation Control of a Photo- and Electrochromic Dithienylethene Using a Tripodal Anchor on Gold Surfaces. 2015 , 119, 3648-3657	22
756	Charge Carrier Mobility of Siliconized Liquid Triarylamine Organic Semiconductors by Time-of-Flight Spectroscopy.. 2015 , 119, 1676-1682	16
755	Amorphous host materials based on Tröger's base scaffold for application in phosphorescent organic light-emitting diodes. 2015 , 7, 3298-305	32
754	Molecular Orientation-Dependent Interfacial Energetics and Built-in Voltage Tuned by a Template Graphene Monolayer. 2015 , 119, 45-54	24
753	Highly Efficient Spiro[fluorene-9,9'-thioxanthene] Core Derived Blue Emitters and Fluorescent/Phosphorescent Hybrid White Organic Light-Emitting Diodes. 2015 , 27, 1100-1109	94
752	Computational prediction for emission energy of iridium (III) complexes based on TDDFT calculations using exchange-correlation functionals containing various HF exchange percentages. 2015 , 21, 22	6
751	A meta-molecular tailoring strategy towards an efficient violet-blue organic electroluminescent material. 2015 , 5, 18067-18074	41
750	Triphenylamine-based π -conjugated dendrimers: convenient synthesis, easy solution processability, and good hole-transporting properties. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 2016-2023	7.1 27
749	Temperature-Mediated Polymorphism in Molecular Crystals: The Impact on Crystal Packing and Charge Transport. 2015 , 27, 112-118	66

748	Novel ternary composites: Preparation, performance and application of ZnFe ₂ O ₄ /TiO ₂ /polyaniline. 2015 , 331, 108-114	29
747	Chemoselective amination of bromiodobenzenes with diarylamines by palladium/Xantphos or ligand-free copper catalysts. 2015 , 71, 1395-1402	6
746	Unique Monotropic Phase Transition Behaviors of a Butterfly-Shaped Diphenylpyrimidine Molecule. 2015 , 15, 900-906	12
745	Water/alcohol soluble conjugated polymers for the interface engineering of highly efficient polymer light-emitting diodes and polymer solar cells. 2015 , 51, 5572-85	140
744	Progress and perspective of iridium-containing phosphorescent polymers for light-emitting diodes. 2015 , 47, 92-121	63
743	Developing Conjugated Polymers with High Electron Affinity by Replacing a C-C Unit with a B-N Unit. 2015 , 127, 3719-3723	35
742	Multicomponent self-assembly with a shape-persistent N-heterotriangulene macrocycle on Au(111). 2015 , 21, 1652-9	32
741	Organic amorphous hole-transporting materials based on Tröger's Base: alternatives to NPB. 2015 , 5, 26806-26810	19
740	Cost-effective synthesis of carboline/pyridine hybrid bipolar host materials with improved electron-transport ability for efficient blue phosphorescent OLEDs. 2015 , 5, 65481-65486	11
739	Synthesis and photophysical properties of triphenylamine-based multiply conjugated star-like molecules. 2015 , 39, 7472-7480	18
738	Taming the beast: fluoromesityl groups induce a dramatic stability enhancement in boroles. 2015 , 6, 5922-5927	76
737	Encyclopedia of Polymeric Nanomaterials. 2015 , 487-496	
736	Encyclopedia of Polymeric Nanomaterials. 2015 , 386-389	1
735	Pyromellitic dithioimides: thionation improves air-stability and electron mobility of N-type organic field-effect transistors. 2015 , 51, 13772-5	17
734	Efficient solution processed D1-A-D2-A-D1 small molecules bulk heterojunction solar cells based on alkoxy triphenylamine and benzo[1,2-b:4,5-b']thiophene units. 2015 , 26, 36-47	16
733	Synthesis of molecular chains: application of cross-coupling and bromo by iodo exchange reactions. 2015 , 71, 5506-5512	0
732	Diboron complexes with bis-spiro structures as high-performance blue emitters for OLEDs. <i>Dalton Transactions</i> , 2015 , 44, 14436-43	4-3 21
731	Aggregation-induced emission of a star-shape luminogen based on cyclohexanehexone substituted with AIE active tetraphenylethene functionality. 2015 , 5, 56270-56273	25

730	Design of liquid crystals: from a nematogen to thiophene-based π -conjugated mesogens. 2015 , 1-9	10
729	Encyclopedia of Polymeric Nanomaterials. 2015 , 496-505	2
728	Camphorsulfonic acid-doped polyaniline/TiO ₂ nanotube hybrids: synthesis strategy and enhanced visible photocatalytic activity. 2015 , 26, 7723-7730	6
727	Efficient violet non-doped organic light-emitting device based on a pyrene derivative with novel molecular structure. 2015 , 23, 179-185	25
726	A planarized triphenylborane mesogen: discotic liquid crystals with ambipolar charge-carrier transport properties. 2015 , 54, 6922-5	77
725	Stable and efficient hole transporting materials with a dimethylfluorenylamino moiety for perovskite solar cells. 2015 , 51, 9305-8	60
724	A Planarized Triphenylborane Mesogen: Discotic Liquid Crystals with Ambipolar Charge-Carrier Transport Properties. 2015 , 127, 7026-7029	28
723	Spectroscopic investigations, NBO, HOMO-LUMO, NLO analysis and molecular docking of 5-(adamantan-1-yl)-3-anilinomethyl-2,3-dihydro-1,3,4-oxadiazole-2-thione, a potential bioactive agent. 2015 , 1096, 1-14	36
722	Effect of dynamic disorder on charge carrier dynamics in Ph4DP and Ph4DTP molecules. 2015 , 5, 38722-38732	8
721	High coloration efficiency and fast switching speed of poly(amic acid-imide)s containing triphenylamine in acidic electrolyte. 2015 , 5, 11071-11076	26
720	Manipulation of the band gap and efficiency of a minimalist push-pull molecular donor for organic solar cells. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 5145-5151	7.1 32
719	Induction and control of supramolecular chirality by light in self-assembled helical nanostructures. 2015 , 6, 6959	128
718	On the relation of energy and electron transfer in multidimensional chromophores based on polychlorinated triphenylmethyl radicals and triaryl amines. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 11848-67	3.6 17
717	Generalized effective-medium model for the carrier mobility in amorphous organic semiconductors. 2015 , 91,	25
716	Fluorescent aggregates of AIEE active triphenylene derivatives for the sensitive detection of picric acid. 2015 , 5, 32637-32642	16
715	Experimental and theoretical study of 4-formyl pyrrole derived aroylhydrazones. 2015 , 1084, 326-339	16
714	Solution-processed efficient deep-blue fluorescent organic light-emitting diodes based on novel 9,10-diphenyl-anthracene derivatives. 2015 , 5, 29708-29717	33
713	Steering Power of Perfluoroalkyl Substituents in Crystal Engineering: Tuning the Distance While Maintaining the Lamellar Packing Motif for Aromatics with Various Sizes of π -Conjugation. 2015 , 15, 2235-2242	15

712	1-(N-phenylamino)naphthalene oligomers as novel hole transport materials for highly efficient green electrophosphorescence. <i>Dyes and Pigments</i> , 2015 , 118, 1-8	4.6	11
711	Triarylboron-Functionalized Metal Complexes for OLEDs. 2015 , 207-239		4
710	Structure property relationships of benzo[b]thiophen/benzo[b]furan end-capped naphthalene oligomers and their application for organic field effect transistors. 2015 , 5, 31018-31023		5
709	Impact of the different electron-releasing subunits on the dye-sensitized solar cell performance of new triphenylamine-benzimidazole based molecules. 2015 , 149, 157-65		7
708	A low-cost phenylbenzimidazole containing electron transport material for efficient green phosphorescent and thermally activated delayed fluorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 5533-5540	7.1	42
707	Adsorption of 2-vinyl thiophene on Si(100)2 \times 1: A van Der Waals corrected DFT study. 2015 , 14, 1550011		4
706	Solution processable double layer organic light emitting diodes (OLEDs) based on 6-N,N-arylsubstituted-1H-pyrazolo[3,4-b]quinolines. 2015 , 1, 17-22		10
705	Theoretical comparative studies on transport properties of pentacene, pentathienoacene, and 6,13-dichloropentacene. 2015 , 36, 891-900		12
704	Compatibility of amorphous triarylamine copolymers with solution-processed hole injecting metal oxide bottom contacts. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 4530-4536	7.1	7
703	Polymorphism dependent charge transport property of 9,10-bis((E)-2-(pyrid-2-yl)vinyl)anthracene: a theoretical study. 2015 , 5, 18875-18880		6
702	Can hydrogen bonds improve the hole-mobility in amorphous organic semiconductors? Experimental and theoretical insights. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11660-11674	7.1	47
701	Solution-processed thermally stable amorphous films of small molecular hole injection/transport bi-functional materials and their application in high efficiency OLEDs. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11377-11384	7.1	33
700	A high triplet-energy polymer: synthesis and photo-physical properties of a π -stacked vinyl polymer having a xanthone moiety in the side chain. 2015 , 5, 21310-21315		6
699	Surface relief grating growth in thin films of mexylaminotriazine-functionalized glass-forming azobenzene derivatives. 2015 , 39, 9162-9170		24
698	Polyaniline/CaCu ₃ Ti ₄ O ₁₂ nanofiber composite with a synergistic effect on visible light photocatalysis. 2015 , 5, 87241-87250		18
697	Encyclopedia of Polymeric Nanomaterials. 2015 , 389-397		
696	Investigation of a dendrimer-like arrangement of hydrazone fragments for the application as hole transporting materials. 2015 , 71, 8162-8171		3
695	π -Conjugated diimidazolium salts: rigid structure to obtain organized materials. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 26903-17	3.6	6

- 694 Improved TTF functionalization of polymers for two-dimensional charge-transfer networks. **2015**, 6, 8325-8330z
- 693 Novel polyamides with fluorene-based triphenylamine: electrofluorescence and electrochromic properties. **2015**, 5, 88181-88190 39
- 692 New semi-conducting poly(phenylene vinylene-alt-anthrylene vinylene)s: Synthesis, characterization and photophysical properties. *Optical Materials*, **2015**, 50, 114-122 3:3 3
- 691 Cross-Conjugated Systems Based On An (E)-Hexa-3-en-1,5-diyne-3,4-diyl Skeleton: Spectroscopic and Spectroelectrochemical Investigations. **2015**, 80, 11501-12 6
- 690 Electric-field dependence of photocarrier generation efficiency of organic photoconductors. **2015**, 117, 095501 2
- 689 Arylsilanes and siloxanes as optoelectronic materials for organic light-emitting diodes (OLEDs). *Journal of Materials Chemistry C*, **2015**, 3, 9496-9508 7:1 66
- 688 Electrosynthesis and electrochromic properties of poly(amide-triarylamine)s containing triptycene units. **2015**, 5, 90941-90951 26
- 687 Triphenylamine/tetrazine based π -conjugated systems as molecular donors for organic solar cells. **2015**, 39, 9700-9713 30
- 686 Synthesis, characterization and optoelectronic investigations of bithiophene substituted 1,3,4-oxadiazole derivatives as green fluorescent materials. **2015**, 5, 86685-86696 29
- 685 Phenothiazine-based bipolar green-emitters containing benzimidazole units: synthesis, photophysical and electroluminescence properties. **2015**, 5, 87416-87428 25
- 684 A detailed study on the thermal, photo-physical and electrochemical properties and OFET applications of DAD structured unsymmetrical diketopyrrolopyrrole materials. **2015**, 5, 94859-94865 16
- 683 Highly efficient yellow phosphorescent organic light-emitting diodes with novel phosphine oxide-based bipolar host materials. *Journal of Materials Chemistry C*, **2015**, 3, 11540-11547 7:1 13
- 682 Encyclopedia of Polymeric Nanomaterials. **2015**, 480-487 5
- 681 Efficient saturated red electrophosphorescence by using solution-processed 1-phenylisoquinoline-based iridium phosphors with peripheral functional encapsulation. **2015**, 26, 400-407 18
- 680 Series of Carbazole-Pyrimidine Conjugates: Syntheses and Electronic, Photophysical, and Electrochemical Properties. **2015**, 80, 9076-90 61
- 679 Highly efficient yellow phosphorescent OLEDs based on two novel bipolar host materials. **2015**, 39, 7954-79606
- 678 Encyclopedia of Polymeric Nanomaterials. **2015**, 316-320
- 677 Encyclopedia of Polymeric Nanomaterials. **2015**, 324-329

- 676 Encyclopedia of Polymeric Nanomaterials. **2015**, 347-357
- 675 Encyclopedia of Polymeric Nanomaterials. **2015**, 299-306
- 674 Encyclopedia of Polymeric Nanomaterials. **2015**, 412-427 2
- 673 Selective mono- and diamination of some polyhalogenbenzenes in anhydrous ammonia. **2015**, 180, 98-102 5
- 672 MoO₃ as p-type dopant for Alq₃-based p-i-n homojunction organic light-emitting diodes. **2015**, 26, 443-450 11
- 671 Synthesis and high-throughput characterization of structural analogues of molecular glassformers: 1,3,5-trisarylbenzenes. **2015**, 11, 7558-66 13
- 670 Synthesis and Electrochromic Properties of New Terpyridine-Triphenylamine Hybrid Polymers. **2015**, 48, 6465-6473 48
- 669 Electrochemical synthesis and electrochromic properties of new conjugated polycarbazoles from di(carbazol-9-yl)-substituted triphenylamine and N-phenylcarbazole derivatives. **2015**, 758, 100-110 32
- 668 2-Bromotetraazapentacene and Its Functionalization by Pd(0)-Chemistry. **2015**, 80, 12166-76 14
- 667 Synthesis of Amorphous Monomeric Glass Mixtures for Organic Electronic Applications. **2015**, 80, 12740-5 10
- 666 Structure-Property studies of P-triarylamine-substituted dithieno[3,2-b:2',3'-d]phospholes. **2015**, 5, 93797-93807 9
- 665 Rational molecular design towards Vis/NIR absorption and fluorescence by using pyrrolopyrrole aza-BODIPY and its highly conjugated structures for organic photovoltaics. **2015**, 21, 2893-904 76
- 664 An efficient photovoltaic device based on novel DAD solution-processable small molecules. **2015**, 50, 937-947 10
- 663 Synthesis of nitrogenated scaffolds derived from fluorene by a modified Ullmann type reaction. **2015**, 56, 465-467 7
- 662 Perovskite-based solar cells: impact of morphology and device architecture on device performance. **2015**, 3, 8943-8969 465
- 661 Specific spectral characteristics of some phenylquinoxaline derivatives. **2015**, 202, 62-67 6
- 660 Recent advances of the emitters for high performance deep-blue organic light-emitting diodes. *Journal of Materials Chemistry C*, **2015**, 3, 913-944 7.1 414
- 659 Different electronic and charge-transport properties of four organic semiconductors Tetraazaperopyrenes derivatives. **2015**, 1083, 65-71 6

658	Doped-carbazolocarbazoles as hole transporting materials in small molecule solar cells with different architectures. 2015 , 17, 28-32		6
657	Optical and electronic properties of air-stable organoboron compounds with strongly electron-accepting bis(fluoromesityl)boryl groups. 2015 , 6, 308-321		116
656	New electroactive and electrochromic aromatic polyamides with ether-linked bis(triphenylamine) units. 2015 , 53, 496-510		38
655	Effects of side groups on the kinetics of charge carrier recombination in dye molecule-doped multilayer organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 46-50	7.1	3
654	D- π A triarylboron compounds with tunable push-pull character achieved by modification of both the donor and acceptor moieties. 2015 , 21, 177-90		105
653	Soluble diazaptycenes: materials for solution-processed organic electronics. 2015 , 80, 582-9		57
652	Spectroscopic investigation (FT-IR and FT-Raman), vibrational assignments, HOMO-LUMO analysis and molecular docking study of 2-(Adamantan-1-yl)-5-(4-nitrophenyl)-1,3,4-oxadiazole. 2015 , 135, 973-83		31
651	Derivatives of indandione and differently substituted triphenylamine with charge-transporting and NLO properties. <i>Dyes and Pigments</i> , 2015 , 113, 38-46	4.6	17
650	Environment effects on the optical properties of some fluorinated poly(oxadiazole ether)s in binary solvent mixtures. 2015 , 157, 315-320		11
649	High mobility polymer based on a π -extended benzodithiophene and its application for fast switching transistor and high gain photoconductor. 2014 , 4, 5482		47
648	Thiophene-forming one-pot synthesis of three thienyl-bridged oligophenothiazines and their electronic properties. 2016 , 12, 2055-2064		6
647	Synthesis of Novel Derivatives of Carbazole-Thiophene, Their Electronic Properties, and Computational Studies. 2016 , 2016, 1-14		6
646	Partially Oxygen-Bridged Triphenylamines with a Quasiplanar Structure as a Key Scaffold for Hole-Transporting Materials. 2016 , 74, 1128-1135		7
645	Electrochemical and electrochromic studies of redox-active aromatic polyamides with 3,5-dimethyltriphenylamine units. 2016 , 776, 139-147		14
644	Conjugated organic polymer-based materials from the activated polymerization of 2-ethynylpyridine using naphthoyl chlorides. <i>Dyes and Pigments</i> , 2016 , 134, 99-105	4.6	15
643	Helicenes as All-in-One Organic Materials for Application in OLEDs: Synthesis and Diverse Applications of Carbo- and Aza[5]helical Diamines. 2016 , 22, 9375-86		31
642	Investigation of the spectral, optical and surface morphology properties of the N,N'-Dipentyl-3,4,9,10-perylenedicarboximide small molecule for optoelectronic applications. 2016 , 27, 144-155		19
641	Facile fabrication of redox-active and electrochromic poly(amide-amine) films through electrochemical oxidative coupling of arylamino groups. 2016 , 54, 2476-2485		8

640	A Solution-Processed Organometal Halide Perovskite Hole Transport Layer for Highly Efficient Organic Light-Emitting Diodes. 2016 , 2, 1600165		22
639	Synthesis and Investigation of the V-shaped Tröger's Base Derivatives as Hole-transporting Materials. 2016 , 11, 2049-56		7
638	Hole-Transporting Materials for Perovskite-Sensitized Solar Cells. 2016 , 4, 891-938		42
637	The Impact of Interlayer Electronic Coupling on Charge Transport in Organic Semiconductors: A Case Study on Titanylphthalocyanine Single Crystals. 2016 , 128, 5292-5295		5
636	Progress of pyrene-based organic semiconductor in organic field effect transistors. 2016 , 59, 1623-1631		37
635	Long-range correlated dynamics in ultra-thin molecular glass films. 2016 , 145, 114502		40
634	Detection of atomic force microscopy cantilever displacement with a transmitted electron beam. 2016 , 109,		1
633	Small molecular hole-transporting and emitting materials for hole-only green organic light-emitting devices. <i>Dyes and Pigments</i> , 2016 , 131, 41-48	4.6	16
632	Carbazole-substituted metallo-phthalocyanines: Synthesis, electrochemical, and spectroelectrochemical properties. 2016 , 217, 94-101		16
631	Highly thermally-stable 4,4'-bis(4'-triphenylsilylphenyl)-1,1'-binaphthalene as the ultraviolet amplified spontaneous emitter, efficient host and deep-blue emitting material. <i>Dyes and Pigments</i> , 2016 , 130, 266-272	4.6	13
630	Triphenylamine-based redox-active aramids with 1-piperidinyl substituent as an auxiliary donor: Enhanced electrochemical stability and electrochromic performance. 2016 , 108, 54-62		17
629	Synthesis, characterization and photovoltaic performance of novel glass-forming perylene diimide derivatives. 2016 , 34, 146-156		18
628	Electrochemical studies on photoactive semiconductor Organic/Inorganic hybrid interface consisting of a poly tris[4-(2-Thienyl)phenyl]amine and CdS nanoparticles. 2016 , 217, 61-67		4
627	Fabrication of TiO ₂ @PANI nanobelts with the enhanced absorption and photocatalytic performance under visible light. 2016 , 172, 52-55		48
626	Effect of charge carrier behaviours in LiF-doped bathophenanthroline (LiF:Bphen) on the performance of organic light-emitting diodes. 2016 , 128, 240-243		1
625	Electrochemically fabricated electrochromic films from 4-(N-carbazolyl)triphenylamine and its dimethoxy derivative. 2016 , 6, 43470-43479		12
624	Three cationic iridium(III) complexes with 1,10-phenanthroline or compounds containing 1,10-phenanthroline unit as auxiliary ligands: Synthesis and application in polymer light-emitting diodes. <i>Dyes and Pigments</i> , 2016 , 131, 340-348	4.6	18
623	In-depth study on adsorption and photocatalytic performance of novel reduced graphene oxide-ZnFe ₂ O ₄ -polyaniline composites. 2016 , 681, 157-166		54

- 622 Energy redistribution dynamics in triarylamine-triarylborane containing hexaarylbenzenes. *Physical Chemistry Chemical Physics*, **2016**, 18, 13403-12 3.6 15
- 621 Synthesis and properties of poly(amine-amide)s and poly(amine-imide)s based on 4,4'-diamino-4'-fluorotriphenylamine. **2016**, 186, 79-90 2
- 620 Air-Stable Spirofluorene-Containing Ladder-Type Bis(alkynyl)borane Compounds with Readily Tunable Full Color Emission Properties. **2016**, 22, 15095-15106 29
- 619 Visible-Light-Induced Direct Oxidative C-H Amidation of Heteroarenes with Sulfonamides. **2016**, 22, 15669-15673 33
- 618 Synthesis and Characterization of Polysubstituted Dibenzopyrenes as Charge-Transporting Materials. **2016**, 18, 4876-4879 7
- 617 Optoelectronic properties of naphtho[2, 1-b:6, 5-b']difuran derivatives for photovoltaic application: a computational study. **2016**, 22, 248 18
- 616 Influence of Solvent Environment on Photophysical Properties of 3-(Piperidin-1-yl)-4H-benzo[de]anthracen-7(11bH)-one. **2016**, 45, 1391-1413 4
- 615 Synthesis and opto-electrochemical properties of tribenzo[a,c,i]phenazine derivatives for hole transport materials. **2016**, 6, 94218-94227 20
- 614 Effect of heterocycles on field-effect transistor performances of donor-acceptor-donor type small molecules. **2016**, 661, 107-113 12
- 613 Crystal Structure, Thermal Properties, and Shock-Wave-Induced Nucleation of 1,2-Bis(phenylethynyl)benzene. **2016**, 16, 6148-6151 4
- 612 Multicomponent and Domino Syntheses of AIE Chromophores. **2016**, 85-112 14
- 611 Synthesis and photophysics of extended π -conjugated systems of substituted 10-aryl-pyrenoimidazoles. **2016**, 14, 10255-10266 20
- 610 Achieving Pure Deep-Blue Electroluminescence with CIE $y=0.06$ via a Rational Design Approach for Highly Efficient Non-Doped Solution-Processed Organic Light-Emitting Diodes. **2016**, 11, 3275-3282 27
- 609 Multi-functional highly efficient bipolar 9,9-dimethyl-9,10-dihydroacridine/imidazole-based materials for solution-processed organic light-emitting diode applications. *Dyes and Pigments*, **2016**, 134, 315-324 4.6 33
- 608 Synthesis, Characterization and Photophysical Studies of D- π -A Based Conjugated Triphenylamine Derivatives. **2016**, 1, 2792-2801 6
- 607 Thickness Dependence of Carrier Mobility and the Interface Trap Free Energy Investigated by Impedance Spectroscopy in Organic Semiconductors. **2016**, 120, 17184-17189 10
- 606 Influence of doped Alq3 layer on performance of MEH-PPV, MDMO-PPV, and P3HT polymer light-emitting diodes. **2016**, 48, 1 3
- 605 Design of triphenylamine appended anthracene derivatives: electro-polymerization and their electro-chromic behaviour. **2016**, 6, 81597-81606 17

604	Epoxy-thiol thermosets modified by carbazole decorated hyperbranched poly(ethyleneimine) for optical applications. 2016 , 106, 86-92		5
603	Measuring and structuring the spatial coherence length of organic light-emitting diodes. 2016 , 10, 82-90		7
602	Donor-Appended N,C-Chelate Organoboron Compounds: Influence of Donor Strength on Photochromic Behaviour. 2016 , 22, 12464-72		38
601	Fundamental functions of peripheral and core pyridine rings in a series of bis-terpyridine derivatives for high-performance organic light-emitting devices. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 8980-8988	7.1	23
600	One-step modified method for a highly efficient Au/PANI@TiO ₂ visible-light photocatalyst. 2016 , 40, 8587-8592		22
599	Characterization of step-edge barrier crossing of para-sexiphenyl on the ZnO (101[combining macron]0) surface. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 25329-25341	3.6	4
598	Spectroscopic and Theoretical Identification of Two Thermal Isomerization Pathways for Bistable Chiral Overcrowded Alkenes. 2016 , 22, 13478-87		20
597	Gold-Catalyzed Direct Assembly of Aryl-Annulated Carbazoles from 2-Alkynyl Arylazides and Alkynes. 2016 , 18, 4178-81		70
596	Photostability Can Be Significantly Modulated by Molecular Packing in Glasses. <i>Journal of the American Chemical Society</i> , 2016 , 138, 11282-9	16.4	36
595	Covalently Functionalized SWCNTs as Tailored p-Type Dopants for Perovskite Solar Cells. 2016 , 8, 27966-27973		31
594	Water-Soluble Triarylborane Chromophores for One- and Two-Photon Excited Fluorescence Imaging of Mitochondria in Cells. 2016 , 22, 14701-6		61
593	Quinacridone-based π -conjugated electronic materials. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9918-9936		42
592	Electrical properties of photochromic organic systems (review). 2016 , 50, 371-388		4
591	The Influence of Quasiplanar Structures of Partially Oxygen-Bridged Triphenylamine Dimers on the Properties of Their Bulk Films. 2016 , 89, 726-732		12
590	3D conjugated systems based on a twisted quaterthiophene core as hole-transporting materials. 2016 , 57, 3945-3948		2
589	Synthesis and fluxional behaviour of novel chloroborole dimers. 2016 , 52, 9707-10		19
588	The influence of the thioalkyl terminal group on the mesomorphic behavior of some 6-alkoxy-2-naphthoates derived from 1,3,4-oxadiazole. 2016 , 631, 31-46		4
587	Crystal Morphology and Growth in Annealed Rubrene Thin Films. 2016 , 16, 4720-4726		24

586	Regular terpolymers with fluorinated bithiophene units for high-performing photovoltaic cells. 2016 , 7, 5069-5078		15
585	Structure-Property Relationships in Click-Derived Donor-Triazole-Acceptor Materials. 2016 , 22, 18887-18898		17
584	Triarylamine: Versatile Platform for Organic, Dye-Sensitized, and Perovskite Solar Cells. <i>Chemical Reviews</i> , 2016 , 116, 14675-14725	68.1	319
583	Asymmetric tris-Heteroleptic Iridium(III) Complexes Containing a 9-Phenyl-9-phosphafluorene Oxide Moiety with Enhanced Charge Carrier Injection/Transporting Properties for Highly Efficient Solution-Processed Organic Light-Emitting Diodes. 2016 , 28, 8556-8569		43
582	Molecular Water Lilies: Orienting Single Molecules in a Polymer Film by Solvent Vapor Annealing. 2016 , 7, 4451-4457		15
581	Near-Infrared-Absorbing and Dopant-Free Heterocyclic Quinoid-Based Hole-Transporting Materials for Efficient Perovskite Solar Cells. 2016 , 9, 3139-3144		21
580	Mechanism of excited state deactivation of indan-1-ylidene and fluoren-9-ylidene malononitriles. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 32786-32795	3.6	8
579	Using tobacco mosaic virus to probe enhanced surface diffusion of molecular glasses. 2016 , 12, 9115-9120		20
578	Direct and Practical Synthesis of Primary Anilines through Iron-Catalyzed C-H Bond Amination. 2016 , 6, 8162-8165		100
577	Triphenylamino π -Cyanovinyl- and Cyanoaryl-Based Fluorophores: Solvatochromism, Aggregation-Induced Emission and Electrochemical Properties. 2016 , 5, 399-410		34
576	Pseudomorphic Transformation of Layered Simple Hydroxides into Prussian Blue Analogue Nanoplatelets. 2016 , 2016, 2030-2038		8
575	Solvent-Free Buchwald-Hartwig (Hetero)arylation of Anilines, Diarylamines, and Dialkylamines Mediated by Expanded-Ring N-Heterocyclic Carbene Palladium Complexes. 2016 , 2016, 1908-1914		57
574	Small Donor-Acceptor Molecules Based on a Quinoline-Fluorene System with Promising Photovoltaic Properties. 2016 , 2016, 2500-2508		19
573	The Impact of Interlayer Electronic Coupling on Charge Transport in Organic Semiconductors: A Case Study on Titanylphthalocyanine Single Crystals. 2016 , 55, 5206-9		38
572	Theoretical Design of Benzoselenadiazole Based Organic Donor Molecules for Solar Cell Applications. 2016 , 86, 297-312		
571	Synthesis, characterization, optical and electrical properties of bis(phenylvinyl)anthracene-based polymers. <i>Optical Materials</i> , 2016 , 58, 296-305	3.3	3
570	Controlled Growth of Ultrathin Film of Organic Semiconductors by Balancing the Competitive Processes in Dip-Coating for Organic Transistors. 2016 , 32, 6246-54		39
569	Formation of nanowires via single particle-triggered linear polymerization of solid-state aromatic molecules. 2016 , 8, 14925-31		10

568	Perylene diimide derivatives as red and deep red-emitters for fully solution processable OLEDs. 2016 , 6, 61175-61179		63
567	Understanding M-ligand bonding and mer-/fac-isomerism in tris(8-hydroxyquinolate) metallic complexes. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 16555-65	3.6	14
566	A new ZnO/rGO/polyaniline ternary nanocomposite as photocatalyst with improved photocatalytic activity. 2016 , 83, 434-441		68
565	Impact of the alkyl side chain position on the photovoltaic properties of solution-processable organic molecule donor materials. 2016 , 4, 11747-11753		8
564	Green and red phosphorescent organic light-emitting diodes with ambipolar hosts based on phenothiazine and carbazole moieties: photoelectrical properties, morphology and efficiency. 2016 , 6, 61544-61554		18
563	Novel organoboron compounds derived from thieno[3,2-b]thiophene and triphenylamine units for OLED devices. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 6045-6053	7.1	39
562	Anisotropic surface hole-transport property of triphenylamine-derivative single crystal prepared by solution method. 2016 , 388, 109-113		8
561	A comparative study on the properties of aromatic polyamides with methyl- or trifluoromethyl-substituted triphenylamine groups. 2016 , 188, 33-42		20
560	Bis(diphenylamino)naphthalene host materials: careful selection of the substitution pattern for the design of fully solution-processed triple-layered electroluminescent devices. 2016 , 6, 60565-60577		7
559	Photorefractive Organic Materials and Applications. 2016 ,		5
558	Molecular engineering of the hole-transporting material spiro-OMeTAD via manipulation of alkyl groups. 2016 , 6, 60587-60594		9
557	Highly redox-stable and electrochromic aramids with morpholinyl-substituted triphenylamine units. 2016 , 54, 1289-1298		19
556	Interplay among electronic characteristics, morphology and device efficiency in three fluorene alternated copolymers. 2016 , 219, 60-66		1
555	Molecular Materials That Can Both Emit Light and Conduct Charges: Strategies and Perspectives. 2016 , 22, 462-71		38
554	Photocatalytic activity and NIR laser response of polyaniline conjugated graphene nanocomposite prepared by a novel acid-less method. 2016 , 187, 357-366		44
553	Bis(2-(benzo[d]thiazol-2-yl)-5-fluorophenolate)beryllium: a high-performance electron transport material for phosphorescent organic light-emitting devices. 2016 , 6, 5008-5015		8
552	High thermal stability fluorene-based hole-injecting material for organic light-emitting devices. <i>Optical Materials</i> , 2016 , 53, 19-23	3.3	7
551	Organic/inorganic interfaced field-effect transistor properties with a novel organic semiconducting material. 2016 , 96, 274-285		12

550	Photophysical and charge transport properties of pyrazolines. 2016 , 6, 786-795		18
549	Synthesis, properties, and OLED characteristics of 2,2'-bipyridine-based electron-transport materials: the synergistic effect of molecular shape anisotropy and a weak hydrogen-bonding network on molecular orientation. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 3699-3704	7.1	37
548	Catalytic Methods for Aromatic C-H Amination: An Ideal Strategy for Nitrogen-Based Functional Molecules. 2016 , 6, 610-633		379
547	Blue AIEgens: approaches to control the intramolecular conjugation and the optimized performance of OLED devices. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 2663-2684	7.1	189
546	Influence of heteroatoms on the charge mobility of anthracene derivatives. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 3517-3522	7.1	29
545	Multi-scale calculation of the electric properties of organic-based devices from the molecular structure. 2016 , 33, 164-171		11
544	Electronic Structures of Quaterthiophene and Septithiophene on Cu(111): Spatial Distribution of Adsorption-Induced States Studied by STM and DFT Calculation. 2016 , 120, 6681-6688		5
543	Thieno[2,3-b]indole-Based Small Push-Pull Chromophores: Synthesis, Structure, and Electronic Properties. 2016 , 18, 1582-5		38
542	A bipolar emitting material for high efficient non-doped fluorescent organic light-emitting diode approaching standard deep blue. <i>Dyes and Pigments</i> , 2016 , 129, 34-42	4.6	29
541	Ladder-Type Silsesquioxane Copolymer Gate Dielectrics for High-Performance Organic Transistors and Inverters. 2016 , 120, 3501-3508		19
540	Theoretical study and design of highly efficient platinum(II) complexes bearing tetradentate ligands for OLED. 2016 , 6, 11648-11656		28
539	Quantification of temperature rise in unipolar organic conductors during short voltage-pulse excitation using electrical testing methods. 2016 , 31, 191-197		14
538	Fluorescence and phosphorescence of a series of silicon-containing six-membered-ring molecules. 2016 , 805, 27-33		5
537	A novel bipolar phenanthroimidazole derivative host material for highly efficient green and orange-red phosphorescent OLEDs with low efficiency roll-off at high brightness. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 2003-2010	7.1	83
536	Perfluoroalkylation of Square-Planar Transition Metal Complexes: A Strategy To Assemble Them into Solid State Materials with a π -Stacked Lamellar Structure. 2016 , 16, 1869-1878		10
535	Expanding the donor-acceptor toolbox with a minimal 5-(thiophen-2-yl)-1,3-thiazole core: transition metal-free synthesis and molecular design for HOMO-LUMO energy modulations. 2016 , 40, 3036-3039		6
534	Large-Size Star-Shaped Conjugated (Fused) Triphthalocyaninehexaazatriphenylene. 2016 , 18, 1466-9		6
533	Chemical substitution assisted ion sensing with organic molecules: a case study of naphthalene. 2016 , 6, 6191-6195		1

532	New Benzimidazole-Based Bipolar Hosts: Highly Efficient Phosphorescent and Thermally Activated Delayed Fluorescent Organic Light-Emitting Diodes Employing the Same Device Structure. 2016 , 8, 2635-43		85
531	Benzophenones as Generic Host Materials for Phosphorescent Organic Light-Emitting Diodes. 2016 , 8, 1527-35		30
530	Self-assembly of benzene-tris(bis(p-benzyloxy)triphenylamine)carboxamide. 2016 , 19, 117-122		4
529	Tuning Emission Responses of a Triphenylamine Derivative in Host-Guest Complexes and an Unusual Dynamic Inclusion Phenomenon. 2016 , 81, 512-21		20
528	Multi-substituted triazatruxene-functionalized pyrene derivatives as efficient organic laser gain media. 2016 , 6, 6266-6275		24
527	Fused Methoxynaphthyl Phenanthrimidazole Semiconductors as Functional Layer in High Efficient OLEDs. 2016 , 26, 307-16		2
526	Electron correlation effects on polarons recombination in coupled polymer chains. 2016 , 28, 6-10		5
525	Solution-processable bipolar hosts based on triphenylamine and oxadiazole derivatives: Synthesis and application in phosphorescent light-emitting diodes. 2016 , 170, 127-135		12
524	Diphenylaminocarbazoles by 1,8-functionalization of carbazole: Materials and application to phosphorescent organic light-emitting diodes. <i>Dyes and Pigments</i> , 2016 , 124, 35-44	4.6	18
523	Film-forming hole transporting materials for high brightness flexible organic light-emitting diodes. <i>Dyes and Pigments</i> , 2016 , 125, 36-43	4.6	13
522	A structure-property study toward Extended phosphole chromophores with ambipolar redox properties. 2016 , 94, 297-304		1
521	Direct synthesis of triphenylamine-containing polyarylsulfones from commercially available aniline: Polymerization via $N\text{C}$ coupling reactions. 2016 , 28, 868-878		1
520	Synthesis and properties of electroactive aromatic polyimides with methyl- or trifluoromethyl-protecting triphenylamine units. 2017 , 29, 544-555		9
519	Synthesis and electrochemical properties of new redox-active polyimides with (1-piperidinyl)triphenylamine moieties. 2017 , 29, 431-440		9
518	Stable Perovskite Solar Cells based on Hydrophobic Triphenylamine Hole-Transport Materials. 2017 , 5, 312-320		29
517	Carbazole-Fused Zinc(II)Phthalocyanine Sensitizers. 2017 , 6, 544-550		8
516	Insights into the Thermal Eliminations and Photoeliminations of B,N-Heterocycles: A Theoretical Study. 2017 , 121, 753-761		6
515	Synthesis and optical and electrochemical properties of julolidine-structured pyrido[3,4-b]indole dye. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 3565-3574	3.6	11

514	Triphenylamine-based electroactive compounds: synthesis, properties and application to organic electronics. 2017 , 71, 243-268		19
513	Donor and acceptor substituted triphenylamines exhibiting bipolar charge-transporting and NLO properties. <i>Dyes and Pigments</i> , 2017 , 140, 431-440	4.6	13
512	Tuning the ambipolar charge transport properties of tricyanovinyl-substituted carbazole-based materials. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 6721-6730	3.6	19
511	Blue organic light-emitting diodes based on terpyridine-substituted triphenylamine chromophores. <i>Optical Materials</i> , 2017 , 64, 489-495	3.3	9
510	Light-Controlled Reversible Modulation of Frontier Molecular Orbital Energy Levels in Trifluoromethylated Diarylethenes. 2017 , 23, 3743-3754		36
509	Molecular Engineering of Tetraphenylbenzidine-Based Hole Transport Material for Perovskite Solar Cell. 2017 , 121, 1371-1380		24
508	Excellent Long-Term Stability of Power Conversion Efficiency in Non-Fullerene-Based Polymer Solar Cells Bearing Tricyanovinylene-Functionalized n-Type Small Molecules. 2017 , 9, 8838-8847		43
507	Access to Aminated Saturated Oxygen Heterocycles via Copper-Catalyzed Aminooxygenation of Alkenes. 2017 , 19, 1148-1151		47
506	Synthesis and Optoelectronic Exploration of Highly Conjugated 1,3,4-Oxadiazole Containing Donor-Acceptor Chromophores. 2017 , 2, 1793-1801		7
505	Invariant Fast Diffusion on the Surfaces of Ultrastable and Aged Molecular Glasses. 2017 , 118, 066101		36
504	Transport of ions and electrons in nanostructured liquid crystals. 2017 , 2,		256
503	Molecular aggregation of naphthalimide organic semiconductors assisted by amphiphilic and lipophilic interactions: a joint theoretical and experimental study. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 6206-6215	3.6	7
502	Photovoltaic limitations of BODIPY:fullerene based bulk heterojunction solar cells. 2017 , 226, 25-30		13
501	Synthesis of bi- and terthiophenes initiated by microwave-assisted coupling-isomerization reaction. 2017 , 53, 66-71		3
500	Solution-processable transmissive-to-green switching electrochromic polyamides bearing 2,7-bis(diphenylamino)naphthalene units. 2017 , 55, 1409-1421		22
499	Two novel bipolar compounds based-on 1, 2, 4-triazol derivatives for non-doped deep-blue and green phosphorescent OLED applications. <i>Dyes and Pigments</i> , 2017 , 143, 25-32	4.6	18
498	Synthesis and Properties of Redox-Active Polyimides with 3,5-Bis(trifluoromethyl)- or 3,5-Dimethyl-Substituted Triphenylamine Groups. 2017 , 56, 1274-1285		0
497	Copper-catalyzed oxidative amidation of α,β -unsaturated ketones via selective C-H or C=C bond cleavage. 2017 , 4, 1420-1424		10

496	Glass versus Crystal: A Balancing Act between Competing Intermolecular Interactions. 2017 , 17, 2365-2373		9
495	Multifunctional Materials for High-Performance Double-Layer Organic Light-Emitting Diodes: Comparison of Isomers with and without Thermally Activated Delayed Fluorescence. 2017 , 9, 17279-17289		14
494	Camera Method for Monitoring a Mechanochromic Luminescent Diketone Dye with Rapid Recovery. 2017 , 9, 17603-17612		30
493	Ambipolar D _A type bifunctional materials with hybridized local and charge-transfer excited state for high performance electroluminescence with EQE of 7.20% and CIE _y ~ 0.06. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 5402-5410	7.1	77
492	Borylated Arylamine-Benzothiadiazole Donor-Acceptor Materials as Low-LUMO, Low-Band-Gap Chromophores. 2017 , 36, 2597-2604		19
491	V-Shaped Hole-Transporting TPD Dimers Containing Triphenylamine Base Core. 2017 , 121, 10267-10274		6
490	Hole transporting materials for mesoscopic perovskite solar cells [towards a rational design?]. 2017 , 5, 16446-16466		105
489	DFT Studies of Dimerization Reactions of Boroles. 2017 , 23, 11587-11597		7
488	Hole Transporting Properties of Cyclic Pentamer of 4-Butyltriphenylamine. 2017 , 46, 1145-1147		3
487	Electroactive and ambipolar electrochromic polyimides from arylene diimides with triphenylamine N-substituents. <i>Dyes and Pigments</i> , 2017 , 144, 173-183	4.6	37
486	Microstructure characterization of hydrothermally synthesized PANI/VO ₂ /TiO ₂ heterojunction photocatalyst for visible light induced photodegradation of organic pollutants and non-absorbing colorless molecules. 2017 , 339, 161-173		55
485	Taking Advantage of Disorder: Small-Molecule Organic Glasses for Radiation Detection and Particle Discrimination. <i>Journal of the American Chemical Society</i> , 2017 , 139, 9621-9626	16.4	25
484	Eco-Friendly Solvent-Processed Fullerene-Free Polymer Solar Cells with over 9.7% Efficiency and Long-Term Performance Stability. 2017 , 7, 1700566		76
483	A rational design strategy for an extremely deep-blue fluorescent emitter with a small CIE _y value for solution processable, high efficiency, organic light-emitting diodes. <i>Dyes and Pigments</i> , 2017 , 145, 63-71	4.6	8
482	Photoelectrochemical and magnetic studies on photoactive interface thin film assemblies of poly bithiophene/poly 3-(2-thienyl) aniline/ferromagnetic Mg-doped Fe ₂ O ₃ in aqueous electrolytes. 2017 , 634, 56-65		2
481	Dual role of polyphosphoric acid-activated nitroalkanes in oxidative peri-annulations: efficient synthesis of 1,3,6,8-tetraazapyrenes. 2017 , 7, 29927-29932		16
480	Are Electron Affinity and Ionization Potential Intrinsic Parameters to Predict the Electron or Hole Acceptor Character of Amorphous Molecular Materials?. 2017 , 8, 2445-2449		28
479	Radical cation and dication of a 4H-dithieno[2,3-b:3',2'-e][1,4]-thiazine. 2017 , 4, 839-846		9

- 478 Methoxydiphenylamine-substituted fluorene derivatives as hole transporting materials: role of molecular interaction on device photovoltaic performance. **2017**, 7, 150 19
- 477 Redox-active and electrochromic polymers from triarylamine end-capped, 2,7-bis(diphenylamino)naphthalene-cored dicarboxamides. **2017**, 90, 122-135 11
- 476 Poly(naphthalene diimide) vinylene: solid state red emission and semiconducting properties for transistors. **2017**, 53, 4934-4937 16
- 475 Polymeric Architectures Containing Phosphorescent Iridium(III) Complexes. **2017**, 145-203 1
- 474 Comparable charge transport property based on π - π interactions with that of π -stacking in a bis-fused tetrathiafulvalene compound. **2017**, 60, 510-515 6
- 473 Electrochromic and non-volatile bistable resistive switching behaviour of acid-doped poly(triphenylamine ether)s. **2017**, 46, 218-225
- 472 Hierarchical on-surface synthesis and electronic structure of carbonyl-functionalized one- and two-dimensional covalent nanoarchitectures. **2017**, 8, 14765 92
- 471 C-H imidation: a distinct perspective of C-N bond formation. **2017**, 15, 1282-1293 49
- 470 Diphenylamino-substituted bicarbazole derivative: Hole-transporting material with high glass-transition temperature, good electron and triplet exciton blocking capabilities and efficient hole injection. **2017**, 674, 109-114 7
- 469 Copper-Catalyzed Remote C-H Amination of Quinolines with N-Fluorobenzenesulfonimide. **2017**, 359, 1037-1042 44
- 468 All-solid-state secondary lithium battery using solid polymer electrolyte and anthraquinone cathode. **2017**, 300, 114-119 35
- 467 In-situ synthesis of thiophene-based multifunctional polymeric networks with tunable conductivity and high photolithographic performance. **2017**, 108, 413-422 6
- 466 Deceleration of thermal ring closure in a glass-forming methylaminotriazine-substituted merocyanine (MC) linked to intramolecular hydrogen bonding. **2017**, 41, 940-947 4
- 465 Ionic self-assembled derivatives of perylene diimide: Synthesis, aggregated structure and molecular packing behavior. *Dyes and Pigments*, **2017**, 139, 79-86 4.6 9
- 464 Novel electroluminescent donor-acceptors based on dibenzo[a,c]phenazine as hole-transporting materials for organic electronics. **2017**, 41, 628-638 19
- 463 Tracking the formation of supramolecular G-quadruplexes via self-assembly enhanced emission. **2017**, 15, 782-786 3
- 462 Fine-Tuning LUMO Energy Levels of Conjugated Polymers Containing a B<-N Unit. **2017**, 50, 8521-8528 36
- 461 Improving the photocatalytic activity of polyaniline and a porphyrin via oxidation to obtain a salt and a charge-transfer complex. **2017**, 41, 14595-14601 16

- 460 Silver-Catalyzed Synthesis of Substituted Carbazoles through a Tandem Intramolecular Hydroamination/Cyclization Sequence. **2017**, 6, 1674-1682 2
- 459 Pyridine-Based Electron-Transport Materials with High Solubility, Excellent Film-Forming Ability, and Wettability for Inkjet-Printed OLEDs. **2017**, 9, 38716-38727 30
- 458 Dopant-free and low-cost molecular hole-transporting materials for efficient and stable perovskite solar cells. *Journal of Materials Chemistry C*, **2017**, 5, 11429-11435 7.1 36
- 457 Electrophilically activated nitroalkanes in the synthesis of 6,7-dihydro-1H-cyclopenta[g]perimidines. **2017**, 53, 1081-1084 5
- 456 Highly Efficient Nondoped Near-Ultraviolet Electroluminescence with an External Quantum Efficiency Greater Than 6.5% Based on a Carbazole-Triazole Hybrid Molecule with High and Balanced Charge Mobility. **2017**, 5, 1700747 45
- 455 Conformation-based signal transfer and processing at the single-molecule level. **2017**, 12, 1071-1076 27
- 454 A highly efficient quantum dot light emitting diode via improving the carrier balance by modulating the hole transport. **2017**, 7, 43366-43372 45
- 453 Negative ions, molecular electron affinity and orbital structure of cata-condensed polycyclic aromatic hydrocarbons. **2017**, 31, 1729-1741 13
- 452 Synthesis of Benzosiloles by Intramolecular anti-Hydroarylation via ortho-C-H Activation of Aryloxyethynyl Silanes. *Journal of the American Chemical Society*, **2017**, 139, 14013-14016 16.4 25
- 451 Thermally induced crystallization, hole-transport, NLO and photovoltaic activity of a bis-diarylamine-based push-pull molecule. **2017**, 7, 8317 6
- 450 Construction of Functionalized Annulated Sulfone via SO₂/I Exchange of Cyclic Diaryliodonium Salts. **2017**, 19, 4916-4919 107
- 449 Regioregular Phthalocyanines Substituted with Bulky Donors at Non-Peripheral Positions. **2017**, 23, 15446-15454
- 448 Polyaniline-single walled carbon nanotube composite as photocatalyst to degrade rose bengal and methyl orange dyes under visible-light illumination. **2017**, 7, 36403-36415 54
- 447 Synthesis and characterization of novel aromatic polyamides containing 3-trifluoromethyl-substituted triphenylamine. **2017**, 54, 534-542 8
- 446 The phosphorescence properties of a series of diarylethene-containing platinum complexes: the effect of ligand photoisomerization. **2017**, 4, 2191-2201 8
- 445 DFT studies on reactions of boroles with carbon monoxide. **2017**, 15, 7019-7027 10
- 444 Effects of Anthryl Groups on the Charge Transport and Photovoltaic Properties of Small Triarylamine-Based Donor-Acceptor Molecules: A Joint Experimental and Theoretical Study. **2017**, 2, 6296-6303 5
- 443 Charge transfer properties of diphenyl substituted cyclopentadithiophene organic semiconductors: The role of fluorine and malononitrile substitutions and crystal ordering. **2017**, 50, 130-137 8

- 442 Synthesis and properties of a new AIE macrocyclic emitter with triarylamine backbone. **2017**, 58, 3579-3582 5
- 441 The Effect of Substituent-Dependent Photoinduced Intramolecular Charge Transfer on the Photochromism of Hemithioindigos. **2017**, 1, 493-498 9
- 440 Origin and role of gap states in organic semiconductor studied by UPS: as the nature of organic molecular crystals. **2017**, 50, 423002 67
- 439 A theoretical study on the electronic properties of two ring-fused derivatives of 9,10-diphenylanthracene. **2017**, 41, 10251-10258 1
- 438 Photoinduced dynamics of the hole-transport material H101 in organic solvents and on mesoporous AlO and TiO thin films. *Physical Chemistry Chemical Physics*, **2017**, 19, 21748-21758 3.6 5
- 437 Preparation and optoelectronic behaviours of novel electrochromic devices based on triphenylamine-containing ambipolar materials. *Journal of Materials Chemistry C*, **2017**, 5, 9370-9375 7.1 27
- 436 Theoretical studies on the effect of benzene and thiophene groups on the charge transport properties of Isoindigo and its derivatives. **2017**, 71, 1 1
- 435 Stereoelectronic control of oxidation potentials of 3,7-bis(diarylamino)phenothiazines. **2017**, 7, 56144-56152 7
- 434 Pyrene-Cored Starburst Oligofluorenes with Diphenylamine End-Cappers: Design, Synthesis, Stabilized Optical Gain, and Lasing Properties. **2017**, 121, 27569-27579 13
- 433 Synthesis and Magnetic Properties of Trioxytriphenylamine Dimers in their Di(radical cationic) States. **2017**, 23, 16014-16025 13
- 432 Polyaniline as Photocatalytic Promoter in Black Anatase TiO₂. **2017**, 158, 792-796 17
- 431 Electrochemical synthesis of stable ambipolar electrochromic polyimide film from a bis(triphenylamine) perylene diimide. **2017**, 799, 417-423 25
- 430 The application of TD-DFT to excited states of a family of TPD molecules interesting for optoelectronic use. **2017**, 136, 1 1
- 429 Polymerization of 4-ethynylbiphenyl by transition metal catalysts. **2017**, 55, 74-79 7
- 428 Selective one-pot synthesis of aminopolyhalobenzonitriles from polyhalobenzotrichlorides in anhydrous ammonia. **2017**, 200, 84-90 2
- 427 Liquid crystals in photovoltaics: a new generation of organic photovoltaics. **2017**, 49, 85-111 84
- 426 Cu-Catalyzed aromatic C-H imidation with -fluorobenzenesulfonimide: mechanistic details and predictive models. **2017**, 8, 988-1001 44
- 425 Photocatalytic activity of PANI/Fe⁰ doped BiOCl under visible light-degradation of Congo red dye. **2017**, 333, 105-116 48

4 ²⁴	Polystyrenesulfonate Dispersed Dopamine with Unexpected Stable Semiquinone Radical and Electrochemical Behavior: A Potential Alternative to PEDOT:PSS. 2017 , 5, 460-468		12
4 ²³	Alkyl effects on the optoelectronic properties of bicarbazole/cyanobenzene hybrid host materials: Double delayed fluorescent host/dopant systems in solution-processed OLEDs. <i>Dyes and Pigments</i> , 2017 , 136, 543-552	4.6	24
4 ²²	Derivatives of 2-phenylindole and carbazole as host materials for phosphorescent organic light emitting diodes. <i>Dyes and Pigments</i> , 2017 , 137, 58-68	4.6	7
4 ²¹	Perylene diimide isomers containing a simple sp ³ -core for non-fullerene-based polymer solar cells. 2017 , 5, 663-671		19
4 ²⁰	Configurationally Stable Chiral Dithia-Bridged Hetero[4]helicene Radical Cation: Electronic Structure and Absolute Configuration. 2017 , 12, 31-35		18
4 ¹⁹	High performance near ultraviolet emitter based on phenanthroimidazole via substitutions at C6- and C9-positions. <i>Dyes and Pigments</i> , 2017 , 136, 347-353	4.6	30
4 ¹⁸	Liquid-Crystalline Phthalocyanine Derivatives Bearing Oligosiloxane Moieties: Soft Columnar Mesophases Stabilized by Nanosegregation. 2017 , 2, 11934-11941		4
4 ¹⁷	. 2017 ,		11
4 ¹⁶	Facile Synthesis of Electroactive and Electrochromic Triptycene Poly(ether-imide)s Containing Triarylamine Units via Oxidative Electro-Coupling. 2017 , 9,		9
4 ¹⁵	Lighting the Way to See Inside Two-Photon Absorption Materials: Structure-Property Relationship and Biological Imaging. <i>Materials</i> , 2017 , 10,	3.5	37
4 ¹⁴	Electrosynthesis of Aromatic Poly(amide-amine) Films from Triphenylamine-Based Electroactive Compounds for Electrochromic Applications. 2017 , 9,		21
4 ¹³	Hole-Transporting Materials for Printable Perovskite Solar Cells. <i>Materials</i> , 2017 , 10,	3.5	73
4 ¹²	Spirobifluorene Core-Based Novel Hole Transporting Materials for Red Phosphorescence OLEDs. <i>Molecules</i> , 2017 , 22,	4.8	12
4 ¹¹	Synthesis and Characterization of Triarylamine-Based Copolymers Containing Carbazole Units Linked at 3,9 Positions in Main Chain. 2017 , 74, 508-516		
4 ¹⁰	Synthesis and Electrochromism of Highly Organosoluble Polyamides and Polyimides with Bulky Trityl-Substituted Triphenylamine Units. 2017 , 9,		23
4 ⁰⁹	Recent Progresses in Perovskite Solar Cells. 2017 ,		2
4 ⁰⁸	Photophysical properties of benzanthrone derivatives: effect of substituent, solvent polarity and hydrogen bonding. 2018 , 17, 453-464		12
4 ⁰⁷	Engineering the interconnecting layer for efficient inverted tandem polymer solar cells with absorption complementary fullerene and nonfullerene acceptors. 2018 , 180, 1-9		23

406	Electrochemical Oxidative C-H Amination of Phenols: Access to Triarylamine Derivatives. 2018 , 130, 4827-4831	35
405	Electrochemical Oxidative C-H Amination of Phenols: Access to Triarylamine Derivatives. 2018 , 57, 4737-4741	120
404	Diphenylpyrenylamine-functionalized polypeptides: secondary structures, aggregation-induced emission, and carbon nanotube dispersibility.. 2018 , 8, 15266-15281	6
403	DFT Studies on the Reactions of Boroles with Alkynes. 2018 , 24, 9612-9621	13
402	Electrochemically synthesised xanthone-cored conjugated polymers as materials for electrochromic windows. 2018 , 273, 264-272	17
401	Impact of Peripheral Groups on Phenothiazine-Based Hole-Transporting Materials for Perovskite Solar Cells. 2018 , 3, 1145-1152	94
400	Low-cost synthesis of heterocyclic spiro-type hole transporting materials for perovskite solar cell applications. 2018 , 42, 7332-7339	13
399	A high T _g small-molecule arylamine derivative as a doped hole-injection/transport material for stable organic light-emitting diodes. 2018 , 58, 139-144	9
398	Disodium Benzodipyrrole Sulfonate as Neutral Hole-Transporting Materials for Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2018 , 140, 5018-5022	16.4 67
397	Synthesis and photophysical investigations of C ₃ -triazine based star-like conjugated molecules. 2018 , 359, 164-171	3
396	Angular-Shaped Naphthalene Bis(1,5-diamide-2,6-diylidene)malononitrile for High-Performance, Air-Stable N-Type Organic Field-Effect Transistors. 2018 , 20, 2538-2542	13
395	Synthesis and spectral properties of halogen methyl-phenyl-pyrazoloquinoline fluorescence dyes: Experiment and DFT/TDDFT calculations. 2018 , 198, 370-377	6
394	Intermolecular chemo- and regioselective aromatic C-H amination of alkoxyarenes promoted by rhodium nitrenoids. 2018 , 54, 2264-2267	17
393	Metal Chelate Dendrimers. 2018 , 503-631	0
392	New OLEDs Based on Zirconium Metal-Organic Framework. 2018 , 6, 1701060	32
391	Palladium-catalyzed Selective Amination of Aryl(haloaryl)amines with 9H-Carbazole Derivatives. 2018 , 360, 1007-1018	7
390	pyEFP: Automatic decomposition of the complex molecular systems into rigid polarizable fragments. 2018 , 39, 807-814	3
389	Electrochemical films deposition and electro-optical properties of bis-carbazol-triphenylamine end-caped dendrimeric polymers. 2018 , 263, 585-595	11

388	Synthesis of three new thiophene condensed pyrene derivatives, crystal structure and evaluation of their photophysical properties. 2018 , 1157, 348-354	1
387	Photoresponsive Organoboron Systems. 2018 , 47-77	13
386	Electrosynthesis of redox-active and electrochromic polymer films from triphenylamine-cored star-shaped molecules end-capped with arylamine groups. 2018 , 99, 422-436	22
385	Synthesis and crystal structure of novel fluorescent 1,3,4-oxadiazole-containing carboxylate ligands. 2018 , 1157, 374-380	15
384	A Heteroarylamine Library: Indium-Catalyzed Nucleophilic Aromatic Substitution of Alkoxyheteroarenes with Amines. 2018 , 360, 1159-1181	13
383	A Direct C _H Coupling Method for Preparing π -Conjugated Functional Polymers with High Regioregularity. 2018 , 51, 379-388	30
382	p - π -Conjugated Polymers Based on Stable Triarylborane with n-Type Behavior in Optoelectronic Devices. 2018 , 130, 2205-2209	33
381	p - π -Conjugated Polymers Based on Stable Triarylborane with n-Type Behavior in Optoelectronic Devices. 2018 , 57, 2183-2187	79
380	T-Shaped Benzimidazole Derivatives as Blue-Emitting Materials: The Role of C2 Substituents on Photophysical Properties. 2018 , 7, 729-738	1
379	A simple multi-responsive system based on aldehyde functionalized amino-boranes. 2018 , 9, 1902-1911	72
378	Small Molecule-Modified Hole Transport Layer Targeting Low Turn-On-Voltage, Bright, and Efficient Full-Color Quantum Dot Light Emitting Diodes. 2018 , 10, 3865-3873	30
377	Spectral-Luminescent Properties of 2-Aryl-1,3,4-oxadiazoles. 2018 , 88, 602-604	4
376	Spacer-Extended Bis-Ene-Yne Compounds: Scope, Limitations, and Properties. 2018 , 2018, 4600-4613	1
375	Solution processed blue-emitting and hole-transporting materials from truxene-carbazole-pyrene triads. 2018 , 57, 352-358	10
374	A thermally cross-linked hole-transporting film with the remarkable solvent resistance for solution-processed OLEDs. 2018 , 57, 345-351	13
373	Synthesis of Highly Regioregular, Head-to-Tail Coupled Poly(3-octylesterthiophene) via C _H /C _H Coupling Polycondensation. 2018 , 36, 1019-1026	5
372	Photoredox-catalyzed C(sp ²) π coupling reactions. 2018 , 59, 1605-1613	39
371	Synthesis and optical characterization of novel carbazole Schiff bases. 2018 , 1153, 42-47	11

370	A Novel trans-1-(9-Anthryl)-2-phenylethene Derivative Containing a Phenanthroimidazole Unit for Application in Organic Light-Emitting Diodes. 2018 , 13, 81-88		12
369	Simulation study of hole mobility in the amorphous phase of organic molecules. 2018 , 53, 141-150		5
368	Organic semiconductor crystals. 2018 , 47, 422-500		429
367	Novel wide-bandgap copolymer bearing alkylthio-thiophene-substituted benzodithiophene and methyl thiophene-3-carboxylate for highly stable fullerene-free simple polymer solar cells. 2018 , 53, 151-159		8
366	Chemically diverse small molecule fluorescent chemosensors for copper ion. 2018 , 357, 50-104		217
365	A comparative study of redox-active, ambipolar electrochromic triphenylamine-based polyimides prepared by electrochemical polymerization and conventional polycondensation methods. 2018 , 9, 236-248		29
364	Multifunctional triphenylamine polymers synthesized via direct (hetero) arylation polymerization. 2018 , 56, 147-153		10
363	New 3D-stereoconfigured cis-tris(fluorenylphenylamino)-benzene with large steric hindrance to minimize π -stacking in thin-film devices. <i>Dyes and Pigments</i> , 2018 , 149, 377-386	4.6	3
362	2-(2-Hydroxyphenyl)imidazole-based four-coordinate organoboron compounds with efficient deep blue photoluminescence and electroluminescence. <i>Dalton Transactions</i> , 2017 , 47, 127-134	4.3	18
361	Luminescent properties and structure of new CAPH-based lanthanide complexes [LnL3Q], containing additional bis-heterocyclic aromatic ligand-antenna 2-(1,3,4-oxadiazole-2-yl) pyridine. <i>Optical Materials</i> , 2018 , 75, 459-464	3.3	7
360	Solid State and Aggregation Induced Emissive Chromophores by Multi-component Syntheses. 2018 , 58, 889-900		21
359	Diversity-Oriented Synthesis and Optical Properties of Bichromophoric Pyrrole-Fluorophore Conjugates. <i>Frontiers in Chemistry</i> , 2018 , 6, 579	5	3
358	Design and Synthesis of Efficient Electrogenerated Chemiluminescent Emitters Derived from Pyrene. 2018 , 165, G163-G170		5
357	Synthesis and Properties of N-Arylpyrrole-Functionalized Poly(1-hexene-alt-CO). 2018 , 51, 9323-9332		2
356	New Helicene-Type Hole-Transporting Molecules for High-Performance and Durable Perovskite Solar Cells. 2018 , 10, 41439-41449		28
355	Interface engineering of (hbox {TiO}_{2})@PANI nanostructures for efficient visible-light activation. 2018 , 41, 1		3
354	Optical and photoelectrochemical studies on photoactive inorganic/organic/organic/interface assemblies of CdS/poly 3-(2-thienyl) aniline/poly 2,2 bithiophene. 2018 , 1, 748-758		4
353	Direct C ₆ H ₄ Borylation at the 2- and 2,7-Positions of Pyrene Leading to Brightly Blue- and Green-Emitting Chromophores. 2018 , 7, 2233-2238		10

- 352 Thiophene Syntheses by Ring Forming Multicomponent Reactions. **2018**, 376, 38 12
- 351 Bipolar resistive switching device based on N,N'-bis(3-methylphenyl)-N,N'-diphenylbenzidine and poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate)/poly(vinyl alcohol) bilayer stacked structure. **2018**, 124, 1 17
- 350 Novel electron-deficient phenanthridine based discotic liquid crystals. **2018**, 272, 583-589 9
- 349 A magnetically recyclable photocatalyst with commendable dye degradation activity at ambient conditions. **2018**, 8, 14700 36
- 348 Exciplex: Its Nature and Application to OLEDs. **2018**, 331-376 2
- 347 Explicit Method To Evaluate the External Reorganization Energy of Charge-Transfer Reactions in Oligoacene Crystals Using the State-Specific Polarizable Force Field. **2018**, 122, 8957-8964 8
- 346 MoS₂ incorporated hybrid hole transport layer for high performance and stable perovskite solar cells. **2018**, 246, 195-203 31
- 345 RuHCl(CO)(PPh)₃-Catalyzed Direct Amidation of Arene C-H Bond with Azides. **2018**, 83, 13811-13820 16
- 344 Fluorinated naphtho[1,2-c:5,6-c']bis[1,2,5]thiadiazole-containing π -conjugated compound: synthesis, properties, and acceptor applications in organic solar cells. **2018**, 10, 1016-1028 13
- 343 Revealing Pd Nanoparticles Formation from PEG-Mediated Decomposition of Organometallic Precursor and Their Application as Catalyst for the Synthesis of n-Extended Carbazoles.. **2018**, 3, 9725-9730 2
- 342 Spin and orbital magnetism in phthalocyanine functionalized with 3d transition metals: A relativistic density functional theory study. **2018**, 124, 105703 2
- 341 Synthesis and characterization of polyaniline-modified BiOI: a visible-light-response photocatalyst. **2018**, 29, 18343-18351 18
- 340 The concept of strongly interacting groups in self-assembly of soft matter. **2018**, 41, 103
- 339 Effect of the Number and Substitution Pattern of Carbazole Donors on the Singlet and Triplet State Energies in a Series of Carbazole-Oxadiazole Derivatives Exhibiting Thermally Activated Delayed Fluorescence. **2018**, 30, 6389-6399 14
- 338 Intramolecular and interfacial dynamics of triarylamine-based hole transport materials. **2018**, 17, 722-733 1
- 337 How the change of OMe substituent position affects the performance of spiro-OMeTAD in neutral and oxidized forms: theoretical approaches.. **2018**, 8, 18234-18242 20
- 336 Modeling of Actual-Size Organic Electronic Devices from Efficient Molecular-Scale Simulations. **2018**, 28, 1801460 6
- 335 Single Charge and Exciton Dynamics Probed by Molecular-Scale-Induced Electroluminescence. **2018**, 18, 4001-4007 20

334	An air-stable and solution processable tetracarboxydiimide-based materials with tunable charge transport properties. <i>Dyes and Pigments</i> , 2018 , 158, 157-164	4.6	2
333	Donor-Acceptor Type Unsymmetrical Triarylborane-Based Fluorophores: Synthesis, Fluorescence Properties, and Photostability. 2018 , 83, 8449-8456		21
332	Redox-active and fluorescent pyrene-based triarylamine dyes and their derived electrochromic polymers. <i>Dyes and Pigments</i> , 2018 , 158, 368-381	4.6	24
331	Exciplex-Enhanced Singlet Emission Efficiency of Nondoped Organic Light Emitting Diodes Based on Derivatives of Tetrafluorophenylcarbazole and Tri/Tetraphenylethylene Exhibiting Aggregation-Induced Emission Enhancement. 2018 , 122, 14827-14837		25
330	Small molecular hole-transporting materials (HTMs) in organic light-emitting diodes (OLEDs): structural diversity and classification. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 8280-8325	7.1	56
329	Crystal structure oriented carrier transport characteristic of triphenylamine derivative single crystal. 2018 , 8, 035324		7
328	Effect of a methyl thiophene-3-carboxylate bridge in an indacenodithiophene-based acceptor-donor-acceptor-type molecule on the performance of non-fullerene polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 7549-7556	7.1	17
327	Zn2Yb-Grafted and star-shaped metallopolymers for efficient near-infrared (NIR) polymer light-emitting diodes (PLEDs). <i>Journal of Materials Chemistry C</i> , 2018 , 6, 8950-8957	7.1	8
326	Assessment of the Factors Influencing Charge-Carrier Mobility Measurements in Organic Field-Effect Transistors. 2018 , 28, 1803096		16
325	DFT/TD-DFT study on halogen doping and solvent contributions to the structural and optoelectronic properties of poly[3,6-carbazole] and poly[indolo(3,2-b)-carbazole]. 2018 , 29, 1775-1796		4
324	Triphenylamine Functionalized Unsymmetrical Quinoxalines. 2018 , 7, 1882-1892		5
323	Disulfide-linked symmetric N-alkyl carbazole derivative as a new electroactive monomer for electrochromic applications. 2018 , 244, 120-127		9
322	Electrosynthesis and Photoelectrochemistry of Bis(triarylamine)-Based Polymer Electrochromes. 2018 , 165, H638-H645		8
321	Synthesis and electronic properties of expanded 5-(hetero)aryl-thien-2-yl substituted 3-ethynyl quinoxalines with AIE characteristics. 2018 , 61, 909-924		21
320	Perovskite solar cells based on hole-transporting conjugated polymers by direct arylation polycondensation. 2018 , 8, 1244-1253		9
319	Rapid microwave-assisted synthesis of high-rate FeS2 nanoparticles anchored on graphene for hybrid supercapacitors with ultrahigh energy density. 2018 , 6, 14956-14966		60
318	Mechanistic Understanding of Improved Performance of Graphene Cathode Inverted Organic Light-Emitting Diodes by Photoemission and Impedance Spectroscopy. 2018 , 10, 26456-26464		6
317	Triaryl boron derivatives of pyridine as electron transporting materials for blue phosphorescent organic light-emitting diodes. 2018 , 62, 5-11		2

316	Organic Semiconductors ?. 2018 ,	1
315	Synthesis and NMR characterization of a spiroilole tetra-anion: a homogeneous four-electron reductant. 2018 , 41, 103-108	2
314	Air stable organic semiconductors based on diindolo[3,2-a:3',2'-c]carbazole. 2018 , 62, 35-42	5
313	The photo-optical and electrochemical activity promoted by trifluoromethyl-substituted and ortho-catenated triphenylamine core in poly(ether-imide)s. 2018 , 151, 34-46	11
312	Theoretical study of charge transport in tetra hydroxy pyrene (THP) based organic semiconductor. 2018 ,	
311	Four-coordinate triarylborane synthesis cascade B-Cl/C-B cross-metathesis and C-H bond borylation. 2018 , 9, 7666-7672	18
310	Polyimide Containing Tricarbonyl Moiety as an Active Cathode for Rechargeable Li-Ion Batteries. 2018 , 165, A2476-A2482	17
309	Soft Nondamaging Contacts Formed from Eutectic Ga-In for the Accurate Determination of Dielectric Constants of Organic Materials. 2018 , 30, 5527-5533	11
308	Connecting Structure-Property and Structure-Function Relationships across the Disciplines of Chemistry and Biology: Exploring Student Perceptions. 2018 , 17, ar33	12
307	Gold-Catalyzed CBI Imidation of Polycyclic Aromatic Hydrocarbons. 2018 , 7, 1372-1375	6
306	Probing the real-time photocatalytic activity of CdS QDs sensitized conducting polymers: Featured PTh, PPy and PANI. 2018 , 155, 159-168	19
305	Thin film deposition of organic hole transporting materials: optical, thermodynamic and morphological properties of naphthyl-substituted benzidines. 2018 , 53, 12974-12987	7
304	Temperature dependent charge transport in poly(3-hexylthiophene) diodes. 2018 ,	
303	Anisotropic charge transport properties of chrysene derivatives as organic semiconductor: A computational study. 2018 , 31, e3859	2
302	Standard molar enthalpies of formation and phase changes of Tetra-N-phenylbenzidine and 4,4'-Bis (N-carbazolyl)-1,1'-biphenyl. 2019 , 135, 2337-2345	4
301	Triphenylamine and some of its derivatives as versatile building blocks for organic electronic applications. 2019 , 68, 589-606	49
300	New fluorinated aromatic polyamides based on N,N-bis(4-carboxyphenyl)-4-trifluoromethylaniline. 2019 , 31, 613-622	5
299	Electrochemical Characteristics of a Triphenylamine Derivative by Microelectrode Voltammetry. 2019 , 31, 2466-2471	7

298	Vacuum-Level Shift at Al/LiF/Alq Interfaces: A First-Principles Study. 2019 , 4, 13426-13434	3
297	Stereochemical enhancement of polymer properties. 2019 , 3, 514-535	94
296	Investigation on excited-state properties and electroluminescence performance of Donor-Acceptor materials based on quinoxaline derivatives. 2019 , 75, 105414	14
295	Low-Molecular-Weight Materials: Hole Injection Materials. 2019 , 1-10	
294	Efficient and stable single-layer organic light-emitting diodes based on thermally activated delayed fluorescence. 2019 , 13, 765-769	80
293	Bronsted Base-Switched Selective Mono- and Dithiolation of Benzamides via Copper Catalysis. 2019 , 84, 10490-10500	5
292	Nitrene Insertion into Aromatic and Benzylic C-H Bonds Catalyzed by Copper Complexes of Fluorinated Bis- and Tris(pyrazolyl)borates. 2019 , 11, 4966-4973	2
291	Photocatalytic degradation of methylene blue using PANi@NiO nanocomposite under visible light irradiation. 2019 , 6, 0950c8	12
290	Application of a Tetra-TPD-Type Hole-Transporting Material Fused by a Tröger's Base Core in Perovskite Solar Cells. 2019 , 3, 1900224	3
289	Direct observations of the charge behavior of a high-efficiency blue organic light-emitting diode under operating conditions using electric-field-induced doubly resonant sum-frequency-generation vibrational spectroscopy. 2019 , 74, 118-125	10
288	Discussion on the Value of Wind-induced Vibration Coefficient of Independent Steel Tube Lightning Rod Structure Design. 2019 , 310, 032074	
287	Benzodipyrrole-2,6-dione-3,7-diylidenedimalononitrile Derivatives for Air-Stable p-Type Organic Field-Effect Transistors: Critical Role of -Alkyl Substituent on Device Performance. 2019 , 84, 14061-14068	9
286	Synthesis and photocatalytic activity of MnV13/GO/PANI composite catalysts. 2019 , 72, 2735-2748	9
285	Supercooled Liquid β -Diketones with Mechanoresponsive Emission. 2019 , 123, 25788-25800	12
284	Electronic structure of thin films of hydrocarbon molecules under an external electric field. 2019 , 58, 075001	
283	Donor-Acceptor Donor Type Cyclopenta[2,1-b;3,4-b']dithiophene Derivatives as a New Class of Hole Transporting Materials for Highly Efficient and Stable Perovskite Solar Cells. 2019 , 2, 7070-7082	20
282	Polyaniline@Graphene@Gold Nanocomposite for Visible Light Active Photo Catalysis and Enhanced Thermal Electrical Stability. 2019 , 61, 653-662	1
281	Tuning of the Electro-Optical Properties of Tetraphenylcyclopentadienone via Substitution of Oxygen with Sterically-Hindered Electron Withdrawing Groups. 2019 , 9, 12762	5

280	Cold Crystallization of Ferrocene-Hinged π -Conjugated Molecule Induced by the Limited Conformational Freedom of Ferrocene. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 8325-8332	3-4	12
279	Multifunctional polyindole/nanometal-oxide composites: Optoelectronic and charge transport properties. 2019 , 256, 116154		12
278	Triphenylamine-appended cyclometallated iridium(III) complexes: Preparation, photophysical properties and application in biology/luminescence imaging. 2019 , 199, 110757		12
277	Star-shaped triarylaminates [One-step metal-free synthesis and optoelectronic properties. 2019 , 256, 116138		4
276	Systematic Control of the Overlapping Energy Region for an Efficient Intramolecular Energy Transfer: Functionalized Salen-Al/Triphenylamine Guest-Host Assemblies. <i>Inorganic Chemistry</i> , 2019 , 58, 2454-2462	5-1	6
275	Tetradentate platinum(II) complexes: Synthesis, photophysical properties, liquid crystalline characteristics and charge transport behaviour. <i>Dyes and Pigments</i> , 2019 , 164, 398-406	4-6	6
274	Organic Semiconductors. 2019 , 547-573		2
273	High-Performance and Stable Perovskite Solar Cells Based on Dopant-Free Arylamine-Substituted Copper(II) Phthalocyanine Hole-Transporting Materials. 2019 , 9, 1901019		54
272	Inkjet Printing of Mixed-Host Emitting Layer for Electrophosphorescent Organic Light-Emitting Diodes. 2019 , 11, 21784-21794		21
271	Metal-free C-H amination of arene with N-fluorobenzenesulfonimide catalysed by nitroxyl radicals at room temperature. 2019 , 55, 7331-7334		12
270	AIPE-active platinum(II) complexes with tunable photophysical properties and their application in constructing thermosensitive probes used for intracellular temperature imaging. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 7893-7899	7-1	22
269	Satisfying both interfacial- and bulk requirements for organic photovoltaics: Bridged-triphenylamines with extended π -conjugated systems as efficient new molecules. 2019 , 73, 137-145		3
268	Phthalimide-Based Transparent Electron-Transport Materials with Oriented-Amorphous Structures: Preparation from Solution-Processed Precursor Films. 2019 , 84, 1396-1404		5
267	Dopant-Free Hole-Transporting Polycarbazoles with Tailored Backbones for Efficient Inverted Perovskite Solar Cells. 2019 , 52, 4757-4764		12
266	Impact of the Replacement of a Triphenylamine by a Diphenylmethylamine Unit on the Electrochemical Behavior of Pentaerythritol-Based Push-Pull Tetramers. 2019 , 6, 4215-4228		4
265	Rational design of a polypyrrole-based competent bifunctional magnetic nanocatalyst.. 2019 , 9, 18245-18255		7
264	Solvatochromic analysis and DFT computational study of N-(hexyl)-N-(5-(3-hydroxynaphthyl-2-yl)-1,3,4-oxadiazol-2-yl)amine. 2019 , 125, 1		1
263	Triphenylamine-Merocyanine-Based D1-A1- π A2/A3-D2 Chromophore System: Synthesis, Optoelectronic, and Theoretical Studies. 2019 , 20,		5

262	Theoretical Study of Electrochemical and Electrochromic Properties of Novel Viologen Derivatives: Effects of Donors and EConjugation. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 4735-4744	3.4	6
261	Transition metal molecular glasses by design: mexylaminotriazine-functionalized salicylaldehyde imine ligands. 2019 , 43, 8694-8703		1
260	Cost-effective dopant-free star-shaped oligo-aryl amines for high performance perovskite solar cells. 2019 , 7, 14209-14221		30
259	Carbazole derivatives containing one or two tetra-/triphenylethenyl units as efficient hole-transporting OLED emitters. <i>Dyes and Pigments</i> , 2019 , 168, 93-102	4.6	11
258	Novel synthesis of LaNiSbWO ₄ -G-PANI Designed as Quaternary Type Composite for High Photocatalytic Performance of Anionic Dye and Trihydroxybenzoic acid under Visible-Light. 2019 , 126, 348-355		10
257	Direct evidence of solvent polarity governing the intramolecular charge and energy transfer: ultrafast relaxation dynamics of push-pull fluorene derivatives. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 11087-11102	3.6	5
256	Anisotropic charge transport in 7,10-diphenyl-8,9-diazafluoranthene as n-type organic semiconductor: A DFT study. 2019 ,		
255	Polycyclic Aromatic Hydrocarbon Derivatives toward Ideal Electron-Transporting Materials for Organic Light-Emitting Diodes. 2019 , 10, 2528-2537		19
254	Electronic and optical properties of Ebridged perylenediimide derivatives: the role of Ebridges. 2019 , 7, 12532-12537		4
253	Investigation on two triphenylene based electron transport materials. 2019 , 62, 775-783		2
252	Efficient white polymer light-emitting diodes (WPLEDs) based on double emitting layers of a PVK:Eu(III)-complex and Alq ₃ . <i>Journal of Materials Chemistry C</i> , 2019 , 7, 4800-4807	7.1	9
251	Photophysical properties of 1-pyridine-3-phenylpyrazoloquinoline and molecular logic gate implementation. <i>Dyes and Pigments</i> , 2019 , 166, 490-501	4.6	7
250	Host-Free Yellow-Green Organic Light-Emitting Diodes with External Quantum Efficiency over 20% Based on a Compound Exhibiting Thermally Activated Delayed Fluorescence. 2019 , 11, 12693-12698		21
249	Transport and Optical Gaps in Amorphous Organic Molecular Materials. <i>Molecules</i> , 2019 , 24,	4.8	
248	Photocatalytic activity of NiZnFeO@polyaniline decorated BiOCl for azo dye degradation under visible light - integrated role and degradation kinetics interpretation.. 2019 , 9, 8977-8993		30
247	Novel Turtle-Shape Dendrimers Based on a Pyrene Core. 2019 , 4, 3113-3117		1
246	An accurate measurement of the dipole orientation in various organic semiconductor films using photoluminescence exciton decay analysis. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 7083-7089	3.6	9
245	Structurally Constrained Boron-, Nitrogen-, Silicon-, and Phosphorus-Centered Polycyclic EConjugated Systems. <i>Chemical Reviews</i> , 2019 , 119, 8291-8331	68.1	229

244	Effects of microstructure formation on the stability of vapor-deposited glasses. 2019 , 116, 5937-5942		16
243	Review of Molecular Engineering for Horizontal Molecular Orientation in Organic Light-Emitting Devices. 2019 , 92, 716-728		59
242	Game of Isomers: Bifurcation in the Catalytic Formation of Bis[1]benzothieno[1,4]thiazines with Conformation-Dependent Electronic Properties. 2019 , 84, 5582-5595		3
241	Indoloindole as a new building block of a hole transport type host for stable operation in phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 5988-5994	7.1	8
240	Experimental and theoretical insights on the effect of solvent polarity on the photophysical properties of a benzanthrone dye. 2019 , 218, 221-228		7
239	Photophysical properties of 1,3,6,8-tetraarylpyrenes and their cation radicals. 2019 , 375, 209-218		4
238	Metal-Bonded Redox-Active Triarylaminines and Their Interactions: Synthesis, Structure, and Redox Properties of Paddle-Wheel Copper Complexes. <i>ChemistryOpen</i> , 2019 , 8, 271-284	2.3	1
237	Charge Transport and Thermoelectric Properties of Carbon Sulfide Nanobelts in Single-Molecule Sensors. 2019 , 31, 6506-6518		6
236	Mixed <i>er</i> -NHC/phosphine Pd(ii) complexes and their catalytic activity in the Buchwald-Hartwig reaction under solvent-free conditions. <i>Dalton Transactions</i> , 2019 , 48, 3447-3452	4.3	24
235	Formation and application of electrochemically active cross-linked triarylamine β loxane films using the PiersRubiński reaction. 2019 , 97, 378-386		1
234	Tandem structure: a breakthrough in power conversion efficiency for highly efficient polymer solar cells. 2019 , 3, 910-934		23
233	Sequential Multicomponent Synthesis of 2-(Imidazo[1,5- <i>b</i>]pyridin-1-yl)-1,3,4-Oxadiazoles. 2019 , 2019, 2029-2034		6
232	Ideal blue thermally activated delayed fluorescence emission assisted by a thermally activated delayed fluorescence assistant dopant through a fast reverse intersystem crossing mediated cascade energy transfer process. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3082-3089	7.1	105
231	Interfacial Synthesis of Monodisperse CsPbBr ₃ Nanorods with Tunable Aspect Ratio and Clean Surface for Efficient Light-Emitting Diode Applications. 2019 , 31, 1575-1583		49
230	Regioselective synthesis of polycyclic sulfones via radical-induced three-component bicyclization cascades. 2019 , 55, 3227-3230		61
229	Control over chiroptical and electronic properties of poly(9,9'-bifluorenylidene) bearing chiral side chains. 2019 , 10, 6334-6341		6
228	Highly electro-conductive graphene-decorated PANI-BiVO ₄ polymer-semiconductor nanocomposite with outstanding photocatalytic performance. 2019 , 251, 114469		13
227	Synthesis and Spectral-Luminescent Properties of 2,5-Diaryl-1,3,4-oxadiazoles and Their Chelate Complexes with Cadmium(II). 2019 , 89, 2165-2169		2

226	Diketopyrrolopyrrole tailoring charge transport characteristics of naphthalene diimide based polymers: From unipolar n-typed to ambipolar polymers. 2019 , 136, 46926	4
225	Electrochromism of novel triphenylamine-containing polyamide polymers. 2019 , 136, 47264	4
224	Smart photoactive soft materials for environmental cleaning and energy production through incorporation of nanophotocatalyst on polymers and textiles. 2019 , 30, 235-253	13
223	[8] Cyclo-1, 4-naphthylene: A possible new member in hole transport family. 2019 , 715, 153-159	1
222	Diversity-oriented one-pot synthesis of furan based densely substituted biheteroaryls via isocyanide insertion. 2019 , 75, 797-807	8
221	Multi-stimuli responsive novel polyimide smart materials bearing triarylamine and naphthalimide groups. 2019 , 112, 291-300	17
220	Molecular Orientation Change in Naphthalene Diimide Thin Films Induced by Removal of Thermally Cleavable Substituents. 2019 , 31, 1729-1737	29
219	Three dimensional polyaniline/MgIn ₂ S ₄ nanoflower photocatalysts accelerated interfacial charge transfer for the photoreduction of Cr(VI), photodegradation of organic pollution and photocatalytic H ₂ production. 2019 , 360, 1601-1612	103
218	Recent advances in quantum dot-based light-emitting devices: Challenges and possible solutions. 2019 , 24, 69-93	127
217	Revisiting the Optimal Nano-Morphology: Towards Amorphous Organic Photovoltaics. 2019 , 19, 1028-1038	1
216	Theoretical characterisation and design of D _{3h} star-shaped molecules with triphenylamine as core and diketopyrrolopyrroles as arms for organic solar cells. 2019 , 117, 1825-1832	2
215	Structural, electronic and optical properties of furan based materials at bulk level for photovoltaic applications: A first-principles study. 2019 , 1147, 20-28	6
214	Synthesis and study on aroylhydrazones having cyanovinylpyrrole. 2019 , 12, 2384-2397	4
213	Synthesis, EPR study and photophysical properties of a mononuclear Fe(III) Schiff base complex functionalized by 3,6-di-tert-butyl-carbazole moieties. 2020 , 1200, 127090	3
212	A high throughput molecular screening for organic electronics via machine learning: present status and perspective. 2020 , 59, SD0801	19
211	Ultra-fast measurement circuit for transient space charge limited current in organic semiconductor thin films. 2020 , 31, 015901	
210	Effects of meso-diarylamino group of porphyrins on optical and electrochemical properties. 2020 , 24, 67-74	4
209	Sterically crowded diphosphines bearing ethynylene and 1,2-phenylene linkers. 2020 , 61, 151366	3

208	Unexpected activation of N-alkyl hydroxamic acids to produce reactive N-centered free radicals and DNA damage by carcinogenic chlorinated quinones under normal physiological conditions. 2020 , 146, 70-78		8
207	Axially Chiral Spiro-Conjugated Carbon-Bridged β -Phenylenevinylene Congeners: Synthetic Design and Materials Properties. <i>Journal of the American Chemical Society</i> , 2020 , 142, 2059-2067	16.4	35
206	Significantly Improved Morphology and Efficiency of Nonhalogenated Solvent-Processed Solar Cells Derived from a Conjugated Donor-Acceptor Block Copolymer. 2020 , 7, 1902470		22
205	Dual functions of iridium(III) 2-phenylpyridine complexes: Metastasis inhibition and lysosomal damage. 2020 , 205, 110983		8
204	Synthesis, Structures, and Properties of Neutral and Radical Cationic S,C,C-Bridged Triphenylamines. 2020 , 22, 734-738		10
203	Unsymmetric 2-phenylpyridine (ppy)-type cyclometalated Ir(III) complexes bearing both 5,9-dioxo-13b-boranaphtho[3,2,1-de]anthracene and phenylsulfonyl groups for tuning optoelectronic properties and electroluminescence abilities. 2020 , 7, 1651-1666		3
202	Dielectric Properties and AC Conductivity of Organic Films of Copper(II) 2,9,16,23-Tetra-tert-butyl-29H,31H-phthalocyanine. 2020 , 49, 1787-1793		5
201	Thienopyrrolo[3,2,1]carbazoles: Building Blocks for Functional Organic Materials. 2020 , 85, 3865-3871		6
200	Novel β -ketoenamines versus azomethines for organic electronics: characterization of optical and electrochemical properties supported by theoretical studies. 2020 , 55, 3812-3832		6
199	Iron-Catalyzed Chemoselective C-N Coupling Reaction: A Protecting-Group-Free Amination of Aryl Halides Bearing Amino or Hydroxy Groups. 2020 , 9, 372-376		6
198	Rongalite as a sulfone source: a novel copper-catalyzed sulfur dioxide anion incorporation process. 2020 , 56, 13653-13656		5
197	Organic-based inverters: basic concepts, materials, novel architectures and applications. 2020 , 49, 7627-7670		23
196	Construction of natural fiber/polyaniline core-shell heterostructures with tunable and excellent electromagnetic shielding capability via a facile secondary doping strategy. 2020 , 137, 105994		32
195	Sonochemical synthesis of PANI-BiVO ₄ -GO semiconductor nanocomposite highly efficient visible-light photocatalytic performance. 2020 , 28, 945-958		2
194	Investigation into molecular properties of pristine corannulene and its analogs with B/N-doping at hub location. 2020 , 1190, 113002		2
193	Thermal Properties, Molecular Structure, and Thin-Film Organic Semiconductor Crystallization. 2020 , 124, 27213-27221		3
192	Electrosynthesis and Electrochromism of a New Crosslinked Polydithienylpyrrole with Diphenylpyrenylamine Subunits. 2020 , 12,		4
191	Highly luminescent silver-based MOFs: Scalable eco-friendly synthesis paving the way for photonics sensors and electroluminescent devices. 2020 , 21, 100817		16

190	Excitation-Wavelength-Dependent Light-Induced Electron Transfer and Twisted Intramolecular Charge Transfer in ,-Bis(4'-butylbiphenyl-4-yl)aniline Functionalized Borondipyromethenes. 2020 , 124, 9738-9750	3
189	Electrochemical Properties and Excited-State Dynamics of Azaperylene Derivatives. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 9921-9930	3-4 5
188	Hybrids Based on BOPHY-Conjugated Porous Polymers as Photocatalysts for Hydrogen Production: Insight into the Charge Transfer Pathway. 2020 , 10, 9804-9812	17
187	Triphenylamine/Tetracyanobutadiene-Based π -Conjugated Push-Pull Molecules End-Capped with Arene Platforms: Synthesis, Photophysics, and Photovoltaic Response. 2020 , 26, 16422-16433	12
186	Hydrogen bond-rigidified planar squaraine dye and its electronic and organic semiconductor properties. 2020 , 56, 9890-9893	3
185	Structure controlled solvatochromism and halochromic fluorescence switching of 2,2'-bipyridine based donor-acceptor derivatives. 2020 , 44, 14421-14428	2
184	Charge transfer via spin flip configuration interaction: Benchmarks and application to singlet fission.. 2020 , 153, 064109	5
183	A Naphthalenediimide-Based Polymer Acceptor with Multidirectional Orientations via Double-Cable Design. 2020 , 53, 9279-9286	1
182	Electric field control of molecular magnetic state by two-dimensional ferroelectric heterostructure engineering. 2020 , 117, 082902	5
181	Copper(II)-Catalyzed Direct Amination of 1-Naphthylamines at the C8 Site. 2020 , 85, 12777-12784	6
180	Synthesis of 2-Azapyrenes and Their Photophysical and Electrochemical Properties. 2020 , 85, 12823-12842	9
179	Correlation between the Dipole Moment of Nonfullerene Acceptors and the Active Layer Morphology of Green-Solvent-Processed P3HT-Based Organic Solar Cells. 2020 , 8, 19013-19022	3
178	Influence of Fluorination on Energetic Parameters of Silole, Phosphole, Thiophene, Oligomers of Silole and Related Acenes. 2020 , 240, 109665	0
177	P-176: High efficiency hole transporting host materials for blue phosphorescent Organic light-Emitting Diodes. 2020 , 51, 2039-2042	
176	Efficient evaluation of Coulomb interactions in kinetic Monte Carlo simulations of charge transport. 2020 , 152, 164102	2
175	A Thioxanthenothioxanthene-based Hole Transporter with 2D Molecular Stacking for Efficient and Thermostable Perovskite Solar Cells. 2020 , 2, 691-698	7
174	Kinetically Protected Carbon-Bridged Oligo(p-phenylenevinylene) Derivatives for Blue Color Amplified Spontaneous Emission. 2020 , 93, 751-758	5
173	Three series π -extended fluorescent compounds based on dehydroabiatic acid triarylamine moiety: Synthesis, photophysical properties and hole transporting properties. <i>Dyes and Pigments</i> , 2020 , 181, 108551	4.6 2

172	Reversal of the photoinduced majority carriers in polypyrrole by semiconductor-insulator-semiconductor heterostructure and related highly-efficient photoreduction of Cr(VI). 2020 , 393, 124720		11
171	Anisotropic charge transport and optoelectronic properties of wide band gap organic semiconductors based on biphenyl derivatives: A computational study. 2020 , 267, 116474		1
170	Fluoro-benzenesulfonyl-functionalized 2-phenylthiazole-type iridium(III) complexes for efficient solution-processed organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 10390-10400 ^{7.1}		3
169	Photoresponsive Dithienylethene-Containing Tris(8-hydroxyquinolino)aluminum(III) Complexes with Photocontrollable Electron-Transporting Properties for Solution-Processable Optical and Organic Resistive Memory Devices. <i>Journal of the American Chemical Society</i> , 2020 , 142, 12193-12206	16.4	21
168	Redox Communication between Two Diarylamido/Bis(phosphine) (PNP) _M Moieties Bridged by Ynediyl Linkers (M = Ni, Pd, Pt). <i>Inorganic Chemistry</i> , 2020 , 59, 10153-10162	5.1	3
167	Efficient blue electroluminescence with an external quantum efficiency of 9.20% and CIE 2020, 10, 25059-25072		
166	Solution-processable electronic and redox-active liquid crystals based on the design of side chains. 2020 , 5, 043001		10
165	Synthesis and investigation of the photophysical, electrochemical and theoretical properties of phenazineimine based cyan blue-red fluorescent materials for organic electronics. 2020 , 44, 3278-3293		16
164	The Substituent Effect of Bridged Triarylamine Helicenes on Light-emitting and Charge Transfer Properties. 2020 , 49, 457-460		3
163	Combined Experimental and Theoretical Studies on Planar Chirality of Partially Overlapped -Symmetric [3.3](3,9)Dicarbazolophanes. 2020 , 124, 2057-2063		10
162	Distance Dependence of Electronic Coupling in Rigid, Cofacially Compressed, π -Stacked Organic Mixed-Valence Systems. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 1033-1048	3.4	6
161	Enhanced dual catalytic activities of silver-polyaniline/titanium dioxide magnetic nanocomposite. 2020 , 392, 112423		11
160	Phosphanyl-Substituted Siloles: Synthesis, Optical and Electrochemical Studies and Computations. 2020 , 2020, 1794-1802		
159	Amorphous low molecular weight aromatic compounds possessing no weight loss behavior in fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/hexagonal boron nitride nanocomposites even after calcination at 800°C. 2020 , 17, 1053-1064		0
158	Azobenzene molecular glasses with tuned glass transition temperatures: from optimal light-induced motion to self-erasable gratings. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 6203-6213	7.1	5
157	Consecutive Three-Component Synthesis of Donor-Substituted Merocyanines by a One-Pot Suzuki-Knoevenagel Condensation Sequence. 2020 , 02, 064-070		3
156	Synthesis of regiocontrolled triarylamine-based polymer with a naphthol unit. 2021 , 78, 965-979		1
155	Developing molecular-level models for organic field-effect transistors.. 2021 , 8, nwaa167		7

154	Symmetrical Tertiary Amines: Applications and Synthetic Approaches. 2021 , 2021, 543-586		12
153	Performance Limits of an Alternating Current Electroluminescent Device. 2021 , 33, e2005635		1
152	Influence of polyaniline on the photocatalytic properties of metal nanocomposites: A review. 2021 , 40, 100339		14
151	Exploration of Kobayashi's aryne precursor: a potent reactive platform for the synthesis of polycyclic aromatic hydrocarbons. 2021 , 19, 722-737		6
150	Influences of the number of 2-ethylhexylamine chain substituents on electron transport characteristics of core-substituted naphthalene diimide analogues. 2021 , 45, 1590-1600		1
149	Impact of molecular and packing structure on the charge-transport properties of hetero[8]circulenes. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 1451-1466	7.1	3
148	Cyclodextrin-Based [c2]Daisy Chain Rotaxane Insulating Two Diarylacetylene Cores. 2021 , 27, 1966-1969		2
147	Effects of rotational conformation on electronic properties of 4,4'-bis(carbazol-9-yl)biphenyl (CBP): the single-molecule picture and beyond. 2021 , 119, e1876936		0
146	Effect of molecular geometry and extended conjugation on the performance of hydrogen-bonded semiconductors in organic thin-film field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10819-10829	7.1	0
145	Recent advances in bismuth oxyhalide photocatalysts for degradation of organic pollutants in wastewater.. 2021 , 11, 26855-26875		8
144	Transition-metal free synthesis of N-aryl carbazoles and their extended analogs. 2021 , 19, 7172-7175		1
143	Radical cations and dications of bis[1]benzothieno[1,4]thiazine isomers.		0
142	The Same Oxidation-State Introduction of Hypervalent Sulfur via Transition-Metal Catalysis. 2021 ,		18
141	Design, synthesis and application in biological imaging of a novel red fluorescent dye based on a rhodanine derivative.. 2020 , 11, 160-163		1
140	Multifunctional pyridine styrylphenanthroimidazoles: electron transport materials for blue FOLEDS with low efficiency roll-off and hosts for PHOLEDS with low turn-on voltage. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10334-10346	7.1	1
139	Triphenylamine- and triazine-containing hydrogen bonded complexes: liquid crystalline supramolecular semiconductors. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 1972-1982	7.1	3
138	Fluorescence sensors for detection of water based on tetraphenylethene- π -anthracene possessing both solvatochromic properties and aggregation-induced emission (AIE) characteristics. 2021 , 45, 4164-4173		11
137	Organic Light-Emitting Transistors: From Understanding to Molecular Design and Architecture. 2021 , 3, 550-573		5

136	Pyrimidine-directed metal-free C-H borylation of 2-pyrimidylanilines: a useful process for tetra-coordinated triarylborane synthesis. 2021 , 12, 11447-11454	7
135	The Journey to Precious-Metal-Free Organic Phosphors from Single-Benzene-Cored Fluorophores. 2021 , 21, 1489-1505	1
134	Intrinsic Static/Dynamic Energetic Disorders of Amorphous Organic Semiconductors: Microscopic Simulations and Device Study. 2021 , 125, 6862-6869	3
133	Nucleophilic Activation of Hydrosilanes via a Strain-Imposing Strategy Leading to Functional Sila-aromatics. <i>Journal of the American Chemical Society</i> , 2021 , 143, 4879-4885	16.4 4
132	Iron-Catalyzed Tandem Cyclization of Diarylacetylene to a Strained 1,4-Dihydropentalene Framework for Narrow-Band-Gap Materials. <i>Journal of the American Chemical Society</i> , 2021 , 143, 6823-6828	16.4 2
131	A novel composite based on pyrene thiazole grafted on graphene oxide: physico-chemical characterization and electrochemical investigations. 2021 , 262, 124315	1
130	Rational Molecular Design of Azaacene-Based Narrowband Green-Emitting Fluorophores: Modulation of Spectral Bandwidth and Vibronic Transitions. 2021 , 13, 26227-26236	6
129	Tight-binding description of semiconductive conjugated polymers. 2021 , 1199, 113190	1
128	Photocatalyzed cycloaromatization of vinylsilanes with arylsulfonylazides. 2021 , 12, 3304	10
127	Oligothiophene-Naphthalimide Hybrids Connected through Rigid and Conjugated Linkers in Organic Electronics: An Overview. 2021 , 2, 222-252	0
126	A DFT Study on Structures and Electronic Properties of Iron(II) Terpyridyltriphenylamine Derivatives. 2021 , 95, 1177-1184	
125	Photo-induced dissolution of BiO during photocatalysis reactions: Mechanisms and inhibition method. 2021 , 412, 125267	3
124	Iron-catalysed regioselective thienyl C _H /C _H coupling.	4
123	Loading Linear Arrays of Cu Inside Aromatic Amide Helices. 2021 , 60, 18461-18466	1
122	Mode Coupling of Whispering Gallery Modes through Organic Semiconductor Thin Films. 2021 , 125, 14940-14946	4
121	Recent advances in organic luminescent materials with narrowband emission. 2021 , 13,	41
120	Improving FWHM and Extraction Efficiency of RGB OLEDs with MQW Structure. 2021 ,	0
119	Copper and Rhodium Relay Catalysis for Selective Access to -2,3-Dihydroazepines. 2021 , 23, 6450-6454	4

118	Buchwald-Hartwig reaction: an update. 2021 , 152, 1127-1171		2
117	Photoinduced Acetylation of Anilines under Aqueous and Catalyst-Free Conditions. 2021 , 86, 12344-12353		0
116	3d-Transition Metal Catalyzed C-H to C-N Bond Formation: An Update. 2021 , 132474		1
115	Recent progress in organic hole transport materials for energy applications. <i>Dyes and Pigments</i> , 2021 , 193, 109465	4.6	6
114	Efficient Exciplex-Based Deep-Blue Organic Light-Emitting Diodes Employing a Bis(4-fluorophenyl)amine-Substituted Heptazine Acceptor. <i>Molecules</i> , 2021 , 26,	4.8	0
113	Photo-induced energy and electron transfer in carboxylic acid functionalized bis(4-tert-butylbiphenyl-4-yl)aniline (BBA)-substituted A3B zinc porphyrins. 2021 , 133, 1		0
112	Efficient solar light photocatalytic degradation of commercial pharmaceutical drug and dye using rGO-PANI assisted c-ZnO heterojunction nanocomposites. 2021 , 47, 23770-23780		4
111	Recent advances in efficient emissive materials-based OLED applications: a review. 2021 , 56, 18837		13
110	Recent advances in carbon nanomaterial-optimized perovskite solar cells. 2021 , 21, 100769		9
109	Optimization of carrier transport layer: A simple but effective approach toward achieving high efficiency all-solution processed InP quantum dot light emitting diodes. 2021 , 96, 106256		1
108	Nonlinear optical properties of a new panchromatic series of water-soluble bicationic push-pull fluorophores. <i>Dyes and Pigments</i> , 2021 , 194, 109620	4.6	3
107	Site-Selective Molecular Transformation: Acylation of Hydroxy Groups and C-H Amination. 2021 , 69, 931-944		1
106	1,10-Phenanthroline-based hexacatenar LCs with complex self-assembly, photophysical and binding selectivity behaviors. 2021 , 340, 116892		2
105	Programmable binary crystallization behaviors assisted by hydrogen bond on HOPG surface. 2021 , 565, 150529		1
104	Synthesis of an azadioxa-planar triphenylborane and investigation of its structural and photophysical properties. 2021 , 57, 2297-2300		2
103	Photocatalytic three-component annulation enabling stereoselective generation of (Z)-thiochromene 1,1-dioxides.		6
102	Organo-redox-catalysis for the difunctionalization of alkenes and oxidative Ritter reactions by CBr ₄ functionalization. 2021 , 8, 2932-2938		2
101	Impact of subtle change in branched amino acid on the assembly and properties of perylene bisimides hydrogels. <i>Materials Advances</i> , 2021 , 2, 5248-5253	3.3	2

100	Charge Transport and Photogeneration in Organic Semiconductors: Photorefractives and Beyond. 2016 , 65-127		3
99	Fundamentals of Organic Lasers. 2013 , 13-73		3
98	Unveiling Charge Carrier Transport in π -Conjugated Molecular Wire on Micro- and Macroscopic Scales. 2015 , 605-620		2
97	Recent advances of dithienobenzodithiophene-based organic semiconductors for organic electronics. 2021 , 64, 358-384		13
96	Strong dependence of the vertical charge carrier mobility on the π -stacking distance in molecule/graphene heterojunctions. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 13802-13807	3.6	3
95	Effect of 4-biphenyl groups on the charge transport and photovoltaic properties of arylamine based push-pull systems. 2020 , 44, 11441-11447		4
94	Charge-transport properties of 4-(1,2,2-tri-phenyl-vinyl)-aniline salicylaldehyde hydrazone: tight-packing induced molecular 'hardening'. 2017 , 4, 695-699		5
93	Charge Transport and Injection in Amorphous Organic Semiconductors. 2009 , 61-109		2
92	Classification, Chemistry, and Applications of Chemical Substances That Are Harmful to the Environment. 2020 , 20-49		2
91	Synthesis and Characterization of Poly(arylene-ethynylene)s with Ferrocene Unit by Reaction of 1,1'-Bis(ethynyldimethylsilyl)ferrocene and Aromatic Dihalides. 2009 , 30, 309-314		4
90	Synthesis and Physical Properties of Decylbithiophene End-Capped Oligomers Based on Naphthalene, Anthracene and Benzo[1,2-b:4,5-b']dithiophene. 2009 , 30, 618-622		3
89	A First Synthesis and Physical Properties of Asymmetric Anthracenes-Thiophenes Bridged with Ethylene. 2012 , 33, 3810-3816		1
88	A Theoretical Study of the Formation of Benzene Excimer: Effects of Geometry Relaxation and Spin-state Dependence. 2014 , 35, 2738-2742		11
87	One-pot synthesis of conjugated triphenylamine macrocycles and their complexation with fullerenes.. 2021 , 11, 33431-33437		2
86	Effect of the π -bridge on the light absorption and emission in push-pull coumarins and on their supramolecular organization. 2021 , 267, 120520		2
85	Polymer Dots with Enhanced Photostability, Quantum Yield, and Two-Photon Cross-Section using Structurally Constrained Deep-Blue Fluorophores. <i>Journal of the American Chemical Society</i> , 2021 , 143, 16976-16992	16.4	6
84	rac-(2R,3S)-2-Phenyl-3-(3-phenyl-1,2,3,4-tetra-hydro-quinoxalin-2-yl)quinoxaline. 2008 , 64, o1205-6		1
83	OLED Materials and Device Architectures for Full-Color Displays and Solid-State Lighting. 2009 , 433-509		1

- 82 General Introduction. **2014**, 1-21
- 81 - Electron Transport Materials in Organic Light-Emitting Diodes: Design Considerations and Structural Diversity. **2014**, 346-417
- 80 Visible-Light-Mediated Transformation of Nitrogen-Containing Compounds Based on Single Electron Transfer. **2015**, 73, 874-884 2
- 79 Introduction to the Photorefractive Effect in Polymers. **2016**, 1-63 1
- 78 SYNTHESIS AND CHARACTERIZATION OF NOVEL 4-CYANOPHENYL-FUNCTIONALIZED N4,N4,N4?,N4?-TERAPHENYLBENZIDINE (TPB) AS HOLE TRANSPORTING MOLECULAR MATERIALS. 1-1
- 77 Yeni bir oksazol-5-on tēevinin yapēal karakterizasyonu ve DFT iletkenlik hesaplamaları. **2018**, 1-10
- 76 Development of AMOLED hole transport layer based on thiophene with carbazole. **2018**,
- 75 Functionalization of Organometallic Complexes Aimed at Solution-Processed Organic Light-Emitting Diode: Strategic Molecular Designs of Phosphorescent Dendritic Emitters. **2019**, 77, 26-39
- 74 Crystal structure of -poly[[[bis-(3-oxo-1,3-di-phenyl-prop-1-enolato- η^1), η^1 zinc(II)]-tris-[4-(pyridin-3-yl)phen-yl]amine- η^3] tetra-hydro-furan monosolvate]. **2019**, 75, 1432-1435
- 73 Multifunctional luminophores with dual emitting cores: TADF emitters with AIE properties for efficient solution- and evaporation-processed doped and non-doped OLEDs. **2021**, 133249 1
- 72 Functional Discotic Liquid Crystals Through Molecular Self-Assembly: Toward Efficient Charge Transport Systems. **2022**, 89-130 0
- 71 2,5-Diaryl-1,3,4-oxadiazoles: synthesis, spectral-luminescent properties, and complexation with beryllium(ii). **2020**, 69, 2302-2306 0
- 70 Synthesis, structural characterization, DFT, fluorescence, and redox behaviour of 4-[5-(2-picolylsulfanyl)-1,3,4-oxadiazole-2-yl]-pyridine. **2022**, 1249, 131637 0
- 69 Physics and Design Principles of OLED Devices. **2020**, 1-73 0
- 68 Variations around 1D coordination polymers built from the triarylamine scaffold and Hg(II) or Cd(II). **2020**, 503, 119427
- 67 Copper acetate - Iodine co-mediated thiolation of 2-arylpyridines with thiophenol. **2022**, 103, 132552
- 66 Multicomponent Syntheses of Heterocycles by Catalytic Generation of Alkynoyl Intermediates. **2022**, 411-445
- 65 Substitution effect on electronic and optical properties of Tetraphenyldipyranilidene; A theoretical study. *Journal of Physics and Chemistry of Solids*, **2021**, 162, 110504 3.9 0

64	Triphenylamine/4,4'-Dimethoxytriphenylamine-Functionalized Thieno[3,2-]thiophene Fluorophores with a High Quantum Efficiency: Synthesis and Photophysical Properties. <i>Journal of Physical Chemistry B</i> , 2021 , 125, 13309-13319	3.4	1
63	(Dimesityl)boron Benzodithiophenes: Synthesis, Electrochemical, Photophysical and Theoretical Characterization.. <i>ChemistryOpen</i> , 2022 , 11, e202100265	2.3	0
62	Fluorescent small molecules with alternating triarylamine-substituted selenophenothiophene and triarylborane: synthesis, photophysical properties and anion sensing studies.. <i>Dalton Transactions</i> , 2022 ,	4.3	0
61	Hydroamination, Aminoboration, and Carboamination with Electrophilic Amination Reagents: Umpolung-Enabled Regio- and Stereoselective Synthesis of α -Containing Molecules from Alkenes and Alkynes.. <i>Journal of the American Chemical Society</i> , 2022 ,	16.4	15
60	Heterocycles by Consecutive Multicomponent Syntheses via Catalytically Generated Alkynoyl Intermediates. <i>Catalysts</i> , 2022 , 12, 90	4	1
59	Electric-field-based control of molecular magnetism in TMPc/Sc ₂ CO ₂ van der Waals systems. <i>Materials Advances</i> , 2022 , 3, 1064-1070	3.3	1
58	Design of Organic Electronic Materials With a Goal-Directed Generative Model Powered by Deep Neural Networks and High-Throughput Molecular Simulations.. <i>Frontiers in Chemistry</i> , 2021 , 9, 800370	5	2
57	Understanding excited state properties of host materials in OLEDs: simulation of absorption spectrum of amorphous 4,4-bis(carbazol-9-yl)-2,2-biphenyl (CBP).. <i>Physical Chemistry Chemical Physics</i> , 2022 ,	3.6	0
56	Oligotriarylamine-Extended Organoboranes with Tunable Electron-Donating Strength by Changing the Number of Donor Units.. <i>Inorganic Chemistry</i> , 2022 , 61, 3951-3958	5.1	0
55	Magnetically recyclable core-shell structured Co _{0.5} Zn _{0.5} Fe ₂ O ₄ @polyaniline nanocomposite: high stability and rapid photocatalytic degradation of commercial azo dyes and industrial effluents. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2022 , 135, 1077	1.6	0
54	The Root Causes of the Limited Electroluminescence Stability of Solution-Coated Versus Vacuum-Deposited Small-Molecule OLEDs: A Mini-Review.. <i>Frontiers in Chemistry</i> , 2022 , 10, 857551	5	1
53	A light-enhanced FeOOH nanowires/polyaniline anode for improved electricity generation performance in microbial fuel cells.. <i>Chemosphere</i> , 2022 , 296, 133994	8.4	0
52	Determination of The Electronic Properties of Some Organic Electroluminescent 2-[3-(Methyl/Ethyl/p-Methylbenzyl)-5-oxo-1H-1,2,4-triazol-4(5H)-yl]-isoindoline-1,3-diones with Density Function Theory.		
51	Synthesis of Arylene Ether-Type Hyperbranched Poly(triphenylamine) for Lithium Battery Cathodes.. <i>Materials</i> , 2021 , 14,	3.5	
50	Acridine Based Small Molecular Hole Transport Type Materials for Phosphorescent OLED Application.. <i>Molecules</i> , 2021 , 26,	4.8	1
49	Effects of hole transport and energy barrier on the width of the exciton formation zone in organic light-emitting diodes. <i>Functional Materials Letters</i> ,	1.2	0
48	Cu ^{II} Heteroarylation of Aromatics via Catalyst Free S _N 2' Coupling Cycloaromatization. <i>Green Chemistry</i> ,	10	0
47	Highly Efficient Photocatalytic Degradation of Methyl Orange by SnO ₂ /Carbon/PANI Composite. <i>ECS Journal of Solid State Science and Technology</i> ,	2	

46	Low power Z-scan study and photoacoustic behavior of synthesized conjugated organic compounds based on carbazole derivatives. <i>Optical Materials</i> , 2022 , 128, 112377	3.3	○
45	Synthesis, Spectral, Electrochemical, and Nonlinear Optical Properties of π -Substituted π -Push-Pull π -Porphyrins. <i>Dalton Transactions</i> ,	4.3	○
44	A multifunctional hole-transporter for high-performance TADF OLEDs and clarification of factors governing the transport property by multiscale simulation. <i>Journal of Materials Chemistry C</i> ,	7.1	2
43	Derivatives of Imidazole and Carbazole as Bifunctional Materials for Organic Light Emitting Diodes. <i>SSRN Electronic Journal</i> ,	1	
42	Organic Photoconductors: Photogeneration, Transport, and Applications in Printing. 2022 , 275-338		○
41	Design and synthesis of D-A-D' type compounds with AIE characteristics for hybrid WOLED with stable chromaticity. <i>Dyes and Pigments</i> , 2022 , 205, 110511	4.6	○
40	Solution-processable donor-acceptor type thieno[3,2-b]thiophene derivatives; synthesis, photophysical properties and applications. <i>Journal of Materials Chemistry C</i> ,	7.1	○
39	Comparative Study on Sensing and Optical Properties of Carbazole Linked Novel Zinc(II) and Cobalt (II) Phthalocyanines. <i>SSRN Electronic Journal</i> ,	1	
38	Intermolecular Hydrogen Bond and π - π Stacking Improve Electron Mobility of Phenanthroline-Based Electron-Transporting Materials. <i>SSRN Electronic Journal</i> ,	1	
37	Intermolecular Hydrogen Bond And π -Stacking Improve Electron Mobility of Phenanthroline-Based Electron-Transporting Materials. <i>SSRN Electronic Journal</i> ,	1	
36	Characteristics and Hole Transporting Properties of Cyclic Oligomers Consisting of 4-Octyltriphenylamine. 2022 , 78, 138-142		
35	Furan functionalized naphthalenediimide semiconductors with different N-alkyl chains for n-type organic thin-film transistor applications. 2022 , 206, 110603		○
34	Comparative study on sensing and optical properties of carbazole linked novel zinc(II) and cobalt (II) phthalocyanines. 2022 , 227, 116139		○
33	Intermolecular hydrogen bond and π -stacking improve electron mobility of phenanthroline-based electron-transporting materials. 2022 , 1217, 113865		○
32	Theoretical evaluation of charge transport properties and mobility of tetraphenyldipyranilidene derivatives in organic field-effect transistors. 2023 , 435, 114283		○
31	Organic Semiconductors for Photovoltaics. 2022 , 1-33		○
30	Characteristics of Cyclic Triarylamine Hexamers and Application to Organic Field Effect Transistor. 2022 , 78, 133-137		○
29	Two-photon absorbing and triplet excited state quenching of near-IR region aza-BODIPY photosensitizers via triphenylamine moiety despite heavy bromine atoms.		○

- 28 Robust Radical Cations of Hexabenzoperylene Exhibiting High Conductivity and Enabling an Organic Nonvolatile Optoelectronic Memory. **2022**, 144, 16612-16619 ○
- 27 Molecular Engineering of Enamine-Based Hole-Transporting Materials for High-Performing Perovskite Solar Cells: Influence of the Central Heteroatom. 2200590 ○
- 26 Solid-Liquid-Gas Phase Equilibria for Small Phenylene-Thiophene Co-Oligomers. ○
- 25 A N-Ethylcarbazole-Terminated Spiro-Type Hole-Transporting Material for Efficient and Stable Perovskite Solar Cells. 1
- 24 Near-Infrared-Absorbing B_N Lewis Pair-Functionalized Anthracenes: Electronic Structure Tuning, Conformational Isomerism, and Applications in Photothermal Cancer Therapy. 4
- 23 Carrier transport characteristics of glass-forming chiral liquid crystalline dimers based on oligo(phenylenevinylene) units. ○
- 22 Importance of Electric-Field-Independent Mobilities in Thick-Film Organic Solar Cells. **2022**, 14, 47961-47970 ○
- 21 Efficient and stable one-micrometre-thick organic light-emitting diodes. 2
- 20 Iron-Catalyzed C_H Activation for Heterocoupling and Copolymerization of Thiophenes with Enamines. 1
- 19 Asymmetric NDI electron transporting SAM materials for application in photovoltaic devices. **2022**, 291, 117214 1
- 18 CdS/PANI/ZSM-5 hollow spheres: A photocatalyst for efficient SBX degradation. **2023**, 370, 121019 ○
- 17 Photostability of luminescent tris(2,4,6-trichlorophenyl)methyl radical enhanced by terminal modification of carbazole donor. **2022**, 58, 13443-13446 ○
- 16 Derivatives of Imidazole and Carbazole as Bifunctional Materials for Organic Light-Emitting Diodes. **2022**, 15, 8495 ○
- 15 Anthracene-based fluorescent emitters for efficient blue organic light-emitting diodes. **2022**, 106724 ○
- 14 Investigation of the Effect of Substituents on Electronic and Charge Transport Properties of Benzothiazole Derivatives. **2022**, 27, 8672 ○
- 13 A double-helical S,C-bridged tetraphenyl-para-phenylenediamine and its persistent radical cation. ○
- 12 Intermolecular Interactions and Charge Resonance Contributions to Triplet and Singlet Exciton States of Oligoacene Aggregates. **2023**, 28, 119 ○
- 11 Multiresonant TADF Materials: Triggering the Reverse Intersystem Crossing to alleviate the Efficiency roll-off in OLEDs. ○

- 10 Copper-catalyzed Electrophilic Amination: An Umpolung Strategy for New C-N Bond Formations. ○
- 9 Charge and mass transport mechanisms in two-dimensional covalent organic frameworks (2D COFs) for electrochemical energy storage devices. ○
- 8 Self-assembled discotics as molecular semiconductors. 1
- 7 Multifacets of organometallic quinoline complexes. **2023**, 453-475 ○
- 6 Synthesis and electronic properties of torsionally constrained blue-emissive triphenylamine-pyridine chromophores. **2023**, 212, 111134 ○
- 5 Toward Accurate Prediction of Ion Mobility in Organic Semiconductors by Atomistic Simulation. **2023**, 19, 1517-1528 ○
- 4 Permittivity Threshold and Thermodynamics of Integer Charge-Transfer Complexation for an Organic Donor-Acceptor Pair. **2023**, 127, 2792-2800 ○
- 3 Sparkling Organic Phosphorescence from Fluorinated Tetrathia[7]helicenes: Synthesis and Photophysical, Electrochemical and Computational Studies. ○
- 2 Triphenylamine-Containing Benzoic Acids: Synthesis, Liquid Crystalline and Redox Properties. **2023**, 28, 2887 ○
- 1 Multicomponent Annulative SO₂ Insertion of Heteroatom-Linked 1,7-Diynes for Accessing Tricyclic Sulfones. ○