CITATION REPORT List of articles citing

What is a green solvent? A comprehensive framework for the environmental assessment of solvents

DOI: 10.1039/b617536h Green Chemistry, 2007, 9, 927.

Source: https://exaly.com/paper-pdf/42386704/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1297	Lipase-catalysed kinetic resolution of secondary alcohols with improved enantioselectivity in propylene carbonate. 2008 , 24, 2421-2424		16
1296	Highly efficient Suzuki-Miyaura coupling of heterocyclic substrates through rational reaction design. 2008 , 14, 4267-79		111
1295	Electrophilic bromination of alkenes: environmental, health and safety aspects of new alternative methods. 2008 , 14, 9830-41		85
1294	One-pot synthesis of nitrones from primary amines and aldehydes catalyzed by methyltrioxorhenium. 2008 , 1, 327-32		31
1293	Improved preparation of alkyl 2-(3-indolyl)-3-nitroalkanoates under fully heterogeneous conditions: stereoselective synthesis of alkyl (E)-2-(3-indolyl)-2-alkenoates. 2008 , 64, 5435-5441		21
1292	Green chemistry tools to influence a medicinal chemistry and research chemistry based organisation. <i>Green Chemistry</i> , 2008 , 10, 31-36	10	765
1291	Ordered mesoporous alumina-supported metal oxides. 2008, 130, 15210-6		314
1290	Evaluating the greenness of alternative reaction media. <i>Green Chemistry</i> , 2008 , 10, 1170	10	93
1289	An approach to quantitative sustainability assessment in the early stages of process design. 2008 , 42, 4555-62		38
1288	Aqueous/organic cross coupling: Sustainable protocol for Sonogashira reactions of heterocycles. <i>Green Chemistry</i> , 2008 , 10, 563	10	62
1287	Solvents for ring-closing metathesis reactions. 2008 , 2806-8		53
1286	Improved chemoselective, ecofriendly conditions for the conversion of primary alkyl halides into nitroalkanes under PEG400. <i>Green Chemistry</i> , 2008 , 10, 1004	10	24
1285	Organocatalytic methods for chemoselective O-tert-butoxycarbonylation of phenols and their regeneration from the O-t-Boc derivatives. 2008 , 73, 8615-8		26
1284	Emergency preparation and green engineering: Augmenting the environmental knowledge and assessment tool. 2009 , 28, 558-564		2
1283	Phenyl-type and C1 stationary phases for environmentally friendlier chromatography. 2009 , 32, 3880-9		3
1282	The integration of green chemistry into future biorefineries. 2009 , 3, 72-90		185
1281	How do different process options and evaluation settings affect economic and environmental assessments? A case study on methyl methacrylate (MMA) production processes. 2009 , 87, 361-370		13

1280	Solvent-free heterocyclic synthesis. 2009 , 109, 4140-82		527
1279	Hydrophilic ligands and their application in aqueous-phase metal-catalyzed reactions. 2009 , 109, 643-710	0	425
1278	Photoinduced three-component reaction: a convenient access to 3-arylacetals or 3-arylketals. 2009 , 11, 349-52		25
1277	Energetic assessment of the SuzukiMiyaura reaction: a curtate life cycle assessment as an easily understandable and applicable tool for reaction optimization. <i>Green Chemistry</i> , 2009 , 11, 1894	10	128
1276	Simplifying the Free-Radical Polymerization of Styrene: Microwave-Assisted High-Temperature Auto Polymerizations. 2009 , 62, 58		20
1275	Green photochemistry: photo-Friedel@rafts acylations of 1,4-naphthoquinone in room temperature ionic liquids. <i>Green Chemistry</i> , 2009 , 11, 1867	10	18
1274	Chapter 1:Introduction. 2009 , 1-22		1
1273	Solgel immobilized and reusable copper-catalyst for arylation of phenols from aryl bromides. <i>Green Chemistry</i> , 2009 , 11, 1121	10	79
1272	OrganicIhorganic hybrid silica materials containing imidazolium and dihydroimidazolium salts as recyclable organocatalysts for Knoevenagel condensations. <i>Green Chemistry</i> , 2009 , 11, 1815	10	55
1271	Bridging data gaps in environmental assessments: Modeling impacts of fine and basic chemical production. <i>Green Chemistry</i> , 2009 , 11, 1826	10	103
1270	Characterization of two lactones in liquid phase: an experimental and computational approach. 2009 , 11, 6455-67		35
1269	Performance to burn? Re-evaluating the choice of acetonitrile as the platform solvent for analytical HPLC. <i>Green Chemistry</i> , 2009 , 11, 1232	10	61
1268	Supercritical-fluid-assisted oxidation of oleic acid with ozone and potassium permanganate. <i>Green Chemistry</i> , 2009 , 11, 986	10	13
1267	Insights into the ethyl lactate + water mixed solvent. 2009 , 113, 14257-69		38
1266	The green solvent ethyl lactate: an experimental and theoretical characterization. <i>Green Chemistry</i> , 2009 , 11, 65-78	10	166
1265	Simple and quick preparation of thiocyanate ketones in hydroalcoholic media. Access to 5-aryl-2-imino-1,3-oxathiolanes. <i>Green Chemistry</i> , 2009 , 11, 452	10	43
1264	Traceless synthesis of hydantoin fused tetrahydro-beta-carboline on ionic liquid support in green media. 2009 , 11, 4826-9		55
1263	Glycerol-based solvents as green reaction media in epoxidations with hydrogen peroxide catalysed by bis[3,5-bis(trifluoromethyl)-diphenyl] diselenide. <i>Green Chemistry</i> , 2009 , 11, 1605	10	49

1262	Assessing photochemistry as a green synthetic method. Carbonflarbon bond forming reactions. <i>Green Chemistry</i> , 2009 , 11, 239-249	10	50
1261	Green chemistry aspects of fluorous techniquesBpportunities and challenges for small-scale organic synthesis. <i>Green Chemistry</i> , 2009 , 11, 911	10	94
1260	Oxidative Coupling ofN,N-Dialkylanilines Using Iodic Acid and Sodium Nitrite. 2010 , 39, 808-809		2
1259	Recent developments in the utilization of green solvents in polymer chemistry. 2010 , 39, 3317-33		167
1258	Green Catalytic Baeyer Villiger Oxidation with Hydrogen Peroxide in Water Mediated by PtII Catalysts. 2010 , 2, 1296-1302		15
1257	Flow chemistry kinetic studies reveal reaction conditions for ready access to unsymmetrical trehalose analogues. 2010 , 8, 4232-5		17
1256	GC-MS determination of polycyclic aromatic hydrocarbons evolved from pyrolysis of biomass. 2010 , 397, 309-317		31
1255	Generation, capture, and utilization of industrial carbon dioxide. 2010 , 3, 306-22		249
1254	Retraction: SuzukiMiyaura Coupling of Aryl Tosylates and Mesylates in Water. 2010 , 2010, 2934-2937		10
1253	Sulfonated N-Heterocyclic Carbenes for Pd-Catalyzed Sonogashira and SuzukiMiyaura Coupling in Aqueous Solvents. 2010 , 352, 1014-1022		122
1252	Efficient Platinum(II) Catalyzed Hydroformylation Reaction in Water: Unusual Product Distribution in Micellar Media. 2010 , 352, 2251-2262		34
1251	Towards Greener Fluorine Organic Chemistry: Direct Electrophilic Fluorination of Carbonyl Compounds in Water and Under Solvent-Free Reaction Conditions. 2010 , 352, 2838-2846		29
1250	Toward greener separations of rare earths: Bifunctional ionic liquid extractants in biodiesel. 2010 , 56, NA-NA		7
1249	References. 2010 , 587-673		
1248	Mild, single-pot hydrocarboxylation of gaseous alkanes to carboxylic acids in metal-free and copper-promoted aqueous systems. 2010 , 16, 9485-93		59
1247	Room-temperature deoxygenation of epoxides with CO catalyzed by hydrotalcite-supported gold nanoparticles in water. 2010 , 16, 11818-21		45
1246	Cost efficient synthesis of amides from oximes with indium or zinc catalysts. 2010 , 51, 2724-2726		86
1245	Selectivity optimization in green chromatography by gradient stationary phase optimized selectivity liquid chromatography. 2010 , 1217, 7222-30		35

(2011-2010)

1244	Development of heterogeneous olympic medal metal nanoparticle catalysts for environmentally benign molecular transformations based on the surface properties of hydrotalcite. 2010 , 15, 8988-9007		37
1243	. 2010,		86
1242	Organic carbonates as solvents in synthesis and catalysis. 2010 , 110, 4554-81		851
1241	Photoelectron spectroscopy of ionic liquid-based interfaces. 2010 , 110, 5158-90		234
1240	Future Trends for Green Chemistry in the Pharmaceutical Industry. 333-355		9
1239	Glycerol as a sustainable solvent for green chemistry. <i>Green Chemistry</i> , 2010 , 12, 1127)	419
1238	Green Solvents for Analytical Separation and Analyses. 2010 ,		5
1237	Enzyme Catalysis in Ionic Liquids and Supercritical Carbon Dioxide. 2010 , 181-196		Ο
1236	Enzymes in neoteric solvents: From one-phase to multiphase systems. <i>Green Chemistry</i> , 2010 , 12, 555)	150
1235	Green analytical chemistrytheory and practice. 2010 , 39, 2869-78		230
1234	Copper-catalyzed atom transfer radical addition (ATRA) and cyclization (ATRC) reactions in the presence of environmentally benign ascorbic acid as a reducing agent. 2010 , 39, 11475-82		56
1233	Perspectives of Ionic Liquids as Environmentally Benign Substitutes for Molecular Solvents. 2010 , 315		
1232	Enzymatic Catalysis. 2010 , 281		
1231	Enzyme-catalyzed CII bond formation using 2-methyltetrahydrofuran (2-MTHF) as (co)solvent: efficient and bio-based alternative to DMSO and MTBE. <i>Green Chemistry</i> , 2010 , 12, 2240)	73
1230	Retarding Effect of Aromatic Solvents on Cobalt(II)-Based Catalyst System during Synthesis of High cis-1,4-Polybutadiene. 2010 , 49, 9648-9654		8
1229	A simple and efficient copper-catalyzed amination of aryl halides by aqueous ammonia in water. 2011 , 89, 645-649		19
1228	High-pressure access to the 9 -cis- and 9 -trans-tetrahydrocannabinols family. 2011 , 76, 5392-403		24
1227	Isomeric complexes of [RuII(trpy)(L)Cl] (trpy=2,2':6',2''-terpyridine and HL=quinaldic acid): preference of isomeric structural form in catalytic chemoselective epoxidation process. 2011 , 50, 1775-85		34

1226	Reactions in Bacrificial Bolvents. 2011 , 1, 1572		37
1225	Liquid/solid interface of ultrathin ionic liquid films: [C1C1Im][Tf2N] and [C8C1Im][Tf2N] on Au(111). 2011 , 27, 3662-71		159
1224	Oxidation of Borneol to Camphor Using Oxone and Catalytic Sodium Chloride: A Green Experiment for the Undergraduate Organic Chemistry Laboratory. 2011 , 88, 652-656		31
1223	A selective solvent-free self-condensation of carbonyl compounds utilizing microwave irradiation. <i>Green Chemistry</i> , 2011 , 13, 1546	10	21
1222	Green Chemistry and Green Engineering: A Framework for Sustainable Technology Development. 2011 , 36, 271-293		115
1221	HPLC-EAT (Environmental Assessment Tool): A tool for profiling safety, health and environmental impacts of liquid chromatography methods. <i>Green Chemistry</i> , 2011 , 13, 2021	10	88
1220	Photosensitisation and Photocatalysis for Synthetic Purposes. 2011 , 469-525		1
1219	Surfactant mediated oxygen reuptake in water for green aerobic oxidation: mass-spectrometric determination of discrete intermediates to correlate oxygen uptake with oxidation efficiency. 2011 , 47, 1797-9		75
1218	Pressurized liquid extraction as a green approach in food and herbal plants extraction: A review. 2011 , 703, 8-18		612
			/
1217	Searching for green solvents. <i>Green Chemistry</i> , 2011 , 13, 1391	10	722
<u> </u>	Searching for green solvents. <i>Green Chemistry</i> , 2011 , 13, 1391 Pressurized Hot Water Extraction and Processing. 2011 , 223-254	10	7 ² ²
1216		10	
1216	Pressurized Hot Water Extraction and Processing. 2011, 223-254	10	6
1216 1215	Pressurized Hot Water Extraction and Processing. 2011, 223-254 The Environmental Importance of Energy Use in Chemical Production. 2011, 15, 96-107	10	6 28
1216 1215 1214	Pressurized Hot Water Extraction and Processing. 2011, 223-254 The Environmental Importance of Energy Use in Chemical Production. 2011, 15, 96-107 CHAPTER 3:Replacement of Hazardous Solvents and Reagents in Analytical Chemistry. 2011, 44-62 Nanoporous aluminosilicate catalyzed Friedel@rafts alkylation reactions of indoles with aldehydes		6 28 7
1216 1215 1214 1213	Pressurized Hot Water Extraction and Processing. 2011, 223-254 The Environmental Importance of Energy Use in Chemical Production. 2011, 15, 96-107 CHAPTER 3:Replacement of Hazardous Solvents and Reagents in Analytical Chemistry. 2011, 44-62 Nanoporous aluminosilicate catalyzed Friedel@rafts alkylation reactions of indoles with aldehydes and acetals. <i>Green Chemistry</i> , 2011, 13, 2320 Zinc tetrafluoroborate hydrate as a mild catalyst for epoxide ring opening with amines: scope and limitations of metal tetrafluoroborates and applications in the synthesis of antihypertensive drugs		6 28 7 44
1216 1215 1214 1213	Pressurized Hot Water Extraction and Processing. 2011, 223-254 The Environmental Importance of Energy Use in Chemical Production. 2011, 15, 96-107 CHAPTER 3:Replacement of Hazardous Solvents and Reagents in Analytical Chemistry. 2011, 44-62 Nanoporous aluminosilicate catalyzed Friedel@rafts alkylation reactions of indoles with aldehydes and acetals. <i>Green Chemistry</i> , 2011, 13, 2320 Zinc tetrafluoroborate hydrate as a mild catalyst for epoxide ring opening with amines: scope and limitations of metal tetrafluoroborates and applications in the synthesis of antihypertensive drugs (RS)/(R)/(S)-metoprolols. 2011, 76, 8768-80 An instant and facile bromination of industrially-important aromatic compounds in water using	10	6 28 7 44 58

1208 Ba	aukastensystem zur Auswahl von L <mark>B</mark> ungsmitteln in homogenkatalytischen Reaktionen. 2011 , 83, 1356-1	370	15
	izellare LBungen und Mikroemulsionen als Reaktionsmedien f∃katalytische Reaktionen. 2011 , 3, 1343-1355		15
	ctivity and selectivity of colloidal platinum nanocatalysts for aqueous phase cyclohexenone ydrogenation. 2011 , 402, 104-109		10
	nalysis of risk trade-off relationships between organic solvents and aqueous agents: case study of etal cleaning processes. 2011 , 19, 414-423		37
	n environmental impact assessment of quantum dot photovoltaics (QDPV) from raw material equisition through use. 2011 , 19, 21-31		64
1203 Ar	n occupational chemical priority list for future life cycle assessments. 2011 , 19, 1339-1346		12
	ltrasound promoted greener synthesis of (3,5-diaryl-4,5-dihydro-1H-pyrazol-1-yl)-4-phenylthiazoles. 2011 , 18, 370-4		27
1201	nergy return on investment for algal biofuel production coupled with wastewater treatment.)12 , 84, 692-710		46
1200 S y	nthesis of Juglone (5-Hydroxy-1,4-Naphthoquinone) in a Falling Film Microreactor. 2012 , 2, 52-55		38
1199 Hi	ighly selective indium mediated allylation of unprotected pentosylamines. 2012, 14, 1536-9		16
	igh-pressure-promoted Diels-Alder approach to biaryls: application to the synthesis of the innabinols family. 2012 , 77, 7923-31		18
	BSA catalyzed, one-pot three-component b n water b reen protocol for the synthesis of 3-disubstituted 4-thiazolidinones. 2012 , 2, 3133		32
1196 S 0	olid-Supported Synthesis. 2012 , 393-442		1
1195 Gr	reen Solvents. 2012 , 241-261		2
1194 Tr	reatment of Phaeodactylum tricornutum cells with papain facilitates lipid extraction. 2012 , 162, 40-9		21
	ecent developments in the study of ionic liquid interfaces using X-ray photoelectron spectroscopy and potential future directions. 2012 , 14, 5010-29		98
1192 Ph	notooxygenations in a bubble column reactor. <i>Green Chemistry</i> , 2012 , 14, 888	(0	42
	electing and designing chemicals: application of a mass balance model of chemical fate, exposure and effects in the environment. <i>Green Chemistry</i> , 2012 , 14, 1094	(O	4

1190	A novel green chemistry method for nonaqueous extraction and high-performance liquid chromatography detection of first-, second-, and third-generation tetracyclines, 4-epitetracycline, and tylosin in animal feeds. 2012 , 60, 7121-8		21
1189	Convenient and simple synthesis of 2-aminothiazoles by the reaction of halo ketone carbonyls with ammonium thiocyanate in the presence of N-methylimidazole. 2012 , 53, 5265-5269		21
1188	Continuous flow reactors: a perspective. <i>Green Chemistry</i> , 2012 , 14, 38-54	10	471
1187	Design of preparative-supercritical fluid chromatography. 2012 , 1250, 227-49		61
1186	Panorama of sustainable solvents using the COSMO-RS approach. <i>Green Chemistry</i> , 2012 , 14, 1132	10	111
1185	2-Methyltetrahydrofuran (2-MeTHF): a biomass-derived solvent with broad application in organic chemistry. 2012 , 5, 1369-79		405
1184	Practical and efficient iridium catalysis for benzannulation: an entry to isoindolines. 2012 , 5, 1888-91		18
1183	Solvatochromic parameters for solvents of interest in green chemistry. <i>Green Chemistry</i> , 2012 , 14, 1245	10	395
1182	Solvent-Free Synthesis. 2012 , 297-323		5
1181	Green Analytical Chemistry. 2012 , 659-683		2
1181 1180	Green Analytical Chemistry. 2012, 659-683 Critical assessment of the efficiency of chitosan biohydrogel beads as recyclable and heterogeneous organocatalyst for Ct bond formation. Green Chemistry, 2012, 14, 378-392	10	91
	Critical assessment of the efficiency of chitosan biohydrogel beads as recyclable and	10	
1180	Critical assessment of the efficiency of chitosan biohydrogel beads as recyclable and heterogeneous organocatalyst for CII bond formation. <i>Green Chemistry</i> , 2012 , 14, 378-392 Glycerol as a biodegradable and reusable promoting medium for the catalyst-free one-pot three		91
1180 1179	Critical assessment of the efficiency of chitosan biohydrogel beads as recyclable and heterogeneous organocatalyst for Ct bond formation. <i>Green Chemistry</i> , 2012 , 14, 378-392 Glycerol as a biodegradable and reusable promoting medium for the catalyst-free one-pot three component synthesis of 4H-pyrans. <i>Green Chemistry</i> , 2012 , 14, 1696 Direct One-Pot Cobalt(II) Phthalocyanine Catalyzed Synthesis of N-Substituted Isoindolinones. 2012		91
1180 1179 1178	Critical assessment of the efficiency of chitosan biohydrogel beads as recyclable and heterogeneous organocatalyst for Ct bond formation. <i>Green Chemistry</i> , 2012 , 14, 378-392 Glycerol as a biodegradable and reusable promoting medium for the catalyst-free one-pot three component synthesis of 4H-pyrans. <i>Green Chemistry</i> , 2012 , 14, 1696 Direct One-Pot Cobalt(II) Phthalocyanine Catalyzed Synthesis of N-Substituted Isoindolinones. 2012 , 65, 1594 Facile heterogeneous catalytic hydrogenations of CN and CO bonds in neat water: anchoring of	10	91 141 11
1180 1179 1178 1177	Critical assessment of the efficiency of chitosan biohydrogel beads as recyclable and heterogeneous organocatalyst for Ct bond formation. <i>Green Chemistry</i> , 2012 , 14, 378-392 Glycerol as a biodegradable and reusable promoting medium for the catalyst-free one-pot three component synthesis of 4H-pyrans. <i>Green Chemistry</i> , 2012 , 14, 1696 Direct One-Pot Cobalt(II) Phthalocyanine Catalyzed Synthesis of N-Substituted Isoindolinones. 2012 , 65, 1594 Facile heterogeneous catalytic hydrogenations of CN and CO bonds in neat water: anchoring of water-soluble metal complexes onto ion-exchange resins. <i>Green Chemistry</i> , 2012 , 14, 3211 Quasiliving atom transfer radical polymerization of styrene and n-butyl acrylate as non-fluorous monomers in a fluorinated solvent, benzotrifluoride. 2012 , 53, 4940-4946	10	91 141 11 40
1180 1179 1178 1177 1176	Critical assessment of the efficiency of chitosan biohydrogel beads as recyclable and heterogeneous organocatalyst for Ct bond formation. <i>Green Chemistry</i> , 2012 , 14, 378-392 Glycerol as a biodegradable and reusable promoting medium for the catalyst-free one-pot three component synthesis of 4H-pyrans. <i>Green Chemistry</i> , 2012 , 14, 1696 Direct One-Pot Cobalt(II) Phthalocyanine Catalyzed Synthesis of N-Substituted Isoindolinones. 2012 , 65, 1594 Facile heterogeneous catalytic hydrogenations of CN and CO bonds in neat water: anchoring of water-soluble metal complexes onto ion-exchange resins. <i>Green Chemistry</i> , 2012 , 14, 3211 Quasiliving atom transfer radical polymerization of styrene and n-butyl acrylate as non-fluorous monomers in a fluorinated solvent, benzotrifluoride. 2012 , 53, 4940-4946 Syntheses via Ct Bond Functionalizations. 2012 , 255	10	91 141 11 40 12

1172	Novel electrode reactions of diazepam, flunitrazepam and lorazepam and their exploitation in a new redox mode LC-DED assay for serum. 2012 , 4, 132-140	6
1171	An efficient synthesis of novel dispirooxindole derivatives via one-pot three-component 1,3-dipolar cycloaddition reactions. 2012 , 17, 12704-17	20
1170	Process Systems Engineering, 7. Abnormal Events Management and Process Safety. 2012,	
1169	Synthesis of arylidenepyruvic amide derivatives via Ugi-four component condensation. 2012 , 53, 3546-3549	17
1168	Diastereoselective liquid assisted grinding: Bracking Functional resins to advance chromatography-free synthesis. <i>Green Chemistry</i> , 2012 , 14, 2771	24
1167	Isolation and Analysis of Essential Oils from Spices. 2012 , 89, 665-668	21
1166	Ultrasound-promoted one-pot, three-component synthesis of spiro[indoline-3,1'-pyrazolo[1,2-b]phthalazine] derivatives. 2012 , 17, 8674-86	24
1165	Platinum(II) Diphosphinamine Complexes for the Efficient Hydration of Alkynes in Micellar Media. 2012 , 354, 1095-1104	49
1164	Copper Catalyst Activation Driven by Photoinduced Electron Transfer: A Prototype Photolatent Click Catalyst. 2012 , 124, 7249-7253	14
1163	Copper catalyst activation driven by photoinduced electron transfer: a prototype photolatent click catalyst. 2012 , 51, 7137-41	40
1162	The importance of green chemistry in process research and development. 2012 , 41, 1452-61	424
1161	Sustainability Indicators for Chemical Processes: I. Taxonomy. 2012 , 51, 2309-2328	136
1160	A highly active and stable imidazolidine-bridged N,O-donor ligand for efficient palladium catalyzed SuzukiMiyaura reactions in water. 2012 , 37, 331-335	8
1159	The Energy Return on Investment for Algal Biocrude: Results for a Research Production Facility. 2012 , 5, 341-362	60
1158	A priori selection of the mobile and stationary phase in centrifugal partition chromatography and counter-current chromatography. 2012 , 1238, 68-76	43
1157	H2O2/NaHCO3-mediated enantioselective epoxidation of olefins in NTf2-based ionic liquids and under ultrasound. 2012 , 291, 127-132	40
1156	Mixed-donor N,N,O-tridentate ligands for palladium-catalyzed Suzuki reactions. 2012 , 37, 149-153	4
1155	Efficient, durable and reusable olefin metathesis catalysts with high affinity to silica gel. 2013 , 69, 7408-7415	29

1154	Innovations in Green Chemistry and Green Engineering. 2013,	19
1153	Towards environmentally friendly processing of molecular semiconductors. 2013 , 1, 11117	25
1152	1,2,3-Trimethoxypropane and Glycerol Ethers as Bio-Sourced Solvents from Glycerol. Synthesis by Solvent-Free Phase-Transfer Catalysis and Utilization as an Alternative Solvent in Chemical Transformations. 2013 , 5, 2893-2904	25
1151	Nano-TiO2 on Dodecyl-Sulfated Silica: As an Efficient Heterogeneous Lewis AcidBurfactant-Combined Catalyst (HLASC) for Reaction in Aqueous Media. 2013 , 1, 1015-1023	17
1150	Clauson Raas-Type Synthesis of Pyrrolyl-phenols, from the Hydrochlorides of Aminophenols, in the Presence of Nicotinamide. 2013 , 43, 2949-2954	5
1149	Surfactant micelles as microreactors for the synthesis of quinoxalines in water: scope and limitations of surfactant catalysis. 2013 , 3, 15157	50
1148	Water-based conditions for the microscale parallel synthesis of bicyclic lactams. 2013 , 54, 562-567	13
1147	Evaluation of the synthesis of 1-(pentafluorophenyl)-4,5-dihydro-1H-pyrazoles using green metrics. 2013 , 144, 1043-1050	7
1146	Selection of a Greener Set of Solvents Evenly Spread in the Hansen Space by Space-Filling Design. 2013 , 52, 16585-16597	42
1145	Developing green photochemical approaches towards the synthesis of carbon nanofiber- and graphene-supported silver nanoparticles and their use in the catalytic reduction of 4-nitrophenol. 2013 , 3, 18323	28
1144	Sanofil Solvent Selection Guide: A Step Toward More Sustainable Processes. 2013, 17, 1517-1525	349
1143	Recent developments and future trends in solid phase microextraction techniques towards green analytical chemistry. 2013 , 1321, 1-13	202
1142	A Standard Procedure for the Selection of Solvents for Natural Plant Extraction in the Early Stages of Process Development. 2013 , 36, n/a-n/a	7
1141	Green chemistry in Brazil. 2013 , 85, 1643-1653	15
1140	Aqueous Solution Processing of F-Doped SnO2 Transparent Conducting Oxide Films Using a Reactive Tin(II) Hydroxide Nitrate Nanoscale Cluster. 2013 , 25, 4080-4087	47
1139	Green chemistry and the textile industry. 2013 , 45, 3-143	46
1138	Novel Epoxy Coating Based on DMSO as a Green Solvent, Reducing Drastically the Volatile Organic Compound Content and Using Conducting Polymers As a Nontoxic Anticorrosive Pigment. 2013 , 1, 1609-1618	44
1137	Reclamation and reuse of ionic liquids from silica-based ionogels using spontaneous water-driven separation. <i>Green Chemistry</i> , 2013 , 15, 3414	7

1136	A novel microwave-irradiated solvent-free 3-acylation of indoles on alumina. 2013 , 37, 4069		9
1135	Ethyl lactate as an environmentally friendly HPLC mobile-phase modifier in the analysis of acetaminophen, caffeine, and ASA. 2013 , 91, 352-356		9
1134	A photoreducible copper(II)-tren complex of practical value: generation of a highly reactive click catalyst. 2013 , 19, 16231-9		21
1133	Zwitterionic, cationic, and anionic fluorinated chemicals in aqueous film forming foam formulations and groundwater from U.S. military bases by nonaqueous large-volume injection HPLC-MS/MS. 2013 , 47, 5226-34		297
1132	Greening pharmaceutical applications of liquid chromatography through using propylene carbonate-ethanol mixtures instead of acetonitrile as organic modifier in the mobile phases. 2013 , 75, 230-8		33
1131	Stille couplings in water at room temperature. <i>Green Chemistry</i> , 2013 , 15, 105-109	10	61
1130	Alkali Metal Thioselenophosphinates, M[SeSPR2]: One-Pot Multicomponent Synthesis, DFT Study, and Synthetic Application. 2013 , 2013, 415-426		12
1129	Gelation process of Tetra-PEG ion-gel investigated by time-resolved dynamic light scattering. 2013 , 54, 1160-1166		17
1128	Enzymatic epoxidation of Etaryophyllene using free or immobilized lipases or mycelia from the Amazon region. 2013 , 95, 48-54		12
1127	Bioresource utilisation by sustainable technologies in new value-added biorefinery concepts I two case studies from food and forest industry. 2013 , 57, 46-58		59
1126	Evaluation of alcohol-based deep eutectic solvent in extraction and determination of flavonoids with response surface methodology optimization. 2013 , 1285, 22-30		287
1125	Microwave-assisted organocatalytic cross-aldol condensation of aldehydes. 2013 , 3, 4496		22
1124	All water chemistry For a concise total synthesis of the novel class anti-anginal drug (RS), (R), and (S)-ranolazine. <i>Green Chemistry</i> , 2013 , 15, 756	10	40
1123	Low-transition-temperature mixtures (LTTMs): a new generation of designer solvents. 2013 , 52, 3074-8	35	832
1122	On the usefulness of life cycle assessment in early chemical methodology development: the case of organophosphorus-catalyzed Appel and Wittig reactions. <i>Green Chemistry</i> , 2013 , 15, 1255	10	65
1121	Lactic acid as a platform chemical in the biobased economy: the role of chemocatalysis. 2013, 6, 1415		532
1120	Advances in QSPR/QSTR models of ionic liquids for the design of greener solvents of the future. 2013 , 17, 151-96		116
1119	Oxidation Catalysts for Green Chemistry. 2013 , 247-295		

1118	Novel process windows for enabling, accelerating, and uplifting flow chemistry. 2013 , 6, 746-89		445
1117	Greener liquid chromatography using a guard column with micellar mobile phase for separation of some pharmaceuticals and determination of parabens. 2013 , 106, 350-9		20
1116	An Odorless, One-Pot Synthesis of Thioesters from Organic Halides, Thiourea and Benzoyl Chlorides in Water. 2013 , 355, 1271-1276		105
1115	Enantioselective arene epoxidation under mild conditions by Jacobsen catalyst: The role of protic solvent and co-catalyst in the activation of hydrogen peroxide. 2013 , 460-461, 116-123		16
1114	Iridium porphyrins in CD3OD: reduction of Ir(III), CD3-OD bond cleavage, Ir-D acid dissociation and alkene reactions. 2013 , 52, 4611-7		10
1113	Inkjet printing: an integrated and green chemical approach to microfluidic paper-based analytical devices. 2013 , 3, 9258		105
1112	A new low transition temperature mixture (LTTM) formed by choline chloride+lactic acid: Characterization as solvent for CO2 capture. 2013 , 340, 77-84		150
1111	Eco-solventscluster-formation, surfactantless microemulsions and facilitated hydrotropy. 2013 , 15, 10971-7		32
1110	Solvent effects on Grubbs' pre-catalyst initiation rates. 2013 , 42, 4110-3		29
1109	Synthesis of S- and N-Functionalized Dithiocarbamates from Cyclic Sulfates. 2013 , 2013, 3758-3763		3
1108	Comparative performance evaluation and systematic screening of solvents in a range of Grignard reactions. <i>Green Chemistry</i> , 2013 , 15, 1880	10	59
1107	Thermomorphic Biphasic System Greener Alternative Route to the Synthesis of Biodiesel. 2013 , 27, 879-882		2
1106	Methods for the Direct Synthesis of Benzoxazoles from Halogenated Nitriles in Alcoholic Solvents. 2013 , 1, 545-548		13
1105	t-BuOK catalyzed bio-oil production from woody biomass under sub-critical water conditions. 2013 , 11, 25-31		22
1104	Advanced Extraction Processes to Obtain Bioactives from Marine Foods. 2013 , 343-371		2
1103	Sustainable analytical chemistry—more than just being green. 2013 , 85, 2217-2229		43
1102	Alternative sample diluents in bioanalytical LC-MS. 2013 , 5, 3051-61		7
1101	Increasing the Productivity of Peroxidase-Catalyzed Oxyfunctionalization: A Case Study on the Potential of Two-Liquid-Phase Systems. 2013 , 5, 565-568		39

(2014-2013)

1100	Pulsed electric field (PEF) as an intensification pretreatment for greener solvent lipid extraction from microalgae. 2013 , 110, 1605-15		149
1099	Mischungen mit niedriger Bergangstemperatur (LTTMs) Leine neue Generation von Designer-LEungsmitteln. 2013 , 125, 3152-3163		53
1098	Improving carotenoid extraction from tomato waste by pulsed electric fields. 2014 , 1, 12		63
1097	Solvents. 2014, 356-357		3
1096	. 2014,		7
1095	The evolution of life cycle assessment in pharmaceutical and chemical applications (a perspective. <i>Green Chemistry</i> , 2014 , 16, 3392-3400	10	64
1094	Synthesis of 6-(2-Methoxynaphthyl)-2,3-dihydro-1,2,4-triazine-3-thione as a New Reagent for Spectrophotometric Determination of Copper. 2014 , 2014, 260179		1
1093	Life cycle analysis within pharmaceutical process optimization and intensification: case study of active pharmaceutical ingredient production. 2014 , 7, 3521-33		61
1092	Green analytical methodologies for the discovery of bioactive compounds from marine sources. 2014 , 3-4, 43-52		13
1091	A One-pot, Efficient Synthesis of Polyfunctionalized Pyrido[2,3-d]pyrimidines and Uncyclized Adducts by Aldehydes, 1,3-Dicarbonyl Compounds, and 6-Aminouracils. 2014 , 51, 1595-1602		14
1090	From chemical platform molecules to new biosolvents: Design engineering as a substitution methodology. 2014 , 8, 438-451		20
1089	End-of-life treatment of poly(vinyl chloride) and chlorinated polyethylene by dehydrochlorination in ionic liquids. 2014 , 7, 610-7		32
1088	Carbon Dioxide Solvent Applications in a Biorefinery. 2014 , 9-35		3
1087	Microwave-assisted synthesis and anticonvulsant activity of 5,6-bisaryl-1,2,4-triazine-3-thiol derivatives. 2014 , 23, 2503-2514		23
1086	Green, selective and swift oxidation of cyclic alcohols to corresponding ketones. 2014 , 478, 157-164		30
1085	Evaluation of non-conventional polar modifiers on immobilized chiral stationary phases for improved resolution of enantiomers by supercritical fluid chromatography. 2014 , 1328, 98-103		36
1084	Anionic cellulose beads for drug encapsulation and release. 2014 , 21, 1945-1955		24
1083	Synthesis of silver glyconanoparticles from new sugar-based amphiphiles and their catalytic application. 2014 , 30, 6011-20		21

1082	Ionic liquids and deep eutectic mixtures: sustainable solvents for extraction processes. 2014 , 7, 1784-80	0	278
1081	Complete removal of textile dyes from aqueous media using ionic-liquid-based aqueous two-phase systems. 2014 , 128, 58-66		127
1080	The potential of methylsiloxanes as solvents for synthetic chemistry applications. <i>Green Chemistry</i> , 2014 , 16, 1282-1296	10	16
1079	Laccase-catalyzed synthesis of catechol thioethers by reaction of catechols with thiols using air as an oxidant. <i>Green Chemistry</i> , 2014 , 16, 90-95	10	53
1078	Green aspects, developments and perspectives of liquid phase microextraction techniques. 2014 , 119, 34-45		251
1077	An attempt to provide an environmentally friendly solvent selection guide for olefin metathesis. <i>Green Chemistry</i> , 2014 , 16, 1125-1130	10	63
1076	Ionic liquid clusters: structure, formation mechanism, and effect on the behavior of ionic liquids. 2014 , 16, 5893-906		126
1075	Green Chromatographic Techniques. 2014 ,		4
1074	Co-catalytic oxidative coupling of primary amines to imines using an organic nanotube-gold nanohybrid. 2014 , 50, 15251-4		41
1073	An odorless, one-pot synthesis of nitroaryl thioethers via SNAr reactions through the in situ generation of S-alkylisothiouronium salts. 2014 , 4, 59990-59996		23
1072	Boronate microparticle-supported nano-palladium and nano-gold catalysts for chemoselective hydrogenation of cinnamaldehyde in environmentally preferable solvents. <i>Green Chemistry</i> , 2014 , 16, 3230-3236	10	37
1071	ScCO2/Green Solvents: Biphasic Promising Systems for Cleaner Chemicals Manufacturing. 2014 , 2, 2623-	-2636	48
1070	Yonemitsu-type condensations catalysed by proline and Eu(OTf)3. 2014 , 4, 47992-47999		8
1069	Efficient and scalable synthesis of quantum dots using hexane as the solvent in a non-microfluidic flow reactor system. 2014 , 4, 51926-51934		5
1068	Water mediated, environmentally friendly, step-wise, tandem & one-pot syntheses of 2-(1H-benzo[d]imidazole-2-yl)-N-arylbenzamides. 2014 , 4, 2974-2979		8
1067	Efficient three-component coupling reactions catalyzed by Cu0-nanoparticles stabilized on modified montmorillonite. 2014 , 4, 1047-1054		59
1066	Development of a tripartite solvent blend for sustainable chromatography. <i>Green Chemistry</i> , 2014 , 16, 4102-4105	10	6
1065	Insights into alkyl lactate + water mixed fluids. 2014 , 199, 215-223		13

1064	Improving the extraction of carotenoids from tomato waste by application of ultrasound under pressure. 2014 , 136, 130-136		85
1063	Solubility of Cefotaxime Sodium in Ethanol + Water Mixtures under Acetic Acid Conditions. 2014 , 59, 1865-1871		4
1062	Towards Eleaner blefin metathesis: tailoring the NHC ligand of second generation ruthenium catalysts to afford auxiliary traits. <i>Green Chemistry</i> , 2014 , 16, 4474-4492	10	57
1061	Dihydrolevoglucosenone (Cyrene) as a bio-based alternative for dipolar aprotic solvents. 2014 , 50, 9650	0-2	231
1060	Ionic liquid solutions as extractive solvents for value-added compounds from biomass. <i>Green Chemistry</i> , 2014 , 16, 4786-4815	10	289
1059	Greener derivatization in analytical chemistry. 2014 , 61, 1-10		48
1058	Halogen-free water-stable aluminates as replacement for persistent fluorinated weakly-coordinating anions. <i>Green Chemistry</i> , 2014 , 16, 4696-4707	10	6
1057	Flow approaches towards sustainability. <i>Green Chemistry</i> , 2014 , 16, 3680-3704	10	182
1056	An efficient solvent-tuning approach for the rapid synthesis of thiazolidinone derivatives and the selective synthesis of 2-amino-4H-1,3-thiazin-4-one and dimethyl 3,3?-thiodiacrylates. 2014 , 55, 5597-56	500	20
1055	A survey of solvent selection guides. <i>Green Chemistry</i> , 2014 , 16, 4546-4551	10	517
1054	How a protein can remain stable in a solvent with high content of urea: insights from molecular dynamics simulation of Candida antarctica lipase B in urea: choline chloride deep eutectic solvent. 2014 , 16, 14882-93		138
1053	THE ECONOMICS OF GREEN AND SUSTAINABLE CHEMISTRY. 2014 , 287-323		
1052	Solvent switchable cycloaddition: a (one-pot) metal-free approach towards N-substituted benzo[e]-or [f]isoindolones via C(sp(2))-H functionalization. 2014 , 12, 8861-5		9
1051	Towards non-toxic solvents for membrane preparation: a review. <i>Green Chemistry</i> , 2014 , 16, 4034	10	233
1050	Strategy of fabrication of controlled thermosetting gel based on soybean oil towards supercritical carbon dioxide foaming. <i>Green Chemistry</i> , 2014 , 16, 1225-1235	10	5
1049	Glucose-Derived Palladium(0) Nanoparticles as in Situ-Formed Catalysts for SuzukiMiyaura Cross-Coupling Reactions in Isopropanol. 2014 , 2, 500-505		37
1048	The taming of oxygen: biocatalytic oxyfunctionalisations. 2014 , 50, 13180-200		82
1047	How Green is Biocatalysis? To Calculate is To Know. 2014 , 6, 930-943		119

1046	1,4-Michael additions of cyclic-Eketoesters catalyzed by DNA in aqueous media. 2014 , 44, 10-14	4
1045	A trade off between separation, detection and sustainability in liquid chromatographic fingerprinting. 2014 , 1354, 34-42	12
1044	Efficient SuzukiMiyaura coupling reaction in water: Stabilized Pdo-Montmorillonite clay composites catalyzed reaction. 2014 , 469, 350-356	43
1043	Hydration of aromatic terminal alkynes catalyzed by iron(III) sulfate hydrate under chlorine-free conditions. 2014 , 55, 1608-1612	28
1042	Thermophysical properties of lactates. 2014 , 575, 305-312	29
1041	Guidelines based on life cycle assessment for solvent selection during the process design and evaluation of treatment alternatives. <i>Green Chemistry</i> , 2014 , 16, 3045-3063	68
1040	Research and Technology Directions. 2014 , 57-133	
1039	Resource Optimization Strategies. 2014 , 135-151	
1038	Complexes containing CO2 and SO2. Mixed dimers, trimers and tetramers. 2014 , 16, 5142-9	29
1037	A Review of Ionic Liquids, Their Limits and Applications. 2014 , 04, 44-53	377
<i>,</i>	A Review of Ionic Liquids, Their Limits and Applications. 2014 , 04, 44-53 Environmental Catalysis and Green Chemistry. 2015 , 335-352	377
<i>,</i>		377 19
1036	Environmental Catalysis and Green Chemistry. 2015, 335-352 Water-Soluble Palladium(II) Sulfonated Thiosemicarbazone Complexes: Facile Synthesis and	
1036	Environmental Catalysis and Green Chemistry. 2015, 335-352 Water-Soluble Palladium(II) Sulfonated Thiosemicarbazone Complexes: Facile Synthesis and Preliminary Catalytic Studies in the SuzukiMiyaura Cross-Coupling Reaction in Water. 2015, 2015, 4088-4094 Construction of Diverse and Functionalized 2H-Chromenes by Organocatalytic Multicomponent	19
1036 1035 1034	Environmental Catalysis and Green Chemistry. 2015, 335-352 Water-Soluble Palladium(II) Sulfonated Thiosemicarbazone Complexes: Facile Synthesis and Preliminary Catalytic Studies in the SuzukiMiyaura Cross-Coupling Reaction in Water. 2015, 2015, 4088-4094 Construction of Diverse and Functionalized 2H-Chromenes by Organocatalytic Multicomponent Reactions. 2015, 2015, 5212-5220 Arylation of Amines in Alkane Solvents by using Well-Defined PalladiumN-Heterocyclic Carbene	19 18
1036 1035 1034	Environmental Catalysis and Green Chemistry. 2015, 335-352 Water-Soluble Palladium(II) Sulfonated Thiosemicarbazone Complexes: Facile Synthesis and Preliminary Catalytic Studies in the SuzukiMiyaura Cross-Coupling Reaction in Water. 2015, 2015, 4088-4094 Construction of Diverse and Functionalized 2H-Chromenes by Organocatalytic Multicomponent Reactions. 2015, 2015, 5212-5220 Arylation of Amines in Alkane Solvents by using Well-Defined Palladium M-Heterocyclic Carbene Complexes. 2015, 7, 4021-4024 Eco-friendly solvents for palladium-catalyzed desulfitative C-H bond arylation of heteroarenes.	19 18 19
1036 1035 1034 1033	Environmental Catalysis and Green Chemistry. 2015, 335-352 Water-Soluble Palladium(II) Sulfonated Thiosemicarbazone Complexes: Facile Synthesis and Preliminary Catalytic Studies in the SuzukiMiyaura Cross-Coupling Reaction in Water. 2015, 2015, 4088-4094 Construction of Diverse and Functionalized 2H-Chromenes by Organocatalytic Multicomponent Reactions. 2015, 2015, 5212-5220 Arylation of Amines in Alkane Solvents by using Well-Defined PalladiumM-Heterocyclic Carbene Complexes. 2015, 7, 4021-4024 Eco-friendly solvents for palladium-catalyzed desulfitative C-H bond arylation of heteroarenes. 2015, 8, 1794-804 X-ray spectroscopy for chemistry in the 2-4 keV energy regime at the XMaS beamline: ionic liquids, Rh and Pd catalysts in gas and liquid environments, and Cl contamination in FAI2O3. 2015, 22, 1426-39	19 18 19 45

(2015-2015)

1028	Validation of high performance liquid chromatography method for determination of meloxicam loaded PEGylated nanocapsules. 2015 , 51, 823-832	1
1027	Efficient Desulfinative Cross-Coupling of Heteroaromatic Sulfinates with Aryl Triflate in Environmentally Friendly Protic Solvents. 2015 , 90, 1228	8
1026	On the Road to Biopolymer Aerogels-Dealing with the Solvent. 2015 , 1, 291-313	56
1025	Cell Structure, Density and Impact Strength of Cellulose Acetate Foamed with Supercritical Carbon Dioxide. 2015 , 34, 339-352	4
1024	. 2015,	22
1023	References. 2015 , 199-213	
1022	A multigram-scale lower E-factor procedure for MIBA-catalyzed direct amidation and its application to the coupling of alpha and beta aminoacids. <i>Green Chemistry</i> , 2015 , 17, 4016-4028	39
1021	Mechanism of bismuth telluride exfoliation in an ionic liquid solvent. 2015 , 31, 3644-52	33
1020	Continuous-flow hydrogenation of olefins and nitrobenzenes catalyzed by platinum nanoparticles dispersed in an amphiphilic polymer. 2015 , 5, 45760-45766	14
1019	Solubilities of carbon dioxide in the eutectic mixture of levulinic acid (or furfuryl alcohol) and choline chloride. 2015 , 88, 72-77	87
1018	Green renewable energy production from Myxosarcina sp.: media optimization and assessment of biodiesel fuel properties. 2015 , 5, 51149-51157	17
1017	Alternative solvents can make preparative liquid chromatography greener. <i>Green Chemistry</i> , 2015 , 17, 4073-4081	33
1016	Opportunities for greener alternatives in chemical formulations. <i>Green Chemistry</i> , 2015 , 17, 2664-2678 10	59
1015	Solvents and sustainable chemistry. 2015 , 471, 20150502	163
1014	Ethyl lactate as a greener alternative to acetonitrile in RPLC: a realistic appraisal. 2015, 53, 1701-7	12
1013	Green analytical method development for statin analysis. 2015 , 1380, 104-11	24
1012	Preparation of highly active and hydrothermally stable nickel catalysts. 2015, 447, 68-76	13
1011	Economical and Efficient Hybrid Surfactant with Low Fluorine Content for the Stabilisation of Water-in-CO2 Microemulsions. 2015 , 98, 127-136	15

1010	Modulation of pore sizes of titanium dioxide photocatalysts by a facile template free hydrothermal synthesis method: implications for photocatalytic degradation of rhodamine B. 2015 , 7, 4368-80	69
1009	Room temperature Suzuki coupling of aryl iodides, bromides, and chlorides using a heterogeneous carbon nanotube-palladium nanohybrid catalyst. 2015 , 5, 2388-2392	54
1008	One-pot synthesis of alkyl pyrrole-2-carboxylates starting from Ehitroacrylates and primary amines. 2015 , 5, 4210-4213	15
1007	Environmentally benign process for the preparation of antimicrobial Emethylene-Ehydroxy-Ebutyrolactone (tulipalin B) from tulip biomass. 2015 , 79, 25-35	10
1006	Towards the electrochemical conversion of carbon dioxide into methanol. <i>Green Chemistry</i> , 2015 , 17, 2304-2324	351
1005	The many faces of packed column supercritical fluid chromatographya critical review. 2015 , 1382, 2-46	285
1004	Green, environment-friendly, analytical tools give insights in pharmaceuticals and cosmetics analysis. 2015 , 66, 176-192	68
1003	Magnetic collagen fibers stabilized using functional iron oxide nanoparticles in non-aqueous medium. 2015 , 5, 20939-20944	12
1002	Panorama of Sustainable Solvents for Green Extraction Processes. 2015 , 173-236	
1001	Bider diagram: a universal and versatile approach for system comparison and classification: application to solvent properties. 2015 , 1389, 49-64	22
1000	Validated green high-performance liquid chromatographic methods for the determination of coformulated pharmaceuticals: a comparison with reported conventional methods. 2015 , 38, 757-63	31
999	Dihydroxyacetone crystallization: Process, environmental, health and safety criteria application for solvent selection. 2015 , 134, 36-43	8
998	Elemental distribution and porosity enhancement in advanced nano bimetallic catalyst. 2015, 280, 42-52	5
997	Waterless tanning: chrome tanning in ethanol and its derivatives. 2015 , 5, 66815-66823	15
996	Using an innovative combination of quality-by-design and green analytical chemistry approaches for the development of a stability indicating UHPLC method in pharmaceutical products. 2015 , 115, 114-22	37
995	Exploring the homogeneous controlled radical polymerisation of hydrophobic monomers in anti-solvents for their polymers: RAFT and ATRP of various alkyl methacrylates in anhydrous methanol to high conversion and low dispersity. 2015 , 6, 7286-7296	4
994	Isoinversion Behavior in the Enantioselective Oxidations of Pyridylmethylthiobenzimidazoles to Chiral Proton Pump Inhibitors on Titanium Salalen Complexes. 2015 , 5, 4673-4679	28
993	Application and validation of an eco-friendly TLC-densitometric method for simultaneous determination of co-formulated antihypertensive agents. 2015 , 5, 59048-59055	6

992	Catalytic isomerization or allyl runctionalities in water by nexaaquaruthenium(ii) tosylate. 2015 , 435, 335-339	2
991	A polyhedral oligomeric silsesquioxane-based catalyst for the efficient synthesis of cyclic carbonates. 2015 , 5, 5000-5007	36
990	Solventless metallation of low melting porphyrins synthesized by the water/microwave method. 2015 , 5, 64902-64910	17
989	Glycerol: a more benign and biodegradable promoting medium for catalyst-free one-pot multi-component synthesis of triazolo[1,2-a]indazole-triones. 2015 , 5, 63705-63710	12
988	Green solvents in carbohydrate chemistry: from raw materials to fine chemicals. 2015, 115, 6811-53	236
987	Environmental Friendly Synthesis of Bis-Perfluoropyridine and Pyrimidine in Water. 2015 , 91, 738	3
986	Towards an understanding of the CO2-philicity in glycine: Deepening into the CO2:Aminoacid interactions. 2015 , 453-454, 1-6	5
985	Toxicological assessment of PEG functionalized f-block rare earth phosphate nanorods. 2015 , 4, 966-975	12
984	A digital image-based method employing a spot-test for quantification of ethanol in drinks. 2015 , 7, 4138-41	44 48
983	Introduction. 2015 , 1-15	1
983 982	Introduction. 2015, 1-15 Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. <i>Green Chemistry</i> , 2015, 17, 3687-3705	1 150
	Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. <i>Green</i> 10	
982	Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. <i>Green Chemistry</i> , 2015 , 17, 3687-3705 Preparation and determination of phenolic compounds from Pyrola incarnata Fisch. with a green	150
982	Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. <i>Green Chemistry</i> , 2015 , 17, 3687-3705 Preparation and determination of phenolic compounds from Pyrola incarnata Fisch. with a green polyols based-deep eutectic solvent. 2015 , 149, 116-123 Aqueous Sonogashira coupling of aryl halides with 1-alkynes under mild conditions: use of	150 62
982 981 980	Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. <i>Green Chemistry</i> , 2015 , 17, 3687-3705 Preparation and determination of phenolic compounds from Pyrola incarnata Fisch. with a green polyols based-deep eutectic solvent. 2015 , 149, 116-123 Aqueous Sonogashira coupling of aryl halides with 1-alkynes under mild conditions: use of surfactants in cross-coupling reactions. 2015 , 5, 18960-18971 Direct extraction of carbonyl from waste polycarbonate with amines under environmentally friendly conditions: scope of waste polycarbonate as a carbonylating agent in organic synthesis.	150 62 11
982 981 980	Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. <i>Green Chemistry</i> , 2015 , 17, 3687-3705 Preparation and determination of phenolic compounds from Pyrola incarnata Fisch. with a green polyols based-deep eutectic solvent. 2015 , 149, 116-123 Aqueous Sonogashira coupling of aryl halides with 1-alkynes under mild conditions: use of surfactants in cross-coupling reactions. 2015 , 5, 18960-18971 Direct extraction of carbonyl from waste polycarbonate with amines under environmentally friendly conditions: scope of waste polycarbonate as a carbonylating agent in organic synthesis. 2015 , 5, 3454-3460 Expeditious synthesis of functionalized tricyclic 4-spiro pyrano[2,3-c]pyrazoles in aqueous medium	150 62 11 18
982 981 980 979 978	Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. <i>Green Chemistry</i> , 2015 , 17, 3687-3705 Preparation and determination of phenolic compounds from Pyrola incarnata Fisch. with a green polyols based-deep eutectic solvent. 2015 , 149, 116-123 Aqueous Sonogashira coupling of aryl halides with 1-alkynes under mild conditions: use of surfactants in cross-coupling reactions. 2015 , 5, 18960-18971 Direct extraction of carbonyl from waste polycarbonate with amines under environmentally friendly conditions: scope of waste polycarbonate as a carbonylating agent in organic synthesis. 2015 , 5, 3454-3460 Expeditious synthesis of functionalized tricyclic 4-spiro pyrano[2,3-c]pyrazoles in aqueous medium using dodecylbenzenesulphonic acid as a Brilsted acidBurfactant-combined catalyst. 2015 , 39, 9480-9486 Tetrel, chalcogen, and CH??O hydrogen bonds in complexes pairing carbonyl-containing molecules	150 62 11 18

974 Bio-based green solvent for the catalyst free oxidation of arylboronic acids into phenols. **2015**, 5, 89133-8913823

973	A solvent selection guide based on chemometrics and multicriteria decision analysis. <i>Green Chemistry</i> , 2015 , 17, 4773-4785	10	95
972	Reusable manganese compounds containing pyrazole-based ligands for olefin epoxidation reactions. 2015 , 44, 17529-43		17
971	Aerobic flow oxidation of alcohols in water catalyzed by platinum nanoparticles dispersed in an amphiphilic polymer. 2015 , 5, 2647-2654		30
970	Surface of room temperature ionic liquid [bmim][PF6] studied by polarization- and experimental configuration-dependent sum frequency generation vibrational spectroscopy. 2015 , 58, 439-447		10
969	Organocatalysis by p-sulfonic acid calix[4]arene: a convenient and efficient route to 2,3-dihydroquinazolin-4(1H)-ones in water. 2015 , 5, 7755-7760		30
968	A supramolecular recyclable catalyst for aqueous Suzuki™iyaura coupling. 2015 , 5, 3590-3596		20
96 7	Solid-State Properties and Controlled Release of Ranitidine Hydrochloride from Tailored Oxidised Cellulose Beads. 2015 , 300, 210-217		6
966	Visible-Light-Driven Aerobic Oxidation of Amines to Nitriles over Hydrous Ruthenium Oxide Supported on TiO2. 2015 , 5, 34-38		48
965	Magnetic nanoparticles-supported tungstic acid (MNP-TA): an efficient magnetic recyclable catalyst for the one-pot synthesis of spirooxindoles in water. 2015 , 5, 2223-2230		35
964	Polymer-Supported Sulfonic Acid-Catalyzed Candid Synthesis and Photophysical Properties of 2H-indazolo[2,1-b]phthalazinetriones. 2015 , 52, 931-937		5
963	Recent advances in catalysis in micellar media. <i>Green Chemistry</i> , 2015 , 17, 644-683	10	366
962	Medium and reaction engineering for the establishment of a chemo-enzymatic dynamic kinetic resolution of rac-benzoin in batch and continuous mode. 2015 , 114, 42-49		39
961	Luminescent dansyl-based ionic liquids from amino acids and methylcarbonate onium salt precursors: synthesis and photobehaviour. <i>Green Chemistry</i> , 2015 , 17, 538-550	10	9
960	Metal sulfide precursor aqueous solutions for fabrication of Cu2ZnSn(S,Se)4 thin film solar cells. <i>Green Chemistry</i> , 2015 , 17, 1269-1275	10	60
959	Hydration of alkynes at room temperature catalyzed by gold(I) isocyanide compounds. <i>Green Chemistry</i> , 2015 , 17, 532-537	10	66
958	Microemulsion systems for catalytic reactions and processes. 2015 , 5, 24-33		57
957	EValerolactone as an alternative biomass-derived medium for the Sonogashira reaction. <i>Green Chemistry</i> , 2015 , 17, 1071-1076	10	103

(2016-2015)

956	Rules and benefits of Life Cycle Assessment in green chemical process and synthesis design: a tutorial review. <i>Green Chemistry</i> , 2015 , 17, 123-145	147
955	A biomass-derived safe medium to replace toxic dipolar solvents and access cleaner Heck coupling reactions. <i>Green Chemistry</i> , 2015 , 17, 365-372	101
954	Ethyl Lactate As a Green Solvent: A Promising Bio-compatible Media for Organic Synthesis. 2016 , 3, 111-118	28
953	Transformation of Tertiary Benzyl Alcohols into the Vicinal Halo-Substituted Derivatives Using N-Halosuccinimides. 2016 , 21,	5
952	Lireen Liynthesis of Metal-Organic Frameworks. 2016, 2016, 4290-4299	115
951	Improvement of dispersion of carbon nanotubes in epoxy resin through pyrogallol functionalization. 2016 , 56, 1079-1085	5
950	Facile Synthesis and Isolation of Secondary Amines via a Sequential Titanium(IV)-Catalyzed Hydroamination and Palladium-Catalyzed Hydrogenation. 2016 , 358, 713-718	18
949	Innovative Poly(Ionic Liquid)s by the Polymerization of Deep Eutectic Monomers. 2016, 37, 1135-42	28
948	Ionic liquids in chromatographic and electrophoretic techniques: toward additional improvements in the separation of natural compounds. <i>Green Chemistry</i> , 2016 , 18, 4582-4604	42
947	Green extraction of glycosides from Stevia rebaudiana (Bert.) with low solvent consumption: A desirability approach. 2016 , 2, 247-253	14
946	Solvent Systems for Sustainable Chemistry. 2016 , 1-17	2
945	Introducing natural thermoplastic shellac to microfluidics: A green fabrication method for point-of-care devices. 2016 , 10, 044101	9
944	Metrics for green analytical chemistry. 2016 , 8, 2993-2999	140
943	Una reacciB multicomponente verde en el laboratorio de qu[mica orgBica. 2016 , 27, 15-20	2
942	Tools and techniques for solvent selection: green solvent selection guides. 2016, 4,	510
941	Efficient and selective conversion of glycidol to 1,2-propanediol over Pd/C catalyst. 2016 , 77, 98-102	17
940	A green solvent strategy for the development of piezoelectric poly(vinylidene fluorideErifluoroethylene) films for sensors and actuators applications. 2016 , 104, 183-189	33
939	Particulate composites based on ionic liquid-treated oil palm fiber and thermoplastic starch adhesive. 2016 , 18, 2217-2226	18

938	Oxidation of olefins using atmospheric oxygen atoms initiated by tert-butylhydroperoxide or hydrogen peroxide with silver nanoparticles deposited on MCM-41 as catalysts. <i>Green Chemistry</i> , 2016 , 18, 3354-3359)	23
937	Carbon Dioxide Expanded Ethanol Extraction: Solubility and Extraction Kinetics of ⊕inene and cis-Verbenol. 2016 , 88, 4336-45		47
936	A practical green chemistry approach to synthesize fused bicyclic 4H-pyranes via an amine catalysed 1,4-addition and cyclization cascade. 2016 , 6, 38875-38879		9
935	Green-solvent-processable organic solar cells. 2016 , 19, 533-543		193
934	Rapid flow-based synthesis of poly(3-hexylthiophene) using 2-methyltetrahydrofuran as a bio-derived reaction solvent. 2016 , 80, 240-246		13
933	Downstream Processing of Nucleoside-Diphospho-Sugars from Sucrose Synthase Reaction Mixtures at Decreased Solvent Consumption. 2016 , 358, 3113-3122		13
932	The effects of a co-solvent on fabrication of cellulose acetate membranes from solutions in 1-ethyl-3-methylimidazolium acetate. 2016 , 520, 540-549		26
931	How to use QSPR-type approaches to predict properties in the context of Green Chemistry. 2016 , 10, 738-752		8
930	Applying green processes and techniques to simplify reaction work-ups. 2016 , 72, 7375-7391		19
929	Micellar Nanoreactors. 2016 , 1-16		1
928	Application of the ring-closing metathesis to the formation of 2-aryl-1H-pyrrole-3-carboxylates as building blocks for biologically active compounds. 2016 , 72, 7462-7469		10
927	Cubic nano-copper(I) oxides as reusable catalyst in consecutive decarboxylative C H arylation and carbonylation: rapid synthesis of carbonyl dibenzofurans. 2016 , 57, 4956-4960		6
926	One-pot RAFT and fast polymersomes assembly: a BeelineIfrom monomers to drug-loaded nanovectors. 2016 , 7, 6714-6724		10
925	Green Solvents in Biomass Processing. 2016 , 4, 5821-5837		98
924	Effect of molecular weight on CO2-philicity of poly(vinyl acetate) with different molecular chain structure. 2016 , 118, 96-106		25
923	Grafting of Cellulose Nanocrystals. 2016 , 61-113		14
922	Environmentally-Safe Conditions for a Palladium-Catalyzed Direct C3-Arylation with High Turn Over Frequency of Imidazo[1,2-b]pyridazines Using Aryl Bromides and Chlorides. 2016 , 11, 2443-52		19
921	Multi-criteria screening of chemicals considering thermodynamic and life cycle assessment metrics via data envelopment analysis: application to CO2 capture. <i>Green Chemistry</i> , 2016 , 18, 6468-6481)	27

(2016-2016)

920	Substitution of carcinogenic solvent dichloromethane for the extraction of volatile compounds in a fat-free model food system. 2016 , 1456, 77-88	10
919	Enhanced selective oxidation of benzyl alcohol to benzaldehyde on mesopore created mordenite catalyst. 2016 , 23, 1671-1678	6
918	Optimization of Ecofriendly Extraction of Bioactive Monomeric Phenolics and Useful Flavor Precursors from Grape Waste. 2016 , 4, 5060-5067	14
917	Molecular Dynamics Simulation of Bismuth Telluride Exfoliation Mechanisms in Different Ionic Liquid Solvents. 2016 , 32, 9982-9992	10
916	Practical carbocatalysis by graphene oxide nanosheets in aqueous medium towards the synthesis of diversified dibenzo[1,4]diazepine scaffolds. 2016 , 6, 88904-88910	35
915	The promoting effect of pyridine ligands in the Pd-catalysed HeckMatsuda reaction. 2016 , 40, 8855-8862	9
914	Searching for novel reusable biomass-derived solvents: furfuryl alcohol/water azeotrope as a medium for waste-minimised copper-catalysed azidelkyne cycloaddition. <i>Green Chemistry</i> , 2016 , 10, 6380-6386	30
913	Grignard Reactions in Cyclopentyl Methyl Ether. 2016 , 5, 636-645	15
912	Sulfoxide-Chelated Ruthenium Benzylidene Catalyst: a Synthetic Study on the Utility of Olefin Metathesis. 2016 , 8, 2817-2823	16
911	Restructuring of supported Pd by green solvents: an operando quick EXAFS (QEXAFS) study and implications for the derivation of structurefunction relationships in Pd catalysis. 2016 , 6, 8525-8531	7
910	Efficient and Versatile Interconnection Layer by Solvent Treatment of PEDOT:PSS Interlayer for Air-Processed Organic Tandem Solar Cells. 2016 , 3, 1600770	23
909	A fundamental study of the physicochemical properties of Rhodiasolv ^[] Polarclean: A promising alternative to common and hazardous solvents. 2016 , 224, 1163-1171	36
908	Analytical Eco-Scale for Assessing the Greenness of a Developed RP-HPLC Method Used for Simultaneous Analysis of Combined Antihypertensive Medications. 2016 , 99, 1260-5	40
907	Low-Temperature Photochemical Solution Deposition of Ferroelectric and Multiferroic Thin Films. 2016 , 163-199	4
906	Access toward Fluorenone Derivatives through Solvent-Free Ruthenium Trichloride Mediated [2 + 2 + 2] Cycloadditions. 2016 , 18, 5612-5615	19
905	One-pot, green synthetic route for construction of coumarin C-4 bridged 2,6-dicyanoanilines and their photophysical study. 2016 , 46, 2063-2072	4
904	A combination of natural deep eutectic solvents and microflow technology: a sustainable innovation for the tandem synthesis of 3-aminohexahydrocoumarins. <i>Green Chemistry</i> , 2016 , 18, 6450-6455	16
903	Tomato (Solanum Lycopersicum L.) Processing Main Product (Juice) and By-Product (Pomace) Bioactivity Potential Measured as Antioxidant Activity and Angiotensin-Converting Enzyme Inhibition. 2016 , 40, 1229-1237	12

902	Anticipatory life-cycle assessment of supercritical fluid synthesis of barium strontium titanate nanoparticles. <i>Green Chemistry</i> , 2016 , 18, 4924-4933	10	22
901	Promotional effect of ionic liquids in electrophilic fluorination of methylated uracils. 2016 , 6, 60556-60	564	5
900	Life cycle assessment of structured corrugation SiC-foam packing. 2016 , 133, 54-64		6
899	Water-compatible dummy molecularly imprinted resin prepared in aqueous solution for green miniaturized solid-phase extraction of plant growth regulators. 2016 , 1458, 9-17		31
898	First Report About the Use of Micellar Keggin Heteropolyacids as Catalysts in the Green Multicomponent Synthesis of Nifedipine Derivatives. 2016 , 146, 1634-1647		16
897	Thermomorphic solvent selection for homogeneous catalyst recovery based on COSMO-RS. 2016 , 99, 97-106		36
896	Modified Montmorillonite Clay Stabilized Silver Nanoparticles: An Active Heterogeneous Catalytic System for the Synthesis of Propargylamines. 2016 , 146, 656-665		16
895	Synthesis and characterization of bio-based alkyl terminal hyperbranched polyglycerols: a detailed study of their plasticization effect and migration resistance. <i>Green Chemistry</i> , 2016 , 18, 999-1009	10	50
894	Paradigms in Green Chemistry and Technology. 2016 ,		9
893	Preparation of Pd/Fe3O4 nanoparticles by use of Euphorbia stracheyi Boiss root extract: A magnetically recoverable catalyst for one-pot reductive amination of aldehydes at room temperature. 2016 , 464, 147-52		80
892	A new magnetically recoverable heterogeneous palladium catalyst for phosphonation reactions in aqueous micellar solution. 2016 , 30, 12-19		17
891	Solvent effects in catalysis: rational improvements of catalysts via manipulation of solvent interactions. 2016 , 6, 3302-3316		188
890	Magnetic Ionic Liquid in Magmolecular Process for Uranium Removal. 2016, 109, 108-115		13
889	5-Arylpyrimido-[4,5-b]quinoline-diones as new and sustainable corrosion inhibitors for mild steel in 1 M HCl: a combined experimental and theoretical approach. 2016 , 6, 15639-15654		108
888	Inverse supercritical fluid extraction as a sample preparation method for the analysis of the nanoparticle content in sunscreen agents. 2016 , 1440, 31-36		15
887	A Bop-downIn silico approach for designing ad hoc bio-based solvents: application to glycerol-derived solvents of nitrocellulose. <i>Green Chemistry</i> , 2016 , 18, 3239-3249	10	20
886	Synthesis of potential antioxidants by synergy of ultrasound and acidic graphene nanosheets as catalyst in water. 2016 , 83, 345-57		20
885	The Solvent Issue. 2016 , 77-85		

(2017-2016)

884	Current methodologies for a sustainable approach to Etonjugated organic semiconductors. 2016 , 9, 763-786		95
883	Response surface evaluation of microwave-assisted extraction conditions for Lycium barbarum bioactive compounds. 2016 , 33, 319-326		34
882	Highly concentrated and stable few-layers graphene suspensions in pure and volatile organic solvents. 2016 , 2, 17-23		15
881	Catalytic properties of the homologous series of the Ebrominated-pyrrole manganese(III) tetraphenylporphyrins. 2016 , 104, 52-57		12
880	CHEM21 selection guide of classical- and less classical-solvents. <i>Green Chemistry</i> , 2016 , 18, 288-296	10	913
879	Evaluation and analysis of environmentally sustainable methodologies for extraction of betulin from birch bark with a focus on industrial feasibility. <i>Green Chemistry</i> , 2016 , 18, 516-523	10	16
878	Operando XAFS of supported Pd nanoparticles in flowing ethanol/water mixtures: implications for catalysis. <i>Green Chemistry</i> , 2016 , 18, 406-411	10	21
877	Tunable solvents: Shades of green. 2016 , 99, 88-96		44
876	Misinterpretation of green chemistry. 2017 , 37, 686-687		10
875	Solubility and diffusivity of supercritical carbon dioxide in cellulose acetate with cosolvents. 2017 , 49, 23-36		7
874	Micellar promoted alkenes isomerization in water mediated by a cationic half-sandwich Ru(II) complex. 2017 , 455, 535-539		3
873	COSMO-CAMD: A framework for optimization-based computer-aided molecular design using COSMO-RS. 2017 , 159, 84-92		48
872	Trinuclear Ruthenium Macrocycles: Toward Supramolecular Water Oxidation Catalysis in Pure Water. 2017 , 2, 288-293		29
871	Flow Tools to Define Waste/Time/Energy-Minimized Protocols. 2017 , 165-192		1
870	Efficient synthesis of camptothecin propargylamine derivatives in water catalyzed by macroporous adsorption resin-supported gold nanoparticles. <i>Green Chemistry</i> , 2017 , 19, 1399-1406	10	20
869	Ionic-Liquid-Mediated Extraction and Separation Processes for Bioactive Compounds: Past, Present, and Future Trends. 2017 , 117, 6984-7052		492
868	Isoniazid: A Review of Characteristics, Properties and Analytical Methods. 2017 , 47, 298-308		23
867	Desulfurization of liquid fuel via extraction with imidazole-containing deep eutectic solvent. 2017 , 6,		5

866	Green extracts from Coratina olive cultivar leaves: Antioxidant characterization and biological activity. 2017 , 31, 63-70	72
865	Start of the Implementation of a New HPLC Method. 2017 , 1-29	1
864	Supercritical Fluids and Gas-Expanded Liquids. 2017 , 155-214	13
863	Ionic liquids as green and sustainable corrosion inhibitors for metals and alloys: An overview. 2017 , 233, 403-414	294
862	Solvent-free ruthenium trichloride-mediated [2 + 2 + 2] cycloaddition of ⊞diynes and cyanamides: a convenient access to 2-aminopyridines. 2017 , 4, 1063-1068	12
861	Advanced Biofuels and Beyond: Chemistry Solutions for Propulsion and Production. 2017 , 56, 5412-5452	175
860	Recycling of Analytical Grade Solvents on a Lab Scale with a Purpose-Built Temperature-Controlled Distillation Unit. 2017 , 21, 578-584	3
859	Synthese, motorische Verbrennung, Emissionen: Chemische Aspekte des Kraftstoffdesigns. 2017 , 129, 5500-5544	35
858	Enhancement of the CO2-philicity of poly(vinyl ester)s by end-group modification with branched chains. 2017 , 127, 129-136	9
857	Photocatalytic Activity of the Molecular Complexes of meso-Tetraarylporphyrins with Lewis Acids for the Oxidation of Olefins: Significant Effects of Lewis Acids and meso Substituents. 2017 , 2017, 2854-2862	11
8 ₅₇		410
	for the Oxidation of Olefins: Significant Effects of Lewis Acids and meso Substituents. 2017 , 2017, 2854-2862	
856	for the Oxidation of Olefins: Significant Effects of Lewis Acids and meso Substituents. 2017, 2017, 2854-2862 Multiscale Studies on Ionic Liquids. 2017, 117, 6636-6695 One-step in-syringe dispersive liquid Iquid microextraction and GC-FID determination of trace	410
856 855	for the Oxidation of Olefins: Significant Effects of Lewis Acids and meso Substituents. 2017, 2017, 2854-2862 Multiscale Studies on Ionic Liquids. 2017, 117, 6636-6695 One-step in-syringe dispersive liquid Iquid microextraction and GC-FID determination of trace amounts of di(2-ethylhexyl) phthalate and its metabolite in human urine samples. 2017, 72, 557-561 Supported Gold Nanoparticles for Alcohols Oxidation in Continuous-Flow Heterogeneous Systems.	410
856 855 854	for the Oxidation of Olefins: Significant Effects of Lewis Acids and meso Substituents. 2017, 2017, 2854-2862 Multiscale Studies on Ionic Liquids. 2017, 117, 6636-6695 One-step in-syringe dispersive liquidIlquid microextraction and GC-FID determination of trace amounts of di(2-ethylhexyl) phthalate and its metabolite in human urine samples. 2017, 72, 557-561 Supported Gold Nanoparticles for Alcohols Oxidation in Continuous-Flow Heterogeneous Systems. 2017, 5, 4746-4756 Glycerol as a Recyclable Solvent for Copper-Mediated Ligand-Free C-S Cross-Coupling Reaction:	410 8 30
856 855 854 853	for the Oxidation of Olefins: Significant Effects of Lewis Acids and meso Substituents. 2017, 2017, 2854-2862 Multiscale Studies on Ionic Liquids. 2017, 117, 6636-6695 One-step in-syringe dispersive liquidIlquid microextraction and GC-FID determination of trace amounts of di(2-ethylhexyl) phthalate and its metabolite in human urine samples. 2017, 72, 557-561 Supported Gold Nanoparticles for Alcohols Oxidation in Continuous-Flow Heterogeneous Systems. 2017, 5, 4746-4756 Glycerol as a Recyclable Solvent for Copper-Mediated Ligand-Free C-S Cross-Coupling Reaction: Application to Synthesis of Gemmacin Precursor. 2017, 2, 4852-4856 X-ray photoelectron spectroscopy of trihalide ionic liquids: Comparison to halide-based analogues,	410 8 30 8
856 855 854 853 852	for the Oxidation of Olefins: Significant Effects of Lewis Acids and meso Substituents. 2017, 2017, 2854-2862 Multiscale Studies on Ionic Liquids. 2017, 117, 6636-6695 One-step in-syringe dispersive liquidIlquid microextraction and GC-FID determination of trace amounts of di(2-ethylhexyl) phthalate and its metabolite in human urine samples. 2017, 72, 557-561 Supported Gold Nanoparticles for Alcohols Oxidation in Continuous-Flow Heterogeneous Systems. 2017, 5, 4746-4756 Glycerol as a Recyclable Solvent for Copper-Mediated Ligand-Free C-S Cross-Coupling Reaction: Application to Synthesis of Gemmacin Precursor. 2017, 2, 4852-4856 X-ray photoelectron spectroscopy of trihalide ionic liquids: Comparison to halide-based analogues, anion basicity and beam damage. 2017, 679, 207-211	410 8 30 8 7

848	Quantitative NMR Approach to Optimize the Formation of Chemical Building Blocks from Abundant Carbohydrates. 2017 , 10, 2990-2996	22
847	Screwing NaBH4 through a Barrel without a Bang: A Kneaded Alternative to Fed-Batch Carbonyl Reductions. 2017 , 21, 992-1002	9
846	Using green solvent, triethyl phosphate (TEP), to fabricate highly porous PVDF hollow fiber membranes for membrane distillation. 2017 , 539, 295-304	62
845	The study of metal-free and palladium-catalysed synthesis of benzochromenes via direct C⊞ arylation using unactivated aryl benzyl ethers derived from essential oils as raw materials. 2017 , 4, 1736-1744	13
844	High-performance monoliths in heterogeneous catalysis with single-phase liquid flow. 2017 , 2, 498-511	25
843	Probing the impact of the cation acidity on the cation-anion interaction in ionic liquids by X-ray photoelectron spectroscopy. 2017 , 677, 60-64	10
842	Tuning the electronic environment of the anion by using binary ionic liquid mixtures. 2017, 681, 40-43	17
841	Palladium Nanoparticles Immobilized on Individual Calcium Carbonate Plates Derived from Mussel Shell Waste: An Ecofriendly Catalyst for the Copper-Free Sonogashira Coupling Reaction. 2017 , 12, 2221-2230	10
840	A green, facile, and rapid method for microextraction and Raman detection of titanium dioxide nanoparticles from milk powder. 2017 , 7, 21380-21388	19
839	Efficient total synthesis of neocryptolepine and synthetic access to 6-methylquinindoline from a common intermediate. 2017 , 7, 28298-28307	11
838	Low-Temperature Thermal CVD of Superblack Carbon Nanotube Coatings. 2017 , 4, 1700238	12
837	Organic solar cells processed from green solvents. 2017 , 5, 49-54	56
836	Water as green extraction solvent: Principles and reasons for its use. 2017 , 5, 31-36	56
835	Extraction with environmentally friendly solvents. 2017 , 91, 12-25	157
834	Recent Advances in Nonaqueous Extraction of Bitumen from Mineable Oil Sands: A Review. 2017 , 21, 492-510	29
833	Turbo-extraction of glycosides from Stevia rebaudiana using a fractional factorial design. 2017 , 27, 510-518	10
832	Gas expanded liquids and switchable solvents. 2017 , 5, 24-30	41
831	An overview of advances in dispersive liquid I quid microextraction for the extraction of pesticides and emerging contaminants from environmental samples. 2017 , 14, 1-18	58

830	Fluorinated Unsymmetrical N,N'-Diaryl Imidazolium Salts-New Functionalized NHC-Ligand Precursors. 2017 , 23, 6663-6674	20
829	Applying green analytical chemistry for development and validation of RP-HPLC stability indicating assay method for estimation of fenoverine in bulk and dosage form using quality by design approach. 2017 , 40, 340-352	8
828	Greener organic solvents in analytical chemistry. 2017 , 5, 1-4	41
827	Laccase-catalyzed green synthesis and cytotoxic activity of novel pyrimidobenzothiazoles and catechol thioethers. 2017 , 7, 17427-17441	24
826	Environmental risk-based ranking of solvents using the combination of a multimedia model and multi-criteria decision analysis. <i>Green Chemistry</i> , 2017 , 19, 1034-1042	84
825	Delayed release of a fragrance from novel ionic liquids. 2017 , 41, 1037-1045	5
824	Acid/Phosphide-Induced Radical Route to Alkyl and Alkenyl Sulfides and Phosphonothioates from Sodium Arylsulfinates in Water. 2017 , 82, 382-389	47
823	Methodology for Replacing Dipolar Aprotic Solvents Used in API Processing with Safe Hydrogen-Bond Donor and Acceptor Solvent-Pair Mixtures. 2017 , 21, 114-124	31
822	Hemin-utilizing G-quadruplex DNAzymes are strongly active in organic co-solvents. 2017, 1861, 1455-1462	19
821	Mesoporous guar galactomannan based biocomposite aerogels through enzymatic crosslinking. 2017 , 94, 93-103	24
820	Nanostructure, hydrogen bonding and rheology in choline chloride deep eutectic solvents as a function of the hydrogen bond donor. 2017 , 19, 3297-3306	187
819	H-Atom Abstraction Reactions by Ground-State Ozone from Saturated Oxygenates. 2017 , 121, 8053-8060	5
818	A deep eutectic solvent-based extraction method for fast determination of Hg in marine fish samples by cold vapor atomic absorption spectrometry. 2017 , 9, 5741-5748	14
817	Sustainable Route in Preparation of Polymeric Membranes. 2017 , 97-120	3
816	Mass Efficiency of Alkene Syntheses with Tri- and Tetrasubstituted Double Bonds. 2017 , 5, 10459-10473	24
815	TamiSolve [®] NxG as novel solvent for polymeric membrane preparation. 2017 , 542, 418-429	36
814	Development of a General Protocol To Prepare 2H-1,3-Benzoxazine Derivatives. 2017 , 21, 1547-1556	4
813	Facile Synthesis of Indolizines via 1,3-Dipolar Cycloadditions in [Omim]Br: The Promotion of the Reaction through Noncovalent Interactions. 2017 , 5, 9279-9285	28

812	Fabrication of Lead-Free (CH NH) Bi I Perovskite Photovoltaics in Ethanol Solvent. 2017, 10, 3994-3998	26
811	Integrated process for purification of capsaicin using aqueous two-phase systems based on ethanol. 2017 , 106, 1-10	22
810	Visible Light Driven Coupling of 2-aminopyridines and Eketo Vinyl Azides for the Synthesis of Imidazo[1, 2-a]pyridines and Their Cytotoxicity. 2017 , 2, 8158-8161	9
809	One-Pot Synthesis of Hydroxysulfones and Its Application in the Preparation of Anticancer Drug Bicalutamide. 2017 , 82, 10628-10634	34
808	Lignin transformations for high value applications: towards targeted modifications using green chemistry. <i>Green Chemistry</i> , 2017 , 19, 4200-4233	384
807	Pineapple peel wastes as a potential source of antioxidant compounds. 2017 , 60, 012013	17
806	Teaching Green Chemistry with Epoxidized Soybean Oil. 2017 , 94, 1314-1318	16
805	Chalcone: A Valuable Scaffold Upgrading by Green Methods. 2017 , 5, 7467-7480	22
804	Catalyst-Free, Glycerol-Assisted Facile Approach to Imidazole-Fused Nitrogen-Bridgehead Heterocycles. 2017 , 2, 6082-6089	12
803	[Cu(phen)(PPh3)2]NO3-catalyzed microwave-assisted green synthesis of 5-substituted 1H-tetrazoles. 2017 , 43, 7365-7374	9
803		9
	1H-tetrazoles. 2017 , 43, 7365-7374 Validated Chromatographic Methods for the Simultaneous Determination of Sulfacetamide Sodium	
802	1H-tetrazoles. 2017, 43, 7365-7374 Validated Chromatographic Methods for the Simultaneous Determination of Sulfacetamide Sodium and Prednisolone Acetate in their Ophthalmic Suspension. 2017, 55, 1000-1005 Preparation of Poly(vinylidene fluoride) Lithium-Ion Battery Separators and Their Compatibilization	6
802	1H-tetrazoles. 2017, 43, 7365-7374 Validated Chromatographic Methods for the Simultaneous Determination of Sulfacetamide Sodium and Prednisolone Acetate in their Ophthalmic Suspension. 2017, 55, 1000-1005 Preparation of Poly(vinylidene fluoride) Lithium-Ion Battery Separators and Their Compatibilization with Ionic Liquid IA Green Solvent Approach. 2017, 2, 5394-5402 Highly efficient, one-pot synthesis of novel bis-spirooxindoles with skeletal diversity via sequential	6 23
802 801 800	Validated Chromatographic Methods for the Simultaneous Determination of Sulfacetamide Sodium and Prednisolone Acetate in their Ophthalmic Suspension. 2017, 55, 1000-1005 Preparation of Poly(vinylidene fluoride) Lithium-Ion Battery Separators and Their Compatibilization with Ionic Liquid IA Green Solvent Approach. 2017, 2, 5394-5402 Highly efficient, one-pot synthesis of novel bis-spirooxindoles with skeletal diversity via sequential multi-component reaction in PEG-400 as a biodegradable solvent. 2017, 7, 39502-39511	6 23 15
802 801 800	Validated Chromatographic Methods for the Simultaneous Determination of Sulfacetamide Sodium and Prednisolone Acetate in their Ophthalmic Suspension. 2017, 55, 1000-1005 Preparation of Poly(vinylidene fluoride) Lithium-Ion Battery Separators and Their Compatibilization with Ionic Liquid [A Green Solvent Approach. 2017, 2, 5394-5402 Highly efficient, one-pot synthesis of novel bis-spirooxindoles with skeletal diversity via sequential multi-component reaction in PEG-400 as a biodegradable solvent. 2017, 7, 39502-39511 MetalBrganic frameworks meet scalable and sustainable synthesis. <i>Green Chemistry</i> , 2017, 19, 2729-2747 _{LO}	6 23 15 220
802 801 800 799 798	Validated Chromatographic Methods for the Simultaneous Determination of Sulfacetamide Sodium and Prednisolone Acetate in their Ophthalmic Suspension. 2017, 55, 1000-1005 Preparation of Poly(vinylidene fluoride) Lithium-Ion Battery Separators and Their Compatibilization with Ionic Liquid IA Green Solvent Approach. 2017, 2, 5394-5402 Highly efficient, one-pot synthesis of novel bis-spirooxindoles with skeletal diversity via sequential multi-component reaction in PEG-400 as a biodegradable solvent. 2017, 7, 39502-39511 Metalörganic frameworks meet scalable and sustainable synthesis. <i>Green Chemistry</i> , 2017, 19, 2729-274760 Poly(ether imide sulfone) Membranes from Solutions in Ionic Liquids. 2017, 56, 14914-14922	6 23 15 220

794	Optimization of reaction conditions and the donor substrate in the synthesis of hexyl-Ed-galactoside. 2017 , 58, 128-136		10
793	Solvent-Free Toner Printing of Organic Semiconductor Layer in Flexible Thin-Film Transistors. 2017 , 8,		3
792	A data-driven strategy for predicting greenness scores, rationally comparing synthetic routes and benchmarking PMI outcomes for the synthesis of molecules in the pharmaceutical industry. <i>Green Chemistry</i> , 2017 , 19, 127-139	10	31
791	Thiourea in the Construction of CB Bonds as Part of an Undergraduate Organic Chemistry Laboratory Course. 2017 , 94, 244-247		11
790	Copper(I) oxide nanoparticles supported on magnetic casein as a bio-supported and magnetically recoverable catalyst for aqueous click chemistry synthesis of 1,4-disubstituted 1,2,3-triazoles. 2017 , 31, e3559		16
789	Long Alkyl Chain NHC Palladium Complexes for the Amination and Hydrodehalogenation of Aryl Chlorides in Lipophilic Media. 2017 , 9, 547-550		16
788	Simultaneous separation of antihyperlipidemic drugs by green ultrahigh-performance liquid chromatography-diode array detector method: Improving the health of liquid chromatography. 2017 , 25, 430-437		8
787	Synthesis of mesoporous Ca-MCM catalysts and their use in suitable multicomponent synthesis of polyfunctionalized pyrans. 2017 , 43, 2103-2118		4
786	Highly clean and efficient enzymatic dehairing in green solvents. 2017, 140, 1578-1586		6
7 ⁸ 5	Vegetable Oils as Alternative Solvents for Green Oleo-Extraction, Purification and Formulation of Food and Natural Products. 2017 , 22,		74
784	Green/Alternative Solvents. 2017 , 611-619		2
783	Initial Considerations. 2017 , 3-16		2
782	Effect of retained chlorine in ENCATIBO catalysts on the development of encapsulated Pd: insights from in situ Pd K, L3 and Cl K-edge XAS. 2017 , 3, 149-156		4
781	1.4 Basic Aspects in Polymeric Membrane Preparation. 2017 , 65-84		4
780	Development and Validation of Eco-Friendly Liquid Chromatographic and Spectrophotometric Methods for Simultaneous Determination of Coformulated Drugs: Phenylephrine Hydrochloride and Prednisolone Acetate. 2017 , 100, 1761-1770		4
779	Integration of Inverse Supercritical Fluid Extraction and Miniaturized Asymmetrical Flow Field-Flow Fractionation for the Rapid Analysis of Nanoparticles in Sunscreens. 2018 , 90, 3189-3195		7
778	Bio-Based Chiral Amines via Aza-Michael Additions to (PLevoglucosenone Under Aqueous Conditions. 2018 , 2018, 2028-2038		7
777	Three-component one-pot synthesis of N-arylsulfonyl-2-iminocoumarins. 2018 , 74, 1900-1907		8

776	A recyclable hybrid manganese(III) porphyrin magnetic catalyst for selective olefin epoxidation using molecular oxygen. 2018 , 22, 331-341	14
775	Organocatalyzed Synthesis of Medicinally Important Chromeno[2, 3-d]pyrimidine-triones in Biodegradable Reaction Medium. 2018 , 3, 2565-2570	5
774	Supercritical Fluid Flow Synthesis to Support Sustainable Production of Engineered Nanomaterials: Case Study of Titanium Dioxide. 2018 , 6, 5142-5151	15
773	A waste-minimized protocol for copper-catalyzed Ullmann-type reaction in a biomass derived furfuryl alcohol/water azeotrope. <i>Green Chemistry</i> , 2018 , 20, 1634-1639	27
772	Application of Life Cycle Assessment to Green Chemistry Objectives. 2018 , 1-28	
771	Surface Enrichment in Equimolar Mixtures of Non-Functionalized and Functionalized Imidazolium-Based Ionic Liquids. 2018 , 19, 1733-1745	13
77°	Chemometrics-assisted spectrophotometric green method for correcting interferences in biowaiver studies: Application to assay and dissolution profiling study of donepezil hydrochloride tablets. 2018 , 199, 328-339	7
769	The Green ChemisTREE: 20 years after taking root with the 12 principles. <i>Green Chemistry</i> , 2018 , 20, 192 9 d9	61313
768	An updated review on use of tomato pomace and crustacean processing waste to recover commercially vital carotenoids. 2018 , 108, 516-529	47
767	A facile route to ionic liquids-functionalized ZnO nanorods for the fluorometric sensing of thiabendazole drug. 2018 , 261, 137-145	4
766	Solvent Effect in Hydrogenolysis of Xylitol over Bifunctional Ru/MnO/C Catalysts under Alkaline-Free Conditions. 2018 , 6, 4076-4085	23
765	Lignin-First Approach to Biorefining: Utilizing Fenton Reagent and Supercritical Ethanol for the Production of Phenolics and Sugars. 2018 , 6, 4958-4965	42
764	Polyacrylamide "revisited": UCST-type reversible thermoresponsive properties in aqueous alcoholic solutions. 2018 , 14, 1336-1343	13
763	Green synthesis of new pyrrolidine-fused spirooxindoles three-component domino reaction in EtOH/HO 2018 , 8, 5702-5713	28
762	Quality by Design (QbD) and the Development and Manufacture of Drug Substance. 2018, 61-95	1
761	Green Analytical Chemistry. 2018 , 43-70	
760	Green Anti-Solvent Processed Planar Perovskite Solar Cells with Efficiency Beyond 19%. 2018 , 2, 1700213	65
759	Adsorption characteristics of green 5-arylaminomethylene pyrimidine-2,4,6-triones on mild steel surface in acidic medium: Experimental and computational approach. 2018 , 8, 657-670	26

758	Zein[laponite nanocomposites with improved mechanical, thermal and barrier properties. 2018, 53, 7387-7402	21
757	Digital lithography based on renewable materials as a tool for environmentally benign microfabrication. 2018 , 172, 3092-3101	1
756	Unravelling 2-aminoquinazolin-4(3H)-one as an organocatalyst for the chemoselective reduction of nitroarenes. 2018 , 42, 1373-1378	4
755	Synthesis and characterization of fused imidazole heterocyclic selenoesters and their application for chemical detoxification of HgCl2. 2018 , 42, 2702-2710	4
754	Recovery of functional compounds from lignocellulosic material: An innovative enzymatic approach. 2018 , 22, 26-31	8
753	Green and Sustainable Solvents in Chemical Processes. 2018 , 118, 747-800	794
752	An eco-compatible pathway to the synthesis of mono and bis-multisubstituted imidazoles over novel reusable ionic liquids: an efficient and green sonochemical process 2018 , 8, 16392-16399	12
751	Green Chemistry Metrics. 2018 , 1-28	4
750	Evaluation of the Physicochemical Properties and Active Response of Piezoelectric Poly(vinylidene fluoride-co-trifluoroethylene) as a Function of Its Microstructure. 2018 , 122, 11433-11441	7
749	1,3-Regiospecific ethanolysis of soybean oil catalyzed by crosslinked porcine pancreas lipase aggregates. 2018 , 34, 910-920	18
748	Iodine-Catalyzed Isomerization of Dimethyl Muconate. 2018 , 11, 1768-1780	11
747	Green and Bio-Based Solvents. 2018 , 376, 18	99
746	A sustainable strategy for the synthesis of bis-2-iminothiazolidin-4-ones utilizing novel series of asymmetrically substituted bis-thioureas as viable precursors 2018 , 8, 10516-10521	16
745	Toward non-toxic and simple recovery process of poly(3-hydroxybutyrate) using the green solvent 1,3-dioxolane. 2018 , 69, 197-207	11
744	Green gas chromatographic stability-indicating method for the determination of Lacosamide in tablets. Application to in-vivo human urine profiling. 2018 , 1083, 75-85	11
743	Molecular simulation of binary phase diagrams from the osmotic equilibrium method: vapour pressure and activity in water thanol mixtures. 2018 , 116, 2009-2021	6
742	Life Cycle Assessment of Novel Aircraft Interior Panels Made from Renewable or Recyclable Polymers with Natural Fiber Reinforcements and Non-Halogenated Flame Retardants. 2018 , 22, 132-144	17
741	Development and validation of a green RP-HPLC method for the analysis of rosuvastatin: a step towards making liquid chromatography environmentally benign. 2018 , 7, 160-169	10

740	Carotenoid extraction methods: A review of recent developments. 2018, 240, 90-103	341
739	Pre-selection and assessment of green organic solvents by clustering chemometric tools. 2018 , 147, 292-298	12
738	Simultaneous extraction, transformation and purification of psoralen from fig leaves using pH-dependent ionic liquid solvent based aqueous two-phase system. 2018 , 172, 827-836	13
737	Environmentally friendly procedure based on VA-MSPD for the determination of booster biocides in fish tissue. 2018 , 242, 475-480	16
736	Investigation of dermal toxicity of ionic liquids in monolayer-cultured skin cells and 3D reconstructed human skin models. 2018 , 46, 194-202	39
735	LiquidIIquid extraction of biopharmaceuticals from fermented broth: trends and future prospects. 2018 , 93, 1845-1863	23
734	Optimization of the chromatographic behaviors of quercetin using choline chloride-based deep eutectic solvents as HPLC mobile-phase additives. 2018 , 53, 397-403	14
733	Metabolite profiling of green, green/red, and red lettuce cultivars: Variation in health beneficial compounds and antioxidant potential. 2018 , 105, 361-370	51
732	Bioinspired water-soluble two-photon fluorophores. 2018 , 150, 105-111	20
731	Sustainable Eco-Friendly Ultra-High-Performance Liquid Chromatographic Method for Simultaneous Determination of Caffeine and Theobromine in Commercial Teas: Evaluation of Greenness Profile Using NEMI and Eco-Scale Assessment Tools. 2018 , 101, 1781-1787	18
730	Benzethonium Chloride Catalyzed one Pot Synthesis of 2,4,5-Trisubstituted Imidazoles and 1,2,4,5-Tetrasubstituted Imidazoles in Aqueous Ethanol As A Green Solvent. 2018 , 34, 3004-3015	8
729	Nanoparticles based on lipidyl-Etyclodextrins: synthesis, characterization, and experimental and computational biophysical studies for encapsulation of atazanavir. 2018 , 42, 20171-20179	5
728	Synthesis and Characterization of Selective Chemosensor for Copper and Nickel ions. 2018 , 5, 16782-16789	1
727	l-Proline catalyzed one-pot synthesis of polysubstituted pyridine system incorporating benzothiazole moiety sustainable sonochemical approach 2018 , 8, 37606-37617	14
726	An efficient synthesis of imidazo[2,1-b][1,3,4]thiadiazol-7-ium hydroxides by a one-pot, three-component reaction in water. 2018 , 24, 297-302	2
725	Microwave-Assisted Solvothermal Synthesis of Upconverting and Downshifting Rare-Earth-Doped LiYF Microparticles. 2018 , 57, 14920-14929	14
724	A Green Process for the Extraction and Purification of Hesperidin from Mexican Lime Peel (Citrus aurantifolia Swingle) that is Extendible to the Citrus Genus. 2018 , 6, 266	14
723	Development of green bioanalytical hplc method for estimation of irbesartan in rat plasma: Towards greener chromatographic science. 2018 , 10, 84-88	

722	Preparation of asphalt-based microporous organic polymers catalyzed by heteropoly acids. <i>Green Chemistry</i> , 2018 , 20, 4746-4751	10
721	Development and validation of an eco-friendly SPE-HPLC-MS method for simultaneous determination of selected parabens and bisphenol A in personal care products: Evaluation of the greenness profile of the developed method. 2018 , 41, 621-628	12
720	Greenlethers as solvent alternatives for anionic ring-opening polymerizations of ethylene oxide (EO): In-situ kinetic and advanced characterization studies. 2018 , 159, 86-94	8
719	Influence of the Preparation Method and Photo-Oxidation Treatment on the Thermal and Gas Transport Properties of Dense Films Based on a Poly(ether-block-amide) Copolymer. 2018 , 11,	18
718	The Role of Green Solvents and Catalysts at the Future of Drug Design and of Synthesis. 2018,	8
717	A Biphasic Medium Slows Down the Transfer Hydrogenation and Allows a Selective Catalytic Deuterium Labeling of Amines from Imines Mediated by a RuH/D+ Exchange in D2O. 2018 , 10, 5541-5550	10
716	Effect of the Solvent in Enhancing the Selectivity to Furan Derivatives in the Catalytic Hydrogenation of Furfural. 2018 , 6, 16235-16247	28
715	From the Front or Back Door? Quantitative analysis of direct and indirect extractions of Hardmangostin from mangosteen (Garcinia mangostana). 2018 , 13, e0205753	1
714	Life Cycle Assessment. 2018, 95-124	
713	Laboratory extraction of microalgal lipids using sugarcane bagasse derived green solvents. 2018 , 35, 292-300	19
712	Bismuth-Catalyzed Synthesis of 2-Substituted Quinazolinones. 2018 , 59, 3801-3805	13
711	Designing Eco-Sustainable Dye-Sensitized Solar Cells by the Use of a Menthol-Based Hydrophobic Eutectic Solvent as an Effective Electrolyte Medium. 2018 , 24, 17656-17659	32
710	An overview of cosmeceutically relevant plant extracts and strategies for extraction of plant-based bioactive compounds. 2018 , 112, 69-85	46
709	Protective Bleaching of Camel Hair in a Neutral Ethanol?Water System. 2018 , 10,	3
708	Environmentally friendly dyeing of cotton in an ethanol later mixture with excellent exhaustion. Green Chemistry, 2018, 20, 4473-4483	54
707	The mesoscale oscillatory baffled reactor facilitates intensified kinetics screening when the solvent is removed. 2018 , 129, 51-62	3
706	Dehydration/Rehydration Cycles for Mixing Phospholipids without the Use of Organic Solvents. 2018 , 34, 6869-6873	3
705	A novel green one-pot synthesis of biodiesel from Ricinus communis seeds by basic heterogeneous catalysis. 2018 , 196, 340-349	19

(2018-2018)

704	Synthesis and Characterization of Lignin Hydrogels for Potential Applications as Drug Eluting Antimicrobial Coatings for Medical Materials. 2018 , 6, 9037-9046	98
703	Development and validation of HPTLC and green HPLC methods for determination of furosemide, spironolactone and canrenone, in pure forms, tablets and spiked human plasma. 2018 , 32, e4304	11
702	Sodium dodecyl benzene sulfonate-catalyzed reaction for aromatic aldehydes with 1-phenyl-3-methyl-5-pyrazolone in aqueous media. 2018 , 11, 217-223	18
701	Direct current dielectrophoretic manipulation of the ionic liquid droplets in water. 2018 , 1558, 96-106	7
700	An overview on plant extracts as environmental sustainable and green corrosion inhibitors for metals and alloys in aggressive corrosive media. 2018 , 266, 577-590	200
699	Investigation of green and sustainable solvents for direct arylation polymerization (DArP). 2018 , 9, 3885-3892	24
698	Organic Solvents in Sustainable Synthesis and Engineering. 2018, 513-553	32
697	Life-cycle assessment on food waste valorisation to value-added products. 2018 , 199, 840-848	47
696	Chiral recognition of liquid phase dimers from gamma-valerolactone racemic mixture. 2018, 24, 215	1
695	Palladium nanodendrites uniformly deposited on the surface of polymers as an efficient and recyclable catalyst for direct drug modification via Z-selective semihydrogenation of alkynes. <i>Green</i> 10 <i>Chemistry</i> , 2018 , 20, 3875-3883	5
694	A molecular basis to rare earth separations for recycling: tuning the TriNOx ligand properties for improved performance. 2018 , 54, 10276-10279	18
693	Avoiding hot-spots in Microwave-assisted Pd/C catalysed reactions by using the biomass derived solvent EValerolactone. 2018 , 8, 10571	20
692	Optimal molecular design towards an environmental friendly solvent recovery process. 2018, 117, 391-409	10
691	Investigation of the Use of a Bio-Derived Solvent for Non-Solvent-Induced Phase Separation (NIPS) Fabrication of Polysulfone Membranes. 2018 , 8,	52
690	The Potential of Phytomelatonin as a Nutraceutical. 2018, 23,	38
689	Greening Reversed-Phase Liquid Chromatography Methods Using Alternative Solvents for Pharmaceutical Analysis. 2018 , 23,	66
688	Recycling within the Chemical Industry: The Circular Economy Era. 2018, 3, 22	16
687	Synergetic catalytic effect of rGO, Pd, Fe3O4 and PPy as a magnetically separable and recyclable nanocomposite for coupling reactions in green media. 2018 , 32, e4439	5

686	Sensitized triplet-triplet annihilation upconversion in water and its application to photochemical transformations. 2018 , 9, 6670-6678		54
685	Analytical Investigation on Green Smart Spectrophotometric Methods Utilizing Unified Regression Equation. 2018 , 8, 268-276		О
684	Magnetic chitosan graphene oxide composite for solid phase extraction of phenylurea herbicides. 2018 , 199, 461-472		42
683	Determination of flutamide and two major metabolites using HPLC-DAD and HPTLC methods. 2018 , 12, 4		13
682	Ethanol: A Promising Green Solvent for the Deconstruction of Lignocellulose. 2018 , 11, 3559-3575		45
681	Making Benzoxazines Greener: Design, Synthesis, and Polymerization of a Biobased Benzoxazine Fulfilling Two Principles of Green Chemistry. 2018 , 6, 13096-13106		70
680	Ionic Liquids as Green Corrosion Inhibitors for Industrial Metals and Alloys. 2018,		6
679	Fast extraction of cannabinoids in marijuana samples by using hard-cap espresso machines. 2018 , 190, 321-326		15
678	Fucoxanthin and Polyunsaturated Fatty Acids Co-Extraction by a Green Process. 2018, 23,		27
677	A borrowing hydrogen methodology: palladium-catalyzed dehydrative N-benzylation of 2-aminopyridines in water. <i>Green Chemistry</i> , 2018 , 20, 3044-3049	10	23
676	Choline based ionic liquids as sustainable corrosion inhibitors on mild steel surface in acidic medium: Gravimetric, electrochemical, surface morphology, DFT and Monte Carlo simulation studies. 2018 , 457, 134-149		107
675	1-Butanol as a Solvent for Efficient Extraction of Polar Compounds from Aqueous Medium: Theoretical and Practical Aspects. 2018 , 122, 6975-6988		17
674	Solvent Additives: Key Morphology-Directing Agents for Solution-Processed Organic Solar Cells. 2018 , 30, e1707114		228
673	Copper-catalyzed hydroboration of alkenyl oxindoles. 2018 , 59, 2784-2787		7
672	In-situ transesterification of Jatropha curcas L. seeds using homogeneous and heterogeneous basic catalysts. 2019 , 235, 277-287		42
671	Ionic liquid-based extraction and separation trends of bioactive compounds from plant biomass. 2019 , 54, 559-579		19
670	HPLC purification technique: synthesis of unsymmetrical thiobarbituric acids. 2019 , 5, e02008		1
669	Computer-aided design of optimal environmentally benign solvent-based adhesive products. 2019 , 130, 106518		13

668	Ethyl Lactate: A Green Solvent for Olefin Metathesis. 2019 , 12, 4655-4661	19
667	Process Considerations for the Application of Enzymes. 2019 , 71-94	1
666	Influence of an ester directing-group on defect formation in the synthesis of conjugated polymers via direct arylation polymerization (DArP) using sustainable solvents. 2019 , 10, 4561-4572	19
665	Volcanic ash as reusable catalyst in the green synthesis of 3H-1,5-benzodiazepines. 2019 , 8, 600-610	9
664	Editorial overview: A closer look on sustainable solvents and processes. 2019 , 18, A4-A6	
663	Recyclable iron(ii) caffeine-derived ionic salt catalyst in the Diels-Alder reaction of cyclopentadiene and <code>Hunsaturated</code> -acyl-oxazolidinones in dimethyl carbonate 2019 , 9, 21956-21963	5
662	Plant Based G reen Chemistry 2.00 2019 ,	3
661	From Petroleum to Bio-Based Solvents: From Academia to Industry. 2019 , 51-87	2
660	Applicability of Organic Carbonates as Green Solvents for Membrane Preparation. 2019 , 7, 13774-13785	39
659	Noncovalent Immobilization of Cationic Ruthenium Complex in a Metal@rganic Framework by Ion Exchange Leading to a Heterogeneous Olefin Metathesis Catalyst for Use in Green Solvents. 2019 , 38, 3397-3405	16
658	Molecular gel sorbent materials for environmental remediation and wastewater treatment. 2019 , 7, 18759-18791	57
657	Novel hydrophobic deep eutectic solvent for vortex assisted dispersive liquid-liquid micro-extraction of two auxins in water and fruit juice samples and determination by high performance liquid chromatography. 2019 , 150, 104130	26
656	Routine analytical method for monitoring the main metabolites for a recurrent group of parabens and pharmaceuticals in wastewater and tap water. 2019 , 411, 6625-6635	9
655	Direct extraction of astaxanthin from the microalgae using liquid-liquid chromatography 2019 , 9, 22779-22	782 5
654	Production of starch nanoparticles through solvent-antisolvent precipitation in a spinning disc reactor. 2019 , 8, 507-515	13
653	Sustainable Design and Manufacturing 2019. 2019 ,	5
652	Application of Natural Deep Eutectic Solvents in the Extraction of Quercetin from Vegetables. 2019 , 24,	26
651	Alkynyl- or Azido-Functionalized 1,2,3-Triazoles: Selective MonoCuAAC Promoted by Physical Factors. 2019 , 4, 7470-7475	5

650	The periodic table of the elements of green and sustainable chemistry. <i>Green Chemistry</i> , 2019 , 21, 6545-6566	57
649	Electrochemical conversion of a bio-derivable hydroxy acid to a drop-in oxygenate diesel fuel. 2019 , 12, 2406-2411	31
648	Reactivity of Carbenes in Aqueous Nanomicelles Containing Palladium Nanoparticles. 2019 , 9, 10963-10970	19
647	Direct Wavelength-Selective Optical and Electron-Beam Lithography of Functional Inorganic Nanomaterials. 2019 , 13, 13917-13931	35
646	Use of Deep Eutectic Solvents in Polymer Chemistry-A Review. 2019 , 24,	40
645	One-pot photocalalytic reductive formylation of nitroarenes via multielectron transfer by carbon nitride in functional eutectic medium. 2019 , 380, 186-194	14
644	Ranking of Heterogeneous Catalysts Metals by Their Greenness. 2019 , 7, 18434-18443	11
643	Heterogeneous Catalyzed Thermochemical Conversion of Lignin Model Compounds: An Overview. 2019 , 377, 36	10
642	Comparison of microwave, ultrasonic and conventional techniques for extraction of bioactive compounds from olive leaves (Olea europaea L.). 2019 , 58, 102234	39
641	Ethanol extraction of canola oil: Kinetics and effects of type of solvent and microwave-pretreatment. 2019 , 26, 27	5
640	Application of Ionic Liquids in Separation and Fractionation Processes. 2019 , 637-665	1
639	Unravelling donor ceptor film morphology formation for environmentally-friendly OPV ink formulations. <i>Green Chemistry</i> , 2019 , 21, 5090-5103	22
638	Permeability of frog skin to chemicals: effect of penetration enhancers. 2019 , 5, e02127	9
637	Chemistry in supercritical fluids for the synthesis of metal nanomaterials. 2019 , 4, 2030-2054	20
636	Recent Advances in the Green, Sustainable Synthesis of Semiconducting Polymers. 2019 , 1, 670-681	23
635	Ru@UiO-66(Ce) catalyzed acceptorless dehydrogenation of primary amines to nitriles: the roles of Lewis acidBase pairs in the reaction. <i>Green Chemistry</i> , 2019 , 21, 5386-5393	20
634	Gold-Nanoparticle-Embedded Poly(N-isopropylacrylamide) Microparticles for Selective Quasi-Homogeneous Catalytic Homocoupling Reactions. 2019 , 2, 6057-6066	14
633	In Search of a Green Process: Polymeric Films with Ordered Arrays via a Water Droplet Technique. 2019 , 11,	O

632	Liquid Diquid Equilibrium Compositions and Global Phase Behavior for Lignin Acetone Water Ternary at 25, 45, and 65 °C. 2019 , 58, 22619-22625		1	
631	Sustainable strategies based on glycineBetaine analogue ionic liquids for the recovery of monoclonal antibodies from cell culture supernatants. <i>Green Chemistry</i> , 2019 , 21, 5671-5682	10	16	
630	Mechanochemical extraction of antioxidant phenolic compounds from Mediterranean and medicinal Laurus nobilis: A comparative study with other traditional and green novel techniques. 2019 , 141, 111805		2 0	
629	Morphology control of perovskite in green antisolvent system for MAPbI3-based solar cells with over 20% efficiency. 2019 , 203, 110197		18	
628	Recent Advances in the Molecular Engineering of Solvents for Reactions. 2019 , 17-46			
627	Excitation-emission fluorescence-kinetic third-order/four-way data: Determination of bisphenol A and nonylphenol in food-contact plastics. 2019 , 197, 348-355		13	
626	Selective Glucose-to-Fructose Isomerization in Ethanol Catalyzed by Hydrotalcites. 2019 , 9, 2101-2109		48	
625	Use of Evalerolactone and glycerol derivatives as bio-based renewable solvents for membrane preparation. <i>Green Chemistry</i> , 2019 , 21, 1054-1064	10	47	
624	Optimized extraction for active compounds in Glossogyne tenuifolia using response surface methodology. 2019 , 13, 663-676		2	
623	Efficient and simultaneous cleaner production of biodiesel and glycerol carbonate in solvent-free system via statistical optimization. 2019 , 218, 985-992		12	
622	Green Transformation of Solid-Phase Peptide Synthesis. 2019 , 7, 3671-3683		52	
621	Phosphoryl-Ligand Adducts of Rare Earth-TriNOx Complexes: Systematic Studies and Implications for Separations Chemistry. 2019 , 7, 4993-5001		16	
620	Diethyl carbonate as a green extraction solvent for chlorophenol determination with dispersive liquid microextraction. 2019 , 11, 844-850		14	
619	Origins of complex solvent effects on chemical reactivity and computational tools to investigate them: a review. 2019 , 4, 165-206		65	
618	Synthesis of amides from acid chlorides and amines in the bio-based solvent Cyrene□ <i>Green Chemistry</i> , 2019 , 21, 3675-3681	10	39	
617	Green Simultaneous Chromatographic Separation of Pyridostigmine Bromide and Its Related Substances in Pure Form, Tablets and Spiked Human Plasma. 2019 , 57, 653-661		1	
616	Controlling metal oxide nanoparticle size and shape with supercritical fluid synthesis. <i>Green Chemistry</i> , 2019 , 21, 3769-3781	10	33	
615	A new tool for evaluating and/or selecting analytical methods: Summarizing the information in a hexagon. 2019 , 118, 538-547		22	

614	Synergy of in-situ formation of carbonic acid and supercritical CO2-expanded liquids: Application to extraction of andrographolide from Andrographis paniculata. 2019 , 152, 104546	7
613	Trace analysis of flubendiamide in bee pollen using enhanced matrix removal-lipid sorbent clean-up and liquid chromatography-electrospray ionization mass spectrometry. 2019 , 148, 541-547	10
612	Triple copper catalysis for the synthesis of vinyl triazoles. <i>Green Chemistry</i> , 2019 , 21, 3556-3560	5
611	Influence of Impurities on the Solubility, Nucleation, Crystallization, and Compressibility of Paracetamol. 2019 , 19, 4193-4201	17
610	Machine learning and molecular descriptors enable rational solvent selection in asymmetric catalysis. 2019 , 10, 6697-6706	44
609	Stability-indicating chromatographic and chemometric methods for environmentally benign determination of canagliflozin and its major degradation product; A comparative study and greenness assessment. 2019 , 33, e4612	2
608	WaterEhe greenest solvent overall. 2019 , 18, 118-123	26
607	Magnetic cobalt ferrite nanoparticles functionalized with citric acid as a green nanocatalyst for one-pot three-component sonochemical synthesis of substituted 3-pyrrolin-2-ones. 2019 , 45, 5007-5025	15
606	Reaching Green: Heterocycle Synthesis by Transition Metal-Catalyzed C-H Functionalization in Sustainable Medium. 2019 , 25, 9366-9384	32
605	Green Bio-Based Solvents in C-C Cross-Coupling Reactions. 2019 , 6, 96-104	5
604	Solvent impact assessment for the Ine-Flow Functional Solvent Factory ☐ 2019, 3, 100024	1
603	Solution Casting Blending: An Effective Way for Tailoring Gas Transport and Mechanical Properties of Poly(vinyl butyral) and Pebax2533. 2019 , 123, 11264-11272	5
602	Efficient Catalytic Upgrade of Fructose to Alkyl Levulinates with Phenylpyridine- phosphotungstate Solid Hybrids. 2019 , 6, 44-52	8
601	Comparison of several methods for effective lipid extraction from wet microalgae using green solvents. 2019 , 143, 130-141	45
600	Greener processes in the preparation of thin film nanocomposite membranes with diverse metal-organic frameworks for organic solvent nanofiltration. 2019 , 77, 344-354	31
599	Cellulose hollow fibers for organic resistant nanofiltration. 2019 , 586, 151-161	31
598	Organofluorine chemistry: promising growth areas and challenges. 2019 , 88, 425-569	90
597	Picosecond self-diffusion in ethanol-water mixtures. 2019 , 21, 9547-9552	4

596	Catalyst-free synthesis of 2,3-dihydro-1,5-benzothiazepines in a renewable and biodegradable reaction medium. 2019 , 43, 7011-7014	9
595	One-pot selective conversion of C5-furan into 1,4-pentanediol over bulk NiBn alloy catalysts in an ethanol/H2O solvent mixture. <i>Green Chemistry</i> , 2019 , 21, 2307-2315	24
594	Towards more sustainable synthesis of diketopyrrolopyrroles. 2019 , 43, 5783-5790	16
593	Using the Green Solvent Dimethyl Sulfoxide To Replace Traditional Solvents Partly and Fabricating PVC/PVC-g-PEGMA Blended Ultrafiltration Membranes with High Permeability and Rejection. 2019 , 58, 6413-6423	41
592	Design of bio-oil additives using mathematical optimisation tools considering blend functionality and sustainability aspects. 2019 , 19, 53-63	6
591	Freeze dried cellulose nanocrystal reinforced unsaturated polyester composites: challenges and potential. 2019 , 26, 4391-4403	11
590	Understanding the origin of high corrosion inhibition efficiency of bee products towards aluminium alloys in alkaline environments. 2019 , 304, 263-274	36
589	Sustainability analysis of innovative technologies for the rare earth elements recovery. 2019 , 106, 41-53	40
588	Chiral arylideneaminoimidazolidin-4-ones: green synthesis and isomerisation mechanism in solution. 2019 , 43, 4777-4786	О
587	Adsorption and anticorrosion behaviour of mild steel treated with 2-((1H-indol-2-yl)thio)-6-amino-4-phenylpyridine-3,5-dicarbonitriles in a hydrochloric acid solution: Experimental and computational studies. 2019 , 283, 491-506	19
586	Probing visible light induced photochemical stabilization of collagen in green solvent medium. 2019 , 131, 779-786	10
585	Green-Solvent-Processed Conjugated Polymers for Organic Solar Cells: The Impact of Oligoethylene Glycol Side Chains. 2019 , 1, 804-814	25
584	New frontiers in sustainable membrane preparation: Cyrenellas green bioderived solvent. 2019 , 580, 224-234	82
583	A Sulfone-Containing Imidazolium-Based Brfisted Acid Ionic Liquid Catalyst Enables Replacing Dipolar Aprotic Solvents with Butyl Acetate. 2019 , 361, 3342-3350	26
582	Recovery of flavonoids using novel biodegradable choline amino acids ionic liquids based ATPS. 2019 , 493, 1-9	12
581	Solvent effects in palladium catalysed cross-coupling reactions. <i>Green Chemistry</i> , 2019 , 21, 2164-2213 10	127
580	QSAR modelling for predicting the toxic effects of traditional and derived biomass solvents on a Danio rerio biomodel. 2019 , 227, 480-488	6
579	Integrated Polymer Dissolution and Solution Blow Spinning Coupled with Solvent Recovery for Expanded Polystyrene Recycling. 2019 , 27, 1240-1251	6

578	Development of Upgraded Bio-Oil Via Liquefaction and Pyrolysis. 2019, 178, 231-256		19
577	A micellar catalysis strategy applied to the Pd-catalyzed CH arylation of indoles in water. <i>Green Chemistry</i> , 2019 , 21, 1448-1454	10	28
576	Eucalyptol: a new solvent for the synthesis of heterocycles containing oxygen, sulfur and nitrogen. <i>Green Chemistry</i> , 2019 , 21, 1531-1539	10	24
575	Electrochemically Mediated Atom Transfer Radical Polymerization of Methyl Methacrylate: The Importance of Catalytic Halogen Exchange. 2019 , 6, 4257-4265		12
574	Lipophilic Indole-Catalyzed Intermolecular Bromoesterification of Olefins in Nonpolar Media. 2019 , 84, 4017-4024		8
573	Life cycle considerations of solvents. 2019 , 18, 66-71		13
572	Resin Swelling in Mixed Solvents Analysed using Hansen Solubility Parameter Space. 2019 , 25, 4951-49	64	19
571	Simultaneous chromatographic analysis of Sofosbuvir/Ledipasvir in their combined dosage form: an application to green analytical chemistry. 2019 , 10,		5
57°	Pressure hot water processing of food and natural products. 2019 , 193-220		1
569	24. Electrochemical conversion of CO2 into alcohols. 2019 , 489-522		
569 568	24. Electrochemical conversion of CO2 into alcohols. 2019 , 489-522 Fucoxanthin from marine microalga Isochrysis galbana: optimization of extraction methods with organic solvents. 2019 , 86, 174-178		6
	Fucoxanthin from marine microalga Isochrysis galbana: optimization of extraction methods with		6
568	Fucoxanthin from marine microalga Isochrysis galbana: optimization of extraction methods with organic solvents. 2019 , 86, 174-178 A naked-eye colorimetric sensor for methanol and Eurn-onIFluorescence detection of Al3+. 2019 ,		
568 567	Fucoxanthin from marine microalga Isochrysis galbana: optimization of extraction methods with organic solvents. 2019 , 86, 174-178 A naked-eye colorimetric sensor for methanol and Eurn-onIFluorescence detection of Al3+. 2019 , 43, 18582-18589 Comparison of Mechanochemistry vs Solution Methods for Synthesis of 4,4?-Bipyridine-Based		20
568 567 566	Fucoxanthin from marine microalga Isochrysis galbana: optimization of extraction methods with organic solvents. 2019 , 86, 174-178 A naked-eye colorimetric sensor for methanol and Eurn-onlifluorescence detection of Al3+. 2019 , 43, 18582-18589 Comparison of Mechanochemistry vs Solution Methods for Synthesis of 4,4?-Bipyridine-Based Coordination Polymers. 2019 , 7, 19505-19512		20
568 567 566 565	Fucoxanthin from marine microalga Isochrysis galbana: optimization of extraction methods with organic solvents. 2019 , 86, 174-178 A naked-eye colorimetric sensor for methanol and Eurn-onlFluorescence detection of Al3+. 2019 , 43, 18582-18589 Comparison of Mechanochemistry vs Solution Methods for Synthesis of 4,4?-Bipyridine-Based Coordination Polymers. 2019 , 7, 19505-19512 Enzyme Catalysis: In DES, with DES, and in the Presence of DES. 2019 , 257-271		20 11 4
568 567 566 565 564	Fucoxanthin from marine microalga Isochrysis galbana: optimization of extraction methods with organic solvents. 2019, 86, 174-178 A naked-eye colorimetric sensor for methanol and Eurn-onlFluorescence detection of Al3+. 2019, 43, 18582-18589 Comparison of Mechanochemistry vs Solution Methods for Synthesis of 4,4?-Bipyridine-Based Coordination Polymers. 2019, 7, 19505-19512 Enzyme Catalysis: In DES, with DES, and in the Presence of DES. 2019, 257-271 Hemoglobin-Catalyzed Synthesis of Indolizines Under Mild Conditions. 2019, 2019, 7720-7724 Application of D-Limonene as a Bio-based Solvent in Low Density-Dispersive Liquid-Liquid		20 11 4

560	Critical Review on Sustainable Homogeneous Cellulose Modification: Why Renewability Is Not Enough. 2019 , 7, 1826-1840	68
559	Efficient one-pot catalyst-free synthesis of novel coumarin- spiro[indoline-3,4'-pyran] conjugates via three-component domino reaction in aqueous medium. 2019 , 12, 1-8	10
558	Green solvents in urban mining. 2019 , 18, 37-41	11
557	An investigation into green coffee press cake as a renewable source of bioactive compounds. 2019 , 54, 1187-1196	3
556	Microextractions in forensic toxicology: The potential role of ionic liquids. 2019 , 111, 73-84	7
555	Solvent effects on catalytic activity of manganese porphyrins with cationic, anionic and uncharged meso substituents: Indirect evidence on the nature of active oxidant species. 2019 , 33, e4678	3
554	A novel approach for dissolving crystalline LDPE using non-toxic solvents for membranes preparation. 2019 , 16, 5375-5386	4
553	Controlled Self-Assembly of Mesoporous CuO Networks Guided by Organic Interlinking. 2019 , 36, 1800453	
552	Green chemistry for stainless steel corrosion resistance: life cycle assessment of citric acid versus nitric acid passivation. 2019 , 3-4, 100005	5
551	Validated Chromatographic Methods for Simultaneous Determination of Calcipotriol Monohydrate and Betamethasone Dipropionate in the Presence of Two Dosage Form Additives. 2019 , 57, 305-311	2
550	AzideAlkyne Cycloaddition (CuAAC) in Alkane Solvents Catalyzed by Fluorinated NHC Copper(I) Complex. 2019 , 2019, 1016-1020	16
549	Enhanced extraction of hydroxytyrosol, maslinic acid and oleanolic acid from olive pomace: Process parameters, kinetics and thermodynamics, and greenness assessment. 2019 , 276, 662-674	44
548	Greenness assessment as per Eco-scale and AMVI metrics for the chromatographic assay of selected drugs in a semisolid dosage form and in tissues. 2019 , 73, 683-691	1
547	Environmentally Benign Arylations of 5-Membered Ring Heteroarenes by Pd-Catalyzed CH Bonds Activations. 2019 , 11, 269-286	39
546	Isobaric Vapourlliquid Equilibrium Data Measurement for a Binary System of Green Solvent 2-Methyltetrahydrofuran and Acetic acid at 101.3 kPa. 2019 , 44, 5371-5379	3
545	Methyl acetate as solvent in pressurized liquid extraction of crambe seed oil. 2019 , 145, 66-73	18
544	Experimental, density functional theory and molecular dynamics supported adsorption behavior of environmental benign imidazolium based ionic liquids on mild steel surface in acidic medium. 2019 , 273, 1-15	56
543	Phthalazine-triones: Calix[4]arene-assisted synthesis using green solvents and their anticancer activities against human cancer cells. 2019 , 12, 4065-4073	7

542	Sustainable approach to recycle waste polystyrene to high-value submicron fibers using solution blow spinning and application towards oil-water separation. 2020 , 8, 102786	18
541	Productivity and solvent waste in supercritical fluid chromatography for preparative chiral separations: a guide for a convenient strategy. 2020 , 1610, 460549	7
540	Green chromatographic methods for simultaneous determination of quetiapine and the co-administrated paroxetine in rat plasma with application to pharmacokinetic study. 2020 , 152, 104317	2
539	Chemoenzymatic Halocyclization of Insaturated Carboxylic Acids and Alcohols. 2020 , 13, 97-101	18
538	Synthesis and biological evaluation of 1,2,4-triazolidine-3-thiones as potent acetylcholinesterase inhibitors: in vitro and in silico analysis through kinetics, chemoinformatics and computational approaches. 2020 , 24, 1185-1203	5
537	Green preparation process using methyl lactate for cellulose-acetate-based nanofiltration membranes. 2020 , 232, 115903	27
536	Selective quantitation of co-formulated ternary mixture in the presence of potential impurities by liquid chromatographic methods. 2020 , 177, 112821	2
535	Permeation and sorption properties of CO2-selective blend membranes based on polyvinyl alcohol (PVA) and 1-ethyl-3-methylimidazolium dicyanamide ([EMIM][DCA]) ionic liquid for effective CO2/H2 separation. 2020 , 597, 117623	22
534	Application of pulsed electric fields to improve product yield and waste valorization in industrial tomato processing. 2020 , 270, 109778	52
533	A facile and environmental-friendly strategy for preparation of poly (tetrafluoroethylene-co-hexafluoropropylene) hollow fiber membrane and its membrane emulsification performance. 2020 , 384, 123345	13
532	Antimicrobial activity and chemical composition of white birch (Betula papyrifera Marshall) bark extracts. 2020 , 9, e00944	11
531	Coordinating Ability of Anions, Solvents, Amino Acids, and Gases towards Alkaline and Alkaline-Earth Elements, Transition Metals, and Lanthanides. 2020 , 26, 4350-4377	38
530	Thermal Chemical Vapor Deposition of Superblack Randomly Oriented Carbon Nanotube Coatings. 2020 , 217, 1900704	2
529	Development of a green one-step neutralization process for valorization of crude glycerol obtained from biodiesel. 2020 , 27, 28500-28509	6
528	Perchlorate contamination assessment and hypothyroidism in rat studies using water samples collected around Kovil Patti, Tuticorin District of Tamil Nadu, India. 2020 , 154, 104570	6
527	Surface Functionalization of PTFE Membranes Intended for Guided Bone Regeneration Using Recombinant Spider Silk 2020 , 3, 577-583	5
526	First Exploration on a Poly(vinyl chloride) Ultrafiltration Membrane Prepared by Using the Sustainable Green Solvent PolarClean. 2020 , 8, 91-101	18
525	Approaches for improving the sustainability of conjugated polymer synthesis using direct arylation polymerization (DArP). 2020 , 11, 630-640	25

(2020-2020)

524	Membrane formation via non-solvent induced phase separation using sustainable solvents: A comparative study. 2020 , 186, 122071	25
523	Viticultural wood waste as a source of polyphenols of interest: Opportunities and perspectives through conventional and emerging extraction methods. 2020 , 102, 782-794	29
522	Perspectives and guidelines on thermodynamic modelling of deep eutectic solvents. 2020 , 298, 112183	46
521	A new copper complex on graphene oxide: A heterogeneous catalyst for N-arylation and C-H activation. 2020 , 34, e5362	6
520	Use of surface-washing agents for the treatment of oiled shorelines: Research advancements, technical applications and future challenges. 2020 , 391, 123565	23
519	Development and Validation of HPTLC and Green HPLC Methods for Determination of a New Combination of Quinfamide and Mebendazole. 2019 , 58, 16-21	4
518	Recent advances in lipid extraction using green solvents. 2020 , 133, 110289	23
517	Towards green extraction methods from microalgae learning from the classics. 2020 , 104, 9067-9077	7
516	Bioactive extracts from brewer's spent grain. 2020 , 11, 8963-8977	11
515	Ammonium Salts Catalyzed Acetalization Reactions in Green Ethereal Solvents. 2020 , 10, 1108	O
514	Green reversed-phase HPLC development strategy: Application to artesunate and amodiaquine analysis. 2020 , 43, 4390-4404	4
513	Green-solvent-processable organic semiconductors and future directions for advanced organic electronics. 2020 , 8, 21455-21473	18
512	Intramolecular Biradical Recombination of Dicarboxylic Acids to Unsaturated Compounds: A New Approach to an Old Kolbe Reaction. 2020 , 7, 4873-4878	4
511	Extraction of oil from grape seeds (Vitis vinifera L.) using recyclable CO2-expanded ethanol. 2020 , 157, 108147	4
510	Carbohydrate Based Ionic Liquids (CHILs): Synthesis and Applications. 2020, 2020, 6418-6428	7
509	Dehydrochlorination of PVC in multi-layered blisterpacks using ionic liquids. <i>Green Chemistry</i> , 2020 , 22, 5132-5142	7
508	Towards a generic method for ion chromatography/mass spectrometry of low-molecular-weight amines in pharmaceutical drug discovery and development. 2020 , 34 Suppl 4, e8680	1
507	Effects of Different Extraction Solvents on Oil Extracted from Jatropha Seeds and the Potential of Seed Residues as a Heat Provider. 2020 , 1	9

506	Molecular Lignin Solubility and Structure in Organic Solvents. 2020 , 8, 17839-17850	16
505	Water-Soluble O-, S- and Se-Functionalized Cyclic Acetyl-triaza-phosphines. Synthesis, Characterization and Application in Catalytic Azide-alkyne Cycloaddition. 2020 , 25,	4
504	Valorization of citrus waste through sustainable extraction processes. 2020 , 113-133	2
503	Yield and compositions of bark phenolic extractives from three commercially significant softwoods show intra- and inter-specific variation. 2020 , 155, 346-356	3
502	Transition-metal-free, one-pot, tandem C1-indolylation and N-alkylation of tetrahydroisoquinoline in biodegradable PEG solvent. 2020 , 61, 152304	1
501	Heterogenized Imidazolium-Based Ionic Liquids in PebaxRnew. Thermal, Gas Transport and Antimicrobial Properties. 2020 , 12,	4
500	The performance of 1,3-dipropyl-2-(2-propoxyphenyl)-4,5-diphenylimidazolium iodide based ionic liquid for biomass conversion into levulinic acid and formic acid. 2020 , 315, 123864	18
499	Ultrasound as a tool for reducing energy consumption in electrocatalytic hydrogenation of aromatic ketones using graphite as catalyst support. 2020 , 45, 22855-22872	2
498	Recent advances in eco-friendly and cost-effective materials towards sustainable dye-sensitized solar cells. <i>Green Chemistry</i> , 2020 , 22, 7168-7218	147
497	Flow hydrogenation of 5-acetoxymethylfurfural over Cu-based catalysts. 2020 , 494, 111132	2
496	HPLC analysis, cytotoxicity, and safety study of Moringa oleifera Lam. (wild type) leaf extract. 2020 , 44, e13400	6
495	Phytochemical screening and antioxidant activity of some medicinal plants' crude juices. 2020 , 28, e00536	12
494	Charge Distribution of Phosphonium Ionic Liquids: Phosphonium versus Phosphate. 2020 , 94, 2091-2095	1
493	Application of Ionic Liquids for Chemical Demulsification: A Review. 2020 , 25,	26
492	Development of a Rapid and Eco-Friendly UHPLC Analytical Method for the Detection of Histamine in Fish Products. 2020 , 17,	5
491	One-Pot Three Component Synthesis of 2-(1H-Benzo[d]thiazole-2-yl)- N-Arylbenzamides in Glycerol Medium. 2020 , 32, 1343-1351	
490	Beyond Strain: Controlling the Surface Chemistry of CsPbI3 Nanocrystal Films for Improved Stability against Ambient Reactive Oxygen Species. 2020 , 32, 7850-7860	11
489	Biophysical characterization of lutein or beta carotene-loaded cationic liposomes. 2020 , 10, 32409-32422	6

488	Electrochemical N-demethylation of tropane alkaloids. <i>Green Chemistry</i> , 2020 , 22, 6455-6463	10	3
487	Recent Trends in Processing of Proteins and DNA in Alternative Solvents: A Sustainable Approach. 2020 , 1, 116-137		13
486	Relating the physical properties of aqueous solutions of ionic liquids with their chemical structures. 2020 , 43, 55		5
485	Supramolecular biosolvents made up of self-assembled rhamnolipids: synthesis and characterization. <i>Green Chemistry</i> , 2020 , 22, 6115-6126	10	8
484	Metal-Free Synthesis of HMF from Glucose Using the Supercritical CO2Bubcritical H2OBopropanol System. 2020 , 59, 16527-16538		5
483	Lipase and Water in a Deep Eutectic Solvent: Molecular Dynamics and Experimental Studies of the Effects of Water-In-Deep Eutectic Solvents on Lipase Stability. 2020 , 124, 8801-8810		15
482	Tannic Acid Catalyzed Green Synthesis of Functionalized Chromeno-Pyrimidine-2,5-dione/thione Derivatives. 2020 , 32, 2067-2074		1
481	PEG-600-Mediated Efficient and Environmentally Sustainable Synthesis of N-[4-(1H-Benzazole-2-yl)phenyl]phthalimides. 2020 , 56, 1289-1294		
480	Acid dyeing for green solvent processing of solvent resistant semiconducting organic thin films. 2020 , 7, 2959-2969		15
479	Extraction Improvement of the Bioactive Blue-Green Pigment "Marennine" from Diatom 's Blue Water: A Solid-Phase Method Based on Graphitic Matrices. 2020 , 18,		3
478	Kamlet Taft Parameters: A Tool to Alternate the Usage of Hazardous Solvent in Pharmaceutical and Chemical Manufacturing/Synthesis - A Gateway towards Green Technology. 2020 , 10, 550-561		4
477	A Critical Review on Analytical Methods for Recently Approved FDC Drugs: Pregabalin and Etoricoxib. 2020 , 1-21		2
476	Catalyst Free, Multicomponent Green Approach to Benzo[a]chromeno[2,3-c]phenazines Using Glycerol as a Recyclable and Biodegradable Promoting Medium. 2020 , 5, 14447-14454		5
475	Monetary values estimates of solvent emissions. <i>Green Chemistry</i> , 2020 , 22, 7983-7988	10	4
474	Three Spectrophotometric Methods for Quantitative Analysis of Duloxetine in Presence of its Toxic Impurity: 1-Naphthol. 2020 , 103, 972-979		1
473	Application of Supercritical Fluid Technologies in Chemical and Petrochemical Industries (Review). 2020 , 60, 244-254		6
472	Superhydrophobic Coatings from Ecofriendly Materials and Processes: A Review. 2020 , 7, 2000095		77
471	Synthesis of Aryl(chalcogen-heteroaryl)methyl Sulfones via Sulfuric Acid-Promoted Three-Component Reaction in Water. 2020 , 2020, 4004-4008		4

470	Fractionating and Purifying Softwood Kraft Lignin with Aqueous Renewable Solvents: Liquid-Liquid Equilibrium for the Lignin-Ethanol-Water System. 2020 , 13, 4587-4594	5
469	Exo/endo stereocontrolled synthesis of spiroindoloindolizidines by using classical and microwave conditions via the 1,3-dipolar cycloaddition reaction. 2020 , 57, 3222-3229	1
468	Development and validation of stability indicating chromatographic methods for simultaneous determination of citicoline and piracetam. 2020 , 43, 2981-2988	1
467	Innovative methods for the removal, and occasionally care, of pressure sensitive adhesive tapes from contemporary drawings. 2020 , 8,	5
466	Review on Corrosion Inhibitors for Oil and Gas Corrosion Issues. 2020 , 10, 3389	35
465	Mass Transfer Performance Study for CO2 Absorption into Non-Precipitated Potassium Carbonate Promoted with Glycine Using Packed Absorption Column. 2020 , 12, 3873	6
464	UV Light Generation and Challenging Photoreactions Enabled by Upconversion in Water. 2020 , 142, 10468-10	0476
463	Phenanthridine derivatives as promising new anticancer agents: synthesis, biological evaluation and binding studies. 2020 , 12, 709-739	5
462	Water Compatible Direct (Hetero)arylation Polymerization of PPDT2FBT: A Pathway Towards Large-Scale Production of Organic Solar Cells. 2020 , 9, 1318-1325	11
461	Green and Efficient Iron-Catalysed Synthesis of Polyfunctionalized Benzofuran-4(5H)-one Derivatives via Cross-Dehydrogenative Coupling. 2020 , 5, 7026-7030	1
460	Wet-expandable capsules made from partially modified cellulose. <i>Green Chemistry</i> , 2020 , 22, 4581-4592 10	3
459	A Simple and Efficient Protocol for Proline-Catalysed Asymmetric Aldol Reaction. 2020 , 10, 649	4
458	Water soluble PEGylated phenothiazines as valuable building blocks for bio-materials. 2020, 116, 111216	8
457	Green Liquid Chromatographic Methods with Ultraviolet and Tandem Mass Spectrometry Detection: An Application to Ternary Mixture of Paracetamol, Pseudoephedrine, and Cetirizine in Capsules. 2020 , 103, 148-155	5
456	Environmentally Friendly SPPS II: Scope of Green Fmoc Removal Protocol Using NaOH and Its Application for Synthesis of Commercial Drug Triptorelin. 2020 , 85, 8798-8811	7
455	Kinetic Modeling and Numerical Simulation as Tools to Scale Microalgae Cell Membrane Permeabilization by Means of Pulsed Electric Fields (PEF) From Lab to Pilot Plants. 2020 , 8, 209	3
454	Large-Scale Screening of 239 Traditional Chinese Medicinal Plant Extracts for Their Antibacterial Activities against Multidrug-Resistant and Cytotoxic Activities. 2020 , 9,	9
453	Bio-Solvents: Synthesis, Industrial Production and Applications. 2020,	O

452	Extraction of carotenoids and applications. 2020 , 259-288		8
45 ¹	Efficient palladium-catalyzed C-S cross-coupling reaction of benzo-2,1,3-thiadiazole at C-5-position: A potential class of AChE inhibitors. 2020 , 34, e5650		3
450	Green synthesis of benzimidazole derivatives under ultrasound irradiation using Cu-Schiff base complexes embedded over MCM-41 as efficient and reusable catalysts. 2020 , 73, 653-670		4
449	A Joint Action of Deep Eutectic Solvents and Ultrasound to Promote DielsAlder Reaction in a Sustainable Way. 2020 , 8, 4889-4899		5
448	Non-halogenated solvent-processed ternary-blend solar cells via alkyl-side-chain engineering of a non-fullerene acceptor and their application in large-area devices. 2020 , 8, 10318-10330		23
447	Hydrophobic Adsorption Followed by Desorption with Ethanol-Water for Recovery of Penicillin G from Fermentation Broth. 2020 , 5, 7316-7325		1
446	Merging singlet-oxygen induced furan oxidations with organocatalysis: synthesis of enantiopure cyclopentanones and hydrindanes. 2020 , 18, 2817-2822		9
445	A Glimpse into Green Chemistry Practices in the Pharmaceutical Industry. 2020 , 13, 2859-2875		28
444	An entirely solvent-free photooxygenation of olefins under continuous flow conditions. <i>Green Chemistry</i> , 2020 , 22, 2359-2364	10	9
443	Lignin Chemistry. 2020,		3
442	Deep eutectic solvent-based dispersive liquid-liquid micro-extraction for extraction of malachite green and crystal violet in water samples prior their determination using high performance liquid chromatography. 2020 , 1-9		5
441	Dilute sulfuric acid hydrolysis of Chlorella vulgaris biomass improves the multistage liquid-liquid extraction of lipids. 2020 , 1		6
440	Concise synthesis of ⊞mino cyclic boronates via multicomponent coupling of salicylaldehydes, amines, and B2(OH)4. <i>Green Chemistry</i> , 2020 , 22, 2184-2190	10	6
439	Development of alginate-pectin microcapsules by the extrusion for encapsulation and controlled release of polyphenols from papaya (Carica papaya L.). 2020 , 44, e13331		11
439			11
	release of polyphenols from papaya (Carica papaya L.). 2020 , 44, e13331 Green and Ethanol-Resistant Polyurethane Nanofibrous Membranes Based on an Ethanol Solvent		
438	release of polyphenols from papaya (Carica papaya L.). 2020, 44, e13331 Green and Ethanol-Resistant Polyurethane Nanofibrous Membranes Based on an Ethanol Solvent for Waterproof and Breathable Textiles. 2020, 4, 2000105 Liquid Phase, Aerobic Oxidation of Benzyl Alcohol over the Catalyst System (Pt/TiO2+H2O). 2020,		17

434	The phenolic profile extracted from the desiccation-tolerant medicinal shrub Myrothamnus flabellifolia using Natural Deep Eutectic Solvents varies according to the solvation conditions. 2020 , 173, 112323	15
433	An overview of the biphasic dehydration of sugars to 5-hydroxymethylfurfural and furfural: a rational selection of solvents using COSMO-RS and selection guides. <i>Green Chemistry</i> , 2020 , 22, 2097-2128	66
432	Industrial applications of green chemistry: Status, Challenges and Prospects. 2020 , 2, 1	14
431	Greening Fmoc/tBu solid-phase peptide synthesis. <i>Green Chemistry</i> , 2020 , 22, 996-1018	44
430	A Validated Green HPTLC Method for Quantitative Determination of Dapoxetine Hydrochloride and Tadalafil in Bulk and Pharmaceutical Formulations. 2020 , 58, 303-308	8
429	Crystallization and Kinetic Studies of an Active Pharmaceutical Compound Using Ethyl Lactate As a Green Solvent. 2020 , 8, 1527-1537	2
428	Ethyl acetate as solvent for the synthesis of poly(2-ethyl-2-oxazoline). <i>Green Chemistry</i> , 2020 , 22, 1747-1753	8
427	Microwave-assisted simple synthesis of 2-anilinopyrimidines by the reaction of 2-chloro-4,6-dimethylpyrimidine with aniline derivatives 2020 , 10, 12249-12254	1
426	Setup of an Extraction Method for the Analysis of Carotenoids in Microgreens. 2020 , 9,	8
425	Microextraction of Selected Endocrine Disrupting Phenolic Compounds using Magnetic Chitosan Biopolymer Graphene Oxide Nanocomposite. 2020 , 28, 1673-1683	8
424	Sodium L-ascorbate-catalyzed one-pot green synthesis of sulfonyl substituted 2-amino-4H-pyran derivatives. 2020 , 46, 3217-3225	1
423	Water-based routes for synthesis of metal-organic frameworks: A review. 2020 , 63, 667-685	103
422	Fast dissolving nanofibrous matrices prepared by electrospinning of polyaspartamides. 2020 , 130, 109624	3
421	Experimental Study and Modeling of Bubble Point of Aqueous Mixtures of Deep Eutectic Solvents Based on Dicarboxylic Acids and Choline Chloride. 2020 , 65, 2743-2750	3
420	Reaction kinetics investigation of Malononitrile with substituted benzaldehydes in aqueous solutions of ethaline as deep eutectic solvent. 2020 , 52, 513-519	
419	Novel HPTLC densitometric methods for determination of tamsulosin HCl and tadalafil in their newly formulated dosage form: Comparative study and green profile assessment. 2020 , 34, e4850	13
418	Investigation of Parameters that Affect Resin Swelling in Green Solvents. 2020, 9, 431-441	6
417	Stretchable, tough and elastic nanofibrous hydrogels with dermis-mimicking network structure. 2021 , 582, 387-395	6

416	Green one-pot synthesis and characterisation of hybrid reduced graphene oxide/zeolitic imidazole framework-8 (rGO/ZIF-8). 2021 , 18, 363-373	1
415	Boron-rich, cytocompatible block copolymer nanoparticles by polymerization-induced self-assembly. 2021 , 12, 50-56	4
414	Environmentally friendly achiote seed extracts with higher £locotrienol content have higher in vitro and in vivo antioxidant activity than the conventional extract. 2021 , 58, 2579-2588	1
413	Preparation of full-bio-based nanofiltration membranes. 2021 , 618, 118674	8
412	Thermal behavior, solvatochromic parameters, and metal halide solvation of the novel water-based deep eutectic solvents. 2021 , 324, 114779	11
411	Ionic liquidBased aqueous biphasic systems as sustainable extraction and separation techniques. 2021 , 27, 100423	7
410	Assessing health and environmental impacts of solvents for producing perovskite solar cells. 2021 , 4, 277-285	48
409	Eco-friendly dyeing of raw cotton fibres in an ethanol water mixture without scouring and bleaching pretreatments. <i>Green Chemistry</i> , 2021 , 23, 796-807	9
408	Assessing Methodologies to Synthesize Bulfenylated Carbonyl Compounds by Green Chemistry Metrics. 2021 , 14, 808-823	3
407	Green Preparation of Thin Films of Polybenzimidazole on Flat and Hollow Fiber Supports: Application to Hydrogen Separation. 2021 , 14, 952-960	5
406	Novel spectrofluorimetric technique for determination of amoxicillin and ethopabate in chicken tissues, liver, kidney, eggs, and feed premix. 2021 , 36, 875-884	1
405	Green-Solvent-Processed Fibrous Membranes with Water/Oil/Dust-Resistant and Breathable Performances for Protective Textiles. 2021 , 13, 2081-2090	13
404	Chlorinated Solvents: Their Advantages, Disadvantages, and Alternatives in Organic and Medicinal Chemistry. 2021 , 121, 1582-1622	22
403	Toward the Next Generation of Sustainable Membranes from Green Chemistry Principles. 2021 , 9, 50-75	40
402	A green and sustainable method for monitoring the chemical composition of soybean: an alternative for quality control. 2021 , 32, 562-574	2
401	Green analysis of newly approved binary omeprazole/aspirin mixture in presence of aspirin impurity using ultra-high-performance liquid chromatography and thin-layer chromatography methods. 2021 , 35, e4986	1
400	Comparative efficiency of different solvents for the anthocyanins extraction from chokeberries and black carrots, to preserve their antioxidant activity. 2021 , 75, 813-822	4
399	Green Analytical Chemistry. 2021 , 483-493	1

398	Development of New Hydrophobic Deep Eutectic Solvents Based on Trioctylphosphine Oxide for Reactive Extraction of Carboxylic Acids. 2021 , 60, 1356-1365	6
397	Organic carbonate as a green solvent for biocatalysis. 2021 , 253-275	1
396	The role of sample preparation. 2021 , 51-77	1
395	Environmentally Friendly Solvents for Sample Preparation in Foodomics. 2021 , 536-565	1
394	Evaluation of greener solvents for solid-phase peptide synthesis. 2021 , 14, 153-164	7
393	Zirconium-catalysed direct substitution of alcohols: enhancing the selectivity by kinetic analysis.	2
392	A time and resource efficient machine learning assisted design of non-fullerene small molecule acceptors for P3HT-based organic solar cells and green solvent selection. 2021 , 9, 15684-15695	49
391	Improved Sample Preparation and Optimized Solvent Extraction for Quantitation of Carotenoids. 2021 , 76, 60-67	3
390	Green Processes in Foodomics. Gas-Expanded Liquids Extraction of Bioactives. 2021, 744-753	
389	Green solvents for remediation technologies. 2021 , 23-30	
388	Conversion of lignin pyrolysis oil to cyclohexyl methyl ethers as a promising biomass-derived solvent. <i>Green Chemistry</i> , 2021 , 23, 2457-2463	3
387	Unconventional approaches for the introduction of sulfur-based functional groups. 2021 , 19, 6926-6957	1
386	Green solvents in the biotechnology-based pharmaceutical industry. 2021, 87-104	1
385	Membrane Reactors for Green Synthesis. 2021 , 139-161	
384	Formaldehyde in multicomponent reactions. <i>Green Chemistry</i> , 2021 , 23, 1447-1465	14
383	Organic reactions in aqueous media catalyzed by nickel. <i>Green Chemistry</i> , 2021 , 23, 6273-6300 10	8
382	Environmentally Benign Organic Solvent: A Green Approach. 2021 , 165-180	
381	Green Chemistry for Green Solvent Production and Sustainability Toward Green Economy. 2021 , 583-636	

380 Future perspectives for green solvents in environmental remediation. **2021**, 203-218

379	Valorization of carbon fiber waste from the aeronautics sector: an application in Li-ion batteries. <i>Green Chemistry</i> , 2021 , 23, 2464-2470	10	1
378	Green solvents for drug synthesis. 2021 , 55-86		
377	8-Aminoimidazo[1,2-]pyridine (AIP) directed Pd(II) catalysis: site-selective -C(sp)-H arylation in aqueous medium. 2021 , 19, 1604-1609		2
376	Nucleation management for the ambient fabrication of high-performance perovskite photodetectors with the eco-friendly tert-butanol anti-solvent. 2021 , 9, 8650-8658		О
375	Green Separation Techniques for Omics Platformsliquid Chromatography and Capillary Electrophoresis. 2021 , 627-644		
374	In situ self-organization of uniformly dispersed CoNC centers at moderate temperature without a sacrificial subsidiary metal. <i>Green Chemistry</i> , 2021 , 23, 3115-3126	10	11
373	Anticancer potential of green solvents. 2021 , 29-53		
372	Commercial green solvents for environmental remediation. 2021 , 89-119		
371	Replacing halogenated solvents by a butyl acetate solution of bisphenol S in the transformations of indoles. <i>Green Chemistry</i> , 2021 , 23, 3588-3594	10	4
370	Naturally derived sugar-based ionic liquids: an emerging tool for sustainable organic synthesis and chiral recognition.		2
369	CoreBhell Cu2S:NiS2@C hybrid nanostructure derived from a metalBrganic framework with graphene oxide for photocatalytic synthesis of N-substituted derivatives. 2021 , 9, 9018-9027		9
368	Applications of green solvents in thin-layer chromatography (TLC) In overview. 2021 , 34, 5-29		5
367	Selective Determination of Entecavir in the Presence of its Oxidative Degradate by Spectrophotometric and Chromatographic Methods. 2021 , 104, 847-853		
366	Closed-loop recycling of polyethylene-like materials. 2021 , 590, 423-427		89
365	C-H Activation: Toward Sustainability and Applications. 2021 , 7, 245-261		98
364	Base-Free Cross-Couplings of Aryl Diazonium Salts in Methanol: PdIIAlkoxy as Reactivity-Controlling Intermediate. 2021 , 133, 7083-7088		
363	Eucalyptol: A Bio-Based Solvent for the Synthesis of O,S,N-Heterocycles. Application to Hiyama Coupling, Cyanation, and Multicomponent Reactions. 2021 , 11, 222		3

362	Three-component radical homo Mannich reaction. 2021 , 12, 1006	6
361	Monofunctional curcumin analogues: evaluation of green and safe developers of latent fingerprints. 2021 , 75, 3119-3129	3
360	Green chemistry design in polymers derived from lignin: review and perspective. 2021 , 113, 101344	26
359	Demonstration of Green Solvent Performance on O,S,N-Heterocycles Synthesis: Metal-Free Click Chemistry and Buchwald-Hartwig Coupling. 2021 , 26,	1
358	Astaxanthin Extraction from Marine Crustacean Waste Streams: An Integrate Approach between Microwaves and Supercritical Fluids. 2021 , 9, 3050-3059	10
357	Base-Free Cross-Couplings of Aryl Diazonium Salts in Methanol: Pd -Alkoxy as Reactivity-Controlling Intermediate. 2021 , 60, 7007-7012	3
356	The Impact of Microwave Irradiation Reaction in Medicinal Chemistry: A Review. 2021 , 37, 01-24	1
355	One-Pot Synthesis of 5-Amino-1,2,3-triazole Derivatives via Dipolar AzideNitrile Cycloaddition and Dimroth Rearrangement under Solvent-Free Conditions. 2021 , 2021, 1378-1384	7
354	Amorphous Drug-Polymer Salt with High Stability under Tropical Conditions and Fast Dissolution: The Case of Clofazimine and Poly(acrylic acid). 2021 , 18, 1364-1372	7
353	Eco-Friendly Catechin Gambir Extraction Using an Ultrasonic Bath. 2021 , 709, 012059	1
352	Equilibrium solubility, Hansen solubility parameter, dissolution thermodynamics, transfer property and preferential solvation of zonisamide in aqueous binary mixtures of ethanol, acetonitrile, isopropanol and N,N-dimethylformamide. 2021 , 326, 115219	22
351	Development of a One-Step Synthesis of 5-Amino-1H-imidazole-4-carboxamide. 2021 , 25, 591-596	1
350	Chemoenzymatic enantioselective and stereo-convergent syntheses of lisofylline enantiomers via lipase-catalyzed kinetic resolution and optical inversion approach. 2021 , 504, 111451	1
349	Spherical silica particle production by combined biomimetic-StBer synthesis using renewable sodium caseinate without petrochemical agents. 2021 , 11, 1151-1167	1
348	A simple and fast experimental protocol for the extraction of xanthophylls from microalga. 2021 , 51, 1071-1075	2
347	Successful utilization of waste cooking oil in Neem oil based fungicide formulation as an economic and eco-friendly green solvent for sustainable waste management. 2021 , 288, 125631	1
346	Antimony Recovery from Lead-Rich Dross of Lead Smelter and Conversion into Antimony Oxide Chloride (Sb4O5Cl2). 2021 , 9, 5074-5084	3
345	Green Approaches for Sustainable Development of Liquid Separation Membrane. 2021 , 11,	4

(2021-2021)

344	Dibrominative Spirocyclization of 2-Butynolyl Anilides: Synthesis of -Dibromospirocyclic Benzo[[[1,3]oxazines and Their Application in the Synthesis of 4-Furo[3,2-]indoles. 2021 , 86, 4671-4698	4
343	A holistic review on application of green solvents and replacement study for conventional solvents. 1	1
342	Biomimetic spherical silica production using phosphatidylcholine and soy lecithin. 2021 , 11, 1721-1735	1
341	Influence of the carboxyl group on the physicochemical and hydration properties of the imidazolium-based ionic liquid. 2021 , 328, 115474	
340	On the Solubility and Stability of Polyvinylidene Fluoride. 2021 , 13,	18
339	A comprehensive approach toward concomitant triclabendazole polymorphism in pharmaceutical products. 2021 , 62, 102386	4
338	Optimization of canthaxanthin extraction from fermented biomass of Paracoccus carotinifacuens VTP20181 bacteria strain isolated in Vietnam. 2021 , 9, 117-125	2
337	Polymers and Solvents Used in Membrane Fabrication: A Review Focusing on Sustainable Membrane Development. 2021 , 11,	18
336	Zero-Discharge Process for Recycling of Tetrahydrofuran Water Mixtures. 2021, 9, 729	
335	Multilayer Approach for Product Portfolio Optimization: Waste to Added-Value Products. 2021 , 9, 6410-6426	3
335	Multilayer Approach for Product Portfolio Optimization: Waste to Added-Value Products. 2021 , 9, 6410-6426 Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus esculentus: Modeling and optimization of extraction conditions. 2021 , 16, e0250405	3 5
	Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus	
334	Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus esculentus: Modeling and optimization of extraction conditions. 2021 , 16, e0250405	5
334	Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus esculentus: Modeling and optimization of extraction conditions. 2021 , 16, e0250405 Biologically Derived Gels for the Cleaning of Historical and Artistic Metal Heritage. 2021 , 11, 3405 N-Chloro-N-sodio-carbamates as a Practical Amidating Reagent for Scalable and Sustainable	5
334 333 332	Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus esculentus: Modeling and optimization of extraction conditions. 2021, 16, e0250405 Biologically Derived Gels for the Cleaning of Historical and Artistic Metal Heritage. 2021, 11, 3405 N-Chloro-N-sodio-carbamates as a Practical Amidating Reagent for Scalable and Sustainable Amidation of Aldehydes under Visible Light. 2021, 25, 1176-1183 Simultaneous Determination of Carotenoids and Chlorophylls by the HPLC-UV-VIS Method in	5 3 3
334 333 332 331	Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus esculentus: Modeling and optimization of extraction conditions. 2021, 16, e0250405 Biologically Derived Gels for the Cleaning of Historical and Artistic Metal Heritage. 2021, 11, 3405 N-Chloro-N-sodio-carbamates as a Practical Amidating Reagent for Scalable and Sustainable Amidation of Aldehydes under Visible Light. 2021, 25, 1176-1183 Simultaneous Determination of Carotenoids and Chlorophylls by the HPLC-UV-VIS Method in Soybean Seeds. 2021, 11, 758 Green Inks for the Fabrication of Organic Solar Cells: A Case Study on PBDTTPD:PC61BM Bulk	5 3 3
334 333 332 331 330	Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus esculentus: Modeling and optimization of extraction conditions. 2021, 16, e0250405 Biologically Derived Gels for the Cleaning of Historical and Artistic Metal Heritage. 2021, 11, 3405 N-Chloro-N-sodio-carbamates as a Practical Amidating Reagent for Scalable and Sustainable Amidation of Aldehydes under Visible Light. 2021, 25, 1176-1183 Simultaneous Determination of Carotenoids and Chlorophylls by the HPLC-UV-VIS Method in Soybean Seeds. 2021, 11, 758 Green Inks for the Fabrication of Organic Solar Cells: A Case Study on PBDTTPD:PC61BM Bulk Heterojunctions. 2021, 2, 2100043 First Steps Toward Sustainable Circular Uses of Chemicals: Advancing the Assessment and	5 3 3

Property model prediction of the boiling point for pure and mixture solvents applied in herbal extraction. **2021**, 765, 012100

325	Structure and Solubility of Polysaccharides. 2021 , 325-336	O
324	Recent advances in non-fullerene organic photovoltaics enabled by green solvent processing. 2021 , 33,	4
323	A Showcase of Green Chemistry: Sustainable Synthetic Approach of Zirconium-Based MOF Materials. 2021 , 27, 9967-9987	5
322	Fundamental Insights in Alcoholic Ammoniacal Systems for Selective Solvometallurgical Extraction of Cu, Zn, and Pb from Tailings. 1	3
321	Neat synthesis of c-fused pyrroles and its application to macrolactamization. 2021 , 51, 2377-2386	1
320	Development and greenness assessment of a stability-indicating HPLC-DAD method for simultaneous determination of allopurinol and benzbromarone. 2021 , 47, 887-896	3
319	Application of an Ultrasound-Assisted Extraction Method to Recover Betalains and Polyphenols from Red Beetroot Waste. 2021 , 9, 8736-8747	11
318	Deep desulfurization of fuels: Are deep eutectic solvents the alternative for ionic liquids?. 2021 , 293, 120297	12
317	Screening and Preparation of Cocrystals: A Comparative Study of Mechanochemistry vs Slurry Methods. 2021 , 21, 4141-4150	8
316	Kaolin-catalysed one-pot synthesis of thiophene containing aminonaphthols under solvent-free condition and their in vitro anticancer and antioxidant activity. 2021 , 47, 4067-4082	1
315	Validated green chromatographic methods for determination of amlodipine and celecoxib in presence of methylacetophenone. 2021 , 13, 969-983	
314	Green and sustainable method of manufacturing anti-fouling zwitterionic polymers-modified poly(vinyl chloride) ultrafiltration membranes. 2021 , 591, 343-351	10
313	Green and catalyst-free synthesis of aminoanthraquinone derivatives in solvent-free conditions. 2021 , 47, 3597-3608	1
312	Sustainable Wood Nanotechnologies for Wood Composites Processed by In-Situ Polymerization. 2021 , 9, 682883	7
311	Robust superhydrophobic fabrics by infusing structured polydimethylsiloxane films. 2021 , 138, 51358	2
310	Plant extracts as green corrosion inhibitor for ferrous metal alloys: A review. 2021 , 304, 127030	29
309	Light-Driven Waste-To-Value Upcycling: Bio-Based Polyols and Polyurethanes from the Photo-Oxygenation of Cardanols. 2021 , 14, 3325-3332	1

308	A tool for identifying green solvents for printed electronics. 2021 , 12, 4510	11
307	Theoretical description of green solvents effect on electronic property and reactivity of Tert-butyl 4-formylpiperidine-1-carboxylate. 2021 , 1201, 113255	3
306	Green Methods for the Synthesis of Pyrazoles: A Review. 2021 , 53, 317-351	1
305	One-pot synthesis of 1,2,4-oxadiazoles from chalcogen amino acid derivatives under microwave irradiation. 2021 , 91, 132222	O
304	Formulation of Environmentally Safe Graffiti Remover Containing Esterified Plant Oils and Sugar Surfactant. 2021 , 26,	1
303	Phytochemical constituents and antibacterial activities of 45 Malay traditional medicinal plants. 2021 , 32, 100496	O
302	Bio-waste Derived Catalytic Approach Towards NH-1,2,3-Triazole Synthesis. 2021 , 6, 7266-7270	2
301	Silver Nanoparticle-Coated Polyhydroxyalkanoate Based Electrospun Fibers for Wound Dressing Applications. 2021 , 14,	4
300	Nickel Boride Catalyzed Reductions of Nitro Compounds and Azides: Nanocellulose-supported Catalysts in Tandem Reactions.	0
299	Towards Sustainable Museum Conservation Practices: A Study on the Surface Cleaning of Contemporary Art and Design Objects with the Use of Biodegradable Agents. 2021 , 4, 2023-2043	1
298	Nano-magnetic-iron Oxides@choline Acetate as a Heterogeneous Catalyst for the Synthesis of 1,2,3-Triazoles. 1	0
297	Sustainable and Green Engineering Insights on Deep Eutectic Solvents toward the Extraction of Nutraceuticals. 2021 , 9, 11290-11313	5
296	Comparative Analysis of the Chemical Composition and Physicochemical Properties of the Mucilage Extracted from Fresh and Dehydrated Cladodes. 2021 , 10,	0
295	Improvement of Carrot Accelerated Solvent Extraction Efficacy Using Experimental Design and Chemometric Techniques. 2021 , 9, 1652	2
294	A multi-perspective review on microbial electrochemical technologies for food waste valorization. 2021 , 342, 125950	1
293	Modified Desolvation Method Enables Simple One-Step Synthesis of Gelatin Nanoparticles from Different Gelatin Types with Any Bloom Values. 2021 , 13,	1
292	Strategies and methods for fabricating high quality metal halide perovskite thin films for solar cells. 2021 , 60, 300-333	6
291	Exploring an experimental combination of analytical quality by design and green analytical chemistry approaches for development of HPTLC densitometric protocol for the analysis of barnidipine hydrochloride. 2021 , e5244	Ο

Palladium Catalysts with Triglyme-Functionalized NHC Ligands for Suzuki Coupling Reactions in Aqueous Solvent. **2021**, 6, 9175-9178

289	The green solvent: a critical perspective. 2021 , 1-24	17
288	Fluoride-Triggered Synthesis of 1-Aryl-2,2-difluoroalkenes via Desilylative Defluorination of (1-Aryl)-2,2,2-trifluoroethyl-silanes. 2021 , 86, 13160-13168	О
287	Tribological and anticorrosion properties of polyvinyl butyral (PVB) coating reinforced with phenol formaldehyde resin (PF). 2021 , 158, 106382	3
286	Improving the efficiency and sustainability of catalysts for direct arylation polymerization (DArP).	5
285	One-Step Blade Coating of Inverted Double-Cation Perovskite Solar Cells from a Green Precursor Solvent.	O
284	Influence of Lewis and Brfisted acidic sites on graphitic carbon nitride catalyst for aqueous phase conversion of biomass derived monosaccharides to 5-hydroxymethylfurfural. 2021 , 183, 984-998	6
283	Per- and poly-fluoroalkyl substance remediation from soil and sorbents: A review of adsorption behaviour and ultrasonic treatment. 2021 , 282, 131025	5
282	Solvent assisted dyeing of wool fibers with reactive dyes in a ternary solvent system for protecting fibers against damage. 2021 , 103, 329-339	О
281	Different greenness assessment perspectives for stability-indicating RP-HPLC method used for the assay of isoxsuprine hydrochloride and four nephrotoxic and hepatotoxic photothermal degradation products. 2021 , 171, 106826	1
280	Green solvent engineering for environment-friendly fabrication of high-performance perovskite solar cells. 2021 , 425, 131475	4
279	Ionic liquids as green and sustainable steel corrosion inhibitors: Recent developments. 2021 , 425, 131480	23
278	Validated spectral manipulations for determination of an anti-neoplastic drug and its related impurities including its hazardous degradation product 2021 , 11, 21332-21342	
277	Hydrogen bond synthons affect the coordination geometry of d10-metal halide complexes: synthetic methods, theoretical studies, and supramolecular architectures. 2021 , 23, 6276-6290	O
276	CHAPTER 2:Role of Alcohols in Colloidal Nanoparticle Synthesis. 2021 , 28-50	
275	The green platform molecule gamma-valerolactone (ecotoxicity, biodegradability, solvent properties, and potential applications. <i>Green Chemistry</i> , 2021 , 23, 2962-2976	21
274	Advances in deep eutectic solvents and water: applications in metal- and biocatalyzed processes, in the synthesis of APIs, and other biologically active compounds. 2021 , 19, 2558-2577	34
273	Life Cycle Assessment of Chemical Products and Processes. 2021 , 67-105	

272 Ionic Liquid-Mediated Synthesis of Metal Nanoparticles. **2021**, 1832-1853

271	Biocatalysis of enzymes in nonconventional media. 2021 , 171-201		
270	Case studies of green solvents in the pharmaceutical industry. 2021 , 151-159		1
269	Diformylxylose as a new polar aprotic solvent produced from renewable biomass. <i>Green Chemistry</i> , 2021 , 23, 4790-4799	10	4
268	Sustainable solvent selection for the manufacture of methylammonium lead triiodide (MAPbI3) perovskite solar cells. <i>Green Chemistry</i> , 2021 , 23, 2471-2486	10	18
267	Encyclopedia of Sustainability Science and Technology. 2012 , 7585-7618		2
266	Encyclopedia of Sustainability Science and Technology. 2018, 1-40		1
265	Microwave-Assisted Reactions in Green Chemistry. 2019 , 573-612		1
264	High Performance Thin-Layer Chromatography. 2014 , 81-101		3
263	Polymerized Ionic Liquids as Antimicrobial Materials. 2021 , 87-126		1
262	Estimation of Anti-neoplastic Drug Doxorubicin in Bacterial Ghost Matrix by New Environmentally BenignIRP-HPLC Method: A Step Towards Sustainable Development of Pharmaceutical Industry. 2018 , 43, 181-190		8
261	Novel Solvents for Biotechnology Applications. 2019 , 790-806		8
260	Hybrid polymers based on bio-based benzoxazines with inorganic siloxane linkage to confer impressive thermal performance. 2020 , 199, 122549		15
259	Sustainability in Perovskite Solar Cells. 2021 , 13, 1-17		27
258	Refining the Properties of Softwood Kraft Lignin with Acetone: Effect of Solvent Fractionation on the Thermomechanical Behavior of Electrospun Fibers. 2021 , 9, 458-470		8
257	CHAPTER 12:Transition Metal Catalysis in Micellar Media: Much More Than a Simple Green Chemistry Promise. 2019 , 268-288		3
256	Structural Framework Supporting Selection of Extraction Processes under Sustainable Criteria. 2010 , 43, 186-195		4
255	Green Synthesis of Hydantoins and Derivatives. 2020 , 17, 176-184		1

254	A Green Liquid Chromatographic Method For The Simultaneous Determination of Chlorpheniramine Maleate, Pseudoephedrine Hydrochloride and Propyphenazone. 2019 , 15, 635-641		2
253	Efficient Synthesis and Anticancer Activities of Some Novel Functionalized (4-Oxo-4H-chromen-3-yl)-2-selenoxo-1,2-dihydropyrimidines. 2020 , 100, 1831		1
252	Emerging Photovoltaic Technologies and Eco-Design@riticisms and Potential Improvements.		2
251	Neoteric solvent-based blue biorefinery: for chemicals, functional materials and fuels from oceanic biomass. <i>Green Chemistry</i> , 2021 , 23, 8821-8847	10	2
250	Inorganic lead-free antimony-based perovskite-inspired solar cells with a carbon electrode and green anti-solvent regulation. 2021 , 9, 15301-15308		1
249	Green solvent-processed complementary-like inverters based on ambipolar organic thin-film transistors. 2021 ,		1
248	n -Butanol: An Ecologically and Economically Viable Extraction Solvent for Isolating Polar Products from Aqueous Solutions.		0
247	Deltamethrin Microencapsulation in Emulsion Paint Binder and Its Long-Term Efficacy Against Dengue Vector. 2021 , 9, 686122		1
246	Solventless synthesis of ZIF-L and ZIF-8 with hydraulic press and high temperature. 2021 , 328, 111487		6
245	Photochemistry in Ecosustainable Syntheses. 2012 , 213-235		
244	Introduction and Motivation. 2013, 1-7		
243	Application of Ionic Liquids in Separation and Fractionation Processes. 2018 , 1-29		O
242	The Regulation and Control of the Use and Discharge of Chemicals in the Oilfield. 457-488		
241	Solvents, Green Solvents and Formulation Practices. 405-455		
240	Life Cycle Assessment of Graphene as Heating Element. 2019 , 283-297		1
239	Catalyzing learning with green chemistry undergraduate research. 2020 , 5,		
238	Intraspecific variability of quantity and chemical composition of ethanolic knotwood extracts along the stems of three industrially important softwood species: Abies alba, Picea abies and Pseudotsuga menziesii. 2021 , 75, 168-179		2
237	Applications of Deep Eutectic Solvents Related to Health, Synthesis, and Extraction of Natural Based Chemicals. 2021 , 11, 10156		2

236	Challenges and Perspective of Recent Biomass Pretreatment Solvents. 2021, 3,	3
235	Green Chemistry and Green Solvents: An Overview. 2020 , 7, 314-325	4
234	The Proton Dissociation of Bio-Protic Ionic Liquids: [AAE]X Amino Acid Ionic Liquids. 2020, 26,	
233	Non-aqueous green solvents improve alpha-amylase induced fiber opening in leather processing. 2020 , 10, 22274	O
232	Green solvents for the formation of amide linkages. 2021,	2
231	Ionic Liquid-Mediated Synthesis of Metal Nanoparticles. 2020 , 364-385	
230	Identification of Marine Red Yeast ZOR1 and Extraction of Both Mannan and Carotenoids from ZOR1. 2020 , 09, 10-16	
229	Chapter 11:Evaluation of the Greenness of Analytical Procedures. 2020 , 337-369	1
228	Chapter 4:Innocuous and Less Hazardous Reagents. 2020 , 92-113	O
227	Dry fruit as source of fungal contaminants or functional compounds?. 2020 , 40, 76-83	1
226	Unconventional Ethereal Solvents in Organic Chemistry: A Perspective on Applications of 2-Methyltetrahydrofuran, Cyclopentyl Methyl Ether, and 4-Methyltetrahydropyran.	3
225	Optimized extraction of polyphenolic antioxidants from the leaves of Himalayan Oak species. 2021 , 16, e0259350	1
224	Environmentally friendly analytical method to assess enantioselective behaviour of pharmaceuticals and pesticides in river waters. 2021 , 24, 100558	1
223	Determination of Phenolic CompoundsExtraction Conditions from Pistacia palaestina Leaves at Two Different Stages of Maturity. 2020 , 16, 808-814	
222	Green Solvent: Green Shadow on Chemical Synthesis. 2020 , 17, 426-439	
221	Switchable solvents for bio-refinery applications. 2022 , 1-20	
220	Deep eutectic solvents in liquid-phase microextraction: Contribution to green chemistry. 2022 , 146, 116478	9
219	Green chromatographic methods for simultaneous micro-determination of empagliflozin, linagliptin with metformin and its pharmacopoeial impurities in pure form and triple combination tablets: A comparative study. 2022 , 25, 100560	1

218	Validated chromatographic methods for the simultaneous determination of a ternary mixture of sulfacetamide sodium and two of its official impurities; sulfanilamide and dapsone. 2021 ,		
217	Application of solvent pH under pressurized conditions using accelerated solvent extraction and green solvents to extract phytonutrients from wild berries. 2021 , 101471		O
216	Extraction optimization and microencapsulation of Berberine from Berberis vulgaris incorporated in a functional orange drink: Physiochemical attributes and kinetic release studies. 2021 , 1-21		0
215	Recent patents and a market overview on green or bio-based solvents for chromatographic analysis: a review. 2021 , 10, 227-235		1
214	High-Yield Production of Selected 2D Materials by Understanding Their Sonication-Assisted Liquid-Phase Exfoliation 2021 , 11,		2
213	Impact of Conventional and Sustainable Solvents on the Yield, Selectivity, and Recovery of Curcuminoids from Turmeric.		3
212	Greening Pathways for Synthetic Talc Production Based on the Supercritical Hydrothermal Flow Process.		1
211	Metal-free and green synthesis of a series of new bis(2-alkylsulfanyl-[1,3,4]thiadiazolyl)-5,5'-disulfides and 2,2£Dibenzothiazolyl disulfide via oxidative self-coupling using hydrogen peroxide. 2021 , 115610		O
210	Eco-friendly solution processing of all-polymer solar cells: Recent advances and future perspective. 2021 ,		2
209	Volatile Compounds from Flowers of Elaeagnus x submacrophylla Servett.: Extraction, Identification of Flavonoids, and Antioxidant Capacity 2021 , 86, 1623-1634		
208	Valorisation of glycerol through catalytic hydrogenolysis routes for sustainable production of value-added C3 chemicals: current and future trends.		1
207	Fabrication of zirconium based coordination polymers for fluorine/silane free superhydrophobic coatings. 2022 , 431, 134262		1
206	Novel environment friendly TLC-densitometric method for the determination of anti-coronavirus drugs "Remdesivir and Favipiravir": Green assessment with application to pharmaceutical formulations and human plasma 2022 , 174, 107101		3
205	Are ionic liquids eco-friendly?. 2022 , 157, 112039		10
204	Metal-Free One-Pot Domino Synthesis of Oxazolidinone Derivatives.		0
203	Membrane fouling mechanisms by BSA in aqueous-organic solvent mixtures. 2022,		O
202	Sustainability of green solvents Ireview and perspective. <i>Green Chemistry</i> , 2022 , 24, 410-437	10	9
201	A New Ecological RP-HPLC Method for the Determination of Pitavastatin, Fenofibrate and Their Impurities in a Novel Fixed Dose Combination. 2022 , 85, 177-191		

200	Enantioselective HPLC analysis of Escitalopram oxalate and its impurities using a cellulose-based chiral stationary phase under normal- and green reversed-phase conditions 2021 ,		O
199	Validated Smart Different Chromatographic Methods for Selective Quantification of Acefylline Piperazine, Phenobarbital Sodium and Methylparaben Additive in Bulk and Pharmaceutical Dosage Form 2022 ,		
198	Recent developments in green approaches for sustainable synthesis of indole-derived scaffolds 2022 , 1		O
197	Dicarbonyl compounds in the synthesis of heterocycles under green conditions. 2020,		O
196	Tuneable N -Substituted Polyamides with High Biomass Content via Ugi 4 Component Polymerization. 2100408		1
195	Eucalyptol, an All-Purpose Product. 2022 , 12, 48		1
194	Does substituting reprotoxic solvents during ultrafiltration membrane fabrication really mitigate environmental impacts? Focus on drinking water production. 2022 , 337, 130476		О
193	Optimised green solventlextraction of long-chain menaquinones (Vitamin K2) from wet Lactococcus lactis biomass. 2022 , 287, 120560		O
192	Re-dispersible chitin nanofibrils with improved stability in green solvents for fabricating hydrophobic aerogels 2022 , 283, 119138		1
191	Green synthesis of polysubstituted pyrroles through a domino sequence of aza-Claisen rearrangement/nucleophilic addition/oxidation/acylation. 2022 ,		
190	Application of Pulsed Electric Fields and High-Pressure Homogenization in Biorefinery Cascade of Microalgae 2022 , 11,		0
189	Expedient metal-free preparation of aryl aziridines thermal cycloaddition reactions 2022,		
188	Status and advances of deep eutectic solvents for metal separation and recovery. <i>Green Chemistry</i> , 2022 , 24, 1895-1929	10	9
187	Electrospinning based on benign solvents: current definitions, implications and strategies. <i>Green Chemistry</i> , 2022 , 24, 2347-2375	10	11
186	Sustainable Green Process for Environmentally Viable Perovskite Solar Cells. 2022 , 7, 1154-1177		5
185	Quantitative analysis of favipiravir and hydroxychloroquine as FDA-approved drugs for treatment of COVID-19 using synchronous spectrofluorimetry. Application to pharmaceutical formulations and biological fluids 2022,		1
184	Toward Green Extraction Processes. 2022 , 519-561		
183	Regeneration and sulfur recovery of Lanxess Lewatit AF 5 catalyst from the acidic Albion leaching process using toluene and tetrachloroethylene as organic solvents. 2022 , 107, 291-301		1

182	Catechin and Furfurylamine Derived Biobased Benzoxazine with Latent-Catalyst Effect. 2100458	1
181	2,5-Diethyl-2,5-Dimethyloxolane (DEDMO) as a Nonpolar, Nonperoxide-Forming Ether Solvent for Organic Synthesis.	3
180	Sustainable Features of Centrifugal Partition Chromatography. 2022 , 261-295	
179	Prospective pathways of green graphene-based lab-on-chip devices: the pursuit toward sustainability 2022 , 189, 177	1
178	Facile, Energy Efficient Microscale Fibrillation of Polyacrylamides under Ambient Conditions 2022 , e2201577	O
177	Fingerprinting and iso-absorptive resolution techniques for the spectrally overlapping Dutasteride and Silodosin mixture: Content uniformity testing along with greenness profile assessment 2022 , 273, 121063	3
176	Green analytical chemistry approach for the determination of emtricitabine in human plasma, formulations, and solubility study samples. 2022 , 26, 100648	
175	Greenness estimation of chromatographic assay for the determination of anthracycline-based antitumor drug in bacterial ghost matrix of Salmonella typhimurium. 2022 , 26, 100642	
174	A low cost yet highly sensitive silver nanoprobe for naked eye detection and determination of bisulphate (HSO4-) in a few real samples. 2022 , 139, 109366	О
173	Sodium dodecyl benzene sulfonate-catalyzed reaction for green synthesis of biologically active benzylpyrazolyl-coumarin derivatives, mechanism studies, theoretical calculations. 2022 , 1261, 132908	O
172	Universal procedures for spectrophotometric determination of anticoccidial drugs; application to multi-ingredient veterinary formulation and computational investigations for multivariate analysis. 2021 , 12, 368-376	
171	Graphene oxide and starch gel as a hybrid binder for environmentally friendly high-performance supercapacitors. 2021 , 4,	2
170	Elucidating Charge Generation in Green-Solvent Processed Organic Solar Cells 2021, 26,	1
169	In-water[Inickel-catalyzed mild preparation of allylic amines employing alcohols: Application to all-water[synthesis of pharmaceuticals. <i>Green Chemistry</i> ,	1
168	Amine-free CO2-switchable hydrophilicity solvents and their application in extractions and polymer recycling. <i>Green Chemistry</i> ,	О
167	A Highly Efficient and Eco-Friendly Synthesis of Disubstituted Imidazoles in Ionic Liquid from Gem-Dibromo Vinylarenes and Amidines. 1-10	1
166	Photoinduced EC-H Amination of Cyclic Amine Scaffolds Enabled by Polar-Radical Relay 2022 ,	2
165	Photoinduced ECEI Amination of Cyclic Amine Scaffolds Enabled by Polar-Radical Relay.	

164	The effect of oxygen on the thermal stability and decomposition behaviours of 1,3-dimethylimidazolium nitrate for application using STA, ARC and FTIR. 2022 ,		0
163	Green Solvents for the Liquid Phase Exfoliation Production of Graphene: The Promising Case of Cyrene 2022 , 10, 878799		3
162	Magnet integrated fabric phase sorptive extraction as a stand-alone extraction device for the monitoring of benzoyl urea insecticides in water samples by HPLC-DAD 2022 , 1672, 463026		1
161	Chapter 1. Introduction. 1-30		
160	Highly efficient and stable solar energy-driven device using lignocellulosic biomass Juncus effusus for recovery of ethanol-water mixture. <i>Green Chemistry</i> ,	10	0
159	A case study in green chemistry: the reduction of hazardous solvents in an industrial R&D environment. <i>Green Chemistry</i> ,	10	1
158	Continuous flow mechanochemistry: reactive extrusion as an enabling technology in organic synthesis 2022 ,		5
157	Green assessment of polymer microparticles production processes: a critical review. <i>Green Chemistry</i> ,	10	3
156	Life cycle assessment of simultaneous pyrethroid extraction in soil matrices: A comparative study with QuEChERS method. 2022 , 1017, 012018		
155	Efficient Fmoc-Protected Amino Ester Hydrolysis Using Green Calcium(II) lodide as a Protective Agent 2022 , 27,		
154	Chemical and Molecular Characterization of Wound-Induced Suberization in Poplar (I) Stem Bark 2022 , 11,		
153	Biomimetic Peptide Catalytic Bond-Forming Utilizing a Mild Brfisted Acid 2022 , e202103989		1
152	Nanoconfinement Effects of Micellar Media in Asymmetric Catalysis.		1
151	Fruit Juice Industry Wastes as a Source of Bioactives 2022 ,		4
150	Donor acceptor groups effect, polar protic solvents influence on electronic properties and reactivity of 2-Chloropyridine-4-carboxylic acid. 2022 , 99, 100478		О
149	Computational investigation into structural, topological, electronic properties, and biological evaluation of spiro[1H-indole-3,2?-3H-1,3-benzothiazole]-2-one. 2022 , 359, 119234		1
148	Rapid and Ecofriendly UPLC Quantification of Remdesivir, Favipiravir and Dexamethasone for Accurate Therapeutic Drug Monitoring in Covid-19 Patient's Plasma 2022 , 107580		1
147	Biomass-derived 2-methyltetrahydrofuran platform: a focus on precious and non-precious metal-based catalysts for the biorefinery. <i>Green Chemistry</i> ,	10	2

146	A copper-catalysed one-pot hydroboration/azidation/cycloaddition reaction of alkynes.		О
145	A desirability approach for Antidiabetic and Antiinflammatory efficacy of Ficus subincisa bark. 2022 , 173	2-173	36
144	Efficient one-pot synthesis of pyrano[2,3-d]pyrimidinone derivatives catalyzed by a novel and recyclable CuO/NiO nanocatalyst. 2022 , 19,		
143	Superhydrophobic polypropylene sorbent derived from discarded face masks: A highly efficient adsorbent for oil spill sorbent. 2022 , 135186		O
142	Parametrization of PC-SAFT EoS for Solvents Reviewed for Use in Pharmaceutical Process Design: VLE, LLE, VLLE, and SLE Study.		O
141	Natural Antioxidant Evaluation: A Review of Detection Methods. 2022 , 27, 3563		5
140	Photovoltaic properties of novel reactive azobenzoquinolines: experimental and theoretical investigations. 2022 ,		2
139	Reusing ethanol-water and recovering residual gum in hemp degumming. 2022 , 185, 115114		O
138	Green Analytical Chemistry Metrics and Life-Cycle Assessment Approach to Analytical Method Development. 2022 , 29-99		0
137	Perspectives of industrial hemp cultivation. 2022 , 1-36		
136	Chromatographic method development and metabolite profiling for biomass and extraction optimization of withametelin and daturaolone from D. innoxia Mill. 2022 , 104052		
135	Green Extraction Techniques for Phytoconstituents from Natural Products.		
134	Switching indication of PEGylated lipid nanocapsules-loaded with rolapitant and deferasirox against breast cancer: Enhanced in-vitro and in-vivo cytotoxicity. 2022 , 120731		0
133	Sustainability of thin layer road markings based on their service life. 2022 , 109, 103339		1
132	Effect of UV, pH and solvent on the photophysical properties of novel xanthylium fluorophore in solid and liquid state. 2022 , 205, 110480		0
131	Renewable biomass resources to access halogen- and phosphorus-free flame retardant thermosets with ultra-low heat release capacity. 2022 , 448, 137670		1
130	Photo-mediated synthesis of 1,2-dideoxy-2-phosphinylated carbohydrates from glycals: the reduction of glycosyl radicals to glycosyl anions. <i>Green Chemistry</i> ,	10	1
129	Catalyst- and additive-free sunlight-induced autoxidation of aldehydes to carboxylic acids. <i>Green Chemistry</i> ,	10	3

128	Novel Eco-Friendly Methodology to Determine Polycyclic Aromatic Hydrocarbons in Polyurethane Foam for Air Monitoring: Application to Spatial and Temporal Distribution Survey.	
127	Methods of extraction of medicinal plants. 2022 , 771-796	
126	Water-soluble ruthenium complex-pyrene dyads with extended triplet lifetimes for efficient energy transfer applications.	О
125	Mobile phases and their properties. 2022 , 207-269	
124	Naked-eye detection of Cysteine/Homocysteine through silver nano resonators and specific identification of Homocysteine through nanoresonators-thiosulphate conjugate	
123	Pyrazole and Its Derivatives: An Excellent N-Hetrocycle with Wide Range of Biological Applications (A Review). 2022 , 38, 568-592	
122	Comparative Investigation of n-Hexane and Ethanol Solvents Used in Eleais guinesis Kernel Oil Extraction and Optimization via Two Computational Modelling. 2022 , 3, 15-30	
121	Green Solvents for Sustainable Organic Synthesis. 2022 , 104-128	
120	Coffee pulp as a source for polyphenols extraction using ultrasound, microwave, and green solvents.	1
119	Oxidative Cleavage of Methyl Epoxystearate over Al-MCM-41-assisted WO 3 🖬 H 2 O for Aldehyde Products. 2100254	
118	A Stereoselective Route to R-(+)-Limonene-Based Non-isocyanate Poly(hydroxyurethanes).	1
117	Green solvents in polymeric membrane fabrication: A review. 2022 , 298, 121691	O
116	Recent progress on the recovery of bioactive compounds obtained from propolis as a natural resource: Processes, and applications. 2022 , 298, 121640	0
115	Fabrication and evaporation time investigation of water treatment membranes using green solvents and recycled polyethylene terephthalate.	1
114	Food Industry Byproducts as Starting Material for Innovative, Green Feed Formulation: A Sustainable Alternative for Poultry Feeding. 2022 , 27, 4735	1
113	Recent Developments and Applications of Nanosystems in the Preservation of Meat and Meat Products. 2022 , 11, 2150	o
112	CyreneTM Blends: A Greener Solvent System for Organic Syntheses.	0
111	Molecularly imprinted polymer nanoparticles for the recognition of ellagic acid.	

110	Piperidine-Iodine as Efficient Dual Catalyst for the One-Pot, Three-Component Synthesis of Coumarin-3-Carboxamides. 2022 , 27, 4659	0
109	Hydrolytically Stable Ionic Fluorogels for High-Performance Remediation of Per- and Polyfluoroalkyl Substances (PFAS) from Natural Water.	
108	Hydrolytically Stable Ionic Fluorogels for High-Performance Remediation of Per- and Polyfluoroalkyl Substances (PFAS) from Natural Water.	1
107	Recovery and Enrichment of Organic Acids from Kraft Black Liquor by an Adsorption-Based Process.	
106	Photocatalytic Isomerization of (E)-Anethole to (Z)-Anethole. 2022, 27, 5342	2
105	Green Validated TLC and UV Spectrometric Techniques for Hyoscine Butylbromide and Ketoprofen Determination in Pharmaceutical Dosage Form. 2022 , 77, 1015-1026	О
104	On the oxidative valorization of lignin to high-value chemicals: A critical review of opportunities and challenges.	2
103	Desulfurization of Morupule Coal with Subcritical Aqueous Ethanol Extraction.	
102	Greening Oxidation Catalysis: Water as a Solvent for Efficient Alkene Epoxidation over a Titanosilicate/H2O2 System.	О
101	Caffeine and theophylline as sustainable, biosourced NHC ligand precursors for efficient palladium-catalyzed SuzukiMiyaura cross-coupling reactions. 2022 , 978, 122489	O
100	Sustainable and effective contaminants transport beyond stability barrier of supported liquid membrane: How crucial and vital is the green membrane system. 2022 , 49, 103172	О
99	Synthesis of UiO-66 loaded-caffeic acid and study of its antibacterial mechanism. 2023 , 402, 134248	O
98	Characterizing the environmentally benign nature of chemical processes. 2022, 281-305	О
97	Stereoselective synthesis of the isoxazolidine ring via manganese(iii)-catalysed aminoperoxidation of unactivated alkenes using molecular oxygen in air under ambient conditions. 2022 , 24, 7162-7170	O
96	Critical analysis of green solvent credentials of eutectic solvents. 2022, 77-104	О
95	Supercritical carbon dioxide assisted formation of crystalline materials for various energetic applications.	О
94	Benzaldehyde-mediated selective aerobic polyethylene functionalisation with isolated backbone ketones. 2022 , 24, 6287-6294	2
93	X-ray photoelectron spectroscopy of morpholinium ionic liquids: impact of a long alkyl side substituent on the cation∃nion interactions.	О

92	Ionic Liquids, an Asset in Extraction Techniques Comprehensive Review. 2022, 12, 107-122	O
91	Cu(II)-Catalyzed Multicomponent Reaction of Pyridine Derivatives/Isoquinolines with Iodonium Ylide and 1,4-Quinones Using Mechanochemistry. 2022 , 87, 12164-12174	O
90	Scrutiny of physico-chemical properties of extractant-diluent phase: Keystone of extraction systems.	O
89	High-yield aqueous synthesis of partial-oxidized black phosphorus as layered nanodot photocatalysts for efficient visible-light driven degradation of emerging organic contaminants. 2022 , 134228	3
88	Direct Synthesis of Oxaspirolactones in Batch, Photoflow, and Silica Gel-Supported Solvent-free Conditions via Visible-Light Photo- and Heterogeneous Brüsted Acid Relay Catalysis.	О
87	RP-HPLC Method for Simultaneous Determination of Paracetamol, Caffeine, Drotaverine HCl and their Related Impurities with Dissolution Profiling of their Tablets and Greenness Profile Assessment.	O
86	Brazilian Agroindustrial Wastes as a Potential Resource of Bioative Compounds and Their Antimicrobial and Antioxidant Activities. 2022 , 27, 6876	О
85	Untargeted Metabolomics by Using UHPLCESIMS/MS of an Extract Obtained with Ethyl Lactate Green Solvent from Salvia rosmarinus. 2022 , 9, 327	1
84	Electrochemical recycling of homogeneous catalysts. 2022 , 8,	1
83	The Greening of Anthocyanins: Eco-Friendly Techniques for Their Recovery from Agri-Food By-Products. 2022 , 11, 2169	2
82	Novel eco-friendly methodology to determine polycyclic aromatic hydrocarbons in polyurethane foam for air monitoring: Application to spatial and temporal distribution survey. 2023 , 311, 137059	0
81	CHAPTER 7. The Fatty Acid Value Chain. 2022 , 272-328	O
80	CHAPTER 2. Terms, Definitions, and Classification of Renewable Raw Materials. 2022, 12-46	O
79	N-Carboxyanhydrides directly from amino acids and carbon dioxide and their tandem reactions to therapeutic alkaloids.	1
78	CHAPTER 12. Carbohydrates. 2022 , 589-700	O
77	Layer-by-layer printable nano-scale polypropylene for precise control of nanocomposite capacitor dielectric morphologies in metallised film capacitors. 2023 , 4, 100025	1
76	A simple, rapid, sensitive and eco-friendly LC-MS/MS method for simultaneous determination of free cordycepin and isocordycepin in 10 different kinds of Cordyceps. 2022 ,	1
75	Environmentally Sustainable Achiral and Chiral Chromatographic Analysis of Amino Acids in Food Supplements. 2022 , 27, 7724	Ο

74	A novel material based on an antibacterial choline-calixarene nanoassembly embedded in thin films.	2
73	Green, Rapid, Robust Determination of Aspartame in Beverages by High-Performance Liquid Chromatography-Evaporative Light Scattering Detection (HPLC-ELSD): Method Development and Validation. 1-11	O
72	A methodology for the sampling and identification of microplastics in bird nests. 2022, 100045	О
71	Biomonitoring of pesticides in urine by using isoamyl acetate as a sustainable extraction solvent 2022 , 115150	O
70	Biosynthesis and photocatalytic evaluation of ZnO nanoparticles using banana flower perianth. 2022 , 380, 135180	O
69	Scaling-Up an Aqueous Self-Degassing Electrochemically Mediated ATRP in Dispersion for the Preparation of Cellulose B olymer Composites and Films. 2022 , 14, 4981	O
68	Polyphenols, phytosterols, aromatics, and essential oils. 2023, 255-275	0
67	Optimization of antioxidant compounds extraction from feijoa (Acca sellowiana berg) residues. 42,	O
66	Advances in the device design and printing technology for eco-friendly organic photovoltaics.	1
65	High-efficiency organic solar cells processed from a real green solvent.	O
64	Combining environmental, health, and safety features with a conductor like Screening Model for selecting green solvents for antibiotic analyses. 2023 , 218, 114962	0
63	Determination of acaricides in honeys from different botanical origins by gas chromatography-mass spectrometry. 2023 , 408, 135245	1
62	A sustainable polymer and coating system based on renewable raw materials. 2022, 24, 9772-9780	O
61	Chapter 8. Plant Extracts as Green Corrosion Inhibitors. 2022 , 184-202	O
60	Application space for SFC in pharmaceutical drug discovery and development. 2022, 29-47	O
59	Facile and selective N-alkylation of gentamicin antibiotics via chemoenzymatic synthesis. 2022 , 24, 9542-95	51 o
58	Sustainable Production of Layered Bismuth Oxyhalides for Photocatalytic H2 Production. 2022 , 10, 15622-1	5641
57	Techno-economic and Environmental Analysis of Algae Biodiesel Production via Lipid Extraction Using Alternative Solvents. 2022 , 61, 18030-18044	O

56	Evaluation of safe mixed solvents in N-phenylbenzamide synthesis for alteration of hazardous dipolar aprotic solvents in amide drug syntheses. 2022 , 133210	Ο
55	N-Heterocyclic Carbene Mediated Sulfur Extrusion of Disulfides.	O
54	Monolithic capsule phase microextraction prior to gas chromatography-mass spectrometry for the determination of organochlorine pesticides in environmental water samples. 2022 , 108355	O
53	Mechanically Stable, Binder-Free, and Free-Standing Vanadium Trioxide/Carbon Hybrid Fiber Electrodes for Lithium-Ion Batteries. 2200373	O
52	Efficacy of Green Extracting Solvents on Antioxidant, Xanthine Oxidase, and Plant Inhibitory Potentials of Solid-Based Residues (SBRs) of Cordyceps militaris. 2023 , 3, 11-21	О
51	An Ultra-rapid and Green Method for Simultaneous Determination of Honokiol and Magnolol in Magnoliae Officinalis Cortex with One Standard by HPLC-UV at Equal Absorption Wavelength.	O
50	Acid-Promoted Direct CH Carbamoylation at the C-3 Position of Quinoxalin-2(1H)-ones with Isocyanide in Water.	О
49	Summarizing the Effect of Acidity and Water Content of Deep Eutectic Solvent-like Mixtures AReview. 2022 , 15, 9333	O
48	Critical Assessment of the Sustainability of Deep Eutectic Solvents: A Case Study on Six Choline Chloride-Based Mixtures. 2022 , 7, 47449-47461	О
47	A Review on Green Synthesis of Biologically Active Compounds. 2022 , 10,	O
46	Recent progress and future directions of membranes green polymers for oily wastewater treatment.	О
45	Selective Photocatalytic Reduction of Nitrobenzene to Aniline Using TiO2 Embedded in sPS Aerogel. 2023 , 15, 359	O
44	Conventional vs. microwave-assisted synthesis: A comparative study on the synthesis of tri-substituted imidazoles. 2023 , 10,	О
43	Reaction of the Phytochemistry Community to Green Chemistry: Insights Obtained Since 1990.	O
42	Density and Dynamic Viscosity of Perfluorodecalin-Added n-Hexane Mixtures: Deciphering the Role of Fluorous Liquids. 2023 , 3, 48-56	О
41	Alkyl Levulinates and 2-Methyltetrahydrofuran: Possible Biomass-Based Solvents in Palladium-Catalyzed Aminocarbonylation. 2023 , 28, 442	O
40	Mucuna pruriens as nano herbal medicine: A review. 2023,	0
39	Applications for natural deep eutectic solvents in Chinese herbal medicines. 13,	O

38	The role of acetone-fractionated Kraft lignin molecular structure on surface adhesion to formaldehyde-based resins. 2023 , 225, 1449-1461	1
37	Bio-benzoxazine structural design strategy toward highly thermally stable and intrinsically flame-retardant thermosets. 2023 , 457, 141232	O
36	Electron beam assisted recycling of polyurethane (PU) sponge: Turning it into a superabsorbent for wastewater treatment.	O
35	Visible light mediated organocatalytic dehydrogenative aza-coupling of 1,3-diones using aryldiazonium salts. 2023 , 13, 3147-3154	O
34	Green and efficient one-pot three-component synthesis of novel drug-like furo[2,3년]pyrimidines as potential active site inhibitors and putative allosteric hotspots modulators of both SARS-CoV-2 MPro and PLPro. 2023 , 106390	O
33	Industrial application of green solvent for energy conversion and storage. 2023 , 113-124	O
32	Current trends and applications of ionic liquids in electrochemical devices. 2023, 63-88	O
31	Sustainable dispersive liquid I quid microextraction method utilizing a natural deep eutectic solvent for determination of chloramphenicol in honey: assessment of the environmental impact of the developed method. 2023 , 13, 5058-5069	1
30	Preformed Pd(II) Catalysts Based on Monoanionic [N,O] Ligands for Suzuki-Miyaura Cross-Coupling at Low Temperature. 2023 , 13, 303	O
29	Role of ionic liquids in bioactive compounds extractions and applications. 2023 , 247-284	O
28	ANTIBACTERIAL POTENTIAL AND CYTOTOXICITY EFFECTS OF SOME PLANTS' CRUDE JUICES. 2022,	O
27	Removal and recovery of hazardous congo red from aqueous environment by selective natural amino acids in simple processes. 2023 , 127, 99-111	O
26	A new approach for the direct acylation of bio-oil enriched with levoglucosan: Kinetic study and lipase thermostability. 2023 , 195, 108915	O
25	Green analytical chemistry and experimental design: a combined approach for the analysis of zonisamide. 2023 , 17,	O
24	Factorial design optimized green reversed-phase high-performance liquid chromatography for simultaneous determination of aspirin and clopidogrel in pharmaceutical tablets. 2023 , 190, 108610	O
23	Green synthesis of 3D cesium lead halide perovskite nanocrystals and 2D Ruddlesden Popper nanoplatelets in menthol-based deep eutectic solvents. 2023 , 7, 753-764	O
22	Study and Applications of Tetrasubstituted Hypervalent Selenium Halogen Species in Catalytic Electrophilic Halogenations. 2023 , 13, 2386-2395	0
21	In situ Formation of Polymer Microparticles in Bacterial Nanocellulose Using Alternative and Sustainable Solvents to Incorporate Lipophilic Drugs. 2023 , 15, 559	O

20	Recyclability and reusability of the solvents. 2023 , 133-170	O
19	Shear-induced phase transition in the aqueous solution of an imidazolium-based ionic liquid. 2023 , 158, 094904	O
18	Experimental Study on Solubility of Metal Oxides in Novel Deep Eutectic Solvents of Choline Chloride-Organic Acid. 2023 , 321-330	О
17	Solvothermal Engineering of NaTi2(PO4)3 Nanomorphology for Applications in Aqueous Na-Ion Batteries. 2023 , 11, 3429-3436	O
16	Microwave Assisted Grafting of Polyethylene Membrane through Imidazolium and Pyridinium Moieties as Alkaline Anion Exchanger for Fuel Cell Applications. 2023 , 44, 101002	О
15	GreenMedChem: the challenge in the next decade toward eco-friendly compounds and processes in drug design. 2023 , 25, 2109-2169	0
14	3-Methylcyclohexanone Processed n-Channel Organic Thin-Film Transistors Based on A Conjugated Polymer Synthesized by Direct Arylation Polycondensation.	0
13	Temperature Responsive Copolymers Films of Polyether and Bio-Based Polyamide Loaded with Imidazolium Ionic Liquids for Smart Packaging Applications. 2023 , 15, 1147	0
12	Investigation of cationic ring-opening polymerization of 2-oxazolines in the greenBolvent dihydrolevoglucosenone. 19, 217-230	0
11	Life Cycle Assessment of MetalDrganic Frameworks: Sustainability Study of Zeolitic Imidazolate Framework-67. 2023 , 11, 4219-4225	О
10	Oligo(ethylene glycol) Side Chain Architecture Enables Alcohol-Processable Conjugated Polymers for Organic Solar Cells. 2023 , 56, 2092-2103	0
9	Tuning water chemistry for the recovery of greener products: pragmatic and sustainable approaches. 2023 , 13, 6808-6826	O
8	Synthesis of green emitted carbon dots from Vachellia nilotica and utilizing its extract as a red emitted fluorescence reagent: Applying for visual and spectroscopic detection of iron (III). 2023 , 295, 122616	O
7	The Oxidation of Organo-Boron Compounds Using Electrochemically Generated Peroxodicarbonate.	O
6	Application of Green Solvent in Green Chemistry: An overview. 2023, 9, 01-14	O
5	Large-Area Printed Display Based on Green Solvent Processable Blue Light-Emitting Conjugated Polymer.	0
4	Optimization of High-Performance Liquid Chromatography (HPLC) Conditions for Isoflavones Using Deep Eutectic Solvents (DESs) as Mobile Phase Additives by the HCI Program. 1-12	О
3	Enzymatic Synthesis of a Novel Coumarin Aminophosphonates: Antibacterial Effects and Oxidative Stress Modulation on Selected E. coli Strains. 2023 , 24, 7609	0

Ecofriendly stability-indicating UHPLC-PDA method for determination of the new influenza antiviral prodrug Baloxavir Marboxil; application to degradation kinetic studies and structure elucidation of the major degradation products using LC-MS. **2023**, 33, 101093

О

Low temperature, non-halogen solvent processed single-component organic solar cells with 10% efficiency. **2023**, 108527

О