CITATION REPORT List of articles citing

Spatial and seasonal distributions of carbonaceous aerosols over China

DOI: 10.1029/2006jd008205 Journal of Geophysical Research, 2007, 112, .

Source: https://exaly.com/paper-pdf/42400150/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
386	Mass concentrations of black carbon measured by four instruments in the middle of Central East China in June 2006. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 7637-7649	6.8	53
385	Role of Black Carbon-Induced Changes in Snow Albedo in Predictions of Temperature and Precipitation during a Snowstorm. 2009 , 2, 230-236		1
384	Spatial distribution and seasonal variation of char-EC and soot-EC in the atmosphere over China. <i>Atmospheric Environment</i> , 2009 , 43, 6066-6073	5.3	87
383	Seasonal variations and sources of mass and chemical composition for PM10 aerosol in Hangzhou, China. 2009 , 7, 161-168		106
382	Characteristics of organic and elemental carbon in atmospheric fine particles in Tianjin, China. 2009 , 7, 432-437		47
381	Organic carbon and elemental carbon associated with PM(10) in Beijing during spring time. 2009 , 172, 970-7		30
380	Black carbon relationships with emissions and meteorology in Xi'an, China. <i>Atmospheric Research</i> , 2009 , 94, 194-202	5.4	142
379	Seasonal and diurnal variations of organic carbon in PM2.5 in Beijing and the estimation of secondary organic carbon. <i>Journal of Geophysical Research</i> , 2009 , 114,		104
378	Chemical Characteristics of Fine Particles (PM1) from Xi'an, China. 2010 , 44, 461-472		80
377	Different characteristics of char and soot in the atmosphere and their ratio as an indicator for source identification in Xi'an, China. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 595-607	6.8	156
376	Temporal variations of black carbon in Guangzhou, China, in summer 2006. <i>Atmospheric Chemistry and Physics</i> , 2010 , 10, 6471-6485	6.8	51
375	Temporal variability in fine carbonaceous aerosol over two years in two megacities: Beijing and Toronto. 2010 , 27, 705-714		9
374	Measuring and modeling black carbon (BC) contamination in the SE Tibetan Plateau. <i>Journal of Atmospheric Chemistry</i> , 2010 , 67, 45-60	3.2	71
373	Impact of anthropogenic emissions and open biomass burning on regional carbonaceous aerosols in South China. <i>Environmental Pollution</i> , 2010 , 158, 3392-400	9.3	50
372	Impacts of Asian summer monsoon on seasonal and interannual variations of aerosols over eastern China. <i>Journal of Geophysical Research</i> , 2010 , 115,		74
371	Black carbon in a continental semi-arid area of Northeast China and its possible sources of fire emission. <i>Journal of Geophysical Research</i> , 2010 , 115,		31
370	High wintertime particulate matter pollution over an offshore island (Kinmen) off southeastern China: An overview. <i>Journal of Geophysical Research</i> , 2010 , 115,		52

(2012-2011)

369	aerosol and PM concentrations of long range transported aerosol in East Asia to carbonaceous aerosol and PM concentrations in Seoul, Korea using highly time resolved measurements: a PSCF model approach. 2011 , 13, 1905-18		64	
368	Seasonal and diurnal variations of black carbon and organic carbon aerosols in Bangkok. <i>Journal of Geophysical Research</i> , 2011 , 116,		63	
367	Primary anthropogenic aerosol emission trends for China, 1990\(\mathbb{Q}\)005. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 931-954	6.8	346	
366	Carbonaceous species in PM _{2.5} at a pair of rural/urban sites in Beijing, 2005\(\bar{\textsf{Q}} 008. \) Atmospheric Chemistry and Physics, \(\bar{\textsf{Q}} 011, 11, 7893-7903 \)	6.8	60	
365	Correlation of black carbon aerosol and carbon monoxide in the high-altitude environment of Mt. Huang in Eastern China. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 9735-9747	6.8	63	
364	Inferring absorbing organic carbon content from AERONET data. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 215-225	6.8	144	
363	Pollution characteristics of organic and elemental carbon in PM2.5 in Xiamen, China. 2011 , 23, 1342-9		57	
362	Historical estimation of carbonaceous aerosol emissions from biomass open burning in China for the period 1990-2005. <i>Environmental Pollution</i> , 2011 , 159, 3316-23	9.3	43	
361	Stable carbon isotopes in aerosols from Chinese cities: Influence of fossil fuels. <i>Atmospheric Environment</i> , 2011 , 45, 1359-1363	5.3	117	
360	Source contributions to carbonaceous aerosol concentrations in Korea. <i>Atmospheric Environment</i> , 2011 , 45, 1116-1125	5.3	42	
359	Chemical composition and size distribution of wintertime aerosols in the atmosphere of Mt. Hua in central China. <i>Atmospheric Environment</i> , 2011 , 45, 1251-1258	5.3	37	
358	Seasonal variation of carbonaceous and ionic components in ultrafine and fine particles in an urban area of Japan. <i>Atmospheric Environment</i> , 2011 , 45, 1581-1590	5.3	32	
357	Source and variation of carbonaceous aerosols at Mount Tai, North China: Results from a semi-continuous instrument. <i>Atmospheric Environment</i> , 2011 , 45, 1655-1667	5.3	35	
356	Chemical composition of PM2.5 during winter in Tianjin, China. 2011 , 9, 215-221		80	
355	Quantification of Airborne Elemental Carbon by Digital Imaging. 2011 , 45, 581-586		8	
354	Chemical composition of PM10 and PM2.5 collected at ground level and 100 meters during a strong winter-time pollution episode in Xi'an, China. 2011 , 61, 1150-9		65	
353	Fine particulate matter constituents and cardiopulmonary mortality in a heavily polluted Chinese city. 2012 , 120, 373-8		316	
352	Winter and summer PM2.5 chemical compositions in fourteen Chinese cities. 2012 , 62, 1214-26		290	

351	Carbonaceous aerosols in China: top-down constraints on primary sources and estimation of secondary contribution. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 2725-2746	6.8	117
350	One-year measurement of organic and elemental carbon in size-segregated atmospheric aerosol at a coastal and suburban site in Southeast China. 2012 , 14, 2961-7		12
349	A review of atmospheric chemistry research in China: Photochemical smog, haze pollution, and gas-aerosol interactions. 2012 , 29, 1006-1026		110
348	Differences of chemical species and their ratios between fine and ultrafine particles in the roadside environment. <i>Atmospheric Environment</i> , 2012 , 62, 172-179	5.3	7
347	Seasonal variations and chemical characteristics of sub-micrometer particles (PM1) in Guangzhou, China. <i>Atmospheric Research</i> , 2012 , 118, 222-231	5.4	75
346	Spatial and seasonal variability of water-soluble ions in PM2.5 aerosols in 14 major cities in China. <i>Atmospheric Environment</i> , 2012 , 60, 182-192	5.3	38
345	Chemical characterization of aerosol collected at Mt. Yulong in wintertime on the southeastern Tibetan Plateau. <i>Atmospheric Research</i> , 2012 , 107, 76-85	5.4	47
344	Seasonal and diurnal variations of mono- and di-carbonyls in Xi'an, China. <i>Atmospheric Research</i> , 2012 , 113, 102-112	5.4	42
343	Regional modeling of secondary organic aerosol over China using WRF/Chem. 2012, 43, 57-73		92
342	Strong radiative heating due to wintertime black carbon aerosols in the Brahmaputra River Valley. 2012 , 39, n/a-n/a		31
341	Increases in aerosol concentrations over eastern China due to the decadal-scale weakening of the East Asian summer monsoon. 2012 , 39, n/a-n/a		156
340	Satellite observation of regional haze pollution over the North China Plain. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a		154
339	Reconstructed light extinction coefficients using chemical compositions of PM2.5 in winter in Urban Guangzhou, China. 2012 , 29, 359-368		29
338	Formation of secondary organic carbon and cloud impact on carbonaceous aerosols at Mount Tai, North China. <i>Atmospheric Environment</i> , 2012 , 46, 516-527	5.3	63
337	Positive sampling artifacts of organic carbon fractions for fine particles and nanoparticles in a tunnel environment. <i>Atmospheric Environment</i> , 2012 , 54, 225-230	5.3	18
336	A preliminary study on measurements of black carbon in the atmosphere of northwest Qilian Shan. 2012 , 24, 152-9		49
335	Characterization of major pollution events (dust, haze, and two festival events) at Agra, India. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 5737-52	5.1	28
334	Reduction of short-lived atmospheric pollutant emissions as an alternative strategy for climate-change moderation. 2013 , 49, 461-478		7

333	Chemical composition of PM2.5 in an urban environment in Chengdu, China: Importance of springtime dust storms and biomass burning. <i>Atmospheric Research</i> , 2013 , 122, 270-283	5.4	183
332	Molecular distribution and seasonal variation of hydrocarbons in PM2.5 from Beijing during 2006. 2013 , 11, 78-85		22
331	Estimate of aerosol absorbing components of black carbon, brown carbon, and dust from ground-based remote sensing data of sun-sky radiometers. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013 , 118, 6534-6543	4.4	62
330	Contribution of ship emissions to the fine particulate in the community near an international port in Hong Kong. <i>Atmospheric Research</i> , 2013 , 124, 61-72	5.4	67
329	Spatio-temporal variations of black carbon concentrations in the Megacity Beijing. <i>Environmental Pollution</i> , 2013 , 182, 392-401	9.3	35
328	Source contributions to carbonaceous species in PMIIand their uncertainty analysis at typical urban, peri-urban and background sites in southeast China. <i>Environmental Pollution</i> , 2013 , 181, 107-14	9.3	33
327	Carbonaceous species in PM2.5 in the coastal urban agglomeration in the Western Taiwan Strait Region, China. <i>Atmospheric Research</i> , 2013 , 122, 102-110	5.4	34
326	Characteristics of carbonaceous aerosol in the region of Beijing, Tianjin, and Hebei, China. <i>Atmospheric Environment</i> , 2013 , 71, 389-398	5.3	117
325	Bounding the role of black carbon in the climate system: A scientific assessment. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013 , 118, 5380-5552	4.4	3330
324	Chemical composition of PM2.5 at an urban site of Chengdu in southwestern China. 2013 , 30, 1070-108	4	82
324 323	Chemical composition of PM2.5 at an urban site of Chengdu in southwestern China. 2013 , 30, 1070-108. Application of the Environmental Internet of Things on monitoring PM2.5 at a coastal site in the urbanizing region of southeast China. 2013 , 20, 231-237	4	82
	Application of the Environmental Internet of Things on monitoring PM2.5 at a coastal site in the	4	
323	Application of the Environmental Internet of Things on monitoring PM2.5 at a coastal site in the urbanizing region of southeast China. 2013 , 20, 231-237 Abundance, composition and source of atmospheric PM2.5 at a remote site in the Tibetan Plateau,	6.8	11
323	Application of the Environmental Internet of Things on monitoring PM2.5 at a coastal site in the urbanizing region of southeast China. 2013, 20, 231-237 Abundance, composition and source of atmospheric PM2.5 at a remote site in the Tibetan Plateau, China. 2013, 65, 20281 Characteristics of concentrations and chemical compositions for PM _{2.5} in		11 48
323 322 321	Application of the Environmental Internet of Things on monitoring PM2.5 at a coastal site in the urbanizing region of southeast China. 2013, 20, 231-237 Abundance, composition and source of atmospheric PM2.5 at a remote site in the Tibetan Plateau, China. 2013, 65, 20281 Characteristics of concentrations and chemical compositions for PM_{2.5} in the region of Beijing, Tianjin, and Hebei, China. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 4631-4644 Impact of relative humidity and particles number size distribution on aerosol light extinction in the	6.8	11 48 315
323 322 321 320	Application of the Environmental Internet of Things on monitoring PM2.5 at a coastal site in the urbanizing region of southeast China. 2013, 20, 231-237 Abundance, composition and source of atmospheric PM2.5 at a remote site in the Tibetan Plateau, China. 2013, 65, 20281 Characteristics of concentrations and chemical compositions for PM _{2.5} in the region of Beijing, Tianjin, and Hebei, China. Atmospheric Chemistry and Physics, 2013, 13, 4631-4644 Impact of relative humidity and particles number size distribution on aerosol light extinction in the urban area of Guangzhou. Atmospheric Chemistry and Physics, 2013, 13, 1115-1128 Characteristics and sources of carbonaceous aerosols from Shanghai, China. Atmospheric Chemistry	6.86.8	11 48 315 36 102
323 322 321 320 319	Application of the Environmental Internet of Things on monitoring PM2.5 at a coastal site in the urbanizing region of southeast China. 2013, 20, 231-237 Abundance, composition and source of atmospheric PM2.5 at a remote site in the Tibetan Plateau, China. 2013, 65, 20281 Characteristics of concentrations and chemical compositions for PM _{2.5} in the region of Beijing, Tianjin, and Hebei, China. Atmospheric Chemistry and Physics, 2013, 13, 4631-4644 Impact of relative humidity and particles number size distribution on aerosol light extinction in the urban area of Guangzhou. Atmospheric Chemistry and Physics, 2013, 13, 1115-1128 Characteristics and sources of carbonaceous aerosols from Shanghai, China. Atmospheric Chemistry and Physics, 2013, 13, 803-817	6.86.8	11 48 315 36 102

315	Haze insights and mitigation in China: an overview. 2014 , 26, 2-12		77
314	Chemical composition and sources of PM2.5 and TSP collected at Qinghai Lake during summertime. <i>Atmospheric Research</i> , 2014 , 138, 213-222	5.4	42
313	Black carbon aerosol characterization in a remote area of Qinghai-Tibetan Plateau, western China. <i>Science of the Total Environment</i> , 2014 , 479-480, 151-8	10.2	48
312	Seasonal variations of monocarbonyl and dicarbonyl in urban and sub-urban sites of Xi'an, China. 2014 , 186, 2835-49		26
311	Major chemical compositions, possible sources, and mass closure analysis of PM2.5 in Jinan, China. <i>Air Quality, Atmosphere and Health</i> , 2014 , 7, 251-262	5.6	60
310	Characteristics and formation mechanism of a heavy air pollution episode caused by biomass burning in Chengdu, Southwest China. <i>Science of the Total Environment</i> , 2014 , 473-474, 507-17	10.2	78
309	Day-night differences and seasonal variations of chemical species in PMIbver Xi'an, northwest China. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 3697-705	5.1	34
308	Fine particles (PM2.5) at a CAWNET background site in Central China: Chemical compositions, seasonal variations and regional pollution events. <i>Atmospheric Environment</i> , 2014 , 86, 193-202	5.3	76
307	Characterization and seasonal variations of levoglucosan in fine particulate matter in Xi'an, China. 2014 , 64, 1317-27		51
306	Ambient levels and temporal variations of PM2.5 and PM10 at a residential site in the mega-city, Nanjing, in the western Yangtze River Delta, China. 2014 , 49, 171-8		57
305	Size-resolved aerosol chemical analysis of extreme haze pollution events during early 2013 in urban Beijing, China. 2014 , 279, 452-60		147
304	Secondary production of organic aerosols from biogenic VOCs over Mt. Fuji, Japan. <i>Environmental Science & Environmental Scien</i>	10.3	59
303	Characteristics and relevant remote sources of black carbon aerosol in Shanghai. <i>Atmospheric Research</i> , 2014 , 135-136, 159-171	5.4	33
302	Impact of PM2.5 chemical compositions on aerosol light scattering in Guangzhou Ithe largest megacity in South China. <i>Atmospheric Research</i> , 2014 , 135-136, 48-58	5.4	142
301	Photochemical properties and source of pollutants during continuous pollution episodes in Beijing, October, 2011. 2014 , 26, 44-53		14
300	Optical properties and chemical composition of PM 2.5 in Shanghai in the spring of 2012. 2014 , 13, 52-5	59	23
299	Impact of agricultural waste burning in the Shandong Peninsula on carbonaceous aerosols in the Bohai Rim, China. <i>Science of the Total Environment</i> , 2014 , 481, 311-6	10.2	36
298	Comparison and implications of PMIII arbon fractions in different environments. <i>Science of the Total Environment</i> , 2014 , 466-467, 203-9	10.2	28

297	Sources of carbonaceous aerosol in the free troposphere. <i>Atmospheric Environment</i> , 2014 , 92, 146-153	5.3	6
296	Impacts of aerosols on surface-layer ozone concentrations in China through heterogeneous reactions and changes in photolysis rates. <i>Atmospheric Environment</i> , 2014 , 85, 123-138	5.3	97
295	One-year observations of carbonaceous and nitrogenous components and major ions in the aerosols from subtropical Okinawa Island, an outflow region of Asian dusts. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 1819-1836	6.8	72
294	An alternative method for estimating hygroscopic growth factor of aerosol light-scattering coefficient: a case study in an urban area of Guangzhou, South China. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 7631-7644	6.8	22
293	PM_{2.5} pollution in a megacity of southwest China: source apportionment and implication. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 8679-8699	6.8	243
292	Characterization of fine particulate black carbon in Guangzhou, a megacity of South China. <i>Atmospheric Pollution Research</i> , 2014 , 5, 361-370	4.5	26
291	Flux and budget of BC in the continental shelf seas adjacent to Chinese high BC emission source regions. 2015 , 29, 957-972		44
290	Fine particulate matter (PM 2.5) in China at a city level. <i>Scientific Reports</i> , 2015 , 5, 14884	4.9	483
289	Characteristics of carbonaceous aerosols in Beijing based on two Dear observation. <i>Atmospheric Pollution Research</i> , 2015 , 6, 202-208	4.5	28
288	Patterns in atmospheric carbonaceous aerosols in China: emission estimates and observed concentrations. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 8657-8678	6.8	27
287	Chemical characterization of submicron aerosol and particle growth events at a national background site (3295 m a.s.l.) on the Tibetan Plateau. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 108	3f1 ⁸ 108	3 2 4
286	Constraining black carbon aerosol over Asia using OMI aerosol absorption optical depth and the adjoint of GEOS-Chem. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 10281-10308	6.8	33
285	Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode of 2013. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 1299-1312	6.8	129
284			
	PM2.5 Chemical Compositions and Aerosol Optical Properties in Beijing during the Late Fall. <i>Atmosphere</i> , 2015 , 6, 164-182	2.7	9
283		2.7	9
283	Atmosphere, 2015, 6, 164-182 Summertime Spatial Variations in Atmospheric Particulate Matter and Its Chemical Components in		
	Atmosphere, 2015, 6, 164-182 Summertime Spatial Variations in Atmospheric Particulate Matter and Its Chemical Components in Different Functional Areas of Xiamen, China. Atmosphere, 2015, 6, 234-254 Characteristics of Organic and Elemental Carbon in PM2.5 and PM0.25 in Indoor and Outdoor Environments of a Middle School: Secondary Formation of Organic Carbon and Sources	2.7	16

279	Spatial and seasonal variations of atmospheric particulate carbon fractions and identification of secondary sources at urban sites in North India. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 13464-76	5.1	7
278	Particulate matter mass and chemical component concentrations over four Chinese cities along the western Pacific coast. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 1940-53	5.1	31
277	Seasonal variation of urban carbonaceous aerosols in a typical city Nanjing in Yangtze River Delta, China. <i>Atmospheric Environment</i> , 2015 , 106, 223-231	5.3	75
276	Light attenuation cross-section of black carbon in an urban atmosphere in northern China. 2015 , 18, 89-	95	8
275	Regionally-varying combustion sources of the January 2013 severe haze events over eastern China. <i>Environmental Science & Environmental Science & Envi</i>	10.3	166
274	Impacts of biomass-burning on aerosol properties of a severe haze event over Shanghai. 2015 , 20, 52-60)	21
273	Exposure of the endangered golden monkey (Rhinopithecus roxellana) to heavy metals: a comparison of wild and captive animals. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 6713-20	o ^{5.1}	8
272	Concentrations, particle-size distributions, and indoor/outdoor differences of polycyclic aromatic hydrocarbons (PAHs) in a middle school classroom in Xi'an, China. 2015 , 37, 861-73		30
271	Radiocarbon-based impact assessment of open biomass burning on regional carbonaceous aerosols in North China. <i>Science of the Total Environment</i> , 2015 , 518-519, 1-7	10.2	34
270	Uncertainties in observational data on organic aerosol: An annual perspective of sampling artifacts in Beijing, China. <i>Environmental Pollution</i> , 2015 , 206, 113-21	9.3	5
269	Evaluation of the ability of the EC tracer method to estimate secondary organic carbon. <i>Atmospheric Environment</i> , 2015 , 112, 317-325	5.3	26
268	Impacts of mountains on black carbon aerosol under different synoptic meteorology conditions in the Guanzhong region, China. <i>Atmospheric Research</i> , 2015 , 164-165, 286-296	5.4	22
267	Application of aerosol optical properties to estimate aerosol type from ground-based remote sensing observation at urban area of northeastern China. 2015 , 132, 37-47		23
266	Multi-wavelength optical measurement to enhance thermal/optical analysis for carbonaceous aerosol. 2015 , 8, 451-461		63
265	Characteristics and major sources of carbonaceous aerosols in PM2.5 from Sanya, China. <i>Science of the Total Environment</i> , 2015 , 530-531, 110-119	10.2	50
264	Carbonaceous aerosols on the south edge of the Tibetan Plateau: concentrations, seasonality and sources. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 1573-1584	6.8	167
263	The optical properties of urban aerosol in northern China: A case study at Xi'an. <i>Atmospheric Research</i> , 2015 , 160, 59-67	5.4	19
262	Significant influence of fungi on coarse carbonaceous and potassium aerosols in a tropical rainforest. 2015 , 10, 034015		25

261	Consistency and differences between remotely sensed and surface observed total cloud cover over China. 2015 , 36, 4160-4176		5
260	Spatial and seasonal variations of PM2.5 mass and species during 2010 in Xi'an, China. <i>Science of the Total Environment</i> , 2015 , 508, 477-87).2	125
259	Impacts of aerosol chemical compositions on optical properties in urban Beijing, China. 2015 , 18, 155-164		27
258	Stronger association of polycyclic aromatic hydrocarbons with soot than with char in soils and sediments. 2015 , 119, 1335-1345		40
257	Characteristics of Particulate Carbon in Precipitation during the Rainy Season in Xiamen Island, China. <i>Atmosphere</i> , 2016 , 7, 140	7	6
256	Validation of MODIS Aerosol Optical Depth Retrieval over Mountains in Central China Based on a Sun-Sky Radiometer Site of SONET. 2016 , 8, 111		28
255	Global mapping of carbon isotope ratios in coal. 2016 , 167, 12-19		14
254	The distribution of PM10 and PM2.5 carbonaceous aerosol in Baotou, China. <i>Atmospheric Research</i> , 2016 , 178-179, 102-113	4	26
253	Carbonaceous aerosols in megacity Xi'an, China: Implications of thermal/optical protocols comparison. <i>Atmospheric Environment</i> , 2016 , 132, 58-68	3	32
252	Quantifying sources of elemental carbon over the Guanzhong Basin of China: A consistent network of measurements and WRF-Chem modeling. <i>Environmental Pollution</i> , 2016 , 214, 86-93	3	12
251	Spatial-temporal characteristics of PM2.5 in China: A city-level perspective analysis. 2016 , 26, 1519-1532		56
250	Spatial distributions and chemical properties of PM2.5 based on 21 field campaigns at 17 sites in China. 2016 , 159, 480-487		42
249	Physicochemical characteristics of black carbon aerosol and its radiative impact in a polluted urban area of China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016 , 121, 12,505-12,519	4	33
248	Water-soluble ions and carbon content of size-segregated aerosols in New Delhi, India: direct and indirect influences of firework displays. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 20749-207	60	19
247	Distinct weekly cycles of thunderstorms and a potential connection with aerosol type in China. 2016 , 43, 8760-8768		19
246	Assessment on personal exposure to particulate compounds using an empirical exposure model in an elderly community in Tianjin, China. <i>Science of the Total Environment</i> , 2016 , 572, 1080-1091).2	6
245	The importance of non-fossil sources in carbonaceous aerosols in a megacity of central China during the 2013 winter haze episode: A source apportionment constrained by radiocarbon and organic tracers. <i>Atmospheric Environment</i> , 2016 , 144, 60-68	3	22
244	Water-soluble organic carbon (WSOC) and its temperature-resolved carbon fractions in atmospheric aerosols in Beijing. <i>Atmospheric Research</i> , 2016 , 181, 200-210	4	20

243	Seasonal variations and source apportionment of complex polycyclic aromatic hydrocarbon mixtures in particulate matter in an electronic waste and urban area in South China. <i>Science of the Total Environment</i> , 2016 , 573, 115-122	10.2	22
242	Characteristics of carbonaceous components in precipitation and atmospheric particle at Japanese sites. <i>Atmospheric Environment</i> , 2016 , 146, 164-173	5.3	26
241	Distinct impact of different types of aerosols on surface solar radiation in China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016 , 121, 6459-6471	4.4	86
240	Microscale spatial distribution and health assessment of PM-bound polycyclic aromatic hydrocarbons (PAHs) at nine communities in Xi'an, China. <i>Environmental Pollution</i> , 2016 , 218, 1065-1073	39.3	49
239	Size-resolved source apportionment of particulate matter in urban Beijing during haze and non-haze episodes. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 1-19	6.8	193
238	Simulations of organic aerosol concentrations during springtime in the Guanzhong Basin, China. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 10045-10061	6.8	36
237	Source apportionment and dynamic changes of carbonaceous aerosols during the haze bloom-decay process in China based on radiocarbon and organic molecular tracers. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 2985-2996	6.8	22
236	Model analysis of secondary organic aerosol over China with a regional air quality modeling system (RAMS-CMAQ). 2016 , 9, 443-450		4
235	Influences of El Ni Modoki event 1994/1995 on aerosol concentrations over southern China. Journal of Geophysical Research D: Atmospheres, 2016, 121, 1637-1651	4.4	26
234	Fine carbonaceous aerosol characteristics at a megacity during the Chinese Spring Festival as given by OC/EC online measurements. <i>Atmospheric Research</i> , 2016 , 181, 20-28	5.4	23
233	Characteristics of carbonaceous aerosols: Impact of biomass burning and secondary formation in summertime in a rural area of the North China Plain. <i>Science of the Total Environment</i> , 2016 , 557-558, 520-30	10.2	33
232	Size-Classified Variations in Carbonaceous Aerosols from Real Coal-Fired Boilers. 2016 , 30, 39-46		8
231	The rural carbonaceous aerosols in coarse, fine, and ultrafine particles during haze pollution in northwestern China. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 4569-75	5.1	19
230	Retrieving historical ambient PM2.5 concentrations using existing visibility measurements in Xi'an, Northwest China. <i>Atmospheric Environment</i> , 2016 , 126, 15-20	5.3	24
229	Spatial-temporal characteristics and determinants of PM2.5 in the Bohai Rim Urban Agglomeration. 2016 , 148, 148-62		132
228	Size distribution characteristics of carbonaceous aerosol in Xishuangbanna, southwest China: a sign for biomass burning in Asia. 2016 , 188, 148		4
227	Particulate pollution transport episodes from Eurasia to a remote region of northeast Mediterranean. <i>Atmospheric Environment</i> , 2016 , 128, 45-52	5.3	9
226	Implications of East Asian summer and winter monsoons for interannual aerosol variations over central-eastern China. <i>Atmospheric Environment</i> , 2016 , 129, 218-228	5.3	50

	Inter-annual variability of wintertime PM2.5 chemical composition in Xi'an, China: Evidences of changing source emissions. <i>Science of the Total Environment</i> , 2016 , 545-546, 546-55	10.2	87
224	Chemical composition and bioreactivity of PM2.5 during 2013 haze events in China. <i>Atmospheric Environment</i> , 2016 , 126, 162-170	5.3	53
223	Concentrations and chemical compositions of fine particles (PM2.5) during haze and non-haze days in Beijing. <i>Atmospheric Research</i> , 2016 , 174-175, 62-69	5.4	106
222	Interprovincial Reliance for Improving Air Quality in China: A Case Study on Black Carbon Aerosol. <i>Environmental Science & Environmental Science & En</i>	10.3	51
221	Spatiotemporal patterns of remotely sensed PM2.5 concentration in China from 1999 to 2011. 2016 , 174, 109-121		178
220	Carbonaceous aerosols over Chinareview of observations, emissions, and climate forcing. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 1671-80	5.1	26
219	Concentrations, correlations and chemical species of PM2.5/PM10 based on published data in China: Potential implications for the revised particulate standard. 2016 , 144, 518-26		112
218	Modeling organic aerosols over east China using a volatility basis-set approach with aging mechanism in a regional air quality model. <i>Atmospheric Environment</i> , 2016 , 124, 186-198	5.3	38
217	Effect of ambient humidity on the light absorption amplification of black carbon in Beijing during January 2013. <i>Atmospheric Environment</i> , 2016 , 124, 217-223	5.3	52
216	Chemical characteristics of PM 2.5 during haze episodes in spring 2013 in Beijing. 2017 , 22, 51-63		21
215	Heavy pollution episodes, transport pathways and potential sources of PM during the winter of 2013 in Chengdu (China). <i>Science of the Total Environment</i> , 2017 , 584-585, 1056-1065	10.2	114
			·
214	Particulate pollution in urban Chongqing of southwest China: Historical trends of variation, chemical characteristics and source apportionment. <i>Science of the Total Environment</i> , 2017 , 584-585, 523-534	10.2	48
214	Particulate pollution in urban Chongqing of southwest China: Historical trends of variation, chemical characteristics and source apportionment. <i>Science of the Total Environment</i> , 2017 ,		48
	Particulate pollution in urban Chongqing of southwest China: Historical trends of variation, chemical characteristics and source apportionment. <i>Science of the Total Environment</i> , 2017 , 584-585, 523-534 Characterization of black carbon in an urban-rural fringe area of Beijing. <i>Environmental Pollution</i> ,	10.2	
213	Particulate pollution in urban Chongqing of southwest China: Historical trends of variation, chemical characteristics and source apportionment. <i>Science of the Total Environment</i> , 2017 , 584-585, 523-534 Characterization of black carbon in an urban-rural fringe area of Beijing. <i>Environmental Pollution</i> , 2017 , 223, 524-534 Review of receptor-based source apportionment research of fine particulate matter and its	10.2 9·3	42
213	Particulate pollution in urban Chongqing of southwest China: Historical trends of variation, chemical characteristics and source apportionment. <i>Science of the Total Environment</i> , 2017 , 584-585, 523-534 Characterization of black carbon in an urban-rural fringe area of Beijing. <i>Environmental Pollution</i> , 2017 , 223, 524-534 Review of receptor-based source apportionment research of fine particulate matter and its challenges in China. <i>Science of the Total Environment</i> , 2017 , 586, 917-929 Impact of size distributions of major chemical components in fine particles on light extinction in	9.3	42
213 212 211	Particulate pollution in urban Chongqing of southwest China: Historical trends of variation, chemical characteristics and source apportionment. <i>Science of the Total Environment</i> , 2017 , 584-585, 523-534 Characterization of black carbon in an urban-rural fringe area of Beijing. <i>Environmental Pollution</i> , 2017 , 223, 524-534 Review of receptor-based source apportionment research of fine particulate matter and its challenges in China. <i>Science of the Total Environment</i> , 2017 , 586, 917-929 Impact of size distributions of major chemical components in fine particles on light extinction in urban Guangzhou. <i>Science of the Total Environment</i> , 2017 , 587-588, 240-247 Seasonal and Annual Variations in Atmospheric Hg and Pb Isotopes in Xi'an, China. <i>Environmental</i>	9·3 10.2	42 117 18

207	Source characterization of urban particles from meat smoking activities in Chongqing, China using single particle aerosol mass spectrometry. <i>Environmental Pollution</i> , 2017 , 228, 92-101	9.3	26
206	Conservation efforts of captive golden takin (Budorcas taxicolor bedfordi) are potentially compromised by the elevated chemical elements exposure. 2017 , 143, 72-79		5
205	Revealed variations of air quality in industrial development over a remote plateau of Southwest China: an application of atmospheric visibility data. 2017 , 129, 659-667		3
204	A review of biomass burning: Emissions and impacts on air quality, health and climate in China. <i>Science of the Total Environment</i> , 2017 , 579, 1000-1034	10.2	551
203	Characterization of chemical compositions in size-segregated atmospheric particles during severe haze episodes in three mega-cities of China. <i>Atmospheric Research</i> , 2017 , 187, 138-146	5.4	25
202	Characteristics of carbonaceous particles from residential coal combustion and agricultural biomass burning in China. <i>Atmospheric Pollution Research</i> , 2017 , 8, 521-527	4.5	37
201	Temporal-spatial variations of air pollutants in Lanzhou, Gansu Province, China, during the springBummer periods, 2014\(\begin{align*} 2016. \) 2017 , 26, 65-74		4
200	Atmospheric occurrence, transport and gasparticle partitioning of polychlorinated biphenyls over the northwestern Pacific Ocean. <i>Atmospheric Environment</i> , 2017 , 167, 487-495	5.3	14
199	A campaign for investigating aerosol optical properties during winter hazes over Shijiazhuang, China. <i>Atmospheric Research</i> , 2017 , 198, 113-122	5.4	27
198	Seasonal variation, spatial distribution and source apportionment for polycyclic aromatic hydrocarbons (PAHs) at nineteen communities in Xi'an, China: The effects of suburban scattered emissions in winter. <i>Environmental Pollution</i> , 2017 , 231, 1330-1343	9.3	28
197	Chemical Constituents of Carbonaceous and Nitrogen Aerosols over Thumba Region, Trivandrum, India. <i>Archives of Environmental Contamination and Toxicology</i> , 2017 , 73, 456-473	3.2	6
196	Characteristics and source apportionment of PM during persistent extreme haze events in Chengdu, southwest China. <i>Environmental Pollution</i> , 2017 , 230, 718-729	9.3	85
195	Light absorption by water-soluble organic carbon in atmospheric fine particles in the central Tibetan Plateau. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 21386-21397	5.1	18
194	Ambient Particles (PM10, PM2.5 and PM1.0) and PM2.5 Chemical Components in Western Yangtze River Delta (YRD): An Overview of Data from 1-year Online Continuous Monitoring at Nanjing. Aerosol Science and Engineering, 2017, 1, 107-118	1.6	4
193	Characterization and health risk assessment of PM-bound organics inside and outside of Chinese smoking lounges. 2017 , 186, 438-445		11
192	Molecular composition of organic aerosol over an agricultural site in North China Plain: Contribution of biogenic sources to PM2.5. <i>Atmospheric Environment</i> , 2017 , 164, 448-457	5.3	11
191	Optical properties and possible sources of brown carbon in PM2.5 over Xi'an, China. <i>Atmospheric Environment</i> , 2017 , 150, 322-330	5.3	58
190	PM levels, chemical composition and health risk assessment in Xinxiang, a seriously air-polluted city in North China. 2017 , 39, 1071-1083		22

189	The characteristics and drivers of fine particulate matter (PM2.5) distribution in China. 2017 , 142, 1800-	1809	219
188	A two-year study of carbonaceous aerosols in ambient PM2.5 at a regional background site for western Yangtze River Delta, China. <i>Atmospheric Research</i> , 2017 , 183, 351-361	5.4	41
187	Size distribution and source of black carbon aerosol in urban Beijing during winter haze episodes. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 7965-7975	6.8	33
186	Assessment of carbonaceous aerosols in Shanghai, China Part 1: long-term evolution, seasonal variations, and meteorological effects. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 9945-9964	6.8	43
185	Chemical characterization and source identification of PM _{2.5} at multiple sites in the Beijing lanjin Hebei region, China. Atmospheric Chemistry and Physics, 2017, 17, 12941-12962	6.8	120
184	Air stagnation in China (1985 2 014): climatological mean features and trends. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 7793-7805	6.8	42
183	Chemical composition of ambient PM _{2. 5} over China and relationship to precursor emissions during 2005\(\mathbb{Q}\)012. Atmospheric Chemistry and Physics, 2017, 17, 9187-9203	6.8	58
182	Aerosol Optical Properties and Associated Direct Radiative Forcing over the Yangtze River Basin during 2001 2015. 2017, 9, 746		28
181	The Spatial and Temporal Distributions of Absorbing Aerosols over East Asia. 2017, 9, 1050		31
180	The Relationship of PM Variation with Visibility and Mixing-Layer Height under Hazy/Foggy Conditions in the Multi-Cities of Northeast China. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	26
179	One year study of PM in Xinxiang city, North China: Seasonal characteristics, climate impact and source. 2018 , 154, 75-83		23
178	Evidence of Rural and Suburban Sources of Urban Haze Formation in China: A Case Study From the Pearl River Delta Region. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018 , 123, 4712-4726	4.4	13
177	Seasonal statistical analysis of the impact of meteorological factors on fine particle pollution in China in 2013\(\textbf{Z} \) 017. 2018 , 93, 677-698		18
176	Halogenated flame retardants (HFRs) and water-soluble ions (WSIs) in fine particulate matter (PM) in three regions of South China. <i>Environmental Pollution</i> , 2018 , 238, 823-832	9.3	20
175	Organic Aerosols in South and East Asia: Composition and Sources. 2018 , 379-408		
174	Seasonal variations in size distribution, water-soluble ions, and carbon content of size-segregated aerosols over New Delhi. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 6061-6078	5.1	19
173	Seasonal variability and source distribution of haze particles from a continuous one-year study in Beijing. <i>Atmospheric Pollution Research</i> , 2018 , 9, 627-633	4.5	13
172	Wintertime carbonaceous aerosols over Dhauladhar region of North-Western Himalayas. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 8044-8056	5.1	20

171	Insights into the formation of secondary organic carbon in the summertime in urban Shanghai. 2018 , 72, 118-132		15
170	The effects of El NiBBouthern Oscillation on the winter haze pollution of China. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1863-1877	6.8	54
169	Different trends in extreme and median surface aerosol extinction coefficients over China inferred from quality-controlled visibility data. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 3289-3298	6.8	12
168	Long-term (2001 2 012) trends of carbonaceous aerosols from a remote island in the western North Pacific: an outflow region of Asian pollutants. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1291-1306	6.8	30
167	Biomass burning influences determination based on PM 2.5 chemical composition combined with fire counts at southeastern Tibetan Plateau during pre-monsoon period. <i>Atmospheric Research</i> , 2018 , 206, 108-116	5.4	7
166	Indoor environment quality in a low-energy residential building in winter in Harbin. <i>Building and Environment</i> , 2018 , 135, 194-201	6.5	32
165	Estimation of atmospheric columnar organic matter (OM) mass concentration from remote sensing measurements of aerosol spectral refractive indices. <i>Atmospheric Environment</i> , 2018 , 179, 107-117	5.3	14
164	Characteristics and sources of the fine carbonaceous aerosols in Haikou, China. <i>Atmospheric Research</i> , 2018 , 199, 103-112	5.4	14
163	Characterization of PM and identification of transported secondary and biomass burning contribution in Seoul, Korea. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 4330-4343	5.1	28
162	Source apportionment of carbonaceous aerosols in Xi'an, China: insights from a full year of measurements of radiocarbon and the stable isotope ¹³C. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 16363-16383	6.8	38
161	Implications for biomass/coal combustion emissions and secondary formation of carbonaceous aerosols in North China 2018 , 8, 38108-38117		9
160	Comparison of Measurement-Based Methodologies to Apportion Secondary Organic Carbon (SOC) in PM2.5: A Review of Recent Studies. <i>Atmosphere</i> , 2018 , 9, 452	2.7	26
159	Dual-Isotope Constraints on Seasonally Resolved Source Fingerprinting of Black Carbon Aerosols in Sites of the Four Emission Hot Spot Regions of China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018 , 123, 11,735-11,747	4.4	17
158	Variations of Haze Pollution in China Modulated by Thermal Forcing of the Western Pacific Warm Pool. <i>Atmosphere</i> , 2018 , 9, 314	2.7	8
157	Characteristics of airborne particle number size distributions in a coastal-urban environment. <i>Atmospheric Environment</i> , 2018 , 186, 256-265	5.3	9
156	Characterization and source apportionment of carbonaceous PM2.5 particles in China - A review. <i>Atmospheric Environment</i> , 2018 , 189, 187-212	5.3	56
155	Widespread air pollutants of the North China Plain during the Asian summer monsoon season: a case study. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 8491-8504	6.8	16
154	Characterizing the composition and evolution of firework-related components in air aerosols during the Spring Festival. 2018 , 40, 2761-2771		4

(2019-2018)

153	and Langfang Region, China. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	29	
152	Characteristics of Carbonaceous Aerosol in PM2.5 at Wanzhou in the Southwest of China. <i>Atmosphere</i> , 2018 , 9, 37	2.7	14	
151	Stable carbon isotopes and levoglucosan for PM2.5 elemental carbon source apportionments in the largest city of Northwest China. <i>Atmospheric Environment</i> , 2018 , 185, 253-261	5.3	16	
150	Wintertime cooling and a potential connection with transported aerosols in Hong Kong during recent decades. <i>Atmospheric Research</i> , 2018 , 211, 52-61	5.4	50	
149	Personal exposure of PM2.5 emitted from solid fuels combustion for household heating and cooking in rural Guanzhong Plain, northwestern China. <i>Atmospheric Environment</i> , 2018 , 185, 196-206	5.3	38	
148	Aircraft Measurement of Chemical Characteristics of PM2.5 over the Yangtze River Area in China. <i>Aerosol Science and Engineering</i> , 2018 , 2, 182-196	1.6	3	
147	PM10 carbonaceous aerosols and their real-time wet scavenging during monsoon and non-monsoon seasons at Delhi, India. <i>Journal of Atmospheric Chemistry</i> , 2019 , 76, 171-200	3.2	32	
146	Reshaping the size distribution of aerosol elemental carbon by removal of coarse mode carbonates. <i>Atmospheric Environment</i> , 2019 , 214, 116852	5.3	1	
145	The climatology and trend of black carbon in China from 12-year ground observations. 2019 , 53, 5881-5	892	21	
144	Large contribution of fine carbonaceous aerosols from municipal waste burning inferred from distributions of diacids and fatty acids. 2019 , 1, 071005		4	
143	Carbonaceous aerosol characteristics on the Third Pole: A primary study based on the Atmospheric Pollution and Cryospheric Change (APCC) network. <i>Environmental Pollution</i> , 2019 , 253, 49-60	9.3	43	
142	Effects of organic coating on the nitrate formation by suppressing the N₂O₅ heterogeneous hydrolysis: a case study during wintertime in BeijingIlianjinHebei (BTH). <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 8189-8207	6.8	14	
141	Spatiotemporal distribution of anthropogenic aerosols in China around 2030. 2019 , 138, 2007-2020			
140	High contributions of fossil sources to more volatile organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 10405-10422	6.8	6	
139	Spatial distribution of aerosol microphysical and optical properties and direct radiative effect from the China Aerosol Remote Sensing Network. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 11843-11864	6.8	65	
138	Characteristics and source apportionment of PM in Jiaxing, China. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 7497-7511	5.1	23	
137	Spatial distribution differences in PM concentration between heating and non-heating seasons in Beijing, China. <i>Environmental Pollution</i> , 2019 , 248, 574-583	9.3	25	
136	Two pathways of how remote SST anomalies drive the interannual variability of autumnal haze days in the BeijingIIianjinHebei region, China. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 1521-1535	6.8	26	

135	Characteristics of chemical composition and seasonal variations of PM in Shijiazhuang, China: Impact of primary emissions and secondary formation. <i>Science of the Total Environment</i> , 2019 , 677, 215-	2 ¹ 29 ²	45
134	Characterisation and source apportionment of atmospheric organic and elemental carbon in an urbanBural fringe area of Taiyuan, China. 2019 , 16, 187		4
133	Characterization of PM2.5 source profiles from typical biomass burning of maize straw, wheat straw, wood branch, and their processed products (briquette and charcoal) in China. <i>Atmospheric Environment</i> , 2019 , 205, 36-45	5.3	37
132	Molecular characterization of organic aerosols in the Kathmandu Valley, Nepal: insights into primary and secondary sources. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 2725-2747	6.8	27
131	Personal exposure to PM-bound organic species from domestic solid fuel combustion in rural Guanzhong Basin, China: Characteristics and health implication. 2019 , 227, 53-62		20
130	Biomass burning in the northern peninsular Southeast Asia: Aerosol chemical profile and potential exposure. <i>Atmospheric Research</i> , 2019 , 224, 180-195	5.4	40
129	Exploring the characteristics and sources of carbonaceous aerosols in the agro-pastoral transitional zone of Northern China. <i>Environmental Pollution</i> , 2019 , 249, 589-597	9.3	4
128	The carbonaceous aerosol levels still remain a challenge in the Beijing-Tianjin-Hebei region of China: Insights from continuous high temporal resolution measurements in multiple cities. 2019 , 126, 171-183		44
127	Chemical source profiles of urban fugitive dust PM samples from 21 cities across China. <i>Science of the Total Environment</i> , 2019 , 649, 1045-1053	10.2	42
126	Vertical profile of organic and elemental carbon in sediments of Songkhla Lake, Thailand. 2019 , 20, 203-	-214	0
125	Contributions of local pollution emissions to particle bioreactivity in downwind cities in China during Asian dust periods. <i>Environmental Pollution</i> , 2019 , 245, 675-683	9.3	17
124	Development and assessment of a receptor source apportionment model based on four nonnegative matrix factorization algorithms. <i>Atmospheric Environment</i> , 2019 , 197, 159-165	5.3	3
123	Characterization of carbonaceous fractions in PM and PM over a typical industrial city in central China. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 16855-16867	5.1	10
122	Rare earth elements (REEs) in PM10 and associated health risk from the polymetallic mining region of Nandan County, China. 2019 , 25, 672-687		1
121	Chemistry of size-segregated particles: study of sources and processes in N-NW India. <i>Atmospheric Pollution Research</i> , 2020 , 11, 370-382	4.5	5
120	Chemical and source characterization of PM2.5 in summertime in severely polluted Lahore, Pakistan. <i>Atmospheric Research</i> , 2020 , 234, 104715	5.4	13
119	Occurrence, air-sea exchange, and gas-particle partitioning of atmospheric polybrominated diphenyl ethers from East Asia to the Northwest Pacific Ocean. 2020 , 240, 124933		6
118	Seasonality of carbonaceous aerosol composition and light absorption properties in Karachi, Pakistan. 2020 , 90, 286-296		15

(2020-2020)

117	Operating behavior and corresponding performance of mechanical ventilation systems in Chinese residential buildings. <i>Building and Environment</i> , 2020 , 170, 106600	6.5	12
116	Aeolian transport and deposition of carbonaceous aerosols over the Northwest Pacific Ocean in spring. <i>Atmospheric Environment</i> , 2020 , 223, 117209	5.3	5
115	The formation and evolution of secondary organic aerosol during haze events in Beijing in wintertime. <i>Science of the Total Environment</i> , 2020 , 703, 134937	10.2	18
114	Impacts of winter heating on the atmospheric pollution of northern Chinal prefectural cities: Evidence from a regression discontinuity design. 2020 , 118, 106709		11
113	Long-term variation in aerosol optical properties and their climatic implications over major cities of Pakistan. 2020 , 210, 105419		2
112	Seasonal characteristics of PM2.5 and its chemical species in the northern rural China. <i>Atmospheric Pollution Research</i> , 2020 , 11, 1891-1901	4.5	8
111	Seasonal Variation of Carbonaceous Species of PM2.5 in a Small City in Sichuan Basin, China. <i>Atmosphere</i> , 2020 , 11, 1286	2.7	1
110	Characteristics and Formation Mechanisms of Winter Particulate Pollution in Lanzhou, Northwest China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020 , 125, e2020JD033369	4.4	5
109	Insight into monsoon for shaping the air quality of Islamabad, Pakistan: Comparing the magnitude of health risk associated with PM and PM exposure. 2020 , 70, 1340-1355		5
108	Carbonaceous Aerosols in PM1, PM2.5, and PM10 Size Fractions over the Lanzhou City, Northwest China. <i>Atmosphere</i> , 2020 , 11, 1368	2.7	7
107	Characterizations and Potential Formation Pathways of Atmospheric Inorganic Ions at a National Background Site in the Northeastern Qinghai-Tibet Plateau During Autumn Season. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020 , 125, e2020JD032819	4.4	
106	Study on the characteristics of black carbon during atmospheric pollution conditions in Beijing. <i>Science of the Total Environment</i> , 2020 , 733, 139112	10.2	3
105	Effects of indoor activities and outdoor penetration on PM and associated organic/elemental carbon at residential homes in four Chinese cities during winter. <i>Science of the Total Environment</i> , 2020 , 739, 139684	10.2	7
104	Assessment of PM-bound nitrogen-containing organic compounds (NOCs) during winter at urban sites in China and Korea. <i>Environmental Pollution</i> , 2020 , 265, 114870	9.3	2
103	Mixing characteristics of refractory black carbon aerosols at an urban site in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 5771-5785	6.8	14
102	Chemical characteristics of road dust PM fraction in oasis cities at the margin of Tarim Basin. 2020 , 95, 217-224		6
101	Development of an improved two-sphere integration technique for quantifying black carbon concentrations in the atmosphere and seasonal snow. 2020 , 13, 39-52		6
100	Episode-Based Analysis of Size-Resolved Carbonaceous Aerosol Compositions in Wintertime of Xinxiang: Implication for the Haze Formation Processes in Central China. 2020 , 10, 3498		1

99	Impact of Aerosol Vertical Distribution on Aerosol Optical Depth Retrieval from Passive Satellite Sensors. 2020 , 12, 1524		11
98	Increasing surface ozone and enhanced secondary organic carbon formation at a city junction site: An epitome of the Yangtze River Delta, China (2014-2017). <i>Environmental Pollution</i> , 2020 , 265, 114847	9.3	7
97	Quantifying the contributions of local emissions and regional transport to elemental carbon in Thailand. <i>Environmental Pollution</i> , 2020 , 262, 114272	9.3	8
96	Affinity zone identification approach for joint control of PM pollution over China. <i>Environmental Pollution</i> , 2020 , 265, 115086	9.3	6
95	Light absorption properties of elemental carbon (EC) and water-soluble brown carbon (WS-BrC) in the Kathmandu Valley, Nepal: A 5-year study. <i>Environmental Pollution</i> , 2020 , 261, 114239	9.3	18
94	Characteristics and sources of PM with focus on two severe pollution events in a coastal city of Qingdao, China. 2020 , 247, 125861		17
93	Estimation of Secondary Organic Aerosol Formation During a Photochemical Smog Episode in Shanghai, China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020 , 125, e2019JD032033	4.4	10
92	Chemical Compositions and Source Analysis of PM2.5 during Autumn and Winter in a Heavily Polluted City in China. <i>Atmosphere</i> , 2020 , 11, 336	2.7	5
91	Physiochemistry characteristics and sources of submicron aerosols at the background area of North China Plain: Implication of air pollution control in heating season. <i>Atmospheric Research</i> , 2021 , 249, 105	2 § 4	4
90	Source apportionment of PM2.5 carbonaceous aerosols during a long-lasting winter haze episode in Xiangyang, central China. <i>Atmospheric Pollution Research</i> , 2021 , 12, 470-479	4.5	2
89	Polar organic aerosol tracers in two areas in Beijing-Tianjin-Hebei region: Concentration comparison before and in the sept. Third Parade and sources. <i>Environmental Pollution</i> , 2021 , 270, 11610	08.3	0
88	Characterization and emission factors of carbonaceous aerosols originating from coke production in China. <i>Environmental Pollution</i> , 2021 , 268, 115768	9.3	5
87	Assessment of carbonaceous fractions in ambient aerosols at high altitude and lowland urban locations of Kumaon Province, Indian Himalaya. 2021 , 3, 1		3
86	Significant Influence of Carbonates on Determining Organic Carbon and Black Carbon: A Case Study in Tajikistan, Central Asia. <i>Environmental Science & Environmental Science &</i>	10.3	5
85	Seasonal Abundance and Source Attribution of Carbonaceous Aerosols at Different Altitude of Mountainous Locations in Uttarakhand Himalaya. <i>Aerosol Science and Engineering</i> , 2021 , 5, 233-246	1.6	0
84	Decreasing concentrations of carbonaceous aerosols in China from 2003 to 2013. <i>Scientific Reports</i> , 2021 , 11, 5352	4.9	2
83	Characteristics and Sources of Black Carbon and Organic Carbon in Topsoil from Different Functional Zones of Beijing, China. <i>Eurasian Soil Science</i> , 2021 , 54, 927	1.5	
82	A Review of Toxicity Analysis of Particulate Emissions from Conventional and Low-Temperature Combustion Engines.		

81	Chemical Composition and Source Apportionment of Wintertime Airborne PM in Changchun, Northeastern China. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
80	Quantitative Determination of Gaseous Alkanes Adsorbed on Filter Paper During PM2.5 Sampling. <i>Chromatography</i> , 2021 , 42,	1.2	Ο
79	Loss of E-cadherin due to road dust PM activates the EGFR in human pharyngeal epithelial cells. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 53872-53887	5.1	4
78	Sources and light absorption characteristics of water-soluble organic carbon (WSOC) of atmospheric particles at a remote area in inner Himalayas and Tibetan Plateau. <i>Atmospheric Research</i> , 2021 , 253, 105472	5.4	2
77	Current Status, Characteristics and Causes of Particulate Air Pollution in the Fenwei Plain, China: A Review. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021 , 126, e2020JD034472	4.4	8
76	Water-insoluble carbonaceous components in rainwater over an urban background location in Northern India during pre-monsoon and monsoon seasons. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 53058-53073	5.1	14
75	Impacts of winter heating on the population mobility of northern China's prefectural cities: evidence from a regression discontinuity design. <i>Kybernetes</i> , 2021 , ahead-of-print,	2	1
74	A comprehensive comfort assessment method for indoor environmental quality in university open-plan offices in severe cold regions. <i>Building and Environment</i> , 2021 , 197, 107845	6.5	8
73	Direct and Inverse Reduced-Form Models for Reciprocal Calculation of BC Emissions and Atmospheric Concentrations. <i>Environmental Science & Emp; Technology</i> , 2021 , 55, 10300-10309	10.3	
7 ²	Substantial changes of chemical composition and sources of fine particles during the period of COVID-19 pandemic in Taiyuan, Northern China. <i>Air Quality, Atmosphere and Health</i> , 2021 , 1-12	5.6	1
71	Investigation of sources and processes influencing variation of PM2.5 and its chemical compositions during a summer period of 2020 in an urban area of Hanoi city, Vietnam. <i>Air Quality, Atmosphere and Health</i> , 1	5.6	1
70	Emission factors, characteristics, and gas-particle partitioning of polycyclic aromatic hydrocarbons in PM emitted for the typical solid fuel combustions in rural Guanzhong Plain, China. <i>Environmental Pollution</i> , 2021 , 286, 117573	9.3	7
69	Effects of chemical compositions in fine particles and their identified sources on hygroscopic growth factor during dry season in urban Guangzhou of South China. <i>Science of the Total Environment</i> , 2021 , 801, 149749	10.2	1
68	Asian Dust, Eolian Iron and Black Carbontonnections to Climate Changes. <i>Developments in Paleoenvironmental Research</i> , 2014 , 339-433		2
67	Using the Gaofen-4 geostationary satellite to retrieve aerosols with high spatiotemporal resolution. <i>Journal of Applied Remote Sensing</i> , 2018 , 12, 1	1.4	5
66	The impact of winter heating on air pollution in China. <i>PLoS ONE</i> , 2015 , 10, e0117311	3.7	77
65	Characterization and source apportionment of aerosol light scattering in a typical polluted city in the Yangtze River Delta, China. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 10193-10210	6.8	2
64	Primary aerosol emission trends for China, 1990⊠005.		10

63	Inferring absorbing organic carbon content from AERONET data.	3
62	Carbonaceous aerosols in China: top-down constraints on primary sources and estimation of secondary contribution.	5
61	Correlation of black carbon aerosol and carbon monoxide concentrations measured in the high-altitude environment of Mt. Huangshan, Eastern China.	2
60	Carbonaceous species in PM _{2.5} at a pair of rural-urban sites in Beijing, 2005\(\bar{Q}\)008.	3
59	Impact of relative humidity and particles size distribution on aerosol light extinction in urban area of Guangzhou.	1
58	Characteristics and sources of carbonaceous aerosols from Shanghai, China.	8
57	Single particle characterization of black carbon aerosol in the Northeast Tibetan Plateau, China.	1
56	Characteristics of concentrations and chemical compositions for PM _{2.5} in the region of Beijing, Tianjin, and Hebei, China.	9
55	Chemical characterization and source apportionment of PM _{2.5} in Beijing: seasonal perspective.	18
54	Carbonaceous aerosols on the south edge of the Tibetan Plateau: concentrations, seasonality and sources.	6
53	Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode in 2013.	2
52	Constraining black carbon aerosol over Southeast Asia using OMI aerosol absorption optical depth and the adjoint of GEOS-Chem.	5
51	An alternative method estimating hygroscopic growth factor of aerosol light scattering coefficient: a case study in an urban area of Guangzhou, South China.	2
50	PM _{2.5} pollution in a megacity of southwest China: source apportionment and implication.	13
49	Source apportionment and dynamic changes of carbonaceous aerosols during the haze bloomdecay process in China based on radiocarbon and organic molecular tracers.	2
48	Size-resolved source apportionment of particulate matter in urban Beijing during haze and non-haze episodes.	8
47	Mass concentrations of black carbon measured by four instruments in the middle of Central East China in June 2006.	1
46	Different characteristics of char and soot in the atmosphere and their ratio as an indicator for source identification in Xi'an, China.	4

45	Temporal variation of elemental carbon in Guangzhou, China, in summer 2006.		2
44	Multi-wavelength optical measurement to enhance thermal/optical analysis for carbonaceous aerosol.		1
43	Seasonal and spatial variability of the organic matter-to-organic carbon mass ratios in Chinese urban organic aerosols and a first report of high correlations between aerosol oxalic acid and zinc.		1
42	Semi-continuous Measurements of PM2.5OC and EC at Gosan: Seasonal Variations and Characteristics of High-concentration Episodes. <i>Journal of Korean Society for Atmospheric Environment</i> , 2013 , 29, 237-250	1.5	4
41	One-year observations of carbonaceous and nitrogenous components and major ions in the aerosols from subtropical Okinawa Island, an outflow region of Asian dusts.		O
40	Patterns in atmospheric carbonaceous aerosols in China: emission estimates and observed concentrations.		2
39	Chemical characterization of submicron aerosol and particle growth events at a national background site (3295 m a.s.l.) in the Tibetan Plateau.		1
38	Inverse modeling of black carbon emissions over China using ensemble data assimilation.		
37	Molecular Distributions of Diacids, Oxoacids, and \(\textit{\Discrimination}\) Dicarbonyls in Summer- and Winter-Time Fine Aerosols From Tianjin, North China: Emissions From Combustion Sources and Aqueous Phase Secondary Formation. \(\textit{Journal of Geophysical Research D: Atmospheres, \textit{2021}, 126, \)	4.4	2
36	Characteristics of MERRA-2 Black Carbon in Eight Key Climatic Regions across China from 2007 to 2018. <i>E3S Web of Conferences</i> , 2020 , 194, 04060	0.5	
35	Characteristics and source origins of carbonaceous aerosol in fine particulate matter in a megacity, Sichuan Basin, southwestern China. <i>Atmospheric Pollution Research</i> , 2022 , 13, 101266	4.5	О
34	Characteristics and source apportionment of particulate carbon in precipitation based on dual-carbon isotopes (C and C) in Xi'an, China <i>Environmental Pollution</i> , 2022 , 299, 118908	9.3	1
33	Multisize particulate matter and volatile organic compounds in arid and semiarid areas of Northwest China <i>Environmental Pollution</i> , 2022 , 300, 118875	9.3	О
32	Emission characteristics and formation mechanisms of PM2.5 and gases from different geological maturities coals combustion. <i>Fuel</i> , 2022 , 315, 123240	7.1	1
31	Investigation of group differences in human perceptions of indoor environment in open-plan offices in a severe cold region. <i>Building and Environment</i> , 2022 , 213, 108855	6.5	2
30	Characteristics of the chemical composition and source apportionment of PM2.5 for a one-year period in Wuhan, China. <i>Journal of Atmospheric Chemistry</i> , 1	3.2	O
29	Characterization of the organic functional group composition and sources of summertime aerosols in an eastern city of China. <i>Atmospheric Environment</i> , 2022 , 277, 119078	5.3	О
28	Organic aerosol compositions and source estimation by molecular tracers in Dushanbe, Tajikistan <i>Environmental Pollution</i> , 2022 , 119055	9.3	

27	Significant reduction in atmospheric organic and elemental carbon in PM in 2+26 cities in northern China <i>Environmental Research</i> , 2022 , 113055	7.9	O
26	Spatial and seasonal variations of primary and secondary organic aerosols at urban areas and continental background site of China: Ambient levels, size distribution, and sources. <i>Gondwana Research</i> , 2022 ,	5.1	O
25	The seasonal variation, characteristics and secondary generation of PM in Xi'an, China, especially during pollution events <i>Environmental Research</i> , 2022 , 212, 113388	7.9	0
24	Long-Term (2017🛮 020) Aerosol Optical Depth Observations in Hohhot City in Mongolian Plateau and the Impacts from Different Types of Aerosol. <i>Atmosphere</i> , 2022 , 13, 737	2.7	O
23	Measurement report: Source apportionment of carbonaceous aerosol using dual-carbon isotopes (¹³ C and ¹⁴ C) and levoglucosan in three northern Chinese cities	6.8	0
22	during 2018\(\text{MO19}. \text{ Atmospheric Chemistry and Physics, 2022}, 22, 6255-6274 \\ Accurate observation of black and brown carbon in atmospheric fine particles via a versatile aerosol concentration enrichment system (VACES) Science of the Total Environment, 2022, 155817	10.2	
21	Characteristics of Fine Particulate Matter (PM2.5)-Bound n-Alkanes and Polycyclic Aromatic Hydrocarbons (PAHs) in a Hong Kong Suburban Area. <i>Atmosphere</i> , 2022 , 13, 980	2.7	0
20	Particulate Matter (PM2.5) Characterization, Air Quality Level and Origin of Air Masses in an Urban Background in Pretoria. <i>Archives of Environmental Contamination and Toxicology</i> , 2022 , 83, 77-94	3.2	1
19	Size distribution of light absorption of carbonaceous aerosols over rural, urban and industrial sites in a typical polluted city in Yangtze River Delta, China. <i>Air Quality, Atmosphere and Health</i> ,	5.6	0
18	COVID-19 Lock-down in Delhi: Understanding Trends of Particulate Matter in Context of Land-Use Patterns, GIS Mapping, and Meteorological Traits. <i>Environmental Engineering Science</i> ,	2	
17	Concentrations and light absorption properties of PM2.5 organic and black carbon based on online measurements in Lanzhou, China. 2022 ,		
16	Health risk assessment using chemical signatures of fine and coarse particles collected at breathing level height during firework display in New Delhi, India. 1-24		O
15	Chemical characterization, formation mechanisms and source apportionment of PM2.5 in north Zhejiang Province: The importance of secondary formation and vehicle emission. 2022 , 158206		
14	Impact of short-term control measures on air quality: A case study during the 7th Military World Games in central China. 2022 , 311, 119998		
13	Aerosol and precursor gas emissions. 2022 , 299-342		0
12	Analysis of BC Pollution Characteristics under PM2.5 and O3 Pollution Conditions in Nanjing from 2015 to 2020. 2022 , 13, 1440		O
11	Measurement report: Characterisation and sources of the secondary organic carbon in a Chinese megacity over 5 years from 2016 to 2020. 2022 , 22, 12789-12802		1
10	Chemical characteristics and deposition amounts of carbonaceous species and inorganic ions in precipitation in the Bangkok Metropolitan Region. 2022 , 291, 119393		O

CITATION REPORT

9	Lockdown Amid COVID-19 Ascendancy over Ambient Particulate Matter Pollution Anomaly. 2022 , 19, 13540	1
8	Quantification of fossil and non-fossil sources to the reduction of carbonaceous aerosols in the Yangtze River Delta, China: Insights from radiocarbon analysis during 2014 2 019. 2023 , 292, 119421	O
7	PM2.5-bound biogenic secondary organic aerosol tracers over a regionally representative site in central India: Characteristics and sources. 2023 , 294, 119516	1
6	Chemical Compositions, Sources, and Intra-Regional Transportation of Submicron Particles Between North China Plain and Twain-Hu Basin of Central China in Winter. 2022 , 127,	O
5	County level study of the interaction effect of PM2.5 and climate sustainability on mortality in China. 10,	O
4	Measurement report: Chemical components and 13C and 15N isotope ratios of fine aerosols over Tianjin, North China: year-round observations. 2023 , 23, 2119-2143	O
3	Source apportionment of black carbon aerosols in winter across China. 2023 , 298, 119622	O
2	Seasonal Characteristics of Fine Particulate Carbonaceous Species in Taiyuan, North China. 2023 , 14, 593	O
1	Quantitative evaluation for the sources and aging processes of organic aerosols in urban Guangzhou: Insights from a comprehensive method of dual-carbon isotopes and macro tracers. 2023 , 888, 164182	О