

A new spectral ratio method using narrow band coda energy non-self-similarity in the Hector Mine sequence

Geophysical Research Letters

34,

DOI: [10.1029/2007gl030041](https://doi.org/10.1029/2007gl030041)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Attenuation tomography of the Southern Apennines (Italy). <i>Journal of Seismology</i> , 2008, 12, 355-365.	0.6	6
2	High-stress strike-slip faults in the Apennines: An example from the 2002 San Giuliano earthquakes (southern Italy). <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	20
3	Strong evidence for non-similar earthquake source scaling in central Italy. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	49
4	2D Coda and Direct-Wave Attenuation Tomography in Northern Italy. <i>Bulletin of the Seismological Society of America</i> , 2008, 98, 1936-1946.	1.1	10
5	Inversion of Seismogram Envelopes Using a Multiple Isotropic Scattering Model in Garhwal Himalaya. <i>Bulletin of the Seismological Society of America</i> , 2009, 99, 726-740.	1.1	10
6	Non-linearity and temporal changes of fault zone site response associated with strong ground motion. <i>Geophysical Journal International</i> , 2009, 176, 265-278.	1.0	99
7	Broad-band L_g attenuation modelling in the Middle East. <i>Geophysical Journal International</i> , 2009, 177, 1166-1176.	1.0	67
8	Apparent stress and corner frequency variations in the 1999 Taiwan (Chi-Chi) sequence: Evidence for a step-wise increase at $M_w \sim 5.5$. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	26
9	L_g -Coda Methods Applied to Nevada Test Site Events: Spectral Peaking and Yield Estimation. <i>Bulletin of the Seismological Society of America</i> , 2009, 99, 441-448.	1.1	13
10	Attenuation Tomography of the Yellow Sea/Korean Peninsula from Coda-source normalized and direct L_g Amplitudes. <i>Pure and Applied Geophysics</i> , 2010, 167, 1163-1170.	0.8	16
11	Source radiation invariant property of local and near-regional shear-wave coda: Application to source scaling for the $M_w \sim 5.9$ Wells, Nevada sequence. <i>Geophysical Research Letters</i> , 2010, 37, .	1.5	38
12	Radiated seismic energy from coda measurements and no scaling in apparent stress with seismic moment. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	83
13	Energy radiation from intermediate to large magnitude earthquakes: Implications for dynamic fault weakening. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	38
14	Scaling of earthquake rupture growth in the Parkfield area: Self-similar growth and suppression by the finite seismogenic layer. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	39
15	Evidence for non-self-similarity and transitional increment of scaled energy in the 2005 west off Fukuoka seismic sequence. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	13
16	Earthquake scaling characteristics and the scale dependence of seismic energy-to-moment ratio: Insights from Kik-net data in Japan. <i>Geophysical Research Letters</i> , 2010, 37, .	1.5	86
17	Along-strike variations of earthquake apparent stress at the Nicoya Peninsula, Costa Rica, subduction zone. <i>Geochemistry, Geophysics, Geosystems</i> , 2011, 12, n/a-n/a.	1.0	4
18	Apparent stress variations near the Osa Peninsula, Costa Rica, influenced by subducted bathymetric features. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	1

#	ARTICLE	IF	CITATIONS
19	Coda-Derived Source Parameters of Earthquakes and Their Scaling Relationships in the Korean Peninsula. <i>Bulletin of the Seismological Society of America</i> , 2011, 101, 2388-2398.	1.1	16
20	Characterization of earthquake-induced ground motion from the L'Aquila seismic sequence of 2009, Italy. <i>Geophysical Journal International</i> , 2011, 184, 325-337.	1.0	41
21	Frequency variation in site response as observed from strong motion data of the L'Aquila (2009) seismic sequence. <i>Bulletin of Earthquake Engineering</i> , 2011, 9, 869-892.	2.3	23
22	Stress Drop during Earthquakes: Effect of Fault Roughness Scaling. <i>Bulletin of the Seismological Society of America</i> , 2011, 101, 2369-2387.	1.1	81
23	Strong-Ground-Motion Simulation of the 6 April 2009 L'Aquila, Italy, Earthquake. <i>Bulletin of the Seismological Society of America</i> , 2012, 102, 1429-1445.	1.1	27
24	Robust determination of earthquake source parameters and mantle attenuation. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	42
25	Source characteristics of seismicity associated with underground wastewater disposal: A case study from the 2008 Dallas-Fort Worth earthquake sequence. <i>The Leading Edge</i> , 2012, 31, 1454-1460.	0.4	17
26	Application of Empirical Green's Functions in Earthquake Source, Wave Propagation and Strong Ground Motion Studies. , 0, , .		10
27	Seismicity and source parameters of moderate earthquakes in Sikkim Himalaya. <i>Natural Hazards</i> , 2012, 62, 937-952.	1.6	21
28	Spectral scaling of the aftershocks of the Tocopilla 2007 earthquake in northern Chile. <i>Geophysical Journal International</i> , 2012, 189, 469-480.	1.0	42
29	Predictions of high-frequency ground-motion in Taiwan based on weak motion data. <i>Geophysical Journal International</i> , 2012, 189, 611-628.	1.0	22
30	Observations of seismic activity in Southern Lebanon. <i>Journal of Seismology</i> , 2013, 17, 629-644.	0.6	9
31	Constraining Regional Phase Amplitude Models for Eurasia, Part 1: Accurate Source Parameters and Geometric Spreading. <i>Bulletin of the Seismological Society of America</i> , 2013, 103, 3248-3264.	1.1	7
32	Source parameters scaling of the 2004 Kobarid (Western Slovenia) seismic sequence. <i>Physics of the Earth and Planetary Interiors</i> , 2013, 222, 58-75.	0.7	10
33	Validation of Non-Self-Similar Source Scaling Using Ground Motions from the 2008 Wells, Nevada, Earthquake Sequence. <i>Bulletin of the Seismological Society of America</i> , 2013, 103, 2508-2519.	1.1	10
34	Empirical Relationships between Aftershock Zone Dimensions and Moment Magnitudes for Plate Boundary Earthquakes in Taiwan. <i>Bulletin of the Seismological Society of America</i> , 2013, 103, 424-436.	1.1	3
35	Using centroid time-delays to characterize source durations and identify earthquakes with unique characteristics. <i>Earth and Planetary Science Letters</i> , 2013, 374, 92-100.	1.8	78
36	Stress drop and source scaling of the 2009 April L'Aquila earthquakes. <i>Geophysical Journal International</i> , 2013, 192, 260-274.	1.0	42

#	ARTICLE	IF	CITATIONS
37	Seismic attenuation beneath northeastern Japan: Constraints on mantle dynamics and arc magmatism. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 5838-5855.	1.4	79
38	Comparison of direct and coda wave stress drop measurements for the Wells, Nevada, earthquake sequence. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 1458-1470.	1.4	52
39	An intraslab seismic sequence activated by the 2011 Tohoku earthquake: Evidence for fluid-related embrittlement. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 3492-3505.	1.4	13
40	Source Scaling of Inland Crustal Earthquake Sequences in Japan Using the S-Wave Coda Spectral Ratio Method. <i>Pure and Applied Geophysics</i> , 2014, 171, 2747-2766.	0.8	23
41	How to Invert Multi-Band, Regional Phase Amplitudes for 2-D Attenuation and Source Parameters: Tests Using the USArray. <i>Pure and Applied Geophysics</i> , 2014, 171, 469-484.	0.8	23
42	Model-Based Edge Detector for Spectral Imagery Using Sparse Spatospectral Masks. <i>IEEE Transactions on Image Processing</i> , 2014, 23, 2315-2327.	6.0	4
43	Gradual Fault Weakening with Seismic Slip: Inferences from the Seismic Sequences of L'Aquila, 2009, and Northridge, 1994. <i>Pure and Applied Geophysics</i> , 2014, 171, 2709-2730.	0.8	15
44	Scaling Transition in Earthquake Sources: A Possible Link Between Seismic and Laboratory Measurements. <i>Pure and Applied Geophysics</i> , 2014, 171, 2685-2707.	0.8	26
45	Source parameters and radiation efficiency for intermediate-depth earthquakes in Northeast Japan. <i>Geophysical Journal International</i> , 2014, 196, 1247-1259.	1.0	20
46	Stress Drops of the 1997-1998 Colfiorito, Central Italy Earthquakes: Hints for a Common Behaviour of Normal Faults in the Apennines. <i>Pure and Applied Geophysics</i> , 2014, 171, 2731-2746.	0.8	9
47	Detailed seismic attenuation structure beneath Hokkaido, northeastern Japan: Arc collision process, arc magmatism, and seismotectonics. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 6486-6511.	1.4	44
48	Nonlinear seismic response in the western L'Aquila basin (Italy): Numerical FEM simulations vs. ground motion records. <i>Engineering Geology</i> , 2014, 174, 46-60.	2.9	9
49	Fluid-induced earthquakes with variable stress drop. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 8900-8913.	1.4	64
50	Seismic attenuation tomography of the Northeast Japan arc: Insight into the 2011 Tohoku earthquake ($M_w > 9.0$) and subduction dynamics. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 1094-1118.	1.4	66
51	Investigating uncertainties in empirical Green's function analysis of earthquake source parameters. <i>Journal of Geophysical Research: Solid Earth</i> , 2015, 120, 4263-4277.	1.4	130
52	Stress drops for intermediate-depth intraslab earthquakes beneath Hokkaido, northern Japan: Differences between the subducting oceanic crust and mantle events. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 552-562.	1.0	21
53	Methodology of Seismic Tomography. , 2015, , 21-54.		5
54	Determination of source parameters for local and regional earthquakes in Israel. <i>Journal of Seismology</i> , 2015, 19, 389-401.	0.6	9

#	ARTICLE	IF	CITATIONS
55	Evidence for non-self-similarity in the M w 7.7 2001 Bhuj earthquake sequence. <i>Natural Hazards</i> , 2015, 75, 1577-1598.	1.6	8
56	<i>M_w</i> Estimation from Crustal Coda Waves Recorded on Analog Seismograms. <i>Bulletin of the Seismological Society of America</i> , 2015, 105, 831-849.	1.1	13
57	Generalized Free-Surface Effect and Random Vibration Theory: a new tool for computing moment magnitudes of small earthquakes using borehole data. <i>Geophysical Journal International</i> , 2016, 206, 103-113.	1.0	12
58	Seismic response of deep Quaternary sediments in historical center of Aquila City (central Italy). <i>Soil Dynamics and Earthquake Engineering</i> , 2016, 87, 29-43.	1.9	1
59	Low stress drop earthquakes in the rupture zone of the 1992 Nicaragua tsunami earthquake. <i>Geophysical Research Letters</i> , 2016, 43, 10,180.	1.5	7
60	Seismic attenuation structure associated with episodic tremor and slip zone beneath Shikoku and the Kii peninsula, southwestern Japan, in the Nankai subduction zone. <i>Journal of Geophysical Research: Solid Earth</i> , 2016, 121, 1962-1982.	1.4	21
61	Crustal-scale reflection imaging and interpretation by passive seismic interferometry using local earthquakes. <i>Interpretation</i> , 2016, 4, SJ29-SJ53.	0.5	15
62	Instrumental magnitude constraints for the 11 July 1889, Chilik earthquake. <i>Geological Society Special Publication</i> , 2017, 432, 41-72.	0.8	12
63	Earthquake stress via event ratio levels: Application to the 2011 and 2016 Oklahoma seismic sequences. <i>Geophysical Research Letters</i> , 2017, 44, 3147-3155.	1.5	21
64	Influence of Lithostatic Stress on Earthquake Stress Drops in North America. <i>Bulletin of the Seismological Society of America</i> , 2017, 107, 856-868.	1.1	72
65	Application of an improved spectral decomposition method to examine earthquake source scaling in Southern California. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 2890-2910.	1.4	61
66	Source Spectral Properties of Small to Moderate Earthquakes in Southern Kansas. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 8021-8034.	1.4	44
67	On the relation of earthquake stress drop and ground motion variability. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 5474-5492.	1.4	55
68	Assessing attenuation characteristics prevailing in a seismic prone area of North Eastern Region, India. <i>Journal of Geophysics and Engineering</i> , 2017, 14, 1368-1381.	0.7	10
69	Stress Drop Estimates and Source Scaling of the 2011 Mineral, Virginia, Mainshock and Aftershocks. <i>Bulletin of the Seismological Society of America</i> , 2017, 107, 2703-2720.	1.1	23
70	P-wave attenuation in the Pacific slab beneath northeastern Japan revealed by the spectral ratio of intraslab earthquakes. <i>Earth and Planetary Science Letters</i> , 2018, 489, 37-48.	1.8	6
71	Strong Correlation between Stress Drop and Peak Ground Acceleration for Recent $M \leq 4$ Earthquakes in the San Francisco Bay Area. <i>Bulletin of the Seismological Society of America</i> , 2018, 108, 929-945.	1.1	70
72	The Relation Between Ground Motion, Earthquake Source Parameters, and Attenuation: Implications for Source Parameter Inversion and Ground Motion Prediction Equations. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 5886-5901.	1.4	21

#	ARTICLE	IF	CITATIONS
73	The relation between ME, ML and Mw in theory and numerical simulations for small to moderate earthquakes. <i>Journal of Seismology</i> , 2018, 22, 1645-1668.	0.6	17
74	Non-parametric spectral modelling of source parameters, path attenuation and site effects from broad-band waveforms of the Alborz earthquakes (2005-2017). <i>Geophysical Journal International</i> , 2019, 219, 1514-1531.	1.0	4
75	Stress Drops and Directivity of Induced Earthquakes in the Western Canada Sedimentary Basin. <i>Bulletin of the Seismological Society of America</i> , 2019, 109, 1635-1652.	1.1	29
76	Robust Stress Drop Estimates of Potentially Induced Earthquakes in Oklahoma: Evaluation of Empirical Green's Function. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 5854-5866.	1.4	14
77	Spectral ratio analyses of explosion earthquakes at Sakurajima Volcano, Japan. <i>Journal of Volcanology and Geothermal Research</i> , 2019, 381, 302-311.	0.8	5
78	Evaluation of earthquake stress parameters and its scaling during the 2016-2017 Amatrice-Norcia-Visso sequence-Part I. <i>Geophysical Journal International</i> , 2019, 218, 446-455.	1.0	9
79	Seismic Spectral Ratios Between North Korean Nuclear Tests: Implications for Their Seismic Sources. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 4940-4958.	1.4	4
80	The 15 February 2014 Mw4.1 South Carolina Earthquake Sequence: Aftershock Productivity, Hypocentral Depths, and Stress Drops. <i>Seismological Research Letters</i> , 2020, 91, 452-464.	0.8	6
81	Reliability of Source Parameters for Small Events in Central Italy: Insights from Spectral Decomposition Analysis Applied to Both Synthetic and Real Data. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 3139-3157.	1.1	28
82	Using a Large Seismic Array to Explore the Robustness of Spectral Estimations. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL089342.	1.5	16
83	Detection of temporal change in near-source attenuation during intense fluid-driven seismicity following the 2011 Tohoku-Oki earthquake. <i>Geophysical Journal International</i> , 2020, 224, 138-150.	1.0	2
84	Stress-Drop Scaling of the 2016 Gyeongju and 2017 Pohang Earthquake Sequences Using Coda-Based Methods. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 2047-2057.	1.1	6
85	Relationship Between Seismic Moment and Source Duration for Seismogenic Earthquakes in Taiwan: Implications for the Product of Static Stress Drop and the Cube of Rupture Velocity. <i>Pure and Applied Geophysics</i> , 2020, 177, 3191-3203.	0.8	5
86	On the heterogeneity of the earthquake rupture. <i>Geophysical Journal International</i> , 2021, 225, 1771-1781.	1.0	3
87	Toward Robust and Routine Determination of Mw for Small Earthquakes: Application to the 2020 Mw5.7 Magna, Utah, Seismic Sequence. <i>Seismological Research Letters</i> , 2021, 92, 725-740.	0.8	8
88	Seismic source characterization of the Arabian Peninsula and Zagros Mountains from regional moment tensor and coda envelopes. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	2
89	Resolution and uncertainties in estimates of earthquake stress drop and energy release. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2021, 379, 20200131.	1.6	56
90	Bridge the Gap Between Laboratory Scale to Natural Scale Using Near Fault Observations. <i>Zisin (Journal of the Seismological Society of Japan 2nd Ser)</i> , 2021, 74, 67-75.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Prevalence of Shallow Low-Frequency Earthquakes in the Continental Crust. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021391.	1.4	11
92	A Big Problem for Small Earthquakes: Benchmarking Routine Magnitudes and Conversion Relationships with Coda Envelope-Derived Mw in Southern Kansas and Northern Oklahoma. <i>Bulletin of the Seismological Society of America</i> , 2022, 112, 210-225.	1.1	10
93	The relations between the corner frequency, seismic moment and source dynamic parameters derived from the spontaneous rupture of a circular fault. <i>Geophysical Journal International</i> , 2021, 228, 134-146.	1.0	1
94	Does Earthquake Stress Drop Increase With Depth in the Crust?. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2021JB022314.	1.4	25
95	Instrumental Data on the Seismic Activity Along the Dead Sea Transform. <i>Modern Approaches in Solid Earth Sciences</i> , 2014, , 263-278.	0.1	10
96	Spatio-Temporal Evolution of Earthquake Static Stress Drop Values in the 2016-2017 Central Italy Seismic Sequence. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2021JB022566.	1.4	10
97	Improving the Source Characterization of Seismicity Associated with Underground Wastewater Disposal: A Case Study from the 2008 Dallas-Fort Worth Earthquake Sequence. , 2012, , .		0
98	The <i>Multitaper</i> Spectrum Analysis Package in Python. <i>Seismological Research Letters</i> , 2022, 93, 1922-1929.	0.8	17
99	Testing Earthquake Nucleation Length Scale with Pawnee Aftershocks. <i>Seismological Research Letters</i> , 2022, 93, 2147-2160.	0.8	1
100	Variability of Spectral Estimates of Stress Drop Reconciled by Radiated Energy. <i>Bulletin of the Seismological Society of America</i> , 2022, 112, 1871-1885.	1.1	4
101	Low-frequency Earthquakes in the Continental Plate and Their Seismological and Tectonic Implications. <i>Journal of Geography (Chigaku Zasshi)</i> , 2022, 131, 289-315.	0.1	1
102	Source scaling comparison and validation in Central Italy: data intensive direct <i>S</i> waves versus the sparse data coda envelope methodology. <i>Geophysical Journal International</i> , 2022, 231, 1573-1590.	1.0	6
103	Seismic Spectral Parameters Fitting Analysis of Reservoir Area in Western China. <i>Sustainability</i> , 2022, 14, 15033.	1.6	0
104	Average Q_P and Q_S estimation in marine sediments using a dense receiver array. <i>Geophysics</i> , 2023, 88, L11-L25.	1.4	0
105	A Source Model for Earthquakes near the Nucleation Dimension. <i>Bulletin of the Seismological Society of America</i> , 2023, 113, 909-923.	1.1	1
106	Source Characterization of the Declared North Korean Nuclear Tests From Regional Distance Coda Wave Spectral Ratios. <i>Journal of Geophysical Research: Solid Earth</i> , 2023, 128, .	1.4	1
107	Estimation of source parameters using a non-Gaussian probability density function in a Bayesian framework. <i>Earth, Planets and Space</i> , 2023, 75, .	0.9	0
108	Source-Parameter Estimation after Attenuation Correction through the Use of <i>Q</i> Tomography. <i>Bulletin of the Seismological Society of America</i> , 0, , .	1.1	0

#	ARTICLE	IF	CITATIONS
110	Wind Effect on Spectral Ratio Analyses of Acoustic Waves Excited by Volcanic Explosion: Preliminary Result of Application at Sakurajima Volcano, Japan. Springer Proceedings in Physics, 2023, , 555-565.	0.1	0
112	Hydrocarbon microseepage information extracting and oil-gas prospective area prediction based on landsat-8 remote sensing images. , 2023, , .		0