

# CITATION REPORT

List of articles citing

Admission B-type natriuretic peptide levels and in-hospital mortality in acute decompensated heart failure

DOI: 10.1016/j.jacc.2007.02.037

Journal of the American College of Cardiology, 2007, 49, 1943-50.

**Source:** <https://exaly.com/paper-pdf/42407218/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
415	BNP levels at presentation predict in-hospital risks in acute decompensated heart failure. <b>2007</b> , 4, 467-467		
414	The year in heart failure. <i>Journal of the American College of Cardiology</i> , <b>2007</b> , 50, 2344-51	15.1	4
413	Natriuretic peptides. <i>Journal of the American College of Cardiology</i> , <b>2007</b> , 50, 2357-68	15.1	774
412	Heart failure in women: An equal opportunity player in the expanding epidemic of heart failure. <b>2008</b> , 2, 210-216		
411	Biomarkers in heart failure. <b>2008</b> , 358, 2148-59		923
410	Serial monitoring of brain natriuretic peptide concentrations for drug therapy management in patients with chronic heart failure. <b>2008</b> , 28, 343-55		
409	Inpatient Monitoring and Prognostic Importance of B-Type Natriuretic Peptide. <b>2008</b> , 14, 30-34		11
408	Emergency Department Perspectives on B-Type Natriuretic Peptide Utility. <b>2008</b> , 14, 17-20		8
407	Emergency department perspectives on B-type natriuretic peptide utility. <b>2008</b> , 14, 17-20		3
406	Inpatient monitoring and prognostic importance of B-type natriuretic peptide. <b>2008</b> , 14, 30-4		11
405	Prognostic utility of B-type natriuretic peptide assessment in stable low-risk outpatients with nonischemic cardiomyopathy after decompensated heart failure. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 51, 2329-35	15.1	48
404	Learning to use a biomarker. More about B-type natriuretic peptide. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 51, 2336-8	15.1	
403	Minimally elevated cardiac troponin T and elevated N-terminal pro-B-type natriuretic peptide predict mortality in older adults: results from the Rancho Bernardo Study. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 52, 450-9	15.1	134
402	Timing of immunoreactive B-type natriuretic peptide levels and treatment delay in acute decompensated heart failure: an ADHERE (Acute Decompensated Heart Failure National Registry) analysis. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 52, 534-40	15.1	156
401	Continental differences in clinical characteristics, management, and outcomes in patients hospitalized with worsening heart failure results from the EVEREST (Efficacy of Vasopressin Antagonism in Heart Failure: Outcome Study with Tolvaptan) program. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 52, 1618-8	15.1	141
400	Usefulness of serum albumin concentration for in-hospital risk stratification in frail, elderly patients with acute heart failure. Insights from a prospective, monocenter study. <b>2008</b> , 125, 265-7		48
399	N-Terminal pro B-type natriuretic peptide testing for short-term prognosis in breathless older adults. <b>2008</b> , 26, 555-60		9

398	Cardiac function and brain-type natriuretic peptide in first-time flash pulmonary edema. <b>2008</b> , 83, 289-96	5
397	A clinical and biochemical score for mortality prediction in patients with acute dyspnoea: derivation, validation and incorporation into a bedside programme. <b>2008</b> , 94, 1032-7	10
396	Risk stratification in acute decompensated heart failure: the role of cardiac troponin. <b>2008</b> , 5, 680-1	7
395	Management of Heart Failure. <b>2008</b> ,	1
394	Natriuretic peptides and their evolving clinical applications. <b>2008</b> , 4, 593-8	3
393	The Potential of Cardiac Markers to Improve Patient Management. <b>2008</b> , 27, 109-113	
392	State of the art: using natriuretic peptide levels in clinical practice. <b>2008</b> , 10, 824-39	529
391	Society of Chest Pain Centers Recommendations for the evaluation and management of the observation stay acute heart failure patient: a report from the Society of Chest Pain Centers Acute Heart Failure Committee. <b>2008</b> , 7, 83-6	34
390	Biomarkers for Risk Stratification in Patients with Heart Failure. 116-139	
389	Current world literature. Critical care outcomes. <b>2008</b> , 14, 609-10	
388	Bibliography. Current world literature. Renal and urological problems. <b>2008</b> , 2, 223-7	
387	Natriuretic peptide testing in clinical medicine. <b>2008</b> , 16, 240-9	21
386	Risk Stratification. <b>2008</b> , 7, 96-102	2
385	. <b>2008</b> ,	1
384	Multimarker Approach in Cardiovascular Risk Prediction. <b>2009</b> , 26, 273-285	17
383	Lipoprotein components and risk of congestive heart failure in 84,740 men and women in the Apolipoprotein MOrtality RISK study (AMORIS). <b>2009</b> , 11, 1036-42	18
382	Society of Chest Pain Centers recommendations for the evaluation and management of the observation stay acute heart failure patient-parts 1-6. <b>2009</b> , 11, 3-42	37
381	Natriuretic peptides and heart failure in the patient with chronic kidney disease: a review of current evidence. <b>2009</b> , 85, 299-302	13

380	Biomarkers of risk stratification in congestive heart failure: North American view. <b>2009</b> , 3, 443-52	2
379	Serum levels of the interleukin-1 receptor family member ST2, cardiac structure and function, and long-term mortality in patients with acute dyspnea. <b>2009</b> , 2, 311-9	143
378	Risk stratification for suspected acute coronary syndromes and heart failure in the emergency department. <b>2009</b> , 11, 138-45	7
377	Rapid Emergency Department Heart Failure Outpatients Trial (REDHOT II): a randomized controlled trial of the effect of serial B-type natriuretic peptide testing on patient management. <b>2009</b> , 2, 287-93	42
376	Prognostic value of biomarkers in heart failure: application of novel methods in the community. <b>2009</b> , 2, 393-400	40
375	[Prognostic value of the B-type natriuretic peptide (BNP) in a cardiogeriatric department]. <b>2009</b> , 58, 284-8	1
374	[Comparative value of B-type natriuretic peptide and serum albumin concentration in the prediction of in-hospital mortality in elderly patients admitted for acute severe heart failure]. <b>2009</b> , 58, 279-83	4
373	Biomarkers in heart failure--better than history or echocardiography?. <b>2009</b> , 34, 581-8	8
372	Utility of plasma N-terminal pro-brain natriuretic peptide (NT-proBNP) to distinguish between congestive heart failure and non-cardiac causes of acute dyspnea in cats. <b>2009</b> , 11 Suppl 1, S51-61	75
371	BNP is not a value-added routine test in the emergency department. <b>2009</b> , 53, 387-9	8
370	[Usefulness of brain natriuretic peptide and N-terminal pro-brain natriuretic peptide in the elderly]. <b>2009</b> , 30, 678-85	
369	NT-pro-BNP for differential diagnosis in patients with syncope. <b>2009</b> , 133, 51-4	35
368	Prognostic value of B-type natriuretic peptide for cardiovascular events independent of left ventricular end-diastolic pressure. <b>2009</b> , 158, 777-83	9
367	BNP-guided therapy for heart failure. <b>2009</b> , 301, 432-4	18
366	Acute heart failure risk stratification: can we define low risk?. <b>2009</b> , 5, 75-83, vii	27
365	Diagnosis of heart failure. <b>2009</b> , 5, 25-35, vi	19
364	Utility of B-natriuretic peptide in the evaluation of left ventricular diastolic function and diastolic heart failure. <b>2009</b> , 24, 155-60	40
363	Natriuretic peptide system is not exhausted in severe heart failure. <b>2009</b> , 10, 39-43	4

362	A simple risk score to predict in-hospital death of elderly patients with acute decompensated heart failure--hypoalbuminemia as an additional prognostic factor. <b>2009</b> , 73, 2276-81	62
361	Place des marqueurs biologiques en cardiologie. <b>2010</b> , 5, 1-10	
360	Dyspnoea in patients with acute heart failure: an analysis of its clinical course, determinants, and relationship to 60-day outcomes in the PROTECT pilot study. <b>2010</b> , 12, 499-507	50
359	Central venous pressure at emergency room presentation predicts cardiac rehospitalization in patients with decompensated heart failure. <b>2010</b> , 12, 469-76	15
358	Serial NT-proBNP measurements for risk stratification of patients with decompensated heart failure. <b>2010</b> , 35, 488-95	10
357	Elevated troponin T on discharge predicts poor outcome of decompensated heart failure. <b>2010</b> , 25, 217-22	14
356	ST2: a novel remodeling biomarker in acute and chronic heart failure. <b>2010</b> , 7, 9-14	74
355	Utility of natriuretic peptide testing in the evaluation and management of acute decompensated heart failure. <b>2010</b> , 15, 275-91	5
354	Effectiveness of a portable device and the need for treatment of mild-to-moderate obstructive sleep-disordered breathing in patients with cardiovascular disease. <b>2010</b> , 56, 73-8	12
353	Prognostic value of tissue Doppler right ventricular systolic and diastolic function indexes combined with plasma B-type natriuretic Peptide in patients with advanced heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <b>2010</b> , 105, 249-54	27
352	Comparison of usefulness of each of five predictors of mortality and urgent transplantation in patients with advanced heart failure. <b>2010</b> , 106, 830-5	22
351	Relation of level of B-type natriuretic peptide with outcomes in patients with infective endocarditis. <b>2010</b> , 106, 1011-5	33
350	Carbohydrate antigen 125 predicts long-term mortality in African American patients with acute decompensated heart failure. <b>2010</b> , 16, 15-20	17
349	Biomarkers of heart failure. <b>2010</b> , 16 Suppl 1, S19-24	24
348	Extremely high brain natriuretic peptide does not reflect the severity of heart failure. <b>2010</b> , 16, 221-5	14
347	Biomarkers in Heart Failure. <b>2010</b> , 27-43	
346	Post-discharge changes in NT-proBNP and quality of life after acute dyspnea hospitalization as predictors of one-year outcomes. <b>2010</b> , 43, 1405-10	12
345	Short Term Prognostic Value of the Rapid B-Type Natriuretic Peptide Assay on Length of Hospitalisation in Congestive Heart Failure Patients Presenting to an Emergency Department in Hong Kong: A Prospective Observational Study. <b>2010</b> , 17, 451-463	2

344	Perioperative brain natriuretic peptide in off-pump coronary artery bypass. <b>2010</b> , 65, 297-301	2
343	Natriuretic peptides (BNP and NT-proBNP): measurement and relevance in heart failure. <b>2010</b> , 6, 411-8	83
342	Acute heart failure syndromes: emergency department presentation, treatment, and disposition: current approaches and future aims: a scientific statement from the American Heart Association. <b>2010</b> , 122, 1975-96	206
341	Dyspnoea and worsening heart failure in patients with acute heart failure: results from the Pre-RELAX-AHF study. <b>2010</b> , 12, 1130-9	73
340	Critical elements of clinical follow-up after hospital discharge for heart failure: insights from the EVEREST trial. <b>2010</b> , 12, 367-74	56
339	Biomarkers of cardiac and kidney dysfunction in cardiorenal syndromes. <b>2010</b> , 165, 83-92	9
338	Improvement in risk stratification with the combination of the tumour marker antigen carbohydrate 125 and brain natriuretic peptide in patients with acute heart failure. <b>2010</b> , 31, 1752-63	92
337	Assessing and grading congestion in acute heart failure: a scientific statement from the acute heart failure committee of the heart failure association of the European Society of Cardiology and endorsed by the European Society of Intensive Care Medicine. <b>2010</b> , 12, 423-33	436
336	NT-proBNP measurement fails to reliably identify subclinical hypertrophic cardiomyopathy in Maine Coon cats. <b>2010</b> , 12, 942-7	12
335	Prognostic value of cardiac troponins and natriuretic peptides in hospitalized nursing home residents. <b>2010</b> , 11, 386-8	1
334	Geriatric conditions and subsequent mortality in older patients with heart failure. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 309-16	15.1 108
333	N-terminal pro B-type natriuretic peptide predicts mortality in patients with left ventricular hypertrophy. <b>2010</b> , 143, 349-52	9
332	Limited value of brain natriuretic peptide as a prognostic marker in acute heart failure--a meta-analysis. <b>2010</b> , 145, 540-1	2
331	Usefulness of serum albumin and serum total cholesterol in the prediction of hospital death in older patients with severe, acute heart failure. <b>2011</b> , 104, 502-8	34
330	Hospitalization epidemic in patients with heart failure: risk factors, risk prediction, knowledge gaps, and future directions. <b>2011</b> , 17, 54-75	205
329	Japanese-Western consensus meeting on biomarkers. <b>2011</b> , 52, 253-65	16
328	Lipids, blood pressure, kidney - what was new in 2011?. <b>2011</b> , 7, 1055-66	55
327	Contemporary in-hospital management strategies for acute decompensated heart failure. <b>2011</b> , 19, 122-9	3

326	The predictive value of preoperative natriuretic peptide concentrations in adults undergoing surgery: a systematic review and meta-analysis. <b>2011</b> , 112, 1019-33		41
325	Natriuretic Peptide-guided therapy for heart failure. <b>2011</b> , 75, 2031-7		11
324	NT-pro-BNP predicts worsening renal function in patients with chronic systolic heart failure. <b>2011</b> , 41, 467-72		27
323	Laboratory parameters of cardiac and kidney dysfunction in cardio-renal syndromes. <b>2011</b> , 16, 545-51		22
322	Is there an additional benefit of serial NT-proBNP measurements in patients with stable chronic heart failure receiving individually optimized therapy?. <b>2011</b> , 100, 1059-67		10
321	Kardiale Biomarker in der Notfallmedizin. <b>2011</b> , 14, 229-242		0
320	Use of novel and conventional biomarkers for management of patients with heart failure. <b>2011</b> , 13, 475-88		7
319	Natriuretic peptides in heart failure: where we are, where we are going. <b>2011</b> , 6, 63-8		19
318	Profiling B-type natriuretic peptide in a stable heart failure population: a valuable adjunct to care. <b>2011</b> , 180, 355-62		2
317	Effect of adding nitroglycerin to early diuretic therapy on the morbidity and mortality of patients with chronic kidney disease presenting with acute decompensated heart failure. <i>Hospital Practice (1995)</i> , <b>2011</b> , 39, 126-32	2.2	14
316	Clinical and prognostic effects of atrial fibrillation in heart failure patients with reduced and preserved left ventricular ejection fraction. <b>2011</b> , 13, 1111-20		99
315	Admission, discharge, or change in B-type natriuretic peptide and long-term outcomes: data from Organized Program to Initiate Lifesaving Treatment in Hospitalized Patients with Heart Failure (OPTIMIZE-HF) linked to Medicare claims. <b>2011</b> , 4, 628-36		161
314	Drug and device effects on peak oxygen consumption, 6-minute walk distance, and natriuretic peptides as predictors of therapeutic effects on mortality in patients with heart failure and reduced ejection fraction. <b>2011</b> , 4, 578-88		31
313	Prognostic value of baseline plasma amino-terminal pro-brain natriuretic peptide and its interactions with irbesartan treatment effects in patients with heart failure and preserved ejection fraction: findings from the I-PRESERVE trial. <b>2011</b> , 4, 569-77		173
312	Neurohormonal activation in acute heart failure: results from VERITAS. <b>2011</b> , 119, 96-105		44
311	Can we improve the treatment of congestion in heart failure?. <b>2011</b> , 12, 1369-79		13
310	Early dyspnoea relief in acute heart failure: prevalence, association with mortality, and effect of rolofylline in the PROTECT Study. <b>2011</b> , 32, 1519-34		74
309	Cardiac biomarkers are associated with an increased risk of stroke and death in patients with atrial fibrillation: a Randomized Evaluation of Long-term Anticoagulation Therapy (RE-LY) substudy. <b>2012</b> , 125, 1605-16		291

308	Fluid Overload in Heart Failure and Cardiorenal Syndrome: The B B Approach. <b>2012</b> , 643-652	
307	Diastolic stiffness as assessed by diastolic wall strain is associated with adverse remodelling and poor outcomes in heart failure with preserved ejection fraction. <b>2012</b> , 33, 1742-9	91
306	B-type natriuretic peptide assessment in ambulatory heart failure patients: insights from IMPROVE HF. <b>2012</b> , 13, 360-7	3
305	An update on biomarkers of heart failure in hypertensive patients. <b>2012</b> , 30, 1681-9	43
304	Exhaled acetone as a new biomaker of heart failure severity. <b>2012</b> , 142, 457-466	55
303	The role of natriuretic peptides: from the emergency department throughout hospitalization. <b>2012</b> , 18 Suppl 1, S5-8	6
302	Diagnosis and management of fluid overload in heart failure and cardio-renal syndrome: the "5B" approach. <b>2012</b> , 32, 129-41	59
301	A review of the epidemiological profile of patients with atrial fibrillation and heart failure. <b>2012</b> , 10, 1133-40	8
300	Recommendations for the use of natriuretic peptides in acute cardiac care: a position statement from the Study Group on Biomarkers in Cardiology of the ESC Working Group on Acute Cardiac Care. <b>2012</b> , 33, 2001-6	176
299	Peripheral blood biomarkers in idiopathic pulmonary fibrosis. <b>2012</b> , 159, 218-27	80
298	NT-pro-BNP for diagnostic and prognostic evaluation in patients hospitalized for syncope. <b>2012</b> , 155, 268-72	24
297	S100A8/A9 complex as a new biomarker in prediction of mortality in elderly patients with severe heart failure. <b>2012</b> , 155, 26-32	29
296	Antigen carbohydrate 125 and brain natriuretic peptide serial measurements for risk stratification following an episode of acute heart failure. <b>2012</b> , 159, 21-8	35
295	Patients with acute heart failure in the emergency department: do they all need to be admitted?. <b>2012</b> , 18, 900-3	30
294	Dissecting the "CHF admission": an evidence-based review of the evaluation and management of acute decompensated heart failure for the hospitalist. <b>2012</b> , 7, 439-45	2
293	Brain natriuretic peptide-guided therapy in the inpatient management of decompensated heart failure. <b>2012</b> , 10, 191-203	10
292	Prognostic value of combining echocardiography and natriuretic peptide levels in patients with heart failure. <b>2012</b> , 9, 148-53	2
291	Troponin T levels in patients with acute heart failure: clinical and prognostic significance of their detection and release during hospitalisation. <b>2012</b> , 101, 663-72	35



290	Amino-terminal pro-B-type natriuretic peptide for risk prediction in acute decompensated heart failure. <b>2012</b> , 18, 308-14	2
289	Biochemical markers in heart failure. <b>2012</b> , 59, 1-7	40
288	Preoperative brain natriuretic peptide (BNP) is a better predictor of adverse cardiac events compared to preoperative scoring system in patients who underwent abdominal surgery. <b>2012</b> , 36, 24-30	18
287	Prognostic markers for acute heart failure. <b>2013</b> , 7, 379-92	9
286	Acute heart failure with preserved ejection fraction: unique patient characteristics and targets for therapy. <b>2013</b> , 10, 190-7	17
285	Novel biomarkers for heart failure. <b>2013</b> , 11, 1155-69	18
284	Biomarkers for Diagnosis and Prognosis of Acute Heart Failure. <b>2013</b> , 1, 133-140	2
283	Cardiology department hospitalization costs in patients with acute heart failure vary according to the etiology of the acute heart failure: Data from the AHEAD Core registry 2005-2009. <b>2013</b> , 55, e7-e14	3
282	Pulmonary hypertension, right ventricular function, and clinical outcome in acute decompensated heart failure. <b>2013</b> , 19, 665-71	51
281	Anwendung und Nutzen kardialer Biomarker in der Praxis. <b>2013</b> , 7, 377-386	
280	Treatment strategies for the prevention of heart failure. <b>2013</b> , 10, 331-40	7
279	Heart failure biomarkers. <b>2013</b> , 6, 471-84	14
278	Utility of point-of-care testing in ED triage. <b>2013</b> , 31, 291-6	23
277	[Prognostic role of NT-proBNP in emergency department in the elderly with acute heart failure]. <b>2013</b> , 48, 155-60	5
276	Relationship between sex, ejection fraction, and B-type natriuretic peptide levels in patients hospitalized with heart failure and associations with inhospital outcomes: findings from the Get With The Guideline-Heart Failure Registry. <b>2013</b> , 166, 1063-1071.e3	38
275	Natriuretic peptides in heart failure. <b>2013</b> , 55, e370-e376	4
274	NT-proANP and NT-proBNP as prognostic markers in patients with acute decompensated heart failure of different etiologies. <b>2013</b> , 46, 1013-1019	10
273	Epidemiology of hospitalized heart failure: differences and similarities between patients with reduced versus preserved ejection fraction. <b>2013</b> , 9, 271-6, v	11

272	Clinical utility of biomarkers in chronic kidney disease and chronic heart failure. <b>2013</b> , 39, 128-39		1
271	Clinical utility of N-terminal pro-B-type natriuretic peptide for risk stratification of patients with acute decompensated heart failure. Derivation and validation of the ADHF/NT-proBNP risk score. <b>2013</b> , 168, 2120-6		47
270	Data sources for heart failure comparative effectiveness research. <b>2013</b> , 9, 1-13		5
269	Comparison of the diagnostic and prognostic values of B-type and atrial-type natriuretic peptides in acute heart failure. <b>2013</b> , 168, 3404-11		54
268	Usefulness of cardiac biomarker score for risk stratification in stable patients undergoing elective cardiac evaluation across glycemic status. <b>2013</b> , 111, 465-70		11
267	Racial/Ethnic differences in B-type natriuretic peptide levels and their association with care and outcomes among patients hospitalized with heart failure: findings from Get With The Guidelines-Heart Failure. <b>2013</b> , 1, 345-352		28
266	Biomarkers in atrial fibrillation: a clinical review. <b>2013</b> , 34, 1475-80		195
265	Biomarkers and diagnostics in heart failure. <b>2013</b> , 1832, 2442-50		212
264	Derivation of a mathematical expression for predicting the time to cardiac events in patients with heart failure: a retrospective clinical study. <b>2013</b> , 36, 450-6		4
263	B-type natriuretic peptide and prognosis in heart failure patients with preserved and reduced ejection fraction. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 1498-506	15.1	286
262	Role of inflammatory gene polymorphisms in left ventricular dysfunction (LVD) susceptibility in coronary artery disease (CAD) patients. <b>2013</b> , 61, 856-61		27
261	N-terminal pro-B-type natriuretic peptide for risk assessment in patients with atrial fibrillation: insights from the ARISTOTLE Trial (Apixaban for the Prevention of Stroke in Subjects With Atrial Fibrillation). <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 2274-84	15.1	149
260	De Gruyter. <b>2013</b> , 21,		2
259	Natriuretic peptides: molecular biology, pathophysiology and clinical implications for the cardiologist. <b>2013</b> , 9, 519-34		9
258	N-terminal prohormone B-type natriuretic peptide and weaning outcome in postoperative patients with pulmonary complications. <b>2013</b> , 41, 1612-21		4
257	Current aspects of the spectrum of acute heart failure syndromes in a real-life setting: the OFICA study. <b>2013</b> , 15, 465-76		94
256	A review of apixaban for stroke prevention in atrial fibrillation: insights from ARISTOTLE. <b>2013</b> , 11, 1105-14		6
255	Agreement of BNP and NT-proBNP and the influence of clinical and laboratory variables. <b>2013</b> , 11, 273-7		11

254	Diagnostic and prognostic values of B-type natriuretic peptides (BNP) and N-terminal fragment brain natriuretic peptides (NT-pro-BNP). <b>2013</b> , 24, 286-9	39
253	Associates of an elevated natriuretic peptide level in stable heart failure patients: implications for targeted management. <b>2013</b> , 2013, 562763	5
252	Prognostic implication of physical signs of congestion in acute heart failure patients and its association with steady-state biomarker levels. <b>2014</b> , 9, e96325	19
251	Cardiac Biomarkers. <b>2014</b> ,	3
250	Prognostic value of circulating regulatory T cells for worsening heart failure in heart failure patients with reduced ejection fraction. <b>2014</b> , 55, 271-7	25
249	Biomarkers of acute rejection following cardiac transplantation. <b>2014</b> , 8, 815-32	10
248	The relationship between BNP, NTproBNP and echocardiographic measurements of systemic blood flow in very preterm infants. <b>2014</b> , 34, 296-300	6
247	Serum levels of the soluble IL-1 receptor family member ST2 and right ventricular dysfunction. <b>2014</b> , 8, 95-106	10
246	Serial measurements of the Nt-ProBNP during the dry state in patients with systolic heart failure are predictors of the long-term prognosis. <b>2014</b> , 19, 302-13	5
245	Risk stratification with the use of serial N-terminal pro-B-type natriuretic peptide measurements during admission and early after discharge in heart failure patients: post hoc analysis of the PRIMA study. <b>2014</b> , 20, 881-90	12
244	[Essential cardiac biomarkers in myocardial infarction and heart failure]. <b>2014</b> , 39, 727-39; quiz 740-1	1
243	Emergency department use of galectin-3. <b>2014</b> , 13, 73-7	15
242	Brain natriuretic peptide: a biomarker for all cardiac disease?. <b>2014</b> , 29, 160-6	29
241	Utility of point-of-care testing of natriuretic peptides (brain natriuretic peptide and n-terminal pro-brain natriuretic peptide) in the emergency department. <b>2014</b> , 4, 209-15	11
240	How galectin-3 changes acute heart failure decision making in the emergency department. <b>2014</b> , 52, 1409-12	6
239	B-type natriuretic peptide predicts 30-day readmission for heart failure but not readmission for other causes. <b>2014</b> , 3, e000806	20
238	Prognostic stratification of patients with chronic systolic heart failure using biomarkers and Doppler echocardiography. <b>2014</b> , 15, 470-5	1
237	Monitoring the response to treatment of acute heart failure patients by ultrasonographic inferior vena cava collapsibility index. <b>2014</b> , 32, 403-7	24

236	Importance of Bnp changes during the follow-up in elderly outpatients with heart failure. <b>2014</b> , 47, 1010-4	0
235	Determinants of survival following hospitalization for acute heart failure. <b>2014</b> , 11, 201-11	8
234	The global health and economic burden of hospitalizations for heart failure: lessons learned from hospitalized heart failure registries. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 1123-1133	15.1 1160
233	Metabolic actions of natriuretic peptides and therapeutic potential in the metabolic syndrome. <b>2014</b> , 144, 12-27	89
232	Characteristics of acute heart failure hospitalizations in a general medical ward in Southwestern Uganda. <b>2014</b> , 176, 1233-4	11
231	Biomarker predictors of cardiac hospitalization in chronic heart failure: a recurrent event analysis. <b>2014</b> , 20, 569-76	20
230	Rationale and design of the GUIDE-IT study: Guiding Evidence Based Therapy Using Biomarker Intensified Treatment in Heart Failure. <b>2014</b> , 2, 457-65	84
229	Cardiac biomarkers in heart failure. <b>2014</b> , 47, 327-37	39
228	Plasma NT pro-BNP, hs-CRP and big-ET levels at admission as prognostic markers of survival in hospitalized patients with dilated cardiomyopathy: a single-center cohort study. <b>2014</b> , 14, 67	28
227	AXL receptor tyrosine kinase is increased in patients with heart failure. <b>2014</b> , 173, 402-9	37
226	Natriuretic peptides in heart failure and acute coronary syndrome. <b>2014</b> , 34, 43-58, vi	28
225	Natriuretic peptides in heart failure with preserved ejection fraction. <b>2014</b> , 10, 453-70	24
224	Clinical relevance of biomarkers in heart failure and cardiorenal syndrome: the role of natriuretic peptides and troponin. <b>2014</b> , 19, 267-84	26
223	The injured patient in the ICU. 261-276	
222	Heart failure. 303-318	
221	Biomarkers and low risk in heart failure. Data from COACH and TRIUMPH. <b>2015</b> , 17, 1271-82	45
220	Kidney disease in heart failure: the importance of novel biomarkers for type 1 cardio-renal syndrome detection. <b>2015</b> , 10, 543-54	13
219	Real world effectiveness of primary implantable cardioverter defibrillators implanted during hospital admissions for exacerbation of heart failure or other acute co-morbidities: cohort study of older patients with heart failure. <b>2015</b> , 351, h3529	17

218	Considerations for initial therapy in the treatment of acute heart failure. <b>2015</b> , 19, 399		10
217	Application of the United States acute heart failure risk prediction model in Japanese patients; analysis from a contemporary multicenter registry. <b>2015</b> , 195, 323-5		2
216	Cardiovascular Biomarker Assessment Across Glycemic Status. <b>2015</b> , 245-268		0
215	Cardiovascular biomarkers and sex: the case for women. <b>2015</b> , 12, 588-96		59
214	Congestive Heart Failure. <b>2015</b> , 33, 553-62		9
213	Rationale and design of a randomized, double-blind, event-driven, multicentre study comparing the efficacy and safety of oral rivaroxaban with placebo for reducing the risk of death, myocardial infarction or stroke in subjects with heart failure and significant coronary artery disease following an exacerbation of heart failure: the COMMANDER HF trial. <b>2015</b> , 17, 795-12		56
212	Biomarqueurs et insuffisance cardiaque ¶fraction d¶jection pr¶serv¶. <b>2015</b> , 2015, 9-13		
211	Advanced (stage D) heart failure: a statement from the Heart Failure Society of America Guidelines Committee. <b>2015</b> , 21, 519-34		195
210	Prognostic value of sST2 added to BNP in acute heart failure with preserved or reduced ejection fraction. <b>2015</b> , 104, 491-9		42
209	ST2 and prognosis in acutely decompensated heart failure: the International ST2 Consensus Panel. <b>2015</b> , 115, 26B-31B		54
208	Admission hypoxia-inducible factor 1¶levels and in-hospital mortality in patients with acute decompensated heart failure. <b>2015</b> , 15, 79		6
207	Responder to BNP-guided treatment in heart failure. The process of defining a responder. <b>2015</b> , 49, 316-24		8
206	Prognostic value of NT-proBNP in heart failure with preserved versus reduced EF. <b>2015</b> , 101, 1881-8		85
205	Prognostic markers of acute decompensated heart failure: the emerging roles of cardiac biomarkers and prognostic scores. <b>2015</b> , 108, 64-74		23
204	Validation of lactate level as a predictor of early mortality in acute decompensated heart failure patients who entered intensive care unit. <b>2015</b> , 65, 164-70		35
203	Heart failure outcomes based on race and gender of patients in a medically undeserved area. <b>2015</b> , 17, 139-47		1
202	An Admission-to-Discharge BNP Increase Is a Predictor of Six-Month All-Cause Death in ADHF Patients: Inferences from Multivariate Analysis Including Admission BNP and Various Clinical Measures of Congestion. <i>Journal of Clinical Medicine</i> , <b>2016</b> , 5,	5.1	0
201	Admission inferior vena cava measurements are associated with mortality after hospitalization for acute decompensated heart failure. <b>2016</b> , 11, 778-784		18

200	Sex differences in clinical characteristics and long-term outcome in acute decompensated heart failure patients with preserved and reduced ejection fraction. <b>2016</b> , 310, H813-20		27
199	The prognostic combined role of B-type natriuretic peptide, blood urea nitrogen and congestion signs persistence in patients with acute heart failure. <b>2016</b> , 17, 818-27		12
198	Molecular and Digital Biomarker Supported Decision Making in Clinical Studies in Cardiovascular Indications. <b>2016</b> , 349, 399-409		5
197	Biomarkers of Heart Failure with Preserved and Reduced Ejection Fraction. <b>2017</b> , 243, 79-108		4
196	An evidence-based review of recent advances in therapy for heart failure with reduced ejection fraction (HFrEF). <b>2016</b> , 92, 726-734		7
195	Effect of B-Type Natriuretic Peptide Level on Long-Term Outcome in Patients With End-Stage Heart Failure. <b>2016</b> , 118, 383-8		6
194	New Role of Biomarkers in Atrial Fibrillation. <b>2016</b> , 507-539		
193	B-Type Natriuretic Peptide Modulates Pulmonary Vein Arrhythmogenesis: A Novel Potential Contributor to the Genesis of Atrial Tachyarrhythmia in Heart Failure. <b>2016</b> , 27, 1462-1471		8
192	Discharge BNP is a stronger predictor of 6-month mortality in acute heart failure compared with baseline BNP and admission-to-discharge percentage BNP reduction. <b>2016</b> , 221, 1116-22		26
191	Natriuretic peptide levels taken following unplanned admission to a cardiology department predict the duration of hospitalization. <b>2016</b> , 18, 1499-1505		6
190	Prognostic Implications of Changes in N-Terminal Pro-B-Type Natriuretic Peptide in Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 2425-2436	15.1	190
189	Cardiac Biomarkers. <b>2016</b> ,		1
188	N-terminal pro b-type natriuretic peptide (NT-pro-BNP) -based score can predict in-hospital mortality in patients with heart failure. <b>2016</b> , 6, 29590		21
187	The utilization and prognostic impact of B-type Natriuretic Peptide in hospitalized acute decompensated heart failure in an Asian population. <b>2016</b> , 16, 178		6
186	Association between cardiac, renal, and hepatic biomarkers and outcomes in patients with acute heart failure. <i>Hospital Practice (1995)</i> , <b>2016</b> , 44, 138-45	2.2	10
185	A Test in Context: Critical Evaluation of Natriuretic Peptide Testing in Heart Failure. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 67, 330-7	15.1	35
184	Using the galectin-3 test to predict mortality in heart failure patients: a systematic review and meta-analysis. <b>2016</b> , 10, 329-42		24
183	Heterogeneity of the prognostic significance of B-type natriuretic peptide levels on admission in patients hospitalized for acute heart failure syndromes. <b>2016</b> , 31, 41-9		4

182	Factors associated with postoperative requirement of renal replacement therapy following off-pump coronary bypass surgery. <b>2017</b> , 32, 134-142	2
181	Short Stay Management of Acute Heart Failure. <b>2017</b> ,	
180	Prognostic stratification in pulmonary hypertension: A multi-biomarker approach. <b>2017</b> , 36, 111-125	13
179	Different trajectories and significance of B-type natriuretic peptide, congestion and acute kidney injury in patients with heart failure. <b>2017</b> , 12, 593-603	5
178	Relationship among body mass index, NT-proBNP, and mortality in decompensated chronic heart failure. <b>2017</b> , 46, 172-177	3
177	Characterization of hemodynamically stable acute heart failure patients requiring a critical care unit admission: Derivation, validation, and refinement of a risk score. <b>2017</b> , 188, 127-135	5
176	Role of Biomarkers for the Prevention, Assessment, and Management of Heart Failure: A Scientific Statement From the American Heart Association. <b>2017</b> , 135, e1054-e1091	274
175	Late In-Hospital Management of Patients Hospitalized with Acute Heart Failure. <b>2017</b> , 60, 198-204	2
174	Prognostic stratification in pulmonary hypertension: A multi-biomarker approach. <b>2017</b> , 36, 111-125	10
173	Role of B-type natriuretic peptide (BNP) in heart failure. <b>2017</b> , 16, 3-9	1
172	Predictors of 30-day mortality in patients admitted to ED for acute heart failure. <b>2017</b> , 35, 444-447	5
171	A simple score for early risk stratification in acute heart failure. <b>2017</b> , 230, 248-254	11
170	Cardiovascular Conditions in the Observation Unit: Beyond Chest Pain. <b>2017</b> , 35, 549-569	0
169	Mid-regional pro-adrenomedullin and ST2 in heart failure: Contributions to diagnosis and prognosis. <b>2017</b> , 36, 465-472	5
168	Novel Endpoints for Heart Failure Clinical Trials. <b>2017</b> , 14, 210-216	7
167	Mid-regional pro-adrenomedullin and ST2 in heart failure: Contributions to diagnosis and prognosis. <b>2017</b> , 36, 465-472	6
166	Biomarkers in Sleep Apnea and Heart Failure. <b>2017</b> , 14, 284-300	1
165	Biomarkers in cardiovascular disease: Statistical assessment and section on key novel heart failure biomarkers. <b>2017</b> , 27, 123-133	76

164	Bendopnea and risk of adverse clinical outcomes in ambulatory patients with systolic heart failure. <b>2017</b> , 183, 102-107	21
163	Predictors of Long-Term Mortality in Older Patients Hospitalized for Acutely Decompensated Heart Failure: Clinical Relevance of Natriuretic Peptides. <b>2017</b> , 65, 822-826	9
162	Prognostic Impact of Diastolic Wall Strain in Patients at Risk for Heart Failure. <b>2017</b> , 58, 250-256	9
161	Prognostic value of short-term follow-up BNP in hospitalized patients with heart failure. <b>2017</b> , 17, 215	25
160	Cardiac Natriuretic Peptides. <b>2017</b> , 3-39	1
159	Cardiac troponin and outcome in decompensated heart failure with preserved ejection fraction. <b>2017</b> , 7, 359-366	8
158	NT-proBNP is associated with mortality and adverse cardiac events in patients with atrial fibrillation presenting to the emergency department. <b>2018</b> , 41, 400-405	7
157	Biomarkers for heart failure: small molecules with high clinical relevance. <b>2018</b> , 283, 530-543	58
156	Long-term prognostic significance of urinary sodium concentration in patients with acute heart failure. <b>2018</b> , 254, 189-194	19
155	Mortality associated with heart failure with preserved vs. reduced ejection fraction in a prospective international multi-ethnic cohort study. <b>2018</b> , 39, 1770-1780	123
154	Obesity and heart failure with preserved ejection fraction: A growing problem. <b>2018</b> , 28, 322-327	12
153	Obesity and the Obesity Paradox in Heart Failure. <b>2018</b> , 546-564	
152	Prognostic impacts of Rho-kinase activity in circulating leucocytes in patients with vasospastic angina. <b>2018</b> , 39, 952-959	20
151	Long-Term Prognostic Significance of Plasma B-Type Natriuretic Peptide Level in Patients With Acute Heart Failure With Reduced, Mid-Range, and Preserved Ejection Fractions. <b>2018</b> , 121, 731-738	24
150	Mismatch between right- and left-sided filling pressures in heart failure patients with preserved ejection fraction. <b>2018</b> , 257, 143-149	4
149	When more is less and less is more: Is there an additional value of NT-proBNP in risk stratification in heart failure?. <b>2018</b> , 25, 885-888	3
148	Incidence and predictors of 6 months mortality after an acute heart failure event in rural Uganda: The Mbarara Heart Failure Registry (MAHFER). <b>2018</b> , 264, 113-117	7
147	Utility of natriuretic peptides to assess and manage patients with heart failure receiving angiotensin receptor blocker/nephrilysin inhibitor therapy. <b>2018</b> , 130, 299-307	13



146	Expanded algorithm for managing patients with acute decompensated heart failure. <b>2018</b> , 23, 597-607	4
145	Bio-width index: a novel biomarker for prognostication of long term outcomes in patients with anaemia and heart failure. <b>2018</b> , 73, 403-409	1
144	Novel Biomarkers to Detect Target Organ Damage in Acute Hypertension. <b>2018</b> , 20, 21	1
143	Natriuretic peptide B plasma concentration increases in the first 12 h of pulmonary edema recovery. <b>2018</b> , 53, 52-56	1
142	The impact of creating mathematical formula to predict cardiovascular events in patients with heart failure. <b>2018</b> , 8, 3986	2
141	Acute Decompensated Heart Failure. <b>2018</b> , 33, 456-466	5
140	Phenotype, management and predictors of outcome in a large cohort of adult congenital heart disease patients with heart failure. <b>2018</b> , 252, 80-87	34
139	Natriuretic Peptides in Heart Failure: Atrial and B-type Natriuretic Peptides. <b>2018</b> , 14, 13-25	53
138	Prognostic factors for in-hospital mortality of patients hospitalized for acutely decompensated heart failure. <b>2018</b> , 73, 199-206	5
137	Statin has more protective effects in AMI patients with higher plasma BNP or NT-proBNP level, but not with lower left ventricular ejection fraction. <b>2018</b> , 71, 375-381	5
136	Hyponatraemia, hyperglycaemia and worsening renal function at first blood sample on emergency department admission as predictors of in-hospital death in patients with dyspnoea with suspected acute heart failure: retrospective observational analysis of the PARADISE cohort. <b>2018</b> , 8, e019557	9
135	Validation of heart failure quality of life tool and usage to predict all-cause mortality in acute heart failure in Uganda: the Mbarara heart failure registry (MAHFER). <b>2018</b> , 18, 232	3
134	In-hospital mortality is associated with high NT-proBNP level. <b>2018</b> , 13, e0207118	3
133	Advanced heart failure: a position statement of the Heart Failure Association of the European Society of Cardiology. <b>2018</b> , 20, 1505-1535	285
132	Acute Heart Failure in Patients With Severe Aortic Stenosis - Insights From the CURRENT AS Registry. <b>2018</b> , 82, 874-885	26
131	Outcome of hospitalised heart failure in Japan and the United Kingdom stratified by plasma N-terminal pro-B-type natriuretic peptide. <b>2018</b> , 107, 1103-1110	6
130	Driving with the headlights on: Measuring adequate urinary sodium excretion on the road to precision diuresis. <b>2018</b> , 203, 93-94	
129	Mucosal-associated invariant T (MAIT) cells are depleted and prone to apoptosis in cardiometabolic disorders. <b>2018</b> , 32, fj201800052RR	29

128	Correlation between Histone Deacetylase 9 and Regulatory T Cell in Patients with Chronic Heart Failure. <b>2018</b> , 38, 199-203		2
127	B-Type Natriuretic Peptide Levels and Mortality in Patients With and Without Heart Failure. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 71, 2079-2088	15.1	58
126	Established and Emerging Roles of Biomarkers in Heart Failure. <b>2018</b> , 123, 614-629		105
125	Significance of Sarcopenia Evaluation in Acute Decompensated Heart Failure. <b>2018</b> , 59, 143-148		18
124	Non-natriuretic peptide biomarkers in heart failure with preserved and reduced ejection fraction. <b>2018</b> , 12, 783-797		6
123	NT-proBNP is a potential mediator between reduced ejection fraction and depression in patients with heart failure. <b>2018</b> , 104, 8-15		5
122	Bedeutung von Biomarkern bei akuter Herzinsuffizienz. <b>2019</b> , 22, 148-157		
121	Heart Failure With Preserved Ejection Fraction and Adipose Tissue: A Story of Two Tales. <b>2019</b> , 6, 110		16
120	Risk stratification in acute heart failure: We need a new agenda for clinical research. <b>2019</b> , 293, 179-180		
119	Irreversible oxidative post-translational modifications in heart disease. <b>2019</b> , 16, 681-693		12
118	Prognostic Value of Calculated Plasma Volume Status in Patients Admitted for Acute Decompensated Heart Failure - A Prospective Comparative Study With Other Indices of Plasma Volume. <b>2019</b> , 1, 361-371		7
117	Elevated Lactate Levels as a Predictor of Early Mortality in Patients with Severe LV Dysfunction without Shock or Hypoxemia. <b>2019</b> , 04, 068-071		
116	An update on the use and discovery of prognostic biomarkers in acute decompensated heart failure. <b>2019</b> , 19, 1019-1029		5
115	Clinical Applications of Natriuretic Peptides in Heart Failure and Atrial Fibrillation. <b>2019</b> , 20,		12
114	[The relevance of biomarkers in acute heart failure]. <b>2019</b> , 60, 587-596		0
113	Dynamics and prognostic value of B-type natriuretic peptide in left ventricular assist device recipients. <b>2019</b> , 11, 138-144		3
112	NT-proBNP (N-Terminal Pro-B-Type Natriuretic Peptide) and the Risk of Stroke. <b>2019</b> , 50, 610-617		21
111	Diagnosis of Heart Failure. <b>2019</b> , 83-101		

110	Biomarkers and Imaging: Complementary or Subtractive?. <b>2019</b> , 15, 321-331	9
109	Utility of Cardiac Biomarkers in the Setting of Kidney Disease. <b>2019</b> , 141, 227-235	17
108	ACUTE Heart Failure Risk Stratification. <b>2019</b> , 139, 1157-1161	10
107	Heart Failure. <b>2019</b> ,	
106	Evolving Use of Biomarkers in the Management of Heart Failure. <b>2019</b> , 27, 153-159	12
105	The role of N-terminal pro-B-type natriuretic peptide in prognostic evaluation of heart failure. <b>2019</b> , 82, 447-451	4
104	NT-proBNP Goal Achievement Is Associated With Significant Reverse Remodeling and Improved Clinical Outcomes in HFrEF. <b>2019</b> , 7, 158-168	26
103	Cardiac biomarkers predict mortality in emergency patients presenting with atrial fibrillation. <b>2019</b> , 105, 482-488	12
102	Management of Fluid Overload in Cardiorenal Patients. <b>2019</b> , 825-835.e2	
101	Incremental Prognostic Value of Platelet Count in Patients With Acute Heart Failure - A Retrospective Observational Study. <b>2019</b> , 83, 576-583	2
100	Combining the use of amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide in the prognosis of hospitalized heart failure patients. <b>2019</b> , 491, 8-14	4
99	Plasma haptoglobin level can augment NT-proBNP to predict poor outcome in patients with severe acute decompensated heart failure. <b>2019</b> , 67, 20-27	3
98	Medication dosing for heart failure with reduced ejection fraction - opportunities and challenges. <b>2019</b> , 21, 286-296	32
97	Inpatient management of acute decompensated heart failure. <b>2020</b> , 96, 33-42	3
96	Biomarkers and Precision Medicine in Heart Failure. <b>2020</b> , 449-466.e3	
95	Prognostic Value of Lactate Dehydrogenase for Mid-Term Mortality in Acute Decompensated Heart Failure: A Comparison to Established Biomarkers and Brain Natriuretic Peptide. <b>2020</b> , 29, 1318-1327	8
94	It is time for consistency in the use of biomarkers in heart failure clinical trials. <b>2020</b> , 22, 90-91	1
93	Prognostic Significance of I-Month Postdischarge BNP in Identifying Patients at High Risk of Mortality and Readmission After Decompensated Heart Failure. <b>2020</b> , 1, 59-66	

92	Prognostic Value of B-Type Natriuretic Peptide in Liver Transplant Patients: Implication in Posttransplant Mortality. <b>2021</b> , 74, 336-350	4
91	SOFA score and short-term mortality in acute decompensated heart failure. <b>2020</b> , 10, 20802	6
90	Elevated FURIN levels in predicting mortality and cardiovascular events in patients with acute myocardial infarction. <b>2020</b> , 111, 154323	6
89	Highest Obesity Category Associated With Largest Decrease in N-Terminal Pro-B-Type Natriuretic Peptide in Patients Hospitalized With Heart Failure With Preserved Ejection Fraction. <b>2020</b> , 9, e015738	3
88	Searching for Preclinical Models of Acute Decompensated Heart Failure: a Concise Narrative Overview and a Novel Swine Model. <b>2020</b> , 1	1
87	Predicting High-Risk Patients and High-Risk Outcomes in Heart Failure. <b>2020</b> , 16, 387-407	6
86	N-terminal Pro-B-Type Natriuretic Peptide and Malnutrition in Patients on Hemodialysis. <b>2020</b> , 2020, 9528014	0
85	Elevated N-terminal prohormone of brain natriuretic peptide among persons living with HIV in a South African peri-urban township. <b>2020</b> , 7, 3246-3251	2
84	The Effect of High Lactate Level on Mortality in Acute Heart Failure Patients With Reduced Ejection Fraction Without Cardiogenic Shock. <b>2020</b> , 20, 361-369	4
83	Clinical significance of reactive oxidative metabolites in patients with heart failure with reduced left ventricular ejection fraction. <b>2021</b> , 27, 57-66	2
82	Prognostic value of multiple cardiac magnetic resonance imaging parameters in patients with idiopathic dilated cardiomyopathy. <b>2021</b> , 325, 89-95	2
81	Natriuretic Peptides as Predictors of Cardiovascular Events and All-Cause Mortality. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 77, 572-574	15.1 0
80	Heart failure with preserved ejection fraction: strategies for disease management and emerging therapeutic approaches. <b>2021</b> , 133, 125-139	3
79	The contribution of cardiac and extracardiac factors to NT-proBNP concentrations in patients with advanced heart failure before and after left ventricular assist device implantation. <b>2021</b> , 135, 170420	2
78	Biomarkers in Acute Heart Failure: Diagnosis, Prognosis, and Treatment. <b>2021</b> , 3, 81	3
77	Reverse Cardiac Remodeling and ARNI Therapy. <b>2021</b> , 18, 71-83	6
76	B-type natriuretic peptide/ferritin ratio as a predictor of the risk of developing acute renal injury in acute decompensated heart failure. <b>2021</b> , 21, 98-103	1
75	Why Do We Not Assess Sympathetic Nervous System Activity in Heart Failure Management: Might GRK2 Serve as a New Biomarker?. <b>2021</b> , 10,	0

74	Sarcopenia in heart failure: a systematic review and meta-analysis. <b>2021</b> , 8, 1007-1017	9
73	Prediction of short-term mortality in acute heart failure patients using minimal electronic health record data. <b>2021</b> , 14, 23	4
72	Prognostic role of albumin level in heart failure: A systematic review and meta-analysis. <b>2021</b> , 100, e24785	1
71	Machine Learning-Driven Models to Predict Prognostic Outcomes in Patients Hospitalized With Heart Failure Using Electronic Health Records: Retrospective Study. <b>2021</b> , 23, e24996	0
70	Biomarkers for the diagnosis and management of heart failure. <b>2021</b> , 1	11
69	Prediction of troponin I and N-terminal pro-brain natriuretic peptide levels in acute carbon monoxide poisoning using advanced electrocardiogram analysis, Alexandria, Egypt. <b>2021</b> , 28, 48754-48766	0
68	Primary Prevention Implantable Cardioverter-Defibrillator Therapy in Heart Failure with Recovered Ejection Fraction. <b>2021</b> , 27, 585-596	
67	Current Use of Cardiac Biomarkers in Various Heart Conditions. <b>2021</b> , 21, 980-993	4
66	Diagnosis and treatment of new heart failure with reduced ejection fraction by the artificial intelligence-enhanced electrocardiogram.. <b>2021</b> , 2, 282-284	2
65	Relationship of ejection fraction and natriuretic peptide trajectories in heart failure with baseline reduced and mid-range ejection fraction. <b>2022</b> , 243, 1-10	0
64	Clinical Characteristics and Outcomes of Hospitalized Patients With Heart Failure From the Large-Scale Japanese Registry Of Acute Decompensated Heart Failure (JROADHF). <b>2021</b> , 85, 1438-1450	10
63	Relationship between high-sensitivity cardiac troponin T, B-type natriuretic peptide, and physical function in patients with heart failure. <b>2021</b> ,	1
62	Biomarkers in Acute Heart Failure Syndromes: An Update. <b>2021</b> ,	0
61	The Utility of Circulating and Imaging Biomarkers Alone and in Combination in Heart Failure. <b>2021</b> , 17, e160721193557	0
60	N-acetyl- $\beta$ -D-glucosaminidase is predictive of mortality in chronic heart failure: a 10-year follow-up. <b>2021</b> , 15, 1143-1153	2
59	Inpatient versus outpatient intravenous diuresis for the acute exacerbation of chronic heart failure. <b>2021</b> , 36, 100860	0
58	Clinical Translation of Discoveries in Cardiomyocyte Biology. <b>2021</b> , 315-340	
57	Use of Natriuretic Peptides in the Emergency Department and the ICU. <b>2009</b> , 523-530	0

56	Cardiac Blood Tests. <b>2016</b> , 363-368	2
55	Clinical Assessment of Heart Failure. <b>2012</b> , 505-516	3
54	Diagnosis and Management of Acute Heart Failure Syndromes. <b>2012</b> , 517-542	4
53	HCV coinfection possibly promotes left ventricular dysfunction development: analysis of brain natriuretic peptide serum levels in HCV/HIV-coinfected and HIV-monoinfected patients. <b>2012</b> , 24, 1308-12	5
52	NT-proBNP and Its Correlation with In-Hospital Mortality in the Very Elderly without an Admission Diagnosis of Heart Failure. <b>2016</b> , 11, e0153759	19
51	Impact of Exhaled Breath Acetone in the Prognosis of Patients with Heart Failure with Reduced Ejection Fraction (HFrEF). One Year of Clinical Follow-up. <b>2016</b> , 11, e0168790	19
50	Change of Serum BNP Between Admission and Discharge After Acute Decompensated Heart Failure Is a Better Predictor of 6-Month All-Cause Mortality Than the Single BNP Value Determined at Admission. <b>2016</b> , 8, 737-42	7
49	2020 Clinical practice guidelines for Chronic heart failure. <b>2020</b> , 25, 4083	95
48	Heart failure in North America. <b>2013</b> , 9, 128-46	44
47	Identifying Cardiac Diseases using Cardiac Biomarkers in Rhesus Macaques (). <b>2020</b> , 70, 348-357	2
46	Cardiorenal biomarkers in acute heart failure. <b>2012</b> , 9, 292-304	14
45	Cardiac biomarkers: new tools for heart failure management. <b>2012</b> , 2, 147-64	29
44	Acute heart failure (suspected or confirmed): Initial diagnosis and subsequent evaluation with traditional and novel technologies. <b>2013</b> , 03, 290-300	3
43	Use of Natriuretic Peptides in the Emergency Department and the ICU. <b>2009</b> , 523-530	
42	Acute Heart Failure in Observation Unit Treatment Protocols. <b>2012</b> , 173-186	
41	Acute Decompensated Heart Failure. <b>2012</b> , 22-41	
40	Diagnostic and Prognostic Biomarkers in Emergency Department Heart Failure. <b>2012</b> , 125-139	
39	Acute Decompensated Heart Failure: Systolic and Diastolic. <b>2014</b> , 37-49	

- 38 Biomarkers and Optimal Management of Heart Failure in the Aging Population. **2014**, 135-146
- 37 New Role of Biomarkers in Atrial Fibrillation. **2015**, 1-33
- 36 The clinical feature and predictors of mortality in patients hospitalized for acute decompensated heart failure with ischemic heart disease. **2015**, 21, 6-13
- 35 Heart Failure: Natriuretic Peptide Use in the Hospital. **2016**, 207-213
- 34 Natriuretic Peptide Use in the Emergency Department. **2016**, 195-206
- 33 Diagnostic and Prognostic Biomarkers in Emergency Department Heart Failure. **2017**, 145-163
- 32 Acute Decompensated Heart Failure in the Observation Unit: Treatment Protocols. **2017**, 197-210
- 31 Natriuretic Peptide and Clinical Evaluation in the Diagnosis of Heart Failure Hemodynamic Profile: Comparison with Tissue Doppler Echocardiography. **2018**, 110, 270-277 2
- 30 OBSOLETE: Obesity and The Obesity Paradox in Heart Failure. **2018**,
- 29 Clinical Utility of B-Type Natriuretic Peptide on Pediatric Intensive Care Unit Admission in Predicting Mechanical Ventilatory/Circulatory Support for Heart Failure. **2018**, In Press,
- 28 RISK STRATIFICATION AND PROGNOSTIC MARKERS IN PATIENTS WITH ACUTE DECOMPENSATED HEART FAILURE. **2020**, 1-4
- 27 EURASIAN ASSOCIATION OF CARDIOLOGY (EAC)/ NATIONAL SOCIETY OF HEART FAILURE AND MYOCARDIAL DISEASE (NSHFMD) GUIDELINES FOR THE DIAGNOSIS AND TREATMENT OF CHRONIC HEART FAILURE (2020). **2020**, 6-76 3
- 26 Predictive factors associated with poor outcomes for older adult inpatients in the convalescent rehabilitation ward. **2020**, 67, 304-310
- 25 Clinical and Laboratory Predictors of Mortality in Patients with Advanced Heart Failure (Stage D), Data Derived from Rajaie Acute Systolic Heart Failure (RASHF) Data Registry. **2020**, 11,
- 24 Prognostic Value of Preoperative Pro-B-Type Natriuretic Peptide: Early Predictor of Cardiovascular Complications and Mortality After Major Abdominal Surgery. **2020**, 12, e11338 0
- 23 Machine Learning Driven Models to Predict Prognostic Outcomes in Patients Hospitalized With Heart Failure Using Electronic Health Records: Retrospective Study (Preprint).
- 22 Head-to-head comparison of diagnostic scores for acute heart failure in the emergency department: results from the PARADISE cohort. **2021**, 1
- 21 A New Biomarker Tool for Risk Stratification in "" Acute Heart Failure (OROME).. **2021**, 12, 736245 0

20	What is the optimal nutritional assessment tool for predicting decline in the activity of daily living among older patients with heart failure?. <b>2022</b> , 1		0
19	Therapeutic and Prognostic Significance of Arachidonic Acid in Heart Failure.. <b>2022</b> , CIRCRESAHA121320548		2
18	Impact of Daily Bedside Echocardiographic Assessment on Readmissions in Acute Heart Failure: A Randomized Clinical Trial.. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11,	5.1	
17	2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. <b>2022</b> , 101161CIR0000000000001063		35
16	2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. <i>Journal of the American College of Cardiology</i> , <b>2022</b> ,	15.1	49
15	Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (TRAIL) in Patients after Acute Stroke: Relation to Stroke Severity, Myocardial Injury, and Impact on Prognosis.. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11,	5.1	1
14	Multidimensional Approach of Heart Failure Diagnosis and Prognostication Utilizing Cardiac Imaging with Biomarkers. <i>Diagnostics</i> , <b>2022</b> , 12, 1366	3.8	1
13	A multidisciplinary approach to heart failure care in the hospital: improving the patient journey. <i>Hospital Practice (1995)</i> ,	2.2	
12	Validation of R-hf risk score for risk stratification in ischemic heart failure patients: A prospective cohort study. <b>2022</b> , 80, 104333		
11	Candidate microRNAs as prognostic biomarkers in heart failure: A systematic review. <b>2022</b> ,		
10	Biomarkers of Cardiac Stretch in Critical Illness: A Narrative Review. <b>2022</b> , 1-17		0
9	Biomarker profiles in heart failure with preserved vs. reduced ejection fraction: results from the DIAST-CHF study.		0
8	Epidemiology, Diagnosis, Pathophysiology, and Initial Approach to Heart Failure with Preserved Ejection Fraction. <b>2022</b> , 40, 397-413		1
7	Implications of worsening renal function before hospitalization for acute heart failure.		0
6	Circulating cardiac biomarkers, structural brain changes, and dementia: Emerging insights and perspectives.		0
5	Biomarkers of Cardiac Stretch in Critical Illness: A Narrative Review. <b>2023</b> , 1029-1045		0
4	Hypocapnia is an independent predictor of in-hospital mortality in acute heart failure. <b>2023</b> , 10, 1385-1400		0
3	Influence of chronic obstructive pulmonary disease on long-term hospitalization and mortality in patients with heart failure with reduced ejection fraction. <b>2023</b> , 23,		0



- 2 Interlaboratory variation for NT-proBNP among Swedish laboratories in an external quality program 2011-2021. **2023**, ○
- 1 A State-of-the-Art Review on Sleep Apnea Syndrome and Heart Failure. **2023**, 195, 57-69 ○